


5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4376G	47.09	54.00	-6.91	8.71	3	Vertical	19	2.92	38.38	32.88	10.01	34.18
AV	5.716G	106.04	Inf	-Inf	9.43	3	Vertical	19	2.92	96.61	33.50	10.13	34.20
PK	5.4664G	58.19	68.20	-10.01	8.77	3	Vertical	19	2.92	49.42	32.93	10.02	34.18
PK	5.716G	116.29	Inf	-Inf	9.43	3	Vertical	19	2.92	106.86	33.50	10.13	34.20
PK	5.9716G	60.34	68.20	-7.86	10.26	3	Vertical	19	2.92	50.08	34.17	10.31	34.22


5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.434G	47.18	54.00	-6.82	8.70	3	Horizontal	45	1.57	38.48	32.87	10.01	34.18
AV	5.7112G	106.66	Inf	-Inf	9.40	3	Horizontal	45	1.57	97.26	33.47	10.13	34.20
PK	5.4688G	58.74	68.20	-9.46	8.78	3	Horizontal	45	1.57	49.96	32.94	10.02	34.18
PK	5.7124G	118.13	Inf	-Inf	9.40	3	Horizontal	45	1.57	108.73	33.47	10.13	34.20
PK	5.9104G	61.32	68.20	-6.88	10.19	3	Horizontal	45	1.57	51.13	34.14	10.26	34.21

**5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42184G	48.88	54.00	-5.12	18.08	3	Vertical	360	2.21	30.80	39.06	13.08	34.06
PK	11.41136G	61.46	74.00	-12.54	18.10	3	Vertical	360	2.21	43.36	39.08	13.08	34.06
PK	17.1136G	62.69	68.20	-5.51	21.30	3	Vertical	82	1.90	41.39	38.40	16.20	33.30

**5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42256G	48.18	54.00	-5.82	18.07	3	Horizontal	321	1.86	30.11	39.05	13.08	34.06
PK	11.42112G	60.88	74.00	-13.12	18.08	3	Horizontal	321	1.86	42.80	39.06	13.08	34.06
PK	17.12984G	62.92	68.20	-5.28	21.30	3	Horizontal	260	2.48	41.62	38.40	16.20	33.30

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	47.50	54.00	-6.50	8.90	3	Vertical	340	2.80	38.60	33.20	9.83	34.13
AV	5.281G	97.95	Inf	-Inf	8.73	3	Vertical	340	2.80	89.22	32.96	9.92	34.15
AV	5.352G	51.57	54.00	-2.43	8.51	3	Vertical	340	2.80	43.06	32.70	9.97	34.16
PK	5.075G	59.31	74.00	-14.69	8.73	3	Vertical	340	2.80	50.58	33.05	9.79	34.11
PK	5.291G	108.91	Inf	-Inf	8.75	3	Vertical	340	2.80	100.16	32.98	9.92	34.15
PK	5.351G	65.18	74.00	-8.82	8.51	3	Vertical	340	2.80	56.67	32.70	9.97	34.16

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	48.10	54.00	-5.90	8.90	3	Horizontal	56	1.50	39.20	33.20	9.83	34.13
AV	5.279G	101.71	Inf	-Inf	8.73	3	Horizontal	56	1.50	92.98	32.96	9.92	34.15
AV	5.35G	53.34	54.00	-0.66	8.51	3	Horizontal	56	1.50	44.83	32.70	9.97	34.16
PK	5.128G	59.72	74.00	-14.28	8.90	3	Horizontal	56	1.50	50.82	33.20	9.82	34.12
PK	5.289G	112.70	Inf	-Inf	8.75	3	Horizontal	56	1.50	103.95	32.98	9.92	34.15
PK	5.361G	66.39	74.00	-7.61	8.53	3	Horizontal	56	1.50	57.86	32.72	9.97	34.16

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.88664G	47.64	54.00	-6.36	19.67	3	Vertical	280	2.96	27.97	38.36	15.94	34.63
PK	10.57344G	59.37	68.20	-8.83	17.15	3	Vertical	59	2.85	42.22	38.82	12.75	34.42
PK	15.8716G	60.68	74.00	-13.32	19.61	3	Vertical	280	2.96	41.07	38.31	15.92	34.62


5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90792G	47.52	54.00	-6.48	19.70	3	Horizontal	65	2.57	27.82	38.39	15.95	34.64
PK	10.59264G	60.69	68.20	-7.51	17.23	3	Horizontal	324	1.45	43.46	38.88	12.76	34.41
PK	15.85976G	61.63	74.00	-12.37	19.59	3	Horizontal	65	2.57	42.04	38.28	15.92	34.61

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.69	54.00	-4.31	8.76	3	Vertical	57	1.46	40.93	32.92	10.02	34.18
AV	5.54G	94.10	Inf	-Inf	8.70	3	Vertical	57	1.46	85.40	32.84	10.05	34.19
PK	5.469G	61.29	68.20	-6.91	8.78	3	Vertical	57	1.46	52.51	32.94	10.02	34.18
PK	5.541G	105.33	Inf	-Inf	8.70	3	Vertical	57	1.46	96.63	32.84	10.05	34.19
PK	5.747G	59.64	68.20	-8.56	9.63	3	Vertical	57	1.46	50.01	33.68	10.15	34.20

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	52.93	54.00	-1.07	8.76	3	Horizontal	52	1.49	44.17	32.92	10.02	34.18
AV	5.541G	99.16	Inf	-Inf	8.70	3	Horizontal	52	1.49	90.46	32.84	10.05	34.19
PK	5.463G	65.41	68.20	-2.79	8.77	3	Horizontal	52	1.49	56.64	32.93	10.02	34.18
PK	5.521G	111.84	Inf	-Inf	8.77	3	Horizontal	52	1.49	103.07	32.92	10.04	34.19
PK	5.745G	59.54	68.20	-8.66	9.62	3	Horizontal	52	1.49	49.92	33.67	10.15	34.20

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05136G	47.36	54.00	-6.64	17.70	3	Vertical	65	1.38	29.66	38.80	12.94	34.04
PK	11.06144G	60.80	74.00	-13.20	17.70	3	Vertical	65	1.38	43.10	38.80	12.94	34.04
PK	16.56568G	63.23	68.20	-4.97	20.56	3	Vertical	222	2.76	42.67	38.67	16.11	34.22


5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX  
5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06144G	46.95	54.00	-7.05	17.70	3	Horizontal	274	1.41	29.25	38.80	12.94	34.04
PK	11.06032G	60.07	74.00	-13.93	17.70	3	Horizontal	274	1.41	42.37	38.80	12.94	34.04
PK	16.61576G	62.42	68.20	-5.78	20.73	3	Horizontal	97	2.06	41.69	38.73	16.12	34.12

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	47.50	54.00	-6.50	8.76	3	Vertical	54	1.48	38.74	32.92	10.02	34.18
AV	5.612G	96.29	Inf	-Inf	9.03	3	Vertical	54	1.48	87.26	33.15	10.08	34.20
PK	5.463G	58.54	68.20	-9.66	8.77	3	Vertical	54	1.48	49.77	32.93	10.02	34.18
PK	5.601G	107.96	Inf	-Inf	8.97	3	Vertical	54	1.48	98.99	33.10	10.07	34.20
PK	5.732G	62.60	68.20	-5.60	9.53	3	Vertical	54	1.48	53.07	33.59	10.14	34.20


5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.95	54.00	-5.05	8.76	3	Horizontal	49	1.50	40.19	32.92	10.02	34.18
AV	5.621G	101.68	Inf	-Inf	9.06	3	Horizontal	49	1.50	92.62	33.18	10.08	34.20
PK	5.47G	60.31	68.20	-7.89	8.78	3	Horizontal	49	1.50	51.53	32.94	10.02	34.18
PK	5.612G	113.37	Inf	-Inf	9.03	3	Horizontal	49	1.50	104.34	33.15	10.08	34.20
PK	5.733G	65.83	68.20	-2.37	9.54	3	Horizontal	49	1.50	56.29	33.60	10.14	34.20

**5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**5610MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20016G	49.19	54.00	-4.81	17.85	3	Vertical	35	1.50	31.34	38.90	13.00	34.05
PK	11.20944G	62.13	74.00	-11.87	17.87	3	Vertical	35	1.50	44.26	38.92	13.00	34.05
PK	16.85128G	60.97	68.20	-7.23	20.87	3	Vertical	14	2.30	40.10	38.35	16.16	33.64

**5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**5610MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20032G	46.22	54.00	-7.78	17.85	3	Horizontal	275	1.45	28.37	38.90	13.00	34.05
PK	11.1888G	58.49	74.00	-15.51	17.83	3	Horizontal	275	1.45	40.66	38.89	12.99	34.05
PK	16.85864G	61.39	68.20	-6.81	20.90	3	Horizontal	4	1.94	40.49	38.36	16.16	33.62



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4452G	47.56	54.00	-6.44	8.73	3	Vertical	18	2.95	38.83	32.89	10.02	34.18
AV	5.6864G	103.26	Inf	-Inf	9.29	3	Vertical	18	2.95	93.97	33.37	10.12	34.20
PK	5.4608G	58.49	68.20	-9.71	8.76	3	Vertical	18	2.95	49.73	32.92	10.02	34.18
PK	5.6864G	114.27	Inf	-Inf	9.29	3	Vertical	18	2.95	104.98	33.37	10.12	34.20
PK	5.8556G	63.29	68.20	-4.91	10.11	3	Vertical	18	2.95	53.18	34.10	10.22	34.21


5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.97	54.00	-6.03	8.76	3	Horizontal	46	1.50	39.21	32.92	10.02	34.18
AV	5.672G	103.22	Inf	-Inf	9.25	3	Horizontal	46	1.50	93.97	33.34	10.11	34.20
PK	5.4692G	59.56	68.20	-8.64	8.78	3	Horizontal	46	1.50	50.78	32.94	10.02	34.18
PK	5.672G	115.13	Inf	-Inf	9.25	3	Horizontal	46	1.50	105.88	33.34	10.11	34.20
PK	5.8532G	66.52	68.20	-1.68	10.11	3	Horizontal	46	1.50	56.41	34.10	10.22	34.21

**5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.36224G	46.02	54.00	-7.98	18.11	3	Vertical	19	2.10	27.91	39.10	13.06	34.05
PK	11.3832G	58.61	74.00	-15.39	18.11	3	Vertical	19	2.10	40.50	39.10	13.07	34.06
PK	17.0996G	62.51	68.20	-5.69	21.30	3	Vertical	126	2.63	41.21	38.40	16.20	33.30


**5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38048G	45.78	54.00	-8.22	18.11	3	Horizontal	322	1.91	27.67	39.10	13.07	34.06
PK	11.35152G	58.49	74.00	-15.51	18.11	3	Horizontal	322	1.91	40.38	39.10	13.06	34.05
PK	17.10648G	62.29	68.20	-5.91	21.30	3	Horizontal	357	1.02	40.99	38.40	16.20	33.30

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1432G	49.89	54.00	-4.11	8.90	3	Vertical	324	2.96	40.99	33.20	9.83	34.13
AV	5.274G	93.50	Inf	-Inf	8.71	3	Vertical	324	2.96	84.79	32.95	9.91	34.15
AV	5.394G	50.95	54.00	-3.05	8.62	3	Vertical	324	2.96	42.33	32.79	10.00	34.17
PK	5.1228G	61.12	74.00	-12.88	8.90	3	Vertical	324	2.96	52.22	33.20	9.82	34.12
PK	5.2956G	104.26	Inf	-Inf	8.77	3	Vertical	324	2.96	95.49	32.99	9.93	34.15
PK	5.4792G	58.94	68.20	-9.26	8.80	3	Vertical	324	2.96	50.14	32.96	10.03	34.19

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	52.34	54.00	-1.66	8.90	3	Horizontal	61	1.64	43.44	33.20	9.83	34.13
AV	5.2692G	97.86	Inf	-Inf	8.70	3	Horizontal	61	1.64	89.16	32.94	9.91	34.15
AV	5.3592G	53.07	54.00	-0.93	8.53	3	Horizontal	61	1.64	44.54	32.72	9.97	34.16
PK	5.1168G	63.61	74.00	-10.39	8.89	3	Horizontal	61	1.64	54.72	33.20	9.81	34.12
PK	5.2692G	109.61	Inf	-Inf	8.70	3	Horizontal	61	1.64	100.91	32.94	9.91	34.15
PK	5.4912G	60.30	68.20	-7.90	8.82	3	Horizontal	61	1.64	51.48	32.98	10.03	34.19

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68152G	47.99	54.00	-6.01	19.56	3	Vertical	177	1.43	28.43	38.29	15.78	34.51
PK	10.492G	55.24	68.20	-12.96	16.83	3	Vertical	83	2.76	38.41	38.61	12.72	34.50
PK	15.68568G	60.37	74.00	-13.63	19.55	3	Vertical	177	1.43	40.82	38.27	15.79	34.51

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6732G	48.11	54.00	-5.89	19.60	3	Horizontal	99	1.02	28.51	38.33	15.78	34.51
PK	10.50416G	57.41	68.20	-10.79	16.85	3	Horizontal	321	1.47	40.56	38.61	12.73	34.49
PK	15.67672G	60.72	74.00	-13.28	19.59	3	Horizontal	99	1.02	41.13	38.32	15.78	34.51

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	49.82	54.00	-4.18	8.74	3	Vertical	55	1.49	41.08	32.90	10.02	34.18
AV	5.6012G	91.69	Inf	-Inf	8.97	3	Vertical	55	1.49	82.72	33.10	10.07	34.20
PK	5.4632G	60.07	68.20	-8.13	8.77	3	Vertical	55	1.49	51.30	32.93	10.02	34.18
PK	5.5808G	102.63	Inf	-Inf	8.85	3	Vertical	55	1.49	93.78	32.98	10.06	34.19
PK	5.7812G	62.57	68.20	-5.63	9.72	3	Vertical	55	1.49	52.85	33.76	10.17	34.21


5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

5570MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	53.04	54.00	-0.96	8.74	3	Horizontal	56	1.50	44.30	32.90	10.02	34.18
AV	5.5796G	97.04	Inf	-Inf	8.85	3	Horizontal	56	1.50	88.19	32.98	10.06	34.19
PK	5.4608G	64.47	68.20	-3.73	8.76	3	Horizontal	56	1.50	55.71	32.92	10.02	34.18
PK	5.5592G	107.80	Inf	-Inf	8.73	3	Horizontal	56	1.50	99.07	32.86	10.06	34.19
PK	5.7296G	64.33	68.20	-3.87	9.52	3	Horizontal	56	1.50	54.81	33.58	10.14	34.20

**5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX**  
**5570MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15056G	46.39	54.00	-7.61	17.78	3	Vertical	35	1.50	28.61	38.85	12.98	34.05
PK	11.11888G	58.80	74.00	-15.20	17.75	3	Vertical	35	1.50	41.05	38.82	12.97	34.04
PK	16.63128G	62.43	68.20	-5.77	20.79	3	Vertical	323	2.51	41.64	38.76	16.12	34.09

**5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX**  
**5570MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1112G	45.02	54.00	-8.98	17.73	3	Horizontal	275	1.50	27.29	38.81	12.96	34.04
PK	11.16208G	58.08	74.00	-15.92	17.79	3	Horizontal	275	1.50	40.29	38.86	12.98	34.05
PK	16.69656G	62.34	68.20	-5.86	21.06	3	Horizontal	32	2.03	41.28	38.89	16.13	33.96