

EMC-TRF-03 Rev 1.0

Report No.: GZCR210802082203 Page: 1 of 10 FCC ID: TVE-3701M01

# **SAR Evaluation Report**

| Application No.:  | GZCR2108020822AT  |  |
|---|---|--|
| Applicant:  | Fortinet Inc.   |  |
| Address of Applicant:   | 899 Kifer Road, Sunnyvale, California, 94086 United States  |  |
| Manufacturer:   | Fortinet, Inc.  |  |
| Address of Manufacturer: 899 Kifer Road, Sunnyvale, CA. 94086 USA |   |  |
| Equipment Under Test (EUT)  | :   |  |
| EUT Name:   | Secured Network Extension Device  |  |
| Model No.:  | FEX-212F, FortiExtender 212Fxxxxxx, FORTIEXTENDER-212Fxxxxxx, FEX-212Fxxxxxx (where "x" can be "0-9", or "A-Z", or "-", or blank for marketing purposes or software changes only and no Safety or EMC related changes) <b>*</b> |  |
| *   | Please refer to section 2 of this report which indicates which model was actually tested and which were electrically identical.   |  |
| Trade Mark:   | FORTINET  |  |
| Standards:  | 47 CFR Part 1.1307  |  |
|   | 47 CFR Part 1.1310  |  |
|   | 47 CFR Part 2.1091  |  |
| Date of Receipt:  | 2021-08-13  |  |
| Date of Test:   | 2021-08-14 to 2021-08-28  |  |
| Date of Issue:  | 2021-09-01  |  |
| Test Result :   | PASS*   |  |

\* In the configuration tested, the EUT complied with the standards specified above.

oke. Jun

Kobe Jian EMC Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sas.com ().N(%%/attentiods.dosintel/Redx.Guarabu.commit.Behndog/DevelomentDishtid.Guarabu.Chie 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.com.com

中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 8215555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-03 Rev 1.0

Report No.: GZCR210802082203 Page: 2 of 10

| Revision Record |         |            |          |          |  |  |
|-----------------|---------|------------|----------|----------|--|--|
| Version         | Chapter | Date       | Modifier | Remark   |  |  |
| 01              |         | 2021-09-01 |          | Original |  |  |
|                 |         |            |          |          |  |  |
|                 |         |            |          |          |  |  |

| Authorized for issue by |                           |  |
|-------------------------|---------------------------|--|
|                         | CJ Vu                     |  |
|                         | Curry Wu/Project Engineer |  |
|                         | Riday Liu                 |  |
|                         | Ricky Liu/Reviewer        |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com (). Now!Ketuwed& disenteDArg(& Guarghue Commet/Devind, Guarghue, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.on.

中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-03 Rev 1.0

Report No.: GZCR210802082203 Page: 3 of 10

## 3 Contents

#### Page

| 1 | со  |   | 1 |
|---|-----|---|---|
| 3 | CO  |   |   |
| 4 | GE  | ENERAL INFORMATION                          | 4 |
| 2 | 1.1 | GENERAL DESCRIPTION OF EUT                  | 4 |
| 2 | 1.2 | TEST LOCATION                               | 5 |
| 2 | 4.3 | TEST FACILITY                               | 6 |
| 2 | 1.4 | DEVIATION FROM STANDARDS                    | 7 |
| 2 | 4.5 | Abnormalities from Standard Conditions      | 7 |
| 2 | 1.6 | OTHER INFORMATION REQUESTED BY THE CUSTOMER | 7 |
| 5 | RF  | F EXPOSURE EVALUATION                       | 8 |
| Ę | 5.1 | RF Exposure Compliance Requirement          | 8 |
|   | 5.1 | 1.1 Limits                                  | 8 |
|   | 5.1 | 1.2 Test Procedure                          | 8 |
| Ę | 5.2 | EUT RF EXPOSURE EVALUATION                  | 9 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en

Mic 1984 とのは、Solenicki Fak, Galegiabu Economic & Technology Development District, Guargabou, Chira 510663 tt (86-20) 82155555 ft (86-20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 tt (86-20) 82155555 ft (86-20) 82075058 sgs.com



EMC-TRF-03 Rev 1.0

Report No.: GZCR210802082203 Page: 4 of 10

## 4 General Information

## 4.1 General Description of EUT

| Power supply: DC 12V by AC adapter or POE adapter. |   |
|--|---|
| For BT   |   |
| Operation Frequency:                               | 2402MHz to 2480MHz                      |
| Modulation Type:                                   | GFSK, pi/4DQPSK, 8DPSK                  |
| Number of Channels:                                | 79                                      |
| Channel Spacing:                                   | 1MHz                                    |
| Spectrum Spread<br>Technology:                     | Frequency Hopping Spread Spectrum(FHSS) |
| Antenna Type:                                      | PIFA Antenna                            |
| Antenna Gain:                                      | 3.5dBi                                  |
| For BLE  |   |
| Bluetooth Version:                                 | V5.0                                    |
| Operation Frequency:                               | 2402MHz to 2480MHz                      |
| Modulation Type:                                   | GFSK                                    |
| Channel Spacing:                                   | 2MHz                                    |
| Date Rate:   | 1Mbps, 2Mbps                            |
| Number of Channels:                                | 40                                      |
| Antenna Type:                                      | PIFA Antenna                            |
| Antenna Gain:                                      | 3.5dBi                                  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/Terms-End-Conditions/T

Mic 198 Kath Kath Scientisch Fak, Gaargabu Economic & Technology Development Dishid, Guargabou, China 510663 tt (86-20) 82155555 ft (86-20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 tt (86-20) 82155555 ft (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-03 Rev 1.0

Report No.: GZCR210802082203 Page: 5 of 10

| For WCDMA/LTE            |   |
|--------------------------|---|
| Operation Frequency      | WCDMA Band 2/ WCDMA Band 5/ WCDMA Band 4            |
| Band:                    | LIE FDD Band 2, 4, 5, 7, 12, 13, 26, 30, 41, 48, 66 |
| Modulation Type:         | WCDMA: UL up to 16QAM, DL up to 64QAM               |
| woodlation Type.         | LTE: UL&DL up to 256QAM                             |
| HSDPA UE Category:       | 13  |
| HSUPA UE Category:       | 6   |
| LTE Release Version:     | R8  |
| LTE Power Class:         | Level 3   |
| Antenna Type:            | Dipole Antenna                                      |
|                          | WCDMA Band 2/4, LTE Band 2/4/7/30/41/66: 3.8 dBi    |
| Antenna Gain:            | WCDMA Band 5, LTE Band 5/12/13/26: 1.64 dBi         |
|                          | LTE Band 48: -0.94dBi;                              |
| Based on Module certific | ation(FCC ID: N7NEM75)                              |

#### **Declaration of EUT Family Grouping:**

Model No.: FEX-212F, FortiExtender 212Fxxxxx, FORTIEXTENDER-212Fxxxxxx, FEX-212Fxxxxxx (where "x" can be "0-9", or "A-Z", or "-", or blank for marketing purposes or software changes only and no Safety or EMC related changes)

Only the model FEX-212F was tested. According to the declaration from the applicant, the electrical circuit design, layout, components used, internal wiring and functions were identical for the above models, with only difference on marketing purposes or software with on EMC related changes

## 4.2 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou Branch EMC Laboratory, 198 Kezhu Road, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663

Tel: +86 20 82155555 Fax: +86 20 82075059

No tests were sub-contracted.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such supple(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN\_Doccheck@sgs.com</a>

中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 8215555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-03 Rev 1.0

Report No.: GZCR210802082203 Page: 6 of 10

## 4.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### • NVLAP (Lab Code: 200611-0)

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou EMC Laboratory is accredited by the National Voluntary Laboratory Accreditation Program (NVLAP/NIST). NVLAP Code: 200611-0. The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

#### • ACMA

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory can also perform testing for the Australian/New Zealand Regulatory Compliance Mark (RCM).

#### • SGS UK(Certificate No.: 32), SGS-TUV SAARLAND and SGS-FIMKO

Have approved SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory as a supplier of EMC TESTING SERVICES and SAFETY TESTING SERVICES.

#### • CNAS (Lab Code: L0167)

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been assessed and in compliance with CNAS-CL01:2018 accreditation criteria for testing laboratories (identical to ISO/IEC 17025:2017 General Requirements) for the Competence of Testing Laboratories.

#### • FCC Recognized Accredited Test Firm(Registration No.: 486818)

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been accredited and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Designation Number: CN5016, Test Firm Registration Number: 486818.

#### • ISED (Registration No.: 4620B, CAB identifier: CN0052)

SGS-CSTC Standards Technical Services Co., Ltd., has been registered by Innovation Science and Economic Development Canada for Wireless Device Testing laboratories to test to Canadian radio equipment requirements. Registration No. 4620B, CAB identifier: CN0052.

#### • VCCI (Registration No.: R-12460, C-12584, G-20107 and T-11179)

The 10m Semi-anechoic chamber, 966 Anechoic Chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-12460, C-12584, G-20107 and T-11179 respectively.

#### • CBTL (Lab Code: TL129)

SGS-CSTC Standards Technical Services Co., Ltd., E&E Laboratory has been assessed and fully comply with the requirements of ISO/IEC 17025:2017, the Basic Rules, IECEE 01 and Rules of procedure IECEE 02, and the relevant IECEE CB-Scheme Operational documents.



|             | Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed<br>overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents,<br>subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.<br>Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is<br>advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of<br>Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excenerate parties to a<br>transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced<br>except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or<br>appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the<br>results shown in this test report refer only to the sample(s) tested and suck sample(s) are retained for 30 days only.<br>Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,<br>or email: CN.Doccheck@ags.com |
|-------------|---|
| es Co.,Ltd. | No.199 Kezhu Road, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn  |
| aboratory.  | 中国 · 广州 · 经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com  |



EMC-TRF-03 Rev 1.0

Report No.: GZCR210802082203 Page: 7 of 10

## 4.4 Deviation from Standards

None.

## 4.5 Abnormalities from Standard Conditions

None.

## 4.6 Other Information Requested by the Customer

None.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relianed for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, Attention; To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, Attention; To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, Attention; To check the authenticity of testi

or email: CN, Doc Center, Case Scotting, Case Scotting, Case Scotting, Case Scotting, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-03 Rev 1.0

Report No.: GZCR210802082203 Page: 8 of 10

# 5 **RF Exposure Evaluation**

## 5.1 RF Exposure Compliance Requirement

#### 5.1.1 Limits

According to FCC Part1.1310: The criteria listed in the following table shall be used to evaluate the environment impact of human exposure to radio frequency (RF) radiation as specified in part1.1307(b)

TABLE 1-LIMITS FOR MAXIMUM PERMISSIBLE EXPOSURE (MPE)

| Frequency range<br>(MHz)                                  | Electric field Magnetic field<br>strength strength<br>(V/m) (A/m) |                         | Power density<br>(mW/cm <sup>2</sup> )                   | Averaging time<br>(minutes) |
|---|---|-------------------------|--|-----------------------------|
| (A) Lim   | its for Occupational  | /Controlled Exposu      | res  |                             |
| 0.3–3.0   | 614<br>1842/f<br>61.4   | 1.63<br>4.89/f<br>0.163 | *(100)<br>*(900/f²)<br>1.0<br>f/300<br>5                 | 6<br>6<br>6<br>6            |
| (B) Limits 1  | for General Populati  | on/Uncontrolled Exp     | oosure   |                             |
| 0.3–1.34<br>1.34–30<br>30–300<br>300–1500<br>1500–100,000 | 614<br>824/f<br>27.5  | 1.63<br>2.19/f<br>0.073 | *(100)<br>*(180/f <sup>2</sup> )<br>0.2<br>f/1500<br>1.0 | 30<br>30<br>30<br>30<br>30  |

#### F= Frequency in MHz

Friis Formula

Friis transmission formula:  $Pd = (Pout^{*}G)/(4^{*} Pi^{*} R 2)$ 

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.

#### 5.1.2 Test Procedure

Software provided by client enabled the EUT to transmit and receive data at lowest, middle and highest channel individually.





EMC-TRF-03 Rev 1.0

Report No.: GZCR210802082203 Page: 9 of 10

## 5.2 EUT RF Exposure Evaluation

#### For BT:

Antenna Gain: 3.5dBi

Antenna Gain: The maximum Gain measured in fully anechoic chamber is 2.24 in linear scale. Output Power Into Antenna & RF Exposure Evaluation Distance:

| Frequency<br>(MHz) | Max ConductedOutput PoPeak Outputto AntenPower (dBm)(mW) |      | Power Density<br>at R = 20 cm<br>(mW/cm <sup>2</sup> ) | Limit | Result |
|--------------------|--|------|--|-------|--------|
| 2480               | 5.38   | 3.45 | 0.0015   | 1.0   | PASS   |

Note: Refer to report No. GZCR210802082201 for EUT test Max Conducted Peak Output Power value. The distance r (4th column) calculated from the Fries transmission formula is far greater than 20 cm separation requirement.

#### For BLE:

Antenna Gain: 3.5dBi

Antenna Gain: The maximum Gain measured in fully anechoic chamber is 2.24 in linear scale. Output Power Into Antenna & RF Exposure Evaluation Distance:

| Frequency<br>(MHz) | Max ConductedOutput PowPeak Outputto AntennaPower (dBm)(mW) |       | Power Density<br>at R = 20 cm<br>(mW/cm <sup>2</sup> ) | Limit | Result |
|--------------------|---|-------|--|-------|--------|
| 2402               | 10.18   | 10.42 | 0.0046   | 1.0   | PASS   |

Note: Refer to report No. GZCR210802082202 for EUT test Max Conducted Peak Output Power value. The distance r (4th column) calculated from the Fries transmission formula is far greater than 20 cm separation requirement.





EMC-TRF-03 Rev 1.0

Report No.: GZCR210802082203 Page: 10 of 10

For standalone WCDMA/LTE

Based on Module certification(FCC ID: N7NEM75), refer to the Module certification N7NEM75 for WCDMA/LTE Module test Max Conducted Peak Output Power value.

The distance r (4th column) calculated from the Fries transmission formula is far greater than 20 cm separation requirement.

| Test Mode | Maximum<br>Conducted<br>Power (dBm) | Antenna Gain<br>(dBi) | Power<br>(mW) | Power Density<br>at 20cm<br>(mW/cm2) | Limit (mW/<br>cm2) | MPE Ratio |
|-----------|-------------------------------------|-----------------------|---------------|--------------------------------------|--------------------|-----------|
| WCDMA B2  | 24.00                               | 3.8                   | 251.19        | 0.1199                               | 0.4476             | 0.2678    |
| WCDMA B4  | 24.00                               | 3.8                   | 251.19        | 0.1199                               | 0.4242             | 0.2826    |
| WCDMA B5  | 24.00                               | 1.64                  | 251.19        | 0.0729                               | 0.2576             | 0.2830    |
| LTE B2    | 24.00                               | 3.8                   | 251.19        | 0.1199                               | 0.4476             | 0.2678    |
| LTE B4    | 24.00                               | 3.8                   | 251.19        | 0.1199                               | 0.4242             | 0.2826    |
| LTE B5    | 24.00                               | 1.64                  | 251.19        | 0.0729                               | 0.2576             | 0.2830    |
| LTE B7    | 23.80                               | 3.8                   | 239.88        | 0.1145                               | 0.5499             | 0.2082    |
| LTE B12   | 24.00                               | 1.64                  | 251.19        | 0.0729                               | 0.2302             | 0.3167    |
| LTE B13   | 24.00                               | 1.64                  | 251.19        | 0.0729                               | 0.2474             | 0.2947    |
| LTE B26   | 24.00                               | 1.64                  | 251.19        | 0.0729                               | 0.2554             | 0.2854    |
| LTE B30   | 23.00                               | 3.8                   | 199.53        | 0.0952                               | 0.5202             | 0.1830    |
| LTE B41   | 23.80                               | 3.8                   | 239.88        | 0.1145                               | 0.5493             | 0.2084    |
| LTE B48   | 23.00                               | -0.94                 | 199.53        | 0.0320                               | 0.6988             | 0.0457    |
| LTE B66   | 24.00                               | 3.8                   | 251.19        | 0.1199                               | 0.4242             | 0.2826    |

The simultaneous transmission result between of BTand 2 WCDMA/LTE module:

The SAR Exclusion Threshold Level:

=CPD1 / LPD1 + CPD2 / LPD2+ CPD3 / LPD3

(CPD = Calculation power density, LPD = Limit of power density)

= 0.0046 +0.3167+0.3167= 0.638 < 1

Since the SAR Exclusion Threshold Level is well below the SAR low threshold level, so the EUT is considered to comply with SAR requirement without testing.

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itest eretained for 30 days only. Attention: To check the authenticity of testing Inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN. Doccheck@ags.com. New MarkRed, Samehr Rd, Garghou Exonnet Endong DevelopmentDisid, Guagchou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn email: childer at Gardhard Gardhar