

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			27			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5521			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	83.3	20	1951	-	468237
2	3	85.1	20	1100	1662	16377
3	1	56	20	-	-	161534
4	2	79.4	20	1304	-	305906
5	3	92.1	20	1469	1019	449841
6	2	68.8	20	1085	-	595673
7	1	57.2	20	-	-	143727
8	3	97.8	20	1342	1548	287559
9	2	67.9	20	1732	-	432637
10	2	70.5	20	1609	-	577584
11	2	80.7	20	1210	-	125527
12	2	68.5	20	1888	-	270364
13	1	66.4	20	-	-	416177
14	2	67.7	20	1796	-	559545
15	2	68.5	20	1203	-	107741
16	2	72.5	20	1480	-	252702
17	1	63.7	20	-	-	398558
18	2	67.7	20	1316	-	542646
19	3	92.3	20	1415	1940	89576
20	2	79.4	20	1348	-	234641

Trial Number:			28			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5521			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	79.1	20	1458	-	379190
2	3	87.5	20	1468	1514	523076
3	3	99.9	20	1103	1658	71937
4	1	56.5	20	-	-	217317
5	3	95.1	20	1430	1360	360555
6	1	58.8	20	-	-	507406
7	3	88.9	20	1009	1378	54147
8	3	98.8	20	1939	1010	198553
9	2	68.4	20	1991	-	343542
10	2	74.4	20	1744	-	488663
11	3	92.2	20	1694	1022	36265
12	1	52.5	20	-	-	181730
13	3	91.2	20	1986	1976	324692
14	3	93.7	20	1039	1502	470215
15	2	67.5	20	1801	-	18525
16	2	67	20	1931	-	163153
17	2	80.9	20	1737	-	308214
18	1	56.4	20	-	-	453740
19	2	82.4	20	1805	-	690
20	3	87.3	20	1769	1159	145101

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			29			Detection (Yes/No) Yes
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5524			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.1	13	-	-	416095
2	3	92.3	13	1507	1797	621328
3	1	59.9	13	-	-	831157
4	2	67.3	13	1490	-	182535
5	1	53.9	13	-	-	390651
6	1	61.5	13	-	-	597650
7	3	85.6	13	1995	1655	802403
8	2	76.5	13	1031	-	157208
9	2	70	13	1267	-	364484
10	2	75.1	13	1207	-	571352
11	2	71	13	1250	-	779007
12	2	80.7	13	1960	-	131476
13	2	82	13	1876	-	338428
14	2	72.9	13	1929	-	545368
15						
16						
17						
18						
19						
20						

Trial Number:			30			Detection (Yes/No) Yes
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5523			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	78	16	1347	-	619608
2	3	95.9	16	1906	1353	87028
3	3	85.3	16	1357	1263	257434
4	3	99.6	16	1204	1524	427596
5	3	84.3	16	1073	1143	598137
6	2	83.2	16	1252	-	66279
7	2	79.9	16	1950	-	236738
8	1	58.4	16	-	-	408278
9	2	79.4	16	1473	-	577873
10	3	93.6	16	1337	1535	45220
11	2	78.4	16	1409	-	215908
12	2	78.1	16	1152	-	386671
13	2	77.4	16	1107	-	556902
14	2	72.8	16	1021	-	24298
15	1	50.2	16	-	-	195279
16	1	51.5	16	-	-	365799
17	3	91.6	16	1005	1492	535081
18						
19						
20						

Channel 106 Bandwidth 80MHz

DFS Radar Parameters
FCC Radar Type 1
Channel 106 Bandwidth 80MHz

Trial #	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	4	1730.10	578	Yes
2	13	1319.26	758	Yes
3	5	1672.24	598	Yes
4	17	1193.32	838	Yes
5	20	1113.59	898	Yes
6	21	1089.32	918	Yes
7	12	326.16	3066	Yes
8	10	1432.66	698	Yes
9	8	1519.76	658	Yes
10	1	1930.50	518	Yes
11	6	1618.12	618	Yes
12	12	1355.01	738	Yes
13	3	1792.11	558	Yes
14	19	1138.95	878	Yes
15	11	1392.76	718	Yes
16		579.71	1725	Yes
17		1173.71	852	Yes
18		503.78	1985	Yes
19		1472.75	679	Yes
20		352.73	2835	Yes
21		461.25	2168	Yes
22		467.29	2140	Yes
23		337.27	2965	Yes
24		1273.89	785	Yes
25		452.49	2210	Yes
26		1547.99	646	Yes
27		652.74	1532	Yes
28		1587.30	630	Yes
29		412.20	2426	Yes
30		1369.86	730	Yes

DFS Radar Parameters
FCC Radar Type 2
Channel 106 Bandwidth 80MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	28	4.40	169	Yes
2	28	3.90	216	Yes
3	23	1.50	222	Yes
4	24	1.90	154	Yes
5	24	1.50	186	Yes
6	28	4.30	164	Yes
7	23	1.20	197	Yes
8	28	4.30	224	Yes
9	24	1.70	208	Yes
10	25	2.40	173	Yes
11	24	2.00	193	Yes
12	26	2.90	214	Yes
13	25	2.50	150	Yes
14	23	1.30	159	No
15	27	3.30	201	Yes
16	25	2.70	194	Yes
17	27	3.80	168	Yes
18	25	2.40	170	Yes
19	28	4.40	211	Yes
20	27	3.40	217	Yes
21	23	1.40	220	Yes
22	28	4.20	226	Yes
23	26	3.10	202	Yes
24	27	3.80	230	Yes
25	23	1.10	206	Yes
26	24	1.70	228	Yes
27	29	4.90	153	Yes
28	29	4.90	187	Yes
29	26	3.10	200	Yes
30	27	3.80	198	Yes

DFS Radar Parameters
FCC Radar Type 3
Channel 106 Bandwidth 80MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	18	9.40	385	Yes
2	18	8.90	397	Yes
3	16	6.50	434	Yes
4	16	6.90	440	Yes
5	16	6.50	242	Yes
6	18	9.30	312	Yes
7	16	6.20	419	Yes
8	18	9.30	408	Yes
9	16	6.70	478	Yes
10	17	7.40	411	Yes
11	16	7.00	365	Yes
12	17	7.90	443	Yes
13	17	7.50	446	Yes
14	16	6.30	235	Yes
15	17	8.30	356	Yes
16	17	7.70	207	Yes
17	18	8.80	482	Yes
18	17	7.40	276	Yes
19	18	9.40	461	Yes
20	17	8.40	374	Yes
21	16	6.40	500	Yes
22	18	9.20	206	Yes
23	17	8.10	473	Yes
24	18	8.80	201	Yes
25	16	6.10	388	Yes
26	16	6.70	217	Yes
27	18	9.90	262	Yes
28	18	9.90	458	Yes
29	17	8.10	233	Yes
30	18	8.80	437	Yes

DFS Radar Parameters
FCC Radar Type 4
Channel 106 Bandwidth 80MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	16	18.60	385	Yes
2	15	17.50	397	Yes
3	12	12.20	434	Yes
4	13	13.00	440	Yes
5	12	12.30	242	Yes
6	16	18.30	312	Yes
7	12	11.50	419	Yes
8	16	18.50	408	Yes
9	12	12.60	478	Yes
10	13	14.10	411	Yes
11	13	13.40	365	Yes
12	14	15.20	443	Yes
13	13	14.30	446	Yes
14	12	11.70	235	Yes
15	14	16.20	356	Yes
16	14	14.80	207	Yes
17	15	17.40	482	Yes
18	13	14.20	276	Yes
19	16	18.70	461	Yes
20	14	16.40	374	Yes
21	12	12.00	500	Yes
22	15	18.10	206	No
23	14	15.70	473	Yes
24	15	17.20	201	Yes
25	12	11.40	388	Yes
26	12	12.50	217	Yes
27	16	19.70	262	Yes
28	16	19.70	458	Yes
29	14	15.70	233	Yes
30	15	17.30	437	Yes

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			1			Detection (Yes/No)
Number of Bursts in Trial:			18			Yes
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	92	18	1861	1804	54110
2	3	85.9	18	1000	1350	215065
3	1	56.8	18	-	-	377256
4	1	61.1	18	-	-	538663
5	1	57.2	18	-	-	34515
6	3	90.4	18	1605	1927	194700
7	1	53.1	18	-	-	356972
8	3	91.3	18	1181	1544	516087
9	1	59.2	18	-	-	14638
10	2	67.4	18	1768	-	175607
11	1	63.3	18	-	-	337334
12	2	73.5	18	1550	-	497759
13	2	68.6	18	1643	-	658786
14	1	54.3	18	-	-	156150
15	2	78.8	18	1802	-	316552
16	2	71	18	1412	-	477486
17	3	85.2	18	1179	1687	637039
18	2	67.7	18	1240	-	135980
19						
20						

Trial Number:			2			Detection (Yes/No)
Number of Bursts in Trial:			17			Yes
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	92.5	16	1283	1713	313847
2	2	79.9	16	1345	-	484947
3	1	55.5	16	-	-	657215
4	3	89.3	16	1072	1707	122772
5	2	76.3	16	1621	-	293333
6	3	84.2	16	1045	1211	463372
7	1	52.2	16	-	-	636089
8	1	58.6	16	-	-	102140
9	3	98.1	16	1030	1619	271897
10	3	98	16	1531	1853	441445
11	2	76.2	16	1885	-	613094
12	3	85.2	16	1803	1523	80702
13	2	68	16	1779	-	251243
14	2	75.5	16	1171	-	421859
15	3	99.1	16	1847	1151	590857
16	3	85.3	16	1959	1964	59773
17	1	62.7	16	-	-	230820
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			3			Detection (Yes/No) Yes
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5530			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	82.2	7	1478	-	758923
2	3	94.7	7	1857	1230	1080269
3	3	88.2	7	1610	1336	73618
4	2	69.4	7	1755	-	396315
5	2	70.8	7	1782	-	718771
6	2	77	7	1730	-	1041401
7	1	52.9	7	-	-	34010
8	2	78.4	7	1674	-	356625
9	1	53.7	7	-	-	679859
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			4			Detection (Yes/No) Yes
Number of Bursts in Trial:			10			
Chirp Center Frequency:			5530			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	55.8	8	-	-	902661
2	2	79	8	1795	-	1191359
3	3	95.4	8	1087	1647	284871
4	1	51.4	8	-	-	575983
5	2	71	8	1466	-	865638
6	2	67.8	8	1245	-	1156473
7	3	95	8	1970	1518	248854
8	2	73.9	8	1306	-	539953
9	1	66	8	-	-	830955
10	3	96.9	8	1532	1166	1119371
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:		5				Detection (Yes/No)
Number of Bursts in Trial:		9				Yes
Chirp Center Frequency:		5530				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	92.4	7	1635	1118	237190
2	1	52.7	7	-	-	560458
3	1	59.6	7	-	-	883677
4	2	72.7	7	1721	-	1205491
5	1	58.9	7	-	-	197827
6	3	98.7	7	1126	1567	519912
7	3	92.4	7	1183	1216	842500
8	1	55.2	7	-	-	1166963
9	1	65.1	7	-	-	158139
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:		6				Detection (Yes/No)
Number of Bursts in Trial:		18				Yes
Chirp Center Frequency:		5530				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	2	74.1	17	1291	-	239788
2	3	99.5	17	1344	1392	400071
3	3	87.8	17	1537	1677	560089
4	2	74.4	17	1965	-	58872
5	3	83.4	17	1559	1407	219373
6	3	91.6	17	1431	1915	379670
7	3	96.6	17	1384	1094	541256
8	2	76.4	17	1615	-	39119
9	3	97.1	17	1460	1637	199571
10	3	98.4	17	1953	1580	360155
11	2	71.6	17	1123	-	522091
12	1	52.8	17	-	-	19335
13	1	52.5	17	-	-	180755
14	1	60.8	17	-	-	342106
15	2	72.5	17	1871	-	501536
16	2	78.3	17	1158	-	663703
17	2	73.2	17	1124	-	160498
18	1	63.2	17	-	-	322180
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:		7				Detection (Yes/No)
Number of Bursts in Trial:		8				Yes
Chirp Center Frequency:		5530				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	96.6	6	1429	1090	1086926
2	2	76.9	6	1894	-	1451108
3	1	58.3	6	-	-	317396
4	3	90.2	6	1333	1120	679937
5	3	94.1	6	1302	1174	1042782
6	1	59.4	6	-	-	1407864
7	1	52.1	6	-	-	272665
8	3	92.9	6	1137	1093	635097
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:		8				Detection (Yes/No)
Number of Bursts in Trial:		18				Yes
Chirp Center Frequency:		5530				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	1	60	18	-	-	443398
2	2	72.6	18	1309	-	603882
3	2	72	18	1807	-	100973
4	2	79.2	18	1380	-	262129
5	2	70.8	18	1872	-	422575
6	2	78.5	18	1638	-	583785
7	2	71.7	18	1731	-	81122
8	3	87.9	18	1186	1385	241616
9	1	54.3	18	-	-	403804
10	1	54.2	18	-	-	565468
11	2	68	18	1500	-	61337
12	1	54.6	18	-	-	222624
13	1	62	18	-	-	383876
14	1	59.8	18	-	-	545329
15	2	74.5	18	1579	-	41441
16	3	91.5	18	1136	1065	202266
17	3	97.9	18	1942	1877	361879
18	2	75.6	18	1234	-	524742
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			9			Detection (Yes/No)
Number of Bursts in Trial:			10			Yes
Chirp Center Frequency:			5530			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	94.4	7	1463	1515	39000
2	3	94	7	1445	1943	328793
3	3	89.8	7	1754	1670	618811
4	3	91.9	7	1811	1386	908559
5	3	87.1	7	1206	1288	3271
6	3	94.4	7	1067	1196	293454
7	3	85.7	7	1577	1675	583162
8	3	85.4	7	1564	1215	873075
9	3	95.8	7	1231	1037	1163893
10	2	78.4	7	1340	-	257926
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			10			Detection (Yes/No)
Number of Bursts in Trial:			12			Yes
Chirp Center Frequency:			5530			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	1	56.7	10	-	-	457014
2	3	83.9	10	1902	1891	696527
3	1	55.4	10	-	-	941837
4	2	78.3	10	1975	-	184832
5	2	72.2	10	1809	-	426524
6	3	90.5	10	1062	1479	667585
7	2	81.6	10	1949	-	910213
8	2	74	10	1689	-	155106
9	1	54.3	10	-	-	397548
10	2	67.8	10	1720	-	638568
11	2	77.5	10	1177	-	881294
12	3	93.2	10	1372	1629	125235
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			11			Detection (Yes/No) Yes
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5495			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	81.1	9	1774	-	400532
2	1	64.7	9	-	-	665474
3	1	56.5	9	-	-	929894
4	2	68.2	9	1373	-	104347
5	1	60.3	9	-	-	368777
6	2	68.6	9	1481	-	631812
7	1	51.1	9	-	-	897290
8	3	86.8	9	1379	1308	71717
9	1	52.4	9	-	-	336194
10	2	66.9	9	1498	-	599511
11	3	92.4	9	1130	1967	862218
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			12			Detection (Yes/No) Yes
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5496			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	68.5	12	1232	-	30868
2	1	65.1	12	-	-	238517
3	1	58.1	12	-	-	445917
4	1	53	12	-	-	653413
5	2	68.1	12	1608	-	5353
6	3	85.6	12	1923	1854	211856
7	2	77.7	12	1049	-	420128
8	3	93.6	12	1542	1862	625722
9	3	85.4	12	1307	1494	832879
10	2	82.7	12	1113	-	187145
11	3	93.4	12	1511	1661	393473
12	2	81.1	12	1874	-	600998
13	2	70.4	12	1640	-	808235
14	3	98.9	12	1470	1449	161180
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			13			Detection (Yes/No) Yes
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5496			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	89.7	10	1776	1918	429376
2	2	82.4	10	1747	-	672245
3	2	71.6	10	1545	-	913466
4	2	78.3	10	1652	-	158640
5	1	50.4	10	-	-	401024
6	3	87.1	10	1086	1446	641566
7	2	80	10	1169	-	884442
8	3	98.1	10	1907	1618	128615
9	1	51.2	10	-	-	371202
10	1	62.9	10	-	-	613174
11	2	75.1	10	1339	-	854176
12	3	85.4	10	1916	1390	98955
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			14			Detection (Yes/No) Yes
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5494			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	68.8	6	1488	-	455054
2	3	84.1	6	1632	1270	776629
3	2	67	6	1257	-	1100814
4	3	84.3	6	1129	1919	92401
5	1	59	6	-	-	415797
6	2	76	6	1274	-	738101
7	3	89.9	6	1761	1892	1058788
8	3	91.6	6	1664	1988	52694
9	3	87	6	1785	1121	375012
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			15			Detection (Yes/No) Yes
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5497			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.2	14	-	-	419038
2	1	64.1	14	-	-	612627
3	3	87.4	14	1324	1666	7807
4	1	63.4	14	-	-	201410
5	3	88.5	14	1724	1961	393175
6	2	76.7	14	1987	-	587179
7	2	74.3	14	1427	-	780700
8	3	92.2	14	1952	1315	176962
9	1	60.5	14	-	-	371487
10	3	87.8	14	1224	1251	563364
11	3	83.7	14	1849	1824	755238
12	3	86.1	14	1930	1718	153027
13	2	69.3	14	1310	-	346726
14	2	70.6	14	1421	-	540384
15	3	86.3	14	2000	1681	731081
16						
17						
18						
19						
20						

Trial Number:			16			Detection (Yes/No) Yes
Number of Bursts in Trial:			13			
Chirp Center Frequency:			5496			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	79.6	11	1459	-	149717
2	1	58.4	11	-	-	373320
3	1	51.9	11	-	-	597107
4	2	79.8	11	1723	-	818957
5	1	62.3	11	-	-	122414
6	2	70.4	11	1749	-	345124
7	1	63.8	11	-	-	569178
8	3	95.3	11	1994	1534	790214
9	2	78	11	1978	-	94660
10	2	82.8	11	1883	-	317755
11	2	66.7	11	1736	-	541063
12	3	93.6	11	1866	1733	762758
13	2	76.5	11	1483	-	67241
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:		17				Detection (Yes/No)
Number of Bursts in Trial:		17				Yes
Chirp Center Frequency:		5498				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	1	51.1	16	-	-	222257
2	2	73.6	16	1526	-	392287
3	2	67.4	16	1992	-	562025
4	3	91.3	16	1035	1184	30343
5	2	78.9	16	1525	-	200891
6	1	61.9	16	-	-	371871
7	2	76.4	16	1688	-	541993
8	2	68.3	16	1558	-	9379
9	3	84.2	16	1208	1331	179584
10	1	64.8	16	-	-	350979
11	1	62	16	-	-	521709
12	1	60.4	16	-	-	692286
13	1	55.7	16	-	-	159200
14	1	55.8	16	-	-	329912
15	3	90.8	16	1071	1835	499067
16	2	75.1	16	1810	-	669937
17	3	91.4	16	1659	1910	137528
18						
19						
20						

Trial Number:		18				Detection (Yes/No)
Number of Bursts in Trial:		12				Yes
Chirp Center Frequency:		5496				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	99.4	10	1602	1048	436648
2	3	99.5	10	1999	1312	677816
3	1	63.4	10	-	-	921898
4	2	80.8	10	1170	-	165777
5	1	54.6	10	-	-	408203
6	1	50.5	10	-	-	650586
7	2	74.1	10	1212	-	891322
8	1	60	10	-	-	136188
9	2	79.3	10	1132	-	377942
10	1	66.5	10	-	-	620313
11	3	99.5	10	1660	1423	860398
12	2	68.8	10	1716	-	106135
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			19			Detection
Number of Bursts in Trial:			19			(Yes/No)
Chirp Center Frequency:			5499			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	59.3	18	-	-	219932
2	2	80.7	18	1825	-	371936
3	2	71.7	18	1641	-	524094
4	2	83.1	18	1698	-	48120
5	3	97.8	18	1742	1828	200029
6	3	91.1	18	1013	1895	352458
7	3	86.9	18	1921	1491	504058
8	2	70.3	18	1575	-	29403
9	3	92.4	18	1831	1058	181456
10	1	57.1	18	-	-	335060
11	1	57.4	18	-	-	488009
12	3	94.2	18	1758	1980	10566
13	2	68	18	1979	-	162888
14	3	95.5	18	1111	1063	315160
15	3	93.6	18	1684	1197	466970
16	3	89.9	18	1256	1321	619170
17	2	69.4	18	1258	-	144287
18	1	56.5	18	-	-	297383
19	1	64.5	18	-	-	450018
20						

Trial Number:			20			Detection
Number of Bursts in Trial:			15			(Yes/No)
Chirp Center Frequency:			5497			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	73.1	14	1714	-	762265
2	2	70.1	14	1722	-	159034
3	3	86.7	14	1513	1361	351972
4	3	83.4	14	1656	1016	545084
5	2	67.2	14	1869	-	738683
6	2	80.2	14	1147	-	135462
7	3	95.8	14	1351	1993	327679
8	3	96.6	14	1413	1305	521379
9	2	73	14	1376	-	715606
10	3	93.4	14	1046	1182	111354
11	2	81.2	14	1131	-	304798
12	3	99.7	14	1948	1685	496592
13	3	95.5	14	1070	1233	690895
14	2	77	14	1709	-	87708
15	3	99.5	14	1521	1772	280361
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			21			Detection (Yes/No)
Number of Bursts in Trial:			9			Yes
Chirp Center Frequency:			5566			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	2	74.8	6	1576	-	791729
2	3	84.2	6	1097	1217	1113827
3	3	90.4	6	1112	1878	106534
4	2	77.3	6	1382	-	429210
5	1	58	6	-	-	752519
6	1	64.8	6	-	-	1075682
7	1	53.9	6	-	-	66992
8	1	54.8	6	-	-	390121
9	3	99	6	1614	1996	711061
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			22			Detection (Yes/No)
Number of Bursts in Trial:			18			Yes
Chirp Center Frequency:			5562			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	92.2	17	1066	1541	515438
2	3	92.1	17	1738	1743	13508
3	2	69.2	17	1880	-	174362
4	1	62.7	17	-	-	336448
5	1	59.1	17	-	-	497820
6	1	57	17	-	-	658740
7	3	84.3	17	1195	1928	154277
8	3	90.6	17	1476	1335	315258
9	2	72.7	17	1374	-	476646
10	1	51.9	17	-	-	639342
11	2	76.3	17	1006	-	134980
12	3	98.7	17	1913	1852	294777
13	2	72.7	17	1287	-	456992
14	3	97.3	17	1901	1187	616538
15	1	54.5	17	-	-	115241
16	1	52.9	17	-	-	276425
17	1	51.9	17	-	-	437829
18	3	94.6	17	1800	1416	596358
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			23			Detection
Number of Bursts in Trial:			14			(Yes/No)
Chirp Center Frequency:			5563			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.8	13	-	-	122712
2	2	77	13	1189	-	329774
3	1	61.2	13	-	-	538047
4	1	57.5	13	-	-	745661
5	1	62	13	-	-	97212
6	2	67.2	13	1145	-	304184
7	2	68.5	13	1236	-	511419
8	2	70.6	13	1819	-	718325
9	1	59.4	13	-	-	71593
10	3	99.6	13	1727	1617	278058
11	3	92.1	13	1968	1366	484596
12	3	98.5	13	1519	1033	692484
13	3	99.7	13	1881	1701	45889
14	2	69.2	13	1680	-	253096
15						
16						
17						
18						
19						
20						

Trial Number:			24			Detection
Number of Bursts in Trial:			16			(Yes/No)
Chirp Center Frequency:			5562			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	65.3	15	-	-	403313
2	3	87.7	15	1139	1141	582867
3	3	91.2	15	1165	1117	17887
4	2	75.2	15	1806	-	199113
5	1	60.9	15	-	-	381053
6	2	83.1	15	1528	-	561257
7	3	87.4	15	1278	1703	741431
8	1	66	15	-	-	177092
9	1	59.1	15	-	-	358547
10	3	90.7	15	1622	1495	537585
11	2	76.9	15	1080	-	720694
12	3	93.5	15	1956	1402	154126
13	1	50.7	15	-	-	336424
14	1	50.8	15	-	-	517585
15	1	52	15	-	-	698891
16	3	87	15	1436	1408	131900
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:		25				Detection
Number of Bursts in Trial:		8				(Yes/No)
Chirp Center Frequency:		5566				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	85.8	5	1142	1437	627492
2	2	74.4	5	1352	-	991282
3	1	56.1	5	-	-	1355364
4	2	70.3	5	1194	-	220103
5	3	90.1	5	1387	1109	582696
6	2	77.8	5	1794	-	946193
7	3	87.8	5	1848	1628	1307676
8	3	84.7	5	1371	1997	175113
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:		26				Detection
Number of Bursts in Trial:		10				(Yes/No)
Chirp Center Frequency:		5566				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	80.1	7	1752	-	430561
2	1	52	7	-	-	721988
3	3	94.2	7	1314	1338	1010022
4	3	88.6	7	1904	1334	104250
5	3	97.6	7	1265	1061	394554
6	3	84.7	7	1214	1729	684330
7	3	98.5	7	1578	1789	973850
8	2	74.3	7	1645	-	68683
9	1	52.2	7	-	-	359517
10	1	57.1	7	-	-	649953
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			27			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5560			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	83.3	20	1951	-	468237
2	3	85.1	20	1100	1662	16377
3	1	56	20	-	-	161534
4	2	79.4	20	1304	-	305906
5	3	92.1	20	1469	1019	449841
6	2	68.8	20	1085	-	595673
7	1	57.2	20	-	-	143727
8	3	97.8	20	1342	1548	287559
9	2	67.9	20	1732	-	432637
10	2	70.5	20	1609	-	577584
11	2	80.7	20	1210	-	125527
12	2	68.5	20	1888	-	270364
13	1	66.4	20	-	-	416177
14	2	67.7	20	1796	-	559545
15	2	68.5	20	1203	-	107741
16	2	72.5	20	1480	-	252702
17	1	63.7	20	-	-	398558
18	2	67.7	20	1316	-	542646
19	3	92.3	20	1415	1940	89576
20	2	79.4	20	1348	-	234641

Trial Number:			28			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5560			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	79.1	20	1458	-	379190
2	3	87.5	20	1468	1514	523076
3	3	99.9	20	1103	1658	71937
4	1	56.5	20	-	-	217317
5	3	95.1	20	1430	1360	360555
6	1	58.8	20	-	-	507406
7	3	88.9	20	1009	1378	54147
8	3	98.8	20	1939	1010	198553
9	2	68.4	20	1991	-	343542
10	2	74.4	20	1744	-	488663
11	3	92.2	20	1694	1022	36265
12	1	52.5	20	-	-	181730
13	3	91.2	20	1986	1976	324692
14	3	93.7	20	1039	1502	470215
15	2	67.5	20	1801	-	18525
16	2	67	20	1931	-	163153
17	2	80.9	20	1737	-	308214
18	1	56.4	20	-	-	453740
19	2	82.4	20	1805	-	690
20	3	87.3	20	1769	1159	145101

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			29			Detection (Yes/No) Yes
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5563			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.1	13	-	-	416095
2	3	92.3	13	1507	1797	621328
3	1	59.9	13	-	-	831157
4	2	67.3	13	1490	-	182535
5	1	53.9	13	-	-	390651
6	1	61.5	13	-	-	597650
7	3	85.6	13	1995	1655	802403
8	2	76.5	13	1031	-	157208
9	2	70	13	1267	-	364484
10	2	75.1	13	1207	-	571352
11	2	71	13	1250	-	779007
12	2	80.7	13	1960	-	131476
13	2	82	13	1876	-	338428
14	2	72.9	13	1929	-	545368
15						
16						
17						
18						
19						
20						

Trial Number:			30			Detection (Yes/No) Yes
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5562			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	78	16	1347	-	619608
2	3	95.9	16	1906	1353	87028
3	3	85.3	16	1357	1263	257434
4	3	99.6	16	1204	1524	427596
5	3	84.3	16	1073	1143	598137
6	2	83.2	16	1252	-	66279
7	2	79.9	16	1950	-	236738
8	1	58.4	16	-	-	408278
9	2	79.4	16	1473	-	577873
10	3	93.6	16	1337	1535	45220
11	2	78.4	16	1409	-	215908
12	2	78.1	16	1152	-	386671
13	2	77.4	16	1107	-	556902
14	2	72.8	16	1021	-	24298
15	1	50.2	16	-	-	195279
16	1	51.5	16	-	-	365799
17	3	91.6	16	1005	1492	535081
18						
19						
20						

<Dual 5G Radio mode>

Report Number : 220908002

Channel 58 Bandwidth 80MHz

DFS Radar Parameters
FCC Radar Type 1
Channel 58 Bandwidth 80MHz

Trial #	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	4	1730.10	578	Yes
2	13	1319.26	758	Yes
3	5	1672.24	598	Yes
4	17	1193.32	838	Yes
5	20	1113.59	898	Yes
6	21	1089.32	918	Yes
7	12	326.16	3066	Yes
8	10	1432.66	698	Yes
9	8	1519.76	658	Yes
10	1	1930.50	518	Yes
11	6	1618.12	618	Yes
12	12	1355.01	738	Yes
13	3	1792.11	558	Yes
14	19	1138.95	878	Yes
15	11	1392.76	718	Yes
16		579.71	1725	Yes
17		1173.71	852	Yes
18		503.78	1985	Yes
19		1472.75	679	Yes
20		352.73	2835	Yes
21		461.25	2168	Yes
22		467.29	2140	Yes
23		337.27	2965	Yes
24		1273.89	785	Yes
25		452.49	2210	Yes
26		1547.99	646	Yes
27		652.74	1532	Yes
28		1587.30	630	Yes
29		412.20	2426	Yes
30		1369.86	730	Yes

DFS Radar Parameters
FCC Radar Type 2
Channel 58 Bandwidth 80MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	28	4.40	169	Yes
2	28	3.90	216	Yes
3	23	1.50	222	Yes
4	24	1.90	154	Yes
5	24	1.50	186	Yes
6	28	4.30	164	Yes
7	23	1.20	197	Yes
8	28	4.30	224	Yes
9	24	1.70	208	Yes
10	25	2.40	173	Yes
11	24	2.00	193	Yes
12	26	2.90	214	Yes
13	25	2.50	150	Yes
14	23	1.30	159	Yes
15	27	3.30	201	Yes
16	25	2.70	194	Yes
17	27	3.80	168	Yes
18	25	2.40	170	Yes
19	28	4.40	211	Yes
20	27	3.40	217	Yes
21	23	1.40	220	Yes
22	28	4.20	226	Yes
23	26	3.10	202	Yes
24	27	3.80	230	Yes
25	23	1.10	206	Yes
26	24	1.70	228	Yes
27	29	4.90	153	Yes
28	29	4.90	187	Yes
29	26	3.10	200	Yes
30	27	3.80	198	Yes

DFS Radar Parameters
FCC Radar Type 3
Channel 58 Bandwidth 80MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	18	9.40	385	Yes
2	18	8.90	397	Yes
3	16	6.50	434	Yes
4	16	6.90	440	Yes
5	16	6.50	242	Yes
6	18	9.30	312	Yes
7	16	6.20	419	Yes
8	18	9.30	408	Yes
9	16	6.70	478	Yes
10	17	7.40	411	Yes
11	16	7.00	365	Yes
12	17	7.90	443	Yes
13	17	7.50	446	Yes
14	16	6.30	235	Yes
15	17	8.30	356	Yes
16	17	7.70	207	Yes
17	18	8.80	482	Yes
18	17	7.40	276	Yes
19	18	9.40	461	Yes
20	17	8.40	374	Yes
21	16	6.40	500	Yes
22	18	9.20	206	Yes
23	17	8.10	473	Yes
24	18	8.80	201	Yes
25	16	6.10	388	Yes
26	16	6.70	217	Yes
27	18	9.90	262	Yes
28	18	9.90	458	Yes
29	17	8.10	233	Yes
30	18	8.80	437	Yes

DFS Radar Parameters
FCC Radar Type 4
Channel 58 Bandwidth 80MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	16	18.60	385	Yes
2	15	17.50	397	Yes
3	12	12.20	434	Yes
4	13	13.00	440	Yes
5	12	12.30	242	Yes
6	16	18.30	312	No
7	12	11.50	419	Yes
8	16	18.50	408	Yes
9	12	12.60	478	Yes
10	13	14.10	411	Yes
11	13	13.40	365	Yes
12	14	15.20	443	Yes
13	13	14.30	446	Yes
14	12	11.70	235	Yes
15	14	16.20	356	Yes
16	14	14.80	207	Yes
17	15	17.40	482	Yes
18	13	14.20	276	Yes
19	16	18.70	461	Yes
20	14	16.40	374	Yes
21	12	12.00	500	Yes
22	15	18.10	206	Yes
23	14	15.70	473	Yes
24	15	17.20	201	Yes
25	12	11.40	388	Yes
26	12	12.50	217	Yes
27	16	19.70	262	Yes
28	16	19.70	458	Yes
29	14	15.70	233	Yes
30	15	17.30	437	Yes

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			1			Detection (Yes/No) Yes
Number of Bursts in Trial:			18			
Chirp Center Frequency:			5290			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	92	18	1861	1804	54110
2	3	85.9	18	1000	1350	215065
3	1	56.8	18	-	-	377256
4	1	61.1	18	-	-	538663
5	1	57.2	18	-	-	34515
6	3	90.4	18	1605	1927	194700
7	1	53.1	18	-	-	356972
8	3	91.3	18	1181	1544	516087
9	1	59.2	18	-	-	14638
10	2	67.4	18	1768	-	175607
11	1	63.3	18	-	-	337334
12	2	73.5	18	1550	-	497759
13	2	68.6	18	1643	-	658786
14	1	54.3	18	-	-	156150
15	2	78.8	18	1802	-	316552
16	2	71	18	1412	-	477486
17	3	85.2	18	1179	1687	637039
18	2	67.7	18	1240	-	135980
19						
20						

Trial Number:			2			Detection (Yes/No) Yes
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5290			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	92.5	16	1283	1713	313847
2	2	79.9	16	1345	-	484947
3	1	55.5	16	-	-	657215
4	3	89.3	16	1072	1707	122772
5	2	76.3	16	1621	-	293333
6	3	84.2	16	1045	1211	463372
7	1	52.2	16	-	-	636089
8	1	58.6	16	-	-	102140
9	3	98.1	16	1030	1619	271897
10	3	98	16	1531	1853	441445
11	2	76.2	16	1885	-	613094
12	3	85.2	16	1803	1523	80702
13	2	68	16	1779	-	251243
14	2	75.5	16	1171	-	421859
15	3	99.1	16	1847	1151	590857
16	3	85.3	16	1959	1964	59773
17	1	62.7	16	-	-	230820
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			3			Detection (Yes/No)
Number of Bursts in Trial:			9			Yes
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	82.2	7	1478	-	758923
2	3	94.7	7	1857	1230	1080269
3	3	88.2	7	1610	1336	73618
4	2	69.4	7	1755	-	396315
5	2	70.8	7	1782	-	718771
6	2	77	7	1730	-	1041401
7	1	52.9	7	-	-	34010
8	2	78.4	7	1674	-	356625
9	1	53.7	7	-	-	679859
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			4			Detection (Yes/No)
Number of Bursts in Trial:			10			Yes
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	55.8	8	-	-	902661
2	2	79	8	1795	-	1191359
3	3	95.4	8	1087	1647	284871
4	1	51.4	8	-	-	575983
5	2	71	8	1466	-	865638
6	2	67.8	8	1245	-	1156473
7	3	95	8	1970	1518	248854
8	2	73.9	8	1306	-	539953
9	1	66	8	-	-	830955
10	3	96.9	8	1532	1166	1119371
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			5			Detection
Number of Bursts in Trial:			9			(Yes/No)
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	92.4	7	1635	1118	237190
2	1	52.7	7	-	-	560458
3	1	59.6	7	-	-	883677
4	2	72.7	7	1721	-	1205491
5	1	58.9	7	-	-	197827
6	3	98.7	7	1126	1567	519912
7	3	92.4	7	1183	1216	842500
8	1	55.2	7	-	-	1166963
9	1	65.1	7	-	-	158139
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			6			Detection
Number of Bursts in Trial:			18			(Yes/No)
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	74.1	17	1291	-	239788
2	3	99.5	17	1344	1392	400071
3	3	87.8	17	1537	1677	560089
4	2	74.4	17	1965	-	58872
5	3	83.4	17	1559	1407	219373
6	3	91.6	17	1431	1915	379670
7	3	96.6	17	1384	1094	541256
8	2	76.4	17	1615	-	39119
9	3	97.1	17	1460	1637	199571
10	3	98.4	17	1953	1580	360155
11	2	71.6	17	1123	-	522091
12	1	52.8	17	-	-	19335
13	1	52.5	17	-	-	180755
14	1	60.8	17	-	-	342106
15	2	72.5	17	1871	-	501536
16	2	78.3	17	1158	-	663703
17	2	73.2	17	1124	-	160498
18	1	63.2	17	-	-	322180
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:		7				Detection (Yes/No)
Number of Bursts in Trial:		8				Yes
Chirp Center Frequency:		5290				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	96.6	6	1429	1090	1086926
2	2	76.9	6	1894	-	1451108
3	1	58.3	6	-	-	317396
4	3	90.2	6	1333	1120	679937
5	3	94.1	6	1302	1174	1042782
6	1	59.4	6	-	-	1407864
7	1	52.1	6	-	-	272665
8	3	92.9	6	1137	1093	635097
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:		8				Detection (Yes/No)
Number of Bursts in Trial:		18				Yes
Chirp Center Frequency:		5290				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	60	18	-	-	443398
2	2	72.6	18	1309	-	603882
3	2	72	18	1807	-	100973
4	2	79.2	18	1380	-	262129
5	2	70.8	18	1872	-	422575
6	2	78.5	18	1638	-	583785
7	2	71.7	18	1731	-	81122
8	3	87.9	18	1186	1385	241616
9	1	54.3	18	-	-	403804
10	1	54.2	18	-	-	565468
11	2	68	18	1500	-	61337
12	1	54.6	18	-	-	222624
13	1	62	18	-	-	383876
14	1	59.8	18	-	-	545329
15	2	74.5	18	1579	-	41441
16	3	91.5	18	1136	1065	202266
17	3	97.9	18	1942	1877	361879
18	2	75.6	18	1234	-	524742
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			9			Detection (Yes/No)
Number of Bursts in Trial:			10			Yes
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	94.4	7	1463	1515	39000
2	3	94	7	1445	1943	328793
3	3	89.8	7	1754	1670	618811
4	3	91.9	7	1811	1386	908559
5	3	87.1	7	1206	1288	3271
6	3	94.4	7	1067	1196	293454
7	3	85.7	7	1577	1675	583162
8	3	85.4	7	1564	1215	873075
9	3	95.8	7	1231	1037	1163893
10	2	78.4	7	1340	-	257926
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			10			Detection (Yes/No)
Number of Bursts in Trial:			12			Yes
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	56.7	10	-	-	457014
2	3	83.9	10	1902	1891	696527
3	1	55.4	10	-	-	941837
4	2	78.3	10	1975	-	184832
5	2	72.2	10	1809	-	426524
6	3	90.5	10	1062	1479	667585
7	2	81.6	10	1949	-	910213
8	2	74	10	1689	-	155106
9	1	54.3	10	-	-	397548
10	2	67.8	10	1720	-	638568
11	2	77.5	10	1177	-	881294
12	3	93.2	10	1372	1629	125235
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			11			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5255			No
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	81.1	9	1774	-	400532
2	1	64.7	9	-	-	665474
3	1	56.5	9	-	-	929894
4	2	68.2	9	1373	-	104347
5	1	60.3	9	-	-	368777
6	2	68.6	9	1481	-	631812
7	1	51.1	9	-	-	897290
8	3	86.8	9	1379	1308	71717
9	1	52.4	9	-	-	336194
10	2	66.9	9	1498	-	599511
11	3	92.4	9	1130	1967	862218
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			12			Detection (Yes/No)
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5257			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	68.5	12	1232	-	30868
2	1	65.1	12	-	-	238517
3	1	58.1	12	-	-	445917
4	1	53	12	-	-	653413
5	2	68.1	12	1608	-	5353
6	3	85.6	12	1923	1854	211856
7	2	77.7	12	1049	-	420128
8	3	93.6	12	1542	1862	625722
9	3	85.4	12	1307	1494	832879
10	2	82.7	12	1113	-	187145
11	3	93.4	12	1511	1661	393473
12	2	81.1	12	1874	-	600998
13	2	70.4	12	1640	-	808235
14	3	98.9	12	1470	1449	161180
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			13			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5256			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	89.7	10	1776	1918	429376
2	2	82.4	10	1747	-	672245
3	2	71.6	10	1545	-	913466
4	2	78.3	10	1652	-	158640
5	1	50.4	10	-	-	401024
6	3	87.1	10	1086	1446	641566
7	2	80	10	1169	-	884442
8	3	98.1	10	1907	1618	128615
9	1	51.2	10	-	-	371202
10	1	62.9	10	-	-	613174
11	2	75.1	10	1339	-	854176
12	3	85.4	10	1916	1390	98955
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			14			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5254			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	68.8	6	1488	-	455054
2	3	84.1	6	1632	1270	776629
3	2	67	6	1257	-	1100814
4	3	84.3	6	1129	1919	92401
5	1	59	6	-	-	415797
6	2	76	6	1274	-	738101
7	3	89.9	6	1761	1892	1058788
8	3	91.6	6	1664	1988	52694
9	3	87	6	1785	1121	375012
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

**DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz**

Trial Number:			15			Detection (Yes/No)
Number of Bursts in Trial:			15			Yes
Chirp Center Frequency:			5257			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.2	14	-	-	419038
2	1	64.1	14	-	-	612627
3	3	87.4	14	1324	1666	7807
4	1	63.4	14	-	-	201410
5	3	88.5	14	1724	1961	393175
6	2	76.7	14	1987	-	587179
7	2	74.3	14	1427	-	780700
8	3	92.2	14	1952	1315	176962
9	1	60.5	14	-	-	371487
10	3	87.8	14	1224	1251	563364
11	3	83.7	14	1849	1824	755238
12	3	86.1	14	1930	1718	153027
13	2	69.3	14	1310	-	346726
14	2	70.6	14	1421	-	540384
15	3	86.3	14	2000	1681	731081
16						
17						
18						
19						
20						

Trial Number:			16			Detection (Yes/No)
Number of Bursts in Trial:			13			Yes
Chirp Center Frequency:			5256			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	79.6	11	1459	-	149717
2	1	58.4	11	-	-	373320
3	1	51.9	11	-	-	597107
4	2	79.8	11	1723	-	818957
5	1	62.3	11	-	-	122414
6	2	70.4	11	1749	-	345124
7	1	63.8	11	-	-	569178
8	3	95.3	11	1994	1534	790214
9	2	78	11	1978	-	94660
10	2	82.8	11	1883	-	317755
11	2	66.7	11	1736	-	541063
12	3	93.6	11	1866	1733	762758
13	2	76.5	11	1483	-	67241
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			17			Detection (Yes/No)
Number of Bursts in Trial:			17			Yes
Chirp Center Frequency:			5258			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	1	51.1	16	-	-	222257
2	2	73.6	16	1526	-	392287
3	2	67.4	16	1992	-	562025
4	3	91.3	16	1035	1184	30343
5	2	78.9	16	1525	-	200891
6	1	61.9	16	-	-	371871
7	2	76.4	16	1688	-	541993
8	2	68.3	16	1558	-	9379
9	3	84.2	16	1208	1331	179584
10	1	64.8	16	-	-	350979
11	1	62	16	-	-	521709
12	1	60.4	16	-	-	692286
13	1	55.7	16	-	-	159200
14	1	55.8	16	-	-	329912
15	3	90.8	16	1071	1835	499067
16	2	75.1	16	1810	-	669937
17	3	91.4	16	1659	1910	137528
18						
19						
20						

Trial Number:			18			Detection (Yes/No)
Number of Bursts in Trial:			12			Yes
Chirp Center Frequency:			5256			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	99.4	10	1602	1048	436648
2	3	99.5	10	1999	1312	677816
3	1	63.4	10	-	-	921898
4	2	80.8	10	1170	-	165777
5	1	54.6	10	-	-	408203
6	1	50.5	10	-	-	650586
7	2	74.1	10	1212	-	891322
8	1	60	10	-	-	136188
9	2	79.3	10	1132	-	377942
10	1	66.5	10	-	-	620313
11	3	99.5	10	1660	1423	860398
12	2	68.8	10	1716	-	106135
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			19			Detection (Yes/No)
Number of Bursts in Trial:			19			
Chirp Center Frequency:			5259			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	59.3	18	-	-	219932
2	2	80.7	18	1825	-	371936
3	2	71.7	18	1641	-	524094
4	2	83.1	18	1698	-	48120
5	3	97.8	18	1742	1828	200029
6	3	91.1	18	1013	1895	352458
7	3	86.9	18	1921	1491	504058
8	2	70.3	18	1575	-	29403
9	3	92.4	18	1831	1058	181456
10	1	57.1	18	-	-	335060
11	1	57.4	18	-	-	488009
12	3	94.2	18	1758	1980	10566
13	2	68	18	1979	-	162888
14	3	95.5	18	1111	1063	315160
15	3	93.6	18	1684	1197	466970
16	3	89.9	18	1256	1321	619170
17	2	69.4	18	1258	-	144287
18	1	56.5	18	-	-	297383
19	1	64.5	18	-	-	450018
20						

Trial Number:			20			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5257			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	73.1	14	1714	-	762265
2	2	70.1	14	1722	-	159034
3	3	86.7	14	1513	1361	351972
4	3	83.4	14	1656	1016	545084
5	2	67.2	14	1869	-	738683
6	2	80.2	14	1147	-	135462
7	3	95.8	14	1351	1993	327679
8	3	96.6	14	1413	1305	521379
9	2	73	14	1376	-	715606
10	3	93.4	14	1046	1182	111354
11	2	81.2	14	1131	-	304798
12	3	99.7	14	1948	1685	496592
13	3	95.5	14	1070	1233	690895
14	2	77	14	1709	-	87708
15	3	99.5	14	1521	1772	280361
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			21			Detection
Number of Bursts in Trial:			9			(Yes/No)
Chirp Center Frequency:			5326			No
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	74.8	6	1576	-	791729
2	3	84.2	6	1097	1217	1113827
3	3	90.4	6	1112	1878	106534
4	2	77.3	6	1382	-	429210
5	1	58	6	-	-	752519
6	1	64.8	6	-	-	1075682
7	1	53.9	6	-	-	66992
8	1	54.8	6	-	-	390121
9	3	99	6	1614	1996	711061
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			22			Detection
Number of Bursts in Trial:			18			(Yes/No)
Chirp Center Frequency:			5321			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	92.2	17	1066	1541	515438
2	3	92.1	17	1738	1743	13508
3	2	69.2	17	1880	-	174362
4	1	62.7	17	-	-	336448
5	1	59.1	17	-	-	497820
6	1	57	17	-	-	658740
7	3	84.3	17	1195	1928	154277
8	3	90.6	17	1476	1335	315258
9	2	72.7	17	1374	-	476646
10	1	51.9	17	-	-	639342
11	2	76.3	17	1006	-	134980
12	3	98.7	17	1913	1852	294777
13	2	72.7	17	1287	-	456992
14	3	97.3	17	1901	1187	616538
15	1	54.5	17	-	-	115241
16	1	52.9	17	-	-	276425
17	1	51.9	17	-	-	437829
18	3	94.6	17	1800	1416	596358
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:		23				Detection (Yes/No)
Number of Bursts in Trial:		14				Yes
Chirp Center Frequency:		5323				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.8	13	-	-	122712
2	2	77	13	1189	-	329774
3	1	61.2	13	-	-	538047
4	1	57.5	13	-	-	745661
5	1	62	13	-	-	97212
6	2	67.2	13	1145	-	304184
7	2	68.5	13	1236	-	511419
8	2	70.6	13	1819	-	718325
9	1	59.4	13	-	-	71593
10	3	99.6	13	1727	1617	278058
11	3	92.1	13	1968	1366	484596
12	3	98.5	13	1519	1033	692484
13	3	99.7	13	1881	1701	45889
14	2	69.2	13	1680	-	253096
15						
16						
17						
18						
19						
20						

Trial Number:		24				Detection (Yes/No)
Number of Bursts in Trial:		16				Yes
Chirp Center Frequency:		5322				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	65.3	15	-	-	403313
2	3	87.7	15	1139	1141	582867
3	3	91.2	15	1165	1117	17887
4	2	75.2	15	1806	-	199113
5	1	60.9	15	-	-	381053
6	2	83.1	15	1528	-	561257
7	3	87.4	15	1278	1703	741431
8	1	66	15	-	-	177092
9	1	59.1	15	-	-	358547
10	3	90.7	15	1622	1495	537585
11	2	76.9	15	1080	-	720694
12	3	93.5	15	1956	1402	154126
13	1	50.7	15	-	-	336424
14	1	50.8	15	-	-	517585
15	1	52	15	-	-	698891
16	3	87	15	1436	1408	131900
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			25			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5326			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	85.8	5	1142	1437	627492
2	2	74.4	5	1352	-	991282
3	1	56.1	5	-	-	1355364
4	2	70.3	5	1194	-	220103
5	3	90.1	5	1387	1109	582696
6	2	77.8	5	1794	-	946193
7	3	87.8	5	1848	1628	1307676
8	3	84.7	5	1371	1997	175113
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			26			Detection (Yes/No)
Number of Bursts in Trial:			10			
Chirp Center Frequency:			5325			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	80.1	7	1752	-	430561
2	1	52	7	-	-	721988
3	3	94.2	7	1314	1338	1010022
4	3	88.6	7	1904	1334	104250
5	3	97.6	7	1265	1061	394554
6	3	84.7	7	1214	1729	684330
7	3	98.5	7	1578	1789	973850
8	2	74.3	7	1645	-	68683
9	1	52.2	7	-	-	359517
10	1	57.1	7	-	-	649953
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			27			Detection
Number of Bursts in Trial:			20			(Yes/No)
Chirp Center Frequency:			5320			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	83.3	20	1951	-	468237
2	3	85.1	20	1100	1662	16377
3	1	56	20	-	-	161534
4	2	79.4	20	1304	-	305906
5	3	92.1	20	1469	1019	449841
6	2	68.8	20	1085	-	595673
7	1	57.2	20	-	-	143727
8	3	97.8	20	1342	1548	287559
9	2	67.9	20	1732	-	432637
10	2	70.5	20	1609	-	577584
11	2	80.7	20	1210	-	125527
12	2	68.5	20	1888	-	270364
13	1	66.4	20	-	-	416177
14	2	67.7	20	1796	-	559545
15	2	68.5	20	1203	-	107741
16	2	72.5	20	1480	-	252702
17	1	63.7	20	-	-	398558
18	2	67.7	20	1316	-	542646
19	3	92.3	20	1415	1940	89576
20	2	79.4	20	1348	-	234641

Trial Number:			28			Detection
Number of Bursts in Trial:			20			(Yes/No)
Chirp Center Frequency:			5320			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	79.1	20	1458	-	379190
2	3	87.5	20	1468	1514	523076
3	3	99.9	20	1103	1658	71937
4	1	56.5	20	-	-	217317
5	3	95.1	20	1430	1360	360555
6	1	58.8	20	-	-	507406
7	3	88.9	20	1009	1378	54147
8	3	98.8	20	1939	1010	198553
9	2	68.4	20	1991	-	343542
10	2	74.4	20	1744	-	488663
11	3	92.2	20	1694	1022	36265
12	1	52.5	20	-	-	181730
13	3	91.2	20	1986	1976	324692
14	3	93.7	20	1039	1502	470215
15	2	67.5	20	1801	-	18525
16	2	67	20	1931	-	163153
17	2	80.9	20	1737	-	308214
18	1	56.4	20	-	-	453740
19	2	82.4	20	1805	-	690
20	3	87.3	20	1769	1159	145101

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:		29				Detection
Number of Bursts in Trial:		14				(Yes/No)
Chirp Center Frequency:		5323				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.1	13	-	-	416095
2	3	92.3	13	1507	1797	621328
3	1	59.9	13	-	-	831157
4	2	67.3	13	1490	-	182535
5	1	53.9	13	-	-	390651
6	1	61.5	13	-	-	597650
7	3	85.6	13	1995	1655	802403
8	2	76.5	13	1031	-	157208
9	2	70	13	1267	-	364484
10	2	75.1	13	1207	-	571352
11	2	71	13	1250	-	779007
12	2	80.7	13	1960	-	131476
13	2	82	13	1876	-	338428
14	2	72.9	13	1929	-	545368
15						
16						
17						
18						
19						
20						

Trial Number:		30				Detection
Number of Bursts in Trial:		17				(Yes/No)
Chirp Center Frequency:		5322				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	78	16	1347	-	619608
2	3	95.9	16	1906	1353	87028
3	3	85.3	16	1357	1263	257434
4	3	99.6	16	1204	1524	427596
5	3	84.3	16	1073	1143	598137
6	2	83.2	16	1252	-	66279
7	2	79.9	16	1950	-	236738
8	1	58.4	16	-	-	408278
9	2	79.4	16	1473	-	577873
10	3	93.6	16	1337	1535	45220
11	2	78.4	16	1409	-	215908
12	2	78.1	16	1152	-	386671
13	2	77.4	16	1107	-	556902
14	2	72.8	16	1021	-	24298
15	1	50.2	16	-	-	195279
16	1	51.5	16	-	-	365799
17	3	91.6	16	1005	1492	535081
18						
19						
20						

Channel 60 Bandwidth 20MHz

DFS Radar Parameters
FCC Radar Type 1
Channel 60 Bandwidth 20MHz

Trial #	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	4	1730.10	578	Yes
2	13	1319.26	758	Yes
3	5	1672.24	598	Yes
4	17	1193.32	838	Yes
5	20	1113.59	898	Yes
6	21	1089.32	918	Yes
7	12	326.16	3066	Yes
8	10	1432.66	698	Yes
9	8	1519.76	658	Yes
10	1	1930.50	518	Yes
11	6	1618.12	618	Yes
12	12	1355.01	738	Yes
13	3	1792.11	558	Yes
14	19	1138.95	878	Yes
15	11	1392.76	718	Yes
16		579.71	1725	Yes
17		1173.71	852	Yes
18		503.78	1985	Yes
19		1472.75	679	Yes
20		352.73	2835	Yes
21		461.25	2168	Yes
22		467.29	2140	Yes
23		337.27	2965	Yes
24		1273.89	785	Yes
25		452.49	2210	Yes
26		1547.99	646	Yes
27		652.74	1532	Yes
28		1587.30	630	Yes
29		412.20	2426	Yes
30		1369.86	730	Yes

DFS Radar Parameters
FCC Radar Type 2
Channel 60 Bandwidth 20MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	28	4.40	169	Yes
2	28	3.90	216	Yes
3	23	1.50	222	Yes
4	24	1.90	154	Yes
5	24	1.50	186	Yes
6	28	4.30	164	No
7	23	1.20	197	Yes
8	28	4.30	224	Yes
9	24	1.70	208	Yes
10	25	2.40	173	Yes
11	24	2.00	193	Yes
12	26	2.90	214	Yes
13	25	2.50	150	Yes
14	23	1.30	159	Yes
15	27	3.30	201	Yes
16	25	2.70	194	Yes
17	27	3.80	168	Yes
18	25	2.40	170	Yes
19	28	4.40	211	Yes
20	27	3.40	217	Yes
21	23	1.40	220	Yes
22	28	4.20	226	Yes
23	26	3.10	202	Yes
24	27	3.80	230	Yes
25	23	1.10	206	Yes
26	24	1.70	228	Yes
27	29	4.90	153	Yes
28	29	4.90	187	Yes
29	26	3.10	200	Yes
30	27	3.80	198	Yes

DFS Radar Parameters
FCC Radar Type 3
Channel 60 Bandwidth 20MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	18	9.40	385	Yes
2	18	8.90	397	Yes
3	16	6.50	434	Yes
4	16	6.90	440	Yes
5	16	6.50	242	Yes
6	18	9.30	312	Yes
7	16	6.20	419	Yes
8	18	9.30	408	Yes
9	16	6.70	478	Yes
10	17	7.40	411	Yes
11	16	7.00	365	Yes
12	17	7.90	443	Yes
13	17	7.50	446	Yes
14	16	6.30	235	Yes
15	17	8.30	356	Yes
16	17	7.70	207	Yes
17	18	8.80	482	Yes
18	17	7.40	276	Yes
19	18	9.40	461	Yes
20	17	8.40	374	Yes
21	16	6.40	500	No
22	18	9.20	206	Yes
23	17	8.10	473	Yes
24	18	8.80	201	Yes
25	16	6.10	388	Yes
26	16	6.70	217	Yes
27	18	9.90	262	Yes
28	18	9.90	458	Yes
29	17	8.10	233	No
30	18	8.80	437	Yes

DFS Radar Parameters
FCC Radar Type 4
Channel 60 Bandwidth 20MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	16	18.60	385	Yes
2	15	17.50	397	Yes
3	12	12.20	434	Yes
4	13	13.00	440	Yes
5	12	12.30	242	Yes
6	16	18.30	312	Yes
7	12	11.50	419	Yes
8	16	18.50	408	Yes
9	12	12.60	478	Yes
10	13	14.10	411	Yes
11	13	13.40	365	Yes
12	14	15.20	443	Yes
13	13	14.30	446	Yes
14	12	11.70	235	Yes
15	14	16.20	356	Yes
16	14	14.80	207	Yes
17	15	17.40	482	Yes
18	13	14.20	276	Yes
19	16	18.70	461	Yes
20	14	16.40	374	Yes
21	12	12.00	500	Yes
22	15	18.10	206	Yes
23	14	15.70	473	Yes
24	15	17.20	201	Yes
25	12	11.40	388	Yes
26	12	12.50	217	Yes
27	16	19.70	262	Yes
28	16	19.70	458	Yes
29	14	15.70	233	Yes
30	15	17.30	437	Yes

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			1			Detection (Yes/No)
Number of Bursts in Trial:			18			Yes
Chirp Center Frequency:			5300			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	92	18	1861	1804	54110
2	3	85.9	18	1000	1350	215065
3	1	56.8	18	-	-	377256
4	1	61.1	18	-	-	538663
5	1	57.2	18	-	-	34515
6	3	90.4	18	1605	1927	194700
7	1	53.1	18	-	-	356972
8	3	91.3	18	1181	1544	516087
9	1	59.2	18	-	-	14638
10	2	67.4	18	1768	-	175607
11	1	63.3	18	-	-	337334
12	2	73.5	18	1550	-	497759
13	2	68.6	18	1643	-	658786
14	1	54.3	18	-	-	156150
15	2	78.8	18	1802	-	316552
16	2	71	18	1412	-	477486
17	3	85.2	18	1179	1687	637039
18	2	67.7	18	1240	-	135980
19						
20						

Trial Number:			2			Detection (Yes/No)
Number of Bursts in Trial:			17			Yes
Chirp Center Frequency:			5300			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	92.5	16	1283	1713	313847
2	2	79.9	16	1345	-	484947
3	1	55.5	16	-	-	657215
4	3	89.3	16	1072	1707	122772
5	2	76.3	16	1621	-	293333
6	3	84.2	16	1045	1211	463372
7	1	52.2	16	-	-	636089
8	1	58.6	16	-	-	102140
9	3	98.1	16	1030	1619	271897
10	3	98	16	1531	1853	441445
11	2	76.2	16	1885	-	613094
12	3	85.2	16	1803	1523	80702
13	2	68	16	1779	-	251243
14	2	75.5	16	1171	-	421859
15	3	99.1	16	1847	1151	590857
16	3	85.3	16	1959	1964	59773
17	1	62.7	16	-	-	230820
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:		3				Detection (Yes/No)
Number of Bursts in Trial:		9				Yes
Chirp Center Frequency:		5300				
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	82.2	7	1478	-	758923
2	3	94.7	7	1857	1230	1080269
3	3	88.2	7	1610	1336	73618
4	2	69.4	7	1755	-	396315
5	2	70.8	7	1782	-	718771
6	2	77	7	1730	-	1041401
7	1	52.9	7	-	-	34010
8	2	78.4	7	1674	-	356625
9	1	53.7	7	-	-	679859
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:		4				Detection (Yes/No)
Number of Bursts in Trial:		10				Yes
Chirp Center Frequency:		5300				
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	55.8	8	-	-	902661
2	2	79	8	1795	-	1191359
3	3	95.4	8	1087	1647	284871
4	1	51.4	8	-	-	575983
5	2	71	8	1466	-	865638
6	2	67.8	8	1245	-	1156473
7	3	95	8	1970	1518	248854
8	2	73.9	8	1306	-	539953
9	1	66	8	-	-	830955
10	3	96.9	8	1532	1166	1119371
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			5			Detection (Yes/No)
Number of Bursts in Trial:			9			Yes
Chirp Center Frequency:			5300			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	92.4	7	1635	1118	237190
2	1	52.7	7	-	-	560458
3	1	59.6	7	-	-	883677
4	2	72.7	7	1721	-	1205491
5	1	58.9	7	-	-	197827
6	3	98.7	7	1126	1567	519912
7	3	92.4	7	1183	1216	842500
8	1	55.2	7	-	-	1166963
9	1	65.1	7	-	-	158139
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			6			Detection (Yes/No)
Number of Bursts in Trial:			18			Yes
Chirp Center Frequency:			5300			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	2	74.1	17	1291	-	239788
2	3	99.5	17	1344	1392	400071
3	3	87.8	17	1537	1677	560089
4	2	74.4	17	1965	-	58872
5	3	83.4	17	1559	1407	219373
6	3	91.6	17	1431	1915	379670
7	3	96.6	17	1384	1094	541256
8	2	76.4	17	1615	-	39119
9	3	97.1	17	1460	1637	199571
10	3	98.4	17	1953	1580	360155
11	2	71.6	17	1123	-	522091
12	1	52.8	17	-	-	19335
13	1	52.5	17	-	-	180755
14	1	60.8	17	-	-	342106
15	2	72.5	17	1871	-	501536
16	2	78.3	17	1158	-	663703
17	2	73.2	17	1124	-	160498
18	1	63.2	17	-	-	322180
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			7			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5300			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	96.6	6	1429	1090	1086926
2	2	76.9	6	1894	-	1451108
3	1	58.3	6	-	-	317396
4	3	90.2	6	1333	1120	679937
5	3	94.1	6	1302	1174	1042782
6	1	59.4	6	-	-	1407864
7	1	52.1	6	-	-	272665
8	3	92.9	6	1137	1093	635097
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			8			Detection (Yes/No)
Number of Bursts in Trial:			18			
Chirp Center Frequency:			5300			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	60	18	-	-	443398
2	2	72.6	18	1309	-	603882
3	2	72	18	1807	-	100973
4	2	79.2	18	1380	-	262129
5	2	70.8	18	1872	-	422575
6	2	78.5	18	1638	-	583785
7	2	71.7	18	1731	-	81122
8	3	87.9	18	1186	1385	241616
9	1	54.3	18	-	-	403804
10	1	54.2	18	-	-	565468
11	2	68	18	1500	-	61337
12	1	54.6	18	-	-	222624
13	1	62	18	-	-	383876
14	1	59.8	18	-	-	545329
15	2	74.5	18	1579	-	41441
16	3	91.5	18	1136	1065	202266
17	3	97.9	18	1942	1877	361879
18	2	75.6	18	1234	-	524742
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:		9				Detection
Number of Bursts in Trial:		10				(Yes/No)
Chirp Center Frequency:		5300				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	94.4	7	1463	1515	39000
2	3	94	7	1445	1943	328793
3	3	89.8	7	1754	1670	618811
4	3	91.9	7	1811	1386	908559
5	3	87.1	7	1206	1288	3271
6	3	94.4	7	1067	1196	293454
7	3	85.7	7	1577	1675	583162
8	3	85.4	7	1564	1215	873075
9	3	95.8	7	1231	1037	1163893
10	2	78.4	7	1340	-	257926
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:		10				Detection
Number of Bursts in Trial:		12				(Yes/No)
Chirp Center Frequency:		5300				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	56.7	10	-	-	457014
2	3	83.9	10	1902	1891	696527
3	1	55.4	10	-	-	941837
4	2	78.3	10	1975	-	184832
5	2	72.2	10	1809	-	426524
6	3	90.5	10	1062	1479	667585
7	2	81.6	10	1949	-	910213
8	2	74	10	1689	-	155106
9	1	54.3	10	-	-	397548
10	2	67.8	10	1720	-	638568
11	2	77.5	10	1177	-	881294
12	3	93.2	10	1372	1629	125235
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			11			Detection (Yes/No) Yes
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5294			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	81.1	9	1774	-	400532
2	1	64.7	9	-	-	665474
3	1	56.5	9	-	-	929894
4	2	68.2	9	1373	-	104347
5	1	60.3	9	-	-	368777
6	2	68.6	9	1481	-	631812
7	1	51.1	9	-	-	897290
8	3	86.8	9	1379	1308	71717
9	1	52.4	9	-	-	336194
10	2	66.9	9	1498	-	599511
11	3	92.4	9	1130	1967	862218
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			12			Detection (Yes/No) Yes
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5295			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	68.5	12	1232	-	30868
2	1	65.1	12	-	-	238517
3	1	58.1	12	-	-	445917
4	1	53	12	-	-	653413
5	2	68.1	12	1608	-	5353
6	3	85.6	12	1923	1854	211856
7	2	77.7	12	1049	-	420128
8	3	93.6	12	1542	1862	625722
9	3	85.4	12	1307	1494	832879
10	2	82.7	12	1113	-	187145
11	3	93.4	12	1511	1661	393473
12	2	81.1	12	1874	-	600998
13	2	70.4	12	1640	-	808235
14	3	98.9	12	1470	1449	161180
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			13			Detection (Yes/No) Yes
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5294			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	89.7	10	1776	1918	429376
2	2	82.4	10	1747	-	672245
3	2	71.6	10	1545	-	913466
4	2	78.3	10	1652	-	158640
5	1	50.4	10	-	-	401024
6	3	87.1	10	1086	1446	641566
7	2	80	10	1169	-	884442
8	3	98.1	10	1907	1618	128615
9	1	51.2	10	-	-	371202
10	1	62.9	10	-	-	613174
11	2	75.1	10	1339	-	854176
12	3	85.4	10	1916	1390	98955
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			14			Detection (Yes/No) Yes
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5293			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	68.8	6	1488	-	455054
2	3	84.1	6	1632	1270	776629
3	2	67	6	1257	-	1100814
4	3	84.3	6	1129	1919	92401
5	1	59	6	-	-	415797
6	2	76	6	1274	-	738101
7	3	89.9	6	1761	1892	1058788
8	3	91.6	6	1664	1988	52694
9	3	87	6	1785	1121	375012
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			15			Detection (Yes/No) Yes
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5296			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.2	14	-	-	419038
2	1	64.1	14	-	-	612627
3	3	87.4	14	1324	1666	7807
4	1	63.4	14	-	-	201410
5	3	88.5	14	1724	1961	393175
6	2	76.7	14	1987	-	587179
7	2	74.3	14	1427	-	780700
8	3	92.2	14	1952	1315	176962
9	1	60.5	14	-	-	371487
10	3	87.8	14	1224	1251	563364
11	3	83.7	14	1849	1824	755238
12	3	86.1	14	1930	1718	153027
13	2	69.3	14	1310	-	346726
14	2	70.6	14	1421	-	540384
15	3	86.3	14	2000	1681	731081
16						
17						
18						
19						
20						

Trial Number:			16			Detection (Yes/No) Yes
Number of Bursts in Trial:			13			
Chirp Center Frequency:			5295			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	79.6	11	1459	-	149717
2	1	58.4	11	-	-	373320
3	1	51.9	11	-	-	597107
4	2	79.8	11	1723	-	818957
5	1	62.3	11	-	-	122414
6	2	70.4	11	1749	-	345124
7	1	63.8	11	-	-	569178
8	3	95.3	11	1994	1534	790214
9	2	78	11	1978	-	94660
10	2	82.8	11	1883	-	317755
11	2	66.7	11	1736	-	541063
12	3	93.6	11	1866	1733	762758
13	2	76.5	11	1483	-	67241
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:		17				Detection (Yes/No)
Number of Bursts in Trial:		17				Yes
Chirp Center Frequency:		5297				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	1	51.1	16	-	-	222257
2	2	73.6	16	1526	-	392287
3	2	67.4	16	1992	-	562025
4	3	91.3	16	1035	1184	30343
5	2	78.9	16	1525	-	200891
6	1	61.9	16	-	-	371871
7	2	76.4	16	1688	-	541993
8	2	68.3	16	1558	-	9379
9	3	84.2	16	1208	1331	179584
10	1	64.8	16	-	-	350979
11	1	62	16	-	-	521709
12	1	60.4	16	-	-	692286
13	1	55.7	16	-	-	159200
14	1	55.8	16	-	-	329912
15	3	90.8	16	1071	1835	499067
16	2	75.1	16	1810	-	669937
17	3	91.4	16	1659	1910	137528
18						
19						
20						

Trial Number:		18				Detection (Yes/No)
Number of Bursts in Trial:		12				Yes
Chirp Center Frequency:		5294				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	99.4	10	1602	1048	436648
2	3	99.5	10	1999	1312	677816
3	1	63.4	10	-	-	921898
4	2	80.8	10	1170	-	165777
5	1	54.6	10	-	-	408203
6	1	50.5	10	-	-	650586
7	2	74.1	10	1212	-	891322
8	1	60	10	-	-	136188
9	2	79.3	10	1132	-	377942
10	1	66.5	10	-	-	620313
11	3	99.5	10	1660	1423	860398
12	2	68.8	10	1716	-	106135
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			19			Detection
Number of Bursts in Trial:			19			(Yes/No)
Chirp Center Frequency:			5298			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	59.3	18	-	-	219932
2	2	80.7	18	1825	-	371936
3	2	71.7	18	1641	-	524094
4	2	83.1	18	1698	-	48120
5	3	97.8	18	1742	1828	200029
6	3	91.1	18	1013	1895	352458
7	3	86.9	18	1921	1491	504058
8	2	70.3	18	1575	-	29403
9	3	92.4	18	1831	1058	181456
10	1	57.1	18	-	-	335060
11	1	57.4	18	-	-	488009
12	3	94.2	18	1758	1980	10566
13	2	68	18	1979	-	162888
14	3	95.5	18	1111	1063	315160
15	3	93.6	18	1684	1197	466970
16	3	89.9	18	1256	1321	619170
17	2	69.4	18	1258	-	144287
18	1	56.5	18	-	-	297383
19	1	64.5	18	-	-	450018
20						

Trial Number:			20			Detection
Number of Bursts in Trial:			15			(Yes/No)
Chirp Center Frequency:			5296			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	73.1	14	1714	-	762265
2	2	70.1	14	1722	-	159034
3	3	86.7	14	1513	1361	351972
4	3	83.4	14	1656	1016	545084
5	2	67.2	14	1869	-	738683
6	2	80.2	14	1147	-	135462
7	3	95.8	14	1351	1993	327679
8	3	96.6	14	1413	1305	521379
9	2	73	14	1376	-	715606
10	3	93.4	14	1046	1182	111354
11	2	81.2	14	1131	-	304798
12	3	99.7	14	1948	1685	496592
13	3	95.5	14	1070	1233	690895
14	2	77	14	1709	-	87708
15	3	99.5	14	1521	1772	280361
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			21			Detection (Yes/No)
Number of Bursts in Trial:			9			Yes
Chirp Center Frequency:			5307			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	2	74.8	6	1576	-	791729
2	3	84.2	6	1097	1217	1113827
3	3	90.4	6	1112	1878	106534
4	2	77.3	6	1382	-	429210
5	1	58	6	-	-	752519
6	1	64.8	6	-	-	1075682
7	1	53.9	6	-	-	66992
8	1	54.8	6	-	-	390121
9	3	99	6	1614	1996	711061
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			22			Detection (Yes/No)
Number of Bursts in Trial:			18			Yes
Chirp Center Frequency:			5303			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	92.2	17	1066	1541	515438
2	3	92.1	17	1738	1743	13508
3	2	69.2	17	1880	-	174362
4	1	62.7	17	-	-	336448
5	1	59.1	17	-	-	497820
6	1	57	17	-	-	658740
7	3	84.3	17	1195	1928	154277
8	3	90.6	17	1476	1335	315258
9	2	72.7	17	1374	-	476646
10	1	51.9	17	-	-	639342
11	2	76.3	17	1006	-	134980
12	3	98.7	17	1913	1852	294777
13	2	72.7	17	1287	-	456992
14	3	97.3	17	1901	1187	616538
15	1	54.5	17	-	-	115241
16	1	52.9	17	-	-	276425
17	1	51.9	17	-	-	437829
18	3	94.6	17	1800	1416	596358
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:		23				Detection
Number of Bursts in Trial:		14				(Yes/No)
Chirp Center Frequency:		5304				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.8	13	-	-	122712
2	2	77	13	1189	-	329774
3	1	61.2	13	-	-	538047
4	1	57.5	13	-	-	745661
5	1	62	13	-	-	97212
6	2	67.2	13	1145	-	304184
7	2	68.5	13	1236	-	511419
8	2	70.6	13	1819	-	718325
9	1	59.4	13	-	-	71593
10	3	99.6	13	1727	1617	278058
11	3	92.1	13	1968	1366	484596
12	3	98.5	13	1519	1033	692484
13	3	99.7	13	1881	1701	45889
14	2	69.2	13	1680	-	253096
15						
16						
17						
18						
19						
20						

Trial Number:		24				Detection
Number of Bursts in Trial:		16				(Yes/No)
Chirp Center Frequency:		5304				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	65.3	15	-	-	403313
2	3	87.7	15	1139	1141	582867
3	3	91.2	15	1165	1117	17887
4	2	75.2	15	1806	-	199113
5	1	60.9	15	-	-	381053
6	2	83.1	15	1528	-	561257
7	3	87.4	15	1278	1703	741431
8	1	66	15	-	-	177092
9	1	59.1	15	-	-	358547
10	3	90.7	15	1622	1495	537585
11	2	76.9	15	1080	-	720694
12	3	93.5	15	1956	1402	154126
13	1	50.7	15	-	-	336424
14	1	50.8	15	-	-	517585
15	1	52	15	-	-	698891
16	3	87	15	1436	1408	131900
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:		25				Detection
Number of Bursts in Trial:		8				(Yes/No)
Chirp Center Frequency:		5308				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	85.8	5	1142	1437	627492
2	2	74.4	5	1352	-	991282
3	1	56.1	5	-	-	1355364
4	2	70.3	5	1194	-	220103
5	3	90.1	5	1387	1109	582696
6	2	77.8	5	1794	-	946193
7	3	87.8	5	1848	1628	1307676
8	3	84.7	5	1371	1997	175113
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:		26				Detection
Number of Bursts in Trial:		10				(Yes/No)
Chirp Center Frequency:		5307				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	80.1	7	1752	-	430561
2	1	52	7	-	-	721988
3	3	94.2	7	1314	1338	1010022
4	3	88.6	7	1904	1334	104250
5	3	97.6	7	1265	1061	394554
6	3	84.7	7	1214	1729	684330
7	3	98.5	7	1578	1789	973850
8	2	74.3	7	1645	-	68683
9	1	52.2	7	-	-	359517
10	1	57.1	7	-	-	649953
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			27			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5302			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	83.3	20	1951	-	468237
2	3	85.1	20	1100	1662	16377
3	1	56	20	-	-	161534
4	2	79.4	20	1304	-	305906
5	3	92.1	20	1469	1019	449841
6	2	68.8	20	1085	-	595673
7	1	57.2	20	-	-	143727
8	3	97.8	20	1342	1548	287559
9	2	67.9	20	1732	-	432637
10	2	70.5	20	1609	-	577584
11	2	80.7	20	1210	-	125527
12	2	68.5	20	1888	-	270364
13	1	66.4	20	-	-	416177
14	2	67.7	20	1796	-	559545
15	2	68.5	20	1203	-	107741
16	2	72.5	20	1480	-	252702
17	1	63.7	20	-	-	398558
18	2	67.7	20	1316	-	542646
19	3	92.3	20	1415	1940	89576
20	2	79.4	20	1348	-	234641

Trial Number:			28			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5302			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	79.1	20	1458	-	379190
2	3	87.5	20	1468	1514	523076
3	3	99.9	20	1103	1658	71937
4	1	56.5	20	-	-	217317
5	3	95.1	20	1430	1360	360555
6	1	58.8	20	-	-	507406
7	3	88.9	20	1009	1378	54147
8	3	98.8	20	1939	1010	198553
9	2	68.4	20	1991	-	343542
10	2	74.4	20	1744	-	488663
11	3	92.2	20	1694	1022	36265
12	1	52.5	20	-	-	181730
13	3	91.2	20	1986	1976	324692
14	3	93.7	20	1039	1502	470215
15	2	67.5	20	1801	-	18525
16	2	67	20	1931	-	163153
17	2	80.9	20	1737	-	308214
18	1	56.4	20	-	-	453740
19	2	82.4	20	1805	-	690
20	3	87.3	20	1769	1159	145101

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			29			Detection (Yes/No) Yes
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5304			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.1	13	-	-	416095
2	3	92.3	13	1507	1797	621328
3	1	59.9	13	-	-	831157
4	2	67.3	13	1490	-	182535
5	1	53.9	13	-	-	390651
6	1	61.5	13	-	-	597650
7	3	85.6	13	1995	1655	802403
8	2	76.5	13	1031	-	157208
9	2	70	13	1267	-	364484
10	2	75.1	13	1207	-	571352
11	2	71	13	1250	-	779007
12	2	80.7	13	1960	-	131476
13	2	82	13	1876	-	338428
14	2	72.9	13	1929	-	545368
15						
16						
17						
18						
19						
20						

Trial Number:			30			Detection (Yes/No) Yes
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5303			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	78	16	1347	-	619608
2	3	95.9	16	1906	1353	87028
3	3	85.3	16	1357	1263	257434
4	3	99.6	16	1204	1524	427596
5	3	84.3	16	1073	1143	598137
6	2	83.2	16	1252	-	66279
7	2	79.9	16	1950	-	236738
8	1	58.4	16	-	-	408278
9	2	79.4	16	1473	-	577873
10	3	93.6	16	1337	1535	45220
11	2	78.4	16	1409	-	215908
12	2	78.1	16	1152	-	386671
13	2	77.4	16	1107	-	556902
14	2	72.8	16	1021	-	24298
15	1	50.2	16	-	-	195279
16	1	51.5	16	-	-	365799
17	3	91.6	16	1005	1492	535081
18						
19						
20						

Channel 62 Bandwidth 40MHz

DFS Radar Parameters
FCC Radar Type 1
Channel 62 Bandwidth 40MHz

Trial #	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	4	1730.10	578	Yes
2	13	1319.26	758	Yes
3	5	1672.24	598	Yes
4	17	1193.32	838	Yes
5	20	1113.59	898	Yes
6	21	1089.32	918	Yes
7	12	326.16	3066	Yes
8	10	1432.66	698	Yes
9	8	1519.76	658	Yes
10	1	1930.50	518	Yes
11	6	1618.12	618	Yes
12	12	1355.01	738	Yes
13	3	1792.11	558	Yes
14	19	1138.95	878	Yes
15	11	1392.76	718	Yes
16		579.71	1725	Yes
17		1173.71	852	Yes
18		503.78	1985	Yes
19		1472.75	679	Yes
20		352.73	2835	Yes
21		461.25	2168	Yes
22		467.29	2140	Yes
23		337.27	2965	Yes
24		1273.89	785	Yes
25		452.49	2210	Yes
26		1547.99	646	Yes
27		652.74	1532	Yes
28		1587.30	630	Yes
29		412.20	2426	Yes
30		1369.86	730	Yes

DFS Radar Parameters
FCC Radar Type 2
Channel 62 Bandwidth 40MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	28	4.40	169	Yes
2	28	3.90	216	Yes
3	23	1.50	222	Yes
4	24	1.90	154	Yes
5	24	1.50	186	Yes
6	28	4.30	164	Yes
7	23	1.20	197	Yes
8	28	4.30	224	Yes
9	24	1.70	208	Yes
10	25	2.40	173	Yes
11	24	2.00	193	Yes
12	26	2.90	214	Yes
13	25	2.50	150	Yes
14	23	1.30	159	Yes
15	27	3.30	201	Yes
16	25	2.70	194	Yes
17	27	3.80	168	Yes
18	25	2.40	170	Yes
19	28	4.40	211	Yes
20	27	3.40	217	Yes
21	23	1.40	220	Yes
22	28	4.20	226	Yes
23	26	3.10	202	Yes
24	27	3.80	230	Yes
25	23	1.10	206	Yes
26	24	1.70	228	Yes
27	29	4.90	153	Yes
28	29	4.90	187	Yes
29	26	3.10	200	Yes
30	27	3.80	198	Yes

DFS Radar Parameters
FCC Radar Type 3
Channel 62 Bandwidth 40MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	18	9.40	385	Yes
2	18	8.90	397	Yes
3	16	6.50	434	Yes
4	16	6.90	440	Yes
5	16	6.50	242	Yes
6	18	9.30	312	Yes
7	16	6.20	419	Yes
8	18	9.30	408	Yes
9	16	6.70	478	Yes
10	17	7.40	411	Yes
11	16	7.00	365	Yes
12	17	7.90	443	Yes
13	17	7.50	446	Yes
14	16	6.30	235	Yes
15	17	8.30	356	Yes
16	17	7.70	207	Yes
17	18	8.80	482	Yes
18	17	7.40	276	Yes
19	18	9.40	461	Yes
20	17	8.40	374	Yes
21	16	6.40	500	Yes
22	18	9.20	206	Yes
23	17	8.10	473	Yes
24	18	8.80	201	Yes
25	16	6.10	388	Yes
26	16	6.70	217	Yes
27	18	9.90	262	Yes
28	18	9.90	458	Yes
29	17	8.10	233	Yes
30	18	8.80	437	Yes

DFS Radar Parameters
FCC Radar Type 4
Channel 62 Bandwidth 40MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	16	18.60	385	Yes
2	15	17.50	397	Yes
3	12	12.20	434	Yes
4	13	13.00	440	Yes
5	12	12.30	242	Yes
6	16	18.30	312	Yes
7	12	11.50	419	Yes
8	16	18.50	408	Yes
9	12	12.60	478	Yes
10	13	14.10	411	Yes
11	13	13.40	365	Yes
12	14	15.20	443	Yes
13	13	14.30	446	Yes
14	12	11.70	235	Yes
15	14	16.20	356	Yes
16	14	14.80	207	Yes
17	15	17.40	482	Yes
18	13	14.20	276	Yes
19	16	18.70	461	Yes
20	14	16.40	374	Yes
21	12	12.00	500	Yes
22	15	18.10	206	Yes
23	14	15.70	473	Yes
24	15	17.20	201	Yes
25	12	11.40	388	Yes
26	12	12.50	217	Yes
27	16	19.70	262	Yes
28	16	19.70	458	Yes
29	14	15.70	233	Yes
30	15	17.30	437	Yes

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			1			Detection (Yes/No)
Number of Bursts in Trial:			18			Yes
Chirp Center Frequency:			5310			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	92	18	1861	1804	54110
2	3	85.9	18	1000	1350	215065
3	1	56.8	18	-	-	377256
4	1	61.1	18	-	-	538663
5	1	57.2	18	-	-	34515
6	3	90.4	18	1605	1927	194700
7	1	53.1	18	-	-	356972
8	3	91.3	18	1181	1544	516087
9	1	59.2	18	-	-	14638
10	2	67.4	18	1768	-	175607
11	1	63.3	18	-	-	337334
12	2	73.5	18	1550	-	497759
13	2	68.6	18	1643	-	658786
14	1	54.3	18	-	-	156150
15	2	78.8	18	1802	-	316552
16	2	71	18	1412	-	477486
17	3	85.2	18	1179	1687	637039
18	2	67.7	18	1240	-	135980
19						
20						

Trial Number:			2			Detection (Yes/No)
Number of Bursts in Trial:			17			Yes
Chirp Center Frequency:			5310			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	92.5	16	1283	1713	313847
2	2	79.9	16	1345	-	484947
3	1	55.5	16	-	-	657215
4	3	89.3	16	1072	1707	122772
5	2	76.3	16	1621	-	293333
6	3	84.2	16	1045	1211	463372
7	1	52.2	16	-	-	636089
8	1	58.6	16	-	-	102140
9	3	98.1	16	1030	1619	271897
10	3	98	16	1531	1853	441445
11	2	76.2	16	1885	-	613094
12	3	85.2	16	1803	1523	80702
13	2	68	16	1779	-	251243
14	2	75.5	16	1171	-	421859
15	3	99.1	16	1847	1151	590857
16	3	85.3	16	1959	1964	59773
17	1	62.7	16	-	-	230820
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:		3				Detection (Yes/No)
Number of Bursts in Trial:		9				Yes
Chirp Center Frequency:		5310				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	82.2	7	1478	-	758923
2	3	94.7	7	1857	1230	1080269
3	3	88.2	7	1610	1336	73618
4	2	69.4	7	1755	-	396315
5	2	70.8	7	1782	-	718771
6	2	77	7	1730	-	1041401
7	1	52.9	7	-	-	34010
8	2	78.4	7	1674	-	356625
9	1	53.7	7	-	-	679859
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:		4				Detection (Yes/No)
Number of Bursts in Trial:		10				Yes
Chirp Center Frequency:		5310				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	55.8	8	-	-	902661
2	2	79	8	1795	-	1191359
3	3	95.4	8	1087	1647	284871
4	1	51.4	8	-	-	575983
5	2	71	8	1466	-	865638
6	2	67.8	8	1245	-	1156473
7	3	95	8	1970	1518	248854
8	2	73.9	8	1306	-	539953
9	1	66	8	-	-	830955
10	3	96.9	8	1532	1166	1119371
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			5			Detection (Yes/No)
Number of Bursts in Trial:			9			Yes
Chirp Center Frequency:			5310			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	92.4	7	1635	1118	237190
2	1	52.7	7	-	-	560458
3	1	59.6	7	-	-	883677
4	2	72.7	7	1721	-	1205491
5	1	58.9	7	-	-	197827
6	3	98.7	7	1126	1567	519912
7	3	92.4	7	1183	1216	842500
8	1	55.2	7	-	-	1166963
9	1	65.1	7	-	-	158139
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			6			Detection (Yes/No)
Number of Bursts in Trial:			18			Yes
Chirp Center Frequency:			5310			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	2	74.1	17	1291	-	239788
2	3	99.5	17	1344	1392	400071
3	3	87.8	17	1537	1677	560089
4	2	74.4	17	1965	-	58872
5	3	83.4	17	1559	1407	219373
6	3	91.6	17	1431	1915	379670
7	3	96.6	17	1384	1094	541256
8	2	76.4	17	1615	-	39119
9	3	97.1	17	1460	1637	199571
10	3	98.4	17	1953	1580	360155
11	2	71.6	17	1123	-	522091
12	1	52.8	17	-	-	19335
13	1	52.5	17	-	-	180755
14	1	60.8	17	-	-	342106
15	2	72.5	17	1871	-	501536
16	2	78.3	17	1158	-	663703
17	2	73.2	17	1124	-	160498
18	1	63.2	17	-	-	322180
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			7			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5310			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	96.6	6	1429	1090	1086926
2	2	76.9	6	1894	-	1451108
3	1	58.3	6	-	-	317396
4	3	90.2	6	1333	1120	679937
5	3	94.1	6	1302	1174	1042782
6	1	59.4	6	-	-	1407864
7	1	52.1	6	-	-	272665
8	3	92.9	6	1137	1093	635097
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			8			Detection (Yes/No)
Number of Bursts in Trial:			18			
Chirp Center Frequency:			5310			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	60	18	-	-	443398
2	2	72.6	18	1309	-	603882
3	2	72	18	1807	-	100973
4	2	79.2	18	1380	-	262129
5	2	70.8	18	1872	-	422575
6	2	78.5	18	1638	-	583785
7	2	71.7	18	1731	-	81122
8	3	87.9	18	1186	1385	241616
9	1	54.3	18	-	-	403804
10	1	54.2	18	-	-	565468
11	2	68	18	1500	-	61337
12	1	54.6	18	-	-	222624
13	1	62	18	-	-	383876
14	1	59.8	18	-	-	545329
15	2	74.5	18	1579	-	41441
16	3	91.5	18	1136	1065	202266
17	3	97.9	18	1942	1877	361879
18	2	75.6	18	1234	-	524742
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:		9				Detection (Yes/No)
Number of Bursts in Trial:		10				Yes
Chirp Center Frequency:		5310				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	94.4	7	1463	1515	39000
2	3	94	7	1445	1943	328793
3	3	89.8	7	1754	1670	618811
4	3	91.9	7	1811	1386	908559
5	3	87.1	7	1206	1288	3271
6	3	94.4	7	1067	1196	293454
7	3	85.7	7	1577	1675	583162
8	3	85.4	7	1564	1215	873075
9	3	95.8	7	1231	1037	1163893
10	2	78.4	7	1340	-	257926
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:		10				Detection (Yes/No)
Number of Bursts in Trial:		12				Yes
Chirp Center Frequency:		5310				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	1	56.7	10	-	-	457014
2	3	83.9	10	1902	1891	696527
3	1	55.4	10	-	-	941837
4	2	78.3	10	1975	-	184832
5	2	72.2	10	1809	-	426524
6	3	90.5	10	1062	1479	667585
7	2	81.6	10	1949	-	910213
8	2	74	10	1689	-	155106
9	1	54.3	10	-	-	397548
10	2	67.8	10	1720	-	638568
11	2	77.5	10	1177	-	881294
12	3	93.2	10	1372	1629	125235
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			11			Detection (Yes/No) Yes
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5295			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	81.1	9	1774	-	400532
2	1	64.7	9	-	-	665474
3	1	56.5	9	-	-	929894
4	2	68.2	9	1373	-	104347
5	1	60.3	9	-	-	368777
6	2	68.6	9	1481	-	631812
7	1	51.1	9	-	-	897290
8	3	86.8	9	1379	1308	71717
9	1	52.4	9	-	-	336194
10	2	66.9	9	1498	-	599511
11	3	92.4	9	1130	1967	862218
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			12			Detection (Yes/No) Yes
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5297			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	68.5	12	1232	-	30868
2	1	65.1	12	-	-	238517
3	1	58.1	12	-	-	445917
4	1	53	12	-	-	653413
5	2	68.1	12	1608	-	5353
6	3	85.6	12	1923	1854	211856
7	2	77.7	12	1049	-	420128
8	3	93.6	12	1542	1862	625722
9	3	85.4	12	1307	1494	832879
10	2	82.7	12	1113	-	187145
11	3	93.4	12	1511	1661	393473
12	2	81.1	12	1874	-	600998
13	2	70.4	12	1640	-	808235
14	3	98.9	12	1470	1449	161180
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			13			Detection (Yes/No) Yes
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5296			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	89.7	10	1776	1918	429376
2	2	82.4	10	1747	-	672245
3	2	71.6	10	1545	-	913466
4	2	78.3	10	1652	-	158640
5	1	50.4	10	-	-	401024
6	3	87.1	10	1086	1446	641566
7	2	80	10	1169	-	884442
8	3	98.1	10	1907	1618	128615
9	1	51.2	10	-	-	371202
10	1	62.9	10	-	-	613174
11	2	75.1	10	1339	-	854176
12	3	85.4	10	1916	1390	98955
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			14			Detection (Yes/No) Yes
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5294			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	68.8	6	1488	-	455054
2	3	84.1	6	1632	1270	776629
3	2	67	6	1257	-	1100814
4	3	84.3	6	1129	1919	92401
5	1	59	6	-	-	415797
6	2	76	6	1274	-	738101
7	3	89.9	6	1761	1892	1058788
8	3	91.6	6	1664	1988	52694
9	3	87	6	1785	1121	375012
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			15			Detection (Yes/No) Yes
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5297			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.2	14	-	-	419038
2	1	64.1	14	-	-	612627
3	3	87.4	14	1324	1666	7807
4	1	63.4	14	-	-	201410
5	3	88.5	14	1724	1961	393175
6	2	76.7	14	1987	-	587179
7	2	74.3	14	1427	-	780700
8	3	92.2	14	1952	1315	176962
9	1	60.5	14	-	-	371487
10	3	87.8	14	1224	1251	563364
11	3	83.7	14	1849	1824	755238
12	3	86.1	14	1930	1718	153027
13	2	69.3	14	1310	-	346726
14	2	70.6	14	1421	-	540384
15	3	86.3	14	2000	1681	731081
16						
17						
18						
19						
20						

Trial Number:			16			Detection (Yes/No) Yes
Number of Bursts in Trial:			13			
Chirp Center Frequency:			5296			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	79.6	11	1459	-	149717
2	1	58.4	11	-	-	373320
3	1	51.9	11	-	-	597107
4	2	79.8	11	1723	-	818957
5	1	62.3	11	-	-	122414
6	2	70.4	11	1749	-	345124
7	1	63.8	11	-	-	569178
8	3	95.3	11	1994	1534	790214
9	2	78	11	1978	-	94660
10	2	82.8	11	1883	-	317755
11	2	66.7	11	1736	-	541063
12	3	93.6	11	1866	1733	762758
13	2	76.5	11	1483	-	67241
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:		17				Detection (Yes/No)
Number of Bursts in Trial:		17				Yes
Chirp Center Frequency:		5298				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	1	51.1	16	-	-	222257
2	2	73.6	16	1526	-	392287
3	2	67.4	16	1992	-	562025
4	3	91.3	16	1035	1184	30343
5	2	78.9	16	1525	-	200891
6	1	61.9	16	-	-	371871
7	2	76.4	16	1688	-	541993
8	2	68.3	16	1558	-	9379
9	3	84.2	16	1208	1331	179584
10	1	64.8	16	-	-	350979
11	1	62	16	-	-	521709
12	1	60.4	16	-	-	692286
13	1	55.7	16	-	-	159200
14	1	55.8	16	-	-	329912
15	3	90.8	16	1071	1835	499067
16	2	75.1	16	1810	-	669937
17	3	91.4	16	1659	1910	137528
18						
19						
20						

Trial Number:		18				Detection (Yes/No)
Number of Bursts in Trial:		12				Yes
Chirp Center Frequency:		5296				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	99.4	10	1602	1048	436648
2	3	99.5	10	1999	1312	677816
3	1	63.4	10	-	-	921898
4	2	80.8	10	1170	-	165777
5	1	54.6	10	-	-	408203
6	1	50.5	10	-	-	650586
7	2	74.1	10	1212	-	891322
8	1	60	10	-	-	136188
9	2	79.3	10	1132	-	377942
10	1	66.5	10	-	-	620313
11	3	99.5	10	1660	1423	860398
12	2	68.8	10	1716	-	106135
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			19			Detection
Number of Bursts in Trial:			19			(Yes/No)
Chirp Center Frequency:			5299			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	59.3	18	-	-	219932
2	2	80.7	18	1825	-	371936
3	2	71.7	18	1641	-	524094
4	2	83.1	18	1698	-	48120
5	3	97.8	18	1742	1828	200029
6	3	91.1	18	1013	1895	352458
7	3	86.9	18	1921	1491	504058
8	2	70.3	18	1575	-	29403
9	3	92.4	18	1831	1058	181456
10	1	57.1	18	-	-	335060
11	1	57.4	18	-	-	488009
12	3	94.2	18	1758	1980	10566
13	2	68	18	1979	-	162888
14	3	95.5	18	1111	1063	315160
15	3	93.6	18	1684	1197	466970
16	3	89.9	18	1256	1321	619170
17	2	69.4	18	1258	-	144287
18	1	56.5	18	-	-	297383
19	1	64.5	18	-	-	450018
20						

Trial Number:			20			Detection
Number of Bursts in Trial:			15			(Yes/No)
Chirp Center Frequency:			5297			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	73.1	14	1714	-	762265
2	2	70.1	14	1722	-	159034
3	3	86.7	14	1513	1361	351972
4	3	83.4	14	1656	1016	545084
5	2	67.2	14	1869	-	738683
6	2	80.2	14	1147	-	135462
7	3	95.8	14	1351	1993	327679
8	3	96.6	14	1413	1305	521379
9	2	73	14	1376	-	715606
10	3	93.4	14	1046	1182	111354
11	2	81.2	14	1131	-	304798
12	3	99.7	14	1948	1685	496592
13	3	95.5	14	1070	1233	690895
14	2	77	14	1709	-	87708
15	3	99.5	14	1521	1772	280361
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			21			Detection (Yes/No)
Number of Bursts in Trial:			9			Yes
Chirp Center Frequency:			5326			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	2	74.8	6	1576	-	791729
2	3	84.2	6	1097	1217	1113827
3	3	90.4	6	1112	1878	106534
4	2	77.3	6	1382	-	429210
5	1	58	6	-	-	752519
6	1	64.8	6	-	-	1075682
7	1	53.9	6	-	-	66992
8	1	54.8	6	-	-	390121
9	3	99	6	1614	1996	711061
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			22			Detection (Yes/No)
Number of Bursts in Trial:			18			Yes
Chirp Center Frequency:			5321			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	92.2	17	1066	1541	515438
2	3	92.1	17	1738	1743	13508
3	2	69.2	17	1880	-	174362
4	1	62.7	17	-	-	336448
5	1	59.1	17	-	-	497820
6	1	57	17	-	-	658740
7	3	84.3	17	1195	1928	154277
8	3	90.6	17	1476	1335	315258
9	2	72.7	17	1374	-	476646
10	1	51.9	17	-	-	639342
11	2	76.3	17	1006	-	134980
12	3	98.7	17	1913	1852	294777
13	2	72.7	17	1287	-	456992
14	3	97.3	17	1901	1187	616538
15	1	54.5	17	-	-	115241
16	1	52.9	17	-	-	276425
17	1	51.9	17	-	-	437829
18	3	94.6	17	1800	1416	596358
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			23			Detection
Number of Bursts in Trial:			14			(Yes/No)
Chirp Center Frequency:			5323			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.8	13	-	-	122712
2	2	77	13	1189	-	329774
3	1	61.2	13	-	-	538047
4	1	57.5	13	-	-	745661
5	1	62	13	-	-	97212
6	2	67.2	13	1145	-	304184
7	2	68.5	13	1236	-	511419
8	2	70.6	13	1819	-	718325
9	1	59.4	13	-	-	71593
10	3	99.6	13	1727	1617	278058
11	3	92.1	13	1968	1366	484596
12	3	98.5	13	1519	1033	692484
13	3	99.7	13	1881	1701	45889
14	2	69.2	13	1680	-	253096
15						
16						
17						
18						
19						
20						

Trial Number:			24			Detection
Number of Bursts in Trial:			16			(Yes/No)
Chirp Center Frequency:			5322			No
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	65.3	15	-	-	403313
2	3	87.7	15	1139	1141	582867
3	3	91.2	15	1165	1117	17887
4	2	75.2	15	1806	-	199113
5	1	60.9	15	-	-	381053
6	2	83.1	15	1528	-	561257
7	3	87.4	15	1278	1703	741431
8	1	66	15	-	-	177092
9	1	59.1	15	-	-	358547
10	3	90.7	15	1622	1495	537585
11	2	76.9	15	1080	-	720694
12	3	93.5	15	1956	1402	154126
13	1	50.7	15	-	-	336424
14	1	50.8	15	-	-	517585
15	1	52	15	-	-	698891
16	3	87	15	1436	1408	131900
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:		25				Detection
Number of Bursts in Trial:		8				(Yes/No)
Chirp Center Frequency:		5326				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	85.8	5	1142	1437	627492
2	2	74.4	5	1352	-	991282
3	1	56.1	5	-	-	1355364
4	2	70.3	5	1194	-	220103
5	3	90.1	5	1387	1109	582696
6	2	77.8	5	1794	-	946193
7	3	87.8	5	1848	1628	1307676
8	3	84.7	5	1371	1997	175113
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:		26				Detection
Number of Bursts in Trial:		10				(Yes/No)
Chirp Center Frequency:		5325				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	80.1	7	1752	-	430561
2	1	52	7	-	-	721988
3	3	94.2	7	1314	1338	1010022
4	3	88.6	7	1904	1334	104250
5	3	97.6	7	1265	1061	394554
6	3	84.7	7	1214	1729	684330
7	3	98.5	7	1578	1789	973850
8	2	74.3	7	1645	-	68683
9	1	52.2	7	-	-	359517
10	1	57.1	7	-	-	649953
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			27			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5320			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	83.3	20	1951	-	468237
2	3	85.1	20	1100	1662	16377
3	1	56	20	-	-	161534
4	2	79.4	20	1304	-	305906
5	3	92.1	20	1469	1019	449841
6	2	68.8	20	1085	-	595673
7	1	57.2	20	-	-	143727
8	3	97.8	20	1342	1548	287559
9	2	67.9	20	1732	-	432637
10	2	70.5	20	1609	-	577584
11	2	80.7	20	1210	-	125527
12	2	68.5	20	1888	-	270364
13	1	66.4	20	-	-	416177
14	2	67.7	20	1796	-	559545
15	2	68.5	20	1203	-	107741
16	2	72.5	20	1480	-	252702
17	1	63.7	20	-	-	398558
18	2	67.7	20	1316	-	542646
19	3	92.3	20	1415	1940	89576
20	2	79.4	20	1348	-	234641

Trial Number:			28			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5320			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	79.1	20	1458	-	379190
2	3	87.5	20	1468	1514	523076
3	3	99.9	20	1103	1658	71937
4	1	56.5	20	-	-	217317
5	3	95.1	20	1430	1360	360555
6	1	58.8	20	-	-	507406
7	3	88.9	20	1009	1378	54147
8	3	98.8	20	1939	1010	198553
9	2	68.4	20	1991	-	343542
10	2	74.4	20	1744	-	488663
11	3	92.2	20	1694	1022	36265
12	1	52.5	20	-	-	181730
13	3	91.2	20	1986	1976	324692
14	3	93.7	20	1039	1502	470215
15	2	67.5	20	1801	-	18525
16	2	67	20	1931	-	163153
17	2	80.9	20	1737	-	308214
18	1	56.4	20	-	-	453740
19	2	82.4	20	1805	-	690
20	3	87.3	20	1769	1159	145101

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			29			Detection (Yes/No) Yes
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5323			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.1	13	-	-	416095
2	3	92.3	13	1507	1797	621328
3	1	59.9	13	-	-	831157
4	2	67.3	13	1490	-	182535
5	1	53.9	13	-	-	390651
6	1	61.5	13	-	-	597650
7	3	85.6	13	1995	1655	802403
8	2	76.5	13	1031	-	157208
9	2	70	13	1267	-	364484
10	2	75.1	13	1207	-	571352
11	2	71	13	1250	-	779007
12	2	80.7	13	1960	-	131476
13	2	82	13	1876	-	338428
14	2	72.9	13	1929	-	545368
15						
16						
17						
18						
19						
20						

Trial Number:			30			Detection (Yes/No) Yes
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5322			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	78	16	1347	-	619608
2	3	95.9	16	1906	1353	87028
3	3	85.3	16	1357	1263	257434
4	3	99.6	16	1204	1524	427596
5	3	84.3	16	1073	1143	598137
6	2	83.2	16	1252	-	66279
7	2	79.9	16	1950	-	236738
8	1	58.4	16	-	-	408278
9	2	79.4	16	1473	-	577873
10	3	93.6	16	1337	1535	45220
11	2	78.4	16	1409	-	215908
12	2	78.1	16	1152	-	386671
13	2	77.4	16	1107	-	556902
14	2	72.8	16	1021	-	24298
15	1	50.2	16	-	-	195279
16	1	51.5	16	-	-	365799
17	3	91.6	16	1005	1492	535081
18						
19						
20						

Channel 100 Bandwidth 20MHz

DFS Radar Parameters
FCC Radar Type 1
Channel 100 Bandwidth 20MHz

Trial #	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	4	1730.10	578	Yes
2	13	1319.26	758	Yes
3	5	1672.24	598	Yes
4	17	1193.32	838	Yes
5	20	1113.59	898	Yes
6	21	1089.32	918	Yes
7	12	326.16	3066	Yes
8	10	1432.66	698	Yes
9	8	1519.76	658	Yes
10	1	1930.50	518	Yes
11	6	1618.12	618	Yes
12	12	1355.01	738	Yes
13	3	1792.11	558	Yes
14	19	1138.95	878	Yes
15	11	1392.76	718	Yes
16		579.71	1725	Yes
17		1173.71	852	Yes
18		503.78	1985	Yes
19		1472.75	679	Yes
20		352.73	2835	Yes
21		461.25	2168	Yes
22		467.29	2140	Yes
23		337.27	2965	Yes
24		1273.89	785	Yes
25		452.49	2210	Yes
26		1547.99	646	Yes
27		652.74	1532	Yes
28		1587.30	630	Yes
29		412.20	2426	Yes
30		1369.86	730	Yes

DFS Radar Parameters
FCC Radar Type 2
Channel 100 Bandwidth 20MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	28	4.40	169	Yes
2	28	3.90	216	Yes
3	23	1.50	222	Yes
4	24	1.90	154	Yes
5	24	1.50	186	Yes
6	28	4.30	164	Yes
7	23	1.20	197	Yes
8	28	4.30	224	Yes
9	24	1.70	208	Yes
10	25	2.40	173	Yes
11	24	2.00	193	Yes
12	26	2.90	214	Yes
13	25	2.50	150	Yes
14	23	1.30	159	Yes
15	27	3.30	201	Yes
16	25	2.70	194	Yes
17	27	3.80	168	Yes
18	25	2.40	170	Yes
19	28	4.40	211	No
20	27	3.40	217	Yes
21	23	1.40	220	Yes
22	28	4.20	226	Yes
23	26	3.10	202	Yes
24	27	3.80	230	Yes
25	23	1.10	206	Yes
26	24	1.70	228	Yes
27	29	4.90	153	Yes
28	29	4.90	187	Yes
29	26	3.10	200	Yes
30	27	3.80	198	Yes

DFS Radar Parameters
FCC Radar Type 3
Channel 100 Bandwidth 20MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	18	9.40	385	Yes
2	18	8.90	397	Yes
3	16	6.50	434	Yes
4	16	6.90	440	Yes
5	16	6.50	242	Yes
6	18	9.30	312	Yes
7	16	6.20	419	Yes
8	18	9.30	408	Yes
9	16	6.70	478	Yes
10	17	7.40	411	Yes
11	16	7.00	365	Yes
12	17	7.90	443	Yes
13	17	7.50	446	Yes
14	16	6.30	235	Yes
15	17	8.30	356	Yes
16	17	7.70	207	Yes
17	18	8.80	482	Yes
18	17	7.40	276	Yes
19	18	9.40	461	Yes
20	17	8.40	374	Yes
21	16	6.40	500	Yes
22	18	9.20	206	Yes
23	17	8.10	473	Yes
24	18	8.80	201	Yes
25	16	6.10	388	Yes
26	16	6.70	217	Yes
27	18	9.90	262	Yes
28	18	9.90	458	Yes
29	17	8.10	233	Yes
30	18	8.80	437	Yes

DFS Radar Parameters
FCC Radar Type 4
Channel 100 Bandwidth 20MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	16	18.60	385	Yes
2	15	17.50	397	Yes
3	12	12.20	434	Yes
4	13	13.00	440	Yes
5	12	12.30	242	Yes
6	16	18.30	312	Yes
7	12	11.50	419	Yes
8	16	18.50	408	Yes
9	12	12.60	478	Yes
10	13	14.10	411	Yes
11	13	13.40	365	Yes
12	14	15.20	443	Yes
13	13	14.30	446	Yes
14	12	11.70	235	No
15	14	16.20	356	Yes
16	14	14.80	207	Yes
17	15	17.40	482	Yes
18	13	14.20	276	Yes
19	16	18.70	461	Yes
20	14	16.40	374	Yes
21	12	12.00	500	Yes
22	15	18.10	206	Yes
23	14	15.70	473	Yes
24	15	17.20	201	Yes
25	12	11.40	388	Yes
26	12	12.50	217	Yes
27	16	19.70	262	Yes
28	16	19.70	458	Yes
29	14	15.70	233	Yes
30	15	17.30	437	Yes

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			1			Detection (Yes/No)
Number of Bursts in Trial:			18			Yes
Chirp Center Frequency:			5500			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	92	18	1861	1804	54110
2	3	85.9	18	1000	1350	215065
3	1	56.8	18	-	-	377256
4	1	61.1	18	-	-	538663
5	1	57.2	18	-	-	34515
6	3	90.4	18	1605	1927	194700
7	1	53.1	18	-	-	356972
8	3	91.3	18	1181	1544	516087
9	1	59.2	18	-	-	14638
10	2	67.4	18	1768	-	175607
11	1	63.3	18	-	-	337334
12	2	73.5	18	1550	-	497759
13	2	68.6	18	1643	-	658786
14	1	54.3	18	-	-	156150
15	2	78.8	18	1802	-	316552
16	2	71	18	1412	-	477486
17	3	85.2	18	1179	1687	637039
18	2	67.7	18	1240	-	135980
19						
20						

Trial Number:			2			Detection (Yes/No)
Number of Bursts in Trial:			17			Yes
Chirp Center Frequency:			5500			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	92.5	16	1283	1713	313847
2	2	79.9	16	1345	-	484947
3	1	55.5	16	-	-	657215
4	3	89.3	16	1072	1707	122772
5	2	76.3	16	1621	-	293333
6	3	84.2	16	1045	1211	463372
7	1	52.2	16	-	-	636089
8	1	58.6	16	-	-	102140
9	3	98.1	16	1030	1619	271897
10	3	98	16	1531	1853	441445
11	2	76.2	16	1885	-	613094
12	3	85.2	16	1803	1523	80702
13	2	68	16	1779	-	251243
14	2	75.5	16	1171	-	421859
15	3	99.1	16	1847	1151	590857
16	3	85.3	16	1959	1964	59773
17	1	62.7	16	-	-	230820
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			3			Detection (Yes/No) Yes
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5500			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	82.2	7	1478	-	758923
2	3	94.7	7	1857	1230	1080269
3	3	88.2	7	1610	1336	73618
4	2	69.4	7	1755	-	396315
5	2	70.8	7	1782	-	718771
6	2	77	7	1730	-	1041401
7	1	52.9	7	-	-	34010
8	2	78.4	7	1674	-	356625
9	1	53.7	7	-	-	679859
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			4			Detection (Yes/No) Yes
Number of Bursts in Trial:			10			
Chirp Center Frequency:			5500			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	55.8	8	-	-	902661
2	2	79	8	1795	-	1191359
3	3	95.4	8	1087	1647	284871
4	1	51.4	8	-	-	575983
5	2	71	8	1466	-	865638
6	2	67.8	8	1245	-	1156473
7	3	95	8	1970	1518	248854
8	2	73.9	8	1306	-	539953
9	1	66	8	-	-	830955
10	3	96.9	8	1532	1166	1119371
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			5			Detection (Yes/No)
Number of Bursts in Trial:			9			Yes
Chirp Center Frequency:			5500			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	92.4	7	1635	1118	237190
2	1	52.7	7	-	-	560458
3	1	59.6	7	-	-	883677
4	2	72.7	7	1721	-	1205491
5	1	58.9	7	-	-	197827
6	3	98.7	7	1126	1567	519912
7	3	92.4	7	1183	1216	842500
8	1	55.2	7	-	-	1166963
9	1	65.1	7	-	-	158139
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			6			Detection (Yes/No)
Number of Bursts in Trial:			18			Yes
Chirp Center Frequency:			5500			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	2	74.1	17	1291	-	239788
2	3	99.5	17	1344	1392	400071
3	3	87.8	17	1537	1677	560089
4	2	74.4	17	1965	-	58872
5	3	83.4	17	1559	1407	219373
6	3	91.6	17	1431	1915	379670
7	3	96.6	17	1384	1094	541256
8	2	76.4	17	1615	-	39119
9	3	97.1	17	1460	1637	199571
10	3	98.4	17	1953	1580	360155
11	2	71.6	17	1123	-	522091
12	1	52.8	17	-	-	19335
13	1	52.5	17	-	-	180755
14	1	60.8	17	-	-	342106
15	2	72.5	17	1871	-	501536
16	2	78.3	17	1158	-	663703
17	2	73.2	17	1124	-	160498
18	1	63.2	17	-	-	322180
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:		7				Detection (Yes/No)
Number of Bursts in Trial:		8				Yes
Chirp Center Frequency:		5500				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	96.6	6	1429	1090	1086926
2	2	76.9	6	1894	-	1451108
3	1	58.3	6	-	-	317396
4	3	90.2	6	1333	1120	679937
5	3	94.1	6	1302	1174	1042782
6	1	59.4	6	-	-	1407864
7	1	52.1	6	-	-	272665
8	3	92.9	6	1137	1093	635097
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:		8				Detection (Yes/No)
Number of Bursts in Trial:		18				Yes
Chirp Center Frequency:		5500				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	1	60	18	-	-	443398
2	2	72.6	18	1309	-	603882
3	2	72	18	1807	-	100973
4	2	79.2	18	1380	-	262129
5	2	70.8	18	1872	-	422575
6	2	78.5	18	1638	-	583785
7	2	71.7	18	1731	-	81122
8	3	87.9	18	1186	1385	241616
9	1	54.3	18	-	-	403804
10	1	54.2	18	-	-	565468
11	2	68	18	1500	-	61337
12	1	54.6	18	-	-	222624
13	1	62	18	-	-	383876
14	1	59.8	18	-	-	545329
15	2	74.5	18	1579	-	41441
16	3	91.5	18	1136	1065	202266
17	3	97.9	18	1942	1877	361879
18	2	75.6	18	1234	-	524742
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			9			Detection (Yes/No)
Number of Bursts in Trial:			10			Yes
Chirp Center Frequency:			5500			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	94.4	7	1463	1515	39000
2	3	94	7	1445	1943	328793
3	3	89.8	7	1754	1670	618811
4	3	91.9	7	1811	1386	908559
5	3	87.1	7	1206	1288	3271
6	3	94.4	7	1067	1196	293454
7	3	85.7	7	1577	1675	583162
8	3	85.4	7	1564	1215	873075
9	3	95.8	7	1231	1037	1163893
10	2	78.4	7	1340	-	257926
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			10			Detection (Yes/No)
Number of Bursts in Trial:			12			Yes
Chirp Center Frequency:			5500			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	1	56.7	10	-	-	457014
2	3	83.9	10	1902	1891	696527
3	1	55.4	10	-	-	941837
4	2	78.3	10	1975	-	184832
5	2	72.2	10	1809	-	426524
6	3	90.5	10	1062	1479	667585
7	2	81.6	10	1949	-	910213
8	2	74	10	1689	-	155106
9	1	54.3	10	-	-	397548
10	2	67.8	10	1720	-	638568
11	2	77.5	10	1177	-	881294
12	3	93.2	10	1372	1629	125235
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			11			Detection (Yes/No) Yes
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5494			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	81.1	9	1774	-	400532
2	1	64.7	9	-	-	665474
3	1	56.5	9	-	-	929894
4	2	68.2	9	1373	-	104347
5	1	60.3	9	-	-	368777
6	2	68.6	9	1481	-	631812
7	1	51.1	9	-	-	897290
8	3	86.8	9	1379	1308	71717
9	1	52.4	9	-	-	336194
10	2	66.9	9	1498	-	599511
11	3	92.4	9	1130	1967	862218
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			12			Detection (Yes/No) Yes
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5495			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	68.5	12	1232	-	30868
2	1	65.1	12	-	-	238517
3	1	58.1	12	-	-	445917
4	1	53	12	-	-	653413
5	2	68.1	12	1608	-	5353
6	3	85.6	12	1923	1854	211856
7	2	77.7	12	1049	-	420128
8	3	93.6	12	1542	1862	625722
9	3	85.4	12	1307	1494	832879
10	2	82.7	12	1113	-	187145
11	3	93.4	12	1511	1661	393473
12	2	81.1	12	1874	-	600998
13	2	70.4	12	1640	-	808235
14	3	98.9	12	1470	1449	161180
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			13			Detection (Yes/No) Yes
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5494			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	89.7	10	1776	1918	429376
2	2	82.4	10	1747	-	672245
3	2	71.6	10	1545	-	913466
4	2	78.3	10	1652	-	158640
5	1	50.4	10	-	-	401024
6	3	87.1	10	1086	1446	641566
7	2	80	10	1169	-	884442
8	3	98.1	10	1907	1618	128615
9	1	51.2	10	-	-	371202
10	1	62.9	10	-	-	613174
11	2	75.1	10	1339	-	854176
12	3	85.4	10	1916	1390	98955
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			14			Detection (Yes/No) Yes
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5493			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	68.8	6	1488	-	455054
2	3	84.1	6	1632	1270	776629
3	2	67	6	1257	-	1100814
4	3	84.3	6	1129	1919	92401
5	1	59	6	-	-	415797
6	2	76	6	1274	-	738101
7	3	89.9	6	1761	1892	1058788
8	3	91.6	6	1664	1988	52694
9	3	87	6	1785	1121	375012
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			15			Detection (Yes/No) Yes
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5496			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.2	14	-	-	419038
2	1	64.1	14	-	-	612627
3	3	87.4	14	1324	1666	7807
4	1	63.4	14	-	-	201410
5	3	88.5	14	1724	1961	393175
6	2	76.7	14	1987	-	587179
7	2	74.3	14	1427	-	780700
8	3	92.2	14	1952	1315	176962
9	1	60.5	14	-	-	371487
10	3	87.8	14	1224	1251	563364
11	3	83.7	14	1849	1824	755238
12	3	86.1	14	1930	1718	153027
13	2	69.3	14	1310	-	346726
14	2	70.6	14	1421	-	540384
15	3	86.3	14	2000	1681	731081
16						
17						
18						
19						
20						

Trial Number:			16			Detection (Yes/No) Yes
Number of Bursts in Trial:			13			
Chirp Center Frequency:			5495			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	79.6	11	1459	-	149717
2	1	58.4	11	-	-	373320
3	1	51.9	11	-	-	597107
4	2	79.8	11	1723	-	818957
5	1	62.3	11	-	-	122414
6	2	70.4	11	1749	-	345124
7	1	63.8	11	-	-	569178
8	3	95.3	11	1994	1534	790214
9	2	78	11	1978	-	94660
10	2	82.8	11	1883	-	317755
11	2	66.7	11	1736	-	541063
12	3	93.6	11	1866	1733	762758
13	2	76.5	11	1483	-	67241
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:		17				Detection (Yes/No)
Number of Bursts in Trial:		17				Yes
Chirp Center Frequency:		5497				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	1	51.1	16	-	-	222257
2	2	73.6	16	1526	-	392287
3	2	67.4	16	1992	-	562025
4	3	91.3	16	1035	1184	30343
5	2	78.9	16	1525	-	200891
6	1	61.9	16	-	-	371871
7	2	76.4	16	1688	-	541993
8	2	68.3	16	1558	-	9379
9	3	84.2	16	1208	1331	179584
10	1	64.8	16	-	-	350979
11	1	62	16	-	-	521709
12	1	60.4	16	-	-	692286
13	1	55.7	16	-	-	159200
14	1	55.8	16	-	-	329912
15	3	90.8	16	1071	1835	499067
16	2	75.1	16	1810	-	669937
17	3	91.4	16	1659	1910	137528
18						
19						
20						

Trial Number:		18				Detection (Yes/No)
Number of Bursts in Trial:		12				Yes
Chirp Center Frequency:		5494				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	99.4	10	1602	1048	436648
2	3	99.5	10	1999	1312	677816
3	1	63.4	10	-	-	921898
4	2	80.8	10	1170	-	165777
5	1	54.6	10	-	-	408203
6	1	50.5	10	-	-	650586
7	2	74.1	10	1212	-	891322
8	1	60	10	-	-	136188
9	2	79.3	10	1132	-	377942
10	1	66.5	10	-	-	620313
11	3	99.5	10	1660	1423	860398
12	2	68.8	10	1716	-	106135
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			19			Detection
Number of Bursts in Trial:			19			(Yes/No)
Chirp Center Frequency:			5497			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	59.3	18	-	-	219932
2	2	80.7	18	1825	-	371936
3	2	71.7	18	1641	-	524094
4	2	83.1	18	1698	-	48120
5	3	97.8	18	1742	1828	200029
6	3	91.1	18	1013	1895	352458
7	3	86.9	18	1921	1491	504058
8	2	70.3	18	1575	-	29403
9	3	92.4	18	1831	1058	181456
10	1	57.1	18	-	-	335060
11	1	57.4	18	-	-	488009
12	3	94.2	18	1758	1980	10566
13	2	68	18	1979	-	162888
14	3	95.5	18	1111	1063	315160
15	3	93.6	18	1684	1197	466970
16	3	89.9	18	1256	1321	619170
17	2	69.4	18	1258	-	144287
18	1	56.5	18	-	-	297383
19	1	64.5	18	-	-	450018
20						

Trial Number:			20			Detection
Number of Bursts in Trial:			15			(Yes/No)
Chirp Center Frequency:			5496			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	73.1	14	1714	-	762265
2	2	70.1	14	1722	-	159034
3	3	86.7	14	1513	1361	351972
4	3	83.4	14	1656	1016	545084
5	2	67.2	14	1869	-	738683
6	2	80.2	14	1147	-	135462
7	3	95.8	14	1351	1993	327679
8	3	96.6	14	1413	1305	521379
9	2	73	14	1376	-	715606
10	3	93.4	14	1046	1182	111354
11	2	81.2	14	1131	-	304798
12	3	99.7	14	1948	1685	496592
13	3	95.5	14	1070	1233	690895
14	2	77	14	1709	-	87708
15	3	99.5	14	1521	1772	280361
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			21			Detection (Yes/No)
Number of Bursts in Trial:			9			Yes
Chirp Center Frequency:			5507			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	2	74.8	6	1576	-	791729
2	3	84.2	6	1097	1217	1113827
3	3	90.4	6	1112	1878	106534
4	2	77.3	6	1382	-	429210
5	1	58	6	-	-	752519
6	1	64.8	6	-	-	1075682
7	1	53.9	6	-	-	66992
8	1	54.8	6	-	-	390121
9	3	99	6	1614	1996	711061
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			22			Detection (Yes/No)
Number of Bursts in Trial:			18			Yes
Chirp Center Frequency:			5503			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	92.2	17	1066	1541	515438
2	3	92.1	17	1738	1743	13508
3	2	69.2	17	1880	-	174362
4	1	62.7	17	-	-	336448
5	1	59.1	17	-	-	497820
6	1	57	17	-	-	658740
7	3	84.3	17	1195	1928	154277
8	3	90.6	17	1476	1335	315258
9	2	72.7	17	1374	-	476646
10	1	51.9	17	-	-	639342
11	2	76.3	17	1006	-	134980
12	3	98.7	17	1913	1852	294777
13	2	72.7	17	1287	-	456992
14	3	97.3	17	1901	1187	616538
15	1	54.5	17	-	-	115241
16	1	52.9	17	-	-	276425
17	1	51.9	17	-	-	437829
18	3	94.6	17	1800	1416	596358
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			23			Detection (Yes/No) Yes
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5505			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.8	13	-	-	122712
2	2	77	13	1189	-	329774
3	1	61.2	13	-	-	538047
4	1	57.5	13	-	-	745661
5	1	62	13	-	-	97212
6	2	67.2	13	1145	-	304184
7	2	68.5	13	1236	-	511419
8	2	70.6	13	1819	-	718325
9	1	59.4	13	-	-	71593
10	3	99.6	13	1727	1617	278058
11	3	92.1	13	1968	1366	484596
12	3	98.5	13	1519	1033	692484
13	3	99.7	13	1881	1701	45889
14	2	69.2	13	1680	-	253096
15						
16						
17						
18						
19						
20						

Trial Number:			24			Detection (Yes/No) Yes
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5504			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	65.3	15	-	-	403313
2	3	87.7	15	1139	1141	582867
3	3	91.2	15	1165	1117	17887
4	2	75.2	15	1806	-	199113
5	1	60.9	15	-	-	381053
6	2	83.1	15	1528	-	561257
7	3	87.4	15	1278	1703	741431
8	1	66	15	-	-	177092
9	1	59.1	15	-	-	358547
10	3	90.7	15	1622	1495	537585
11	2	76.9	15	1080	-	720694
12	3	93.5	15	1956	1402	154126
13	1	50.7	15	-	-	336424
14	1	50.8	15	-	-	517585
15	1	52	15	-	-	698891
16	3	87	15	1436	1408	131900
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:		25				Detection
Number of Bursts in Trial:		8				(Yes/No)
Chirp Center Frequency:		5508				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	85.8	5	1142	1437	627492
2	2	74.4	5	1352	-	991282
3	1	56.1	5	-	-	1355364
4	2	70.3	5	1194	-	220103
5	3	90.1	5	1387	1109	582696
6	2	77.8	5	1794	-	946193
7	3	87.8	5	1848	1628	1307676
8	3	84.7	5	1371	1997	175113
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:		26				Detection
Number of Bursts in Trial:		10				(Yes/No)
Chirp Center Frequency:		5507				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	80.1	7	1752	-	430561
2	1	52	7	-	-	721988
3	3	94.2	7	1314	1338	1010022
4	3	88.6	7	1904	1334	104250
5	3	97.6	7	1265	1061	394554
6	3	84.7	7	1214	1729	684330
7	3	98.5	7	1578	1789	973850
8	2	74.3	7	1645	-	68683
9	1	52.2	7	-	-	359517
10	1	57.1	7	-	-	649953
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			27			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5502			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	83.3	20	1951	-	468237
2	3	85.1	20	1100	1662	16377
3	1	56	20	-	-	161534
4	2	79.4	20	1304	-	305906
5	3	92.1	20	1469	1019	449841
6	2	68.8	20	1085	-	595673
7	1	57.2	20	-	-	143727
8	3	97.8	20	1342	1548	287559
9	2	67.9	20	1732	-	432637
10	2	70.5	20	1609	-	577584
11	2	80.7	20	1210	-	125527
12	2	68.5	20	1888	-	270364
13	1	66.4	20	-	-	416177
14	2	67.7	20	1796	-	559545
15	2	68.5	20	1203	-	107741
16	2	72.5	20	1480	-	252702
17	1	63.7	20	-	-	398558
18	2	67.7	20	1316	-	542646
19	3	92.3	20	1415	1940	89576
20	2	79.4	20	1348	-	234641

Trial Number:			28			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5502			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	79.1	20	1458	-	379190
2	3	87.5	20	1468	1514	523076
3	3	99.9	20	1103	1658	71937
4	1	56.5	20	-	-	217317
5	3	95.1	20	1430	1360	360555
6	1	58.8	20	-	-	507406
7	3	88.9	20	1009	1378	54147
8	3	98.8	20	1939	1010	198553
9	2	68.4	20	1991	-	343542
10	2	74.4	20	1744	-	488663
11	3	92.2	20	1694	1022	36265
12	1	52.5	20	-	-	181730
13	3	91.2	20	1986	1976	324692
14	3	93.7	20	1039	1502	470215
15	2	67.5	20	1801	-	18525
16	2	67	20	1931	-	163153
17	2	80.9	20	1737	-	308214
18	1	56.4	20	-	-	453740
19	2	82.4	20	1805	-	690
20	3	87.3	20	1769	1159	145101

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			29			Detection
Number of Bursts in Trial:			14			(Yes/No)
Chirp Center Frequency:			5505			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.1	13	-	-	416095
2	3	92.3	13	1507	1797	621328
3	1	59.9	13	-	-	831157
4	2	67.3	13	1490	-	182535
5	1	53.9	13	-	-	390651
6	1	61.5	13	-	-	597650
7	3	85.6	13	1995	1655	802403
8	2	76.5	13	1031	-	157208
9	2	70	13	1267	-	364484
10	2	75.1	13	1207	-	571352
11	2	71	13	1250	-	779007
12	2	80.7	13	1960	-	131476
13	2	82	13	1876	-	338428
14	2	72.9	13	1929	-	545368
15						
16						
17						
18						
19						
20						

Trial Number:			30			Detection
Number of Bursts in Trial:			17			(Yes/No)
Chirp Center Frequency:			5503			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	78	16	1347	-	619608
2	3	95.9	16	1906	1353	87028
3	3	85.3	16	1357	1263	257434
4	3	99.6	16	1204	1524	427596
5	3	84.3	16	1073	1143	598137
6	2	83.2	16	1252	-	66279
7	2	79.9	16	1950	-	236738
8	1	58.4	16	-	-	408278
9	2	79.4	16	1473	-	577873
10	3	93.6	16	1337	1535	45220
11	2	78.4	16	1409	-	215908
12	2	78.1	16	1152	-	386671
13	2	77.4	16	1107	-	556902
14	2	72.8	16	1021	-	24298
15	1	50.2	16	-	-	195279
16	1	51.5	16	-	-	365799
17	3	91.6	16	1005	1492	535081
18						
19						
20						

Channel 102 Bandwidth 40MHz

DFS Radar Parameters
FCC Radar Type 1
Channel 102 Bandwidth 40MHz

Trial #	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	4	1730.10	578	Yes
2	13	1319.26	758	Yes
3	5	1672.24	598	Yes
4	17	1193.32	838	Yes
5	20	1113.59	898	Yes
6	21	1089.32	918	Yes
7	12	326.16	3066	Yes
8	10	1432.66	698	Yes
9	8	1519.76	658	Yes
10	1	1930.50	518	Yes
11	6	1618.12	618	Yes
12	12	1355.01	738	Yes
13	3	1792.11	558	Yes
14	19	1138.95	878	Yes
15	11	1392.76	718	Yes
16		579.71	1725	Yes
17		1173.71	852	Yes
18		503.78	1985	Yes
19		1472.75	679	Yes
20		352.73	2835	Yes
21		461.25	2168	Yes
22		467.29	2140	Yes
23		337.27	2965	Yes
24		1273.89	785	Yes
25		452.49	2210	Yes
26		1547.99	646	Yes
27		652.74	1532	Yes
28		1587.30	630	Yes
29		412.20	2426	Yes
30		1369.86	730	Yes

DFS Radar Parameters
FCC Radar Type 2
Channel 102 Bandwidth 40MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	28	4.40	169	Yes
2	28	3.90	216	Yes
3	23	1.50	222	Yes
4	24	1.90	154	Yes
5	24	1.50	186	Yes
6	28	4.30	164	Yes
7	23	1.20	197	Yes
8	28	4.30	224	Yes
9	24	1.70	208	Yes
10	25	2.40	173	Yes
11	24	2.00	193	Yes
12	26	2.90	214	Yes
13	25	2.50	150	Yes
14	23	1.30	159	Yes
15	27	3.30	201	Yes
16	25	2.70	194	Yes
17	27	3.80	168	Yes
18	25	2.40	170	Yes
19	28	4.40	211	Yes
20	27	3.40	217	Yes
21	23	1.40	220	Yes
22	28	4.20	226	Yes
23	26	3.10	202	Yes
24	27	3.80	230	Yes
25	23	1.10	206	Yes
26	24	1.70	228	Yes
27	29	4.90	153	Yes
28	29	4.90	187	Yes
29	26	3.10	200	Yes
30	27	3.80	198	Yes

DFS Radar Parameters
FCC Radar Type 3
Channel 102 Bandwidth 40MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	18	9.40	385	Yes
2	18	8.90	397	Yes
3	16	6.50	434	Yes
4	16	6.90	440	Yes
5	16	6.50	242	Yes
6	18	9.30	312	Yes
7	16	6.20	419	Yes
8	18	9.30	408	Yes
9	16	6.70	478	Yes
10	17	7.40	411	Yes
11	16	7.00	365	Yes
12	17	7.90	443	Yes
13	17	7.50	446	Yes
14	16	6.30	235	Yes
15	17	8.30	356	Yes
16	17	7.70	207	Yes
17	18	8.80	482	Yes
18	17	7.40	276	Yes
19	18	9.40	461	Yes
20	17	8.40	374	Yes
21	16	6.40	500	Yes
22	18	9.20	206	Yes
23	17	8.10	473	Yes
24	18	8.80	201	Yes
25	16	6.10	388	Yes
26	16	6.70	217	Yes
27	18	9.90	262	Yes
28	18	9.90	458	Yes
29	17	8.10	233	Yes
30	18	8.80	437	Yes

DFS Radar Parameters
FCC Radar Type 4
Channel 102 Bandwidth 40MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	16	18.60	385	Yes
2	15	17.50	397	Yes
3	12	12.20	434	Yes
4	13	13.00	440	Yes
5	12	12.30	242	Yes
6	16	18.30	312	Yes
7	12	11.50	419	Yes
8	16	18.50	408	Yes
9	12	12.60	478	Yes
10	13	14.10	411	Yes
11	13	13.40	365	Yes
12	14	15.20	443	Yes
13	13	14.30	446	Yes
14	12	11.70	235	Yes
15	14	16.20	356	Yes
16	14	14.80	207	Yes
17	15	17.40	482	Yes
18	13	14.20	276	Yes
19	16	18.70	461	Yes
20	14	16.40	374	Yes
21	12	12.00	500	Yes
22	15	18.10	206	Yes
23	14	15.70	473	Yes
24	15	17.20	201	Yes
25	12	11.40	388	Yes
26	12	12.50	217	Yes
27	16	19.70	262	Yes
28	16	19.70	458	Yes
29	14	15.70	233	Yes
30	15	17.30	437	Yes

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			1			Detection (Yes/No)
Number of Bursts in Trial:			18			Yes
Chirp Center Frequency:			5510			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	92	18	1861	1804	54110
2	3	85.9	18	1000	1350	215065
3	1	56.8	18	-	-	377256
4	1	61.1	18	-	-	538663
5	1	57.2	18	-	-	34515
6	3	90.4	18	1605	1927	194700
7	1	53.1	18	-	-	356972
8	3	91.3	18	1181	1544	516087
9	1	59.2	18	-	-	14638
10	2	67.4	18	1768	-	175607
11	1	63.3	18	-	-	337334
12	2	73.5	18	1550	-	497759
13	2	68.6	18	1643	-	658786
14	1	54.3	18	-	-	156150
15	2	78.8	18	1802	-	316552
16	2	71	18	1412	-	477486
17	3	85.2	18	1179	1687	637039
18	2	67.7	18	1240	-	135980
19						
20						

Trial Number:			2			Detection (Yes/No)
Number of Bursts in Trial:			17			Yes
Chirp Center Frequency:			5510			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	92.5	16	1283	1713	313847
2	2	79.9	16	1345	-	484947
3	1	55.5	16	-	-	657215
4	3	89.3	16	1072	1707	122772
5	2	76.3	16	1621	-	293333
6	3	84.2	16	1045	1211	463372
7	1	52.2	16	-	-	636089
8	1	58.6	16	-	-	102140
9	3	98.1	16	1030	1619	271897
10	3	98	16	1531	1853	441445
11	2	76.2	16	1885	-	613094
12	3	85.2	16	1803	1523	80702
13	2	68	16	1779	-	251243
14	2	75.5	16	1171	-	421859
15	3	99.1	16	1847	1151	590857
16	3	85.3	16	1959	1964	59773
17	1	62.7	16	-	-	230820
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:		3				Detection (Yes/No)
Number of Bursts in Trial:		9				Yes
Chirp Center Frequency:		5510				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	82.2	7	1478	-	758923
2	3	94.7	7	1857	1230	1080269
3	3	88.2	7	1610	1336	73618
4	2	69.4	7	1755	-	396315
5	2	70.8	7	1782	-	718771
6	2	77	7	1730	-	1041401
7	1	52.9	7	-	-	34010
8	2	78.4	7	1674	-	356625
9	1	53.7	7	-	-	679859
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:		4				Detection (Yes/No)
Number of Bursts in Trial:		10				Yes
Chirp Center Frequency:		5510				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	55.8	8	-	-	902661
2	2	79	8	1795	-	1191359
3	3	95.4	8	1087	1647	284871
4	1	51.4	8	-	-	575983
5	2	71	8	1466	-	865638
6	2	67.8	8	1245	-	1156473
7	3	95	8	1970	1518	248854
8	2	73.9	8	1306	-	539953
9	1	66	8	-	-	830955
10	3	96.9	8	1532	1166	1119371
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:		5				Detection (Yes/No)
Number of Bursts in Trial:		9				Yes
Chirp Center Frequency:		5510				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	92.4	7	1635	1118	237190
2	1	52.7	7	-	-	560458
3	1	59.6	7	-	-	883677
4	2	72.7	7	1721	-	1205491
5	1	58.9	7	-	-	197827
6	3	98.7	7	1126	1567	519912
7	3	92.4	7	1183	1216	842500
8	1	55.2	7	-	-	1166963
9	1	65.1	7	-	-	158139
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:		6				Detection (Yes/No)
Number of Bursts in Trial:		18				Yes
Chirp Center Frequency:		5510				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	2	74.1	17	1291	-	239788
2	3	99.5	17	1344	1392	400071
3	3	87.8	17	1537	1677	560089
4	2	74.4	17	1965	-	58872
5	3	83.4	17	1559	1407	219373
6	3	91.6	17	1431	1915	379670
7	3	96.6	17	1384	1094	541256
8	2	76.4	17	1615	-	39119
9	3	97.1	17	1460	1637	199571
10	3	98.4	17	1953	1580	360155
11	2	71.6	17	1123	-	522091
12	1	52.8	17	-	-	19335
13	1	52.5	17	-	-	180755
14	1	60.8	17	-	-	342106
15	2	72.5	17	1871	-	501536
16	2	78.3	17	1158	-	663703
17	2	73.2	17	1124	-	160498
18	1	63.2	17	-	-	322180
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:		7				Detection (Yes/No)
Number of Bursts in Trial:		8				Yes
Chirp Center Frequency:		5510				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	96.6	6	1429	1090	1086926
2	2	76.9	6	1894	-	1451108
3	1	58.3	6	-	-	317396
4	3	90.2	6	1333	1120	679937
5	3	94.1	6	1302	1174	1042782
6	1	59.4	6	-	-	1407864
7	1	52.1	6	-	-	272665
8	3	92.9	6	1137	1093	635097
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:		8				Detection (Yes/No)
Number of Bursts in Trial:		18				Yes
Chirp Center Frequency:		5510				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	60	18	-	-	443398
2	2	72.6	18	1309	-	603882
3	2	72	18	1807	-	100973
4	2	79.2	18	1380	-	262129
5	2	70.8	18	1872	-	422575
6	2	78.5	18	1638	-	583785
7	2	71.7	18	1731	-	81122
8	3	87.9	18	1186	1385	241616
9	1	54.3	18	-	-	403804
10	1	54.2	18	-	-	565468
11	2	68	18	1500	-	61337
12	1	54.6	18	-	-	222624
13	1	62	18	-	-	383876
14	1	59.8	18	-	-	545329
15	2	74.5	18	1579	-	41441
16	3	91.5	18	1136	1065	202266
17	3	97.9	18	1942	1877	361879
18	2	75.6	18	1234	-	524742
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:		9				Detection
Number of Bursts in Trial:		10				(Yes/No)
Chirp Center Frequency:		5510				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	94.4	7	1463	1515	39000
2	3	94	7	1445	1943	328793
3	3	89.8	7	1754	1670	618811
4	3	91.9	7	1811	1386	908559
5	3	87.1	7	1206	1288	3271
6	3	94.4	7	1067	1196	293454
7	3	85.7	7	1577	1675	583162
8	3	85.4	7	1564	1215	873075
9	3	95.8	7	1231	1037	1163893
10	2	78.4	7	1340	-	257926
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:		10				Detection
Number of Bursts in Trial:		12				(Yes/No)
Chirp Center Frequency:		5510				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	56.7	10	-	-	457014
2	3	83.9	10	1902	1891	696527
3	1	55.4	10	-	-	941837
4	2	78.3	10	1975	-	184832
5	2	72.2	10	1809	-	426524
6	3	90.5	10	1062	1479	667585
7	2	81.6	10	1949	-	910213
8	2	74	10	1689	-	155106
9	1	54.3	10	-	-	397548
10	2	67.8	10	1720	-	638568
11	2	77.5	10	1177	-	881294
12	3	93.2	10	1372	1629	125235
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			11			Detection (Yes/No) Yes
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5495			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	81.1	9	1774	-	400532
2	1	64.7	9	-	-	665474
3	1	56.5	9	-	-	929894
4	2	68.2	9	1373	-	104347
5	1	60.3	9	-	-	368777
6	2	68.6	9	1481	-	631812
7	1	51.1	9	-	-	897290
8	3	86.8	9	1379	1308	71717
9	1	52.4	9	-	-	336194
10	2	66.9	9	1498	-	599511
11	3	92.4	9	1130	1967	862218
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			12			Detection (Yes/No) Yes
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5497			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	68.5	12	1232	-	30868
2	1	65.1	12	-	-	238517
3	1	58.1	12	-	-	445917
4	1	53	12	-	-	653413
5	2	68.1	12	1608	-	5353
6	3	85.6	12	1923	1854	211856
7	2	77.7	12	1049	-	420128
8	3	93.6	12	1542	1862	625722
9	3	85.4	12	1307	1494	832879
10	2	82.7	12	1113	-	187145
11	3	93.4	12	1511	1661	393473
12	2	81.1	12	1874	-	600998
13	2	70.4	12	1640	-	808235
14	3	98.9	12	1470	1449	161180
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			13			Detection (Yes/No) Yes
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5496			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	89.7	10	1776	1918	429376
2	2	82.4	10	1747	-	672245
3	2	71.6	10	1545	-	913466
4	2	78.3	10	1652	-	158640
5	1	50.4	10	-	-	401024
6	3	87.1	10	1086	1446	641566
7	2	80	10	1169	-	884442
8	3	98.1	10	1907	1618	128615
9	1	51.2	10	-	-	371202
10	1	62.9	10	-	-	613174
11	2	75.1	10	1339	-	854176
12	3	85.4	10	1916	1390	98955
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			14			Detection (Yes/No) Yes
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5494			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	68.8	6	1488	-	455054
2	3	84.1	6	1632	1270	776629
3	2	67	6	1257	-	1100814
4	3	84.3	6	1129	1919	92401
5	1	59	6	-	-	415797
6	2	76	6	1274	-	738101
7	3	89.9	6	1761	1892	1058788
8	3	91.6	6	1664	1988	52694
9	3	87	6	1785	1121	375012
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			15			Detection (Yes/No) Yes
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5497			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.2	14	-	-	419038
2	1	64.1	14	-	-	612627
3	3	87.4	14	1324	1666	7807
4	1	63.4	14	-	-	201410
5	3	88.5	14	1724	1961	393175
6	2	76.7	14	1987	-	587179
7	2	74.3	14	1427	-	780700
8	3	92.2	14	1952	1315	176962
9	1	60.5	14	-	-	371487
10	3	87.8	14	1224	1251	563364
11	3	83.7	14	1849	1824	755238
12	3	86.1	14	1930	1718	153027
13	2	69.3	14	1310	-	346726
14	2	70.6	14	1421	-	540384
15	3	86.3	14	2000	1681	731081
16						
17						
18						
19						
20						

Trial Number:			16			Detection (Yes/No) Yes
Number of Bursts in Trial:			13			
Chirp Center Frequency:			5496			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	79.6	11	1459	-	149717
2	1	58.4	11	-	-	373320
3	1	51.9	11	-	-	597107
4	2	79.8	11	1723	-	818957
5	1	62.3	11	-	-	122414
6	2	70.4	11	1749	-	345124
7	1	63.8	11	-	-	569178
8	3	95.3	11	1994	1534	790214
9	2	78	11	1978	-	94660
10	2	82.8	11	1883	-	317755
11	2	66.7	11	1736	-	541063
12	3	93.6	11	1866	1733	762758
13	2	76.5	11	1483	-	67241
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:		17				Detection (Yes/No)
Number of Bursts in Trial:		17				Yes
Chirp Center Frequency:		5498				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	1	51.1	16	-	-	222257
2	2	73.6	16	1526	-	392287
3	2	67.4	16	1992	-	562025
4	3	91.3	16	1035	1184	30343
5	2	78.9	16	1525	-	200891
6	1	61.9	16	-	-	371871
7	2	76.4	16	1688	-	541993
8	2	68.3	16	1558	-	9379
9	3	84.2	16	1208	1331	179584
10	1	64.8	16	-	-	350979
11	1	62	16	-	-	521709
12	1	60.4	16	-	-	692286
13	1	55.7	16	-	-	159200
14	1	55.8	16	-	-	329912
15	3	90.8	16	1071	1835	499067
16	2	75.1	16	1810	-	669937
17	3	91.4	16	1659	1910	137528
18						
19						
20						

Trial Number:		18				Detection (Yes/No)
Number of Bursts in Trial:		12				Yes
Chirp Center Frequency:		5496				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	99.4	10	1602	1048	436648
2	3	99.5	10	1999	1312	677816
3	1	63.4	10	-	-	921898
4	2	80.8	10	1170	-	165777
5	1	54.6	10	-	-	408203
6	1	50.5	10	-	-	650586
7	2	74.1	10	1212	-	891322
8	1	60	10	-	-	136188
9	2	79.3	10	1132	-	377942
10	1	66.5	10	-	-	620313
11	3	99.5	10	1660	1423	860398
12	2	68.8	10	1716	-	106135
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			19			Detection
Number of Bursts in Trial:			19			(Yes/No)
Chirp Center Frequency:			5499			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	59.3	18	-	-	219932
2	2	80.7	18	1825	-	371936
3	2	71.7	18	1641	-	524094
4	2	83.1	18	1698	-	48120
5	3	97.8	18	1742	1828	200029
6	3	91.1	18	1013	1895	352458
7	3	86.9	18	1921	1491	504058
8	2	70.3	18	1575	-	29403
9	3	92.4	18	1831	1058	181456
10	1	57.1	18	-	-	335060
11	1	57.4	18	-	-	488009
12	3	94.2	18	1758	1980	10566
13	2	68	18	1979	-	162888
14	3	95.5	18	1111	1063	315160
15	3	93.6	18	1684	1197	466970
16	3	89.9	18	1256	1321	619170
17	2	69.4	18	1258	-	144287
18	1	56.5	18	-	-	297383
19	1	64.5	18	-	-	450018
20						

Trial Number:			20			Detection
Number of Bursts in Trial:			15			(Yes/No)
Chirp Center Frequency:			5497			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	73.1	14	1714	-	762265
2	2	70.1	14	1722	-	159034
3	3	86.7	14	1513	1361	351972
4	3	83.4	14	1656	1016	545084
5	2	67.2	14	1869	-	738683
6	2	80.2	14	1147	-	135462
7	3	95.8	14	1351	1993	327679
8	3	96.6	14	1413	1305	521379
9	2	73	14	1376	-	715606
10	3	93.4	14	1046	1182	111354
11	2	81.2	14	1131	-	304798
12	3	99.7	14	1948	1685	496592
13	3	95.5	14	1070	1233	690895
14	2	77	14	1709	-	87708
15	3	99.5	14	1521	1772	280361
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			21			Detection (Yes/No)
Number of Bursts in Trial:			9			Yes
Chirp Center Frequency:			5526			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	2	74.8	6	1576	-	791729
2	3	84.2	6	1097	1217	1113827
3	3	90.4	6	1112	1878	106534
4	2	77.3	6	1382	-	429210
5	1	58	6	-	-	752519
6	1	64.8	6	-	-	1075682
7	1	53.9	6	-	-	66992
8	1	54.8	6	-	-	390121
9	3	99	6	1614	1996	711061
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			22			Detection (Yes/No)
Number of Bursts in Trial:			18			Yes
Chirp Center Frequency:			5521			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	92.2	17	1066	1541	515438
2	3	92.1	17	1738	1743	13508
3	2	69.2	17	1880	-	174362
4	1	62.7	17	-	-	336448
5	1	59.1	17	-	-	497820
6	1	57	17	-	-	658740
7	3	84.3	17	1195	1928	154277
8	3	90.6	17	1476	1335	315258
9	2	72.7	17	1374	-	476646
10	1	51.9	17	-	-	639342
11	2	76.3	17	1006	-	134980
12	3	98.7	17	1913	1852	294777
13	2	72.7	17	1287	-	456992
14	3	97.3	17	1901	1187	616538
15	1	54.5	17	-	-	115241
16	1	52.9	17	-	-	276425
17	1	51.9	17	-	-	437829
18	3	94.6	17	1800	1416	596358
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			23			Detection
Number of Bursts in Trial:			14			(Yes/No)
Chirp Center Frequency:			5523			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.8	13	-	-	122712
2	2	77	13	1189	-	329774
3	1	61.2	13	-	-	538047
4	1	57.5	13	-	-	745661
5	1	62	13	-	-	97212
6	2	67.2	13	1145	-	304184
7	2	68.5	13	1236	-	511419
8	2	70.6	13	1819	-	718325
9	1	59.4	13	-	-	71593
10	3	99.6	13	1727	1617	278058
11	3	92.1	13	1968	1366	484596
12	3	98.5	13	1519	1033	692484
13	3	99.7	13	1881	1701	45889
14	2	69.2	13	1680	-	253096
15						
16						
17						
18						
19						
20						

Trial Number:			24			Detection
Number of Bursts in Trial:			16			(Yes/No)
Chirp Center Frequency:			5522			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	65.3	15	-	-	403313
2	3	87.7	15	1139	1141	582867
3	3	91.2	15	1165	1117	17887
4	2	75.2	15	1806	-	199113
5	1	60.9	15	-	-	381053
6	2	83.1	15	1528	-	561257
7	3	87.4	15	1278	1703	741431
8	1	66	15	-	-	177092
9	1	59.1	15	-	-	358547
10	3	90.7	15	1622	1495	537585
11	2	76.9	15	1080	-	720694
12	3	93.5	15	1956	1402	154126
13	1	50.7	15	-	-	336424
14	1	50.8	15	-	-	517585
15	1	52	15	-	-	698891
16	3	87	15	1436	1408	131900
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			25			Detection (Yes/No) Yes
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5526			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	85.8	5	1142	1437	627492
2	2	74.4	5	1352	-	991282
3	1	56.1	5	-	-	1355364
4	2	70.3	5	1194	-	220103
5	3	90.1	5	1387	1109	582696
6	2	77.8	5	1794	-	946193
7	3	87.8	5	1848	1628	1307676
8	3	84.7	5	1371	1997	175113
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			26			Detection (Yes/No) Yes
Number of Bursts in Trial:			10			
Chirp Center Frequency:			5525			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	80.1	7	1752	-	430561
2	1	52	7	-	-	721988
3	3	94.2	7	1314	1338	1010022
4	3	88.6	7	1904	1334	104250
5	3	97.6	7	1265	1061	394554
6	3	84.7	7	1214	1729	684330
7	3	98.5	7	1578	1789	973850
8	2	74.3	7	1645	-	68683
9	1	52.2	7	-	-	359517
10	1	57.1	7	-	-	649953
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			27			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5520			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	83.3	20	1951	-	468237
2	3	85.1	20	1100	1662	16377
3	1	56	20	-	-	161534
4	2	79.4	20	1304	-	305906
5	3	92.1	20	1469	1019	449841
6	2	68.8	20	1085	-	595673
7	1	57.2	20	-	-	143727
8	3	97.8	20	1342	1548	287559
9	2	67.9	20	1732	-	432637
10	2	70.5	20	1609	-	577584
11	2	80.7	20	1210	-	125527
12	2	68.5	20	1888	-	270364
13	1	66.4	20	-	-	416177
14	2	67.7	20	1796	-	559545
15	2	68.5	20	1203	-	107741
16	2	72.5	20	1480	-	252702
17	1	63.7	20	-	-	398558
18	2	67.7	20	1316	-	542646
19	3	92.3	20	1415	1940	89576
20	2	79.4	20	1348	-	234641

Trial Number:			28			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5520			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	79.1	20	1458	-	379190
2	3	87.5	20	1468	1514	523076
3	3	99.9	20	1103	1658	71937
4	1	56.5	20	-	-	217317
5	3	95.1	20	1430	1360	360555
6	1	58.8	20	-	-	507406
7	3	88.9	20	1009	1378	54147
8	3	98.8	20	1939	1010	198553
9	2	68.4	20	1991	-	343542
10	2	74.4	20	1744	-	488663
11	3	92.2	20	1694	1022	36265
12	1	52.5	20	-	-	181730
13	3	91.2	20	1986	1976	324692
14	3	93.7	20	1039	1502	470215
15	2	67.5	20	1801	-	18525
16	2	67	20	1931	-	163153
17	2	80.9	20	1737	-	308214
18	1	56.4	20	-	-	453740
19	2	82.4	20	1805	-	690
20	3	87.3	20	1769	1159	145101

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			29			Detection (Yes/No) Yes
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5523			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.1	13	-	-	416095
2	3	92.3	13	1507	1797	621328
3	1	59.9	13	-	-	831157
4	2	67.3	13	1490	-	182535
5	1	53.9	13	-	-	390651
6	1	61.5	13	-	-	597650
7	3	85.6	13	1995	1655	802403
8	2	76.5	13	1031	-	157208
9	2	70	13	1267	-	364484
10	2	75.1	13	1207	-	571352
11	2	71	13	1250	-	779007
12	2	80.7	13	1960	-	131476
13	2	82	13	1876	-	338428
14	2	72.9	13	1929	-	545368
15						
16						
17						
18						
19						
20						

Trial Number:			30			Detection (Yes/No) Yes
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5522			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	78	16	1347	-	619608
2	3	95.9	16	1906	1353	87028
3	3	85.3	16	1357	1263	257434
4	3	99.6	16	1204	1524	427596
5	3	84.3	16	1073	1143	598137
6	2	83.2	16	1252	-	66279
7	2	79.9	16	1950	-	236738
8	1	58.4	16	-	-	408278
9	2	79.4	16	1473	-	577873
10	3	93.6	16	1337	1535	45220
11	2	78.4	16	1409	-	215908
12	2	78.1	16	1152	-	386671
13	2	77.4	16	1107	-	556902
14	2	72.8	16	1021	-	24298
15	1	50.2	16	-	-	195279
16	1	51.5	16	-	-	365799
17	3	91.6	16	1005	1492	535081
18						
19						
20						

Channel 106 Bandwidth 80MHz

DFS Radar Parameters
FCC Radar Type 1
Channel 106 Bandwidth 80MHz

Trial #	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	4	1730.10	578	Yes
2	13	1319.26	758	Yes
3	5	1672.24	598	Yes
4	17	1193.32	838	Yes
5	20	1113.59	898	Yes
6	21	1089.32	918	Yes
7	12	326.16	3066	Yes
8	10	1432.66	698	Yes
9	8	1519.76	658	Yes
10	1	1930.50	518	Yes
11	6	1618.12	618	Yes
12	12	1355.01	738	Yes
13	3	1792.11	558	Yes
14	19	1138.95	878	Yes
15	11	1392.76	718	Yes
16		579.71	1725	Yes
17		1173.71	852	Yes
18		503.78	1985	Yes
19		1472.75	679	Yes
20		352.73	2835	Yes
21		461.25	2168	Yes
22		467.29	2140	Yes
23		337.27	2965	Yes
24		1273.89	785	Yes
25		452.49	2210	Yes
26		1547.99	646	Yes
27		652.74	1532	Yes
28		1587.30	630	Yes
29		412.20	2426	Yes
30		1369.86	730	Yes

DFS Radar Parameters
FCC Radar Type 2
Channel 106 Bandwidth 80MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	28	4.40	169	Yes
2	28	3.90	216	Yes
3	23	1.50	222	Yes
4	24	1.90	154	Yes
5	24	1.50	186	Yes
6	28	4.30	164	Yes
7	23	1.20	197	Yes
8	28	4.30	224	Yes
9	24	1.70	208	Yes
10	25	2.40	173	Yes
11	24	2.00	193	Yes
12	26	2.90	214	Yes
13	25	2.50	150	Yes
14	23	1.30	159	Yes
15	27	3.30	201	Yes
16	25	2.70	194	Yes
17	27	3.80	168	Yes
18	25	2.40	170	Yes
19	28	4.40	211	Yes
20	27	3.40	217	Yes
21	23	1.40	220	Yes
22	28	4.20	226	Yes
23	26	3.10	202	Yes
24	27	3.80	230	Yes
25	23	1.10	206	Yes
26	24	1.70	228	Yes
27	29	4.90	153	Yes
28	29	4.90	187	Yes
29	26	3.10	200	Yes
30	27	3.80	198	Yes

DFS Radar Parameters
FCC Radar Type 3
Channel 106 Bandwidth 80MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	18	9.40	385	Yes
2	18	8.90	397	Yes
3	16	6.50	434	Yes
4	16	6.90	440	Yes
5	16	6.50	242	Yes
6	18	9.30	312	Yes
7	16	6.20	419	Yes
8	18	9.30	408	Yes
9	16	6.70	478	Yes
10	17	7.40	411	Yes
11	16	7.00	365	Yes
12	17	7.90	443	Yes
13	17	7.50	446	Yes
14	16	6.30	235	Yes
15	17	8.30	356	No
16	17	7.70	207	Yes
17	18	8.80	482	Yes
18	17	7.40	276	Yes
19	18	9.40	461	Yes
20	17	8.40	374	Yes
21	16	6.40	500	Yes
22	18	9.20	206	Yes
23	17	8.10	473	Yes
24	18	8.80	201	Yes
25	16	6.10	388	Yes
26	16	6.70	217	Yes
27	18	9.90	262	Yes
28	18	9.90	458	Yes
29	17	8.10	233	Yes
30	18	8.80	437	Yes

DFS Radar Parameters
FCC Radar Type 4
Channel 106 Bandwidth 80MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	16	18.60	385	Yes
2	15	17.50	397	Yes
3	12	12.20	434	Yes
4	13	13.00	440	Yes
5	12	12.30	242	Yes
6	16	18.30	312	Yes
7	12	11.50	419	Yes
8	16	18.50	408	Yes
9	12	12.60	478	Yes
10	13	14.10	411	Yes
11	13	13.40	365	Yes
12	14	15.20	443	Yes
13	13	14.30	446	Yes
14	12	11.70	235	Yes
15	14	16.20	356	Yes
16	14	14.80	207	Yes
17	15	17.40	482	Yes
18	13	14.20	276	Yes
19	16	18.70	461	Yes
20	14	16.40	374	Yes
21	12	12.00	500	Yes
22	15	18.10	206	Yes
23	14	15.70	473	Yes
24	15	17.20	201	Yes
25	12	11.40	388	Yes
26	12	12.50	217	Yes
27	16	19.70	262	Yes
28	16	19.70	458	Yes
29	14	15.70	233	Yes
30	15	17.30	437	Yes

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			1			Detection (Yes/No)
Number of Bursts in Trial:			18			Yes
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	92	18	1861	1804	54110
2	3	85.9	18	1000	1350	215065
3	1	56.8	18	-	-	377256
4	1	61.1	18	-	-	538663
5	1	57.2	18	-	-	34515
6	3	90.4	18	1605	1927	194700
7	1	53.1	18	-	-	356972
8	3	91.3	18	1181	1544	516087
9	1	59.2	18	-	-	14638
10	2	67.4	18	1768	-	175607
11	1	63.3	18	-	-	337334
12	2	73.5	18	1550	-	497759
13	2	68.6	18	1643	-	658786
14	1	54.3	18	-	-	156150
15	2	78.8	18	1802	-	316552
16	2	71	18	1412	-	477486
17	3	85.2	18	1179	1687	637039
18	2	67.7	18	1240	-	135980
19						
20						

Trial Number:			2			Detection (Yes/No)
Number of Bursts in Trial:			17			Yes
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	92.5	16	1283	1713	313847
2	2	79.9	16	1345	-	484947
3	1	55.5	16	-	-	657215
4	3	89.3	16	1072	1707	122772
5	2	76.3	16	1621	-	293333
6	3	84.2	16	1045	1211	463372
7	1	52.2	16	-	-	636089
8	1	58.6	16	-	-	102140
9	3	98.1	16	1030	1619	271897
10	3	98	16	1531	1853	441445
11	2	76.2	16	1885	-	613094
12	3	85.2	16	1803	1523	80702
13	2	68	16	1779	-	251243
14	2	75.5	16	1171	-	421859
15	3	99.1	16	1847	1151	590857
16	3	85.3	16	1959	1964	59773
17	1	62.7	16	-	-	230820
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:		3				Detection (Yes/No)
Number of Bursts in Trial:		9				Yes
Chirp Center Frequency:		5530				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	82.2	7	1478	-	758923
2	3	94.7	7	1857	1230	1080269
3	3	88.2	7	1610	1336	73618
4	2	69.4	7	1755	-	396315
5	2	70.8	7	1782	-	718771
6	2	77	7	1730	-	1041401
7	1	52.9	7	-	-	34010
8	2	78.4	7	1674	-	356625
9	1	53.7	7	-	-	679859
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:		4				Detection (Yes/No)
Number of Bursts in Trial:		10				Yes
Chirp Center Frequency:		5530				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	55.8	8	-	-	902661
2	2	79	8	1795	-	1191359
3	3	95.4	8	1087	1647	284871
4	1	51.4	8	-	-	575983
5	2	71	8	1466	-	865638
6	2	67.8	8	1245	-	1156473
7	3	95	8	1970	1518	248854
8	2	73.9	8	1306	-	539953
9	1	66	8	-	-	830955
10	3	96.9	8	1532	1166	1119371
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			5			Detection (Yes/No)
Number of Bursts in Trial:			9			Yes
Chirp Center Frequency:			5530			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	92.4	7	1635	1118	237190
2	1	52.7	7	-	-	560458
3	1	59.6	7	-	-	883677
4	2	72.7	7	1721	-	1205491
5	1	58.9	7	-	-	197827
6	3	98.7	7	1126	1567	519912
7	3	92.4	7	1183	1216	842500
8	1	55.2	7	-	-	1166963
9	1	65.1	7	-	-	158139
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			6			Detection (Yes/No)
Number of Bursts in Trial:			18			Yes
Chirp Center Frequency:			5530			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	2	74.1	17	1291	-	239788
2	3	99.5	17	1344	1392	400071
3	3	87.8	17	1537	1677	560089
4	2	74.4	17	1965	-	58872
5	3	83.4	17	1559	1407	219373
6	3	91.6	17	1431	1915	379670
7	3	96.6	17	1384	1094	541256
8	2	76.4	17	1615	-	39119
9	3	97.1	17	1460	1637	199571
10	3	98.4	17	1953	1580	360155
11	2	71.6	17	1123	-	522091
12	1	52.8	17	-	-	19335
13	1	52.5	17	-	-	180755
14	1	60.8	17	-	-	342106
15	2	72.5	17	1871	-	501536
16	2	78.3	17	1158	-	663703
17	2	73.2	17	1124	-	160498
18	1	63.2	17	-	-	322180
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:		7				Detection (Yes/No)
Number of Bursts in Trial:		8				Yes
Chirp Center Frequency:		5530				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	96.6	6	1429	1090	1086926
2	2	76.9	6	1894	-	1451108
3	1	58.3	6	-	-	317396
4	3	90.2	6	1333	1120	679937
5	3	94.1	6	1302	1174	1042782
6	1	59.4	6	-	-	1407864
7	1	52.1	6	-	-	272665
8	3	92.9	6	1137	1093	635097
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:		8				Detection (Yes/No)
Number of Bursts in Trial:		18				Yes
Chirp Center Frequency:		5530				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	1	60	18	-	-	443398
2	2	72.6	18	1309	-	603882
3	2	72	18	1807	-	100973
4	2	79.2	18	1380	-	262129
5	2	70.8	18	1872	-	422575
6	2	78.5	18	1638	-	583785
7	2	71.7	18	1731	-	81122
8	3	87.9	18	1186	1385	241616
9	1	54.3	18	-	-	403804
10	1	54.2	18	-	-	565468
11	2	68	18	1500	-	61337
12	1	54.6	18	-	-	222624
13	1	62	18	-	-	383876
14	1	59.8	18	-	-	545329
15	2	74.5	18	1579	-	41441
16	3	91.5	18	1136	1065	202266
17	3	97.9	18	1942	1877	361879
18	2	75.6	18	1234	-	524742
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:		9				Detection
Number of Bursts in Trial:		10				(Yes/No)
Chirp Center Frequency:		5530				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	94.4	7	1463	1515	39000
2	3	94	7	1445	1943	328793
3	3	89.8	7	1754	1670	618811
4	3	91.9	7	1811	1386	908559
5	3	87.1	7	1206	1288	3271
6	3	94.4	7	1067	1196	293454
7	3	85.7	7	1577	1675	583162
8	3	85.4	7	1564	1215	873075
9	3	95.8	7	1231	1037	1163893
10	2	78.4	7	1340	-	257926
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:		10				Detection
Number of Bursts in Trial:		12				(Yes/No)
Chirp Center Frequency:		5530				Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	56.7	10	-	-	457014
2	3	83.9	10	1902	1891	696527
3	1	55.4	10	-	-	941837
4	2	78.3	10	1975	-	184832
5	2	72.2	10	1809	-	426524
6	3	90.5	10	1062	1479	667585
7	2	81.6	10	1949	-	910213
8	2	74	10	1689	-	155106
9	1	54.3	10	-	-	397548
10	2	67.8	10	1720	-	638568
11	2	77.5	10	1177	-	881294
12	3	93.2	10	1372	1629	125235
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			11			Detection (Yes/No) No
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5495			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	81.1	9	1774	-	400532
2	1	64.7	9	-	-	665474
3	1	56.5	9	-	-	929894
4	2	68.2	9	1373	-	104347
5	1	60.3	9	-	-	368777
6	2	68.6	9	1481	-	631812
7	1	51.1	9	-	-	897290
8	3	86.8	9	1379	1308	71717
9	1	52.4	9	-	-	336194
10	2	66.9	9	1498	-	599511
11	3	92.4	9	1130	1967	862218
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			12			Detection (Yes/No) Yes
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5497			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	68.5	12	1232	-	30868
2	1	65.1	12	-	-	238517
3	1	58.1	12	-	-	445917
4	1	53	12	-	-	653413
5	2	68.1	12	1608	-	5353
6	3	85.6	12	1923	1854	211856
7	2	77.7	12	1049	-	420128
8	3	93.6	12	1542	1862	625722
9	3	85.4	12	1307	1494	832879
10	2	82.7	12	1113	-	187145
11	3	93.4	12	1511	1661	393473
12	2	81.1	12	1874	-	600998
13	2	70.4	12	1640	-	808235
14	3	98.9	12	1470	1449	161180
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			13			Detection (Yes/No) Yes
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5496			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	89.7	10	1776	1918	429376
2	2	82.4	10	1747	-	672245
3	2	71.6	10	1545	-	913466
4	2	78.3	10	1652	-	158640
5	1	50.4	10	-	-	401024
6	3	87.1	10	1086	1446	641566
7	2	80	10	1169	-	884442
8	3	98.1	10	1907	1618	128615
9	1	51.2	10	-	-	371202
10	1	62.9	10	-	-	613174
11	2	75.1	10	1339	-	854176
12	3	85.4	10	1916	1390	98955
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			14			Detection (Yes/No) No
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5494			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	68.8	6	1488	-	455054
2	3	84.1	6	1632	1270	776629
3	2	67	6	1257	-	1100814
4	3	84.3	6	1129	1919	92401
5	1	59	6	-	-	415797
6	2	76	6	1274	-	738101
7	3	89.9	6	1761	1892	1058788
8	3	91.6	6	1664	1988	52694
9	3	87	6	1785	1121	375012
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			15			Detection (Yes/No) Yes
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5497			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.2	14	-	-	419038
2	1	64.1	14	-	-	612627
3	3	87.4	14	1324	1666	7807
4	1	63.4	14	-	-	201410
5	3	88.5	14	1724	1961	393175
6	2	76.7	14	1987	-	587179
7	2	74.3	14	1427	-	780700
8	3	92.2	14	1952	1315	176962
9	1	60.5	14	-	-	371487
10	3	87.8	14	1224	1251	563364
11	3	83.7	14	1849	1824	755238
12	3	86.1	14	1930	1718	153027
13	2	69.3	14	1310	-	346726
14	2	70.6	14	1421	-	540384
15	3	86.3	14	2000	1681	731081
16						
17						
18						
19						
20						

Trial Number:			16			Detection (Yes/No) Yes
Number of Bursts in Trial:			13			
Chirp Center Frequency:			5496			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	79.6	11	1459	-	149717
2	1	58.4	11	-	-	373320
3	1	51.9	11	-	-	597107
4	2	79.8	11	1723	-	818957
5	1	62.3	11	-	-	122414
6	2	70.4	11	1749	-	345124
7	1	63.8	11	-	-	569178
8	3	95.3	11	1994	1534	790214
9	2	78	11	1978	-	94660
10	2	82.8	11	1883	-	317755
11	2	66.7	11	1736	-	541063
12	3	93.6	11	1866	1733	762758
13	2	76.5	11	1483	-	67241
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:		17				Detection (Yes/No)
Number of Bursts in Trial:		17				Yes
Chirp Center Frequency:		5498				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	1	51.1	16	-	-	222257
2	2	73.6	16	1526	-	392287
3	2	67.4	16	1992	-	562025
4	3	91.3	16	1035	1184	30343
5	2	78.9	16	1525	-	200891
6	1	61.9	16	-	-	371871
7	2	76.4	16	1688	-	541993
8	2	68.3	16	1558	-	9379
9	3	84.2	16	1208	1331	179584
10	1	64.8	16	-	-	350979
11	1	62	16	-	-	521709
12	1	60.4	16	-	-	692286
13	1	55.7	16	-	-	159200
14	1	55.8	16	-	-	329912
15	3	90.8	16	1071	1835	499067
16	2	75.1	16	1810	-	669937
17	3	91.4	16	1659	1910	137528
18						
19						
20						

Trial Number:		18				Detection (Yes/No)
Number of Bursts in Trial:		12				Yes
Chirp Center Frequency:		5496				Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	99.4	10	1602	1048	436648
2	3	99.5	10	1999	1312	677816
3	1	63.4	10	-	-	921898
4	2	80.8	10	1170	-	165777
5	1	54.6	10	-	-	408203
6	1	50.5	10	-	-	650586
7	2	74.1	10	1212	-	891322
8	1	60	10	-	-	136188
9	2	79.3	10	1132	-	377942
10	1	66.5	10	-	-	620313
11	3	99.5	10	1660	1423	860398
12	2	68.8	10	1716	-	106135
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			19			Detection
Number of Bursts in Trial:			19			(Yes/No)
Chirp Center Frequency:			5499			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	59.3	18	-	-	219932
2	2	80.7	18	1825	-	371936
3	2	71.7	18	1641	-	524094
4	2	83.1	18	1698	-	48120
5	3	97.8	18	1742	1828	200029
6	3	91.1	18	1013	1895	352458
7	3	86.9	18	1921	1491	504058
8	2	70.3	18	1575	-	29403
9	3	92.4	18	1831	1058	181456
10	1	57.1	18	-	-	335060
11	1	57.4	18	-	-	488009
12	3	94.2	18	1758	1980	10566
13	2	68	18	1979	-	162888
14	3	95.5	18	1111	1063	315160
15	3	93.6	18	1684	1197	466970
16	3	89.9	18	1256	1321	619170
17	2	69.4	18	1258	-	144287
18	1	56.5	18	-	-	297383
19	1	64.5	18	-	-	450018
20						

Trial Number:			20			Detection
Number of Bursts in Trial:			15			(Yes/No)
Chirp Center Frequency:			5497			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	73.1	14	1714	-	762265
2	2	70.1	14	1722	-	159034
3	3	86.7	14	1513	1361	351972
4	3	83.4	14	1656	1016	545084
5	2	67.2	14	1869	-	738683
6	2	80.2	14	1147	-	135462
7	3	95.8	14	1351	1993	327679
8	3	96.6	14	1413	1305	521379
9	2	73	14	1376	-	715606
10	3	93.4	14	1046	1182	111354
11	2	81.2	14	1131	-	304798
12	3	99.7	14	1948	1685	496592
13	3	95.5	14	1070	1233	690895
14	2	77	14	1709	-	87708
15	3	99.5	14	1521	1772	280361
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			21			Detection (Yes/No)
Number of Bursts in Trial:			9			Yes
Chirp Center Frequency:			5566			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	2	74.8	6	1576	-	791729
2	3	84.2	6	1097	1217	1113827
3	3	90.4	6	1112	1878	106534
4	2	77.3	6	1382	-	429210
5	1	58	6	-	-	752519
6	1	64.8	6	-	-	1075682
7	1	53.9	6	-	-	66992
8	1	54.8	6	-	-	390121
9	3	99	6	1614	1996	711061
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			22			Detection (Yes/No)
Number of Bursts in Trial:			18			Yes
Chirp Center Frequency:			5561			Starting Location Within Interval (usec)
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	
1	3	92.2	17	1066	1541	515438
2	3	92.1	17	1738	1743	13508
3	2	69.2	17	1880	-	174362
4	1	62.7	17	-	-	336448
5	1	59.1	17	-	-	497820
6	1	57	17	-	-	658740
7	3	84.3	17	1195	1928	154277
8	3	90.6	17	1476	1335	315258
9	2	72.7	17	1374	-	476646
10	1	51.9	17	-	-	639342
11	2	76.3	17	1006	-	134980
12	3	98.7	17	1913	1852	294777
13	2	72.7	17	1287	-	456992
14	3	97.3	17	1901	1187	616538
15	1	54.5	17	-	-	115241
16	1	52.9	17	-	-	276425
17	1	51.9	17	-	-	437829
18	3	94.6	17	1800	1416	596358
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			23			Detection (Yes/No) Yes
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5563			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.8	13	-	-	122712
2	2	77	13	1189	-	329774
3	1	61.2	13	-	-	538047
4	1	57.5	13	-	-	745661
5	1	62	13	-	-	97212
6	2	67.2	13	1145	-	304184
7	2	68.5	13	1236	-	511419
8	2	70.6	13	1819	-	718325
9	1	59.4	13	-	-	71593
10	3	99.6	13	1727	1617	278058
11	3	92.1	13	1968	1366	484596
12	3	98.5	13	1519	1033	692484
13	3	99.7	13	1881	1701	45889
14	2	69.2	13	1680	-	253096
15						
16						
17						
18						
19						
20						

Trial Number:			24			Detection (Yes/No) Yes
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5562			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	65.3	15	-	-	403313
2	3	87.7	15	1139	1141	582867
3	3	91.2	15	1165	1117	17887
4	2	75.2	15	1806	-	199113
5	1	60.9	15	-	-	381053
6	2	83.1	15	1528	-	561257
7	3	87.4	15	1278	1703	741431
8	1	66	15	-	-	177092
9	1	59.1	15	-	-	358547
10	3	90.7	15	1622	1495	537585
11	2	76.9	15	1080	-	720694
12	3	93.5	15	1956	1402	154126
13	1	50.7	15	-	-	336424
14	1	50.8	15	-	-	517585
15	1	52	15	-	-	698891
16	3	87	15	1436	1408	131900
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			25			Detection (Yes/No) Yes
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5566			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	3	85.8	5	1142	1437	627492
2	2	74.4	5	1352	-	991282
3	1	56.1	5	-	-	1355364
4	2	70.3	5	1194	-	220103
5	3	90.1	5	1387	1109	582696
6	2	77.8	5	1794	-	946193
7	3	87.8	5	1848	1628	1307676
8	3	84.7	5	1371	1997	175113
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			26			Detection (Yes/No) Yes
Number of Bursts in Trial:			10			
Chirp Center Frequency:			5565			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	80.1	7	1752	-	430561
2	1	52	7	-	-	721988
3	3	94.2	7	1314	1338	1010022
4	3	88.6	7	1904	1334	104250
5	3	97.6	7	1265	1061	394554
6	3	84.7	7	1214	1729	684330
7	3	98.5	7	1578	1789	973850
8	2	74.3	7	1645	-	68683
9	1	52.2	7	-	-	359517
10	1	57.1	7	-	-	649953
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			27			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5560			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	83.3	20	1951	-	468237
2	3	85.1	20	1100	1662	16377
3	1	56	20	-	-	161534
4	2	79.4	20	1304	-	305906
5	3	92.1	20	1469	1019	449841
6	2	68.8	20	1085	-	595673
7	1	57.2	20	-	-	143727
8	3	97.8	20	1342	1548	287559
9	2	67.9	20	1732	-	432637
10	2	70.5	20	1609	-	577584
11	2	80.7	20	1210	-	125527
12	2	68.5	20	1888	-	270364
13	1	66.4	20	-	-	416177
14	2	67.7	20	1796	-	559545
15	2	68.5	20	1203	-	107741
16	2	72.5	20	1480	-	252702
17	1	63.7	20	-	-	398558
18	2	67.7	20	1316	-	542646
19	3	92.3	20	1415	1940	89576
20	2	79.4	20	1348	-	234641

Trial Number:			28			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5560			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	79.1	20	1458	-	379190
2	3	87.5	20	1468	1514	523076
3	3	99.9	20	1103	1658	71937
4	1	56.5	20	-	-	217317
5	3	95.1	20	1430	1360	360555
6	1	58.8	20	-	-	507406
7	3	88.9	20	1009	1378	54147
8	3	98.8	20	1939	1010	198553
9	2	68.4	20	1991	-	343542
10	2	74.4	20	1744	-	488663
11	3	92.2	20	1694	1022	36265
12	1	52.5	20	-	-	181730
13	3	91.2	20	1986	1976	324692
14	3	93.7	20	1039	1502	470215
15	2	67.5	20	1801	-	18525
16	2	67	20	1931	-	163153
17	2	80.9	20	1737	-	308214
18	1	56.4	20	-	-	453740
19	2	82.4	20	1805	-	690
20	3	87.3	20	1769	1159	145101

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			29			Detection (Yes/No) Yes
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5563			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	1	63.1	13	-	-	416095
2	3	92.3	13	1507	1797	621328
3	1	59.9	13	-	-	831157
4	2	67.3	13	1490	-	182535
5	1	53.9	13	-	-	390651
6	1	61.5	13	-	-	597650
7	3	85.6	13	1995	1655	802403
8	2	76.5	13	1031	-	157208
9	2	70	13	1267	-	364484
10	2	75.1	13	1207	-	571352
11	2	71	13	1250	-	779007
12	2	80.7	13	1960	-	131476
13	2	82	13	1876	-	338428
14	2	72.9	13	1929	-	545368
15						
16						
17						
18						
19						
20						

Trial Number:			30			Detection (Yes/No) Yes
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5562			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (usec)	Pulse 2-to-3 Spacing (usec)	Starting Location Within Interval (usec)
1	2	78	16	1347	-	619608
2	3	95.9	16	1906	1353	87028
3	3	85.3	16	1357	1263	257434
4	3	99.6	16	1204	1524	427596
5	3	84.3	16	1073	1143	598137
6	2	83.2	16	1252	-	66279
7	2	79.9	16	1950	-	236738
8	1	58.4	16	-	-	408278
9	2	79.4	16	1473	-	577873
10	3	93.6	16	1337	1535	45220
11	2	78.4	16	1409	-	215908
12	2	78.1	16	1152	-	386671
13	2	77.4	16	1107	-	556902
14	2	72.8	16	1021	-	24298
15	1	50.2	16	-	-	195279
16	1	51.5	16	-	-	365799
17	3	91.6	16	1005	1492	535081
18						
19						
20						