



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3504G	52.38	54.00	-1.62	3	Vertical	180	1.51	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3528G	52.70	54.00	-1.30	3	Vertical	192	1.66	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	52.70	54.00	-1.30	3	Vertical	360	2.16	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.1444G	72.62	74.00	-1.38	3	Vertical	360	1.49	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.7252G	66.69	68.20	-1.51	3	Vertical	188	1.66	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4632G	67.17	68.20	-1.03	3	Vertical	194	1.69	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.8628G	66.73	68.20	-1.47	3	Vertical	193	1.70	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4632G	66.85	68.20	-1.35	3	Vertical	189	1.68	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1484G	51.58	54.00	-2.42	3	Vertical	354	1.51	-
5260MHz	Pass	AV	5.2516G	118.25	Inf	-Inf	3	Vertical	354	1.51	-
5260MHz	Pass	AV	5.35G	51.46	54.00	-2.54	3	Vertical	354	1.51	-
5260MHz	Pass	PK	5.1496G	64.78	74.00	-9.22	3	Vertical	354	1.51	-
5260MHz	Pass	PK	5.2576G	128.62	Inf	-Inf	3	Vertical	354	1.51	-
5260MHz	Pass	PK	5.353G	64.63	74.00	-9.37	3	Vertical	354	1.51	-
5260MHz	Pass	AV	15.7827G	50.86	54.00	-3.14	3	Vertical	34	1.50	-
5260MHz	Pass	PK	10.52096G	59.68	68.20	-8.52	3	Vertical	360	2.04	-
5260MHz	Pass	PK	15.78858G	64.79	74.00	-9.21	3	Vertical	34	1.50	-
5260MHz	Pass	AV	15.77574G	51.28	54.00	-2.72	3	Horizontal	6	1.53	-
5260MHz	Pass	PK	10.52048G	56.95	68.20	-11.25	3	Horizontal	304	1.78	-
5260MHz	Pass	PK	15.78372G	64.96	74.00	-9.04	3	Horizontal	6	1.53	-
5300MHz	Pass	AV	5.2972G	115.11	Inf	-Inf	3	Vertical	190	1.66	-
5300MHz	Pass	AV	5.3504G	52.29	54.00	-1.71	3	Vertical	190	1.66	-
5300MHz	Pass	PK	5.298G	128.28	Inf	-Inf	3	Vertical	190	1.66	-
5300MHz	Pass	PK	5.3508G	68.18	74.00	-5.82	3	Vertical	190	1.66	-
5300MHz	Pass	AV	10.60024G	45.97	54.00	-8.03	3	Vertical	332	2.05	-
5300MHz	Pass	AV	15.9018G	45.77	54.00	-8.23	3	Vertical	259	1.49	-
5300MHz	Pass	PK	10.60102G	57.86	74.00	-16.14	3	Vertical	332	2.05	-
5300MHz	Pass	PK	15.89196G	58.82	74.00	-15.18	3	Vertical	259	1.49	-
5300MHz	Pass	AV	10.6021G	44.71	54.00	-9.29	3	Horizontal	319	1.97	-
5300MHz	Pass	AV	15.90114G	45.94	54.00	-8.06	3	Horizontal	178	1.56	-
5300MHz	Pass	PK	10.59742G	57.84	68.20	-10.36	3	Horizontal	319	1.97	-
5300MHz	Pass	PK	15.88842G	59.40	74.00	-14.60	3	Horizontal	178	1.56	-
5320MHz	Pass	AV	5.329G	111.02	Inf	-Inf	3	Vertical	180	1.51	-
5320MHz	Pass	AV	5.3504G	52.38	54.00	-1.62	3	Vertical	180	1.51	-
5320MHz	Pass	PK	5.329G	123.48	Inf	-Inf	3	Vertical	180	1.51	-
5320MHz	Pass	PK	5.3588G	71.66	74.00	-2.34	3	Vertical	180	1.51	-
5320MHz	Pass	AV	10.63982G	47.91	54.00	-6.09	3	Vertical	36	2.73	-
5320MHz	Pass	AV	15.97068G	46.20	54.00	-7.80	3	Vertical	35	1.32	-
5320MHz	Pass	PK	10.64804G	60.79	74.00	-13.21	3	Vertical	36	2.73	-
5320MHz	Pass	PK	15.9681G	59.07	74.00	-14.93	3	Vertical	35	1.32	-
5320MHz	Pass	AV	10.64018G	43.26	54.00	-10.74	3	Horizontal	38	1.50	-
5320MHz	Pass	AV	15.96978G	46.04	54.00	-7.96	3	Horizontal	27	2.09	-
5320MHz	Pass	PK	10.64606G	55.95	74.00	-18.05	3	Horizontal	38	1.50	-
5320MHz	Pass	PK	15.96138G	59.27	74.00	-14.73	3	Horizontal	27	2.09	-
5500MHz	Pass	AV	5.46G	48.80	54.00	-5.20	3	Vertical	193	2.08	-
5500MHz	Pass	AV	5.503G	110.09	Inf	-Inf	3	Vertical	193	2.08	-
5500MHz	Pass	PK	5.4696G	66.48	68.20	-1.72	3	Vertical	193	2.08	-
5500MHz	Pass	PK	5.5038G	122.35	Inf	-Inf	3	Vertical	193	2.08	-
5500MHz	Pass	AV	10.99004G	45.27	54.00	-8.73	3	Vertical	52	1.08	-
5500MHz	Pass	PK	10.99544G	57.87	74.00	-16.13	3	Vertical	52	1.08	-
5500MHz	Pass	PK	16.50834G	61.70	68.20	-6.50	3	Vertical	213	1.79	-
5500MHz	Pass	AV	10.99976G	45.11	54.00	-8.89	3	Horizontal	321	1.71	-
5500MHz	Pass	PK	10.99898G	57.70	74.00	-16.30	3	Horizontal	321	1.71	-
5500MHz	Pass	PK	16.50072G	61.45	68.20	-6.75	3	Horizontal	166	1.05	-
5580MHz	Pass	AV	5.4468G	50.85	54.00	-3.15	3	Vertical	193	1.69	-
5580MHz	Pass	AV	5.5818G	118.39	Inf	-Inf	3	Vertical	193	1.69	-
5580MHz	Pass	PK	5.469G	63.08	68.20	-5.12	3	Vertical	193	1.69	-
5580MHz	Pass	PK	5.5842G	129.29	Inf	-Inf	3	Vertical	193	1.69	-
5580MHz	Pass	PK	5.727G	63.34	68.20	-4.86	3	Vertical	193	1.69	-
5580MHz	Pass	AV	11.15964G	51.43	54.00	-2.57	3	Vertical	38	1.00	-
5580MHz	Pass	PK	11.15994G	64.27	74.00	-9.73	3	Vertical	38	1.00	-
5580MHz	Pass	PK	16.73622G	62.00	68.20	-6.20	3	Vertical	94	2.20	-
5580MHz	Pass	AV	11.15796G	50.45	54.00	-3.55	3	Horizontal	340	1.67	-
5580MHz	Pass	PK	11.15646G	62.93	74.00	-11.07	3	Horizontal	340	1.67	-
5580MHz	Pass	PK	16.74756G	61.50	68.20	-6.70	3	Horizontal	274	1.50	-
5700MHz	Pass	AV	5.696G	108.49	Inf	-Inf	3	Vertical	188	1.66	-
5700MHz	Pass	PK	5.696G	119.92	Inf	-Inf	3	Vertical	188	1.66	-
5700MHz	Pass	PK	5.7252G	66.69	68.20	-1.51	3	Vertical	188	1.66	-



RSE TX above 1GHz_Beamforming_Radio 2

Appendix D.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5700MHz	Pass	AV	11.4G	44.06	54.00	-9.94	3	Vertical	53	1.63	-
5700MHz	Pass	PK	11.4003G	56.32	74.00	-17.68	3	Vertical	53	1.63	-
5700MHz	Pass	PK	17.10132G	62.24	68.20	-5.96	3	Vertical	231	1.11	-
5700MHz	Pass	AV	11.39952G	42.91	54.00	-11.09	3	Horizontal	35	1.49	-
5700MHz	Pass	PK	11.39778G	55.72	74.00	-18.28	3	Horizontal	35	1.49	-
5700MHz	Pass	PK	17.09064G	62.84	68.20	-5.36	3	Horizontal	167	2.34	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4476G	48.45	54.00	-5.55	3	Vertical	193	1.67	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	119.22	Inf	-Inf	3	Vertical	193	1.67	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	60.35	68.20	-7.85	3	Vertical	193	1.67	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	129.79	Inf	-Inf	3	Vertical	193	1.67	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	62.28	68.20	-5.92	3	Vertical	193	1.67	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43838G	49.85	54.00	-4.15	3	Vertical	327	1.68	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44024G	63.36	74.00	-10.64	3	Vertical	327	1.68	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.17218G	62.23	68.20	-5.97	3	Vertical	0	1.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43952G	47.69	54.00	-6.31	3	Horizontal	289	2.05	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43958G	60.87	74.00	-13.13	3	Horizontal	289	2.05	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16072G	62.31	68.20	-5.89	3	Horizontal	287	2.79	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2832G	110.74	Inf	-Inf	3	Vertical	13	1.65	-
5270MHz	Pass	AV	5.3504G	52.42	54.00	-1.58	3	Vertical	13	1.65	-
5270MHz	Pass	PK	5.2868G	123.20	Inf	-Inf	3	Vertical	13	1.65	-
5270MHz	Pass	PK	5.3504G	67.99	74.00	-6.01	3	Vertical	13	1.65	-
5270MHz	Pass	AV	15.80688G	44.59	54.00	-9.41	3	Vertical	148	1.50	-
5270MHz	Pass	PK	10.52542G	55.97	68.20	-12.23	3	Vertical	48	1.04	-
5270MHz	Pass	PK	15.7968G	57.82	74.00	-16.18	3	Vertical	148	1.50	-
5270MHz	Pass	AV	15.82302G	44.68	54.00	-9.32	3	Horizontal	55	1.49	-
5270MHz	Pass	PK	10.5418G	55.14	68.20	-13.06	3	Horizontal	295	1.56	-
5270MHz	Pass	PK	15.8175G	58.23	74.00	-15.77	3	Horizontal	55	1.49	-
5310MHz	Pass	AV	5.3008G	107.14	Inf	-Inf	3	Vertical	192	1.66	-
5310MHz	Pass	AV	5.3528G	52.70	54.00	-1.30	3	Vertical	192	1.66	-
5310MHz	Pass	PK	5.3012G	121.14	Inf	-Inf	3	Vertical	192	1.66	-
5310MHz	Pass	PK	5.35G	71.28	74.00	-2.72	3	Vertical	192	1.66	-
5310MHz	Pass	AV	10.6199G	42.85	54.00	-11.15	3	Vertical	51	1.18	-
5310MHz	Pass	AV	15.93186G	45.30	54.00	-8.70	3	Vertical	357	1.50	-
5310MHz	Pass	PK	10.6389G	55.67	74.00	-18.33	3	Vertical	51	1.18	-
5310MHz	Pass	PK	15.93366G	58.99	74.00	-15.01	3	Vertical	357	1.50	-
5310MHz	Pass	AV	10.61988G	42.35	54.00	-11.65	3	Horizontal	294	1.51	-
5310MHz	Pass	AV	15.93726G	45.27	54.00	-8.73	3	Horizontal	72	1.49	-
5310MHz	Pass	PK	10.62246G	55.00	74.00	-19.00	3	Horizontal	294	1.51	-
5310MHz	Pass	PK	15.92766G	59.14	74.00	-14.86	3	Horizontal	72	1.49	-
5510MHz	Pass	AV	5.4584G	49.77	54.00	-4.23	3	Vertical	185	2.12	-
5510MHz	Pass	AV	5.5156G	104.57	Inf	-Inf	3	Vertical	185	2.12	-
5510MHz	Pass	PK	5.4692G	67.14	68.20	-1.06	3	Vertical	185	2.12	-
5510MHz	Pass	PK	5.5016G	117.58	Inf	-Inf	3	Vertical	185	2.12	-
5510MHz	Pass	AV	11.0199G	43.60	54.00	-10.40	3	Vertical	45	1.19	-
5510MHz	Pass	PK	11.0208G	55.71	74.00	-18.29	3	Vertical	45	1.19	-
5510MHz	Pass	PK	16.5259G	61.07	68.20	-7.13	3	Vertical	10	1.49	-
5510MHz	Pass	AV	11.01982G	43.04	54.00	-10.96	3	Horizontal	308	1.49	-
5510MHz	Pass	PK	11.02594G	55.63	74.00	-18.37	3	Horizontal	308	1.49	-
5510MHz	Pass	PK	16.5278G	61.33	68.20	-6.87	3	Horizontal	343	2.28	-
5550MHz	Pass	AV	5.46G	50.68	54.00	-3.32	3	Vertical	194	1.69	-
5550MHz	Pass	AV	5.5556G	111.09	Inf	-Inf	3	Vertical	194	1.69	-
5550MHz	Pass	PK	5.4632G	67.17	68.20	-1.03	3	Vertical	194	1.69	-
5550MHz	Pass	PK	5.5448G	124.03	Inf	-Inf	3	Vertical	194	1.69	-
5550MHz	Pass	AV	11.10004G	45.35	54.00	-8.65	3	Vertical	36	1.00	-
5550MHz	Pass	PK	11.09984G	60.34	74.00	-13.66	3	Vertical	36	1.00	-
5550MHz	Pass	PK	16.65774G	60.70	68.20	-7.50	3	Vertical	358	1.09	-
5550MHz	Pass	AV	11.09988G	46.00	54.00	-8.00	3	Horizontal	335	1.68	-
5550MHz	Pass	PK	11.09982G	58.72	74.00	-15.28	3	Horizontal	335	1.68	-
5550MHz	Pass	PK	16.6536G	60.59	68.20	-7.61	3	Horizontal	360	1.08	-
5670MHz	Pass	AV	5.6742G	107.31	Inf	-Inf	3	Vertical	191	1.67	-
5670MHz	Pass	PK	5.6616G	120.69	Inf	-Inf	3	Vertical	191	1.67	-



RSE TX above 1GHz_Beamforming_Radio 2

Appendix D.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5670MHz	Pass	PK	5.7294G	67.09	68.20	-1.11	3	Vertical	191	1.67	-
5670MHz	Pass	AV	11.33988G	43.87	54.00	-10.13	3	Vertical	53	1.69	-
5670MHz	Pass	PK	11.33976G	56.25	74.00	-17.75	3	Vertical	53	1.69	-
5670MHz	Pass	PK	17.00562G	63.31	68.20	-4.89	3	Vertical	358	2.44	-
5670MHz	Pass	AV	11.34G	42.74	54.00	-11.26	3	Horizontal	351	1.71	-
5670MHz	Pass	PK	11.32854G	55.63	74.00	-18.37	3	Horizontal	351	1.71	-
5670MHz	Pass	PK	17.01072G	63.20	68.20	-5.00	3	Horizontal	269	1.39	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4556G	48.30	54.00	-5.70	3	Vertical	192	1.66	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	115.42	Inf	-Inf	3	Vertical	192	1.66	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	60.80	68.20	-7.40	3	Vertical	192	1.66	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7016G	128.81	Inf	-Inf	3	Vertical	192	1.66	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8528G	65.44	68.20	-2.76	3	Vertical	192	1.66	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41982G	45.53	54.00	-8.47	3	Vertical	36	1.49	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41986G	61.92	74.00	-12.08	3	Vertical	36	1.49	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1275G	63.17	68.20	-5.03	3	Vertical	90	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42762G	45.07	54.00	-8.93	3	Horizontal	288	1.65	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4251G	58.62	74.00	-15.38	3	Horizontal	288	1.65	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1165G	62.26	68.20	-5.94	3	Horizontal	0	1.45	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.147G	46.94	54.00	-7.06	3	Vertical	360	2.16	-
5290MHz	Pass	AV	5.281G	99.95	Inf	-Inf	3	Vertical	360	2.16	-
5290MHz	Pass	AV	5.39G	52.70	54.00	-1.30	3	Vertical	360	2.16	-
5290MHz	Pass	PK	5.08G	58.85	74.00	-15.15	3	Vertical	360	2.16	-
5290MHz	Pass	PK	5.281G	112.11	Inf	-Inf	3	Vertical	360	2.16	-
5290MHz	Pass	PK	5.352G	65.30	74.00	-8.70	3	Vertical	360	2.16	-
5290MHz	Pass	AV	15.87234G	45.11	54.00	-8.89	3	Vertical	150	1.88	-
5290MHz	Pass	PK	10.58G	54.50	68.20	-13.70	3	Vertical	48	1.16	-
5290MHz	Pass	PK	15.86502G	58.70	74.00	-15.30	3	Vertical	150	1.88	-
5290MHz	Pass	AV	15.88188G	45.13	54.00	-8.87	3	Horizontal	4	2.20	-
5290MHz	Pass	PK	10.59308G	55.28	68.20	-12.92	3	Horizontal	299	1.50	-
5290MHz	Pass	PK	15.86118G	58.52	74.00	-15.48	3	Horizontal	4	2.20	-
5530MHz	Pass	AV	5.46G	51.40	54.00	-2.60	3	Vertical	193	1.68	-
5530MHz	Pass	AV	5.542G	102.95	Inf	-Inf	3	Vertical	193	1.68	-
5530MHz	Pass	PK	5.467G	66.46	68.20	-1.74	3	Vertical	193	1.68	-
5530MHz	Pass	PK	5.549G	115.34	Inf	-Inf	3	Vertical	193	1.68	-
5530MHz	Pass	PK	5.745G	59.74	68.20	-8.46	3	Vertical	193	1.68	-
5530MHz	Pass	AV	11.06G	42.82	54.00	-11.18	3	Vertical	58	1.49	-
5530MHz	Pass	PK	11.05004G	55.31	74.00	-18.69	3	Vertical	58	1.49	-
5530MHz	Pass	PK	16.58208G	60.63	68.20	-7.57	3	Vertical	275	1.01	-
5530MHz	Pass	AV	11.05982G	43.38	54.00	-10.62	3	Horizontal	325	1.78	-
5530MHz	Pass	PK	11.0615G	55.96	74.00	-18.04	3	Horizontal	325	1.78	-
5530MHz	Pass	PK	16.5882G	60.49	68.20	-7.71	3	Horizontal	103	1.50	-
5610MHz	Pass	AV	5.46G	49.92	54.00	-4.08	3	Vertical	191	1.66	-
5610MHz	Pass	AV	5.619G	107.38	Inf	-Inf	3	Vertical	191	1.66	-
5610MHz	Pass	PK	5.462G	62.69	68.20	-5.51	3	Vertical	191	1.66	-
5610MHz	Pass	PK	5.618G	120.48	Inf	-Inf	3	Vertical	191	1.66	-
5610MHz	Pass	PK	5.73G	66.72	68.20	-1.48	3	Vertical	191	1.66	-
5610MHz	Pass	AV	11.21982G	43.84	54.00	-10.16	3	Vertical	49	1.05	-
5610MHz	Pass	PK	11.22066G	56.45	74.00	-17.55	3	Vertical	49	1.05	-
5610MHz	Pass	PK	16.82568G	62.14	68.20	-6.06	3	Vertical	148	1.49	-
5610MHz	Pass	AV	11.21988G	43.42	54.00	-10.58	3	Horizontal	327	1.71	-
5610MHz	Pass	PK	11.22702G	57.00	74.00	-17.00	3	Horizontal	327	1.71	-
5610MHz	Pass	PK	16.8378G	61.99	68.20	-6.21	3	Horizontal	226	1.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4488G	48.75	54.00	-5.25	3	Vertical	193	1.70	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7272G	109.75	Inf	-Inf	3	Vertical	193	1.70	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	61.06	68.20	-7.14	3	Vertical	193	1.70	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7284G	122.21	Inf	-Inf	3	Vertical	193	1.70	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8628G	66.73	68.20	-1.47	3	Vertical	193	1.70	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37982G	44.53	54.00	-9.47	3	Vertical	50	1.68	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37406G	56.82	74.00	-17.18	3	Vertical	50	1.68	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06958G	63.35	68.20	-4.85	3	Vertical	307	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3797G	43.18	54.00	-10.82	3	Horizontal	332	1.49	-




RSE TX above 1GHz_ Beamforming_Radio 2

Appendix D.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3776G	56.56	74.00	-17.44	3	Horizontal	332	1.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05596G	62.98	68.20	-5.22	3	Horizontal	131	1.49	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.148G	51.89	54.00	-2.11	3	Vertical	360	1.49	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2524G	101.58	Inf	-Inf	3	Vertical	360	1.49	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	50.81	54.00	-3.19	3	Vertical	360	1.49	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1444G	72.62	74.00	-1.38	3	Vertical	360	1.49	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2536G	114.00	Inf	-Inf	3	Vertical	360	1.49	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4072G	69.00	74.00	-5.00	3	Vertical	360	1.49	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.74508G	44.90	54.00	-9.10	3	Vertical	235	1.49	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.48998G	55.35	68.20	-12.85	3	Vertical	43	1.01	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.7398G	58.84	74.00	-15.16	3	Vertical	235	1.49	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.74082G	45.01	54.00	-8.99	3	Horizontal	43	1.47	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4943G	55.78	68.20	-12.42	3	Horizontal	316	1.54	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.76056G	59.20	74.00	-14.80	3	Horizontal	43	1.47	-
5570MHz	Pass	AV	5.4524G	50.69	54.00	-3.31	3	Vertical	189	1.68	-
5570MHz	Pass	AV	5.6192G	99.61	Inf	-Inf	3	Vertical	189	1.68	-
5570MHz	Pass	PK	5.4632G	66.85	68.20	-1.35	3	Vertical	189	1.68	-
5570MHz	Pass	PK	5.624G	112.03	Inf	-Inf	3	Vertical	189	1.68	-
5570MHz	Pass	PK	5.726G	65.34	68.20	-2.86	3	Vertical	189	1.68	-
5570MHz	Pass	AV	11.13988G	44.04	54.00	-9.96	3	Vertical	49	1.09	-
5570MHz	Pass	PK	11.1334G	55.60	74.00	-18.40	3	Vertical	49	1.09	-
5570MHz	Pass	PK	16.7154G	62.41	68.20	-5.79	3	Vertical	221	1.50	-
5570MHz	Pass	AV	11.13988G	42.70	54.00	-11.30	3	Horizontal	310	1.49	-
5570MHz	Pass	PK	11.13676G	55.38	74.00	-18.62	3	Horizontal	310	1.49	-
5570MHz	Pass	PK	16.71258G	62.08	68.20	-6.12	3	Horizontal	328	2.15	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	51.58	54.00	-2.42	5.99	3	Vertical	354	1.51	-	45.59	31.70	8.52	34.23
AV	5.2516G	118.25	Inf	-Inf	5.54	3	Vertical	354	1.51	-	112.71	31.20	8.58	34.24
AV	5.35G	51.46	54.00	-2.54	5.35	3	Vertical	354	1.51	-	46.11	31.00	8.60	34.25
PK	5.1496G	64.78	74.00	-9.22	5.99	3	Vertical	354	1.51	-	58.79	31.70	8.52	34.23
PK	5.2576G	128.62	Inf	-Inf	5.52	3	Vertical	354	1.51	-	123.10	31.18	8.58	34.24
PK	5.353G	64.63	74.00	-9.37	5.37	3	Vertical	354	1.51	-	59.26	31.02	8.60	34.25



802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7827G	50.86	54.00	-3.14	17.74	3	Vertical	34	1.50	-	33.12	37.67	14.67	34.60
PK	10.52096G	59.68	68.20	-8.52	17.43	3	Vertical	360	2.04	-	42.25	39.72	12.26	34.55
PK	15.78858G	64.79	74.00	-9.21	17.71	3	Vertical	34	1.50	-	47.08	37.65	14.67	34.61

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77574G	51.28	54.00	-2.72	17.78	3	Horizontal	6	1.53	-	33.50	37.70	14.67	34.59
PK	10.52048G	56.95	68.20	-11.25	17.43	3	Horizontal	304	1.78	-	39.52	39.72	12.26	34.55
PK	15.78372G	64.96	74.00	-9.04	17.74	3	Horizontal	6	1.53	-	47.22	37.67	14.67	34.60

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2972G	115.11	Inf	-Inf	5.46	3	Vertical	190	1.66	-	109.65	31.11	8.59	34.24
AV	5.3504G	52.29	54.00	-1.71	5.35	3	Vertical	190	1.66	-	46.94	31.00	8.60	34.25
PK	5.298G	128.28	Inf	-Inf	5.45	3	Vertical	190	1.66	-	122.83	31.10	8.59	34.24
PK	5.3508G	68.18	74.00	-5.82	5.35	3	Vertical	190	1.66	-	62.83	31.00	8.60	34.25



802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60024G	45.97	54.00	-8.03	17.61	3	Vertical	332	2.05	-	28.36	39.80	12.30	34.49
AV	15.9018G	45.77	54.00	-8.23	17.39	3	Vertical	259	1.49	-	28.38	37.40	14.70	34.71
PK	10.60102G	57.86	74.00	-16.14	17.61	3	Vertical	332	2.05	-	40.25	39.80	12.30	34.49
PK	15.89196G	58.82	74.00	-15.18	17.41	3	Vertical	259	1.49	-	41.41	37.42	14.69	34.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6021G	44.71	54.00	-9.29	17.61	3	Horizontal	319	1.97	-	27.10	39.80	12.30	34.49
AV	15.90114G	45.94	54.00	-8.06	17.39	3	Horizontal	178	1.56	-	28.55	37.40	14.70	34.71
PK	10.59742G	57.84	68.20	-10.36	17.60	3	Horizontal	319	1.97	-	40.24	39.80	12.30	34.50
PK	15.88842G	59.40	74.00	-14.60	17.41	3	Horizontal	178	1.56	-	41.99	37.42	14.69	34.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.329G	111.02	Inf	-Inf	5.39	3	Vertical	180	1.51	-	105.63	31.04	8.60	34.25
AV	5.3504G	52.38	54.00	-1.62	5.35	3	Vertical	180	1.51	-	47.03	31.00	8.60	34.25
PK	5.329G	123.48	Inf	-Inf	5.39	3	Vertical	180	1.51	-	118.09	31.04	8.60	34.25
PK	5.3588G	71.66	74.00	-2.34	5.40	3	Vertical	180	1.51	-	66.26	31.05	8.60	34.25

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63982G	47.91	54.00	-6.09	17.70	3	Vertical	36	2.73	-	30.21	39.84	12.32	34.46
AV	15.97068G	46.20	54.00	-7.80	17.41	3	Vertical	35	1.32	-	28.79	37.47	14.71	34.77
PK	10.64804G	60.79	74.00	-13.21	17.72	3	Vertical	36	2.73	-	43.07	39.85	12.33	34.46
PK	15.9681G	59.07	74.00	-14.93	17.41	3	Vertical	35	1.32	-	41.66	37.47	14.71	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64018G	43.26	54.00	-10.74	17.70	3	Horizontal	38	1.50	-	25.56	39.84	12.32	34.46
AV	15.96978G	46.04	54.00	-7.96	17.41	3	Horizontal	27	2.09	-	28.63	37.47	14.71	34.77
PK	10.64606G	55.95	74.00	-18.05	17.72	3	Horizontal	38	1.50	-	38.23	39.85	12.33	34.46
PK	15.96138G	59.27	74.00	-14.73	17.41	3	Horizontal	27	2.09	-	41.86	37.46	14.71	34.76

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.80	54.00	-5.20	6.06	3	Vertical	193	2.08	-	42.74	31.62	8.70	34.26
AV	5.503G	110.09	Inf	-Inf	6.19	3	Vertical	193	2.08	-	103.90	31.69	8.76	34.26
PK	5.4696G	66.48	68.20	-1.72	6.09	3	Vertical	193	2.08	-	60.39	31.64	8.71	34.26
PK	5.5038G	122.35	Inf	-Inf	6.19	3	Vertical	193	2.08	-	116.16	31.69	8.76	34.26

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99004G	45.27	54.00	-8.73	18.49	3	Vertical	52	1.08	-	26.78	40.19	12.50	34.20
PK	10.99544G	57.87	74.00	-16.13	18.51	3	Vertical	52	1.08	-	39.36	40.20	12.50	34.19
PK	16.50834G	61.70	68.20	-6.50	19.37	3	Vertical	213	1.79	-	42.33	38.77	14.85	34.25

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99976G	45.11	54.00	-8.89	18.51	3	Horizontal	321	1.71	-	26.60	40.20	12.50	34.19
PK	10.99898G	57.70	74.00	-16.30	18.51	3	Horizontal	321	1.71	-	39.19	40.20	12.50	34.19
PK	16.50072G	61.45	68.20	-6.75	19.38	3	Horizontal	166	1.05	-	42.07	38.80	14.85	34.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4468G	50.85	54.00	-3.15	6.00	3	Vertical	193	1.69	-	44.85	31.58	8.68	34.26
AV	5.5818G	118.39	Inf	-Inf	6.20	3	Vertical	193	1.69	-	112.19	31.60	8.87	34.27
PK	5.469G	63.08	68.20	-5.12	6.09	3	Vertical	193	1.69	-	56.99	31.64	8.71	34.26
PK	5.5842G	129.29	Inf	-Inf	6.21	3	Vertical	193	1.69	-	123.08	31.60	8.88	34.27
PK	5.727G	63.34	68.20	-4.86	6.64	3	Vertical	193	1.69	-	56.70	31.91	9.01	34.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15964G	51.43	54.00	-2.57	18.19	3	Vertical	38	1.00	-	33.24	39.78	12.59	34.18
PK	11.15994G	64.27	74.00	-9.73	18.19	3	Vertical	38	1.00	-	46.08	39.78	12.59	34.18
PK	16.73622G	62.00	68.20	-6.20	20.58	3	Vertical	94	2.20	-	41.42	39.51	14.91	33.84

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15796G	50.45	54.00	-3.55	18.18	3	Horizontal	340	1.67	-	32.27	39.78	12.58	34.18
PK	11.15646G	62.93	74.00	-11.07	18.19	3	Horizontal	340	1.67	-	44.74	39.79	12.58	34.18
PK	16.74756G	61.50	68.20	-6.70	20.63	3	Horizontal	274	1.50	-	40.87	39.54	14.91	33.82

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.696G	108.49	Inf	-Inf	6.50	3	Vertical	188	1.66	-	101.99	31.79	8.99	34.28
PK	5.696G	119.92	Inf	-Inf	6.50	3	Vertical	188	1.66	-	113.42	31.79	8.99	34.28
PK	5.7252G	66.69	68.20	-1.51	6.63	3	Vertical	188	1.66	-	60.06	31.90	9.01	34.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4G	44.06	54.00	-9.94	18.34	3	Vertical	53	1.63	-	25.72	39.80	12.71	34.17
PK	11.4003G	56.32	74.00	-17.68	18.34	3	Vertical	53	1.63	-	37.98	39.80	12.71	34.17
PK	17.10132G	62.24	68.20	-5.96	21.27	3	Vertical	231	1.11	-	40.97	39.60	15.00	33.33

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39952G	42.91	54.00	-11.09	18.34	3	Horizontal	35	1.49	-	24.57	39.80	12.71	34.17
PK	11.39778G	55.72	74.00	-18.28	18.34	3	Horizontal	35	1.49	-	37.38	39.80	12.71	34.17
PK	17.09064G	62.84	68.20	-5.36	21.29	3	Horizontal	167	2.34	-	41.55	39.62	15.00	33.33

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4476G	48.45	54.00	-5.55	6.01	3	Vertical	193	1.67	-	42.44	31.59	8.68	34.26
AV	5.7224G	119.22	Inf	-Inf	6.62	3	Vertical	193	1.67	-	112.60	31.89	9.01	34.28
PK	5.46G	60.35	68.20	-7.85	6.06	3	Vertical	193	1.67	-	54.29	31.62	8.70	34.26
PK	5.7248G	129.79	Inf	-Inf	6.63	3	Vertical	193	1.67	-	123.16	31.90	9.01	34.28
PK	5.8556G	62.28	68.20	-5.92	7.02	3	Vertical	193	1.67	-	55.26	32.21	9.11	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43838G	49.85	54.00	-4.15	18.45	3	Vertical	327	1.68	-	31.40	39.88	12.73	34.16
PK	11.44024G	63.36	74.00	-10.64	18.45	3	Vertical	327	1.68	-	44.91	39.88	12.73	34.16
PK	17.17218G	62.23	68.20	-5.97	21.25	3	Vertical	0	1.49	-	40.98	39.53	15.02	33.30

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43952G	47.69	54.00	-6.31	18.45	3	Horizontal	289	2.05	-	29.24	39.88	12.73	34.16
PK	11.43958G	60.87	74.00	-13.13	18.45	3	Horizontal	289	2.05	-	42.42	39.88	12.73	34.16
PK	17.16072G	62.31	68.20	-5.89	21.25	3	Horizontal	287	2.79	-	41.06	39.54	15.02	33.31

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2832G	110.74	Inf	-Inf	5.48	3	Vertical	13	1.65	-	105.26	31.13	8.59	34.24
AV	5.3504G	52.42	54.00	-1.58	5.35	3	Vertical	13	1.65	-	47.07	31.00	8.60	34.25
PK	5.2868G	123.20	Inf	-Inf	5.48	3	Vertical	13	1.65	-	117.72	31.13	8.59	34.24
PK	5.3504G	67.99	74.00	-6.01	5.35	3	Vertical	13	1.65	-	62.64	31.00	8.60	34.25

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80688G	44.59	54.00	-9.41	17.64	3	Vertical	148	1.50	-	26.95	37.59	14.67	34.62
PK	10.52542G	55.97	68.20	-12.23	17.45	3	Vertical	48	1.04	-	38.52	39.73	12.27	34.55
PK	15.7968G	57.82	74.00	-16.18	17.67	3	Vertical	148	1.50	-	40.15	37.61	14.67	34.61

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.82302G	44.68	54.00	-9.32	17.59	3	Horizontal	55	1.49	-	27.09	37.55	14.68	34.64
PK	10.5418G	55.14	68.20	-13.06	17.47	3	Horizontal	295	1.56	-	37.67	39.74	12.27	34.54
PK	15.8175G	58.23	74.00	-15.77	17.61	3	Horizontal	55	1.49	-	40.62	37.56	14.68	34.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3008G	107.14	Inf	-Inf	5.45	3	Vertical	192	1.66	-	101.69	31.10	8.59	34.24
AV	5.3528G	52.70	54.00	-1.30	5.37	3	Vertical	192	1.66	-	47.33	31.02	8.60	34.25
PK	5.3012G	121.14	Inf	-Inf	5.45	3	Vertical	192	1.66	-	115.69	31.10	8.59	34.24
PK	5.35G	71.28	74.00	-2.72	5.35	3	Vertical	192	1.66	-	65.93	31.00	8.60	34.25

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6199G	42.85	54.00	-11.15	17.65	3	Vertical	51	1.18	-	25.20	39.82	12.31	34.48
AV	15.93186G	45.30	54.00	-8.70	17.39	3	Vertical	357	1.50	-	27.91	37.43	14.70	34.74
PK	10.6389G	55.67	74.00	-18.33	17.70	3	Vertical	51	1.18	-	37.97	39.84	12.32	34.46
PK	15.93366G	58.99	74.00	-15.01	17.39	3	Vertical	357	1.50	-	41.60	37.43	14.70	34.74

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61988G	42.35	54.00	-11.65	17.65	3	Horizontal	294	1.51	-	24.70	39.82	12.31	34.48
AV	15.93726G	45.27	54.00	-8.73	17.40	3	Horizontal	72	1.49	-	27.87	37.44	14.70	34.74
PK	10.62246G	55.00	74.00	-19.00	17.65	3	Horizontal	294	1.51	-	37.35	39.82	12.31	34.48
PK	15.92766G	59.14	74.00	-14.86	17.40	3	Horizontal	72	1.49	-	41.74	37.43	14.70	34.73

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	49.77	54.00	-4.23	6.05	3	Vertical	185	2.12	-	43.72	31.62	8.69	34.26
AV	5.5156G	104.57	Inf	-Inf	6.19	3	Vertical	185	2.12	-	98.38	31.67	8.78	34.26
PK	5.4692G	67.14	68.20	-1.06	6.09	3	Vertical	185	2.12	-	61.05	31.64	8.71	34.26
PK	5.5016G	117.58	Inf	-Inf	6.20	3	Vertical	185	2.12	-	111.38	31.70	8.76	34.26

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0199G	43.60	54.00	-10.40	18.47	3	Vertical	45	1.19	-	25.13	40.14	12.52	34.19
PK	11.0208G	55.71	74.00	-18.29	18.47	3	Vertical	45	1.19	-	37.24	40.14	12.52	34.19
PK	16.5259G	61.07	68.20	-7.13	19.35	3	Vertical	10	1.49	-	41.72	38.72	14.85	34.22

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01982G	43.04	54.00	-10.96	18.47	3	Horizontal	308	1.49	-	24.57	40.14	12.52	34.19
PK	11.02594G	55.63	74.00	-18.37	18.45	3	Horizontal	308	1.49	-	37.18	40.12	12.52	34.19
PK	16.5278G	61.33	68.20	-6.87	19.35	3	Horizontal	343	2.28	-	41.98	38.72	14.85	34.22

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.68	54.00	-3.32	6.06	3	Vertical	194	1.69	-	44.62	31.62	8.70	34.26
AV	5.5556G	111.09	Inf	-Inf	6.17	3	Vertical	194	1.69	-	104.92	31.60	8.84	34.27
PK	5.4632G	67.17	68.20	-1.03	6.07	3	Vertical	194	1.69	-	61.10	31.63	8.70	34.26
PK	5.5448G	124.03	Inf	-Inf	6.17	3	Vertical	194	1.69	-	117.86	31.61	8.82	34.26

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10004G	45.35	54.00	-8.65	18.28	3	Vertical	36	1.00	-	27.07	39.90	12.56	34.18
PK	11.09984G	60.34	74.00	-13.66	18.28	3	Vertical	36	1.00	-	42.06	39.90	12.56	34.18
PK	16.65774G	60.70	68.20	-7.50	19.93	3	Vertical	358	1.09	-	40.77	39.02	14.89	33.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09988G	46.00	54.00	-8.00	18.28	3	Horizontal	335	1.68	-	27.72	39.90	12.56	34.18
PK	11.09982G	58.72	74.00	-15.28	18.28	3	Horizontal	335	1.68	-	40.44	39.90	12.56	34.18
PK	16.6536G	60.59	68.20	-7.61	19.88	3	Horizontal	360	1.08	-	40.71	38.98	14.89	33.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6742G	107.31	Inf	-Inf	6.44	3	Vertical	191	1.67	-	100.87	31.75	8.97	34.28
PK	5.6616G	120.69	Inf	-Inf	6.40	3	Vertical	191	1.67	-	114.29	31.72	8.96	34.28
PK	5.7294G	67.09	68.20	-1.11	6.66	3	Vertical	191	1.67	-	60.43	31.92	9.02	34.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.339888G	43.87	54.00	-10.13	18.25	3	Vertical	53	1.69	-	25.62	39.74	12.68	34.17
PK	11.33976G	56.25	74.00	-17.75	18.25	3	Vertical	53	1.69	-	38.00	39.74	12.68	34.17
PK	17.00562G	63.31	68.20	-4.89	21.41	3	Vertical	358	2.44	-	41.90	39.79	14.98	33.36

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34G	42.74	54.00	-11.26	18.25	3	Horizontal	351	1.71	-	24.49	39.74	12.68	34.17
PK	11.32854G	55.63	74.00	-18.37	18.23	3	Horizontal	351	1.71	-	37.40	39.73	12.67	34.17
PK	17.01072G	63.20	68.20	-5.00	21.40	3	Horizontal	269	1.39	-	41.80	39.78	14.98	33.36

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4556G	48.30	54.00	-5.70	6.04	3	Vertical	192	1.66	-	42.26	31.61	8.69	34.26
AV	5.7064G	115.42	Inf	-Inf	6.55	3	Vertical	192	1.66	-	108.87	31.83	9.00	34.28
PK	5.4676G	60.80	68.20	-7.40	6.09	3	Vertical	192	1.66	-	54.71	31.64	8.71	34.26
PK	5.7016G	128.81	Inf	-Inf	6.52	3	Vertical	192	1.66	-	122.29	31.81	8.99	34.28
PK	5.8528G	65.44	68.20	-2.76	7.01	3	Vertical	192	1.66	-	58.43	32.21	9.10	34.30

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41982G	45.53	54.00	-8.47	18.40	3	Vertical	36	1.49	-	27.13	39.84	12.72	34.16
PK	11.41986G	61.92	74.00	-12.08	18.40	3	Vertical	36	1.49	-	43.52	39.84	12.72	34.16
PK	17.1275G	63.17	68.20	-5.03	21.26	3	Vertical	90	1.50	-	41.91	39.57	15.01	33.32

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42762G	45.07	54.00	-8.93	18.42	3	Horizontal	288	1.65	-	26.65	39.86	12.72	34.16
PK	11.4251G	58.62	74.00	-15.38	18.41	3	Horizontal	288	1.65	-	40.21	39.85	12.72	34.16
PK	17.1165G	62.26	68.20	-5.94	21.26	3	Horizontal	0	1.45	-	41.00	39.58	15.00	33.32

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	46.94	54.00	-7.06	5.99	3	Vertical	360	2.16	-	40.95	31.70	8.52	34.23
AV	5.281G	99.95	Inf	-Inf	5.49	3	Vertical	360	2.16	-	94.46	31.14	8.59	34.24
AV	5.35G	52.70	54.00	-1.30	5.35	3	Vertical	360	2.16	-	47.35	31.00	8.60	34.25
PK	5.08G	58.85	74.00	-15.15	5.85	3	Vertical	360	2.16	-	53.00	31.62	8.46	34.23
PK	5.281G	112.11	Inf	-Inf	5.49	3	Vertical	360	2.16	-	106.62	31.14	8.59	34.24
PK	5.352G	65.30	74.00	-8.70	5.36	3	Vertical	360	2.16	-	59.94	31.01	8.60	34.25

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87234G	45.11	54.00	-8.89	17.47	3	Vertical	150	1.88	-	27.64	37.46	14.69	34.68
PK	10.58G	54.50	68.20	-13.70	17.56	3	Vertical	48	1.16	-	36.94	39.78	12.29	34.51
PK	15.86502G	58.70	74.00	-15.30	17.48	3	Vertical	150	1.88	-	41.22	37.47	14.69	34.68

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.88188G	45.13	54.00	-8.87	17.44	3	Horizontal	4	2.20	-	27.69	37.44	14.69	34.69
PK	10.59308G	55.28	68.20	-12.92	17.59	3	Horizontal	299	1.50	-	37.69	39.79	12.30	34.50
PK	15.86118G	58.52	74.00	-15.48	17.50	3	Horizontal	4	2.20	-	41.02	37.48	14.69	34.67

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.40	54.00	-2.60	6.06	3	Vertical	193	1.68	-	45.34	31.62	8.70	34.26
AV	5.542G	102.95	Inf	-Inf	6.18	3	Vertical	193	1.68	-	96.77	31.62	8.82	34.26
PK	5.467G	66.46	68.20	-1.74	6.08	3	Vertical	193	1.68	-	60.38	31.63	8.71	34.26
PK	5.549G	115.34	Inf	-Inf	6.17	3	Vertical	193	1.68	-	109.17	31.60	8.83	34.26
PK	5.745G	59.74	68.20	-8.46	6.73	3	Vertical	193	1.68	-	53.01	31.98	9.03	34.28

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06G	42.82	54.00	-11.18	18.37	3	Vertical	58	1.49	-	24.45	40.02	12.54	34.19
PK	11.05004G	55.31	74.00	-18.69	18.39	3	Vertical	58	1.49	-	36.92	40.05	12.53	34.19
PK	16.58208G	60.63	68.20	-7.57	19.30	3	Vertical	275	1.01	-	41.33	38.55	14.87	34.12

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05982G	43.38	54.00	-10.62	18.37	3	Horizontal	325	1.78	-	25.01	40.02	12.54	34.19
PK	11.0615G	55.96	74.00	-18.04	18.37	3	Horizontal	325	1.78	-	37.59	40.02	12.54	34.19
PK	16.5882G	60.49	68.20	-7.71	19.30	3	Horizontal	103	1.50	-	41.19	38.54	14.87	34.11



802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.92	54.00	-4.08	6.06	3	Vertical	191	1.66	-	43.86	31.62	8.70	34.26
AV	5.619G	107.38	Inf	-Inf	6.29	3	Vertical	191	1.66	-	101.09	31.64	8.92	34.27
PK	5.462G	62.69	68.20	-5.51	6.06	3	Vertical	191	1.66	-	56.63	31.62	8.70	34.26
PK	5.618G	120.48	Inf	-Inf	6.29	3	Vertical	191	1.66	-	114.19	31.64	8.92	34.27
PK	5.73G	66.72	68.20	-1.48	6.66	3	Vertical	191	1.66	-	60.06	31.92	9.02	34.28

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21982G	43.84	54.00	-10.16	18.14	3	Vertical	49	1.05	-	25.70	39.70	12.62	34.18
PK	11.22066G	56.45	74.00	-17.55	18.14	3	Vertical	49	1.05	-	38.31	39.70	12.62	34.18
PK	16.82568G	62.14	68.20	-6.06	20.90	3	Vertical	148	1.49	-	41.24	39.65	14.93	33.68

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21988G	43.42	54.00	-10.58	18.14	3	Horizontal	327	1.71	-	25.28	39.70	12.62	34.18
PK	11.22702G	57.00	74.00	-17.00	18.14	3	Horizontal	327	1.71	-	38.86	39.70	12.62	34.18
PK	16.8378G	61.99	68.20	-6.21	20.89	3	Horizontal	226	1.49	-	41.10	39.62	14.93	33.66

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4488G	48.75	54.00	-5.25	6.01	3	Vertical	193	1.70	-	42.74	31.59	8.68	34.26
AV	5.7272G	109.75	Inf	-Inf	6.64	3	Vertical	193	1.70	-	103.11	31.91	9.01	34.28
PK	5.4668G	61.06	68.20	-7.14	6.08	3	Vertical	193	1.70	-	54.98	31.63	8.71	34.26
PK	5.7284G	122.21	Inf	-Inf	6.65	3	Vertical	193	1.70	-	115.56	31.91	9.02	34.28
PK	5.8628G	66.73	68.20	-1.47	7.04	3	Vertical	193	1.70	-	59.69	32.23	9.11	34.30

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37982G	44.53	54.00	-9.47	18.31	3	Vertical	50	1.68	-	26.22	39.78	12.70	34.17
PK	11.37406G	56.82	74.00	-17.18	18.29	3	Vertical	50	1.68	-	38.53	39.77	12.69	34.17
PK	17.06958G	63.35	68.20	-4.85	21.31	3	Vertical	307	1.50	-	42.04	39.66	14.99	33.34

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3797G	43.18	54.00	-10.82	18.31	3	Horizontal	332	1.49	-	24.87	39.78	12.70	34.17
PK	11.3776G	56.56	74.00	-17.44	18.31	3	Horizontal	332	1.49	-	38.25	39.78	12.70	34.17
PK	17.05596G	62.98	68.20	-5.22	21.34	3	Horizontal	131	1.49	-	41.64	39.69	14.99	33.34

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	51.89	54.00	-2.11	5.99	3	Vertical	360	1.49	-	45.90	31.70	8.52	34.23
AV	5.2524G	101.58	Inf	-Inf	5.54	3	Vertical	360	1.49	-	96.04	31.20	8.58	34.24
AV	5.35G	50.81	54.00	-3.19	5.35	3	Vertical	360	1.49	-	45.46	31.00	8.60	34.25
PK	5.1444G	72.62	74.00	-1.38	5.99	3	Vertical	360	1.49	-	66.63	31.70	8.52	34.23
PK	5.2536G	114.00	Inf	-Inf	5.53	3	Vertical	360	1.49	-	108.47	31.19	8.58	34.24
PK	5.4072G	69.00	74.00	-5.00	5.71	3	Vertical	360	1.49	-	63.29	31.34	8.62	34.25

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74508G	44.90	54.00	-9.10	17.91	3	Vertical	235	1.49	-	26.99	37.82	14.66	34.57
PK	10.48998G	55.35	68.20	-12.85	17.35	3	Vertical	43	1.01	-	38.00	39.68	12.25	34.58
PK	15.7398G	58.84	74.00	-15.16	17.94	3	Vertical	235	1.49	-	40.90	37.84	14.66	34.56

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74082G	45.01	54.00	-8.99	17.94	3	Horizontal	43	1.47	-	27.07	37.84	14.66	34.56
PK	10.4943G	55.78	68.20	-12.42	17.37	3	Horizontal	316	1.54	-	38.41	39.69	12.25	34.57
PK	15.76056G	59.20	74.00	-14.80	17.84	3	Horizontal	43	1.47	-	41.36	37.76	14.66	34.58

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	50.69	54.00	-3.31	6.03	3	Vertical	189	1.68	-	44.66	31.60	8.69	34.26
AV	5.6192G	99.61	Inf	-Inf	6.29	3	Vertical	189	1.68	-	93.32	31.64	8.92	34.27
PK	5.4632G	66.85	68.20	-1.35	6.07	3	Vertical	189	1.68	-	60.78	31.63	8.70	34.26
PK	5.624G	112.03	Inf	-Inf	6.30	3	Vertical	189	1.68	-	105.73	31.65	8.92	34.27
PK	5.726G	65.34	68.20	-2.86	6.63	3	Vertical	189	1.68	-	58.71	31.90	9.01	34.28

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13988G	44.04	54.00	-9.96	18.22	3	Vertical	49	1.09	-	25.82	39.82	12.58	34.18
PK	11.1334G	55.60	74.00	-18.40	18.22	3	Vertical	49	1.09	-	37.38	39.83	12.57	34.18
PK	16.7154G	62.41	68.20	-5.79	20.47	3	Vertical	221	1.50	-	41.94	39.45	14.90	33.88

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13988G	42.70	54.00	-11.30	18.22	3	Horizontal	310	1.49	-	24.48	39.82	12.58	34.18
PK	11.13676G	55.38	74.00	-18.62	18.22	3	Horizontal	310	1.49	-	37.16	39.83	12.57	34.18
PK	16.71258G	62.08	68.20	-6.12	20.46	3	Horizontal	328	2.15	-	41.62	39.44	14.90	33.88



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.4118G	52.95	54.00	-1.05	3	Vertical	0	1.99	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.35G	52.88	54.00	-1.12	3	Vertical	333	1.89	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.353G	52.86	54.00	-1.14	3	Vertical	182	1.47	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.464G	66.87	68.20	-1.33	3	Vertical	193	2.03	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.468G	66.88	68.20	-1.32	3	Vertical	221	1.88	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.461G	67.01	68.20	-1.19	3	Vertical	191	1.50	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.15G	48.56	54.00	-5.44	3	Vertical	4	1.47	-
5260MHz	Pass	AV	5.2612G	107.48	Inf	-Inf	3	Vertical	4	1.47	-
5260MHz	Pass	AV	5.3626G	52.92	54.00	-1.08	3	Vertical	4	1.47	-
5260MHz	Pass	PK	5.15G	58.19	74.00	-15.81	3	Vertical	4	1.47	-
5260MHz	Pass	PK	5.2648G	119.20	Inf	-Inf	3	Vertical	4	1.47	-
5260MHz	Pass	PK	5.3656G	63.78	74.00	-10.22	3	Vertical	4	1.47	-
5260MHz	Pass	AV	15.78342G	45.56	54.00	-8.44	3	Vertical	337	1.32	-
5260MHz	Pass	PK	10.52246G	55.05	68.20	-13.15	3	Vertical	15	1.49	-
5260MHz	Pass	PK	15.77316G	58.39	74.00	-15.61	3	Vertical	337	1.32	-
5260MHz	Pass	AV	15.76602G	46.21	54.00	-7.79	3	Horizontal	338	1.49	-
5260MHz	Pass	PK	10.52336G	54.75	68.20	-13.45	3	Horizontal	284	1.41	-
5260MHz	Pass	PK	15.76506G	60.02	74.00	-13.98	3	Horizontal	338	1.49	-
5300MHz	Pass	AV	5.15G	45.35	54.00	-8.65	3	Vertical	38	1.83	-
5300MHz	Pass	AV	5.3084G	104.85	Inf	-Inf	3	Vertical	38	1.83	-
5300MHz	Pass	AV	5.4092G	52.92	54.00	-1.08	3	Vertical	38	1.83	-
5300MHz	Pass	PK	5.15G	55.92	74.00	-18.08	3	Vertical	38	1.83	-
5300MHz	Pass	PK	5.309G	116.08	Inf	-Inf	3	Vertical	38	1.83	-
5300MHz	Pass	PK	5.4086G	63.54	74.00	-10.46	3	Vertical	38	1.83	-
5300MHz	Pass	AV	10.60108G	42.12	54.00	-11.88	3	Vertical	63	1.26	-
5300MHz	Pass	AV	15.91152G	45.68	54.00	-8.32	3	Vertical	202	1.50	-
5300MHz	Pass	PK	10.58992G	54.70	68.20	-13.50	3	Vertical	63	1.26	-
5300MHz	Pass	PK	15.89238G	58.75	74.00	-15.25	3	Vertical	202	1.50	-
5300MHz	Pass	AV	10.60444G	42.04	54.00	-11.96	3	Horizontal	357	1.49	-
5300MHz	Pass	AV	15.9138G	46.16	54.00	-7.84	3	Horizontal	326	2.25	-
5300MHz	Pass	PK	10.60702G	55.08	74.00	-18.92	3	Horizontal	357	1.49	-
5300MHz	Pass	PK	15.8976G	58.73	74.00	-15.27	3	Horizontal	326	2.25	-
5320MHz	Pass	AV	5.3116G	106.41	Inf	-Inf	3	Vertical	0	1.99	-
5320MHz	Pass	AV	5.4118G	52.95	54.00	-1.05	3	Vertical	0	1.99	-
5320MHz	Pass	PK	5.311G	117.14	Inf	-Inf	3	Vertical	0	1.99	-
5320MHz	Pass	PK	5.35G	64.95	74.00	-9.05	3	Vertical	0	1.99	-
5320MHz	Pass	AV	10.65368G	42.38	54.00	-11.62	3	Vertical	357	2.10	-
5320MHz	Pass	AV	15.966G	46.21	54.00	-7.79	3	Vertical	1	1.49	-
5320MHz	Pass	PK	10.63418G	55.69	74.00	-18.31	3	Vertical	357	2.10	-
5320MHz	Pass	PK	15.97368G	59.04	74.00	-14.96	3	Vertical	1	1.49	-
5320MHz	Pass	AV	10.65098G	42.50	54.00	-11.50	3	Horizontal	360	1.59	-
5320MHz	Pass	AV	15.97356G	46.15	54.00	-7.85	3	Horizontal	359	1.75	-
5320MHz	Pass	PK	10.63364G	55.48	74.00	-18.52	3	Horizontal	360	1.59	-
5320MHz	Pass	PK	15.96798G	58.96	74.00	-15.04	3	Horizontal	359	1.75	-
5500MHz	Pass	AV	5.3908G	48.85	54.00	-5.15	3	Vertical	193	2.03	-
5500MHz	Pass	AV	5.491G	107.07	Inf	-Inf	3	Vertical	193	2.03	-
5500MHz	Pass	PK	5.464G	66.87	68.20	-1.33	3	Vertical	193	2.03	-
5500MHz	Pass	PK	5.4928G	116.95	Inf	-Inf	3	Vertical	193	2.03	-
5500MHz	Pass	AV	11.00528G	43.14	54.00	-10.86	3	Vertical	194	1.49	-
5500MHz	Pass	PK	11.01314G	55.64	74.00	-18.36	3	Vertical	194	1.49	-
5500MHz	Pass	PK	16.48968G	61.44	68.20	-6.76	3	Vertical	210	1.48	-
5500MHz	Pass	AV	11.00798G	43.13	54.00	-10.87	3	Horizontal	295	1.49	-
5500MHz	Pass	PK	11.00354G	55.98	74.00	-18.02	3	Horizontal	295	1.49	-
5500MHz	Pass	PK	16.48944G	62.38	68.20	-5.82	3	Horizontal	319	2.93	-
5580MHz	Pass	AV	5.4588G	48.53	54.00	-5.47	3	Vertical	189	1.87	-
5580MHz	Pass	AV	5.5866G	112.85	Inf	-Inf	3	Vertical	189	1.87	-
5580MHz	Pass	PK	5.4654G	60.86	68.20	-7.34	3	Vertical	189	1.87	-
5580MHz	Pass	PK	5.5836G	124.16	Inf	-Inf	3	Vertical	189	1.87	-
5580MHz	Pass	PK	5.7288G	61.80	68.20	-6.40	3	Vertical	189	1.87	-
5580MHz	Pass	AV	11.16468G	43.52	54.00	-10.48	3	Vertical	329	2.76	-
5580MHz	Pass	PK	11.16192G	55.81	74.00	-18.19	3	Vertical	329	2.76	-
5580MHz	Pass	PK	16.74228G	64.20	68.20	-4.00	3	Vertical	73	1.62	-
5580MHz	Pass	AV	11.1621G	43.36	54.00	-10.64	3	Horizontal	0	1.42	-
5580MHz	Pass	PK	11.16372G	56.29	74.00	-17.71	3	Horizontal	0	1.42	-
5580MHz	Pass	PK	16.74636G	64.02	68.20	-4.18	3	Horizontal	71	1.37	-
5700MHz	Pass	AV	5.6916G	104.68	Inf	-Inf	3	Vertical	166	1.83	-



RSE TX above 1GHz_Beamforming_Radio 3

Appendix D.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5700MHz	Pass	PK	5.6922G	116.14	Inf	-Inf	3	Vertical	166	1.83	-
5700MHz	Pass	PK	5.7252G	65.42	68.20	-2.78	3	Vertical	166	1.83	-
5700MHz	Pass	AV	11.40066G	43.18	54.00	-10.82	3	Vertical	345	2.68	-
5700MHz	Pass	PK	11.40534G	55.88	74.00	-18.12	3	Vertical	345	2.68	-
5700MHz	Pass	PK	17.11134G	62.43	68.20	-5.77	3	Vertical	360	1.93	-
5700MHz	Pass	AV	11.39712G	43.67	54.00	-10.33	3	Horizontal	327	1.55	-
5700MHz	Pass	PK	11.40978G	56.83	74.00	-17.17	3	Horizontal	327	1.55	-
5700MHz	Pass	PK	17.08758G	63.31	68.20	-4.89	3	Horizontal	344	1.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	47.04	54.00	-6.96	3	Vertical	224	1.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	111.01	Inf	-Inf	3	Vertical	224	1.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	58.12	68.20	-10.08	3	Vertical	224	1.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	121.58	Inf	-Inf	3	Vertical	224	1.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8736G	60.52	68.20	-7.68	3	Vertical	224	1.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43964G	49.68	54.00	-4.32	3	Vertical	345	2.94	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44048G	61.93	74.00	-12.07	3	Vertical	345	2.94	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15436G	63.68	68.20	-4.52	3	Vertical	0	2.46	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44528G	49.58	54.00	-4.42	3	Horizontal	317	1.71	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44978G	62.12	74.00	-11.88	3	Horizontal	317	1.71	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1483G	63.43	68.20	-4.77	3	Horizontal	339	1.47	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.15G	48.73	54.00	-5.27	3	Vertical	196	1.33	-
5270MHz	Pass	AV	5.2796G	105.47	Inf	-Inf	3	Vertical	196	1.33	-
5270MHz	Pass	AV	5.3516G	52.84	54.00	-1.16	3	Vertical	196	1.33	-
5270MHz	Pass	PK	5.1494G	60.36	74.00	-13.64	3	Vertical	196	1.33	-
5270MHz	Pass	PK	5.2772G	117.34	Inf	-Inf	3	Vertical	196	1.33	-
5270MHz	Pass	PK	5.3504G	67.92	74.00	-6.08	3	Vertical	196	1.33	-
5270MHz	Pass	AV	15.80562G	44.50	54.00	-9.50	3	Vertical	132	2.39	-
5270MHz	Pass	PK	10.54984G	54.26	68.20	-13.94	3	Vertical	114	2.32	-
5270MHz	Pass	PK	15.81516G	58.25	74.00	-15.75	3	Vertical	132	2.39	-
5270MHz	Pass	AV	15.82464G	45.04	54.00	-8.96	3	Horizontal	116	1.23	-
5270MHz	Pass	PK	10.52788G	54.50	68.20	-13.70	3	Horizontal	21	2.01	-
5270MHz	Pass	PK	15.81G	58.73	74.00	-15.27	3	Horizontal	116	1.23	-
5310MHz	Pass	AV	5.3166G	101.35	Inf	-Inf	3	Vertical	333	1.89	-
5310MHz	Pass	AV	5.35G	52.88	54.00	-1.12	3	Vertical	333	1.89	-
5310MHz	Pass	PK	5.322G	114.46	Inf	-Inf	3	Vertical	333	1.89	-
5310MHz	Pass	PK	5.352G	68.73	74.00	-5.27	3	Vertical	333	1.89	-
5310MHz	Pass	AV	10.6341G	41.63	54.00	-12.37	3	Vertical	325	2.99	-
5310MHz	Pass	AV	15.93414G	45.28	54.00	-8.72	3	Vertical	1	1.49	-
5310MHz	Pass	PK	10.60938G	54.95	74.00	-19.05	3	Vertical	325	2.99	-
5310MHz	Pass	PK	15.9441G	58.18	74.00	-15.82	3	Vertical	1	1.49	-
5310MHz	Pass	AV	10.6266G	41.55	54.00	-12.45	3	Horizontal	204	1.49	-
5310MHz	Pass	AV	15.93186G	45.21	54.00	-8.79	3	Horizontal	247	1.70	-
5310MHz	Pass	PK	10.6194G	55.25	74.00	-18.75	3	Horizontal	204	1.49	-
5310MHz	Pass	PK	15.94266G	59.08	74.00	-14.92	3	Horizontal	247	1.70	-
5510MHz	Pass	AV	5.4596G	48.09	54.00	-5.91	3	Vertical	221	1.88	-
5510MHz	Pass	AV	5.5076G	101.24	Inf	-Inf	3	Vertical	221	1.88	-
5510MHz	Pass	PK	5.468G	66.88	68.20	-1.32	3	Vertical	221	1.88	-
5510MHz	Pass	PK	5.5058G	113.58	Inf	-Inf	3	Vertical	221	1.88	-
5510MHz	Pass	AV	11.00518G	41.69	54.00	-12.31	3	Vertical	120	1.59	-
5510MHz	Pass	PK	11.01262G	54.69	74.00	-19.31	3	Vertical	120	1.59	-
5510MHz	Pass	PK	16.51758G	61.08	68.20	-7.12	3	Vertical	16	1.87	-
5510MHz	Pass	AV	11.02126G	42.03	54.00	-11.97	3	Horizontal	300	1.88	-
5510MHz	Pass	PK	11.01448G	55.05	74.00	-18.95	3	Horizontal	300	1.88	-
5510MHz	Pass	PK	16.5441G	60.64	68.20	-7.56	3	Horizontal	149	1.03	-
5550MHz	Pass	AV	5.4558G	52.45	54.00	-1.55	3	Vertical	173	1.63	-
5550MHz	Pass	AV	5.5566G	109.98	Inf	-Inf	3	Vertical	173	1.63	-
5550MHz	Pass	PK	5.4678G	66.64	68.20	-1.56	3	Vertical	173	1.63	-
5550MHz	Pass	PK	5.5584G	121.44	Inf	-Inf	3	Vertical	173	1.63	-
5550MHz	Pass	AV	11.09232G	41.62	54.00	-12.38	3	Vertical	200	1.72	-
5550MHz	Pass	PK	11.10366G	54.73	74.00	-19.27	3	Vertical	200	1.72	-
5550MHz	Pass	PK	16.65324G	60.45	68.20	-7.75	3	Vertical	89	2.44	-
5550MHz	Pass	AV	11.09208G	41.60	54.00	-12.40	3	Horizontal	46	1.82	-



RSE TX above 1GHz_Beamforming_Radio 3

Appendix D.6


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5550MHz	Pass	PK	11.10126G	54.86	74.00	-19.14	3	Horizontal	46	1.82	-
5550MHz	Pass	PK	16.66428G	60.71	68.20	-7.49	3	Horizontal	94	1.17	-
5670MHz	Pass	AV	5.673G	103.06	Inf	-Inf	3	Vertical	181	1.77	-
5670MHz	Pass	PK	5.6682G	114.76	Inf	-Inf	3	Vertical	181	1.77	-
5670MHz	Pass	PK	5.73G	66.59	68.20	-1.61	3	Vertical	181	1.77	-
5670MHz	Pass	AV	11.34168G	42.04	54.00	-11.96	3	Vertical	168	1.29	-
5670MHz	Pass	PK	11.34936G	55.06	74.00	-18.94	3	Vertical	168	1.29	-
5670MHz	Pass	PK	17.00028G	62.82	68.20	-5.38	3	Vertical	105	1.69	-
5670MHz	Pass	AV	11.32536G	41.53	54.00	-12.47	3	Horizontal	348	2.04	-
5670MHz	Pass	PK	11.34966G	54.36	74.00	-19.64	3	Horizontal	348	2.04	-
5670MHz	Pass	PK	17.01522G	62.82	68.20	-5.38	3	Horizontal	322	1.18	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4508G	47.40	54.00	-6.60	3	Vertical	178	1.47	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7016G	108.27	Inf	-Inf	3	Vertical	178	1.47	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	57.95	68.20	-10.25	3	Vertical	178	1.47	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6956G	119.47	Inf	-Inf	3	Vertical	178	1.47	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.854G	64.81	68.20	-3.39	3	Vertical	178	1.47	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41052G	44.22	54.00	-9.78	3	Vertical	319	2.70	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42012G	62.29	74.00	-11.71	3	Vertical	319	2.70	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12748G	64.02	68.20	-4.18	3	Vertical	27	1.91	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41784G	46.65	54.00	-7.35	3	Horizontal	316	1.84	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4272G	63.88	74.00	-10.12	3	Horizontal	316	1.84	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13216G	63.43	68.20	-4.77	3	Horizontal	333	1.49	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.15G	46.88	54.00	-7.12	3	Vertical	182	1.47	-
5290MHz	Pass	AV	5.3G	97.23	Inf	-Inf	3	Vertical	182	1.47	-
5290MHz	Pass	AV	5.353G	52.86	54.00	-1.14	3	Vertical	182	1.47	-
5290MHz	Pass	PK	5.126G	58.55	74.00	-15.45	3	Vertical	182	1.47	-
5290MHz	Pass	PK	5.3G	108.63	Inf	-Inf	3	Vertical	182	1.47	-
5290MHz	Pass	PK	5.368G	65.31	74.00	-8.69	3	Vertical	182	1.47	-
5290MHz	Pass	AV	15.88374G	45.02	54.00	-8.98	3	Vertical	261	2.49	-
5290MHz	Pass	PK	10.57634G	54.42	68.20	-13.78	3	Vertical	236	2.27	-
5290MHz	Pass	PK	15.86346G	58.84	74.00	-15.16	3	Vertical	261	2.49	-
5290MHz	Pass	AV	15.88476G	45.03	54.00	-8.97	3	Horizontal	214	1.40	-
5290MHz	Pass	PK	10.58366G	55.43	68.20	-12.77	3	Horizontal	266	1.33	-
5290MHz	Pass	PK	15.8757G	58.08	74.00	-15.92	3	Horizontal	214	1.40	-
5530MHz	Pass	AV	5.46G	48.82	54.00	-5.18	3	Vertical	191	1.50	-
5530MHz	Pass	AV	5.521G	99.20	Inf	-Inf	3	Vertical	191	1.50	-
5530MHz	Pass	PK	5.461G	67.01	68.20	-1.19	3	Vertical	191	1.50	-
5530MHz	Pass	PK	5.521G	110.34	Inf	-Inf	3	Vertical	191	1.50	-
5530MHz	Pass	PK	5.726G	59.03	68.20	-9.17	3	Vertical	191	1.50	-
5530MHz	Pass	AV	11.05382G	41.99	54.00	-12.01	3	Vertical	62	1.72	-
5530MHz	Pass	PK	11.0582G	55.34	74.00	-18.66	3	Vertical	62	1.72	-
5530MHz	Pass	PK	16.59324G	60.16	68.20	-8.04	3	Vertical	200	1.44	-
5530MHz	Pass	AV	11.05496G	42.00	54.00	-12.00	3	Horizontal	261	1.96	-
5530MHz	Pass	PK	11.05694G	54.99	74.00	-19.01	3	Horizontal	261	1.96	-
5530MHz	Pass	PK	16.5987G	60.47	68.20	-7.73	3	Horizontal	236	2.33	-
5610MHz	Pass	AV	5.459G	49.07	54.00	-4.93	3	Vertical	192	1.50	-
5610MHz	Pass	AV	5.619G	100.37	Inf	-Inf	3	Vertical	192	1.50	-
5610MHz	Pass	PK	5.47G	62.87	68.20	-5.33	3	Vertical	192	1.50	-
5610MHz	Pass	PK	5.619G	113.17	Inf	-Inf	3	Vertical	192	1.50	-
5610MHz	Pass	PK	5.73G	66.57	68.20	-1.63	3	Vertical	192	1.50	-
5610MHz	Pass	AV	11.23374G	42.11	54.00	-11.89	3	Vertical	88	1.61	-
5610MHz	Pass	PK	11.22516G	55.64	74.00	-18.36	3	Vertical	88	1.61	-
5610MHz	Pass	PK	16.818G	61.45	68.20	-6.75	3	Vertical	16	2.38	-
5610MHz	Pass	AV	11.20806G	41.86	54.00	-12.14	3	Horizontal	193	2.19	-
5610MHz	Pass	PK	11.21646G	54.79	74.00	-19.21	3	Horizontal	193	2.19	-
5610MHz	Pass	PK	16.83606G	61.57	68.20	-6.63	3	Horizontal	178	2.12	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	46.67	54.00	-7.33	3	Vertical	212	1.48	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.678G	102.71	Inf	-Inf	3	Vertical	212	1.48	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	59.41	68.20	-8.79	3	Vertical	212	1.48	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6924G	114.85	Inf	-Inf	3	Vertical	212	1.48	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	66.75	68.20	-1.45	3	Vertical	212	1.48	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36608G	42.08	54.00	-11.92	3	Vertical	113	2.40	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39158G	55.21	74.00	-18.79	3	Vertical	113	2.40	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0655G	62.74	68.20	-5.46	3	Vertical	323	1.43	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36956G	42.05	54.00	-11.95	3	Horizontal	313	1.18	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3941G	55.88	74.00	-18.12	3	Horizontal	313	1.18	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06346G	63.00	68.20	-5.20	3	Horizontal	90	1.85	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.56	54.00	-5.44	5.99	3	Vertical	4	1.47	-	42.57	31.70	8.52	34.23
AV	5.2612G	107.48	Inf	-Inf	5.52	3	Vertical	4	1.47	-	101.96	31.18	8.58	34.24
AV	5.3626G	52.92	54.00	-1.08	5.43	3	Vertical	4	1.47	-	47.49	31.08	8.60	34.25
PK	5.15G	58.19	74.00	-15.81	5.99	3	Vertical	4	1.47	-	52.20	31.70	8.52	34.23
PK	5.2648G	119.20	Inf	-Inf	5.51	3	Vertical	4	1.47	-	113.69	31.17	8.58	34.24
PK	5.3656G	63.78	74.00	-10.22	5.44	3	Vertical	4	1.47	-	58.34	31.09	8.60	34.25

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78342G	45.56	54.00	-8.44	17.74	3	Vertical	337	1.32	-	27.82	37.67	14.67	34.60
PK	10.52246G	55.05	68.20	-13.15	17.43	3	Vertical	15	1.49	-	37.62	39.72	12.26	34.55
PK	15.77316G	58.39	74.00	-15.61	17.78	3	Vertical	337	1.32	-	40.61	37.71	14.66	34.59

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.76602G	46.21	54.00	-7.79	17.82	3	Horizontal	338	1.49	-	28.39	37.74	14.66	34.58
PK	10.52336G	54.75	68.20	-13.45	17.43	3	Horizontal	284	1.41	-	37.32	39.72	12.26	34.55
PK	15.76506G	60.02	74.00	-13.98	17.82	3	Horizontal	338	1.49	-	42.20	37.74	14.66	34.58

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.35	54.00	-8.65	5.99	3	Vertical	38	1.83	-	39.36	31.70	8.52	34.23
AV	5.3084G	104.85	Inf	-Inf	5.43	3	Vertical	38	1.83	-	99.42	31.08	8.59	34.24
AV	5.4092G	52.92	54.00	-1.08	5.73	3	Vertical	38	1.83	-	47.19	31.36	8.62	34.25
PK	5.15G	55.92	74.00	-18.08	5.99	3	Vertical	38	1.83	-	49.93	31.70	8.52	34.23
PK	5.309G	116.08	Inf	-Inf	5.43	3	Vertical	38	1.83	-	110.65	31.08	8.59	34.24
PK	5.4086G	63.54	74.00	-10.46	5.72	3	Vertical	38	1.83	-	57.82	31.35	8.62	34.25

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60108G	42.12	54.00	-11.88	17.61	3	Vertical	63	1.26	-	24.51	39.80	12.30	34.49
AV	15.91152G	45.68	54.00	-8.32	17.39	3	Vertical	202	1.50	-	28.29	37.41	14.70	34.72
PK	10.58992G	54.70	68.20	-13.50	17.59	3	Vertical	63	1.26	-	37.11	39.79	12.30	34.50
PK	15.89238G	58.75	74.00	-15.25	17.41	3	Vertical	202	1.50	-	41.34	37.42	14.69	34.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60444G	42.04	54.00	-11.96	17.62	3	Horizontal	357	1.49	-	24.42	39.80	12.31	34.49
AV	15.9138G	46.16	54.00	-7.84	17.39	3	Horizontal	326	2.25	-	28.77	37.41	14.70	34.72
PK	10.60702G	55.08	74.00	-18.92	17.63	3	Horizontal	357	1.49	-	37.45	39.81	12.31	34.49
PK	15.8976G	58.73	74.00	-15.27	17.38	3	Horizontal	326	2.25	-	41.35	37.40	14.69	34.71

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3116G	106.41	Inf	-Inf	5.43	3	Vertical	0	1.99	-	100.98	31.08	8.59	34.24
AV	5.4118G	52.95	54.00	-1.05	5.75	3	Vertical	0	1.99	-	47.20	31.37	8.63	34.25
PK	5.311G	117.14	Inf	-Inf	5.43	3	Vertical	0	1.99	-	111.71	31.08	8.59	34.24
PK	5.35G	64.95	74.00	-9.05	5.35	3	Vertical	0	1.99	-	59.60	31.00	8.60	34.25

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65368G	42.38	54.00	-11.62	17.73	3	Vertical	357	2.10	-	24.65	39.85	12.33	34.45
AV	15.966G	46.21	54.00	-7.79	17.41	3	Vertical	1	1.49	-	28.80	37.47	14.71	34.77
PK	10.63418G	55.69	74.00	-18.31	17.68	3	Vertical	357	2.10	-	38.01	39.83	12.32	34.47
PK	15.97368G	59.04	74.00	-14.96	17.40	3	Vertical	1	1.49	-	41.64	37.47	14.71	34.78

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65098G	42.50	54.00	-11.50	17.72	3	Horizontal	360	1.59	-	24.78	39.85	12.33	34.46
AV	15.97356G	46.15	54.00	-7.85	17.40	3	Horizontal	359	1.75	-	28.75	37.47	14.71	34.78
PK	10.63364G	55.48	74.00	-18.52	17.68	3	Horizontal	360	1.59	-	37.80	39.83	12.32	34.47
PK	15.96798G	58.96	74.00	-15.04	17.41	3	Horizontal	359	1.75	-	41.55	37.47	14.71	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3908G	48.85	54.00	-5.15	5.60	3	Vertical	193	2.03	-	43.25	31.24	8.61	34.25
AV	5.491G	107.07	Inf	-Inf	6.16	3	Vertical	193	2.03	-	100.91	31.68	8.74	34.26
PK	5.464G	66.87	68.20	-1.33	6.07	3	Vertical	193	2.03	-	60.80	31.63	8.70	34.26
PK	5.4928G	116.95	Inf	-Inf	6.17	3	Vertical	193	2.03	-	110.78	31.69	8.74	34.26

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00528G	43.14	54.00	-10.86	18.50	3	Vertical	194	1.49	-	24.64	40.18	12.51	34.19
PK	11.01314G	55.64	74.00	-18.36	18.48	3	Vertical	194	1.49	-	37.16	40.16	12.51	34.19
PK	16.48968G	61.44	68.20	-6.76	19.32	3	Vertical	210	1.48	-	42.12	38.76	14.84	34.28

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00798G	43.13	54.00	-10.87	18.50	3	Horizontal	295	1.49	-	24.63	40.18	12.51	34.19
PK	11.00354G	55.98	74.00	-18.02	18.51	3	Horizontal	295	1.49	-	37.47	40.19	12.51	34.19
PK	16.48944G	62.38	68.20	-5.82	19.32	3	Horizontal	319	2.93	-	43.06	38.76	14.84	34.28

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	48.53	54.00	-5.47	6.06	3	Vertical	189	1.87	-	42.47	31.62	8.70	34.26
AV	5.5866G	112.85	Inf	-Inf	6.21	3	Vertical	189	1.87	-	106.64	31.60	8.88	34.27
PK	5.4654G	60.86	68.20	-7.34	6.07	3	Vertical	189	1.87	-	54.79	31.63	8.70	34.26
PK	5.5836G	124.16	Inf	-Inf	6.21	3	Vertical	189	1.87	-	117.95	31.60	8.88	34.27
PK	5.7288G	61.80	68.20	-6.40	6.66	3	Vertical	189	1.87	-	55.14	31.92	9.02	34.28

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16468G	43.52	54.00	-10.48	18.18	3	Vertical	329	2.76	-	25.34	39.77	12.59	34.18
PK	11.16192G	55.81	74.00	-18.19	18.19	3	Vertical	329	2.76	-	37.62	39.78	12.59	34.18
PK	16.74228G	64.20	68.20	-4.00	20.61	3	Vertical	73	1.62	-	43.59	39.53	14.91	33.83

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1621G	43.36	54.00	-10.64	18.19	3	Horizontal	0	1.42	-	25.17	39.78	12.59	34.18
PK	11.16372G	56.29	74.00	-17.71	18.18	3	Horizontal	0	1.42	-	38.11	39.77	12.59	34.18
PK	16.74636G	64.02	68.20	-4.18	20.63	3	Horizontal	71	1.37	-	43.39	39.54	14.91	33.82

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6916G	104.68	Inf	-Inf	6.48	3	Vertical	166	1.83	-	98.20	31.78	8.98	34.28
PK	5.6922G	116.14	Inf	-Inf	6.48	3	Vertical	166	1.83	-	109.66	31.78	8.98	34.28
PK	5.7252G	65.42	68.20	-2.78	6.63	3	Vertical	166	1.83	-	58.79	31.90	9.01	34.28

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40066G	43.18	54.00	-10.82	18.34	3	Vertical	345	2.68	-	24.84	39.80	12.71	34.17
PK	11.40534G	55.88	74.00	-18.12	18.35	3	Vertical	345	2.68	-	37.53	39.81	12.71	34.17
PK	17.11134G	62.43	68.20	-5.77	21.27	3	Vertical	360	1.93	-	41.16	39.59	15.00	33.32

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39712G	43.67	54.00	-10.33	18.34	3	Horizontal	327	1.55	-	25.33	39.80	12.71	34.17
PK	11.40978G	56.83	74.00	-17.17	18.36	3	Horizontal	327	1.55	-	38.47	39.82	12.71	34.17
PK	17.08758G	63.31	68.20	-4.89	21.29	3	Horizontal	344	1.49	-	42.02	39.62	15.00	33.33

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	47.04	54.00	-6.96	6.02	3	Vertical	224	1.81	-	41.02	31.60	8.68	34.26
AV	5.7164G	111.01	Inf	-Inf	6.59	3	Vertical	224	1.81	-	104.42	31.87	9.00	34.28
PK	5.4656G	58.12	68.20	-10.08	6.08	3	Vertical	224	1.81	-	52.04	31.63	8.71	34.26
PK	5.7176G	121.58	Inf	-Inf	6.60	3	Vertical	224	1.81	-	114.98	31.87	9.01	34.28
PK	5.8736G	60.52	68.20	-7.68	7.06	3	Vertical	224	1.81	-	53.46	32.25	9.11	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43964G	49.68	54.00	-4.32	18.45	3	Vertical	345	2.94	-	31.23	39.88	12.73	34.16
PK	11.44048G	61.93	74.00	-12.07	18.45	3	Vertical	345	2.94	-	43.48	39.88	12.73	34.16
PK	17.15436G	63.68	68.20	-4.52	21.25	3	Vertical	0	2.46	-	42.43	39.55	15.01	33.31

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44528G	49.58	54.00	-4.42	18.46	3	Horizontal	317	1.71	-	31.12	39.89	12.73	34.16
PK	11.44978G	62.12	74.00	-11.88	18.47	3	Horizontal	317	1.71	-	43.65	39.90	12.73	34.16
PK	17.1483G	63.43	68.20	-4.77	21.25	3	Horizontal	339	1.47	-	42.18	39.55	15.01	33.31

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.73	54.00	-5.27	5.99	3	Vertical	196	1.33	-	42.74	31.70	8.52	34.23
AV	5.2796G	105.47	Inf	-Inf	5.49	3	Vertical	196	1.33	-	99.98	31.14	8.59	34.24
AV	5.3516G	52.84	54.00	-1.16	5.36	3	Vertical	196	1.33	-	47.48	31.01	8.60	34.25
PK	5.1494G	60.36	74.00	-13.64	5.99	3	Vertical	196	1.33	-	54.37	31.70	8.52	34.23
PK	5.2772G	117.34	Inf	-Inf	5.50	3	Vertical	196	1.33	-	111.84	31.15	8.59	34.24
PK	5.3504G	67.92	74.00	-6.08	5.35	3	Vertical	196	1.33	-	62.57	31.00	8.60	34.25

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80562G	44.50	54.00	-9.50	17.64	3	Vertical	132	2.39	-	26.86	37.59	14.67	34.62
PK	10.54984G	54.26	68.20	-13.94	17.50	3	Vertical	114	2.32	-	36.76	39.75	12.28	34.53
PK	15.81516G	58.25	74.00	-15.75	17.61	3	Vertical	132	2.39	-	40.64	37.57	14.67	34.63

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.82464G	45.04	54.00	-8.96	17.59	3	Horizontal	116	1.23	-	27.45	37.55	14.68	34.64
PK	10.52788G	54.50	68.20	-13.70	17.45	3	Horizontal	21	2.01	-	37.05	39.73	12.27	34.55
PK	15.81G	58.73	74.00	-15.27	17.62	3	Horizontal	116	1.23	-	41.11	37.58	14.67	34.63

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3166G	101.35	Inf	-Inf	5.41	3	Vertical	333	1.89	-	95.94	31.07	8.59	34.25
AV	5.35G	52.88	54.00	-1.12	5.35	3	Vertical	333	1.89	-	47.53	31.00	8.60	34.25
PK	5.322G	114.46	Inf	-Inf	5.40	3	Vertical	333	1.89	-	109.06	31.06	8.59	34.25
PK	5.352G	68.73	74.00	-5.27	5.36	3	Vertical	333	1.89	-	63.37	31.01	8.60	34.25

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6341G	41.63	54.00	-12.37	17.68	3	Vertical	325	2.99	-	23.95	39.83	12.32	34.47
AV	15.93414G	45.28	54.00	-8.72	17.39	3	Vertical	1	1.49	-	27.89	37.43	14.70	34.74
PK	10.60938G	54.95	74.00	-19.05	17.63	3	Vertical	325	2.99	-	37.32	39.81	12.31	34.49
PK	15.9441G	58.18	74.00	-15.82	17.40	3	Vertical	1	1.49	-	40.78	37.44	14.71	34.75

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6266G	41.55	54.00	-12.45	17.68	3	Horizontal	204	1.49	-	23.87	39.83	12.32	34.47
AV	15.93186G	45.21	54.00	-8.79	17.39	3	Horizontal	247	1.70	-	27.82	37.43	14.70	34.74
PK	10.6194G	55.25	74.00	-18.75	17.65	3	Horizontal	204	1.49	-	37.60	39.82	12.31	34.48
PK	15.94266G	59.08	74.00	-14.92	17.40	3	Horizontal	247	1.70	-	41.68	37.44	14.71	34.75

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.09	54.00	-5.91	6.06	3	Vertical	221	1.88	-	42.03	31.62	8.70	34.26
AV	5.5076G	101.24	Inf	-Inf	6.19	3	Vertical	221	1.88	-	95.05	31.68	8.77	34.26
PK	5.468G	66.88	68.20	-1.32	6.09	3	Vertical	221	1.88	-	60.79	31.64	8.71	34.26
PK	5.5058G	113.58	Inf	-Inf	6.19	3	Vertical	221	1.88	-	107.39	31.69	8.76	34.26

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00518G	41.69	54.00	-12.31	18.50	3	Vertical	120	1.59	-	23.19	40.18	12.51	34.19
PK	11.01262G	54.69	74.00	-19.31	18.48	3	Vertical	120	1.59	-	36.21	40.16	12.51	34.19
PK	16.51758G	61.08	68.20	-7.12	19.36	3	Vertical	16	1.87	-	41.72	38.75	14.85	34.24

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02126G	42.03	54.00	-11.97	18.47	3	Horizontal	300	1.88	-	23.56	40.14	12.52	34.19
PK	11.01448G	55.05	74.00	-18.95	18.48	3	Horizontal	300	1.88	-	36.57	40.16	12.51	34.19
PK	16.5441G	60.64	68.20	-7.56	19.34	3	Horizontal	149	1.03	-	41.30	38.67	14.86	34.19

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4558G	52.45	54.00	-1.55	6.04	3	Vertical	173	1.63	-	46.41	31.61	8.69	34.26
AV	5.5566G	109.98	Inf	-Inf	6.17	3	Vertical	173	1.63	-	103.81	31.60	8.84	34.27
PK	5.4678G	66.64	68.20	-1.56	6.09	3	Vertical	173	1.63	-	60.55	31.64	8.71	34.26
PK	5.5584G	121.44	Inf	-Inf	6.17	3	Vertical	173	1.63	-	115.27	31.60	8.84	34.27

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09232G	41.62	54.00	-12.38	18.29	3	Vertical	200	1.72	-	23.33	39.92	12.55	34.18
PK	11.10366G	54.73	74.00	-19.27	18.27	3	Vertical	200	1.72	-	36.46	39.89	12.56	34.18
PK	16.65324G	60.45	68.20	-7.75	19.88	3	Vertical	89	2.44	-	40.57	38.98	14.89	33.99

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09208G	41.60	54.00	-12.40	18.29	3	Horizontal	46	1.82	-	23.31	39.92	12.55	34.18
PK	11.10126G	54.86	74.00	-19.14	18.28	3	Horizontal	46	1.82	-	36.58	39.90	12.56	34.18
PK	16.66428G	60.71	68.20	-7.49	20.00	3	Horizontal	94	1.17	-	40.71	39.08	14.89	33.97

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.673G	103.06	Inf	-Inf	6.44	3	Vertical	181	1.77	-	96.62	31.75	8.97	34.28
PK	5.6682G	114.76	Inf	-Inf	6.42	3	Vertical	181	1.77	-	108.34	31.74	8.96	34.28
PK	5.73G	66.59	68.20	-1.61	6.66	3	Vertical	181	1.77	-	59.93	31.92	9.02	34.28

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34168G	42.04	54.00	-11.96	18.25	3	Vertical	168	1.29	-	23.79	39.74	12.68	34.17
PK	11.34936G	55.06	74.00	-18.94	18.26	3	Vertical	168	1.29	-	36.80	39.75	12.68	34.17
PK	17.00028G	62.82	68.20	-5.38	21.42	3	Vertical	105	1.69	-	41.40	39.80	14.98	33.36

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.32536G	41.53	54.00	-12.47	18.23	3	Horizontal	348	2.04	-	23.30	39.73	12.67	34.17
PK	11.34966G	54.36	74.00	-19.64	18.26	3	Horizontal	348	2.04	-	36.10	39.75	12.68	34.17
PK	17.01522G	62.82	68.20	-5.38	21.40	3	Horizontal	322	1.18	-	41.42	39.77	14.98	33.35

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4508G	47.40	54.00	-6.60	6.02	3	Vertical	178	1.47	-	41.38	31.60	8.68	34.26
AV	5.7016G	108.27	Inf	-Inf	6.52	3	Vertical	178	1.47	-	101.75	31.81	8.99	34.28
PK	5.4664G	57.95	68.20	-10.25	6.08	3	Vertical	178	1.47	-	51.87	31.63	8.71	34.26
PK	5.6956G	119.47	Inf	-Inf	6.50	3	Vertical	178	1.47	-	112.97	31.79	8.99	34.28
PK	5.854G	64.81	68.20	-3.39	7.01	3	Vertical	178	1.47	-	57.80	32.21	9.10	34.30

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41052G	44.22	54.00	-9.78	18.36	3	Vertical	319	2.70	-	25.86	39.82	12.71	34.17
PK	11.42012G	62.29	74.00	-11.71	18.40	3	Vertical	319	2.70	-	43.89	39.84	12.72	34.16
PK	17.12748G	64.02	68.20	-4.18	21.26	3	Vertical	27	1.91	-	42.76	39.57	15.01	33.32

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41784G	46.65	54.00	-7.35	18.40	3	Horizontal	316	1.84	-	28.25	39.84	12.72	34.16
PK	11.42G	63.88	74.00	-10.12	18.40	3	Horizontal	316	1.84	-	45.48	39.84	12.72	34.16
PK	17.13216G	63.43	68.20	-4.77	21.26	3	Horizontal	333	1.49	-	42.17	39.57	15.01	33.32

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.88	54.00	-7.12	5.99	3	Vertical	182	1.47	-	40.89	31.70	8.52	34.23
AV	5.3G	97.23	Inf	-Inf	5.45	3	Vertical	182	1.47	-	91.78	31.10	8.59	34.24
AV	5.353G	52.86	54.00	-1.14	5.37	3	Vertical	182	1.47	-	47.49	31.02	8.60	34.25
PK	5.126G	58.55	74.00	-15.45	5.97	3	Vertical	182	1.47	-	52.58	31.70	8.50	34.23
PK	5.3G	108.63	Inf	-Inf	5.45	3	Vertical	182	1.47	-	103.18	31.10	8.59	34.24
PK	5.368G	65.31	74.00	-8.69	5.46	3	Vertical	182	1.47	-	59.85	31.11	8.60	34.25

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.88374G	45.02	54.00	-8.98	17.43	3	Vertical	261	2.49	-	27.59	37.43	14.69	34.69
PK	10.57634G	54.42	68.20	-13.78	17.56	3	Vertical	236	2.27	-	36.86	39.78	12.29	34.51
PK	15.86346G	58.84	74.00	-15.16	17.49	3	Vertical	261	2.49	-	41.35	37.47	14.69	34.67

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.88476G	45.03	54.00	-8.97	17.43	3	Horizontal	214	1.40	-	27.60	37.43	14.69	34.69
PK	10.58366G	55.43	68.20	-12.77	17.56	3	Horizontal	266	1.33	-	37.87	39.78	12.29	34.51
PK	15.8757G	58.08	74.00	-15.92	17.45	3	Horizontal	214	1.40	-	40.63	37.45	14.69	34.69

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.82	54.00	-5.18	6.06	3	Vertical	191	1.50	-	42.76	31.62	8.70	34.26
AV	5.521G	99.20	Inf	-Inf	6.19	3	Vertical	191	1.50	-	93.01	31.66	8.79	34.26
PK	5.461G	67.01	68.20	-1.19	6.06	3	Vertical	191	1.50	-	60.95	31.62	8.70	34.26
PK	5.521G	110.34	Inf	-Inf	6.19	3	Vertical	191	1.50	-	104.15	31.66	8.79	34.26
PK	5.726G	59.03	68.20	-9.17	6.63	3	Vertical	191	1.50	-	52.40	31.90	9.01	34.28

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05382G	41.99	54.00	-12.01	18.38	3	Vertical	62	1.72	-	23.61	40.04	12.53	34.19
PK	11.0582G	55.34	74.00	-18.66	18.37	3	Vertical	62	1.72	-	36.97	40.03	12.53	34.19
PK	16.59324G	60.16	68.20	-8.04	19.29	3	Vertical	200	1.44	-	40.87	38.52	14.87	34.10

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05496G	42.00	54.00	-12.00	18.38	3	Horizontal	261	1.96	-	23.62	40.04	12.53	34.19
PK	11.05694G	54.99	74.00	-19.01	18.37	3	Horizontal	261	1.96	-	36.62	40.03	12.53	34.19
PK	16.5987G	60.47	68.20	-7.73	19.28	3	Horizontal	236	2.33	-	41.19	38.50	14.87	34.09

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	49.07	54.00	-4.93	6.06	3	Vertical	192	1.50	-	43.01	31.62	8.70	34.26
AV	5.619G	100.37	Inf	-Inf	6.29	3	Vertical	192	1.50	-	94.08	31.64	8.92	34.27
PK	5.47G	62.87	68.20	-5.33	6.09	3	Vertical	192	1.50	-	56.78	31.64	8.71	34.26
PK	5.619G	113.17	Inf	-Inf	6.29	3	Vertical	192	1.50	-	106.88	31.64	8.92	34.27
PK	5.73G	66.57	68.20	-1.63	6.66	3	Vertical	192	1.50	-	59.91	31.92	9.02	34.28

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.23374G	42.11	54.00	-11.89	18.14	3	Vertical	88	1.61	-	23.97	39.70	12.62	34.18
PK	11.22516G	55.64	74.00	-18.36	18.14	3	Vertical	88	1.61	-	37.50	39.70	12.62	34.18
PK	16.818G	61.45	68.20	-6.75	20.90	3	Vertical	16	2.38	-	40.55	39.66	14.93	33.69

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20806G	41.86	54.00	-12.14	18.13	3	Horizontal	193	2.19	-	23.73	39.70	12.61	34.18
PK	11.21646G	54.79	74.00	-19.21	18.13	3	Horizontal	193	2.19	-	36.66	39.70	12.61	34.18
PK	16.83606G	61.57	68.20	-6.63	20.90	3	Horizontal	178	2.12	-	40.67	39.63	14.93	33.66

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.67	54.00	-7.33	6.06	3	Vertical	212	1.48	-	40.61	31.62	8.70	34.26
AV	5.678G	102.71	Inf	-Inf	6.45	3	Vertical	212	1.48	-	96.26	31.76	8.97	34.28
PK	5.4668G	59.41	68.20	-8.79	6.08	3	Vertical	212	1.48	-	53.33	31.63	8.71	34.26
PK	5.6924G	114.85	Inf	-Inf	6.48	3	Vertical	212	1.48	-	108.37	31.78	8.98	34.28
PK	5.8532G	66.75	68.20	-1.45	7.01	3	Vertical	212	1.48	-	59.74	32.21	9.10	34.30

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.36608G	42.08	54.00	-11.92	18.29	3	Vertical	113	2.40	-	23.79	39.77	12.69	34.17
PK	11.39158G	55.21	74.00	-18.79	18.32	3	Vertical	113	2.40	-	36.89	39.79	12.70	34.17
PK	17.0655G	62.74	68.20	-5.46	21.32	3	Vertical	323	1.43	-	41.42	39.67	14.99	33.34

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.36956G	42.05	54.00	-11.95	18.29	3	Horizontal	313	1.18	-	23.76	39.77	12.69	34.17
PK	11.3941G	55.88	74.00	-18.12	18.32	3	Horizontal	313	1.18	-	37.56	39.79	12.70	34.17
PK	17.06346G	63.00	68.20	-5.20	21.32	3	Horizontal	90	1.85	-	41.68	39.67	14.99	33.34