




802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	111.31	Inf	-Inf	6.14	3	Vertical	169	1.84	-	105.17	33.72	6.91	34.49
PK	5.6502G	65.70	68.35	-2.65	5.70	3	Vertical	169	1.84	-	60.00	33.30	6.88	34.48
PK	5.7426G	121.96	Inf	-Inf	6.16	3	Vertical	169	1.84	-	115.80	33.74	6.91	34.49
PK	6.009G	62.10	68.20	-6.10	6.83	3	Vertical	169	1.84	-	55.27	34.24	7.11	34.52

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	110.90	Inf	-Inf	6.19	3	Horizontal	183	1.79	-	104.71	33.77	6.91	34.49
PK	5.6478G	66.95	68.20	-1.25	5.70	3	Horizontal	183	1.79	-	61.25	33.30	6.88	34.48
PK	5.7366G	121.92	Inf	-Inf	6.11	3	Horizontal	183	1.79	-	115.81	33.69	6.91	34.49
PK	5.985G	61.47	68.20	-6.73	6.84	3	Horizontal	183	1.79	-	54.63	34.26	7.10	34.52




**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.491G	44.91	54.00	-9.09	14.95	3	Vertical	122	1.88	-	29.96	39.00	9.91	33.96
PK	11.4951G	55.74	74.00	-18.26	14.96	3	Vertical	122	1.88	-	40.78	39.00	9.91	33.95
PK	17.2327G	57.45	68.20	-10.75	16.72	3	Vertical	147	1.53	-	40.73	38.43	12.33	34.04

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5745MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4893G	49.07	54.00	-4.93	14.95	3	Horizontal	130	2.08	-	34.12	39.00	9.91	33.96
PK	11.4898G	60.48	74.00	-13.52	14.95	3	Horizontal	130	2.08	-	45.53	39.00	9.91	33.96
PK	17.2209G	59.26	68.20	-8.94	16.71	3	Horizontal	127	1.00	-	42.55	38.42	12.32	34.03



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	111.64	Inf	-Inf	6.30	3	Vertical	177	1.93	-	105.34	33.87	6.92	34.49
PK	5.5942G	62.87	68.20	-5.33	5.57	3	Vertical	177	1.93	-	57.30	33.18	6.86	34.47
PK	5.7886G	122.60	Inf	-Inf	6.32	3	Vertical	177	1.93	-	116.28	33.88	6.93	34.49
PK	5.9314G	62.64	68.20	-5.56	6.83	3	Vertical	177	1.93	-	55.81	34.29	7.05	34.51

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	113.75	Inf	-Inf	6.29	3	Horizontal	186	2.10	-	107.46	33.86	6.92	34.49
PK	5.5918G	64.59	68.20	-3.61	5.56	3	Horizontal	186	2.10	-	59.03	33.17	6.86	34.47
PK	5.779G	123.73	Inf	-Inf	6.29	3	Horizontal	186	2.10	-	117.44	33.86	6.92	34.49
PK	5.9278G	62.98	68.20	-5.22	6.81	3	Horizontal	186	2.10	-	56.17	34.27	7.05	34.51




**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5678G	43.98	54.00	-10.02	14.88	3	Vertical	91	1.59	-	29.10	38.93	9.94	33.99
PK	11.5667G	55.66	74.00	-18.34	14.88	3	Vertical	91	1.59	-	40.78	38.93	9.94	33.99
PK	17.3571G	59.01	68.20	-9.19	16.91	3	Vertical	219	1.58	-	42.10	38.67	12.38	34.14

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5785MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5721G	50.61	54.00	-3.39	14.88	3	Horizontal	118	1.79	-	35.73	38.93	9.94	33.99
PK	11.5761G	62.09	74.00	-11.91	14.86	3	Horizontal	118	1.79	-	47.23	38.92	9.94	34.00
PK	17.3591G	62.65	68.20	-5.55	16.92	3	Horizontal	124	1.00	-	45.73	38.68	12.38	34.14



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8298G	111.84	Inf	-Inf	6.54	3	Vertical	179	1.79	-	105.30	34.08	6.96	34.50
PK	5.5874G	61.71	68.20	-6.49	5.53	3	Vertical	179	1.79	-	56.18	33.15	6.85	34.47
PK	5.8226G	122.70	Inf	-Inf	6.49	3	Vertical	179	1.79	-	116.21	34.04	6.95	34.50
PK	5.9282G	64.48	68.20	-3.72	6.81	3	Vertical	179	1.79	-	57.67	34.27	7.05	34.51

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8166G	111.25	Inf	-Inf	6.44	3	Horizontal	191	1.50	-	104.81	34.00	6.94	34.50
PK	5.6474G	62.23	68.20	-5.97	5.69	3	Horizontal	191	1.50	-	56.54	33.29	6.88	34.48
PK	5.8166G	121.84	Inf	-Inf	6.44	3	Horizontal	191	1.50	-	115.40	34.00	6.94	34.50
PK	5.9246G	64.10	68.50	-4.40	6.78	3	Horizontal	191	1.50	-	57.32	34.25	7.04	34.51




**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6514G	49.06	54.00	-4.94	14.78	3	Vertical	138	2.65	-	34.28	38.85	9.97	34.04
PK	11.6463G	60.71	74.00	-13.29	14.77	3	Vertical	138	2.65	-	45.94	38.85	9.96	34.04
PK	17.4705G	57.71	68.20	-10.49	17.07	3	Vertical	138	2.65	-	40.64	38.87	12.43	34.23

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5825MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6552G	52.68	54.00	-1.32	14.76	3	Horizontal	134	1.92	-	37.92	38.84	9.97	34.05
PK	11.6465G	64.19	74.00	-9.81	14.77	3	Horizontal	134	1.92	-	49.42	38.85	9.96	34.04
PK	17.4733G	57.12	68.20	-11.08	17.07	3	Horizontal	197	1.48	-	40.05	38.87	12.43	34.23



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	51.98	54.00	-2.02	5.15	3	Vertical	176	2.04	-	46.83	33.10	6.49	34.44
AV	5.1822G	101.11	Inf	-Inf	5.12	3	Vertical	176	2.04	-	95.99	33.04	6.52	34.44
PK	5.1444G	68.42	74.00	-5.58	5.16	3	Vertical	176	2.04	-	63.26	33.11	6.49	34.44
PK	5.2038G	111.94	Inf	-Inf	5.08	3	Vertical	176	2.04	-	106.86	32.99	6.53	34.44

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	52.26	54.00	-1.74	5.15	3	Horizontal	184	1.66	-	47.11	33.10	6.49	34.44
AV	5.1852G	104.92	Inf	-Inf	5.11	3	Horizontal	184	1.66	-	99.81	33.03	6.52	34.44
PK	5.148G	68.08	74.00	-5.92	5.15	3	Horizontal	184	1.66	-	62.93	33.10	6.49	34.44
PK	5.1858G	115.46	Inf	-Inf	5.11	3	Horizontal	184	1.66	-	110.35	33.03	6.52	34.44




**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5190MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56376G	43.90	54.00	-10.10	15.82	3	Vertical	146	2.47	-	28.08	38.67	11.64	34.49
PK	10.38516G	53.31	68.20	-14.89	13.55	3	Vertical	207	2.04	-	39.76	38.69	9.52	34.66
PK	15.57148G	55.81	74.00	-18.19	15.81	3	Vertical	146	2.47	-	40.00	38.66	11.65	34.50

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5190MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56052G	43.92	54.00	-10.08	15.83	3	Horizontal	134	2.21	-	28.09	38.68	11.64	34.49
PK	10.38508G	53.26	68.20	-14.94	13.55	3	Horizontal	303	1.22	-	39.71	38.69	9.52	34.66
PK	15.5632G	56.14	74.00	-17.86	15.82	3	Horizontal	134	2.21	-	40.32	38.67	11.64	34.49





802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1442G	50.05	54.00	-3.95	5.16	3	Vertical	179	1.93	-	44.89	33.11	6.49	34.44
AV	5.2324G	104.50	Inf	-Inf	5.07	3	Vertical	179	1.93	-	99.43	32.94	6.57	34.44
AV	5.353G	49.81	54.00	-4.19	5.17	3	Vertical	179	1.93	-	44.64	32.91	6.71	34.45
PK	5.149G	65.06	74.00	-8.94	5.15	3	Vertical	179	1.93	-	59.91	33.10	6.49	34.44
PK	5.2372G	114.35	Inf	-Inf	5.06	3	Vertical	179	1.93	-	109.29	32.93	6.57	34.44
PK	5.3578G	62.33	74.00	-11.67	5.18	3	Vertical	179	1.93	-	57.15	32.92	6.71	34.45

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1418G	50.50	54.00	-3.50	5.17	3	Horizontal	186	1.74	-	45.33	33.12	6.49	34.44
AV	5.2408G	107.24	Inf	-Inf	5.06	3	Horizontal	186	1.74	-	102.18	32.92	6.58	34.44
AV	5.3794G	52.47	54.00	-1.53	5.25	3	Horizontal	186	1.74	-	47.22	32.96	6.74	34.45
PK	5.1484G	63.78	74.00	-10.22	5.15	3	Horizontal	186	1.74	-	58.63	33.10	6.49	34.44
PK	5.248G	117.11	Inf	-Inf	5.05	3	Horizontal	186	1.74	-	112.06	32.90	6.59	34.44
PK	5.3758G	64.48	74.00	-9.52	5.23	3	Horizontal	186	1.74	-	59.25	32.95	6.73	34.45




**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5230MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.689G	43.79	54.00	-10.21	15.55	3	Vertical	340	1.17	-	28.24	38.42	11.70	34.57
PK	10.46768G	52.95	68.20	-15.25	13.65	3	Vertical	58	2.08	-	39.30	38.63	9.55	34.53
PK	15.69176G	55.47	74.00	-18.53	15.55	3	Vertical	340	1.17	-	39.92	38.42	11.70	34.57


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5230MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68476G	43.68	54.00	-10.32	15.56	3	Horizontal	272	2.75	-	28.12	38.43	11.70	34.57
PK	10.46964G	52.77	68.20	-15.43	13.65	3	Horizontal	321	2.41	-	39.12	38.63	9.55	34.53
PK	15.69212G	55.68	74.00	-18.32	15.55	3	Horizontal	272	2.75	-	40.13	38.42	11.70	34.57

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	46.84	54.00	-7.16	5.15	3	Vertical	172	1.95	-	41.69	33.10	6.49	34.44
AV	5.2652G	99.85	Inf	-Inf	5.11	3	Vertical	172	1.95	-	94.74	32.96	6.60	34.45
AV	5.357G	49.46	54.00	-4.54	5.17	3	Vertical	172	1.95	-	44.29	32.91	6.71	34.45
PK	5.1338G	58.12	74.00	-15.88	5.17	3	Vertical	172	1.95	-	52.95	33.13	6.48	34.44
PK	5.267G	110.42	Inf	-Inf	5.13	3	Vertical	172	1.95	-	105.29	32.97	6.61	34.45
PK	5.3516G	59.95	74.00	-14.05	5.15	3	Vertical	172	1.95	-	54.80	32.90	6.70	34.45

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	46.51	54.00	-7.49	5.15	3	Horizontal	182	1.94	-	41.36	33.10	6.49	34.44
AV	5.288G	105.30	Inf	-Inf	5.23	3	Horizontal	182	1.94	-	100.07	33.05	6.63	34.45
AV	5.3876G	52.68	54.00	-1.32	5.28	3	Horizontal	182	1.94	-	47.40	32.98	6.75	34.45
PK	5.1326G	57.69	74.00	-16.31	5.17	3	Horizontal	182	1.94	-	52.52	33.13	6.48	34.44
PK	5.288G	115.41	Inf	-Inf	5.23	3	Horizontal	182	1.94	-	110.18	33.05	6.63	34.45
PK	5.3888G	63.60	74.00	-10.40	5.28	3	Horizontal	182	1.94	-	58.32	32.98	6.75	34.45




**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5270MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80184G	44.20	54.00	-9.80	15.61	3	Vertical	133	2.08	-	28.59	38.50	11.75	34.64
PK	10.53444G	52.58	68.20	-15.62	13.87	3	Vertical	120	2.01	-	38.71	38.77	9.57	34.47
PK	15.81356G	56.24	74.00	-17.76	15.59	3	Vertical	133	2.08	-	40.65	38.49	11.75	34.65

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5270MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81476G	44.19	54.00	-9.81	15.59	3	Horizontal	120	1.56	-	28.60	38.49	11.75	34.65
PK	10.53264G	52.80	68.20	-15.40	13.86	3	Horizontal	321	2.43	-	38.94	38.76	9.57	34.47
PK	15.80556G	56.51	74.00	-17.49	15.59	3	Horizontal	120	1.56	-	40.92	38.49	11.75	34.65



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.316G	103.05	Inf	-Inf	5.25	3	Vertical	172	1.92	-	97.80	33.04	6.66	34.45
AV	5.3532G	52.37	54.00	-1.63	5.17	3	Vertical	172	1.92	-	47.20	32.91	6.71	34.45
PK	5.3082G	113.40	Inf	-Inf	5.27	3	Vertical	172	1.92	-	108.13	33.07	6.65	34.45
PK	5.352G	66.38	74.00	-7.62	5.15	3	Vertical	172	1.92	-	61.23	32.90	6.70	34.45

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3064G	104.67	Inf	-Inf	5.27	3	Horizontal	182	2.08	-	99.40	33.07	6.65	34.45
AV	5.4066G	52.97	54.00	-1.03	5.32	3	Horizontal	182	2.08	-	47.65	33.01	6.76	34.45
PK	5.3052G	115.57	Inf	-Inf	5.28	3	Horizontal	182	2.08	-	110.29	33.08	6.65	34.45
PK	5.4066G	64.34	74.00	-9.66	5.32	3	Horizontal	182	2.08	-	59.02	33.01	6.76	34.45

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61408G	41.00	54.00	-13.00	14.25	3	Vertical	94	1.67	-	26.75	39.09	9.60	34.44
AV	15.93128G	44.35	54.00	-9.65	15.44	3	Vertical	103	1.62	-	28.91	38.37	11.80	34.73
PK	10.62164G	53.14	74.00	-20.86	14.24	3	Vertical	94	1.67	-	38.90	39.08	9.60	34.44
PK	15.92928G	57.17	74.00	-16.83	15.45	3	Vertical	103	1.62	-	41.72	38.37	11.80	34.72

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61096G	41.14	54.00	-12.86	14.25	3	Horizontal	114	1.62	-	26.89	39.09	9.60	34.44
AV	15.93192G	44.23	54.00	-9.77	15.44	3	Horizontal	121	1.50	-	28.79	38.37	11.80	34.73
PK	10.6232G	53.59	74.00	-20.41	14.24	3	Horizontal	114	1.62	-	39.35	39.08	9.60	34.44
PK	15.92112G	55.95	74.00	-18.05	15.46	3	Horizontal	121	1.50	-	40.49	38.38	11.80	34.72

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	48.18	54.00	-5.82	5.45	3	Vertical	188	2.03	-	42.73	33.12	6.79	34.46
AV	5.5154G	99.28	Inf	-Inf	5.50	3	Vertical	188	2.03	-	93.78	33.14	6.82	34.46
PK	5.4686G	59.33	68.20	-8.87	5.47	3	Vertical	188	2.03	-	53.86	33.14	6.79	34.46
PK	5.519G	110.42	Inf	-Inf	5.48	3	Vertical	188	2.03	-	104.94	33.12	6.82	34.46

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	50.65	54.00	-3.35	5.45	3	Horizontal	185	1.88	-	45.20	33.12	6.79	34.46
AV	5.4956G	104.22	Inf	-Inf	5.54	3	Horizontal	185	1.88	-	98.68	33.19	6.81	34.46
PK	5.462G	65.69	68.20	-2.51	5.45	3	Horizontal	185	1.88	-	60.24	33.12	6.79	34.46
PK	5.5094G	114.54	Inf	-Inf	5.51	3	Horizontal	185	1.88	-	109.03	33.16	6.81	34.46




**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5510MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02376G	41.58	54.00	-12.42	14.28	3	Vertical	261	1.17	-	27.30	38.82	9.74	34.28
PK	11.01696G	53.49	74.00	-20.51	14.27	3	Vertical	261	1.17	-	39.22	38.82	9.74	34.29
PK	16.5364G	56.73	68.20	-11.47	16.25	3	Vertical	334	2.89	-	40.48	38.83	12.05	34.63

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5510MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01388G	41.48	54.00	-12.52	14.26	3	Horizontal	317	1.28	-	27.22	38.81	9.74	34.29
PK	11.01496G	53.36	74.00	-20.64	14.26	3	Horizontal	317	1.28	-	39.10	38.81	9.74	34.29
PK	16.52784G	56.53	68.20	-11.67	16.24	3	Horizontal	205	2.02	-	40.29	38.84	12.04	34.64



**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**


**5550MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4432G	50.99	54.00	-3.01	5.41	3	Vertical	169	1.82	-	45.58	33.09	6.78	34.46
AV	5.5404G	106.82	Inf	-Inf	5.41	3	Vertical	169	1.82	-	101.41	33.04	6.83	34.46
PK	5.4672G	65.53	68.20	-2.67	5.46	3	Vertical	169	1.82	-	60.07	33.13	6.79	34.46
PK	5.553G	116.13	Inf	-Inf	5.38	3	Vertical	169	1.82	-	110.75	33.01	6.84	34.47

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**


**5550MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4444G	52.56	54.00	-1.44	5.41	3	Horizontal	184	1.94	-	47.15	33.09	6.78	34.46
AV	5.544G	109.37	Inf	-Inf	5.38	3	Horizontal	184	1.94	-	103.99	33.02	6.83	34.47
PK	5.4696G	65.27	68.20	-2.93	5.47	3	Horizontal	184	1.94	-	59.80	33.14	6.79	34.46
PK	5.544G	119.68	Inf	-Inf	5.38	3	Horizontal	184	1.94	-	114.30	33.02	6.83	34.47




**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5550MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1062G	41.56	54.00	-12.44	14.45	3	Vertical	357	2.44	-	27.11	38.91	9.77	34.23
PK	11.10364G	54.18	74.00	-19.82	14.45	3	Vertical	357	2.44	-	39.73	38.91	9.77	34.23
PK	16.658G	56.74	68.20	-11.46	16.43	3	Vertical	342	1.47	-	40.31	38.76	12.10	34.43


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5550MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10996G	41.52	54.00	-12.48	14.47	3	Horizontal	156	2.56	-	27.05	38.92	9.77	34.22
PK	11.10728G	53.27	74.00	-20.73	14.46	3	Horizontal	156	2.56	-	38.81	38.91	9.77	34.22
PK	16.65992G	56.13	68.20	-12.07	16.44	3	Horizontal	97	2.07	-	39.69	38.76	12.10	34.42




**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5670MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6622G	104.36	Inf	-Inf	5.72	3	Vertical	177	2.03	-	98.64	33.32	6.88	34.48
PK	5.6646G	112.55	Inf	-Inf	5.73	3	Vertical	177	2.03	-	106.82	33.33	6.88	34.48
PK	5.7282G	66.77	68.20	-1.43	6.04	3	Vertical	177	2.03	-	60.73	33.63	6.90	34.49


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5670MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.655G	103.78	Inf	-Inf	5.71	3	Horizontal	180	1.08	-	98.07	33.31	6.88	34.48
PK	5.6586G	114.89	Inf	-Inf	5.72	3	Horizontal	180	1.08	-	109.17	33.32	6.88	34.48
PK	5.7522G	60.45	68.20	-7.75	6.22	3	Horizontal	180	1.08	-	54.23	33.80	6.91	34.49




**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5670MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3304G	41.76	54.00	-12.24	14.92	3	Vertical	312	2.31	-	26.84	39.14	9.85	34.07
PK	11.34788G	53.88	74.00	-20.12	14.90	3	Vertical	312	2.31	-	38.98	39.10	9.86	34.06
PK	17.00884G	56.65	68.20	-11.55	16.77	3	Vertical	82	1.61	-	39.88	38.40	12.24	33.87

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5670MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34284G	41.82	54.00	-12.18	14.91	3	Horizontal	226	1.45	-	26.91	39.11	9.86	34.06
PK	11.33644G	54.30	74.00	-19.70	14.92	3	Horizontal	226	1.45	-	39.38	39.13	9.85	34.06
PK	17.0194G	56.31	68.20	-11.89	16.76	3	Horizontal	325	2.00	-	39.55	38.40	12.24	33.88



**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**


**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	48.76	54.00	-5.24	5.45	3	Vertical	163	1.69	-	43.31	33.12	6.79	34.46
AV	5.7232G	110.87	Inf	-Inf	6.00	3	Vertical	163	1.69	-	104.87	33.59	6.90	34.49
PK	5.4676G	59.28	68.20	-8.92	5.47	3	Vertical	163	1.69	-	53.81	33.14	6.79	34.46
PK	5.722G	118.66	Inf	-Inf	5.99	3	Vertical	163	1.69	-	112.67	33.58	6.90	34.49
PK	5.854G	64.62	68.20	-3.58	6.67	3	Vertical	163	1.69	-	57.95	34.19	6.98	34.50

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**


**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	49.80	54.00	-4.20	5.44	3	Horizontal	193	2.16	-	44.36	33.11	6.79	34.46
AV	5.6944G	110.38	Inf	-Inf	5.80	3	Horizontal	193	2.16	-	104.58	33.39	6.89	34.48
PK	5.4688G	60.09	68.20	-8.11	5.47	3	Horizontal	193	2.16	-	54.62	33.14	6.79	34.46
PK	5.6944G	120.13	Inf	-Inf	5.80	3	Horizontal	193	2.16	-	114.33	33.39	6.89	34.48
PK	5.8504G	65.13	68.20	-3.07	6.68	3	Horizontal	193	2.16	-	58.45	34.20	6.98	34.50




**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.424G	41.93	54.00	-12.07	14.89	3	Vertical	107	1.65	-	27.04	39.00	9.89	34.00
PK	11.3957G	53.81	74.00	-20.19	14.87	3	Vertical	107	1.65	-	38.94	39.01	9.88	34.02
PK	17.1324G	57.51	68.20	-10.69	16.73	3	Vertical	239	1.63	-	40.78	38.40	12.29	33.96

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4367G	47.06	54.00	-6.94	14.90	3	Horizontal	120	2.05	-	32.16	39.00	9.89	33.99
PK	11.4197G	61.44	74.00	-12.56	14.87	3	Horizontal	120	2.05	-	46.57	39.00	9.88	34.01
PK	17.1396G	56.84	68.20	-11.36	16.72	3	Horizontal	188	1.69	-	40.12	38.40	12.29	33.97



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7502G	107.69	Inf	-Inf	6.22	3	Vertical	164	1.67	-	101.47	33.80	6.91	34.49
PK	5.6554G	70.76	72.20	-1.44	5.71	3	Vertical	164	1.67	-	65.05	33.31	6.88	34.48
PK	5.7454G	118.62	Inf	-Inf	6.18	3	Vertical	164	1.67	-	112.44	33.76	6.91	34.49
PK	5.989G	61.26	68.20	-6.94	6.82	3	Vertical	164	1.67	-	54.44	34.24	7.10	34.52

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.773G	109.34	Inf	-Inf	6.28	3	Horizontal	174	1.99	-	103.06	33.85	6.92	34.49
PK	5.6518G	66.30	69.53	-3.23	5.70	3	Horizontal	174	1.99	-	60.60	33.30	6.88	34.48
PK	5.773G	118.23	Inf	-Inf	6.28	3	Horizontal	174	1.99	-	111.95	33.85	6.92	34.49
PK	6.0106G	60.75	68.20	-7.45	6.83	3	Horizontal	174	1.99	-	53.92	34.24	7.11	34.52




**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5755MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.491G	42.66	54.00	-11.34	14.95	3	Vertical	134	2.55	-	27.71	39.00	9.91	33.96
PK	11.5099G	55.98	74.00	-18.02	14.95	3	Vertical	134	2.55	-	41.03	38.99	9.92	33.96
PK	17.2823G	56.82	68.20	-11.38	16.75	3	Vertical	242	1.42	-	40.07	38.48	12.35	34.08

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5755MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4859G	46.36	54.00	-7.64	14.95	3	Horizontal	135	2.02	-	31.41	39.00	9.91	33.96
PK	11.51G	62.31	74.00	-11.69	14.95	3	Horizontal	135	2.02	-	47.36	38.99	9.92	33.96
PK	17.2603G	58.09	68.20	-10.11	16.74	3	Horizontal	112	1.01	-	41.35	38.46	12.34	34.06





802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	109.90	Inf	-Inf	6.32	3	Vertical	179	1.79	-	103.58	33.88	6.93	34.49
PK	5.6498G	65.06	68.20	-3.14	5.70	3	Vertical	179	1.79	-	59.36	33.30	6.88	34.48
PK	5.7878G	119.23	Inf	-Inf	6.32	3	Vertical	179	1.79	-	112.91	33.88	6.93	34.49
PK	5.927G	64.70	68.20	-3.50	6.79	3	Vertical	179	1.79	-	57.91	34.26	7.04	34.51


802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8106G	111.32	Inf	-Inf	6.40	3	Horizontal	187	2.21	-	104.92	33.96	6.94	34.50
PK	5.6102G	63.78	68.20	-4.42	5.61	3	Horizontal	187	2.21	-	58.17	33.22	6.86	34.47
PK	5.8106G	119.66	Inf	-Inf	6.40	3	Horizontal	187	2.21	-	113.26	33.96	6.94	34.50
PK	5.9258G	65.88	68.20	-2.32	6.78	3	Horizontal	187	2.21	-	59.10	34.25	7.04	34.51

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5795MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6036G	44.95	54.00	-9.05	14.84	3	Vertical	138	2.71	-	30.11	38.90	9.95	34.01
PK	11.5898G	60.21	74.00	-13.79	14.84	3	Vertical	138	2.71	-	45.37	38.91	9.94	34.01
PK	17.3608G	56.94	68.20	-11.26	16.92	3	Vertical	178	1.60	-	40.02	38.68	12.38	34.14


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5795MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.613G	50.49	54.00	-3.51	14.82	3	Horizontal	116	1.80	-	35.67	38.89	9.95	34.02
PK	11.6132G	62.91	74.00	-11.09	14.82	3	Horizontal	116	1.80	-	48.09	38.89	9.95	34.02
PK	17.3993G	61.12	68.20	-7.08	17.03	3	Horizontal	104	2.56	-	44.09	38.80	12.40	34.17




**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX  
5210MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	52.05	54.00	-1.95	5.16	3	Vertical	171	1.94	-	46.89	33.11	6.49	34.44
AV	5.186G	99.17	Inf	-Inf	5.11	3	Vertical	171	1.94	-	94.06	33.03	6.52	34.44
AV	5.35G	50.36	54.00	-3.64	5.15	3	Vertical	171	1.94	-	45.21	32.90	6.70	34.45
PK	5.145G	65.16	74.00	-8.84	5.16	3	Vertical	171	1.94	-	60.00	33.11	6.49	34.44
PK	5.178G	110.07	Inf	-Inf	5.11	3	Vertical	171	1.94	-	104.96	33.04	6.51	34.44
PK	5.351G	61.30	74.00	-12.70	5.15	3	Vertical	171	1.94	-	56.15	32.90	6.70	34.45

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX  
5210MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.35	54.00	-1.65	5.15	3	Horizontal	193	1.50	-	47.20	33.10	6.49	34.44
AV	5.222G	99.62	Inf	-Inf	5.08	3	Horizontal	193	1.50	-	94.54	32.96	6.56	34.44
AV	5.363G	50.76	54.00	-3.24	5.20	3	Horizontal	193	1.50	-	45.56	32.93	6.72	34.45
PK	5.149G	67.99	74.00	-6.01	5.15	3	Horizontal	193	1.50	-	62.84	33.10	6.49	34.44
PK	5.224G	110.99	Inf	-Inf	5.07	3	Horizontal	193	1.50	-	105.92	32.95	6.56	34.44
PK	5.391G	61.71	74.00	-12.29	5.28	3	Horizontal	193	1.50	-	56.43	32.98	6.75	34.45

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX  
5210MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62952G	43.81	54.00	-10.19	15.68	3	Vertical	19	1.50	-	28.13	38.54	11.67	34.53
PK	10.39488G	53.93	68.20	-14.27	13.57	3	Vertical	142	2.96	-	40.36	38.69	9.52	34.64
PK	15.61432G	56.99	74.00	-17.01	15.72	3	Vertical	19	1.50	-	41.27	38.57	11.67	34.52

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX  
5210MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62008G	43.84	54.00	-10.16	15.70	3	Horizontal	34	1.50	-	28.14	38.56	11.67	34.53
PK	10.3952G	54.01	68.20	-14.19	13.58	3	Horizontal	101	2.24	-	40.43	38.70	9.52	34.64
PK	15.66824G	55.96	74.00	-18.04	15.59	3	Horizontal	34	1.50	-	40.37	38.46	11.69	34.56



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	47.96	54.00	-6.04	5.16	3	Vertical	170	2.12	-	42.80	33.11	6.49	34.44
AV	5.261G	98.95	Inf	-Inf	5.09	3	Vertical	170	2.12	-	93.86	32.94	6.60	34.45
AV	5.354G	51.34	54.00	-2.66	5.17	3	Vertical	170	2.12	-	46.17	32.91	6.71	34.45
PK	5.129G	58.90	74.00	-15.10	5.18	3	Vertical	170	2.12	-	53.72	33.14	6.48	34.44
PK	5.265G	109.30	Inf	-Inf	5.11	3	Vertical	170	2.12	-	104.19	32.96	6.60	34.45
PK	5.468G	59.28	68.20	-8.92	5.47	3	Vertical	170	2.12	-	53.81	33.14	6.79	34.46

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	47.34	54.00	-6.66	5.15	3	Horizontal	189	1.77	-	42.19	33.10	6.49	34.44
AV	5.295G	101.91	Inf	-Inf	5.27	3	Horizontal	189	1.77	-	96.64	33.08	6.64	34.45
AV	5.35G	52.95	54.00	-1.05	5.15	3	Horizontal	189	1.77	-	47.80	32.90	6.70	34.45
PK	5.134G	58.53	74.00	-15.47	5.17	3	Horizontal	189	1.77	-	53.36	33.13	6.48	34.44
PK	5.298G	112.25	Inf	-Inf	5.28	3	Horizontal	189	1.77	-	106.97	33.09	6.64	34.45
PK	5.492G	61.47	68.20	-6.73	5.53	3	Horizontal	189	1.77	-	55.94	33.18	6.81	34.46




**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5290MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8396G	44.39	54.00	-9.61	15.55	3	Vertical	177	1.46	-	28.84	38.46	11.76	34.67
PK	10.61488G	52.95	74.00	-21.05	14.25	3	Vertical	191	1.46	-	38.70	39.09	9.60	34.44
PK	15.83272G	55.89	74.00	-18.11	15.57	3	Vertical	177	1.46	-	40.32	38.47	11.76	34.66

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5290MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.88808G	44.25	54.00	-9.75	15.49	3	Horizontal	232	1.61	-	28.76	38.41	11.78	34.70
PK	10.58592G	53.55	68.20	-14.65	14.17	3	Horizontal	188	1.60	-	39.38	39.03	9.59	34.45
PK	15.87544G	56.81	74.00	-17.19	15.51	3	Horizontal	232	1.61	-	41.30	38.42	11.78	34.69



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.63	54.00	-5.37	5.45	3	Vertical	189	1.50	-	43.18	33.12	6.79	34.46
AV	5.507G	99.07	Inf	-Inf	5.52	3	Vertical	189	1.50	-	93.55	33.17	6.81	34.46
PK	5.463G	59.81	68.20	-8.39	5.46	3	Vertical	189	1.50	-	54.35	33.13	6.79	34.46
PK	5.532G	107.75	Inf	-Inf	5.44	3	Vertical	189	1.50	-	102.31	33.07	6.83	34.46
PK	5.728G	59.85	68.20	-8.35	6.03	3	Vertical	189	1.50	-	53.82	33.62	6.90	34.49


802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	52.75	54.00	-1.25	5.45	3	Horizontal	188	1.85	-	47.30	33.12	6.79	34.46
AV	5.512G	104.46	Inf	-Inf	5.51	3	Horizontal	188	1.85	-	98.95	33.15	6.82	34.46
PK	5.469G	65.54	68.20	-2.66	5.47	3	Horizontal	188	1.85	-	60.07	33.14	6.79	34.46
PK	5.512G	113.54	Inf	-Inf	5.51	3	Horizontal	188	1.85	-	108.03	33.15	6.82	34.46
PK	5.776G	58.87	68.20	-9.33	6.28	3	Horizontal	188	1.85	-	52.59	33.85	6.92	34.49

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5530MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03216G	41.66	54.00	-12.34	14.30	3	Vertical	236	1.50	-	27.36	38.83	9.75	34.28
PK	11.03376G	54.30	74.00	-19.70	14.30	3	Vertical	236	1.50	-	40.00	38.83	9.75	34.28
PK	16.55832G	57.59	68.20	-10.61	16.25	3	Vertical	70	1.50	-	41.34	38.78	12.06	34.59

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5530MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05504G	41.67	54.00	-12.33	14.35	3	Horizontal	201	1.44	-	27.32	38.86	9.75	34.26
PK	11.0504G	53.90	74.00	-20.10	14.34	3	Horizontal	201	1.44	-	39.56	38.85	9.75	34.26
PK	16.62568G	57.40	68.20	-10.80	16.33	3	Horizontal	31	1.50	-	41.07	38.73	12.08	34.48





802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	48.77	54.00	-5.23	5.45	3	Vertical	175	1.96	-	43.32	33.12	6.79	34.46
AV	5.634G	100.25	Inf	-Inf	5.66	3	Vertical	175	1.96	-	94.59	33.27	6.87	34.48
PK	5.465G	60.13	68.20	-8.07	5.46	3	Vertical	175	1.96	-	54.67	33.13	6.79	34.46
PK	5.641G	111.28	Inf	-Inf	5.67	3	Vertical	175	1.96	-	105.61	33.28	6.87	34.48
PK	5.727G	66.66	68.20	-1.54	6.03	3	Vertical	175	1.96	-	60.63	33.62	6.90	34.49

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.63	54.00	-5.37	5.45	3	Horizontal	188	1.78	-	43.18	33.12	6.79	34.46
AV	5.603G	106.44	Inf	-Inf	5.60	3	Horizontal	188	1.78	-	100.84	33.21	6.86	34.47
PK	5.45G	59.60	74.00	-14.40	5.43	3	Horizontal	188	1.78	-	54.17	33.10	6.79	34.46
PK	5.466G	60.29	68.20	-7.91	5.46	3	Horizontal	188	1.78	-	54.83	33.13	6.79	34.46
PK	5.604G	116.23	Inf	-Inf	5.60	3	Horizontal	188	1.78	-	110.63	33.21	6.86	34.47
PK	5.729G	59.63	68.20	-8.57	6.05	3	Horizontal	188	1.78	-	53.58	33.63	6.91	34.49




**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5610MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2344G	41.95	54.00	-12.05	14.81	3	Vertical	143	1.52	-	27.14	39.13	9.82	34.14
PK	11.24144G	54.01	74.00	-19.99	14.83	3	Vertical	143	1.52	-	39.18	39.14	9.82	34.13
PK	16.80312G	56.34	68.20	-11.86	16.57	3	Vertical	128	1.67	-	39.77	38.60	12.16	34.19

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5610MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.23184G	42.22	54.00	-11.78	14.81	3	Horizontal	142	1.50	-	27.41	39.13	9.82	34.14
PK	11.232G	54.76	74.00	-19.24	14.81	3	Horizontal	142	1.50	-	39.95	39.13	9.82	34.14
PK	16.842G	57.42	68.20	-10.78	16.61	3	Horizontal	348	1.50	-	40.81	38.56	12.17	34.12



**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**


**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	48.04	54.00	-5.96	5.45	3	Vertical	164	1.68	-	42.59	33.12	6.79	34.46
AV	5.725G	105.81	Inf	-Inf	6.01	3	Vertical	164	1.68	-	99.80	33.60	6.90	34.49
PK	5.462G	58.06	68.20	-10.14	5.45	3	Vertical	164	1.68	-	52.61	33.12	6.79	34.46
PK	5.719G	115.06	Inf	-Inf	5.96	3	Vertical	164	1.68	-	109.10	33.55	6.90	34.49
PK	5.85G	66.40	68.20	-1.80	6.67	3	Vertical	164	1.68	-	59.73	34.20	6.97	34.50


**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**

**5690MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.77	54.00	-3.23	5.45	3	Horizontal	184	1.93	-	45.32	33.12	6.79	34.46
AV	5.658G	105.45	Inf	-Inf	5.72	3	Horizontal	184	1.93	-	99.73	33.32	6.88	34.48
PK	5.47G	64.91	68.20	-3.29	5.47	3	Horizontal	184	1.93	-	59.44	33.14	6.79	34.46
PK	5.719G	115.58	Inf	-Inf	5.96	3	Horizontal	184	1.93	-	109.62	33.55	6.90	34.49
PK	5.851G	66.21	68.20	-1.99	6.68	3	Horizontal	184	1.93	-	59.53	34.20	6.98	34.50

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39696G	42.00	54.00	-12.00	14.87	3	Vertical	135	2.81	-	27.13	39.01	9.88	34.02
PK	11.38416G	54.15	74.00	-19.85	14.87	3	Vertical	135	2.81	-	39.28	39.03	9.87	34.03
PK	17.09448G	56.91	68.20	-11.29	16.74	3	Vertical	253	1.50	-	40.17	38.40	12.27	33.93

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39728G	43.65	54.00	-10.35	14.87	3	Horizontal	120	2.03	-	28.78	39.01	9.88	34.02
PK	11.38656G	56.14	74.00	-17.86	14.87	3	Horizontal	120	2.03	-	41.27	39.03	9.87	34.03
PK	17.04104G	57.28	68.20	-10.92	16.76	3	Horizontal	320	1.50	-	40.52	38.40	12.25	33.89



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7498G	102.75	Inf	-Inf	6.22	3	Vertical	179	2.19	-	96.53	33.80	6.91	34.49
PK	5.6478G	66.77	68.20	-1.43	5.70	3	Vertical	179	2.19	-	61.07	33.30	6.88	34.48
PK	5.7414G	115.15	Inf	-Inf	6.15	3	Vertical	179	2.19	-	109.00	33.73	6.91	34.49
PK	5.9262G	64.78	68.20	-3.42	6.79	3	Vertical	179	2.19	-	57.99	34.26	7.04	34.51


802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	102.67	Inf	-Inf	6.22	3	Horizontal	187	2.13	-	96.45	33.80	6.91	34.49
PK	5.6502G	66.51	68.35	-1.84	5.70	3	Horizontal	187	2.13	-	60.81	33.30	6.88	34.48
PK	5.7474G	113.54	Inf	-Inf	6.20	3	Horizontal	187	2.13	-	107.34	33.78	6.91	34.49
PK	5.9334G	65.25	68.20	-2.95	6.84	3	Horizontal	187	2.13	-	58.41	34.30	7.05	34.51

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5775MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58344G	41.50	54.00	-12.50	14.86	3	Vertical	159	1.50	-	26.64	38.92	9.94	34.00
PK	11.56728G	53.72	74.00	-20.28	14.88	3	Vertical	159	1.50	-	38.84	38.93	9.94	33.99
PK	17.36468G	56.92	68.20	-11.28	16.93	3	Vertical	149	1.45	-	39.99	38.69	12.38	34.14

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5775MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5868G	41.47	54.00	-12.53	14.85	3	Horizontal	222	1.41	-	26.62	38.91	9.94	34.00
PK	11.58024G	52.97	74.00	-21.03	14.86	3	Horizontal	222	1.41	-	38.11	38.92	9.94	34.00
PK	17.34564G	56.42	68.20	-11.78	16.88	3	Horizontal	207	1.43	-	39.54	38.64	12.37	34.13



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.82388G	49.65	54.00	-4.35	Vertical
Mode 2	Pass	AV	4.82398G	48.17	54.00	-5.83	Horizontal
Mode 3	Pass	AV	3.87011G	30.86	54.00	-23.14	Vertical
Mode 4	Pass	AV	7.38757G	50.98	54.00	-3.02	Vertical
Mode 5	Pass	AV	4.82406G	47.85	54.00	-6.15	Vertical
Mode 6	Pass	AV	4.82369G	46.36	54.00	-7.64	Horizontal
Mode 7	Pass	AV	4.00519G	30.56	54.00	-23.44	Horizontal
Mode 8	Pass	AV	7.38581G	50.77	54.00	-3.23	Horizontal



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.58437G	31.30	54.00	-22.70	3	Vertical	360	3.00	-
Mode 1	Pass	AV	4.82388G	49.65	54.00	-4.35	3	Vertical	1	1.84	-
Mode 1	Pass	PK	1.589G	49.15	74.00	-24.85	3	Vertical	360	3.00	-
Mode 1	Pass	PK	4.824G	50.16	74.00	-23.84	3	Vertical	1	1.84	-
Mode 1	Pass	AV	1.59999G	30.89	54.00	-23.11	3	Horizontal	1	1.50	-
Mode 1	Pass	AV	1.99145G	27.64	68.20	-40.56	3	Horizontal	312	1.70	-
Mode 1	Pass	PK	1.59999G	47.28	74.00	-26.72	3	Horizontal	1	1.50	-
Mode 1	Pass	PK	1.996G	46.67	68.20	-21.53	3	Horizontal	312	1.70	-
Mode 2	Pass	AV	1.58379G	30.50	54.00	-23.50	3	Vertical	227	1.81	-
Mode 2	Pass	AV	4.82394G	47.95	54.00	-6.05	3	Vertical	354	2.26	-
Mode 2	Pass	PK	1.597G	48.05	74.00	-25.95	3	Vertical	227	1.81	-
Mode 2	Pass	PK	4.824G	49.36	74.00	-24.64	3	Vertical	354	2.26	-
Mode 2	Pass	AV	1.597G	28.60	54.00	-25.40	3	Horizontal	221	2.16	-
Mode 2	Pass	AV	4.82398G	48.17	54.00	-5.83	3	Horizontal	11	1.74	-
Mode 2	Pass	PK	1.597G	47.25	74.00	-26.75	3	Horizontal	221	2.16	-
Mode 2	Pass	PK	4.824G	49.76	74.00	-24.24	3	Horizontal	11	1.74	-
Mode 3	Pass	AV	1.58422G	30.53	54.00	-23.47	3	Vertical	222	2.50	-
Mode 3	Pass	AV	3.87011G	30.86	54.00	-23.14	3	Vertical	169	1.49	-
Mode 3	Pass	PK	1.584G	47.55	74.00	-26.45	3	Vertical	222	2.50	-
Mode 3	Pass	PK	3.883G	44.56	74.00	-29.44	3	Vertical	169	1.49	-
Mode 3	Pass	AV	1.59999G	28.48	54.00	-25.52	3	Horizontal	183	2.32	-
Mode 3	Pass	AV	3.58656G	29.37	68.20	-38.83	3	Horizontal	128	1.79	-
Mode 3	Pass	PK	1.594G	47.18	74.00	-26.82	3	Horizontal	183	2.32	-
Mode 3	Pass	PK	3.584G	42.94	68.20	-25.26	3	Horizontal	128	1.79	-
Mode 4	Pass	AV	1.59646G	28.14	54.00	-25.86	3	Vertical	154	1.50	-
Mode 4	Pass	AV	7.38757G	50.98	54.00	-3.02	3	Vertical	285	1.50	-
Mode 4	Pass	PK	1.585G	47.91	74.00	-26.09	3	Vertical	154	1.50	-
Mode 4	Pass	PK	7.387G	53.50	74.00	-20.50	3	Vertical	285	1.50	-
Mode 4	Pass	AV	1.59999G	28.88	54.00	-25.12	3	Horizontal	321	2.06	-
Mode 4	Pass	AV	7.38738G	50.87	54.00	-3.13	3	Horizontal	86	2.08	-
Mode 4	Pass	PK	1.595G	47.17	74.00	-26.83	3	Horizontal	321	2.06	-
Mode 4	Pass	PK	7.387G	52.52	74.00	-21.48	3	Horizontal	86	2.08	-
Mode 5	Pass	AV	1.59568G	28.97	54.00	-25.03	3	Vertical	0	3.00	-
Mode 5	Pass	AV	4.82406G	47.85	54.00	-6.15	3	Vertical	354	1.48	-
Mode 5	Pass	PK	1.598G	48.80	74.00	-25.20	3	Vertical	0	3.00	-
Mode 5	Pass	PK	4.824G	51.07	74.00	-22.93	3	Vertical	354	1.48	-
Mode 5	Pass	AV	1.598G	29.16	54.00	-24.84	3	Horizontal	354	1.48	-
Mode 5	Pass	AV	4.82394G	47.81	54.00	-6.19	3	Horizontal	0	1.50	-
Mode 5	Pass	PK	1.598G	47.80	74.00	-26.20	3	Horizontal	354	1.48	-
Mode 5	Pass	PK	4.824G	48.30	74.00	-25.70	3	Horizontal	0	1.50	-
Mode 6	Pass	AV	1.58405G	30.48	54.00	-23.52	3	Vertical	95	1.76	-
Mode 6	Pass	AV	4.82418G	45.77	54.00	-8.23	3	Vertical	21	1.48	-
Mode 6	Pass	PK	1.598G	48.18	74.00	-25.82	3	Vertical	95	1.76	-
Mode 6	Pass	PK	4.824G	47.62	74.00	-26.38	3	Vertical	21	1.48	-
Mode 6	Pass	AV	1.598G	28.42	54.00	-25.58	3	Horizontal	359	1.87	-
Mode 6	Pass	AV	4.82369G	46.36	54.00	-7.64	3	Horizontal	13	1.79	-
Mode 6	Pass	PK	1.598G	47.50	74.00	-26.50	3	Horizontal	359	1.87	-
Mode 6	Pass	PK	4.824G	48.14	74.00	-25.86	3	Horizontal	13	1.79	-
Mode 7	Pass	AV	1.58445G	30.46	54.00	-23.54	3	Vertical	41	1.54	-
Mode 7	Pass	AV	3.18735G	30.19	68.20	-38.01	3	Vertical	73	1.58	-






Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 7	Pass	PK	1.584G	47.97	74.00	-26.03	3	Vertical	41	1.54	-
Mode 7	Pass	PK	3.2G	42.84	68.20	-25.36	3	Vertical	73	1.58	-
Mode 7	Pass	AV	1.60001G	28.21	54.00	-25.79	3	Horizontal	271	1.44	-
Mode 7	Pass	AV	4.00519G	30.56	54.00	-23.44	3	Horizontal	112	1.74	-
Mode 7	Pass	PK	1.594G	47.99	74.00	-26.01	3	Horizontal	271	1.44	-
Mode 7	Pass	PK	4.011G	43.68	74.00	-30.32	3	Horizontal	112	1.74	-
Mode 8	Pass	AV	1.59847G	39.15	54.00	-14.85	3	Vertical	98	2.48	-
Mode 8	Pass	AV	7.38684G	50.47	54.00	-3.53	3	Vertical	75	1.82	-
Mode 8	Pass	PK	1.585G	47.91	74.00	-26.09	3	Vertical	98	2.48	-
Mode 8	Pass	PK	7.387G	53.50	74.00	-20.50	3	Vertical	75	1.82	-
Mode 8	Pass	AV	1.60004G	29.02	54.00	-24.98	3	Horizontal	233	1.13	-
Mode 8	Pass	AV	7.38581G	50.77	54.00	-3.23	3	Horizontal	122	2.49	-
Mode 8	Pass	PK	1.596G	47.17	74.00	-26.83	3	Horizontal	233	1.13	-
Mode 8	Pass	PK	7.387G	52.52	74.00	-21.48	3	Horizontal	122	2.49	-

### Radiated Emissions above 1GHz\_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.58437G	31.30	54.00	-22.70	-4.67	3	Vertical	360	3.00	-	35.97	25.23	3.89	33.79
AV	4.82388G	49.65	54.00	-4.35	5.21	3	Vertical	1	1.84	-	44.44	32.60	6.90	34.29
PK	1.589G	49.15	74.00	-24.85	-4.67	3	Vertical	360	3.00	-	53.82	25.22	3.90	33.79
PK	4.824G	50.16	74.00	-23.84	5.21	3	Vertical	1	1.84	-	44.95	32.60	6.90	34.29

### Radiated Emissions above 1GHz\_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59999G	30.89	54.00	-23.11	-4.68	3	Horizontal	1	1.50	-	35.57	25.20	3.91	33.79
AV	1.99145G	27.64	68.20	-40.56	-3.07	3	Horizontal	312	1.70	-	30.71	26.37	4.37	33.81
PK	1.59999G	47.28	74.00	-26.72	-4.68	3	Horizontal	1	1.50	-	51.96	25.20	3.91	33.79
PK	1.996G	46.67	68.20	-21.53	-3.05	3	Horizontal	312	1.70	-	49.72	26.38	4.38	33.81

### Radiated Emissions above 1GHz\_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.58379G	30.50	54.00	-23.50	-4.67	3	Vertical	227	1.81	-	35.17	25.23	3.89	33.79
AV	4.82394G	47.95	54.00	-6.05	5.21	3	Vertical	354	2.26	-	42.74	32.60	6.90	34.29
PK	1.597G	48.05	74.00	-25.95	-4.67	3	Vertical	227	1.81	-	52.72	25.21	3.91	33.79
PK	4.824G	49.36	74.00	-24.64	5.21	3	Vertical	354	2.26	-	44.15	32.60	6.90	34.29

### Radiated Emissions above 1GHz\_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.597G	28.60	54.00	-25.40	-4.68	3	Horizontal	221	2.16	-	33.28	25.20	3.91	33.79
AV	4.82398G	48.17	54.00	-5.83	5.21	3	Horizontal	11	1.74	-	42.96	32.60	6.90	34.29
PK	1.597G	47.25	74.00	-26.75	-4.67	3	Horizontal	221	2.16	-	51.92	25.21	3.91	33.79
PK	4.824G	49.76	74.00	-24.24	5.21	3	Horizontal	11	1.74	-	44.55	32.60	6.90	34.29

### Radiated Emissions above 1GHz\_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.58422G	30.53	54.00	-23.47	-4.67	3	Vertical	222	2.50	-	35.20	25.23	3.89	33.79
AV	3.87011G	30.86	54.00	-23.14	2.71	3	Vertical	169	1.49	-	28.15	30.90	6.05	34.24
PK	1.584G	47.55	74.00	-26.45	-4.67	3	Vertical	222	2.50	-	52.22	25.23	3.89	33.79
PK	3.883G	44.56	74.00	-29.44	2.72	3	Vertical	169	1.49	-	41.84	30.90	6.07	34.25

### Radiated Emissions above 1GHz\_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59999G	28.48	54.00	-25.52	-4.68	3	Horizontal	183	2.32	-	33.16	25.20	3.91	33.79
AV	3.58656G	29.37	68.20	-38.83	1.09	3	Horizontal	128	1.79	-	28.28	29.37	5.95	34.23
PK	1.594G	47.18	74.00	-26.82	-4.68	3	Horizontal	183	2.32	-	51.86	25.21	3.90	33.79
PK	3.584G	42.94	68.20	-25.26	1.09	3	Horizontal	128	1.79	-	41.85	29.37	5.95	34.23

### Radiated Emissions above 1GHz\_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59646G	28.14	54.00	-25.86	-4.67	3	Vertical	154	1.50	-	32.81	25.21	3.91	33.79
AV	7.38757G	50.98	54.00	-3.02	10.48	3	Vertical	285	1.50	-	40.50	36.67	8.62	34.81
PK	1.585G	47.91	74.00	-26.09	-4.67	3	Vertical	154	1.50	-	52.58	25.23	3.89	33.79
PK	7.387G	53.50	74.00	-20.50	10.49	3	Vertical	285	1.50	-	43.01	36.68	8.62	34.81

### Radiated Emissions above 1GHz\_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59999G	28.88	54.00	-25.12	-4.68	3	Horizontal	321	2.06	-	33.56	25.20	3.91	33.79
AV	7.38738G	50.87	54.00	-3.13	10.49	3	Horizontal	86	2.08	-	40.38	36.68	8.62	34.81
PK	1.595G	47.17	74.00	-26.83	-4.68	3	Horizontal	321	2.06	-	51.85	25.21	3.90	33.79
PK	7.387G	52.52	74.00	-21.48	10.49	3	Horizontal	86	2.08	-	42.03	36.68	8.62	34.81

### Radiated Emissions above 1GHz\_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59568G	28.97	54.00	-25.03	-4.68	3	Vertical	0	3.00	-	33.65	25.21	3.90	33.79
AV	4.82406G	47.85	54.00	-6.15	5.21	3	Vertical	354	1.48	-	42.64	32.60	6.90	34.29
PK	1.598G	48.80	74.00	-25.20	-4.68	3	Vertical	0	3.00	-	53.48	25.20	3.91	33.79
PK	4.824G	51.07	74.00	-22.93	5.21	3	Vertical	354	1.48	-	45.86	32.60	6.90	34.29

### Radiated Emissions above 1GHz\_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.598G	29.16	54.00	-24.84	-4.68	3	Horizontal	354	1.48	-	33.84	25.20	3.91	33.79
AV	4.82394G	47.81	54.00	-6.19	5.21	3	Horizontal	0	1.50	-	42.60	32.60	6.90	34.29
PK	1.598G	47.80	74.00	-26.20	-4.68	3	Horizontal	354	1.48	-	52.48	25.20	3.91	33.79
PK	4.824G	48.30	74.00	-25.70	5.21	3	Horizontal	0	1.50	-	43.09	32.60	6.90	34.29

### Radiated Emissions above 1GHz\_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.58405G	30.48	54.00	-23.52	-4.67	3	Vertical	95	1.76	-	35.15	25.23	3.89	33.79
AV	4.82418G	45.77	54.00	-8.23	5.21	3	Vertical	21	1.48	-	40.56	32.60	6.90	34.29
PK	1.598G	48.18	74.00	-25.82	-4.68	3	Vertical	95	1.76	-	52.86	25.20	3.91	33.79
PK	4.824G	47.62	74.00	-26.38	5.21	3	Vertical	21	1.48	-	42.41	32.60	6.90	34.29

### Radiated Emissions above 1GHz\_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.598G	28.42	54.00	-25.58	-4.68	3	Horizontal	359	1.87	-	33.10	25.20	3.91	33.79
AV	4.82369G	46.36	54.00	-7.64	5.20	3	Horizontal	13	1.79	-	41.16	32.59	6.90	34.29
PK	1.598G	47.50	74.00	-26.50	-4.68	3	Horizontal	359	1.87	-	52.18	25.20	3.91	33.79
PK	4.824G	48.14	74.00	-25.86	5.21	3	Horizontal	13	1.79	-	42.93	32.60	6.90	34.29

### Radiated Emissions above 1GHz\_Mode 7



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.58445G	30.46	54.00	-23.54	-4.67	3	Vertical	41	1.54	-	35.13	25.23	3.89	33.79
AV	3.18735G	30.19	68.20	-38.01	1.14	3	Vertical	73	1.58	-	29.05	29.77	5.54	34.17
PK	1.584G	47.97	74.00	-26.03	-4.67	3	Vertical	41	1.54	-	52.64	25.23	3.89	33.79
PK	3.2G	42.84	68.20	-25.36	1.18	3	Vertical	73	1.58	-	41.66	29.80	5.55	34.17


### Radiated Emissions above 1GHz\_Mode 7



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.60001G	28.21	54.00	-25.79	-4.68	3	Horizontal	271	1.44	-	32.89	25.20	3.91	33.79
AV	4.00519G	30.56	54.00	-23.44	2.75	3	Horizontal	112	1.74	-	27.81	30.79	6.21	34.25
PK	1.594G	47.99	74.00	-26.01	-4.68	3	Horizontal	271	1.44	-	52.67	25.21	3.90	33.79
PK	4.011G	43.68	74.00	-30.32	2.75	3	Horizontal	112	1.74	-	40.93	30.78	6.22	34.25




### Radiated Emissions above 1GHz\_Mode 8



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59847G	39.15	54.00	-14.85	-4.68	3	Vertical	98	2.48	-	43.83	25.20	3.91	33.79
AV	7.38684G	50.47	54.00	-3.53	10.48	3	Vertical	75	1.82	-	39.99	36.68	8.61	34.81
PK	1.585G	47.91	74.00	-26.09	-4.67	3	Vertical	98	2.48	-	52.58	25.23	3.89	33.79
PK	7.387G	53.50	74.00	-20.50	10.49	3	Vertical	75	1.82	-	43.01	36.68	8.62	34.81

### Radiated Emissions above 1GHz\_Mode 8



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.60004G	29.02	54.00	-24.98	-4.68	3	Horizontal	233	1.13	-	33.70	25.20	3.91	33.79
AV	7.38581G	50.77	54.00	-3.23	10.49	3	Horizontal	122	2.49	-	40.28	36.69	8.61	34.81
PK	1.596G	47.17	74.00	-26.83	-4.68	3	Horizontal	233	1.13	-	51.85	25.21	3.90	33.79
PK	7.387G	52.52	74.00	-21.48	10.49	3	Horizontal	122	2.49	-	42.03	36.68	8.62	34.81