



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.0792G	52.92	54.00	-1.08	3	Vertical	191	1.50
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.0828G	52.97	54.00	-1.03	3	Vertical	192	1.69
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.96	54.00	-1.04	3	Vertical	191	1.81
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.148G	52.96	54.00	-1.04	3	Vertical	186	1.75
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.4244G	52.97	54.00	-1.03	3	Vertical	188	1.58
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.3674G	52.94	54.00	-1.06	3	Vertical	190	1.63
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.3684G	52.89	54.00	-1.11	3	Vertical	191	1.93
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.356G	52.88	54.00	-1.12	3	Vertical	187	2.08
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7252G	67.08	68.20	-1.12	3	Vertical	190	1.59
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.8796G	66.97	68.20	-1.23	3	Vertical	189	1.67
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.7288G	66.93	68.20	-1.27	3	Vertical	183	1.49
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.87G	66.87	68.20	-1.33	3	Vertical	186	1.58
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.98578G	67.12	68.20	-1.08	3	Vertical	191	1.61
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.9882G	67.18	68.20	-1.02	3	Vertical	189	1.61
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.6398G	67.08	68.20	-1.12	3	Vertical	182	1.76
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.637G	65.69	68.20	-2.51	3	Vertical	186	1.59



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.0792G	52.92	54.00	-1.08	3	Vertical	191	1.50
5180MHz	Pass	AV	5.1752G	107.09	Inf	-Inf	3	Vertical	191	1.50
5180MHz	Pass	PK	5.1494G	64.94	74.00	-9.06	3	Vertical	191	1.50
5180MHz	Pass	PK	5.1848G	117.08	Inf	-Inf	3	Vertical	191	1.50
5180MHz	Pass	AV	15.54702G	43.74	54.00	-10.26	3	Vertical	80	1.50
5180MHz	Pass	PK	10.36408G	52.60	68.20	-15.60	3	Vertical	122	1.46
5180MHz	Pass	PK	15.52548G	55.79	74.00	-18.21	3	Vertical	80	1.50
5180MHz	Pass	AV	15.53676G	43.62	54.00	-10.38	3	Horizontal	161	1.50
5180MHz	Pass	PK	10.34662G	53.65	68.20	-14.55	3	Horizontal	34	2.56
5180MHz	Pass	PK	15.54752G	55.54	74.00	-18.46	3	Horizontal	161	1.50
5200MHz	Pass	AV	5.0956G	52.60	54.00	-1.40	3	Vertical	189	1.84
5200MHz	Pass	AV	5.206G	106.70	Inf	-Inf	3	Vertical	189	1.84
5200MHz	Pass	AV	5.35G	50.19	54.00	-3.81	3	Vertical	189	1.84
5200MHz	Pass	PK	5.101G	65.54	74.00	-8.46	3	Vertical	189	1.84
5200MHz	Pass	PK	5.2054G	116.24	Inf	-Inf	3	Vertical	189	1.84
5200MHz	Pass	PK	5.35G	62.74	74.00	-11.26	3	Vertical	189	1.84
5200MHz	Pass	AV	15.5934G	43.39	54.00	-10.61	3	Vertical	120	1.49
5200MHz	Pass	PK	10.40436G	53.64	68.20	-14.56	3	Vertical	51	1.50
5200MHz	Pass	PK	15.59144G	55.15	74.00	-18.85	3	Vertical	120	1.49
5200MHz	Pass	AV	15.59988G	43.57	54.00	-10.43	3	Horizontal	109	3.00
5200MHz	Pass	PK	10.39924G	54.05	68.20	-14.15	3	Horizontal	311	2.78
5200MHz	Pass	PK	15.609G	56.18	74.00	-17.82	3	Horizontal	109	3.00
5240MHz	Pass	AV	5.1446G	52.84	54.00	-1.16	3	Vertical	188	1.58
5240MHz	Pass	AV	5.2442G	107.20	Inf	-Inf	3	Vertical	188	1.58
5240MHz	Pass	AV	5.3558G	50.78	54.00	-3.22	3	Vertical	188	1.58
5240MHz	Pass	PK	5.1434G	64.98	74.00	-9.02	3	Vertical	188	1.58
5240MHz	Pass	PK	5.2442G	116.06	Inf	-Inf	3	Vertical	188	1.58
5240MHz	Pass	PK	5.3666G	64.31	74.00	-9.69	3	Vertical	188	1.58
5240MHz	Pass	AV	15.70674G	43.70	54.00	-10.30	3	Vertical	118	1.50
5240MHz	Pass	PK	10.46608G	53.66	68.20	-14.54	3	Vertical	22	1.50
5240MHz	Pass	PK	15.71166G	55.84	74.00	-18.16	3	Vertical	118	1.50
5240MHz	Pass	AV	15.73062G	43.92	54.00	-10.08	3	Horizontal	272	1.50
5240MHz	Pass	PK	10.47514G	53.15	68.20	-15.05	3	Horizontal	203	1.50
5240MHz	Pass	PK	15.72384G	56.82	74.00	-17.18	3	Horizontal	272	1.50
5260MHz	Pass	AV	5.1472G	48.63	54.00	-5.37	3	Vertical	192	1.50
5260MHz	Pass	AV	5.2552G	104.96	Inf	-Inf	3	Vertical	192	1.50
5260MHz	Pass	AV	5.3554G	52.91	54.00	-1.09	3	Vertical	192	1.50
5260MHz	Pass	PK	5.1454G	62.28	74.00	-11.72	3	Vertical	192	1.50
5260MHz	Pass	PK	5.2648G	114.88	Inf	-Inf	3	Vertical	192	1.50
5260MHz	Pass	PK	5.3644G	65.03	74.00	-8.97	3	Vertical	192	1.50
5260MHz	Pass	AV	15.76686G	43.60	54.00	-10.40	3	Vertical	258	2.22
5260MHz	Pass	PK	10.53398G	53.54	68.20	-14.66	3	Vertical	85	1.50
5260MHz	Pass	PK	15.7884G	55.35	74.00	-18.65	3	Vertical	258	2.22
5260MHz	Pass	AV	15.77112G	43.54	54.00	-10.46	3	Horizontal	322	1.50
5260MHz	Pass	PK	10.51892G	52.85	68.20	-15.35	3	Horizontal	94	1.50
5260MHz	Pass	PK	15.77802G	55.78	74.00	-18.22	3	Horizontal	322	1.50
5300MHz	Pass	AV	5.3042G	104.19	Inf	-Inf	3	Vertical	189	1.62
5300MHz	Pass	AV	5.3948G	52.84	54.00	-1.16	3	Vertical	189	1.62
5300MHz	Pass	PK	5.3048G	113.78	Inf	-Inf	3	Vertical	189	1.62
5300MHz	Pass	PK	5.405G	65.81	74.00	-8.19	3	Vertical	189	1.62
5300MHz	Pass	AV	15.90894G	43.92	54.00	-10.08	3	Vertical	166	2.33
5300MHz	Pass	PK	10.59636G	55.15	68.20	-13.05	3	Vertical	12	1.50
5300MHz	Pass	PK	15.88932G	55.79	74.00	-18.21	3	Vertical	166	2.33
5300MHz	Pass	AV	15.90138G	43.98	54.00	-10.02	3	Horizontal	161	1.12
5300MHz	Pass	PK	10.59012G	55.54	68.20	-12.66	3	Horizontal	184	1.34
5300MHz	Pass	PK	15.8958G	55.80	74.00	-18.20	3	Horizontal	161	1.12
5320MHz	Pass	AV	5.3242G	104.79	Inf	-Inf	3	Vertical	188	1.58
5320MHz	Pass	AV	5.4244G	52.97	54.00	-1.03	3	Vertical	188	1.58
5320MHz	Pass	PK	5.3194G	113.99	Inf	-Inf	3	Vertical	188	1.58
5320MHz	Pass	PK	5.419G	65.56	74.00	-8.44	3	Vertical	188	1.58



RSE TX above 1GHz\_Non-Beamforming\_Radio 3

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	10.64786G	41.14	54.00	-12.86	3	Vertical	307	1.50
5320MHz	Pass	AV	15.94734G	43.86	54.00	-10.14	3	Vertical	42	1.50
5320MHz	Pass	PK	10.64222G	53.70	74.00	-20.30	3	Vertical	307	1.50
5320MHz	Pass	PK	15.9627G	56.38	74.00	-17.62	3	Vertical	42	1.50
5320MHz	Pass	AV	10.65392G	41.31	54.00	-12.69	3	Horizontal	30	1.50
5320MHz	Pass	AV	15.94776G	43.70	54.00	-10.30	3	Horizontal	217	2.62
5320MHz	Pass	PK	10.63688G	53.44	74.00	-20.56	3	Horizontal	30	1.50
5320MHz	Pass	PK	15.95472G	55.90	74.00	-18.10	3	Horizontal	217	2.62
5500MHz	Pass	AV	5.3992G	52.62	54.00	-1.38	3	Vertical	188	1.58
5500MHz	Pass	AV	5.5042G	108.07	Inf	-Inf	3	Vertical	188	1.58
5500MHz	Pass	PK	5.4688G	64.39	68.20	-3.81	3	Vertical	188	1.58
5500MHz	Pass	PK	5.5042G	116.90	Inf	-Inf	3	Vertical	188	1.58
5500MHz	Pass	AV	10.99364G	41.49	54.00	-12.51	3	Vertical	0	1.50
5500MHz	Pass	PK	10.98584G	53.74	74.00	-20.26	3	Vertical	0	1.50
5500MHz	Pass	PK	16.5093G	56.49	68.20	-11.71	3	Vertical	183	1.50
5500MHz	Pass	AV	11.00696G	41.49	54.00	-12.51	3	Horizontal	310	2.11
5500MHz	Pass	PK	11.00852G	53.83	74.00	-20.17	3	Horizontal	310	2.11
5500MHz	Pass	PK	16.49754G	55.94	68.20	-12.26	3	Horizontal	167	2.63
5580MHz	Pass	AV	5.4594G	52.07	54.00	-1.93	3	Vertical	190	1.58
5580MHz	Pass	AV	5.5842G	114.82	Inf	-Inf	3	Vertical	190	1.58
5580MHz	Pass	PK	5.466G	65.69	68.20	-2.51	3	Vertical	190	1.58
5580MHz	Pass	PK	5.5794G	123.85	Inf	-Inf	3	Vertical	190	1.58
5580MHz	Pass	PK	5.7252G	66.86	68.20	-1.34	3	Vertical	190	1.58
5580MHz	Pass	AV	11.16312G	41.20	54.00	-12.80	3	Vertical	98	1.50
5580MHz	Pass	PK	11.14518G	53.75	74.00	-20.25	3	Vertical	98	1.50
5580MHz	Pass	PK	16.73478G	58.56	68.20	-9.64	3	Vertical	66	2.69
5580MHz	Pass	AV	11.16522G	41.20	54.00	-12.80	3	Horizontal	309	2.60
5580MHz	Pass	PK	11.1522G	53.92	74.00	-20.08	3	Horizontal	309	2.60
5580MHz	Pass	PK	16.72662G	56.74	68.20	-11.46	3	Horizontal	57	3.00
5700MHz	Pass	AV	5.7042G	106.21	Inf	-Inf	3	Vertical	190	1.59
5700MHz	Pass	PK	5.6994G	115.34	Inf	-Inf	3	Vertical	190	1.59
5700MHz	Pass	PK	5.7252G	67.08	68.20	-1.12	3	Vertical	190	1.59
5700MHz	Pass	AV	11.39892G	41.79	54.00	-12.21	3	Vertical	340	1.50
5700MHz	Pass	PK	11.40162G	53.91	74.00	-20.09	3	Vertical	340	1.50
5700MHz	Pass	PK	17.09262G	56.36	68.20	-11.84	3	Vertical	225	1.50
5700MHz	Pass	AV	11.39052G	41.87	54.00	-12.13	3	Horizontal	77	2.68
5700MHz	Pass	PK	11.39496G	54.27	74.00	-19.73	3	Horizontal	77	2.68
5700MHz	Pass	PK	17.09886G	56.81	68.20	-11.39	3	Horizontal	45	1.05
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	50.65	54.00	-3.35	3	Vertical	190	1.62
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	114.35	Inf	-Inf	3	Vertical	190	1.62
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	63.39	68.20	-4.81	3	Vertical	190	1.62
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	123.73	Inf	-Inf	3	Vertical	190	1.62
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8988G	66.84	68.20	-1.36	3	Vertical	190	1.62
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44264G	42.39	54.00	-11.61	3	Vertical	58	2.56
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4319G	55.12	74.00	-18.88	3	Vertical	58	2.56
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16552G	57.07	68.20	-11.13	3	Vertical	45	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4448G	41.58	54.00	-12.42	3	Horizontal	118	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44492G	53.90	74.00	-20.10	3	Horizontal	118	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16768G	56.78	68.20	-11.42	3	Horizontal	86	3.00
5745MHz	Pass	AV	5.7426G	110.56	Inf	-Inf	3	Vertical	186	1.57
5745MHz	Pass	PK	5.643G	66.67	68.20	-1.53	3	Vertical	186	1.57
5745MHz	Pass	PK	5.7426G	119.83	Inf	-Inf	3	Vertical	186	1.57
5745MHz	Pass	PK	6.0198G	65.18	68.20	-3.02	3	Vertical	186	1.57
5745MHz	Pass	AV	11.493G	41.68	54.00	-12.32	3	Vertical	273	1.50
5745MHz	Pass	PK	11.49492G	54.09	74.00	-19.91	3	Vertical	273	1.50
5745MHz	Pass	PK	17.23638G	57.49	68.20	-10.71	3	Vertical	62	2.74
5745MHz	Pass	AV	11.50104G	41.65	54.00	-12.35	3	Horizontal	118	1.50
5745MHz	Pass	PK	11.49276G	54.95	74.00	-19.05	3	Horizontal	118	1.50
5745MHz	Pass	PK	17.23674G	57.07	68.20	-11.13	3	Horizontal	342	1.50
5785MHz	Pass	AV	5.7885G	114.40	Inf	-Inf	3	Vertical	191	1.61
5785MHz	Pass	PK	5.58527G	66.22	68.20	-1.98	3	Vertical	191	1.61
5785MHz	Pass	PK	5.78976G	123.86	Inf	-Inf	3	Vertical	191	1.61



RSE TX above 1GHz\_Non-Beamforming\_Radio 3

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	5.98578G	67.12	68.20	-1.08	3	Vertical	191	1.61
5785MHz	Pass	AV	11.57084G	43.59	54.00	-10.41	3	Vertical	49	2.84
5785MHz	Pass	PK	11.5706G	55.48	74.00	-18.52	3	Vertical	49	2.84
5785MHz	Pass	PK	17.35026G	58.12	68.20	-10.08	3	Vertical	59	2.93
5785MHz	Pass	AV	11.57156G	41.90	54.00	-12.10	3	Horizontal	20	2.81
5785MHz	Pass	PK	11.56034G	54.61	74.00	-19.39	3	Horizontal	20	2.81
5785MHz	Pass	PK	17.36058G	57.00	68.20	-11.20	3	Horizontal	0	2.48
5825MHz	Pass	AV	5.8286G	107.70	Inf	-Inf	3	Vertical	190	1.57
5825MHz	Pass	PK	5.5658G	62.70	68.20	-5.50	3	Vertical	190	1.57
5825MHz	Pass	PK	5.8238G	116.80	Inf	-Inf	3	Vertical	190	1.57
5825MHz	Pass	PK	5.9294G	66.55	68.20	-1.65	3	Vertical	190	1.57
5825MHz	Pass	AV	11.6581G	41.26	54.00	-12.74	3	Vertical	112	2.80
5825MHz	Pass	PK	11.65162G	53.79	74.00	-20.21	3	Vertical	112	2.80
5825MHz	Pass	PK	17.48052G	56.81	68.20	-11.39	3	Vertical	340	2.88
5825MHz	Pass	AV	11.63848G	41.29	54.00	-12.71	3	Horizontal	298	2.57
5825MHz	Pass	PK	11.64388G	54.01	74.00	-19.99	3	Horizontal	298	2.57
5825MHz	Pass	PK	17.48238G	56.65	68.20	-11.55	3	Horizontal	360	3.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.0828G	52.97	54.00	-1.03	3	Vertical	192	1.69
5180MHz	Pass	AV	5.183G	107.50	Inf	-Inf	3	Vertical	192	1.69
5180MHz	Pass	PK	5.1482G	68.11	74.00	-5.89	3	Vertical	192	1.69
5180MHz	Pass	PK	5.1854G	119.80	Inf	-Inf	3	Vertical	192	1.69
5180MHz	Pass	AV	15.54372G	44.11	54.00	-9.89	3	Vertical	314	2.26
5180MHz	Pass	PK	10.35136G	53.37	68.20	-14.83	3	Vertical	273	1.50
5180MHz	Pass	PK	15.55356G	56.35	74.00	-17.65	3	Vertical	314	2.26
5180MHz	Pass	AV	15.5457G	44.03	54.00	-9.97	3	Horizontal	10	1.50
5180MHz	Pass	PK	10.37338G	52.80	68.20	-15.40	3	Horizontal	298	2.57
5180MHz	Pass	PK	15.5301G	55.66	74.00	-18.34	3	Horizontal	10	1.50
5200MHz	Pass	AV	5.098G	52.77	54.00	-1.23	3	Vertical	191	1.71
5200MHz	Pass	AV	5.1928G	106.90	Inf	-Inf	3	Vertical	191	1.71
5200MHz	Pass	AV	5.35G	50.36	54.00	-3.64	3	Vertical	191	1.71
5200MHz	Pass	PK	5.0926G	65.36	74.00	-8.64	3	Vertical	191	1.71
5200MHz	Pass	PK	5.1928G	119.67	Inf	-Inf	3	Vertical	191	1.71
5200MHz	Pass	PK	5.35G	62.52	74.00	-11.48	3	Vertical	191	1.71
5200MHz	Pass	AV	15.60414G	43.77	54.00	-10.23	3	Vertical	283	1.50
5200MHz	Pass	PK	10.40138G	53.41	68.20	-14.79	3	Vertical	342	1.50
5200MHz	Pass	PK	15.60042G	55.28	74.00	-18.72	3	Vertical	283	1.50
5200MHz	Pass	AV	15.59154G	43.71	54.00	-10.29	3	Horizontal	313	1.50
5200MHz	Pass	PK	10.3958G	53.72	68.20	-14.48	3	Horizontal	29	1.50
5200MHz	Pass	PK	15.59256G	55.11	74.00	-18.89	3	Horizontal	313	1.50
5240MHz	Pass	AV	5.147G	51.99	54.00	-2.01	3	Vertical	187	1.58
5240MHz	Pass	AV	5.2418G	105.53	Inf	-Inf	3	Vertical	187	1.58
5240MHz	Pass	AV	5.35G	52.92	54.00	-1.08	3	Vertical	187	1.58
5240MHz	Pass	PK	5.1422G	64.55	74.00	-9.45	3	Vertical	187	1.58
5240MHz	Pass	PK	5.2394G	118.83	Inf	-Inf	3	Vertical	187	1.58
5240MHz	Pass	PK	5.35G	65.11	74.00	-8.89	3	Vertical	187	1.58
5240MHz	Pass	AV	15.70638G	43.92	54.00	-10.08	3	Vertical	0	1.50
5240MHz	Pass	PK	10.47802G	53.54	68.20	-14.66	3	Vertical	0	2.21
5240MHz	Pass	PK	15.72486G	56.47	74.00	-17.53	3	Vertical	0	1.50
5240MHz	Pass	AV	15.7254G	43.78	54.00	-10.22	3	Horizontal	270	2.03
5240MHz	Pass	PK	10.49056G	53.44	68.20	-14.76	3	Horizontal	33	1.50
5240MHz	Pass	PK	15.73278G	55.97	74.00	-18.03	3	Horizontal	270	2.03
5260MHz	Pass	AV	5.15G	49.44	54.00	-4.56	3	Vertical	190	1.63
5260MHz	Pass	AV	5.2648G	105.12	Inf	-Inf	3	Vertical	190	1.63
5260MHz	Pass	AV	5.3674G	52.94	54.00	-1.06	3	Vertical	190	1.63
5260MHz	Pass	PK	5.146G	61.90	74.00	-12.10	3	Vertical	190	1.63
5260MHz	Pass	PK	5.2678G	117.51	Inf	-Inf	3	Vertical	190	1.63
5260MHz	Pass	PK	5.3548G	65.64	74.00	-8.36	3	Vertical	190	1.63
5260MHz	Pass	AV	15.76512G	44.22	54.00	-9.78	3	Vertical	360	1.73
5260MHz	Pass	PK	10.5227G	54.08	68.20	-14.12	3	Vertical	74	1.02
5260MHz	Pass	PK	15.78198G	55.71	74.00	-18.29	3	Vertical	360	1.73
5260MHz	Pass	AV	15.76728G	43.82	54.00	-10.18	3	Horizontal	0	1.50



RSE TX above 1GHz\_Non-Beamforming\_Radio 3

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	PK	10.52564G	53.47	68.20	-14.73	3	Horizontal	25	1.50
5260MHz	Pass	PK	15.7821G	55.97	74.00	-18.03	3	Horizontal	0	1.50
5300MHz	Pass	AV	5.2976G	104.08	Inf	-Inf	3	Vertical	190	1.63
5300MHz	Pass	AV	5.3954G	52.89	54.00	-1.11	3	Vertical	190	1.63
5300MHz	Pass	PK	5.2952G	116.27	Inf	-Inf	3	Vertical	190	1.63
5300MHz	Pass	PK	5.3972G	65.83	74.00	-8.17	3	Vertical	190	1.63
5300MHz	Pass	AV	15.89352G	44.11	54.00	-9.89	3	Vertical	136	1.76
5300MHz	Pass	PK	10.59936G	56.07	68.20	-12.13	3	Vertical	90	2.50
5300MHz	Pass	PK	15.9132G	56.17	74.00	-17.83	3	Vertical	136	1.76
5300MHz	Pass	AV	15.9135G	43.92	54.00	-10.08	3	Horizontal	295	1.50
5300MHz	Pass	PK	10.59256G	55.45	68.20	-12.75	3	Horizontal	325	1.22
5300MHz	Pass	PK	15.88836G	56.11	74.00	-17.89	3	Horizontal	295	1.50
5320MHz	Pass	AV	5.3182G	103.99	Inf	-Inf	3	Vertical	188	1.92
5320MHz	Pass	AV	5.413G	52.90	54.00	-1.10	3	Vertical	188	1.92
5320MHz	Pass	PK	5.3128G	117.08	Inf	-Inf	3	Vertical	188	1.92
5320MHz	Pass	PK	5.4622G	63.25	68.20	-4.95	3	Vertical	188	1.92
5320MHz	Pass	AV	10.64258G	41.29	54.00	-12.71	3	Vertical	0	1.50
5320MHz	Pass	AV	15.94608G	43.76	54.00	-10.24	3	Vertical	22	1.50
5320MHz	Pass	PK	10.65044G	53.85	74.00	-20.15	3	Vertical	0	1.50
5320MHz	Pass	PK	15.96384G	55.82	74.00	-18.18	3	Vertical	22	1.50
5320MHz	Pass	AV	10.6262G	41.38	54.00	-12.62	3	Horizontal	287	1.50
5320MHz	Pass	AV	15.94506G	43.76	54.00	-10.24	3	Horizontal	84	1.50
5320MHz	Pass	PK	10.63688G	53.29	74.00	-20.71	3	Horizontal	287	1.50
5320MHz	Pass	PK	15.94566G	56.34	74.00	-17.66	3	Horizontal	84	1.50
5500MHz	Pass	AV	5.4046G	51.53	54.00	-2.47	3	Vertical	188	1.59
5500MHz	Pass	AV	5.5018G	105.34	Inf	-Inf	3	Vertical	188	1.59
5500MHz	Pass	PK	5.47G	66.81	68.20	-1.39	3	Vertical	188	1.59
5500MHz	Pass	PK	5.497G	118.46	Inf	-Inf	3	Vertical	188	1.59
5500MHz	Pass	AV	10.99328G	41.63	54.00	-12.37	3	Vertical	50	1.50
5500MHz	Pass	PK	11.01098G	54.22	74.00	-19.78	3	Vertical	50	1.50
5500MHz	Pass	PK	16.51182G	57.16	68.20	-11.04	3	Vertical	179	1.50
5500MHz	Pass	AV	10.9994G	41.65	54.00	-12.35	3	Horizontal	300	2.20
5500MHz	Pass	PK	10.99514G	54.22	74.00	-19.78	3	Horizontal	300	2.20
5500MHz	Pass	PK	16.49394G	56.58	68.20	-11.62	3	Horizontal	26	1.50
5580MHz	Pass	AV	5.4558G	52.23	54.00	-1.77	3	Vertical	189	1.94
5580MHz	Pass	AV	5.583G	114.27	Inf	-Inf	3	Vertical	189	1.94
5580MHz	Pass	PK	5.4642G	65.67	68.20	-2.53	3	Vertical	189	1.94
5580MHz	Pass	PK	5.5782G	126.87	Inf	-Inf	3	Vertical	189	1.94
5580MHz	Pass	PK	5.7288G	66.91	68.20	-1.29	3	Vertical	189	1.94
5580MHz	Pass	AV	11.16216G	41.89	54.00	-12.11	3	Vertical	64	2.88
5580MHz	Pass	PK	11.1489G	54.42	74.00	-19.58	3	Vertical	64	2.88
5580MHz	Pass	PK	16.74156G	58.94	68.20	-9.26	3	Vertical	80	2.25
5580MHz	Pass	AV	11.16036G	41.47	54.00	-12.53	3	Horizontal	360	1.50
5580MHz	Pass	PK	11.16714G	54.22	74.00	-19.78	3	Horizontal	360	1.50
5580MHz	Pass	PK	16.72668G	57.12	68.20	-11.08	3	Horizontal	57	2.95
5700MHz	Pass	AV	5.7066G	104.03	Inf	-Inf	3	Vertical	189	1.54
5700MHz	Pass	PK	5.6994G	116.80	Inf	-Inf	3	Vertical	189	1.54
5700MHz	Pass	PK	5.7996G	66.12	68.20	-2.08	3	Vertical	189	1.54
5700MHz	Pass	AV	11.38836G	42.06	54.00	-11.94	3	Vertical	130	1.00
5700MHz	Pass	PK	11.40024G	53.95	74.00	-20.05	3	Vertical	130	1.00
5700MHz	Pass	PK	17.09502G	57.09	68.20	-11.11	3	Vertical	125	1.50
5700MHz	Pass	AV	11.39652G	41.92	54.00	-12.08	3	Horizontal	324	3.00
5700MHz	Pass	PK	11.41386G	54.04	74.00	-19.96	3	Horizontal	324	3.00
5700MHz	Pass	PK	17.0955G	56.05	68.20	-12.15	3	Horizontal	329	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	50.81	54.00	-3.19	3	Vertical	189	1.67
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	113.81	Inf	-Inf	3	Vertical	189	1.67
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	63.30	68.20	-4.90	3	Vertical	189	1.67
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	127.04	Inf	-Inf	3	Vertical	189	1.67
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8796G	66.97	68.20	-1.23	3	Vertical	189	1.67
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43856G	42.06	54.00	-11.94	3	Vertical	67	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44378G	54.07	74.00	-19.93	3	Vertical	67	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16426G	58.45	68.20	-9.75	3	Vertical	58	3.00



RSE TX above 1GHz\_Non-Beamforming\_Radio 3

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4322G	41.74	54.00	-12.26	3	Horizontal	342	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.42686G	54.33	74.00	-19.67	3	Horizontal	342	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.17062G	56.42	68.20	-11.78	3	Horizontal	34	3.00
5745MHz	Pass	AV	5.7486G	108.40	Inf	-Inf	3	Vertical	187	1.62
5745MHz	Pass	PK	5.6418G	66.60	68.20	-1.60	3	Vertical	187	1.62
5745MHz	Pass	PK	5.7414G	121.34	Inf	-Inf	3	Vertical	187	1.62
5745MHz	Pass	PK	6.0198G	64.78	68.20	-3.42	3	Vertical	187	1.62
5745MHz	Pass	AV	11.48232G	41.84	54.00	-12.16	3	Vertical	253	1.50
5745MHz	Pass	PK	11.48748G	53.71	74.00	-20.29	3	Vertical	253	1.50
5745MHz	Pass	PK	17.23104G	55.99	68.20	-12.21	3	Vertical	322	2.45
5745MHz	Pass	AV	11.4822G	41.76	54.00	-12.24	3	Horizontal	146	2.85
5745MHz	Pass	PK	11.48694G	54.53	74.00	-19.47	3	Horizontal	146	2.85
5745MHz	Pass	PK	17.24178G	55.77	68.20	-12.43	3	Horizontal	278	1.50
5785MHz	Pass	AV	5.78976G	115.19	Inf	-Inf	3	Vertical	189	1.61
5785MHz	Pass	PK	5.62036G	66.78	68.20	-1.42	3	Vertical	189	1.61
5785MHz	Pass	PK	5.7825G	128.08	Inf	-Inf	3	Vertical	189	1.61
5785MHz	Pass	PK	5.9882G	67.18	68.20	-1.02	3	Vertical	189	1.61
5785MHz	Pass	AV	11.573G	43.01	54.00	-10.99	3	Vertical	52	2.58
5785MHz	Pass	PK	11.56784G	54.47	74.00	-19.53	3	Vertical	52	2.58
5785MHz	Pass	PK	17.35596G	58.97	68.20	-9.23	3	Vertical	67	2.44
5785MHz	Pass	AV	11.57228G	41.73	54.00	-12.27	3	Horizontal	28	1.50
5785MHz	Pass	PK	11.55908G	54.04	74.00	-19.96	3	Horizontal	28	1.50
5785MHz	Pass	PK	17.3562G	56.85	68.20	-11.35	3	Horizontal	201	1.50
5825MHz	Pass	AV	5.8274G	106.03	Inf	-Inf	3	Vertical	188	1.76
5825MHz	Pass	PK	5.5706G	62.79	68.20	-5.41	3	Vertical	188	1.76
5825MHz	Pass	PK	5.8226G	118.10	Inf	-Inf	3	Vertical	188	1.76
5825MHz	Pass	PK	5.9306G	67.09	68.20	-1.11	3	Vertical	188	1.76
5825MHz	Pass	AV	11.64274G	41.54	54.00	-12.46	3	Vertical	40	2.95
5825MHz	Pass	PK	11.65624G	54.49	74.00	-19.51	3	Vertical	40	2.95
5825MHz	Pass	PK	17.4723G	56.89	68.20	-11.31	3	Vertical	69	2.56
5825MHz	Pass	AV	11.65696G	41.38	54.00	-12.62	3	Horizontal	360	1.50
5825MHz	Pass	PK	11.65576G	53.11	74.00	-20.89	3	Horizontal	360	1.50
5825MHz	Pass	PK	17.4867G	57.73	68.20	-10.47	3	Horizontal	85	1.50
802.11ax HEW40_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	52.96	54.00	-1.04	3	Vertical	191	1.81
5190MHz	Pass	AV	5.1956G	102.66	Inf	-Inf	3	Vertical	191	1.81
5190MHz	Pass	PK	5.1452G	65.38	74.00	-8.62	3	Vertical	191	1.81
5190MHz	Pass	PK	5.1952G	114.69	Inf	-Inf	3	Vertical	191	1.81
5190MHz	Pass	AV	15.55584G	44.79	54.00	-9.21	3	Vertical	360	1.14
5190MHz	Pass	PK	10.36248G	53.84	68.20	-14.36	3	Vertical	340	1.50
5190MHz	Pass	PK	15.54948G	56.45	74.00	-17.55	3	Vertical	360	1.14
5190MHz	Pass	AV	15.54696G	44.94	54.00	-9.06	3	Horizontal	224	2.77
5190MHz	Pass	PK	10.39716G	53.51	68.20	-14.69	3	Horizontal	199	1.50
5190MHz	Pass	PK	15.58332G	56.43	74.00	-17.57	3	Horizontal	224	2.77
5230MHz	Pass	AV	5.1476G	52.72	54.00	-1.28	3	Vertical	192	1.68
5230MHz	Pass	AV	5.2356G	105.55	Inf	-Inf	3	Vertical	192	1.68
5230MHz	Pass	PK	5.1456G	65.46	74.00	-8.54	3	Vertical	192	1.68
5230MHz	Pass	PK	5.2352G	118.18	Inf	-Inf	3	Vertical	192	1.68
5230MHz	Pass	AV	15.71244G	44.58	54.00	-9.42	3	Vertical	93	1.50
5230MHz	Pass	PK	10.47452G	53.22	68.20	-14.98	3	Vertical	323	1.50
5230MHz	Pass	PK	15.68124G	56.41	74.00	-17.59	3	Vertical	93	1.50
5230MHz	Pass	AV	15.68508G	44.64	54.00	-9.36	3	Horizontal	264	1.50
5230MHz	Pass	PK	10.48292G	54.03	68.20	-14.17	3	Horizontal	0	1.93
5230MHz	Pass	PK	15.7002G	56.29	74.00	-17.71	3	Horizontal	264	1.50
5270MHz	Pass	AV	5.266G	102.74	Inf	-Inf	3	Vertical	191	1.93
5270MHz	Pass	AV	5.3684G	52.89	54.00	-1.11	3	Vertical	191	1.93
5270MHz	Pass	PK	5.2612G	114.53	Inf	-Inf	3	Vertical	191	1.93
5270MHz	Pass	PK	5.364G	65.20	74.00	-8.80	3	Vertical	191	1.93
5270MHz	Pass	AV	15.83544G	44.63	54.00	-9.37	3	Vertical	289	1.50
5270MHz	Pass	PK	10.5358G	54.10	68.20	-14.10	3	Vertical	131	1.50
5270MHz	Pass	PK	15.83724G	56.57	74.00	-17.43	3	Vertical	289	1.50
5270MHz	Pass	AV	15.83712G	44.69	54.00	-9.31	3	Horizontal	23	1.50



RSE TX above 1GHz\_Non-Beamforming\_Radio 3

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	PK	10.53988G	53.39	68.20	-14.81	3	Horizontal	80	2.93
5270MHz	Pass	PK	15.78108G	55.94	74.00	-18.06	3	Horizontal	23	1.50
5310MHz	Pass	AV	5.312G	102.05	Inf	-Inf	3	Vertical	186	1.59
5310MHz	Pass	AV	5.3524G	52.79	54.00	-1.21	3	Vertical	186	1.59
5310MHz	Pass	PK	5.3068G	114.54	Inf	-Inf	3	Vertical	186	1.59
5310MHz	Pass	PK	5.3536G	66.42	74.00	-7.58	3	Vertical	186	1.59
5310MHz	Pass	AV	10.64537G	42.27	54.00	-11.73	3	Vertical	203	2.76
5310MHz	Pass	AV	15.91344G	45.01	54.00	-8.99	3	Vertical	313	1.50
5310MHz	Pass	PK	10.64436G	54.24	74.00	-19.76	3	Vertical	203	2.76
5310MHz	Pass	PK	15.93108G	56.46	74.00	-17.54	3	Vertical	313	1.50
5310MHz	Pass	AV	10.62624G	42.07	54.00	-11.93	3	Horizontal	115	1.50
5310MHz	Pass	AV	15.94164G	44.69	54.00	-9.31	3	Horizontal	206	1.50
5310MHz	Pass	PK	10.63248G	53.61	74.00	-20.39	3	Horizontal	115	1.50
5310MHz	Pass	PK	15.95472G	56.99	74.00	-17.01	3	Horizontal	206	1.50
5510MHz	Pass	AV	5.4584G	52.61	54.00	-1.39	3	Vertical	187	1.97
5510MHz	Pass	AV	5.5056G	104.08	Inf	-Inf	3	Vertical	187	1.97
5510MHz	Pass	PK	5.468G	65.37	68.20	-2.83	3	Vertical	187	1.97
5510MHz	Pass	PK	5.5208G	115.43	Inf	-Inf	3	Vertical	187	1.97
5510MHz	Pass	AV	10.99588G	42.49	54.00	-11.51	3	Vertical	360	1.37
5510MHz	Pass	PK	10.9996G	55.03	74.00	-18.97	3	Vertical	360	1.37
5510MHz	Pass	PK	16.5054G	56.68	68.20	-11.52	3	Vertical	0	1.50
5510MHz	Pass	AV	11.0164G	42.45	54.00	-11.55	3	Horizontal	279	2.37
5510MHz	Pass	PK	11.01928G	53.55	74.00	-20.45	3	Horizontal	279	2.37
5510MHz	Pass	PK	16.53396G	56.71	68.20	-11.49	3	Horizontal	252	1.50
5550MHz	Pass	AV	5.4508G	52.71	54.00	-1.29	3	Vertical	180	1.50
5550MHz	Pass	AV	5.5532G	106.00	Inf	-Inf	3	Vertical	180	1.50
5550MHz	Pass	PK	5.4632G	63.92	68.20	-4.28	3	Vertical	180	1.50
5550MHz	Pass	PK	5.566G	117.45	Inf	-Inf	3	Vertical	180	1.50
5550MHz	Pass	AV	11.07864G	43.22	54.00	-10.78	3	Vertical	267	1.92
5550MHz	Pass	PK	11.11956G	52.98	74.00	-21.02	3	Vertical	267	1.92
5550MHz	Pass	PK	16.62888G	55.99	68.20	-12.21	3	Vertical	33	1.86
5550MHz	Pass	AV	11.09112G	42.21	54.00	-11.79	3	Horizontal	9	2.62
5550MHz	Pass	PK	11.12124G	53.58	74.00	-20.42	3	Horizontal	9	2.62
5550MHz	Pass	PK	16.67928G	56.74	68.20	-11.46	3	Horizontal	333	1.50
5670MHz	Pass	AV	5.676G	105.91	Inf	-Inf	3	Vertical	183	1.49
5670MHz	Pass	PK	5.6808G	116.33	Inf	-Inf	3	Vertical	183	1.49
5670MHz	Pass	PK	5.7288G	66.93	68.20	-1.27	3	Vertical	183	1.49
5670MHz	Pass	AV	11.3382G	42.40	54.00	-11.60	3	Vertical	88	1.50
5670MHz	Pass	PK	11.32284G	54.37	74.00	-19.63	3	Vertical	88	1.50
5670MHz	Pass	PK	17.0082G	56.93	68.20	-11.27	3	Vertical	298	1.50
5670MHz	Pass	AV	11.36292G	42.56	54.00	-11.44	3	Horizontal	277	1.50
5670MHz	Pass	PK	11.35068G	53.89	74.00	-20.11	3	Horizontal	277	1.50
5670MHz	Pass	PK	16.98168G	56.75	68.20	-11.45	3	Horizontal	29	2.19
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	51.87	54.00	-2.13	3	Vertical	185	1.45
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7136G	112.40	Inf	-Inf	3	Vertical	185	1.45
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	63.53	68.20	-4.67	3	Vertical	185	1.45
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7088G	122.42	Inf	-Inf	3	Vertical	185	1.45
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.884G	66.52	68.20	-1.68	3	Vertical	185	1.45
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.39204G	42.84	54.00	-11.16	3	Vertical	166	1.99
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.396G	54.49	74.00	-19.51	3	Vertical	166	1.99
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.103G	56.78	68.20	-11.42	3	Vertical	65	2.08
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4068G	42.76	54.00	-11.24	3	Horizontal	51	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41844G	54.39	74.00	-19.61	3	Horizontal	51	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.15004G	56.93	68.20	-11.27	3	Horizontal	279	1.92
5755MHz	Pass	AV	5.749G	110.62	Inf	-Inf	3	Vertical	182	1.76
5755MHz	Pass	PK	5.6398G	67.08	68.20	-1.12	3	Vertical	182	1.76
5755MHz	Pass	PK	5.7466G	121.89	Inf	-Inf	3	Vertical	182	1.76
5755MHz	Pass	PK	5.929G	66.34	68.20	-1.86	3	Vertical	182	1.76
5755MHz	Pass	AV	11.50532G	42.94	54.00	-11.06	3	Vertical	222	2.56
5755MHz	Pass	PK	11.48768G	54.30	74.00	-19.70	3	Vertical	222	2.56
5755MHz	Pass	PK	17.24256G	56.86	68.20	-11.34	3	Vertical	63	1.50
5755MHz	Pass	AV	11.519G	42.97	54.00	-11.03	3	Horizontal	81	2.00



RSE TX above 1GHz\_Non-Beamforming\_Radio 3

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5755MHz	Pass	PK	11.48924G	53.67	74.00	-20.33	3	Horizontal	81	2.00
5755MHz	Pass	PK	17.23764G	56.71	68.20	-11.49	3	Horizontal	343	2.36
5795MHz	Pass	AV	5.7998G	112.64	Inf	-Inf	3	Vertical	182	1.70
5795MHz	Pass	PK	5.6378G	64.82	68.20	-3.38	3	Vertical	182	1.70
5795MHz	Pass	PK	5.7974G	122.91	Inf	-Inf	3	Vertical	182	1.70
5795MHz	Pass	PK	5.9834G	66.84	68.20	-1.36	3	Vertical	182	1.70
5795MHz	Pass	AV	11.5876G	42.85	54.00	-11.15	3	Vertical	56	2.55
5795MHz	Pass	PK	11.59084G	54.62	74.00	-19.38	3	Vertical	56	2.55
5795MHz	Pass	PK	17.39424G	58.14	68.20	-10.06	3	Vertical	67	2.59
5795MHz	Pass	AV	11.58244G	42.59	54.00	-11.41	3	Horizontal	30	1.69
5795MHz	Pass	PK	11.61484G	54.33	74.00	-19.67	3	Horizontal	30	1.69
5795MHz	Pass	PK	17.40204G	57.05	68.20	-11.15	3	Horizontal	309	2.13
802.11ax HEW80_Nss1 (MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	52.96	54.00	-1.04	3	Vertical	186	1.75
5210MHz	Pass	AV	5.205G	100.50	Inf	-Inf	3	Vertical	186	1.75
5210MHz	Pass	AV	5.356G	52.27	54.00	-1.73	3	Vertical	186	1.75
5210MHz	Pass	PK	5.147G	64.82	74.00	-9.18	3	Vertical	186	1.75
5210MHz	Pass	PK	5.205G	112.16	Inf	-Inf	3	Vertical	186	1.75
5210MHz	Pass	PK	5.355G	64.50	74.00	-9.50	3	Vertical	186	1.75
5210MHz	Pass	AV	15.59568G	48.38	54.00	-5.62	3	Vertical	140	1.50
5210MHz	Pass	PK	10.38712G	55.83	68.20	-12.37	3	Vertical	18	1.50
5210MHz	Pass	PK	15.67344G	58.90	74.00	-15.10	3	Vertical	140	1.50
5210MHz	Pass	AV	15.61008G	48.28	54.00	-5.72	3	Horizontal	14	1.95
5210MHz	Pass	PK	10.43752G	56.15	68.20	-12.05	3	Horizontal	331	1.50
5210MHz	Pass	PK	15.6228G	59.48	74.00	-14.52	3	Horizontal	14	1.95
5290MHz	Pass	AV	5.148G	50.26	54.00	-3.74	3	Vertical	187	2.08
5290MHz	Pass	AV	5.283G	98.06	Inf	-Inf	3	Vertical	187	2.08
5290MHz	Pass	AV	5.356G	52.88	54.00	-1.12	3	Vertical	187	2.08
5290MHz	Pass	PK	5.148G	61.90	74.00	-12.10	3	Vertical	187	2.08
5290MHz	Pass	PK	5.289G	110.61	Inf	-Inf	3	Vertical	187	2.08
5290MHz	Pass	PK	5.479G	64.45	68.20	-3.75	3	Vertical	187	2.08
5290MHz	Pass	AV	15.8448G	48.74	54.00	-5.26	3	Vertical	246	1.50
5290MHz	Pass	PK	10.54952G	55.27	68.20	-12.93	3	Vertical	335	1.50
5290MHz	Pass	PK	15.85584G	59.74	74.00	-14.26	3	Vertical	246	1.50
5290MHz	Pass	AV	15.85128G	48.89	54.00	-5.11	3	Horizontal	39	2.05
5290MHz	Pass	PK	10.6028G	55.96	74.00	-18.04	3	Horizontal	360	1.50
5290MHz	Pass	PK	15.89256G	59.52	74.00	-14.48	3	Horizontal	39	2.05
5530MHz	Pass	AV	5.459G	52.62	54.00	-1.38	3	Vertical	182	1.57
5530MHz	Pass	AV	5.544G	101.64	Inf	-Inf	3	Vertical	182	1.57
5530MHz	Pass	PK	5.469G	64.77	68.20	-3.43	3	Vertical	182	1.57
5530MHz	Pass	PK	5.529G	113.15	Inf	-Inf	3	Vertical	182	1.57
5530MHz	Pass	PK	5.741G	63.34	68.20	-4.86	3	Vertical	182	1.57
5530MHz	Pass	AV	11.01176G	45.11	54.00	-8.89	3	Vertical	135	1.50
5530MHz	Pass	PK	11.06312G	55.83	74.00	-18.17	3	Vertical	135	1.50
5530MHz	Pass	PK	16.5564G	60.04	68.20	-8.16	3	Vertical	113	2.28
5530MHz	Pass	AV	11G	45.17	54.00	-8.83	3	Horizontal	0	1.20
5530MHz	Pass	PK	11.01512G	55.81	74.00	-18.19	3	Horizontal	0	1.20
5530MHz	Pass	PK	16.59744G	59.89	68.20	-8.31	3	Horizontal	298	1.50
5610MHz	Pass	AV	5.454G	50.63	54.00	-3.37	3	Vertical	240	1.50
5610MHz	Pass	AV	5.586G	92.38	Inf	-Inf	3	Vertical	240	1.50
5610MHz	Pass	PK	5.468G	64.51	68.20	-3.69	3	Vertical	240	1.50
5610MHz	Pass	PK	5.586G	103.59	Inf	-Inf	3	Vertical	240	1.50
5610MHz	Pass	PK	5.742G	65.39	68.20	-2.81	3	Vertical	240	1.50
5610MHz	Pass	AV	11.16432G	45.39	54.00	-8.61	3	Vertical	38	1.14
5610MHz	Pass	PK	11.2176G	56.45	74.00	-17.55	3	Vertical	38	1.14
5610MHz	Pass	PK	16.88352G	60.54	68.20	-7.66	3	Vertical	205	1.28
5610MHz	Pass	AV	11.24736G	45.50	54.00	-8.50	3	Horizontal	332	1.50
5610MHz	Pass	PK	11.1744G	56.12	74.00	-17.88	3	Horizontal	332	1.50
5610MHz	Pass	PK	16.88856G	60.13	68.20	-8.07	3	Horizontal	208	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4416G	51.45	54.00	-2.55	3	Vertical	186	1.58
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	106.00	Inf	-Inf	3	Vertical	186	1.58
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	62.18	68.20	-6.02	3	Vertical	186	1.58






Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	116.66	Inf	-Inf	3	Vertical	186	1.58
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.87G	66.87	68.20	-1.33	3	Vertical	186	1.58
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39224G	45.39	54.00	-8.61	3	Vertical	68	2.86
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3332G	55.94	74.00	-18.06	3	Vertical	68	2.86
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07576G	59.84	68.20	-8.36	3	Vertical	76	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.42392G	45.23	54.00	-8.77	3	Horizontal	163	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39032G	55.99	74.00	-18.01	3	Horizontal	163	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.04312G	59.94	68.20	-8.26	3	Horizontal	199	1.72
5775MHz	Pass	AV	5.8014G	104.24	Inf	-Inf	3	Vertical	186	1.59
5775MHz	Pass	PK	5.637G	65.69	68.20	-2.51	3	Vertical	186	1.59
5775MHz	Pass	PK	5.8122G	115.33	Inf	-Inf	3	Vertical	186	1.59
5775MHz	Pass	PK	5.9346G	65.54	68.20	-2.66	3	Vertical	186	1.59
5775MHz	Pass	AV	11.5454G	44.27	54.00	-9.73	3	Vertical	13	1.76
5775MHz	Pass	PK	11.55148G	55.28	74.00	-18.72	3	Vertical	13	1.76
5775MHz	Pass	PK	17.33016G	59.52	68.20	-8.68	3	Vertical	176	2.03
5775MHz	Pass	AV	11.5512G	44.48	54.00	-9.52	3	Horizontal	229	2.06
5775MHz	Pass	PK	11.55508G	55.27	74.00	-18.73	3	Horizontal	229	2.06
5775MHz	Pass	PK	17.32336G	59.77	68.20	-8.43	3	Horizontal	141	2.19

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0792G	52.92	54.00	-1.08	8.84	3	Vertical	191	1.50	44.08	33.18	9.79	34.13
AV	5.1752G	107.09	Inf	-Inf	8.81	3	Vertical	191	1.50	98.28	33.10	9.85	34.14
PK	5.1494G	64.94	74.00	-9.06	8.79	3	Vertical	191	1.50	56.15	33.10	9.83	34.14
PK	5.1848G	117.08	Inf	-Inf	8.81	3	Vertical	191	1.50	108.27	33.10	9.85	34.14

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54702G	43.74	54.00	-10.26	20.16	3	Vertical	80	1.50	23.58	38.81	15.68	34.33
PK	10.36408G	52.60	68.20	-15.60	16.95	3	Vertical	122	1.46	35.65	38.90	12.67	34.62
PK	15.52548G	55.79	74.00	-18.21	20.21	3	Vertical	80	1.50	35.58	38.85	15.67	34.31

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53676G	43.62	54.00	-10.38	20.19	3	Horizontal	161	1.50	23.43	38.83	15.68	34.32
PK	10.34662G	53.65	68.20	-14.55	16.93	3	Horizontal	34	2.56	36.72	38.90	12.67	34.64
PK	15.54752G	55.54	74.00	-18.46	20.16	3	Horizontal	161	1.50	35.38	38.80	15.69	34.33

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0956G	52.60	54.00	-1.40	8.79	3	Vertical	189	1.84	43.81	33.12	9.80	34.13
AV	5.206G	106.70	Inf	-Inf	8.81	3	Vertical	189	1.84	97.89	33.09	9.86	34.14
AV	5.35G	50.19	54.00	-3.81	8.70	3	Vertical	189	1.84	41.49	32.90	9.96	34.16
PK	5.101G	65.54	74.00	-8.46	8.78	3	Vertical	189	1.84	56.76	33.10	9.81	34.13
PK	5.2054G	116.24	Inf	-Inf	8.81	3	Vertical	189	1.84	107.43	33.09	9.86	34.14
PK	5.35G	62.74	74.00	-11.26	8.70	3	Vertical	189	1.84	54.04	32.90	9.96	34.16

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5934G	43.39	54.00	-10.61	20.07	3	Vertical	120	1.49	23.32	38.71	15.72	34.36
PK	10.40436G	53.64	68.20	-14.56	17.00	3	Vertical	51	1.50	36.64	38.90	12.69	34.59
PK	15.59144G	55.15	74.00	-18.85	20.08	3	Vertical	120	1.49	35.07	38.72	15.72	34.36

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59988G	43.57	54.00	-10.43	20.05	3	Horizontal	109	3.00	23.52	38.70	15.72	34.37
PK	10.39924G	54.05	68.20	-14.15	17.00	3	Horizontal	311	2.78	37.05	38.90	12.69	34.59
PK	15.609G	56.18	74.00	-17.82	20.02	3	Horizontal	109	3.00	36.16	38.67	15.73	34.38

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1446G	52.84	54.00	-1.16	8.79	3	Vertical	188	1.58	44.05	33.10	9.83	34.14
AV	5.2442G	107.20	Inf	-Inf	8.75	3	Vertical	188	1.58	98.45	33.01	9.89	34.15
AV	5.3558G	50.78	54.00	-3.22	8.71	3	Vertical	188	1.58	42.07	32.90	9.97	34.16
PK	5.1434G	64.98	74.00	-9.02	8.79	3	Vertical	188	1.58	56.19	33.10	9.83	34.14
PK	5.2442G	116.06	Inf	-Inf	8.75	3	Vertical	188	1.58	107.31	33.01	9.89	34.15
PK	5.3666G	64.31	74.00	-9.69	8.72	3	Vertical	188	1.58	55.59	32.90	9.98	34.16

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70674G	43.70	54.00	-10.30	19.75	3	Vertical	118	1.50	23.95	38.40	15.80	34.45
PK	10.46608G	53.66	68.20	-14.54	17.07	3	Vertical	22	1.50	36.59	38.90	12.71	34.54
PK	15.71166G	55.84	74.00	-18.16	19.75	3	Vertical	118	1.50	36.09	38.40	15.81	34.46

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.73062G	43.92	54.00	-10.08	19.75	3	Horizontal	272	1.50	24.17	38.40	15.82	34.47
PK	10.47514G	53.15	68.20	-15.05	17.09	3	Horizontal	203	1.50	36.06	38.90	12.72	34.53
PK	15.72384G	56.82	74.00	-17.18	19.76	3	Horizontal	272	1.50	37.06	38.40	15.82	34.46

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	48.63	54.00	-5.37	8.79	3	Vertical	192	1.50	39.84	33.10	9.83	34.14
AV	5.2552G	104.96	Inf	-Inf	8.75	3	Vertical	192	1.50	96.21	33.00	9.90	34.15
AV	5.3554G	52.91	54.00	-1.09	8.71	3	Vertical	192	1.50	44.20	32.90	9.97	34.16
PK	5.1454G	62.28	74.00	-11.72	8.79	3	Vertical	192	1.50	53.49	33.10	9.83	34.14
PK	5.2648G	114.88	Inf	-Inf	8.76	3	Vertical	192	1.50	106.12	33.00	9.91	34.15
PK	5.3644G	65.03	74.00	-8.97	8.72	3	Vertical	192	1.50	56.31	32.90	9.98	34.16



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.76686G	43.60	54.00	-10.40	19.75	3	Vertical	258	2.22	23.85	38.40	15.85	34.50
PK	10.53398G	53.54	68.20	-14.66	17.15	3	Vertical	85	1.50	36.39	38.90	12.74	34.49
PK	15.7884G	55.35	74.00	-18.65	19.75	3	Vertical	258	2.22	35.60	38.40	15.86	34.51

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77112G	43.54	54.00	-10.46	19.75	3	Horizontal	322	1.50	23.79	38.40	15.85	34.50
PK	10.51892G	52.85	68.20	-15.35	17.13	3	Horizontal	94	1.50	35.72	38.90	12.73	34.50
PK	15.77802G	55.78	74.00	-18.22	19.75	3	Horizontal	322	1.50	36.03	38.40	15.86	34.51

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5300MHz\_TX




26/11/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3042G	104.19	Inf	-Inf	8.76	3	Vertical	189	1.62	95.43	32.99	9.93	34.16
AV	5.3948G	52.84	54.00	-1.16	8.73	3	Vertical	189	1.62	44.11	32.90	10.00	34.17
PK	5.3048G	113.78	Inf	-Inf	8.76	3	Vertical	189	1.62	105.02	32.99	9.93	34.16
PK	5.405G	65.81	74.00	-8.19	8.73	3	Vertical	189	1.62	57.08	32.90	10.00	34.17

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5300MHz\_TX




29/11/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90894G	43.92	54.00	-10.08	19.52	3	Vertical	166	2.33	24.40	38.18	15.95	34.61
PK	10.59636G	55.15	68.20	-13.05	17.22	3	Vertical	12	1.50	37.93	38.90	12.76	34.44
PK	15.88932G	55.79	74.00	-18.21	19.57	3	Vertical	166	2.33	36.22	38.22	15.94	34.59



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90138G	43.98	54.00	-10.02	19.55	3	Horizontal	161	1.12	24.43	38.20	15.95	34.60
PK	10.59012G	55.54	68.20	-12.66	17.21	3	Horizontal	184	1.34	38.33	38.90	12.76	34.45
PK	15.8958G	55.80	74.00	-18.20	19.55	3	Horizontal	161	1.12	36.25	38.21	15.94	34.60

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3242G	104.79	Inf	-Inf	8.74	3	Vertical	188	1.58	96.05	32.95	9.95	34.16
AV	5.4244G	52.97	54.00	-1.03	8.74	3	Vertical	188	1.58	44.23	32.90	10.01	34.17
PK	5.3194G	113.99	Inf	-Inf	8.74	3	Vertical	188	1.58	105.25	32.96	9.94	34.16
PK	5.419G	65.56	74.00	-8.44	8.74	3	Vertical	188	1.58	56.82	32.90	10.01	34.17

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64786G	41.14	54.00	-12.86	17.41	3	Vertical	307	1.50	23.73	39.04	12.78	34.41
AV	15.94734G	43.86	54.00	-10.14	19.45	3	Vertical	42	1.50	24.41	38.11	15.98	34.64
PK	10.64222G	53.70	74.00	-20.30	17.40	3	Vertical	307	1.50	36.30	39.03	12.78	34.41
PK	15.9627G	56.38	74.00	-17.62	19.41	3	Vertical	42	1.50	36.97	38.07	15.99	34.65

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65392G	41.31	54.00	-12.69	17.45	3	Horizontal	30	1.50	23.86	39.06	12.79	34.40
AV	15.94776G	43.70	54.00	-10.30	19.44	3	Horizontal	217	2.62	24.26	38.10	15.98	34.64
PK	10.63688G	53.44	74.00	-20.56	17.38	3	Horizontal	30	1.50	36.06	39.01	12.78	34.41
PK	15.95472G	55.90	74.00	-18.10	19.44	3	Horizontal	217	2.62	36.46	38.09	15.99	34.64

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3992G	52.62	54.00	-1.38	8.73	3	Vertical	188	1.58	43.89	32.90	10.00	34.17
AV	5.5042G	108.07	Inf	-Inf	8.76	3	Vertical	188	1.58	99.31	32.90	10.04	34.18
PK	5.4688G	64.39	68.20	-3.81	8.74	3	Vertical	188	1.58	55.65	32.90	10.02	34.18
PK	5.5042G	116.90	Inf	-Inf	8.76	3	Vertical	188	1.58	108.14	32.90	10.04	34.18

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99364G	41.49	54.00	-12.51	17.77	3	Vertical	0	1.50	23.72	39.01	12.92	34.16
PK	10.98584G	53.74	74.00	-20.26	17.75	3	Vertical	0	1.50	35.99	39.01	12.91	34.17
PK	16.5093G	56.49	68.20	-11.71	20.29	3	Vertical	183	1.50	36.20	38.37	16.10	34.18

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00696G	41.49	54.00	-12.51	17.75	3	Horizontal	310	2.11	23.74	38.99	12.92	34.16
PK	11.00852G	53.83	74.00	-20.17	17.75	3	Horizontal	310	2.11	36.08	38.99	12.92	34.16
PK	16.49754G	55.94	68.20	-12.26	20.29	3	Horizontal	167	2.63	35.65	38.39	16.10	34.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	52.07	54.00	-1.93	8.74	3	Vertical	190	1.58	43.33	32.90	10.02	34.18
AV	5.5842G	114.82	Inf	-Inf	8.84	3	Vertical	190	1.58	105.98	32.97	10.06	34.19
PK	5.466G	65.69	68.20	-2.51	8.74	3	Vertical	190	1.58	56.95	32.90	10.02	34.18
PK	5.5794G	123.85	Inf	-Inf	8.83	3	Vertical	190	1.58	115.02	32.96	10.06	34.19
PK	5.7252G	66.86	68.20	-1.34	9.64	3	Vertical	190	1.58	57.22	33.70	10.14	34.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16312G	41.20	54.00	-12.80	17.81	3	Vertical	98	1.50	23.39	38.96	12.98	34.13
PK	11.14518G	53.75	74.00	-20.25	17.80	3	Vertical	98	1.50	35.95	38.95	12.98	34.13
PK	16.73478G	58.56	68.20	-9.64	20.70	3	Vertical	66	2.69	37.86	38.30	16.14	33.74

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16522G	41.20	54.00	-12.80	17.82	3	Horizontal	309	2.60	23.38	38.97	12.98	34.13
PK	11.1522G	53.92	74.00	-20.08	17.80	3	Horizontal	309	2.60	36.12	38.95	12.98	34.13
PK	16.72662G	56.74	68.20	-11.46	20.69	3	Horizontal	57	3.00	36.05	38.30	16.14	33.75

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7042G	106.21	Inf	-Inf	9.55	3	Vertical	190	1.59	96.66	33.62	10.13	34.20
PK	5.6994G	115.34	Inf	-Inf	9.51	3	Vertical	190	1.59	105.83	33.59	10.12	34.20
PK	5.7252G	67.08	68.20	-1.12	9.64	3	Vertical	190	1.59	57.44	33.70	10.14	34.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39892G	41.79	54.00	-12.21	18.20	3	Vertical	340	1.50	23.59	39.20	13.08	34.08
PK	11.40162G	53.91	74.00	-20.09	18.20	3	Vertical	340	1.50	35.71	39.20	13.08	34.08
PK	17.09262G	56.36	68.20	-11.84	21.14	3	Vertical	225	1.50	35.22	38.19	16.19	33.24

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39052G	41.87	54.00	-12.13	18.18	3	Horizontal	77	2.68	23.69	39.19	13.07	34.08
PK	11.39496G	54.27	74.00	-19.73	18.18	3	Horizontal	77	2.68	36.09	39.19	13.07	34.08
PK	17.09886G	56.81	68.20	-11.39	21.16	3	Horizontal	45	1.05	35.65	38.20	16.20	33.24

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	50.65	54.00	-3.35	8.75	3	Vertical	190	1.62	41.90	32.90	10.02	34.17
AV	5.7188G	114.35	Inf	-Inf	9.62	3	Vertical	190	1.62	104.73	33.68	10.14	34.20
PK	5.4692G	63.39	68.20	-4.81	8.74	3	Vertical	190	1.62	54.65	32.90	10.02	34.18
PK	5.7188G	123.73	Inf	-Inf	9.62	3	Vertical	190	1.62	114.11	33.68	10.14	34.20
PK	5.8988G	66.84	68.20	-1.36	10.34	3	Vertical	190	1.62	56.50	34.30	10.25	34.21

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44264G	42.39	54.00	-11.61	18.18	3	Vertical	58	2.56	24.21	39.16	13.09	34.07
PK	11.4319G	55.12	74.00	-18.88	18.19	3	Vertical	58	2.56	36.93	39.17	13.09	34.07
PK	17.16552G	57.07	68.20	-11.13	21.15	3	Vertical	45	1.50	35.92	38.20	16.21	33.26

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4448G	41.58	54.00	-12.42	18.18	3	Horizontal	118	1.50	23.40	39.16	13.09	34.07
PK	11.44492G	53.90	74.00	-20.10	18.18	3	Horizontal	118	1.50	35.72	39.16	13.09	34.07
PK	17.16768G	56.78	68.20	-11.42	21.15	3	Horizontal	86	3.00	35.63	38.20	16.21	33.26



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	110.56	Inf	-Inf	9.72	3	Vertical	186	1.57	100.84	33.77	10.15	34.20
PK	5.643G	66.67	68.20	-1.53	8.90	3	Vertical	186	1.57	57.77	33.00	10.09	34.19
PK	5.7426G	119.83	Inf	-Inf	9.72	3	Vertical	186	1.57	110.11	33.77	10.15	34.20
PK	6.0198G	65.18	68.20	-3.02	10.23	3	Vertical	186	1.57	54.95	34.10	10.35	34.22

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.493G	41.68	54.00	-12.32	18.16	3	Vertical	273	1.50	23.52	39.11	13.11	34.06
PK	11.49492G	54.09	74.00	-19.91	18.16	3	Vertical	273	1.50	35.93	39.11	13.11	34.06
PK	17.23638G	57.49	68.20	-10.71	21.17	3	Vertical	62	2.74	36.32	38.24	16.22	33.29

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50104G	41.65	54.00	-12.35	18.16	3	Horizontal	118	1.50	23.49	39.10	13.12	34.06
PK	11.49276G	54.95	74.00	-19.05	18.16	3	Horizontal	118	1.50	36.79	39.11	13.11	34.06
PK	17.23674G	57.07	68.20	-11.13	21.17	3	Horizontal	342	1.50	35.90	38.24	16.22	33.29

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78855G	114.40	Inf	-Inf	10.00	3	Vertical	191	1.61	104.40	34.03	10.17	34.20
PK	5.58527G	66.22	68.20	-1.98	8.84	3	Vertical	191	1.61	57.38	32.97	10.06	34.19
PK	5.78976G	123.86	Inf	-Inf	10.01	3	Vertical	191	1.61	113.85	34.04	10.17	34.20
PK	5.98578G	67.12	68.20	-1.08	10.23	3	Vertical	191	1.61	56.89	34.13	10.32	34.22

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57084G	43.59	54.00	-10.41	17.86	3	Vertical	49	2.84	25.73	38.82	13.14	34.10
PK	11.5706G	55.48	74.00	-18.52	17.86	3	Vertical	49	2.84	37.62	38.82	13.14	34.10
PK	17.35026G	58.12	68.20	-10.08	21.37	3	Vertical	59	2.93	36.75	38.45	16.24	33.32

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57156G	41.90	54.00	-12.10	17.85	3	Horizontal	20	2.81	24.05	38.81	13.14	34.10
PK	11.56034G	54.61	74.00	-19.39	17.90	3	Horizontal	20	2.81	36.71	38.86	13.14	34.10
PK	17.36058G	57.00	68.20	-11.20	21.39	3	Horizontal	0	2.48	35.61	38.48	16.24	33.33

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	107.70	Inf	-Inf	10.09	3	Vertical	190	1.57	97.61	34.10	10.20	34.21
PK	5.5658G	62.70	68.20	-5.50	8.80	3	Vertical	190	1.57	53.90	32.93	10.06	34.19
PK	5.8238G	116.80	Inf	-Inf	10.09	3	Vertical	190	1.57	106.71	34.10	10.20	34.21
PK	5.9294G	66.55	68.20	-1.65	10.31	3	Vertical	190	1.57	56.24	34.24	10.28	34.21

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6581G	41.26	54.00	-12.74	17.72	3	Vertical	112	2.80	23.54	38.70	13.18	34.16
PK	11.65162G	53.79	74.00	-20.21	17.72	3	Vertical	112	2.80	36.07	38.70	13.17	34.15
PK	17.48052G	56.81	68.20	-11.39	21.58	3	Vertical	340	2.88	35.23	38.68	16.26	33.36

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63848G	41.29	54.00	-12.71	17.72	3	Horizontal	298	2.57	23.57	38.70	13.17	34.15
PK	11.64388G	54.01	74.00	-19.99	17.72	3	Horizontal	298	2.57	36.29	38.70	13.17	34.15
PK	17.48238G	56.65	68.20	-11.55	21.58	3	Horizontal	360	3.00	35.07	38.68	16.26	33.36

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0828G	52.97	54.00	-1.03	8.84	3	Vertical	192	1.69	44.13	33.17	9.80	34.13
AV	5.183G	107.50	Inf	-Inf	8.81	3	Vertical	192	1.69	98.69	33.10	9.85	34.14
PK	5.1482G	68.11	74.00	-5.89	8.79	3	Vertical	192	1.69	59.32	33.10	9.83	34.14
PK	5.1854G	119.80	Inf	-Inf	8.81	3	Vertical	192	1.69	110.99	33.10	9.85	34.14

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54372G	44.11	54.00	-9.89	20.17	3	Vertical	314	2.26	23.94	38.81	15.68	34.32
PK	10.35136G	53.37	68.20	-14.83	16.94	3	Vertical	273	1.50	36.43	38.90	12.67	34.63
PK	15.55356G	56.35	74.00	-17.65	20.15	3	Vertical	314	2.26	36.20	38.79	15.69	34.33

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5457G	44.03	54.00	-9.97	20.16	3	Horizontal	10	1.50	23.87	38.81	15.68	34.33
PK	10.37338G	52.80	68.20	-15.40	16.96	3	Horizontal	298	2.57	35.84	38.90	12.68	34.62
PK	15.5301G	55.66	74.00	-18.34	20.20	3	Horizontal	10	1.50	35.46	38.84	15.67	34.31

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.098G	52.77	54.00	-1.23	8.78	3	Vertical	191	1.71	43.99	33.11	9.80	34.13
AV	5.1928G	106.90	Inf	-Inf	8.82	3	Vertical	191	1.71	98.08	33.10	9.86	34.14
AV	5.35G	50.36	54.00	-3.64	8.70	3	Vertical	191	1.71	41.66	32.90	9.96	34.16
PK	5.0926G	65.36	74.00	-8.64	8.80	3	Vertical	191	1.71	56.56	33.13	9.80	34.13
PK	5.1928G	119.67	Inf	-Inf	8.82	3	Vertical	191	1.71	110.85	33.10	9.86	34.14
PK	5.35G	62.52	74.00	-11.48	8.70	3	Vertical	191	1.71	53.82	32.90	9.96	34.16

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60414G	43.77	54.00	-10.23	20.05	3	Vertical	283	1.50	23.72	38.69	15.73	34.37
PK	10.40138G	53.41	68.20	-14.79	17.00	3	Vertical	342	1.50	36.41	38.90	12.69	34.59
PK	15.60042G	55.28	74.00	-18.72	20.05	3	Vertical	283	1.50	35.23	38.70	15.72	34.37

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59154G	43.71	54.00	-10.29	20.08	3	Horizontal	313	1.50	23.63	38.72	15.72	34.36
PK	10.3958G	53.72	68.20	-14.48	16.98	3	Horizontal	29	1.50	36.74	38.90	12.68	34.60
PK	15.59256G	55.11	74.00	-18.89	20.07	3	Horizontal	313	1.50	35.04	38.71	15.72	34.36

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	51.99	54.00	-2.01	8.79	3	Vertical	187	1.58	43.20	33.10	9.83	34.14
AV	5.2418G	105.53	Inf	-Inf	8.76	3	Vertical	187	1.58	96.77	33.02	9.89	34.15
AV	5.35G	52.92	54.00	-1.08	8.70	3	Vertical	187	1.58	44.22	32.90	9.96	34.16
PK	5.1422G	64.55	74.00	-9.45	8.79	3	Vertical	187	1.58	55.76	33.10	9.83	34.14
PK	5.2394G	118.83	Inf	-Inf	8.76	3	Vertical	187	1.58	110.07	33.02	9.89	34.15
PK	5.35G	65.11	74.00	-8.89	8.70	3	Vertical	187	1.58	56.41	32.90	9.96	34.16



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70638G	43.92	54.00	-10.08	19.75	3	Vertical	0	1.50	24.17	38.40	15.80	34.45
PK	10.47802G	53.54	68.20	-14.66	17.09	3	Vertical	0	2.21	36.45	38.90	12.72	34.53
PK	15.72486G	56.47	74.00	-17.53	19.75	3	Vertical	0	1.50	36.72	38.40	15.82	34.47

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7254G	43.78	54.00	-10.22	19.75	3	Horizontal	270	2.03	24.03	38.40	15.82	34.47
PK	10.49056G	53.44	68.20	-14.76	17.10	3	Horizontal	33	1.50	36.34	38.90	12.72	34.52
PK	15.73278G	55.97	74.00	-18.03	19.75	3	Horizontal	270	2.03	36.22	38.40	15.82	34.47

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.44	54.00	-4.56	8.79	3	Vertical	190	1.63	40.65	33.10	9.83	34.14
AV	5.2648G	105.12	Inf	-Inf	8.76	3	Vertical	190	1.63	96.36	33.00	9.91	34.15
AV	5.3674G	52.94	54.00	-1.06	8.72	3	Vertical	190	1.63	44.22	32.90	9.98	34.16
PK	5.146G	61.90	74.00	-12.10	8.79	3	Vertical	190	1.63	53.11	33.10	9.83	34.14
PK	5.2678G	117.51	Inf	-Inf	8.76	3	Vertical	190	1.63	108.75	33.00	9.91	34.15
PK	5.3548G	65.64	74.00	-8.36	8.71	3	Vertical	190	1.63	56.93	32.90	9.97	34.16

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.76512G	44.22	54.00	-9.78	19.75	3	Vertical	360	1.73	24.47	38.40	15.85	34.50
PK	10.5227G	54.08	68.20	-14.12	17.14	3	Vertical	74	1.02	36.94	38.90	12.73	34.49
PK	15.78198G	55.71	74.00	-18.29	19.75	3	Vertical	360	1.73	35.96	38.40	15.86	34.51

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.76728G	43.82	54.00	-10.18	19.75	3	Horizontal	0	1.50	24.07	38.40	15.85	34.50
PK	10.52564G	53.47	68.20	-14.73	17.14	3	Horizontal	25	1.50	36.33	38.90	12.73	34.49
PK	15.7821G	55.97	74.00	-18.03	19.75	3	Horizontal	0	1.50	36.22	38.40	15.86	34.51

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2976G	104.08	Inf	-Inf	8.77	3	Vertical	190	1.63	95.31	33.00	9.93	34.16
AV	5.3954G	52.89	54.00	-1.11	8.73	3	Vertical	190	1.63	44.16	32.90	10.00	34.17
PK	5.2952G	116.27	Inf	-Inf	8.77	3	Vertical	190	1.63	107.50	33.00	9.93	34.16
PK	5.3972G	65.83	74.00	-8.17	8.73	3	Vertical	190	1.63	57.10	32.90	10.00	34.17

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89352G	44.11	54.00	-9.89	19.55	3	Vertical	136	1.76	24.56	38.21	15.94	34.60
PK	10.59936G	56.07	68.20	-12.13	17.22	3	Vertical	90	2.50	38.85	38.90	12.76	34.44
PK	15.9132G	56.17	74.00	-17.83	19.52	3	Vertical	136	1.76	36.65	38.17	15.96	34.61

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.9135G	43.92	54.00	-10.08	19.52	3	Horizontal	295	1.50	24.40	38.17	15.96	34.61
PK	10.59256G	55.45	68.20	-12.75	17.21	3	Horizontal	325	1.22	38.24	38.90	12.76	34.45
PK	15.88836G	56.11	74.00	-17.89	19.57	3	Horizontal	295	1.50	36.54	38.22	15.94	34.59

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3182G	103.99	Inf	-Inf	8.74	3	Vertical	188	1.92	95.25	32.96	9.94	34.16
AV	5.413G	52.90	54.00	-1.10	8.73	3	Vertical	188	1.92	44.17	32.90	10.00	34.17
PK	5.3128G	117.08	Inf	-Inf	8.75	3	Vertical	188	1.92	108.33	32.97	9.94	34.16
PK	5.4622G	63.25	68.20	-4.95	8.74	3	Vertical	188	1.92	54.51	32.90	10.02	34.18

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64258G	41.29	54.00	-12.71	17.40	3	Vertical	0	1.50	23.89	39.03	12.78	34.41
AV	15.94608G	43.76	54.00	-10.24	19.45	3	Vertical	22	1.50	24.31	38.11	15.98	34.64
PK	10.65044G	53.85	74.00	-20.15	17.43	3	Vertical	0	1.50	36.42	39.05	12.78	34.40
PK	15.96384G	55.82	74.00	-18.18	19.41	3	Vertical	22	1.50	36.41	38.07	15.99	34.65

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6262G	41.38	54.00	-12.62	17.33	3	Horizontal	287	1.50	24.05	38.98	12.77	34.42
AV	15.94506G	43.76	54.00	-10.24	19.45	3	Horizontal	84	1.50	24.31	38.11	15.98	34.64
PK	10.63688G	53.29	74.00	-20.71	17.38	3	Horizontal	287	1.50	35.91	39.01	12.78	34.41
PK	15.94566G	56.34	74.00	-17.66	19.45	3	Horizontal	84	1.50	36.89	38.11	15.98	34.64

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4046G	51.53	54.00	-2.47	8.73	3	Vertical	188	1.59	42.80	32.90	10.00	34.17
AV	5.5018G	105.34	Inf	-Inf	8.76	3	Vertical	188	1.59	96.58	32.90	10.04	34.18
PK	5.47G	66.81	68.20	-1.39	8.74	3	Vertical	188	1.59	58.07	32.90	10.02	34.18
PK	5.497G	118.46	Inf	-Inf	8.75	3	Vertical	188	1.59	109.71	32.90	10.03	34.18

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99328G	41.63	54.00	-12.37	17.77	3	Vertical	50	1.50	23.86	39.01	12.92	34.16
PK	11.01098G	54.22	74.00	-19.78	17.75	3	Vertical	50	1.50	36.47	38.99	12.92	34.16
PK	16.51182G	57.16	68.20	-11.04	20.28	3	Vertical	179	1.50	36.88	38.36	16.10	34.18

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9994G	41.65	54.00	-12.35	17.76	3	Horizontal	300	2.20	23.89	39.00	12.92	34.16
PK	10.99514G	54.22	74.00	-19.78	17.76	3	Horizontal	300	2.20	36.46	39.00	12.92	34.16
PK	16.49394G	56.58	68.20	-11.62	20.26	3	Horizontal	26	1.50	36.32	38.37	16.10	34.21

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4558G	52.23	54.00	-1.77	8.75	3	Vertical	189	1.94	43.48	32.90	10.02	34.17
AV	5.583G	114.27	Inf	-Inf	8.84	3	Vertical	189	1.94	105.43	32.97	10.06	34.19
PK	5.4642G	65.67	68.20	-2.53	8.74	3	Vertical	189	1.94	56.93	32.90	10.02	34.18
PK	5.5782G	126.87	Inf	-Inf	8.83	3	Vertical	189	1.94	118.04	32.96	10.06	34.19
PK	5.7288G	66.91	68.20	-1.29	9.66	3	Vertical	189	1.94	57.25	33.72	10.14	34.20

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16216G	41.89	54.00	-12.11	17.81	3	Vertical	64	2.88	24.08	38.96	12.98	34.13
PK	11.1489G	54.42	74.00	-19.58	17.80	3	Vertical	64	2.88	36.62	38.95	12.98	34.13
PK	16.74156G	58.94	68.20	-9.26	20.72	3	Vertical	80	2.25	38.22	38.30	16.14	33.72



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16036G	41.47	54.00	-12.53	17.81	3	Horizontal	360	1.50	23.66	38.96	12.98	34.13
PK	11.16714G	54.22	74.00	-19.78	17.83	3	Horizontal	360	1.50	36.39	38.97	12.99	34.13
PK	16.72668G	57.12	68.20	-11.08	20.69	3	Horizontal	57	2.95	36.43	38.30	16.14	33.75

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7066G	104.03	Inf	-Inf	9.56	3	Vertical	189	1.54	94.47	33.63	10.13	34.20
PK	5.6994G	116.80	Inf	-Inf	9.51	3	Vertical	189	1.54	107.29	33.59	10.12	34.20
PK	5.7996G	66.12	68.20	-2.08	10.08	3	Vertical	189	1.54	56.04	34.10	10.18	34.20

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38836G	42.06	54.00	-11.94	18.18	3	Vertical	130	1.00	23.88	39.19	13.07	34.08
PK	11.40024G	53.95	74.00	-20.05	18.20	3	Vertical	130	1.00	35.75	39.20	13.08	34.08
PK	17.09502G	57.09	68.20	-11.11	21.16	3	Vertical	125	1.50	35.93	38.20	16.20	33.24

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39652G	41.92	54.00	-12.08	18.19	3	Horizontal	324	3.00	23.73	39.20	13.07	34.08
PK	11.41386G	54.04	74.00	-19.96	18.19	3	Horizontal	324	3.00	35.85	39.19	13.08	34.08
PK	17.0955G	56.05	68.20	-12.15	21.16	3	Horizontal	329	1.50	34.89	38.20	16.20	33.24

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	50.81	54.00	-3.19	8.75	3	Vertical	189	1.67	42.06	32.90	10.02	34.17
AV	5.7224G	113.81	Inf	-Inf	9.63	3	Vertical	189	1.67	104.18	33.69	10.14	34.20
PK	5.468G	63.30	68.20	-4.90	8.74	3	Vertical	189	1.67	54.56	32.90	10.02	34.18
PK	5.7164G	127.04	Inf	-Inf	9.60	3	Vertical	189	1.67	117.44	33.67	10.13	34.20
PK	5.8796G	66.97	68.20	-1.23	10.25	3	Vertical	189	1.67	56.72	34.22	10.24	34.21

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43856G	42.06	54.00	-11.94	18.18	3	Vertical	67	2.61	23.88	39.16	13.09	34.07
PK	11.44378G	54.07	74.00	-19.93	18.18	3	Vertical	67	2.61	35.89	39.16	13.09	34.07
PK	17.16426G	58.45	68.20	-9.75	21.15	3	Vertical	58	3.00	37.30	38.20	16.21	33.26

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4322G	41.74	54.00	-12.26	18.19	3	Horizontal	342	1.50	23.55	39.17	13.09	34.07
PK	11.42686G	54.33	74.00	-19.67	18.19	3	Horizontal	342	1.50	36.14	39.17	13.09	34.07
PK	17.17062G	56.42	68.20	-11.78	21.15	3	Horizontal	34	3.00	35.27	38.20	16.21	33.26

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	108.40	Inf	-Inf	9.74	3	Vertical	187	1.62	98.66	33.79	10.15	34.20
PK	5.6418G	66.60	68.20	-1.60	8.90	3	Vertical	187	1.62	57.70	33.00	10.09	34.19
PK	5.7414G	121.34	Inf	-Inf	9.72	3	Vertical	187	1.62	111.62	33.77	10.15	34.20
PK	6.0198G	64.78	68.20	-3.42	10.23	3	Vertical	187	1.62	54.55	34.10	10.35	34.22

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48232G	41.84	54.00	-12.16	18.17	3	Vertical	253	1.50	23.67	39.12	13.11	34.06
PK	11.48748G	53.71	74.00	-20.29	18.16	3	Vertical	253	1.50	35.55	39.11	13.11	34.06
PK	17.23104G	55.99	68.20	-12.21	21.17	3	Vertical	322	2.45	34.82	38.23	16.22	33.28

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4822G	41.76	54.00	-12.24	18.17	3	Horizontal	146	2.85	23.59	39.12	13.11	34.06
PK	11.48694G	54.53	74.00	-19.47	18.16	3	Horizontal	146	2.85	36.37	39.11	13.11	34.06
PK	17.24178G	55.77	68.20	-12.43	21.17	3	Horizontal	278	1.50	34.60	38.24	16.22	33.29

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78976G	115.19	Inf	-Inf	10.01	3	Vertical	189	1.61	105.18	34.04	10.17	34.20
PK	5.62036G	66.78	68.20	-1.42	8.89	3	Vertical	189	1.61	57.89	33.00	10.08	34.19
PK	5.7825G	128.08	Inf	-Inf	9.97	3	Vertical	189	1.61	118.11	34.00	10.17	34.20
PK	5.9882G	67.18	68.20	-1.02	10.22	3	Vertical	189	1.61	56.96	34.12	10.32	34.22

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.573G	43.01	54.00	-10.99	17.84	3	Vertical	52	2.58	25.17	38.81	13.14	34.11
PK	11.56784G	54.47	74.00	-19.53	17.87	3	Vertical	52	2.58	36.60	38.83	13.14	34.10
PK	17.35996G	58.97	68.20	-9.23	21.39	3	Vertical	67	2.44	37.58	38.47	16.24	33.32

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57228G	41.73	54.00	-12.27	17.85	3	Horizontal	28	1.50	23.88	38.81	13.14	34.10
PK	11.55908G	54.04	74.00	-19.96	17.90	3	Horizontal	28	1.50	36.14	38.86	13.14	34.10
PK	17.3562G	56.85	68.20	-11.35	21.39	3	Horizontal	201	1.50	35.46	38.47	16.24	33.32

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	106.03	Inf	-Inf	10.09	3	Vertical	188	1.76	95.94	34.10	10.20	34.21
PK	5.5706G	62.79	68.20	-5.41	8.81	3	Vertical	188	1.76	53.98	32.94	10.06	34.19
PK	5.8226G	118.10	Inf	-Inf	10.09	3	Vertical	188	1.76	108.01	34.10	10.20	34.21
PK	5.9306G	67.09	68.20	-1.11	10.31	3	Vertical	188	1.76	56.78	34.24	10.28	34.21

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64274G	41.54	54.00	-12.46	17.72	3	Vertical	40	2.95	23.82	38.70	13.17	34.15
PK	11.65624G	54.49	74.00	-19.51	17.72	3	Vertical	40	2.95	36.77	38.70	13.18	34.16
PK	17.4723G	56.89	68.20	-11.31	21.57	3	Vertical	69	2.56	35.32	38.67	16.26	33.36

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65696G	41.38	54.00	-12.62	17.72	3	Horizontal	360	1.50	23.66	38.70	13.18	34.16
PK	11.65576G	53.11	74.00	-20.89	17.72	3	Horizontal	360	1.50	35.39	38.70	13.18	34.16
PK	17.4867G	57.73	68.20	-10.47	21.58	3	Horizontal	85	1.50	36.15	38.69	16.26	33.37



5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.96	54.00	-1.04	8.79	3	Vertical	191	1.81	44.17	33.10	9.83	34.14
AV	5.1956G	102.66	Inf	-Inf	8.82	3	Vertical	191	1.81	93.84	33.10	9.86	34.14
PK	5.1452G	65.38	74.00	-8.62	8.79	3	Vertical	191	1.81	56.59	33.10	9.83	34.14
PK	5.1952G	114.69	Inf	-Inf	8.82	3	Vertical	191	1.81	105.87	33.10	9.86	34.14

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5584G	44.79	54.00	-9.21	20.15	3	Vertical	360	1.14	24.64	38.79	15.69	34.33
PK	10.36248G	53.84	68.20	-14.36	16.94	3	Vertical	340	1.50	36.90	38.90	12.67	34.63
PK	15.54948G	56.45	74.00	-17.55	20.16	3	Vertical	360	1.14	36.29	38.80	15.69	34.33

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54696G	44.94	54.00	-9.06	20.16	3	Horizontal	224	2.77	24.78	38.81	15.68	34.33
PK	10.39716G	53.51	68.20	-14.69	16.98	3	Horizontal	199	1.50	36.53	38.90	12.68	34.60
PK	15.58332G	56.43	74.00	-17.57	20.09	3	Horizontal	224	2.77	36.34	38.73	15.71	34.35

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	52.72	54.00	-1.28	8.79	3	Vertical	192	1.68	43.93	33.10	9.83	34.14
AV	5.2356G	105.55	Inf	-Inf	8.76	3	Vertical	192	1.68	96.79	33.03	9.88	34.15
PK	5.1456G	65.46	74.00	-8.54	8.79	3	Vertical	192	1.68	56.67	33.10	9.83	34.14
PK	5.2352G	118.18	Inf	-Inf	8.76	3	Vertical	192	1.68	109.42	33.03	9.88	34.15

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71244G	44.58	54.00	-9.42	19.75	3	Vertical	93	1.50	24.83	38.40	15.81	34.46
PK	10.47452G	53.22	68.20	-14.98	17.09	3	Vertical	323	1.50	36.13	38.90	12.72	34.53
PK	15.68124G	56.41	74.00	-17.59	19.81	3	Vertical	93	1.50	36.60	38.46	15.78	34.43

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68508G	44.64	54.00	-9.36	19.80	3	Horizontal	264	1.50	24.84	38.44	15.79	34.43
PK	10.48292G	54.03	68.20	-14.17	17.10	3	Horizontal	0	1.93	36.93	38.90	12.72	34.52
PK	15.7002G	56.29	74.00	-17.71	19.75	3	Horizontal	264	1.50	36.54	38.40	15.80	34.45

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.266G	102.74	Inf	-Inf	8.76	3	Vertical	191	1.93	93.98	33.00	9.91	34.15
AV	5.3684G	52.89	54.00	-1.11	8.72	3	Vertical	191	1.93	44.17	32.90	9.98	34.16
PK	5.2612G	114.53	Inf	-Inf	8.75	3	Vertical	191	1.93	105.78	33.00	9.90	34.15
PK	5.364G	65.20	74.00	-8.80	8.71	3	Vertical	191	1.93	56.49	32.90	9.97	34.16

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.83544G	44.63	54.00	-9.37	19.68	3	Vertical	289	1.50	24.95	38.33	15.90	34.55
PK	10.5358G	54.10	68.20	-14.10	17.16	3	Vertical	131	1.50	36.94	38.90	12.74	34.48
PK	15.83724G	56.57	74.00	-17.43	19.68	3	Vertical	289	1.50	36.89	38.33	15.90	34.55

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.83712G	44.69	54.00	-9.31	19.68	3	Horizontal	23	1.50	25.01	38.33	15.90	34.55
PK	10.53988G	53.39	68.20	-14.81	17.16	3	Horizontal	80	2.93	36.23	38.90	12.74	34.48
PK	15.78108G	55.94	74.00	-18.06	19.75	3	Horizontal	23	1.50	36.19	38.40	15.86	34.51

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.312G	102.05	Inf	-Inf	8.76	3	Vertical	186	1.59	93.29	32.98	9.94	34.16
AV	5.3524G	52.79	54.00	-1.21	8.71	3	Vertical	186	1.59	44.08	32.90	9.97	34.16
PK	5.3068G	114.54	Inf	-Inf	8.76	3	Vertical	186	1.59	105.78	32.99	9.93	34.16
PK	5.3536G	66.42	74.00	-7.58	8.71	3	Vertical	186	1.59	57.71	32.90	9.97	34.16

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64537G	42.27	54.00	-11.73	17.41	3	Vertical	203	2.76	24.86	39.04	12.78	34.41
AV	15.91344G	45.01	54.00	-8.99	19.52	3	Vertical	313	1.50	25.49	38.17	15.96	34.61
PK	10.64436G	54.24	74.00	-19.76	17.40	3	Vertical	203	2.76	36.84	39.03	12.78	34.41
PK	15.93108G	56.46	74.00	-17.54	19.48	3	Vertical	313	1.50	36.98	38.14	15.97	34.63

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62624G	42.07	54.00	-11.93	17.33	3	Horizontal	115	1.50	24.74	38.98	12.77	34.42
AV	15.94164G	44.69	54.00	-9.31	19.47	3	Horizontal	206	1.50	25.22	38.12	15.98	34.63
PK	10.63248G	53.61	74.00	-20.39	17.36	3	Horizontal	115	1.50	36.25	39.00	12.78	34.42
PK	15.95472G	56.99	74.00	-17.01	19.44	3	Horizontal	206	1.50	37.55	38.09	15.99	34.64

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	52.61	54.00	-1.39	8.74	3	Vertical	187	1.97	43.87	32.90	10.02	34.18
AV	5.5056G	104.08	Inf	-Inf	8.76	3	Vertical	187	1.97	95.32	32.90	10.04	34.18
PK	5.468G	65.37	68.20	-2.83	8.74	3	Vertical	187	1.97	56.63	32.90	10.02	34.18
PK	5.5208G	115.43	Inf	-Inf	8.76	3	Vertical	187	1.97	106.67	32.90	10.04	34.18

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99588G	42.49	54.00	-11.51	17.76	3	Vertical	360	1.37	24.73	39.00	12.92	34.16
PK	10.9996G	55.03	74.00	-18.97	17.76	3	Vertical	360	1.37	37.27	39.00	12.92	34.16
PK	16.5054G	56.68	68.20	-11.52	20.29	3	Vertical	0	1.50	36.39	38.38	16.10	34.19

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0164G	42.45	54.00	-11.55	17.75	3	Horizontal	279	2.37	24.70	38.98	12.93	34.16
PK	11.01928G	53.55	74.00	-20.45	17.75	3	Horizontal	279	2.37	35.80	38.98	12.93	34.16
PK	16.53396G	56.71	68.20	-11.49	20.28	3	Horizontal	252	1.50	36.43	38.30	16.11	34.13

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4508G	52.71	54.00	-1.29	8.75	3	Vertical	180	1.50	43.96	32.90	10.02	34.17
AV	5.5532G	106.00	Inf	-Inf	8.78	3	Vertical	180	1.50	97.22	32.91	10.05	34.18
PK	5.4632G	63.92	68.20	-4.28	8.74	3	Vertical	180	1.50	55.18	32.90	10.02	34.18
PK	5.566G	117.45	Inf	-Inf	8.80	3	Vertical	180	1.50	108.65	32.93	10.06	34.19



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07864G	43.22	54.00	-10.78	17.73	3	Vertical	267	1.92	25.49	38.92	12.95	34.14
PK	11.11956G	52.98	74.00	-21.02	17.75	3	Vertical	267	1.92	35.23	38.92	12.97	34.14
PK	16.62888G	55.99	68.20	-12.21	20.34	3	Vertical	33	1.86	35.65	38.16	16.12	33.94

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09112G	42.21	54.00	-11.79	17.73	3	Horizontal	9	2.62	24.48	38.91	12.96	34.14
PK	11.12124G	53.58	74.00	-20.42	17.75	3	Horizontal	9	2.62	35.83	38.92	12.97	34.14
PK	16.67928G	56.74	68.20	-11.46	20.54	3	Horizontal	333	1.50	36.20	38.26	16.13	33.85

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.676G	105.91	Inf	-Inf	9.23	3	Vertical	183	1.49	96.68	33.31	10.11	34.19
PK	5.6808G	116.33	Inf	-Inf	9.29	3	Vertical	183	1.49	107.04	33.37	10.11	34.19
PK	5.7288G	66.93	68.20	-1.27	9.66	3	Vertical	183	1.49	57.27	33.72	10.14	34.20

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3382G	42.40	54.00	-11.60	18.10	3	Vertical	88	1.50	24.30	39.14	13.05	34.09
PK	11.32284G	54.37	74.00	-19.63	18.07	3	Vertical	88	1.50	36.30	39.12	13.05	34.10
PK	17.0082G	56.93	68.20	-11.27	21.08	3	Vertical	298	1.50	35.85	38.11	16.18	33.21

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.36292G	42.56	54.00	-11.44	18.13	3	Horizontal	277	1.50	24.43	39.16	13.06	34.09
PK	11.35068G	53.89	74.00	-20.11	18.12	3	Horizontal	277	1.50	35.77	39.15	13.06	34.09
PK	16.98168G	56.75	68.20	-11.45	21.03	3	Horizontal	29	2.19	35.72	38.10	16.18	33.25

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.87	54.00	-2.13	8.74	3	Vertical	185	1.45	43.13	32.90	10.02	34.18
AV	5.7136G	112.40	Inf	-Inf	9.58	3	Vertical	185	1.45	102.82	33.65	10.13	34.20
PK	5.4676G	63.53	68.20	-4.67	8.74	3	Vertical	185	1.45	54.79	32.90	10.02	34.18
PK	5.7088G	122.42	Inf	-Inf	9.57	3	Vertical	185	1.45	112.85	33.64	10.13	34.20
PK	5.884G	66.52	68.20	-1.68	10.27	3	Vertical	185	1.45	56.25	34.24	10.24	34.21

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39204G	42.84	54.00	-11.16	18.18	3	Vertical	166	1.99	24.66	39.19	13.07	34.08
PK	11.396G	54.49	74.00	-19.51	18.19	3	Vertical	166	1.99	36.30	39.20	13.07	34.08
PK	17.103G	56.78	68.20	-11.42	21.16	3	Vertical	65	2.08	35.62	38.20	16.20	33.24

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4068G	42.76	54.00	-11.24	18.19	3	Horizontal	51	1.50	24.57	39.19	13.08	34.08
PK	11.41844G	54.39	74.00	-19.61	18.18	3	Horizontal	51	1.50	36.21	39.18	13.08	34.08
PK	17.15004G	56.93	68.20	-11.27	21.14	3	Horizontal	279	1.92	35.79	38.20	16.20	33.26

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.749G	110.62	Inf	-Inf	9.75	3	Vertical	182	1.76	100.87	33.80	10.15	34.20
PK	5.6398G	67.08	68.20	-1.12	8.90	3	Vertical	182	1.76	58.18	33.00	10.09	34.19
PK	5.7466G	121.89	Inf	-Inf	9.74	3	Vertical	182	1.76	112.15	33.79	10.15	34.20
PK	5.929G	66.34	68.20	-1.86	10.31	3	Vertical	182	1.76	56.03	34.24	10.28	34.21

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50532G	42.94	54.00	-11.06	18.14	3	Vertical	222	2.56	24.80	39.08	13.12	34.06
PK	11.48768G	54.30	74.00	-19.70	18.16	3	Vertical	222	2.56	36.14	39.11	13.11	34.06
PK	17.24256G	56.86	68.20	-11.34	21.17	3	Vertical	63	1.50	35.69	38.24	16.22	33.29

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.519G	42.97	54.00	-11.03	18.07	3	Horizontal	81	2.00	24.90	39.02	13.12	34.07
PK	11.48924G	53.67	74.00	-20.33	18.16	3	Horizontal	81	2.00	35.51	39.11	13.11	34.06
PK	17.23764G	56.71	68.20	-11.49	21.17	3	Horizontal	343	2.36	35.54	38.24	16.22	33.29

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	112.64	Inf	-Inf	10.08	3	Vertical	182	1.70	102.56	34.10	10.18	34.20
PK	5.6378G	64.82	68.20	-3.38	8.90	3	Vertical	182	1.70	55.92	33.00	10.09	34.19
PK	5.7974G	122.91	Inf	-Inf	10.06	3	Vertical	182	1.70	112.85	34.08	10.18	34.20
PK	5.9834G	66.84	68.20	-1.36	10.23	3	Vertical	182	1.70	56.61	34.13	10.32	34.22

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5876G	42.85	54.00	-11.15	17.79	3	Vertical	56	2.55	25.06	38.75	13.15	34.11
PK	11.59084G	54.62	74.00	-19.38	17.77	3	Vertical	56	2.55	36.85	38.74	13.15	34.12
PK	17.39424G	58.14	68.20	-10.06	21.48	3	Vertical	67	2.59	36.66	38.58	16.24	33.34

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58244G	42.59	54.00	-11.41	17.81	3	Horizontal	30	1.69	24.78	38.77	13.15	34.11
PK	11.61484G	54.33	74.00	-19.67	17.73	3	Horizontal	30	1.69	36.60	38.70	13.16	34.13
PK	17.40204G	57.05	68.20	-11.15	21.50	3	Horizontal	309	2.13	35.55	38.60	16.24	33.34

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	52.96	54.00	-1.04	8.79	3	Vertical	186	1.75	44.17	33.10	9.83	34.14
AV	5.205G	100.50	Inf	-Inf	8.81	3	Vertical	186	1.75	91.69	33.09	9.86	34.14
AV	5.356G	52.27	54.00	-1.73	8.71	3	Vertical	186	1.75	43.56	32.90	9.97	34.16
PK	5.147G	64.82	74.00	-9.18	8.79	3	Vertical	186	1.75	56.03	33.10	9.83	34.14
PK	5.205G	112.16	Inf	-Inf	8.81	3	Vertical	186	1.75	103.35	33.09	9.86	34.14
PK	5.355G	64.50	74.00	-9.50	8.71	3	Vertical	186	1.75	55.79	32.90	9.97	34.16

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59568G	48.38	54.00	-5.62	20.07	3	Vertical	140	1.50	28.31	38.71	15.72	34.36
PK	10.38712G	55.83	68.20	-12.37	16.98	3	Vertical	18	1.50	38.85	38.90	12.68	34.60
PK	15.67344G	58.90	74.00	-15.10	19.83	3	Vertical	140	1.50	39.07	38.48	15.78	34.43



5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61008G	48.28	54.00	-5.72	20.02	3	Horizontal	14	1.95	28.26	38.67	15.73	34.38
PK	10.43752G	56.15	68.20	-12.05	17.04	3	Horizontal	331	1.50	39.11	38.90	12.70	34.56
PK	15.6228G	59.48	74.00	-14.52	19.98	3	Horizontal	14	1.95	39.50	38.63	15.74	34.39

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	50.26	54.00	-3.74	8.79	3	Vertical	187	2.08	41.47	33.10	9.83	34.14
AV	5.283G	98.06	Inf	-Inf	8.77	3	Vertical	187	2.08	89.29	33.00	9.92	34.15
AV	5.356G	52.88	54.00	-1.12	8.71	3	Vertical	187	2.08	44.17	32.90	9.97	34.16
PK	5.148G	61.90	74.00	-12.10	8.79	3	Vertical	187	2.08	53.11	33.10	9.83	34.14
PK	5.289G	110.61	Inf	-Inf	8.77	3	Vertical	187	2.08	101.84	33.00	9.92	34.15
PK	5.479G	64.45	68.20	-3.75	8.75	3	Vertical	187	2.08	55.70	32.90	10.03	34.18

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8448G	48.74	54.00	-5.26	19.66	3	Vertical	246	1.50	29.08	38.31	15.91	34.56
PK	10.54952G	55.27	68.20	-12.93	17.16	3	Vertical	335	1.50	38.11	38.90	12.74	34.48
PK	15.85584G	59.74	74.00	-14.26	19.63	3	Vertical	246	1.50	40.11	38.29	15.91	34.57

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.85128G	48.89	54.00	-5.11	19.65	3	Horizontal	39	2.05	29.24	38.30	15.91	34.56
PK	10.6028G	55.96	74.00	-18.04	17.24	3	Horizontal	360	1.50	38.72	38.91	12.77	34.44
PK	15.89256G	59.52	74.00	-14.48	19.55	3	Horizontal	39	2.05	39.97	38.21	15.94	34.60

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	52.62	54.00	-1.38	8.74	3	Vertical	182	1.57	43.88	32.90	10.02	34.18
AV	5.544G	101.64	Inf	-Inf	8.77	3	Vertical	182	1.57	92.87	32.90	10.05	34.18
PK	5.469G	64.77	68.20	-3.43	8.74	3	Vertical	182	1.57	56.03	32.90	10.02	34.18
PK	5.529G	113.15	Inf	-Inf	8.77	3	Vertical	182	1.57	104.38	32.90	10.05	34.18
PK	5.741G	63.34	68.20	-4.86	9.71	3	Vertical	182	1.57	53.63	33.76	10.15	34.20

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01176G	45.11	54.00	-8.89	17.75	3	Vertical	135	1.50	27.36	38.99	12.92	34.16
PK	11.06312G	55.83	74.00	-18.17	17.73	3	Vertical	135	1.50	38.10	38.94	12.94	34.15
PK	16.5564G	60.04	68.20	-8.16	20.25	3	Vertical	113	2.28	39.79	38.23	16.11	34.09

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11G	45.17	54.00	-8.83	17.76	3	Horizontal	0	1.20	27.41	39.00	12.92	34.16
PK	11.01512G	55.81	74.00	-18.19	17.75	3	Horizontal	0	1.20	38.06	38.98	12.93	34.16
PK	16.59744G	59.89	68.20	-8.31	20.22	3	Horizontal	298	1.50	39.67	38.11	16.12	34.01

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	50.63	54.00	-3.37	8.75	3	Vertical	240	1.50	41.88	32.90	10.02	34.17
AV	5.586G	92.38	Inf	-Inf	8.85	3	Vertical	240	1.50	83.53	32.97	10.07	34.19
PK	5.468G	64.51	68.20	-3.69	8.74	3	Vertical	240	1.50	55.77	32.90	10.02	34.18
PK	5.586G	103.59	Inf	-Inf	8.85	3	Vertical	240	1.50	94.74	32.97	10.07	34.19
PK	5.742G	65.39	68.20	-2.81	9.72	3	Vertical	240	1.50	55.67	33.77	10.15	34.20

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16432G	45.39	54.00	-8.61	17.81	3	Vertical	38	1.14	27.58	38.96	12.98	34.13
PK	11.2176G	56.45	74.00	-17.55	17.90	3	Vertical	38	1.14	38.55	39.02	13.00	34.12
PK	16.88352G	60.54	68.20	-7.66	20.85	3	Vertical	205	1.28	39.69	38.13	16.16	33.44

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.24736G	45.50	54.00	-8.50	17.96	3	Horizontal	332	1.50	27.54	39.05	13.02	34.11
PK	11.1744G	56.12	74.00	-17.88	17.83	3	Horizontal	332	1.50	38.29	38.97	12.99	34.13
PK	16.88856G	60.13	68.20	-8.07	20.85	3	Horizontal	208	1.50	39.28	38.12	16.16	33.43

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4416G	51.45	54.00	-2.55	8.74	3	Vertical	186	1.58	42.71	32.90	10.01	34.17
AV	5.7164G	106.00	Inf	-Inf	9.60	3	Vertical	186	1.58	96.40	33.67	10.13	34.20
PK	5.4632G	62.18	68.20	-6.02	8.74	3	Vertical	186	1.58	53.44	32.90	10.02	34.18
PK	5.7188G	116.66	Inf	-Inf	9.62	3	Vertical	186	1.58	107.04	33.68	10.14	34.20
PK	5.87G	66.87	68.20	-1.33	10.20	3	Vertical	186	1.58	56.67	34.18	10.23	34.21

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39224G	45.39	54.00	-8.61	18.18	3	Vertical	68	2.86	27.21	39.19	13.07	34.08
PK	11.3332G	55.94	74.00	-18.06	18.09	3	Vertical	68	2.86	37.85	39.13	13.05	34.09
PK	17.07576G	59.84	68.20	-8.36	21.14	3	Vertical	76	1.50	38.70	38.18	16.19	33.23

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42392G	45.23	54.00	-8.77	18.19	3	Horizontal	163	1.50	27.04	39.18	13.09	34.08
PK	11.39032G	55.99	74.00	-18.01	18.18	3	Horizontal	163	1.50	37.81	39.19	13.07	34.08
PK	17.04312G	59.94	68.20	-8.26	21.11	3	Horizontal	199	1.72	38.83	38.14	16.19	33.22

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8014G	104.24	Inf	-Inf	10.08	3	Vertical	186	1.59	94.16	34.10	10.18	34.20
PK	5.637G	65.69	68.20	-2.51	8.90	3	Vertical	186	1.59	56.79	33.00	10.09	34.19
PK	5.8122G	115.33	Inf	-Inf	10.09	3	Vertical	186	1.59	105.24	34.10	10.19	34.20
PK	5.9346G	65.54	68.20	-2.66	10.30	3	Vertical	186	1.59	55.24	34.23	10.28	34.21

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5454G	44.27	54.00	-9.73	17.96	3	Vertical	13	1.76	26.31	38.92	13.13	34.09
PK	11.55148G	55.28	74.00	-18.72	17.94	3	Vertical	13	1.76	37.34	38.89	13.14	34.09
PK	17.33016G	59.52	68.20	-8.68	21.30	3	Vertical	176	2.03	38.22	38.39	16.23	33.32

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5512G	44.48	54.00	-9.52	17.94	3	Horizontal	229	2.06	26.54	38.90	13.13	34.09
PK	11.55508G	55.27	74.00	-18.73	17.93	3	Horizontal	229	2.06	37.34	38.88	13.14	34.09
PK	17.32336G	59.77	68.20	-8.43	21.29	3	Horizontal	141	2.19	38.48	38.37	16.23	33.31





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4652G	66.91	68.20	-1.29	3	Vertical	185	1.64
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.47G	67.10	68.20	-1.10	3	Vertical	188	1.50
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.735G	66.91	68.20	-1.29	3	Vertical	190	1.82
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.7284G	67.00	68.20	-1.20	3	Vertical	180	2.51
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	17.46884G	66.89	68.20	-1.31	3	Vertical	352	2.62
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6458G	67.07	68.20	-1.13	3	Vertical	189	1.57
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.7284G	67.00	68.20	-1.20	3	Vertical	180	2.51



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	AV	5.459G	50.87	54.00	-3.13	3	Vertical	185	1.64
5500MHz	Pass	AV	5.494G	109.19	Inf	-Inf	3	Vertical	185	1.64
5500MHz	Pass	PK	5.4652G	66.91	68.20	-1.29	3	Vertical	185	1.64
5500MHz	Pass	PK	5.4962G	121.46	Inf	-Inf	3	Vertical	185	1.64
5500MHz	Pass	AV	11.00256G	45.47	54.00	-8.53	3	Vertical	38	2.80
5500MHz	Pass	PK	11.00136G	60.51	74.00	-13.49	3	Vertical	38	2.80
5500MHz	Pass	PK	16.49704G	57.72	68.20	-10.48	3	Vertical	349	1.00
5500MHz	Pass	AV	11G	42.41	54.00	-11.59	3	Horizontal	58	1.50
5500MHz	Pass	PK	11.00368G	55.38	74.00	-18.62	3	Horizontal	58	1.50
5500MHz	Pass	PK	16.50108G	57.86	68.20	-10.34	3	Horizontal	360	1.50
5580MHz	Pass	AV	5.4558G	51.16	54.00	-2.84	3	Vertical	188	1.82
5580MHz	Pass	AV	5.5758G	115.46	Inf	-Inf	3	Vertical	188	1.82
5580MHz	Pass	PK	5.4522G	63.64	74.00	-10.36	3	Vertical	188	1.82
5580MHz	Pass	PK	5.4606G	63.37	68.20	-4.83	3	Vertical	188	1.82
5580MHz	Pass	PK	5.5806G	129.42	Inf	-Inf	3	Vertical	188	1.82
5580MHz	Pass	PK	5.7288G	66.71	68.20	-1.49	3	Vertical	188	1.82
5580MHz	Pass	AV	11.15974G	45.53	54.00	-8.47	3	Vertical	68	2.79
5580MHz	Pass	PK	11.15966G	58.21	74.00	-15.79	3	Vertical	68	2.79
5580MHz	Pass	PK	16.74798G	58.77	68.20	-9.43	3	Vertical	59	1.50
5580MHz	Pass	AV	11.1594G	43.54	54.00	-10.46	3	Horizontal	55	2.43
5580MHz	Pass	PK	11.16138G	57.35	74.00	-16.65	3	Horizontal	55	2.43
5580MHz	Pass	PK	16.75188G	59.01	68.20	-9.19	3	Horizontal	195	1.21
5700MHz	Pass	AV	5.694G	109.41	Inf	-Inf	3	Vertical	195	2.43
5700MHz	Pass	PK	5.694G	121.46	Inf	-Inf	3	Vertical	195	2.43
5700MHz	Pass	PK	5.7256G	66.91	68.20	-1.29	3	Vertical	195	2.43
5700MHz	Pass	AV	11.39994G	44.24	54.00	-9.76	3	Vertical	44	2.20
5700MHz	Pass	PK	11.39958G	56.39	74.00	-17.61	3	Vertical	44	2.20
5700MHz	Pass	PK	17.10936G	58.70	68.20	-9.50	3	Vertical	16	1.85
5700MHz	Pass	AV	11.39994G	44.08	54.00	-9.92	3	Horizontal	310	2.53
5700MHz	Pass	PK	11.40012G	56.59	74.00	-17.41	3	Horizontal	310	2.53
5700MHz	Pass	PK	17.10258G	58.26	68.20	-9.94	3	Horizontal	35	1.33
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	50.69	54.00	-3.31	3	Vertical	185	2.36
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	120.09	Inf	-Inf	3	Vertical	185	2.36
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	62.75	68.20	-5.45	3	Vertical	185	2.36
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	133.22	Inf	-Inf	3	Vertical	185	2.36
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8568G	66.62	68.20	-1.58	3	Vertical	185	2.36
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43598G	52.24	54.00	-1.76	3	Vertical	334	2.82
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45038G	65.26	74.00	-8.74	3	Vertical	334	2.82
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15826G	65.99	68.20	-2.21	3	Vertical	334.3	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4403G	49.48	54.00	-4.52	3	Horizontal	62	2.80
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44888G	63.81	74.00	-10.19	3	Horizontal	62	2.80
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1585G	63.41	68.20	-4.79	3	Horizontal	353	2.55
5745MHz	Pass	AV	5.7378G	115.36	Inf	-Inf	3	Vertical	192	1.32
5745MHz	Pass	PK	5.6238G	66.42	68.20	-1.78	3	Vertical	192	1.32
5745MHz	Pass	PK	5.7462G	128.49	Inf	-Inf	3	Vertical	192	1.32
5745MHz	Pass	PK	5.961G	63.81	68.20	-4.39	3	Vertical	192	1.32
5745MHz	Pass	AV	11.49558G	48.35	54.00	-5.65	3	Vertical	309	1.50
5745MHz	Pass	PK	11.496G	62.32	74.00	-11.68	3	Vertical	309	1.50
5745MHz	Pass	PK	17.22696G	62.93	68.20	-5.27	3	Vertical	337	2.36
5745MHz	Pass	AV	11.48388G	48.68	54.00	-5.32	3	Horizontal	63	2.65
5745MHz	Pass	PK	11.481G	62.30	74.00	-11.70	3	Horizontal	63	2.65
5745MHz	Pass	PK	17.24766G	58.88	68.20	-9.32	3	Horizontal	8	2.57
5785MHz	Pass	AV	5.7922G	117.88	Inf	-Inf	3	Vertical	194	2.44
5785MHz	Pass	PK	5.5606G	66.04	68.20	-2.16	3	Vertical	194	2.44
5785MHz	Pass	PK	5.7922G	129.98	Inf	-Inf	3	Vertical	194	2.44
5785MHz	Pass	PK	6.0718G	64.17	68.20	-4.03	3	Vertical	194	2.44
5785MHz	Pass	AV	11.57048G	46.71	54.00	-7.29	3	Vertical	360	2.11
5785MHz	Pass	PK	11.56088G	61.11	74.00	-12.89	3	Vertical	360	2.11
5785MHz	Pass	PK	17.349G	66.81	68.20	-1.39	3	Vertical	334	2.96
5785MHz	Pass	AV	11.56088G	47.22	54.00	-6.78	3	Horizontal	66	2.79



RSE TX above 1GHz\_Beamforming\_Radio 1

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	11.57936G	60.93	74.00	-13.07	3	Horizontal	66	2.79
5785MHz	Pass	PK	17.36328G	62.05	68.20	-6.15	3	Horizontal	339	1.72
5825MHz	Pass	PK	5.8226G	129.21	Inf	-Inf	3	Vertical	184	2.43
5825MHz	Pass	PK	5.555G	65.54	68.20	-2.66	3	Vertical	184	2.43
5825MHz	Pass	PK	6.0554G	63.47	68.20	-4.73	3	Vertical	184	2.43
5825MHz	Pass	AV	5.8166G	117.41	Inf	-Inf	3	Vertical	184	2.43
5825MHz	Pass	AV	11.64104G	47.92	54.00	-6.08	3	Vertical	56	2.72
5825MHz	Pass	PK	11.63896G	61.52	74.00	-12.48	3	Vertical	56	2.72
5825MHz	Pass	PK	17.46884G	66.89	68.20	-1.31	3	Vertical	352	2.62
5825MHz	Pass	AV	11.66104G	47.15	54.00	-6.85	3	Horizontal	69	2.18
5825MHz	Pass	PK	11.6584G	60.59	74.00	-13.41	3	Horizontal	69	2.18
5825MHz	Pass	PK	17.46332G	61.53	68.20	-6.67	3	Horizontal	26	2.72
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	AV	5.4584G	49.11	54.00	-4.89	3	Vertical	188	1.50
5510MHz	Pass	AV	5.5276G	98.87	Inf	-Inf	3	Vertical	188	1.50
5510MHz	Pass	PK	5.47G	67.10	68.20	-1.10	3	Vertical	188	1.50
5510MHz	Pass	PK	5.4968G	114.24	Inf	-Inf	3	Vertical	188	1.50
5510MHz	Pass	AV	11.02G	43.63	54.00	-10.37	3	Vertical	274	1.92
5510MHz	Pass	PK	11.02012G	55.54	74.00	-18.46	3	Vertical	274	1.92
5510MHz	Pass	PK	16.52412G	58.92	68.20	-9.28	3	Vertical	209	1.24
5510MHz	Pass	AV	11.01982G	42.00	54.00	-12.00	3	Horizontal	78	1.50
5510MHz	Pass	PK	11.0134G	55.90	74.00	-18.10	3	Horizontal	78	1.50
5510MHz	Pass	PK	16.51698G	58.18	68.20	-10.02	3	Horizontal	181	1.50
5550MHz	Pass	AV	5.4596G	52.28	54.00	-1.72	3	Vertical	184	1.50
5550MHz	Pass	AV	5.5664G	109.28	Inf	-Inf	3	Vertical	184	1.50
5550MHz	Pass	PK	5.4636G	67.02	68.20	-1.18	3	Vertical	184	1.50
5550MHz	Pass	PK	5.5676G	122.92	Inf	-Inf	3	Vertical	184	1.50
5550MHz	Pass	AV	11.11G	46.06	54.00	-7.94	3	Vertical	348	1.73
5550MHz	Pass	PK	11.09982G	62.77	74.00	-11.23	3	Vertical	348	1.73
5550MHz	Pass	PK	16.64G	58.32	68.20	-9.88	3	Vertical	104	2.12
5550MHz	Pass	AV	11.09668G	42.69	54.00	-11.31	3	Horizontal	57	1.50
5550MHz	Pass	PK	11.09884G	60.39	74.00	-13.61	3	Horizontal	57	1.50
5550MHz	Pass	PK	16.6488G	58.54	68.20	-9.66	3	Horizontal	190	1.50
5670MHz	Pass	AV	5.688G	103.84	Inf	-Inf	3	Vertical	188	1.50
5670MHz	Pass	PK	5.6658G	119.35	Inf	-Inf	3	Vertical	188	1.50
5670MHz	Pass	PK	5.7276G	66.91	68.20	-1.29	3	Vertical	188	1.50
5670MHz	Pass	AV	11.34G	41.86	54.00	-12.14	3	Vertical	22	2.57
5670MHz	Pass	PK	11.346G	55.17	74.00	-18.83	3	Vertical	22	2.57
5670MHz	Pass	PK	17.00096G	57.98	68.20	-10.22	3	Vertical	246	1.50
5670MHz	Pass	AV	11.33988G	41.62	54.00	-12.38	3	Horizontal	77	2.31
5670MHz	Pass	PK	11.34042G	55.02	74.00	-18.98	3	Horizontal	77	2.31
5670MHz	Pass	PK	17.02184G	57.78	68.20	-10.42	3	Horizontal	233	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	50.72	54.00	-3.28	3	Vertical	184	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7244G	112.79	Inf	-Inf	3	Vertical	184	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	63.66	68.20	-4.54	3	Vertical	184	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7136G	127.00	Inf	-Inf	3	Vertical	184	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	66.95	68.20	-1.25	3	Vertical	184	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41016G	44.47	54.00	-9.53	3	Vertical	357	2.28
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40872G	58.11	74.00	-15.89	3	Vertical	357	2.28
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13456G	57.57	68.20	-10.63	3	Vertical	0	2.77
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40992G	42.17	54.00	-11.83	3	Horizontal	316	2.61
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4374G	55.36	74.00	-18.64	3	Horizontal	316	2.61
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.15976G	56.77	68.20	-11.43	3	Horizontal	183	1.50
5755MHz	Pass	AV	5.7406G	110.82	Inf	-Inf	3	Vertical	189	1.57
5755MHz	Pass	PK	5.6458G	67.07	68.20	-1.13	3	Vertical	189	1.57
5755MHz	Pass	PK	5.7406G	123.74	Inf	-Inf	3	Vertical	189	1.57
5755MHz	Pass	PK	6.0034G	63.61	68.20	-4.59	3	Vertical	189	1.57
5755MHz	Pass	AV	11.4962G	46.10	54.00	-7.90	3	Vertical	357	1.50
5755MHz	Pass	PK	11.49428G	58.66	74.00	-15.34	3	Vertical	357	1.50
5755MHz	Pass	PK	17.24988G	58.12	68.20	-10.08	3	Vertical	177	1.50
5755MHz	Pass	AV	11.49872G	43.06	54.00	-10.94	3	Horizontal	357	2.24
5755MHz	Pass	PK	11.53496G	56.01	74.00	-17.99	3	Horizontal	357	2.24



RSE TX above 1GHz\_Beamforming\_Radio 1

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5755MHz	Pass	PK	17.28732G	56.82	68.20	-11.38	3	Horizontal	84	1.50
5795MHz	Pass	AV	5.7962G	113.77	Inf	-Inf	3	Vertical	190	2.36
5795MHz	Pass	PK	5.645G	67.02	68.20	-1.18	3	Vertical	190	2.36
5795MHz	Pass	PK	5.7914G	128.85	Inf	-Inf	3	Vertical	190	2.36
5795MHz	Pass	PK	5.9774G	63.49	68.20	-4.71	3	Vertical	190	2.36
5795MHz	Pass	AV	11.58976G	48.87	54.00	-5.13	3	Vertical	3	2.33
5795MHz	Pass	PK	11.58064G	64.25	74.00	-9.75	3	Vertical	3	2.33
5795MHz	Pass	PK	17.3838G	60.89	68.20	-7.31	3	Vertical	335	2.13
5795MHz	Pass	AV	11.58964G	43.43	54.00	-10.57	3	Horizontal	53	2.45
5795MHz	Pass	PK	11.58124G	57.32	74.00	-16.68	3	Horizontal	53	2.45
5795MHz	Pass	PK	17.37264G	57.86	68.20	-10.34	3	Horizontal	39	2.82
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.459G	51.77	54.00	-2.23	3	Vertical	193	1.89
5530MHz	Pass	AV	5.567G	104.45	Inf	-Inf	3	Vertical	193	1.89
5530MHz	Pass	PK	5.47G	66.57	68.20	-1.63	3	Vertical	193	1.89
5530MHz	Pass	PK	5.567G	117.01	Inf	-Inf	3	Vertical	193	1.89
5530MHz	Pass	PK	5.727G	65.78	68.20	-2.42	3	Vertical	193	1.89
5530MHz	Pass	AV	11.04656G	42.54	54.00	-11.46	3	Vertical	0	1.23
5530MHz	Pass	PK	11.0468G	55.56	74.00	-18.44	3	Vertical	0	1.23
5530MHz	Pass	PK	16.644G	57.09	68.20	-11.11	3	Vertical	15	2.78
5530MHz	Pass	AV	11.06G	41.44	54.00	-12.56	3	Horizontal	0	1.27
5530MHz	Pass	PK	11.04992G	54.64	74.00	-19.36	3	Horizontal	0	1.27
5530MHz	Pass	PK	16.53072G	57.01	68.20	-11.19	3	Horizontal	360	1.16
5610MHz	Pass	AV	5.46G	50.25	54.00	-3.75	3	Vertical	190	1.82
5610MHz	Pass	AV	5.581G	104.25	Inf	-Inf	3	Vertical	190	1.82
5610MHz	Pass	PK	5.464G	63.76	68.20	-4.44	3	Vertical	190	1.82
5610MHz	Pass	PK	5.579G	117.39	Inf	-Inf	3	Vertical	190	1.82
5610MHz	Pass	PK	5.735G	66.91	68.20	-1.29	3	Vertical	190	1.82
5610MHz	Pass	AV	11.21976G	43.96	54.00	-10.04	3	Vertical	41	2.39
5610MHz	Pass	PK	11.19672G	54.79	74.00	-19.21	3	Vertical	41	2.39
5610MHz	Pass	PK	16.82592G	57.13	68.20	-11.07	3	Vertical	269	1.50
5610MHz	Pass	AV	11.27736G	41.06	54.00	-12.94	3	Horizontal	172	1.04
5610MHz	Pass	PK	11.17728G	55.03	74.00	-18.97	3	Horizontal	172	1.04
5610MHz	Pass	PK	16.77744G	57.10	68.20	-11.10	3	Horizontal	292	1.09
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	50.16	54.00	-3.84	3	Vertical	193	1.68
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6768G	109.69	Inf	-Inf	3	Vertical	193	1.68
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	63.27	68.20	-4.93	3	Vertical	193	1.68
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6984G	123.05	Inf	-Inf	3	Vertical	193	1.68
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	66.38	68.20	-1.82	3	Vertical	193	1.68
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38G	43.72	54.00	-10.28	3	Vertical	345	2.94
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41336G	54.72	74.00	-19.28	3	Vertical	345	2.94
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05632G	56.88	68.20	-11.32	3	Vertical	89	1.16
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37976G	43.05	54.00	-10.95	3	Horizontal	308	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.35288G	54.57	74.00	-19.43	3	Horizontal	308	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.09352G	56.82	68.20	-11.38	3	Horizontal	279	1.98
5775MHz	Pass	AV	5.456G	51.67	54.00	-2.33	3	Vertical	180	2.51
5775MHz	Pass	AV	5.5772G	99.40	Inf	-Inf	3	Vertical	180	2.51
5775MHz	Pass	PK	5.462G	64.97	68.20	-3.23	3	Vertical	180	2.51
5775MHz	Pass	PK	5.5796G	113.02	Inf	-Inf	3	Vertical	180	2.51
5775MHz	Pass	PK	5.7284G	67.00	68.20	-1.20	3	Vertical	180	2.51
5775MHz	Pass	AV	11.04736G	40.79	54.00	-13.21	3	Vertical	307	1.50
5775MHz	Pass	PK	11.07088G	54.08	74.00	-19.92	3	Vertical	307	1.50
5775MHz	Pass	PK	16.73832G	57.00	68.20	-11.20	3	Vertical	105	1.50
5775MHz	Pass	AV	11.14G	41.92	54.00	-12.08	3	Horizontal	360	1.17
5775MHz	Pass	PK	11.11792G	54.16	74.00	-19.84	3	Horizontal	360	1.17
5775MHz	Pass	PK	16.63992G	57.75	68.20	-10.45	3	Horizontal	138	2.82
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.456G	51.67	54.00	-2.33	3	Vertical	180	2.51
5570MHz	Pass	AV	5.5772G	99.40	Inf	-Inf	3	Vertical	180	2.51
5570MHz	Pass	PK	5.462G	64.97	68.20	-3.23	3	Vertical	180	2.51
5570MHz	Pass	PK	5.5796G	113.02	Inf	-Inf	3	Vertical	180	2.51
5570MHz	Pass	PK	5.7284G	67.00	68.20	-1.20	3	Vertical	180	2.51




# RSE TX above 1GHz\_Beamforming\_Radio 1

# Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	AV	11.04736G	40.79	54.00	-13.21	3	Vertical	307	1.50
5570MHz	Pass	PK	11.07088G	54.08	74.00	-19.92	3	Vertical	307	1.50
5570MHz	Pass	PK	16.73832G	57.00	68.20	-11.20	3	Vertical	105	1.50
5570MHz	Pass	AV	11.114G	41.92	54.00	-12.08	3	Horizontal	360	1.17
5570MHz	Pass	PK	11.11792G	54.16	74.00	-19.84	3	Horizontal	360	1.17
5570MHz	Pass	PK	16.63992G	57.75	68.20	-10.45	3	Horizontal	138	2.82

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	50.87	54.00	-3.13	8.74	3	Vertical	185	1.64	42.13	32.90	10.02	34.18
AV	5.494G	109.19	Inf	-Inf	8.75	3	Vertical	185	1.64	100.44	32.90	10.03	34.18
PK	5.4652G	66.91	68.20	-1.29	8.74	3	Vertical	185	1.64	58.17	32.90	10.02	34.18
PK	5.4962G	121.46	Inf	-Inf	8.75	3	Vertical	185	1.64	112.71	32.90	10.03	34.18

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00256G	45.47	54.00	-8.53	17.76	3	Vertical	38	2.80	27.71	39.00	12.92	34.16
PK	11.00136G	60.51	74.00	-13.49	17.76	3	Vertical	38	2.80	42.75	39.00	12.92	34.16
PK	16.49704G	57.72	68.20	-10.48	20.29	3	Vertical	349	1.00	37.43	38.39	16.10	34.20

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11G	42.41	54.00	-11.59	17.76	3	Horizontal	58	1.50	24.65	39.00	12.92	34.16
PK	11.00368G	55.38	74.00	-18.62	17.76	3	Horizontal	58	1.50	37.62	39.00	12.92	34.16
PK	16.50108G	57.86	68.20	-10.34	20.30	3	Horizontal	360	1.50	37.56	38.40	16.10	34.20

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4558G	51.16	54.00	-2.84	8.75	3	Vertical	188	1.82	42.41	32.90	10.02	34.17
AV	5.5758G	115.46	Inf	-Inf	8.82	3	Vertical	188	1.82	106.64	32.95	10.06	34.19
PK	5.4522G	63.64	74.00	-10.36	8.75	3	Vertical	188	1.82	54.89	32.90	10.02	34.17
PK	5.4606G	63.37	68.20	-4.83	8.74	3	Vertical	188	1.82	54.63	32.90	10.02	34.18
PK	5.5806G	129.42	Inf	-Inf	8.83	3	Vertical	188	1.82	120.59	32.96	10.06	34.19
PK	5.7288G	66.71	68.20	-1.49	9.66	3	Vertical	188	1.82	57.05	33.72	10.14	34.20

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15974G	45.53	54.00	-8.47	17.81	3	Vertical	68	2.79	27.72	38.96	12.98	34.13
PK	11.15966G	58.21	74.00	-15.79	17.81	3	Vertical	68	2.79	40.40	38.96	12.98	34.13
PK	16.74798G	58.77	68.20	-9.43	20.73	3	Vertical	59	1.50	38.04	38.30	16.14	33.71

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1594G	43.54	54.00	-10.46	17.81	3	Horizontal	55	2.43	25.73	38.96	12.98	34.13
PK	11.16138G	57.35	74.00	-16.65	17.81	3	Horizontal	55	2.43	39.54	38.96	12.98	34.13
PK	16.75188G	59.01	68.20	-9.19	20.74	3	Horizontal	195	1.21	38.27	38.30	16.14	33.70



5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.694G	109.41	Inf	-Inf	9.45	3	Vertical	195	2.43	99.96	33.53	10.12	34.20
PK	5.694G	121.46	Inf	-Inf	9.45	3	Vertical	195	2.43	112.01	33.53	10.12	34.20
PK	5.7256G	66.91	68.20	-1.29	9.64	3	Vertical	195	2.43	57.27	33.70	10.14	34.20

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39994G	44.24	54.00	-9.76	18.20	3	Vertical	44	2.20	26.04	39.20	13.08	34.08
PK	11.39958G	56.39	74.00	-17.61	18.20	3	Vertical	44	2.20	38.19	39.20	13.08	34.08
PK	17.10936G	58.70	68.20	-9.50	21.16	3	Vertical	16	1.85	37.54	38.20	16.20	33.24

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39994G	44.08	54.00	-9.92	18.20	3	Horizontal	310	2.53	25.88	39.20	13.08	34.08
PK	11.40012G	56.59	74.00	-17.41	18.20	3	Horizontal	310	2.53	38.39	39.20	13.08	34.08
PK	17.10258G	58.26	68.20	-9.94	21.16	3	Horizontal	35	1.33	37.10	38.20	16.20	33.24

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	50.69	54.00	-3.31	8.74	3	Vertical	185	2.36	41.95	32.90	10.02	34.18
AV	5.7236G	120.09	Inf	-Inf	9.63	3	Vertical	185	2.36	110.46	33.69	10.14	34.20
PK	5.4632G	62.75	68.20	-5.45	8.74	3	Vertical	185	2.36	54.01	32.90	10.02	34.18
PK	5.7212G	133.22	Inf	-Inf	9.62	3	Vertical	185	2.36	123.60	33.68	10.14	34.20
PK	5.8568G	66.62	68.20	-1.58	10.14	3	Vertical	185	2.36	56.48	34.13	10.22	34.21

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43598G	52.24	54.00	-1.76	18.18	3	Vertical	334	2.82	34.06	39.16	13.09	34.07
PK	11.45038G	65.26	74.00	-8.74	18.18	3	Vertical	334	2.82	47.08	39.15	13.10	34.07
PK	17.15826G	65.99	68.20	-2.21	21.15	3	Vertical	334.3	1.50	44.84	38.20	16.21	33.26

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4403G	49.48	54.00	-4.52	18.18	3	Horizontal	62	2.80	31.30	39.16	13.09	34.07
PK	11.44888G	63.81	74.00	-10.19	18.18	3	Horizontal	62	2.80	45.63	39.15	13.10	34.07
PK	17.1585G	63.41	68.20	-4.79	21.15	3	Horizontal	353	2.55	42.26	38.20	16.21	33.26

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	115.36	Inf	-Inf	9.70	3	Vertical	192	1.32	105.66	33.75	10.15	34.20
PK	5.6238G	66.42	68.20	-1.78	8.89	3	Vertical	192	1.32	57.53	33.00	10.08	34.19
PK	5.7462G	128.49	Inf	-Inf	9.73	3	Vertical	192	1.32	118.76	33.78	10.15	34.20
PK	5.961G	63.81	68.20	-4.39	10.26	3	Vertical	192	1.32	53.55	34.18	10.30	34.22

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49558G	48.35	54.00	-5.65	18.15	3	Vertical	309	1.50	30.20	39.10	13.11	34.06
PK	11.496G	62.32	74.00	-11.68	18.15	3	Vertical	309	1.50	44.17	39.10	13.11	34.06
PK	17.22696G	62.93	68.20	-5.27	21.17	3	Vertical	337	2.36	41.76	38.23	16.22	33.28

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48388G	48.68	54.00	-5.32	18.17	3	Horizontal	63	2.65	30.51	39.12	13.11	34.06
PK	11.481G	62.30	74.00	-11.70	18.17	3	Horizontal	63	2.65	44.13	39.12	13.11	34.06
PK	17.24766G	58.88	68.20	-9.32	21.18	3	Horizontal	8	2.57	37.70	38.25	16.22	33.29

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7922G	117.88	Inf	-Inf	10.03	3	Vertical	194	2.44	107.85	34.05	10.18	34.20
PK	5.5606G	66.04	68.20	-2.16	8.80	3	Vertical	194	2.44	57.24	32.92	10.06	34.18
PK	5.7922G	129.98	Inf	-Inf	10.03	3	Vertical	194	2.44	119.95	34.05	10.18	34.20
PK	6.0718G	64.17	68.20	-4.03	10.22	3	Vertical	194	2.44	53.95	34.06	10.40	34.24

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57048G	46.71	54.00	-7.29	17.86	3	Vertical	360	2.11	28.85	38.82	13.14	34.10
PK	11.56088G	61.11	74.00	-12.89	17.90	3	Vertical	360	2.11	43.21	38.86	13.14	34.10
PK	17.349G	66.81	68.20	-1.39	21.37	3	Vertical	334	2.96	45.44	38.45	16.24	33.32

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56088G	47.22	54.00	-6.78	17.90	3	Horizontal	66	2.79	29.32	38.86	13.14	34.10
PK	11.57936G	60.93	74.00	-13.07	17.82	3	Horizontal	66	2.79	43.11	38.78	13.15	34.11
PK	17.36328G	62.05	68.20	-6.15	21.40	3	Horizontal	339	1.72	40.65	38.49	16.24	33.33

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.8226G	129.21	Inf	-Inf	10.09	3	Vertical	184	2.43	119.12	34.10	10.20	34.21
PK	5.555G	65.54	68.20	-2.66	8.78	3	Vertical	184	2.43	56.76	32.91	10.05	34.18
PK	6.0554G	63.47	68.20	-4.73	10.25	3	Vertical	184	2.43	53.22	34.09	10.39	34.23
AV	5.8166G	117.41	Inf	-Inf	10.08	3	Vertical	184	2.43	107.33	34.10	10.19	34.21

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64104G	47.92	54.00	-6.08	17.72	3	Vertical	56	2.72	30.20	38.70	13.17	34.15
PK	11.63896G	61.52	74.00	-12.48	17.72	3	Vertical	56	2.72	43.80	38.70	13.17	34.15
PK	17.46884G	66.89	68.20	-1.31	21.57	3	Vertical	352	2.62	45.32	38.67	16.26	33.36

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66104G	47.15	54.00	-6.85	17.72	3	Horizontal	69	2.18	29.43	38.70	13.18	34.16
PK	11.6584G	60.59	74.00	-13.41	17.72	3	Horizontal	69	2.18	42.87	38.70	13.18	34.16
PK	17.46332G	61.53	68.20	-6.67	21.55	3	Horizontal	26	2.72	39.98	38.66	16.25	33.36

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	49.11	54.00	-4.89	8.74	3	Vertical	188	1.50	40.37	32.90	10.02	34.18
AV	5.5276G	98.87	Inf	-Inf	8.76	3	Vertical	188	1.50	90.11	32.90	10.04	34.18
PK	5.47G	67.10	68.20	-1.10	8.74	3	Vertical	188	1.50	58.36	32.90	10.02	34.18
PK	5.4968G	114.24	Inf	-Inf	8.75	3	Vertical	188	1.50	105.49	32.90	10.03	34.18



5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02G	43.63	54.00	-10.37	17.75	3	Vertical	274	1.92	25.88	38.98	12.93	34.16
PK	11.02012G	55.54	74.00	-18.46	17.75	3	Vertical	274	1.92	37.79	38.98	12.93	34.16
PK	16.52412G	58.92	68.20	-9.28	20.28	3	Vertical	209	1.24	38.64	38.33	16.10	34.15

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01982G	42.00	54.00	-12.00	17.75	3	Horizontal	78	1.50	24.25	38.98	12.93	34.16
PK	11.0134G	55.90	74.00	-18.10	17.76	3	Horizontal	78	1.50	38.14	38.99	12.93	34.16
PK	16.51698G	58.18	68.20	-10.02	20.28	3	Horizontal	181	1.50	37.90	38.35	16.10	34.17

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	52.28	54.00	-1.72	8.74	3	Vertical	184	1.50	43.54	32.90	10.02	34.18
AV	5.5664G	109.28	Inf	-Inf	8.80	3	Vertical	184	1.50	100.48	32.93	10.06	34.19
PK	5.4636G	67.02	68.20	-1.18	8.74	3	Vertical	184	1.50	58.28	32.90	10.02	34.18
PK	5.5676G	122.92	Inf	-Inf	8.81	3	Vertical	184	1.50	114.11	32.94	10.06	34.19

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1G	46.06	54.00	-7.94	17.72	3	Vertical	348	1.73	28.34	38.90	12.96	34.14
PK	11.09982G	62.77	74.00	-11.23	17.72	3	Vertical	348	1.73	45.05	38.90	12.96	34.14
PK	16.64G	58.32	68.20	-9.88	20.38	3	Vertical	104	2.12	37.94	38.18	16.12	33.92

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09668G	42.69	54.00	-11.31	17.72	3	Horizontal	57	1.50	24.97	38.90	12.96	34.14
PK	11.09884G	60.39	74.00	-13.61	17.72	3	Horizontal	57	1.50	42.67	38.90	12.96	34.14
PK	16.6488G	58.54	68.20	-9.66	20.41	3	Horizontal	190	1.50	38.13	38.20	16.12	33.91

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.688G	103.84	Inf	-Inf	9.38	3	Vertical	188	1.50	94.46	33.46	10.12	34.20
PK	5.6658G	119.35	Inf	-Inf	9.11	3	Vertical	188	1.50	110.24	33.19	10.11	34.19
PK	5.7276G	66.91	68.20	-1.29	9.65	3	Vertical	188	1.50	57.26	33.71	10.14	34.20

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34G	41.86	54.00	-12.14	18.10	3	Vertical	22	2.57	23.76	39.14	13.05	34.09
PK	11.346G	55.17	74.00	-18.83	18.11	3	Vertical	22	2.57	37.06	39.15	13.05	34.09
PK	17.00096G	57.98	68.20	-10.22	21.07	3	Vertical	246	1.50	36.91	38.10	16.18	33.21

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33988G	41.62	54.00	-12.38	18.10	3	Horizontal	77	2.31	23.52	39.14	13.05	34.09
PK	11.34042G	55.02	74.00	-18.98	18.10	3	Horizontal	77	2.31	36.92	39.14	13.05	34.09
PK	17.02184G	57.78	68.20	-10.42	21.08	3	Horizontal	233	1.50	36.70	38.12	16.18	33.22

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	50.72	54.00	-3.28	8.75	3	Vertical	184	1.50	41.97	32.90	10.02	34.17
AV	5.7244G	112.79	Inf	-Inf	9.64	3	Vertical	184	1.50	103.15	33.70	10.14	34.20
PK	5.47G	63.66	68.20	-4.54	8.74	3	Vertical	184	1.50	54.92	32.90	10.02	34.18
PK	5.7136G	127.00	Inf	-Inf	9.58	3	Vertical	184	1.50	117.42	33.65	10.13	34.20
PK	5.8504G	66.95	68.20	-1.25	10.11	3	Vertical	184	1.50	56.84	34.10	10.22	34.21

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41016G	44.47	54.00	-9.53	18.19	3	Vertical	357	2.28	26.28	39.19	13.08	34.08
PK	11.40872G	58.11	74.00	-15.89	18.19	3	Vertical	357	2.28	39.92	39.19	13.08	34.08
PK	17.13456G	57.57	68.20	-10.63	21.15	3	Vertical	0	2.77	36.42	38.20	16.20	33.25

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40992G	42.17	54.00	-11.83	18.19	3	Horizontal	316	2.61	23.98	39.19	13.08	34.08
PK	11.4374G	55.36	74.00	-18.64	18.18	3	Horizontal	316	2.61	37.18	39.16	13.09	34.07
PK	17.15976G	56.77	68.20	-11.43	21.15	3	Horizontal	183	1.50	35.62	38.20	16.21	33.26

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7406G	110.82	Inf	-Inf	9.71	3	Vertical	189	1.57	101.11	33.76	10.15	34.20
PK	5.6458G	67.07	68.20	-1.13	8.91	3	Vertical	189	1.57	58.16	33.00	10.10	34.19
PK	5.7406G	123.74	Inf	-Inf	9.71	3	Vertical	189	1.57	114.03	33.76	10.15	34.20
PK	6.0034G	63.61	68.20	-4.59	10.21	3	Vertical	189	1.57	53.40	34.10	10.33	34.22

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4962G	46.10	54.00	-7.90	18.15	3	Vertical	357	1.50	27.95	39.10	13.11	34.06
PK	11.49428G	58.66	74.00	-15.34	18.16	3	Vertical	357	1.50	40.50	39.11	13.11	34.06
PK	17.24988G	58.12	68.20	-10.08	21.18	3	Vertical	177	1.50	36.94	38.25	16.22	33.29

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49872G	43.06	54.00	-10.94	18.15	3	Horizontal	357	2.24	24.91	39.10	13.11	34.06
PK	11.53496G	56.01	74.00	-17.99	18.01	3	Horizontal	357	2.24	38.00	38.96	13.13	34.08
PK	17.28732G	56.82	68.20	-11.38	21.22	3	Horizontal	84	1.50	35.60	38.29	16.23	33.30

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7962G	113.77	Inf	-Inf	10.06	3	Vertical	190	2.36	103.71	34.08	10.18	34.20
PK	5.645G	67.02	68.20	-1.18	8.90	3	Vertical	190	2.36	58.12	33.00	10.09	34.19
PK	5.7914G	128.85	Inf	-Inf	10.03	3	Vertical	190	2.36	118.82	34.05	10.18	34.20
PK	5.9774G	63.49	68.20	-4.71	10.24	3	Vertical	190	2.36	53.25	34.15	10.31	34.22

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58976G	48.87	54.00	-5.13	17.77	3	Vertical	3	2.33	31.10	38.74	13.15	34.12
PK	11.58064G	64.25	74.00	-9.75	17.82	3	Vertical	3	2.33	46.43	38.78	13.15	34.11
PK	17.3838G	60.89	68.20	-7.31	21.46	3	Vertical	335	2.13	39.43	38.55	16.24	33.33



5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58964G	43.43	54.00	-10.57	17.77	3	Horizontal	53	2.45	25.66	38.74	13.15	34.12
PK	11.58124G	57.32	74.00	-16.68	17.82	3	Horizontal	53	2.45	39.50	38.78	13.15	34.11
PK	17.37264G	57.86	68.20	-10.34	21.43	3	Horizontal	39	2.82	36.43	38.52	16.24	33.33

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	51.77	54.00	-2.23	8.74	3	Vertical	193	1.89	43.03	32.90	10.02	34.18
AV	5.567G	104.45	Inf	-Inf	8.80	3	Vertical	193	1.89	95.65	32.93	10.06	34.19
PK	5.47G	66.57	68.20	-1.63	8.74	3	Vertical	193	1.89	57.83	32.90	10.02	34.18
PK	5.567G	117.01	Inf	-Inf	8.80	3	Vertical	193	1.89	108.21	32.93	10.06	34.19
PK	5.727G	65.78	68.20	-2.42	9.65	3	Vertical	193	1.89	56.13	33.71	10.14	34.20

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04656G	42.54	54.00	-11.46	17.74	3	Vertical	0	1.23	24.80	38.95	12.94	34.15
PK	11.0468G	55.56	74.00	-18.44	17.74	3	Vertical	0	1.23	37.82	38.95	12.94	34.15
PK	16.644G	57.09	68.20	-11.11	20.40	3	Vertical	15	2.78	36.69	38.19	16.12	33.91

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06G	41.44	54.00	-12.56	17.73	3	Horizontal	0	1.27	23.71	38.94	12.94	34.15
PK	11.04992G	54.64	74.00	-19.36	17.74	3	Horizontal	0	1.27	36.90	38.95	12.94	34.15
PK	16.53072G	57.01	68.20	-11.19	20.27	3	Horizontal	360	1.16	36.74	38.31	16.10	34.14

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.25	54.00	-3.75	8.74	3	Vertical	190	1.82	41.51	32.90	10.02	34.18
AV	5.581G	104.25	Inf	-Inf	8.83	3	Vertical	190	1.82	95.42	32.96	10.06	34.19
PK	5.464G	63.76	68.20	-4.44	8.74	3	Vertical	190	1.82	55.02	32.90	10.02	34.18
PK	5.579G	117.39	Inf	-Inf	8.83	3	Vertical	190	1.82	108.56	32.96	10.06	34.19
PK	5.735G	66.91	68.20	-1.29	9.68	3	Vertical	190	1.82	57.23	33.74	10.14	34.20

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21976G	43.96	54.00	-10.04	17.91	3	Vertical	41	2.39	26.05	39.02	13.01	34.12
PK	11.19672G	54.79	74.00	-19.21	17.88	3	Vertical	41	2.39	36.91	39.00	13.00	34.12
PK	16.82592G	57.13	68.20	-11.07	20.85	3	Vertical	269	1.50	36.28	38.25	16.15	33.55

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.27736G	41.06	54.00	-12.94	18.01	3	Horizontal	172	1.04	23.05	39.08	13.03	34.10
PK	11.17728G	55.03	74.00	-18.97	17.85	3	Horizontal	172	1.04	37.18	38.98	12.99	34.12
PK	16.77744G	57.10	68.20	-11.10	20.79	3	Horizontal	292	1.09	36.31	38.30	16.14	33.65

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	50.16	54.00	-3.84	8.75	3	Vertical	193	1.68	41.41	32.90	10.02	34.17
AV	5.6768G	109.69	Inf	-Inf	9.24	3	Vertical	193	1.68	100.45	33.32	10.11	34.19
PK	5.4656G	63.27	68.20	-4.93	8.74	3	Vertical	193	1.68	54.53	32.90	10.02	34.18
PK	5.6984G	123.05	Inf	-Inf	9.50	3	Vertical	193	1.68	113.55	33.58	10.12	34.20
PK	5.852G	66.38	68.20	-1.82	10.12	3	Vertical	193	1.68	56.26	34.11	10.22	34.21

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38G	43.72	54.00	-10.28	18.17	3	Vertical	345	2.94	25.55	39.18	13.07	34.08
PK	11.41336G	54.72	74.00	-19.28	18.19	3	Vertical	345	2.94	36.53	39.19	13.08	34.08
PK	17.05632G	56.88	68.20	-11.32	21.12	3	Vertical	89	1.16	35.76	38.16	16.19	33.23

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37976G	43.05	54.00	-10.95	18.17	3	Horizontal	308	3.00	24.88	39.18	13.07	34.08
PK	11.35288G	54.57	74.00	-19.43	18.12	3	Horizontal	308	3.00	36.45	39.15	13.06	34.09
PK	17.09352G	56.82	68.20	-11.38	21.14	3	Horizontal	279	1.98	35.68	38.19	16.19	33.24

5.725-5.85GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	105.49	Inf	-Inf	9.73	3	Vertical	195	2.45	95.76	33.78	10.15	34.20
PK	5.649G	66.17	68.20	-2.03	8.91	3	Vertical	195	2.45	57.26	33.00	10.10	34.19
PK	5.7414G	118.41	Inf	-Inf	9.72	3	Vertical	195	2.45	108.69	33.77	10.15	34.20
PK	6.0294G	63.74	68.20	-4.46	10.23	3	Vertical	195	2.45	53.51	34.10	10.36	34.23

5.725-5.85GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49936G	42.91	54.00	-11.09	18.15	3	Vertical	357	1.94	24.76	39.10	13.11	34.06
PK	11.53224G	55.53	74.00	-18.47	18.02	3	Vertical	357	1.94	37.51	38.97	13.13	34.08
PK	17.31036G	56.91	68.20	-11.29	21.25	3	Vertical	235	1.50	35.66	38.33	16.23	33.31

5.725-5.85GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5224G	41.52	54.00	-12.48	18.06	3	Horizontal	66	2.63	23.46	39.01	13.12	34.07
PK	11.52384G	55.00	74.00	-19.00	18.05	3	Horizontal	66	2.63	36.95	39.00	13.12	34.07
PK	17.30892G	57.28	68.20	-10.92	21.25	3	Horizontal	152	1.50	36.03	38.33	16.23	33.31

5.47-5.725GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	51.67	54.00	-2.33	8.75	3	Vertical	180	2.51	42.92	32.90	10.02	34.17
AV	5.5772G	99.40	Inf	-Inf	8.82	3	Vertical	180	2.51	90.58	32.95	10.06	34.19
PK	5.462G	64.97	68.20	-3.23	8.74	3	Vertical	180	2.51	56.23	32.90	10.02	34.18
PK	5.5796G	113.02	Inf	-Inf	8.83	3	Vertical	180	2.51	104.19	32.96	10.06	34.19
PK	5.7284G	67.00	68.20	-1.20	9.65	3	Vertical	180	2.51	57.35	33.71	10.14	34.20

5.47-5.725GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04736G	40.79	54.00	-13.21	17.74	3	Vertical	307	1.50	23.05	38.95	12.94	34.15
PK	11.07088G	54.08	74.00	-19.92	17.73	3	Vertical	307	1.50	36.35	38.93	12.95	34.15
PK	16.73832G	57.00	68.20	-11.20	20.71	3	Vertical	105	1.50	36.29	38.30	16.14	33.73

5.47-5.725GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14G	41.92	54.00	-12.08	17.78	3	Horizontal	360	1.17	24.14	38.94	12.97	34.13
PK	11.11792G	54.16	74.00	-19.84	17.75	3	Horizontal	360	1.17	36.41	38.92	12.97	34.14
PK	16.63992G	57.75	68.20	-10.45	20.38	3	Horizontal	138	2.82	37.37	38.18	16.12	33.92





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1464G	52.99	54.00	-1.01	3	Vertical	185	1.69
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	52.87	54.00	-1.13	3	Vertical	196	1.71
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	52.73	54.00	-1.27	3	Vertical	186	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3504G	52.95	54.00	-1.05	3	Vertical	195	1.68
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3532G	52.82	54.00	-1.18	3	Vertical	198	1.61
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	52.92	54.00	-1.08	3	Vertical	186	1.50
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	52.75	54.00	-1.25	3	Vertical	191	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.4584G	52.90	54.00	-1.10	3	Vertical	184	1.50
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.456G	52.86	54.00	-1.14	3	Vertical	186	1.50
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.462G	66.74	68.20	-1.46	3	Vertical	187	2.49
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4632G	66.65	68.20	-1.55	3	Vertical	185	1.60
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.9402G	67.15	68.20	-1.05	3	Vertical	190	1.19
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.623G	66.99	68.20	-1.21	3	Vertical	181	1.50
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6514G	67.98	69.24	-1.26	3	Vertical	191	1.67



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	52.98	54.00	-1.02	3	Vertical	185	1.50
5180MHz	Pass	AV	5.1812G	110.48	Inf	-Inf	3	Vertical	185	1.50
5180MHz	Pass	PK	5.1486G	68.11	74.00	-5.89	3	Vertical	185	1.50
5180MHz	Pass	PK	5.1808G	122.87	Inf	-Inf	3	Vertical	185	1.50
5180MHz	Pass	AV	15.54558G	44.15	54.00	-9.85	3	Vertical	222	2.22
5180MHz	Pass	PK	10.34602G	53.01	68.20	-15.19	3	Vertical	269	1.60
5180MHz	Pass	PK	15.52794G	56.32	74.00	-17.68	3	Vertical	222	2.22
5180MHz	Pass	AV	15.5385G	44.09	54.00	-9.91	3	Horizontal	136	3.00
5180MHz	Pass	PK	10.34776G	54.04	68.20	-14.16	3	Horizontal	224	1.50
5180MHz	Pass	PK	15.54312G	55.83	74.00	-18.17	3	Horizontal	136	3.00
5200MHz	Pass	AV	5.146G	52.93	54.00	-1.07	3	Vertical	193	1.87
5200MHz	Pass	AV	5.1968G	111.38	Inf	-Inf	3	Vertical	193	1.87
5200MHz	Pass	PK	5.1452G	66.34	74.00	-7.66	3	Vertical	193	1.87
5200MHz	Pass	PK	5.2048G	123.38	Inf	-Inf	3	Vertical	193	1.87
5200MHz	Pass	AV	15.60456G	43.98	54.00	-10.02	3	Vertical	98	1.72
5200MHz	Pass	PK	10.39688G	53.05	68.20	-15.15	3	Vertical	92	2.24
5200MHz	Pass	PK	15.61134G	56.02	74.00	-17.98	3	Vertical	98	1.72
5200MHz	Pass	AV	15.59286G	43.91	54.00	-10.09	3	Horizontal	214	2.19
5200MHz	Pass	PK	10.40534G	52.87	68.20	-15.33	3	Horizontal	189	1.50
5200MHz	Pass	PK	15.60648G	56.58	74.00	-17.42	3	Horizontal	214	2.19
5240MHz	Pass	AV	5.1464G	52.99	54.00	-1.01	3	Vertical	185	1.69
5240MHz	Pass	AV	5.2406G	113.79	Inf	-Inf	3	Vertical	185	1.69
5240MHz	Pass	AV	5.3558G	52.88	54.00	-1.12	3	Vertical	185	1.69
5240MHz	Pass	PK	5.129G	65.84	74.00	-8.16	3	Vertical	185	1.69
5240MHz	Pass	PK	5.2406G	125.56	Inf	-Inf	3	Vertical	185	1.69
5240MHz	Pass	PK	5.3786G	65.25	74.00	-8.75	3	Vertical	185	1.69
5240MHz	Pass	AV	15.71154G	43.78	54.00	-10.22	3	Vertical	139	1.57
5240MHz	Pass	PK	10.48492G	53.12	68.20	-15.08	3	Vertical	320	2.42
5240MHz	Pass	PK	15.72384G	56.60	74.00	-17.40	3	Vertical	139	1.57
5240MHz	Pass	AV	15.70716G	43.78	54.00	-10.22	3	Horizontal	182	1.50
5240MHz	Pass	PK	10.48498G	52.61	68.20	-15.59	3	Horizontal	18	1.46
5240MHz	Pass	PK	15.72876G	56.07	74.00	-17.93	3	Horizontal	182	1.50
5260MHz	Pass	AV	5.1484G	52.69	54.00	-1.31	3	Vertical	182	1.65
5260MHz	Pass	AV	5.2582G	112.03	Inf	-Inf	3	Vertical	182	1.65
5260MHz	Pass	AV	5.35G	52.79	54.00	-1.21	3	Vertical	182	1.65
5260MHz	Pass	PK	5.134G	65.17	74.00	-8.83	3	Vertical	182	1.65
5260MHz	Pass	PK	5.263G	124.65	Inf	-Inf	3	Vertical	182	1.65
5260MHz	Pass	PK	5.3896G	66.13	74.00	-7.87	3	Vertical	182	1.65
5260MHz	Pass	AV	15.7731G	43.58	54.00	-10.42	3	Vertical	291	1.50
5260MHz	Pass	PK	10.52162G	54.02	68.20	-14.18	3	Vertical	151	1.50
5260MHz	Pass	PK	15.77598G	56.02	74.00	-17.98	3	Vertical	291	1.50
5260MHz	Pass	AV	15.78786G	43.69	54.00	-10.31	3	Horizontal	133	1.50
5260MHz	Pass	PK	10.50662G	53.19	68.20	-15.01	3	Horizontal	284	2.05
5260MHz	Pass	PK	15.7941G	55.67	74.00	-18.33	3	Horizontal	133	1.50
5300MHz	Pass	AV	5.2936G	112.26	Inf	-Inf	3	Vertical	195	1.68
5300MHz	Pass	AV	5.3504G	52.95	54.00	-1.05	3	Vertical	195	1.68
5300MHz	Pass	PK	5.306G	125.20	Inf	-Inf	3	Vertical	195	1.68
5300MHz	Pass	PK	5.352G	65.77	74.00	-8.23	3	Vertical	195	1.68
5300MHz	Pass	AV	15.89484G	44.12	54.00	-9.88	3	Vertical	360	1.72
5300MHz	Pass	PK	10.59196G	53.51	68.20	-14.69	3	Vertical	167	2.37
5300MHz	Pass	PK	15.90288G	56.35	74.00	-17.65	3	Vertical	360	1.72
5300MHz	Pass	AV	15.91326G	44.14	54.00	-9.86	3	Horizontal	24	2.64
5300MHz	Pass	PK	10.59124G	53.84	68.20	-14.36	3	Horizontal	298	2.44
5300MHz	Pass	PK	15.89622G	56.12	74.00	-17.88	3	Horizontal	24	2.64
5320MHz	Pass	AV	5.3114G	109.15	Inf	-Inf	3	Vertical	184	1.50
5320MHz	Pass	AV	5.3514G	52.81	54.00	-1.19	3	Vertical	184	1.50
5320MHz	Pass	PK	5.3122G	121.72	Inf	-Inf	3	Vertical	184	1.50
5320MHz	Pass	PK	5.3528G	66.00	74.00	-8.00	3	Vertical	184	1.50
5320MHz	Pass	AV	10.6448G	40.74	54.00	-13.26	3	Vertical	101	1.14
5320MHz	Pass	AV	15.96126G	44.05	54.00	-9.95	3	Vertical	233	1.50



RSE TX above 1GHz\_Beamforming\_Radio 2

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	10.62548G	52.83	74.00	-21.17	3	Vertical	101	1.14
5320MHz	Pass	PK	15.94602G	56.26	74.00	-17.74	3	Vertical	233	1.50
5320MHz	Pass	AV	10.62854G	40.65	54.00	-13.35	3	Horizontal	315	1.22
5320MHz	Pass	AV	15.96564G	43.96	54.00	-10.04	3	Horizontal	3	3.00
5320MHz	Pass	PK	10.64384G	52.98	74.00	-21.02	3	Horizontal	315	1.22
5320MHz	Pass	PK	15.9675G	56.53	74.00	-17.47	3	Horizontal	3	3.00
5500MHz	Pass	AV	5.4572G	51.48	54.00	-2.52	3	Vertical	186	2.52
5500MHz	Pass	AV	5.5008G	111.24	Inf	-Inf	3	Vertical	186	2.52
5500MHz	Pass	PK	5.47G	65.89	68.20	-2.31	3	Vertical	186	2.52
5500MHz	Pass	PK	5.506G	123.26	Inf	-Inf	3	Vertical	186	2.52
5500MHz	Pass	AV	10.9919G	41.20	54.00	-12.80	3	Vertical	67	1.50
5500MHz	Pass	PK	10.9874G	54.32	74.00	-19.68	3	Vertical	67	1.50
5500MHz	Pass	PK	16.48602G	56.95	68.20	-11.25	3	Vertical	346	1.50
5500MHz	Pass	AV	10.98824G	41.15	54.00	-12.85	3	Horizontal	348	2.75
5500MHz	Pass	PK	11.00612G	53.74	74.00	-20.26	3	Horizontal	348	2.75
5500MHz	Pass	PK	16.49406G	56.36	68.20	-11.84	3	Horizontal	109	1.50
5580MHz	Pass	AV	5.4432G	52.80	54.00	-1.20	3	Vertical	196	1.82
5580MHz	Pass	AV	5.5734G	115.22	Inf	-Inf	3	Vertical	196	1.82
5580MHz	Pass	PK	5.4654G	65.11	68.20	-3.09	3	Vertical	196	1.82
5580MHz	Pass	PK	5.5722G	127.24	Inf	-Inf	3	Vertical	196	1.82
5580MHz	Pass	PK	5.7294G	64.97	68.20	-3.23	3	Vertical	196	1.82
5580MHz	Pass	AV	11.1672G	42.52	54.00	-11.48	3	Vertical	64	2.83
5580MHz	Pass	PK	11.16522G	55.40	74.00	-18.60	3	Vertical	64	2.83
5580MHz	Pass	PK	16.74174G	56.76	68.20	-11.44	3	Vertical	7	1.74
5580MHz	Pass	AV	11.16084G	40.96	54.00	-13.04	3	Horizontal	240	1.50
5580MHz	Pass	PK	11.14914G	52.97	74.00	-21.03	3	Horizontal	240	1.50
5580MHz	Pass	PK	16.7439G	56.75	68.20	-11.45	3	Horizontal	346	1.22
5700MHz	Pass	AV	5.694G	109.83	Inf	-Inf	3	Vertical	195	1.69
5700MHz	Pass	PK	5.694G	121.90	Inf	-Inf	3	Vertical	195	1.69
5700MHz	Pass	PK	5.7256G	66.05	68.20	-2.15	3	Vertical	195	1.69
5700MHz	Pass	AV	11.3856G	41.72	54.00	-12.28	3	Vertical	243	1.01
5700MHz	Pass	PK	11.39304G	54.01	74.00	-19.99	3	Vertical	243	1.01
5700MHz	Pass	PK	17.1G	55.82	68.20	-12.38	3	Vertical	59	1.50
5700MHz	Pass	AV	11.3892G	41.78	54.00	-12.22	3	Horizontal	68	1.50
5700MHz	Pass	PK	11.39652G	54.29	74.00	-19.71	3	Horizontal	68	1.50
5700MHz	Pass	PK	17.10648G	56.56	68.20	-11.64	3	Horizontal	133	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	52.90	54.00	-1.10	3	Vertical	184	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7248G	113.33	Inf	-Inf	3	Vertical	184	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	64.68	68.20	-3.52	3	Vertical	184	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	125.90	Inf	-Inf	3	Vertical	184	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8952G	67.03	68.20	-1.17	3	Vertical	184	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43292G	41.74	54.00	-12.26	3	Vertical	338	1.18
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44456G	54.26	74.00	-19.74	3	Vertical	338	1.18
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16408G	56.05	68.20	-12.15	3	Vertical	210	2.64
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43166G	41.95	54.00	-12.05	3	Horizontal	70	2.26
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43148G	54.27	74.00	-19.73	3	Horizontal	70	2.26
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.17182G	56.71	68.20	-11.49	3	Horizontal	168	1.50
5745MHz	Pass	AV	5.7414G	116.58	Inf	-Inf	3	Vertical	193	1.79
5745MHz	Pass	PK	5.6406G	66.62	68.20	-1.58	3	Vertical	193	1.79
5745MHz	Pass	PK	5.751G	128.56	Inf	-Inf	3	Vertical	193	1.79
5745MHz	Pass	PK	5.9682G	66.82	68.20	-1.38	3	Vertical	193	1.79
5745MHz	Pass	AV	11.49486G	41.45	54.00	-12.55	3	Vertical	299	1.50
5745MHz	Pass	PK	11.481G	54.17	74.00	-19.83	3	Vertical	299	1.50
5745MHz	Pass	PK	17.22162G	56.12	68.20	-12.08	3	Vertical	257	1.50
5745MHz	Pass	AV	11.48988G	41.46	54.00	-12.54	3	Horizontal	62	1.50
5745MHz	Pass	PK	11.49324G	54.33	74.00	-19.67	3	Horizontal	62	1.50
5745MHz	Pass	PK	17.235G	57.18	68.20	-11.02	3	Horizontal	224	2.42
5785MHz	Pass	AV	5.7766G	118.66	Inf	-Inf	3	Vertical	199	1.75
5785MHz	Pass	PK	5.6266G	66.88	68.20	-1.32	3	Vertical	199	1.75
5785MHz	Pass	PK	5.7754G	129.66	Inf	-Inf	3	Vertical	199	1.75
5785MHz	Pass	PK	5.9314G	66.30	68.20	-1.90	3	Vertical	199	1.75
5785MHz	Pass	AV	11.56352G	42.86	54.00	-11.14	3	Vertical	66	2.75



RSE TX above 1GHz\_Beamforming\_Radio 2

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	11.56016G	55.35	74.00	-18.65	3	Vertical	66	2.75
5785MHz	Pass	PK	17.3469G	57.92	68.20	-10.28	3	Vertical	167	1.41
5785MHz	Pass	AV	11.56928G	41.48	54.00	-12.52	3	Horizontal	331	1.50
5785MHz	Pass	PK	11.58284G	54.82	74.00	-19.18	3	Horizontal	331	1.50
5785MHz	Pass	PK	17.34324G	56.94	68.20	-11.26	3	Horizontal	155	1.31
5825MHz	Pass	AV	5.8214G	112.67	Inf	-Inf	3	Vertical	190	1.19
5825MHz	Pass	PK	5.6006G	66.66	68.20	-1.54	3	Vertical	190	1.19
5825MHz	Pass	PK	5.8286G	127.31	Inf	-Inf	3	Vertical	190	1.19
5825MHz	Pass	PK	5.9402G	67.15	68.20	-1.05	3	Vertical	190	1.19
5825MHz	Pass	AV	11.63584G	43.06	54.00	-10.94	3	Vertical	69	1.94
5825MHz	Pass	PK	11.6371G	55.28	74.00	-18.72	3	Vertical	69	1.94
5825MHz	Pass	PK	17.47272G	56.56	68.20	-11.64	3	Vertical	124	1.50
5825MHz	Pass	AV	11.63878G	41.15	54.00	-12.85	3	Horizontal	331	1.50
5825MHz	Pass	PK	11.644G	54.42	74.00	-19.58	3	Horizontal	331	1.50
5825MHz	Pass	PK	17.46612G	56.29	68.20	-11.91	3	Horizontal	0	1.50
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	52.87	54.00	-1.13	3	Vertical	196	1.71
5190MHz	Pass	AV	5.18G	103.77	Inf	-Inf	3	Vertical	196	1.71
5190MHz	Pass	PK	5.1496G	66.10	74.00	-7.90	3	Vertical	196	1.71
5190MHz	Pass	PK	5.186G	116.43	Inf	-Inf	3	Vertical	196	1.71
5190MHz	Pass	AV	15.55672G	43.46	54.00	-10.54	3	Vertical	264	2.53
5190MHz	Pass	PK	10.36088G	53.59	68.20	-14.61	3	Vertical	226	1.50
5190MHz	Pass	PK	15.55776G	57.06	74.00	-16.94	3	Vertical	264	2.53
5190MHz	Pass	AV	15.5648G	43.56	54.00	-10.44	3	Horizontal	65	2.52
5190MHz	Pass	PK	10.3944G	53.11	68.20	-15.09	3	Horizontal	248	2.49
5190MHz	Pass	PK	15.55656G	55.88	74.00	-18.12	3	Horizontal	65	2.52
5230MHz	Pass	AV	5.1456G	52.76	54.00	-1.24	3	Vertical	193	1.54
5230MHz	Pass	AV	5.2368G	104.78	Inf	-Inf	3	Vertical	193	1.54
5230MHz	Pass	PK	5.1336G	66.36	74.00	-7.64	3	Vertical	193	1.54
5230MHz	Pass	PK	5.2356G	119.94	Inf	-Inf	3	Vertical	193	1.54
5230MHz	Pass	AV	15.69084G	43.25	54.00	-10.75	3	Vertical	45	1.50
5230MHz	Pass	PK	10.46924G	54.18	68.20	-14.02	3	Vertical	312	1.95
5230MHz	Pass	PK	15.6996G	57.40	74.00	-16.60	3	Vertical	45	1.50
5230MHz	Pass	AV	15.69252G	43.27	54.00	-10.73	3	Horizontal	336	1.50
5230MHz	Pass	PK	10.44452G	53.48	68.20	-14.72	3	Horizontal	345	1.45
5230MHz	Pass	PK	15.67212G	56.26	74.00	-17.74	3	Horizontal	336	1.50
5270MHz	Pass	AV	5.2672G	107.21	Inf	-Inf	3	Vertical	190	1.49
5270MHz	Pass	AV	5.3504G	52.74	54.00	-1.26	3	Vertical	190	1.49
5270MHz	Pass	PK	5.2652G	122.18	Inf	-Inf	3	Vertical	190	1.49
5270MHz	Pass	PK	5.3628G	66.28	74.00	-7.72	3	Vertical	190	1.49
5270MHz	Pass	AV	15.8382G	43.32	54.00	-10.68	3	Vertical	244	2.06
5270MHz	Pass	PK	10.5202G	53.82	68.20	-14.38	3	Vertical	240	1.23
5270MHz	Pass	PK	15.83472G	56.59	74.00	-17.41	3	Vertical	244	2.06
5270MHz	Pass	AV	15.8382G	43.35	54.00	-10.65	3	Horizontal	14	1.50
5270MHz	Pass	PK	10.56148G	53.82	68.20	-14.38	3	Horizontal	59	1.86
5270MHz	Pass	PK	15.78816G	56.47	74.00	-17.53	3	Horizontal	14	1.50
5310MHz	Pass	AV	5.318G	102.30	Inf	-Inf	3	Vertical	198	1.61
5310MHz	Pass	AV	5.3532G	52.82	54.00	-1.18	3	Vertical	198	1.61
5310MHz	Pass	PK	5.3064G	117.67	Inf	-Inf	3	Vertical	198	1.61
5310MHz	Pass	PK	5.3528G	65.41	74.00	-8.59	3	Vertical	198	1.61
5310MHz	Pass	AV	10.64628G	40.15	54.00	-13.85	3	Vertical	47	1.50
5310MHz	Pass	AV	15.91428G	43.67	54.00	-10.33	3	Vertical	354	1.50
5310MHz	Pass	PK	10.63896G	53.55	74.00	-20.45	3	Vertical	47	1.50
5310MHz	Pass	PK	15.91068G	56.77	74.00	-17.23	3	Vertical	354	1.50
5310MHz	Pass	AV	10.61928G	40.01	54.00	-13.99	3	Horizontal	310	1.01
5310MHz	Pass	AV	15.93072G	43.62	54.00	-10.38	3	Horizontal	261	2.92
5310MHz	Pass	PK	10.6276G	53.39	74.00	-20.61	3	Horizontal	310	1.01
5310MHz	Pass	PK	15.9132G	56.42	74.00	-17.58	3	Horizontal	261	2.92
5510MHz	Pass	AV	5.4532G	50.73	54.00	-3.27	3	Vertical	185	1.90
5510MHz	Pass	AV	5.514G	100.17	Inf	-Inf	3	Vertical	185	1.90
5510MHz	Pass	PK	5.4652G	66.48	68.20	-1.72	3	Vertical	185	1.90
5510MHz	Pass	PK	5.4984G	117.54	Inf	-Inf	3	Vertical	185	1.90



RSE TX above 1GHz\_Beamforming\_Radio 2

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5510MHz	Pass	AV	10.99792G	40.75	54.00	-13.25	3	Vertical	356	3.00
5510MHz	Pass	PK	11.0038G	53.74	74.00	-20.26	3	Vertical	356	3.00
5510MHz	Pass	PK	16.51404G	57.77	68.20	-10.43	3	Vertical	94	1.88
5510MHz	Pass	AV	10.99696G	40.78	54.00	-13.22	3	Horizontal	340	1.70
5510MHz	Pass	PK	11.05G	54.75	74.00	-19.25	3	Horizontal	340	1.70
5510MHz	Pass	PK	16.53192G	57.18	68.20	-11.02	3	Horizontal	184	1.50
5550MHz	Pass	AV	5.456G	52.86	54.00	-1.14	3	Vertical	186	1.50
5550MHz	Pass	AV	5.5516G	106.65	Inf	-Inf	3	Vertical	186	1.50
5550MHz	Pass	PK	5.4648G	66.07	68.20	-2.13	3	Vertical	186	1.50
5550MHz	Pass	PK	5.5472G	123.22	Inf	-Inf	3	Vertical	186	1.50
5550MHz	Pass	AV	11.07648G	40.48	54.00	-13.52	3	Vertical	84	1.50
5550MHz	Pass	PK	11.10612G	53.98	74.00	-20.02	3	Vertical	84	1.50
5550MHz	Pass	PK	16.67352G	57.14	68.20	-11.06	3	Vertical	77	1.50
5550MHz	Pass	AV	11.07732G	40.57	54.00	-13.43	3	Horizontal	74	3.00
5550MHz	Pass	PK	11.08356G	53.92	74.00	-20.08	3	Horizontal	74	3.00
5550MHz	Pass	PK	16.62228G	57.27	68.20	-10.93	3	Horizontal	48	1.03
5670MHz	Pass	AV	5.6874G	103.18	Inf	-Inf	3	Vertical	184	1.42
5670MHz	Pass	PK	5.667G	119.73	Inf	-Inf	3	Vertical	184	1.42
5670MHz	Pass	PK	5.7264G	66.64	68.20	-1.56	3	Vertical	184	1.42
5670MHz	Pass	AV	11.35236G	40.96	54.00	-13.04	3	Vertical	302	2.42
5670MHz	Pass	PK	11.34012G	55.04	74.00	-18.96	3	Vertical	302	2.42
5670MHz	Pass	PK	16.98516G	56.78	68.20	-11.42	3	Vertical	47	1.20
5670MHz	Pass	AV	11.37G	40.93	54.00	-13.07	3	Horizontal	269	1.50
5670MHz	Pass	PK	11.35572G	54.20	74.00	-19.80	3	Horizontal	269	1.50
5670MHz	Pass	PK	17.0064G	57.04	68.20	-11.16	3	Horizontal	214	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	51.50	54.00	-2.50	3	Vertical	192	1.77
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	111.46	Inf	-Inf	3	Vertical	192	1.77
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	63.39	68.20	-4.81	3	Vertical	192	1.77
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	125.04	Inf	-Inf	3	Vertical	192	1.77
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8624G	66.58	68.20	-1.62	3	Vertical	192	1.77
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.39156G	41.40	54.00	-12.60	3	Vertical	341	2.17
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40056G	54.88	74.00	-19.12	3	Vertical	341	2.17
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.11476G	57.31	68.20	-10.89	3	Vertical	214	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40524G	41.36	54.00	-12.64	3	Horizontal	78	2.92
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.39864G	54.53	74.00	-19.47	3	Horizontal	78	2.92
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.14368G	57.05	68.20	-11.15	3	Horizontal	158	2.91
5755MHz	Pass	AV	5.7418G	109.54	Inf	-Inf	3	Vertical	181	1.50
5755MHz	Pass	PK	5.623G	66.99	68.20	-1.21	3	Vertical	181	1.50
5755MHz	Pass	PK	5.7382G	125.82	Inf	-Inf	3	Vertical	181	1.50
5755MHz	Pass	PK	5.9386G	66.16	68.20	-2.04	3	Vertical	181	1.50
5755MHz	Pass	AV	11.51264G	41.08	54.00	-12.92	3	Vertical	331	1.50
5755MHz	Pass	PK	11.50568G	54.19	74.00	-19.81	3	Vertical	331	1.50
5755MHz	Pass	PK	17.25312G	56.95	68.20	-11.25	3	Vertical	160	1.65
5755MHz	Pass	AV	11.4974G	41.08	54.00	-12.92	3	Horizontal	357	1.50
5755MHz	Pass	PK	11.49224G	54.56	74.00	-19.44	3	Horizontal	357	1.50
5755MHz	Pass	PK	17.24508G	57.55	68.20	-10.65	3	Horizontal	118	1.50
5795MHz	Pass	AV	5.7998G	114.51	Inf	-Inf	3	Vertical	199	1.75
5795MHz	Pass	PK	5.7986G	127.48	Inf	-Inf	3	Vertical	199	1.75
5795MHz	Pass	PK	5.927G	65.96	68.20	-2.24	3	Vertical	199	1.75
5795MHz	Pass	AV	11.5768G	40.91	54.00	-13.09	3	Vertical	46	2.74
5795MHz	Pass	PK	11.57704G	54.41	74.00	-19.59	3	Vertical	46	2.74
5795MHz	Pass	PK	17.39988G	57.62	68.20	-10.58	3	Vertical	290	1.50
5795MHz	Pass	AV	11.56732G	40.77	54.00	-13.23	3	Horizontal	353	1.50
5795MHz	Pass	PK	11.6068G	54.44	74.00	-19.56	3	Horizontal	353	1.50
5795MHz	Pass	PK	17.36844G	57.27	68.20	-10.93	3	Horizontal	118	2.89
802.11ax HEW80-BF_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	52.73	54.00	-1.27	3	Vertical	186	1.50
5210MHz	Pass	AV	5.226G	100.65	Inf	-Inf	3	Vertical	186	1.50
5210MHz	Pass	AV	5.351G	51.12	54.00	-2.88	3	Vertical	186	1.50
5210MHz	Pass	PK	5.096G	65.65	74.00	-8.35	3	Vertical	186	1.50
5210MHz	Pass	PK	5.183G	117.53	Inf	-Inf	3	Vertical	186	1.50
5210MHz	Pass	PK	5.364G	64.37	74.00	-9.63	3	Vertical	186	1.50



RSE TX above 1GHz\_Beamforming\_Radio 2

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	AV	15.5724G	43.30	54.00	-10.70	3	Vertical	249	2.39
5210MHz	Pass	PK	10.37896G	53.13	68.20	-15.07	3	Vertical	308	1.69
5210MHz	Pass	PK	15.59976G	56.05	74.00	-17.95	3	Vertical	249	2.39
5210MHz	Pass	AV	15.57096G	43.29	54.00	-10.71	3	Horizontal	56	1.77
5210MHz	Pass	PK	10.44136G	52.84	68.20	-15.36	3	Horizontal	119	1.76
5210MHz	Pass	PK	15.59208G	55.64	74.00	-18.36	3	Horizontal	56	1.77
5290MHz	Pass	AV	5.148G	50.54	54.00	-3.46	3	Vertical	186	1.50
5290MHz	Pass	AV	5.252G	99.44	Inf	-Inf	3	Vertical	186	1.50
5290MHz	Pass	AV	5.35G	52.92	54.00	-1.08	3	Vertical	186	1.50
5290MHz	Pass	PK	5.147G	63.46	74.00	-10.54	3	Vertical	186	1.50
5290MHz	Pass	PK	5.266G	117.65	Inf	-Inf	3	Vertical	186	1.50
5290MHz	Pass	PK	5.518G	63.26	68.20	-4.94	3	Vertical	186	1.50
5290MHz	Pass	AV	15.91872G	43.62	54.00	-10.38	3	Vertical	189	2.46
5290MHz	Pass	PK	10.55504G	52.71	68.20	-15.49	3	Vertical	132	1.71
5290MHz	Pass	PK	15.90312G	55.44	74.00	-18.56	3	Vertical	189	2.46
5290MHz	Pass	AV	15.91752G	43.66	54.00	-10.34	3	Horizontal	70	1.42
5290MHz	Pass	PK	10.63568G	53.08	74.00	-20.92	3	Horizontal	79	1.51
5290MHz	Pass	PK	15.86592G	56.44	74.00	-17.56	3	Horizontal	70	1.42
5530MHz	Pass	AV	5.457G	51.72	54.00	-2.28	3	Vertical	187	2.49
5530MHz	Pass	AV	5.515G	101.90	Inf	-Inf	3	Vertical	187	2.49
5530MHz	Pass	PK	5.462G	66.74	68.20	-1.46	3	Vertical	187	2.49
5530MHz	Pass	PK	5.503G	117.14	Inf	-Inf	3	Vertical	187	2.49
5530MHz	Pass	PK	5.756G	63.73	68.20	-4.47	3	Vertical	187	2.49
5530MHz	Pass	AV	11.00672G	40.63	54.00	-13.37	3	Vertical	107	2.44
5530MHz	Pass	PK	11.0576G	53.70	74.00	-20.30	3	Vertical	107	2.44
5530MHz	Pass	PK	16.53144G	55.86	68.20	-12.34	3	Vertical	20	1.96
5530MHz	Pass	AV	11.0036G	40.65	54.00	-13.35	3	Horizontal	223	1.45
5530MHz	Pass	PK	11.03768G	53.29	74.00	-20.71	3	Horizontal	223	1.45
5530MHz	Pass	PK	16.62768G	55.43	68.20	-12.77	3	Horizontal	22	1.12
5610MHz	Pass	AV	5.458G	52.25	54.00	-1.75	3	Vertical	200	1.73
5610MHz	Pass	AV	5.585G	103.97	Inf	-Inf	3	Vertical	200	1.73
5610MHz	Pass	PK	5.47G	64.54	68.20	-3.66	3	Vertical	200	1.73
5610MHz	Pass	PK	5.581G	119.91	Inf	-Inf	3	Vertical	200	1.73
5610MHz	Pass	PK	5.73G	66.57	68.20	-1.63	3	Vertical	200	1.73
5610MHz	Pass	AV	11.27832G	40.56	54.00	-13.44	3	Vertical	28	2.81
5610MHz	Pass	PK	11.2596G	52.40	74.00	-21.60	3	Vertical	28	2.81
5610MHz	Pass	PK	16.78752G	56.30	68.20	-11.90	3	Vertical	302	1.09
5610MHz	Pass	AV	11.27408G	40.54	54.00	-13.46	3	Horizontal	196	1.40
5610MHz	Pass	PK	11.2888G	54.72	74.00	-19.28	3	Horizontal	196	1.40
5610MHz	Pass	PK	16.88832G	56.91	68.20	-11.29	3	Horizontal	98	2.89
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	50.87	54.00	-3.13	3	Vertical	200	1.72
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	105.81	Inf	-Inf	3	Vertical	200	1.72
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	63.98	68.20	-4.22	3	Vertical	200	1.72
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6552G	120.89	Inf	-Inf	3	Vertical	200	1.72
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	66.49	68.20	-1.71	3	Vertical	200	1.72
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39056G	41.29	54.00	-12.71	3	Vertical	13	2.70
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.42512G	53.97	74.00	-20.03	3	Vertical	13	2.70
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0196G	56.38	68.20	-11.82	3	Vertical	340	2.24
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38696G	41.17	54.00	-12.83	3	Horizontal	169	1.35
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39656G	53.13	74.00	-20.87	3	Horizontal	169	1.35
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.02248G	55.34	68.20	-12.86	3	Horizontal	10	1.69
5775MHz	Pass	AV	5.7954G	107.00	Inf	-Inf	3	Vertical	191	1.67
5775MHz	Pass	PK	5.6514G	67.98	69.24	-1.26	3	Vertical	191	1.67
5775MHz	Pass	PK	5.7954G	119.50	Inf	-Inf	3	Vertical	191	1.67
5775MHz	Pass	PK	5.9346G	66.84	68.20	-1.36	3	Vertical	191	1.67
5775MHz	Pass	AV	11.51472G	40.89	54.00	-13.11	3	Vertical	209	1.50
5775MHz	Pass	PK	11.50704G	54.26	74.00	-19.74	3	Vertical	209	1.50
5775MHz	Pass	PK	17.37948G	57.74	68.20	-10.46	3	Vertical	176	1.50
5775MHz	Pass	AV	11.51064G	40.93	54.00	-13.07	3	Horizontal	302	2.84
5775MHz	Pass	PK	11.49552G	54.51	74.00	-19.49	3	Horizontal	302	2.84
5775MHz	Pass	PK	17.37588G	57.20	68.20	-11.00	3	Horizontal	42	1.50
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-




**RSE TX above 1GHz\_Beamforming\_Radio 2**

**Appendix E.8**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	51.20	54.00	-2.80	3	Vertical	191	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1732G	98.84	Inf	-Inf	3	Vertical	191	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	52.75	54.00	-1.25	3	Vertical	191	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.148G	69.02	74.00	-4.98	3	Vertical	191	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1816G	114.06	Inf	-Inf	3	Vertical	191	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4876G	63.25	68.20	-4.95	3	Vertical	191	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.8484G	44.06	54.00	-9.94	3	Vertical	87	2.60
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4208G	54.26	68.20	-13.94	3	Vertical	310	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.86808G	57.79	74.00	-16.21	3	Vertical	87	2.60
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.86664G	44.07	54.00	-9.93	3	Horizontal	289	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.464G	54.16	68.20	-14.04	3	Horizontal	191	1.48
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.7956G	57.27	74.00	-16.73	3	Horizontal	289	1.50
5570MHz	Pass	AV	5.4548G	51.35	54.00	-2.65	3	Vertical	185	1.60
5570MHz	Pass	AV	5.5004G	100.98	Inf	-Inf	3	Vertical	185	1.60
5570MHz	Pass	PK	5.4632G	66.65	68.20	-1.55	3	Vertical	185	1.60
5570MHz	Pass	PK	5.5064G	114.19	Inf	-Inf	3	Vertical	185	1.60
5570MHz	Pass	PK	5.726G	65.03	68.20	-3.17	3	Vertical	185	1.60
5570MHz	Pass	AV	11.17744G	40.92	54.00	-13.08	3	Vertical	259	2.34
5570MHz	Pass	PK	11.10832G	52.71	74.00	-21.29	3	Vertical	259	2.34
5570MHz	Pass	PK	16.76184G	56.73	68.20	-11.47	3	Vertical	217	1.24
5570MHz	Pass	AV	11.11248G	40.89	54.00	-13.11	3	Horizontal	133	1.92
5570MHz	Pass	PK	11.15824G	52.90	74.00	-21.10	3	Horizontal	133	1.92
5570MHz	Pass	PK	16.71576G	56.87	68.20	-11.33	3	Horizontal	357	1.86

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	52.98	54.00	-1.02	8.79	3	Vertical	185	1.50	44.19	33.10	9.83	34.14
AV	5.1812G	110.48	Inf	-Inf	8.81	3	Vertical	185	1.50	101.67	33.10	9.85	34.14
PK	5.1486G	68.11	74.00	-5.89	8.79	3	Vertical	185	1.50	59.32	33.10	9.83	34.14
PK	5.1808G	122.87	Inf	-Inf	8.81	3	Vertical	185	1.50	114.06	33.10	9.85	34.14

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54558G	44.15	54.00	-9.85	20.16	3	Vertical	222	2.22	23.99	38.81	15.68	34.33
PK	10.34602G	53.01	68.20	-15.19	16.92	3	Vertical	269	1.60	36.09	38.90	12.66	34.64
PK	15.52794G	56.32	74.00	-17.68	20.20	3	Vertical	222	2.22	36.12	38.84	15.67	34.31



5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5385G	44.09	54.00	-9.91	20.18	3	Horizontal	136	3.00	23.91	38.82	15.68	34.32
PK	10.34776G	54.04	68.20	-14.16	16.93	3	Horizontal	224	1.50	37.11	38.90	12.67	34.64
PK	15.54312G	55.83	74.00	-18.17	20.17	3	Horizontal	136	3.00	35.66	38.81	15.68	34.32

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	52.93	54.00	-1.07	8.79	3	Vertical	193	1.87	44.14	33.10	9.83	34.14
AV	5.1968G	111.38	Inf	-Inf	8.82	3	Vertical	193	1.87	102.56	33.10	9.86	34.14
PK	5.1452G	66.34	74.00	-7.66	8.79	3	Vertical	193	1.87	57.55	33.10	9.83	34.14
PK	5.2048G	123.38	Inf	-Inf	8.81	3	Vertical	193	1.87	114.57	33.09	9.86	34.14

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60456G	43.98	54.00	-10.02	20.05	3	Vertical	98	1.72	23.93	38.69	15.73	34.37
PK	10.39688G	53.05	68.20	-15.15	16.98	3	Vertical	92	2.24	36.07	38.90	12.68	34.60
PK	15.61134G	56.02	74.00	-17.98	20.02	3	Vertical	98	1.72	36.00	38.67	15.73	34.38

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59286G	43.91	54.00	-10.09	20.07	3	Horizontal	214	2.19	23.84	38.71	15.72	34.36
PK	10.40534G	52.87	68.20	-15.33	17.00	3	Horizontal	189	1.50	35.87	38.90	12.69	34.59
PK	15.60648G	56.58	74.00	-17.42	20.04	3	Horizontal	214	2.19	36.54	38.68	15.73	34.37

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	52.99	54.00	-1.01	8.79	3	Vertical	185	1.69	44.20	33.10	9.83	34.14
AV	5.2406G	113.79	Inf	-Inf	8.76	3	Vertical	185	1.69	105.03	33.02	9.89	34.15
AV	5.3558G	52.88	54.00	-1.12	8.71	3	Vertical	185	1.69	44.17	32.90	9.97	34.16
PK	5.129G	65.84	74.00	-8.16	8.78	3	Vertical	185	1.69	57.06	33.10	9.82	34.14
PK	5.2406G	125.56	Inf	-Inf	8.76	3	Vertical	185	1.69	116.80	33.02	9.89	34.15
PK	5.3786G	65.25	74.00	-8.75	8.72	3	Vertical	185	1.69	56.53	32.90	9.99	34.17

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71154G	43.78	54.00	-10.22	19.75	3	Vertical	139	1.57	24.03	38.40	15.81	34.46
PK	10.48492G	53.12	68.20	-15.08	17.10	3	Vertical	320	2.42	36.02	38.90	12.72	34.52
PK	15.72384G	56.60	74.00	-17.40	19.76	3	Vertical	139	1.57	36.84	38.40	15.82	34.46

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70716G	43.78	54.00	-10.22	19.75	3	Horizontal	182	1.50	24.03	38.40	15.80	34.45
PK	10.48498G	52.61	68.20	-15.59	17.10	3	Horizontal	18	1.46	35.51	38.90	12.72	34.52
PK	15.72876G	56.07	74.00	-17.93	19.75	3	Horizontal	182	1.50	36.32	38.40	15.82	34.47

5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	52.69	54.00	-1.31	8.79	3	Vertical	182	1.65	43.90	33.10	9.83	34.14
AV	5.2582G	112.03	Inf	-Inf	8.75	3	Vertical	182	1.65	103.28	33.00	9.90	34.15
AV	5.35G	52.79	54.00	-1.21	8.71	3	Vertical	182	1.65	44.08	32.90	9.97	34.16
PK	5.134G	65.17	74.00	-8.83	8.78	3	Vertical	182	1.65	56.39	33.10	9.82	34.14
PK	5.263G	124.65	Inf	-Inf	8.75	3	Vertical	182	1.65	115.90	33.00	9.90	34.15
PK	5.3896G	66.13	74.00	-7.87	8.72	3	Vertical	182	1.65	57.41	32.90	9.99	34.17

5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7731G	43.58	54.00	-10.42	19.75	3	Vertical	291	1.50	23.83	38.40	15.85	34.50
PK	10.52162G	54.02	68.20	-14.18	17.14	3	Vertical	151	1.50	36.88	38.90	12.73	34.49
PK	15.77598G	56.02	74.00	-17.98	19.74	3	Vertical	291	1.50	36.28	38.40	15.85	34.51

5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78786G	43.69	54.00	-10.31	19.75	3	Horizontal	133	1.50	23.94	38.40	15.86	34.51
PK	10.50662G	53.19	68.20	-15.01	17.12	3	Horizontal	284	2.05	36.07	38.90	12.73	34.51
PK	15.7941G	55.67	74.00	-18.33	19.75	3	Horizontal	133	1.50	35.92	38.40	15.87	34.52

5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2936G	112.26	Inf	-Inf	8.77	3	Vertical	195	1.68	103.49	33.00	9.93	34.16
AV	5.3504G	52.95	54.00	-1.05	8.71	3	Vertical	195	1.68	44.24	32.90	9.97	34.16
PK	5.306G	125.20	Inf	-Inf	8.76	3	Vertical	195	1.68	116.44	32.99	9.93	34.16
PK	5.352G	65.77	74.00	-8.23	8.71	3	Vertical	195	1.68	57.06	32.90	9.97	34.16

5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89484G	44.12	54.00	-9.88	19.55	3	Vertical	360	1.72	24.57	38.21	15.94	34.60
PK	10.59196G	53.51	68.20	-14.69	17.21	3	Vertical	167	2.37	36.30	38.90	12.76	34.45
PK	15.90288G	56.35	74.00	-17.65	19.54	3	Vertical	360	1.72	36.81	38.19	15.95	34.60

5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.91326G	44.14	54.00	-9.86	19.52	3	Horizontal	24	2.64	24.62	38.17	15.96	34.61
PK	10.59124G	53.84	68.20	-14.36	17.21	3	Horizontal	298	2.44	36.63	38.90	12.76	34.45
PK	15.89622G	56.12	74.00	-17.88	19.55	3	Horizontal	24	2.64	36.57	38.21	15.94	34.60

5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3114G	109.15	Inf	-Inf	8.76	3	Vertical	184	1.50	100.39	32.98	9.94	34.16
AV	5.3514G	52.81	54.00	-1.19	8.71	3	Vertical	184	1.50	44.10	32.90	9.97	34.16
PK	5.3122G	121.72	Inf	-Inf	8.76	3	Vertical	184	1.50	112.96	32.98	9.94	34.16
PK	5.3528G	66.00	74.00	-8.00	8.71	3	Vertical	184	1.50	57.29	32.90	9.97	34.16

5.25-5.35GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6448G	40.74	54.00	-13.26	17.40	3	Vertical	101	1.14	23.34	39.03	12.78	34.41
AV	15.96126G	44.05	54.00	-9.95	19.42	3	Vertical	233	1.50	24.63	38.08	15.99	34.65
PK	10.62548G	52.83	74.00	-21.17	17.33	3	Vertical	101	1.14	35.50	38.98	12.77	34.42
PK	15.94602G	56.26	74.00	-17.74	19.45	3	Vertical	233	1.50	36.81	38.11	15.98	34.64

5.25-5.35GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_4TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62854G	40.65	54.00	-13.35	17.35	3	Horizontal	315	1.22	23.30	38.99	12.78	34.42
AV	15.96564G	43.96	54.00	-10.04	19.41	3	Horizontal	3	3.00	24.55	38.07	15.99	34.65
PK	10.64384G	52.98	74.00	-21.02	17.40	3	Horizontal	315	1.22	35.58	39.03	12.78	34.41
PK	15.9675G	56.53	74.00	-17.47	19.41	3	Horizontal	3	3.00	37.12	38.06	16.00	34.65



5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	51.48	54.00	-2.52	8.75	3	Vertical	186	2.52	42.73	32.90	10.02	34.17
AV	5.5008G	111.24	Inf	-Inf	8.76	3	Vertical	186	2.52	102.48	32.90	10.04	34.18
PK	5.47G	65.89	68.20	-2.31	8.74	3	Vertical	186	2.52	57.15	32.90	10.02	34.18
PK	5.506G	123.26	Inf	-Inf	8.76	3	Vertical	186	2.52	114.50	32.90	10.04	34.18

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9919G	41.20	54.00	-12.80	17.76	3	Vertical	67	1.50	23.44	39.01	12.92	34.17
PK	10.9874G	54.32	74.00	-19.68	17.76	3	Vertical	67	1.50	36.56	39.01	12.92	34.17
PK	16.48602G	56.95	68.20	-11.25	20.22	3	Vertical	346	1.50	36.73	38.33	16.10	34.21

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.98824G	41.15	54.00	-12.85	17.76	3	Horizontal	348	2.75	23.39	39.01	12.92	34.17
PK	11.00612G	53.74	74.00	-20.26	17.75	3	Horizontal	348	2.75	35.99	38.99	12.92	34.16
PK	16.49406G	56.36	68.20	-11.84	20.26	3	Horizontal	109	1.50	36.10	38.37	16.10	34.21

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4432G	52.80	54.00	-1.20	8.75	3	Vertical	196	1.82	44.05	32.90	10.02	34.17
AV	5.5734G	115.22	Inf	-Inf	8.82	3	Vertical	196	1.82	106.40	32.95	10.06	34.19
PK	5.4654G	65.11	68.20	-3.09	8.74	3	Vertical	196	1.82	56.37	32.90	10.02	34.18
PK	5.5722G	127.24	Inf	-Inf	8.81	3	Vertical	196	1.82	118.43	32.94	10.06	34.19
PK	5.7294G	64.97	68.20	-3.23	9.66	3	Vertical	196	1.82	55.31	33.72	10.14	34.20

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1672G	42.52	54.00	-11.48	17.83	3	Vertical	64	2.83	24.69	38.97	12.99	34.13
PK	11.16522G	55.40	74.00	-18.60	17.82	3	Vertical	64	2.83	37.58	38.97	12.98	34.13
PK	16.74174G	56.76	68.20	-11.44	20.72	3	Vertical	7	1.74	36.04	38.30	16.14	33.72

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16084G	40.96	54.00	-13.04	17.81	3	Horizontal	240	1.50	23.15	38.96	12.98	34.13
PK	11.14914G	52.97	74.00	-21.03	17.80	3	Horizontal	240	1.50	35.17	38.95	12.98	34.13
PK	16.7439G	56.75	68.20	-11.45	20.72	3	Horizontal	346	1.22	36.03	38.30	16.14	33.72

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.694G	109.83	Inf	-Inf	9.45	3	Vertical	195	1.69	100.38	33.53	10.12	34.20
PK	5.694G	121.90	Inf	-Inf	9.45	3	Vertical	195	1.69	112.45	33.53	10.12	34.20
PK	5.7256G	66.05	68.20	-2.15	9.64	3	Vertical	195	1.69	56.41	33.70	10.14	34.20

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3856G	41.72	54.00	-12.28	18.18	3	Vertical	243	1.01	23.54	39.19	13.07	34.08
PK	11.39304G	54.01	74.00	-19.99	18.18	3	Vertical	243	1.01	35.83	39.19	13.07	34.08
PK	17.1G	55.82	68.20	-12.38	21.16	3	Vertical	59	1.50	34.66	38.20	16.20	33.24

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3892G	41.78	54.00	-12.22	18.18	3	Horizontal	68	1.50	23.60	39.19	13.07	34.08
PK	11.39652G	54.29	74.00	-19.71	18.19	3	Horizontal	68	1.50	36.10	39.20	13.07	34.08
PK	17.10648G	56.56	68.20	-11.64	21.16	3	Horizontal	133	1.50	35.40	38.20	16.20	33.24

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	52.90	54.00	-1.10	8.74	3	Vertical	184	1.50	44.16	32.90	10.02	34.18
AV	5.7248G	113.33	Inf	-Inf	9.64	3	Vertical	184	1.50	103.69	33.70	10.14	34.20
PK	5.4608G	64.68	68.20	-3.52	8.74	3	Vertical	184	1.50	55.94	32.90	10.02	34.18
PK	5.7164G	125.90	Inf	-Inf	9.60	3	Vertical	184	1.50	116.30	33.67	10.13	34.20
PK	5.8952G	67.03	68.20	-1.17	10.32	3	Vertical	184	1.50	56.71	34.28	10.25	34.21

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43292G	41.74	54.00	-12.26	18.19	3	Vertical	338	1.18	23.55	39.17	13.09	34.07
PK	11.44456G	54.26	74.00	-19.74	18.18	3	Vertical	338	1.18	36.08	39.16	13.09	34.07
PK	17.16408G	56.05	68.20	-12.15	21.15	3	Vertical	210	2.64	34.90	38.20	16.21	33.26

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43166G	41.95	54.00	-12.05	18.19	3	Horizontal	70	2.26	23.76	39.17	13.09	34.07
PK	11.43148G	54.27	74.00	-19.73	18.19	3	Horizontal	70	2.26	36.08	39.17	13.09	34.07
PK	17.17182G	56.71	68.20	-11.49	21.15	3	Horizontal	168	1.50	35.56	38.20	16.21	33.26

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	116.58	Inf	-Inf	9.72	3	Vertical	193	1.79	106.86	33.77	10.15	34.20
PK	5.6406G	66.62	68.20	-1.58	8.90	3	Vertical	193	1.79	57.72	33.00	10.09	34.19
PK	5.751G	128.56	Inf	-Inf	9.76	3	Vertical	193	1.79	118.80	33.81	10.15	34.20
PK	5.9682G	66.82	68.20	-1.38	10.25	3	Vertical	193	1.79	56.57	34.16	10.31	34.22

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49486G	41.45	54.00	-12.55	18.16	3	Vertical	299	1.50	23.29	39.11	13.11	34.06
PK	11.481G	54.17	74.00	-19.83	18.17	3	Vertical	299	1.50	36.00	39.12	13.11	34.06
PK	17.22162G	56.12	68.20	-12.08	21.16	3	Vertical	257	1.50	34.96	38.22	16.22	33.28

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48988G	41.46	54.00	-12.54	18.16	3	Horizontal	62	1.50	23.30	39.11	13.11	34.06
PK	11.49324G	54.33	74.00	-19.67	18.16	3	Horizontal	62	1.50	36.17	39.11	13.11	34.06
PK	17.235G	57.18	68.20	-11.02	21.16	3	Horizontal	224	2.42	36.02	38.23	16.22	33.29

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7766G	118.66	Inf	-Inf	9.93	3	Vertical	199	1.75	108.73	33.96	10.17	34.20
PK	5.6266G	66.88	68.20	-1.32	8.89	3	Vertical	199	1.75	57.99	33.00	10.08	34.19
PK	5.7754G	129.66	Inf	-Inf	9.92	3	Vertical	199	1.75	119.74	33.95	10.17	34.20
PK	5.9314G	66.30	68.20	-1.90	10.31	3	Vertical	199	1.75	55.99	34.24	10.28	34.21



5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56352G	42.86	54.00	-11.14	17.89	3	Vertical	66	2.75	24.97	38.85	13.14	34.10
PK	11.56016G	55.35	74.00	-18.65	17.90	3	Vertical	66	2.75	37.45	38.86	13.14	34.10
PK	17.3469G	57.92	68.20	-10.28	21.36	3	Vertical	167	1.41	36.56	38.44	16.24	33.32

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56928G	41.48	54.00	-12.52	17.86	3	Horizontal	331	1.50	23.62	38.82	13.14	34.10
PK	11.58284G	54.82	74.00	-19.18	17.81	3	Horizontal	331	1.50	37.01	38.77	13.15	34.11
PK	17.34324G	56.94	68.20	-11.26	21.34	3	Horizontal	155	1.31	35.60	38.43	16.23	33.32

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	112.67	Inf	-Inf	10.09	3	Vertical	190	1.19	102.58	34.10	10.20	34.21
PK	5.6006G	66.66	68.20	-1.54	8.88	3	Vertical	190	1.19	57.78	33.00	10.07	34.19
PK	5.8286G	127.31	Inf	-Inf	10.09	3	Vertical	190	1.19	117.22	34.10	10.20	34.21
PK	5.9402G	67.15	68.20	-1.05	10.29	3	Vertical	190	1.19	56.86	34.22	10.29	34.22

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63584G	43.06	54.00	-10.94	17.73	3	Vertical	69	1.94	25.33	38.70	13.17	34.14
PK	11.6371G	55.28	74.00	-18.72	17.72	3	Vertical	69	1.94	37.56	38.70	13.17	34.15
PK	17.47272G	56.56	68.20	-11.64	21.57	3	Vertical	124	1.50	34.99	38.67	16.26	33.36

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63878G	41.15	54.00	-12.85	17.72	3	Horizontal	331	1.50	23.43	38.70	13.17	34.15
PK	11.644G	54.42	74.00	-19.58	17.72	3	Horizontal	331	1.50	36.70	38.70	13.17	34.15
PK	17.46612G	56.29	68.20	-11.91	21.56	3	Horizontal	0	1.50	34.73	38.67	16.25	33.36

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.87	54.00	-1.13	8.79	3	Vertical	196	1.71	44.08	33.10	9.83	34.14
AV	5.18G	103.77	Inf	-Inf	8.81	3	Vertical	196	1.71	94.96	33.10	9.85	34.14
PK	5.1496G	66.10	74.00	-7.90	8.79	3	Vertical	196	1.71	57.31	33.10	9.83	34.14
PK	5.186G	116.43	Inf	-Inf	8.81	3	Vertical	196	1.71	107.62	33.10	9.85	34.14

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55672G	43.46	54.00	-10.54	20.15	3	Vertical	264	2.53	23.31	38.79	15.69	34.33
PK	10.36088G	53.59	68.20	-14.61	16.94	3	Vertical	226	1.50	36.65	38.90	12.67	34.63
PK	15.55776G	57.06	74.00	-16.94	20.13	3	Vertical	264	2.53	36.93	38.78	15.69	34.34

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5648G	43.56	54.00	-10.44	20.13	3	Horizontal	65	2.52	23.43	38.77	15.70	34.34
PK	10.3944G	53.11	68.20	-15.09	16.98	3	Horizontal	248	2.49	36.13	38.90	12.68	34.60
PK	15.55656G	55.88	74.00	-18.12	20.15	3	Horizontal	65	2.52	35.73	38.79	15.69	34.33

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1456G	52.76	54.00	-1.24	8.79	3	Vertical	193	1.54	43.97	33.10	9.83	34.14
AV	5.2368G	104.78	Inf	-Inf	8.77	3	Vertical	193	1.54	96.01	33.03	9.89	34.15
PK	5.1336G	66.36	74.00	-7.64	8.78	3	Vertical	193	1.54	57.58	33.10	9.82	34.14
PK	5.2356G	119.94	Inf	-Inf	8.76	3	Vertical	193	1.54	111.18	33.03	9.88	34.15

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69084G	43.25	54.00	-10.75	19.78	3	Vertical	45	1.50	23.47	38.43	15.79	34.44
PK	10.46924G	54.18	68.20	-14.02	17.07	3	Vertical	312	1.95	37.11	38.90	12.71	34.54
PK	15.6996G	57.40	74.00	-16.60	19.75	3	Vertical	45	1.50	37.65	38.40	15.80	34.45

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69252G	43.27	54.00	-10.73	19.77	3	Horizontal	336	1.50	23.50	38.42	15.79	34.44
PK	10.44452G	53.48	68.20	-14.72	17.04	3	Horizontal	345	1.45	36.44	38.90	12.70	34.56
PK	15.67212G	56.26	74.00	-17.74	19.84	3	Horizontal	336	1.50	36.42	38.48	15.78	34.42

5.25-5.35GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2672G	107.21	Inf	-Inf	8.76	3	Vertical	190	1.49	98.45	33.00	9.91	34.15
AV	5.3504G	52.74	54.00	-1.26	8.71	3	Vertical	190	1.49	44.03	32.90	9.97	34.16
PK	5.2652G	122.18	Inf	-Inf	8.76	3	Vertical	190	1.49	113.42	33.00	9.91	34.15
PK	5.3628G	66.28	74.00	-7.72	8.71	3	Vertical	190	1.49	57.57	32.90	9.97	34.16

5.25-5.35GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8382G	43.32	54.00	-10.68	19.67	3	Vertical	244	2.06	23.65	38.32	15.90	34.55
PK	10.5202G	53.82	68.20	-14.38	17.13	3	Vertical	240	1.23	36.69	38.90	12.73	34.50
PK	15.83472G	56.59	74.00	-17.41	19.68	3	Vertical	244	2.06	36.91	38.33	15.90	34.55

5.25-5.35GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8382G	43.35	54.00	-10.65	19.67	3	Horizontal	14	1.50	23.68	38.32	15.90	34.55
PK	10.56148G	53.82	68.20	-14.38	17.18	3	Horizontal	59	1.86	36.64	38.90	12.75	34.47
PK	15.78816G	56.47	74.00	-17.53	19.75	3	Horizontal	14	1.50	36.72	38.40	15.86	34.51

5.25-5.35GHz\_802.11ax\_HEW40-BF\_Nss1,(MCS0)\_4TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.318G	102.30	Inf	-Inf	8.74	3	Vertical	198	1.61	93.56	32.96	9.94	34.16
AV	5.3532G	52.82	54.00	-1.18	8.71	3	Vertical	198	1.61	44.11	32.90	9.97	34.16
PK	5.3064G	117.67	Inf	-Inf	8.76	3	Vertical	198	1.61	108.91	32.99	9.93	34.16
PK	5.3528G	65.41	74.00	-8.59	8.71	3	Vertical	198	1.61	56.70	32.90	9.97	34.16

5.25-5.35GHz\_802.11ax\_HEW40-BF\_Nss1,(MCS0)\_4TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64628G	40.15	54.00	-13.85	17.41	3	Vertical	47	1.50	22.74	39.04	12.78	34.41
AV	15.91428G	43.67	54.00	-10.33	19.52	3	Vertical	354	1.50	24.15	38.17	15.96	34.61
PK	10.63896G	53.55	74.00	-20.45	17.39	3	Vertical	47	1.50	36.16	39.02	12.78	34.41
PK	15.91068G	56.77	74.00	-17.23	19.52	3	Vertical	354	1.50	37.25	38.18	15.95	34.61



5.25-5.35GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61928G	40.01	54.00	-13.99	17.30	3	Horizontal	310	1.01	22.71	38.96	12.77	34.43
AV	15.93072G	43.62	54.00	-10.38	19.48	3	Horizontal	261	2.92	24.14	38.14	15.97	34.63
PK	10.6276G	53.39	74.00	-20.61	17.33	3	Horizontal	310	1.01	36.06	38.98	12.77	34.42
PK	15.9132G	56.42	74.00	-17.58	19.52	3	Horizontal	261	2.92	36.90	38.17	15.96	34.61

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	50.73	54.00	-3.27	8.75	3	Vertical	185	1.90	41.98	32.90	10.02	34.17
AV	5.514G	100.17	Inf	-Inf	8.76	3	Vertical	185	1.90	91.41	32.90	10.04	34.18
PK	5.4652G	66.48	68.20	-1.72	8.74	3	Vertical	185	1.90	57.74	32.90	10.02	34.18
PK	5.4984G	117.54	Inf	-Inf	8.75	3	Vertical	185	1.90	108.79	32.90	10.03	34.18

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99792G	40.75	54.00	-13.25	17.76	3	Vertical	356	3.00	22.99	39.00	12.92	34.16
PK	11.0038G	53.74	74.00	-20.26	17.76	3	Vertical	356	3.00	35.98	39.00	12.92	34.16
PK	16.51404G	57.77	68.20	-10.43	20.29	3	Vertical	94	1.88	37.48	38.36	16.10	34.17

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99696G	40.78	54.00	-13.22	17.76	3	Horizontal	340	1.70	23.02	39.00	12.92	34.16
PK	11.05G	54.75	74.00	-19.25	17.74	3	Horizontal	340	1.70	37.01	38.95	12.94	34.15
PK	16.53192G	57.18	68.20	-11.02	20.27	3	Horizontal	184	1.50	36.91	38.30	16.11	34.14

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	52.86	54.00	-1.14	8.75	3	Vertical	186	1.50	44.11	32.90	10.02	34.17
AV	5.5516G	106.65	Inf	-Inf	8.77	3	Vertical	186	1.50	97.88	32.90	10.05	34.18
PK	5.4648G	66.07	68.20	-2.13	8.74	3	Vertical	186	1.50	57.33	32.90	10.02	34.18
PK	5.5472G	123.22	Inf	-Inf	8.77	3	Vertical	186	1.50	114.45	32.90	10.05	34.18

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07648G	40.48	54.00	-13.52	17.73	3	Vertical	84	1.50	22.75	38.92	12.95	34.14
PK	11.10612G	53.98	74.00	-20.02	17.73	3	Vertical	84	1.50	36.25	38.91	12.96	34.14
PK	16.67352G	57.14	68.20	-11.06	20.52	3	Vertical	77	1.50	36.62	38.25	16.13	33.86

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07732G	40.57	54.00	-13.43	17.73	3	Horizontal	74	3.00	22.84	38.92	12.95	34.14
PK	11.08356G	53.92	74.00	-20.08	17.73	3	Horizontal	74	3.00	36.19	38.92	12.95	34.14
PK	16.62228G	57.27	68.20	-10.93	20.30	3	Horizontal	48	1.03	36.97	38.14	16.12	33.96

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6874G	103.18	Inf	-Inf	9.38	3	Vertical	184	1.42	93.80	33.45	10.12	34.19
PK	5.667G	119.73	Inf	-Inf	9.12	3	Vertical	184	1.42	110.61	33.20	10.11	34.19
PK	5.7264G	66.64	68.20	-1.56	9.65	3	Vertical	184	1.42	56.99	33.71	10.14	34.20

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.35236G	40.96	54.00	-13.04	18.12	3	Vertical	302	2.42	22.84	39.15	13.06	34.09
PK	11.34012G	55.04	74.00	-18.96	18.10	3	Vertical	302	2.42	36.94	39.14	13.05	34.09
PK	16.98516G	56.78	68.20	-11.42	21.04	3	Vertical	47	1.20	35.74	38.10	16.18	33.24

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37G	40.93	54.00	-13.07	18.14	3	Horizontal	269	1.50	22.79	39.17	13.06	34.09
PK	11.35572G	54.20	74.00	-19.80	18.13	3	Horizontal	269	1.50	36.07	39.16	13.06	34.09
PK	17.0064G	57.04	68.20	-11.16	21.08	3	Horizontal	214	1.50	35.96	38.11	16.18	33.21

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	51.50	54.00	-2.50	8.74	3	Vertical	192	1.77	42.76	32.90	10.02	34.18
AV	5.7064G	111.46	Inf	-Inf	9.56	3	Vertical	192	1.77	101.90	33.63	10.13	34.20
PK	5.4616G	63.39	68.20	-4.81	8.74	3	Vertical	192	1.77	54.65	32.90	10.02	34.18
PK	5.7064G	125.04	Inf	-Inf	9.56	3	Vertical	192	1.77	115.48	33.63	10.13	34.20
PK	5.8624G	66.58	68.20	-1.62	10.17	3	Vertical	192	1.77	56.41	34.15	10.23	34.21

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39156G	41.40	54.00	-12.60	18.18	3	Vertical	341	2.17	23.22	39.19	13.07	34.08
PK	11.40056G	54.88	74.00	-19.12	18.20	3	Vertical	341	2.17	36.68	39.20	13.08	34.08
PK	17.11476G	57.31	68.20	-10.89	21.15	3	Vertical	214	1.94	36.16	38.20	16.20	33.25

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40524G	41.36	54.00	-12.64	18.19	3	Horizontal	78	2.92	23.17	39.19	13.08	34.08
PK	11.39864G	54.53	74.00	-19.47	18.20	3	Horizontal	78	2.92	36.33	39.20	13.08	34.08
PK	17.14368G	57.05	68.20	-11.15	21.14	3	Horizontal	158	2.91	35.91	38.20	16.20	33.26

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7418G	109.54	Inf	-Inf	9.72	3	Vertical	181	1.50	99.82	33.77	10.15	34.20
PK	5.623G	66.99	68.20	-1.21	8.89	3	Vertical	181	1.50	58.10	33.00	10.08	34.19
PK	5.7382G	125.82	Inf	-Inf	9.70	3	Vertical	181	1.50	116.12	33.75	10.15	34.20
PK	5.9386G	66.16	68.20	-2.04	10.28	3	Vertical	181	1.50	55.88	34.22	10.28	34.22

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51264G	41.08	54.00	-12.92	18.10	3	Vertical	331	1.50	22.98	39.05	13.12	34.07
PK	11.50568G	54.19	74.00	-19.81	18.14	3	Vertical	331	1.50	36.05	39.08	13.12	34.06
PK	17.25312G	56.95	68.20	-11.25	21.18	3	Vertical	160	1.65	35.77	38.25	16.22	33.29

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4974G	41.08	54.00	-12.92	18.15	3	Horizontal	357	1.50	22.93	39.10	13.11	34.06
PK	11.49224G	54.56	74.00	-19.44	18.16	3	Horizontal	357	1.50	36.40	39.11	13.11	34.06
PK	17.24508G	57.55	68.20	-10.65	21.18	3	Horizontal	118	1.50	36.37	38.25	16.22	33.29



5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	114.51	Inf	-Inf	10.08	3	Vertical	199	1.75	104.43	34.10	10.18	34.20
PK	5.7986G	127.48	Inf	-Inf	10.07	3	Vertical	199	1.75	117.41	34.09	10.18	34.20
PK	5.927G	65.96	68.20	-2.24	10.32	3	Vertical	199	1.75	55.64	34.25	10.28	34.21

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5768G	40.91	54.00	-13.09	17.82	3	Vertical	46	2.74	23.09	38.79	13.14	34.11
PK	11.57704G	54.41	74.00	-19.59	17.83	3	Vertical	46	2.74	36.58	38.79	13.15	34.11
PK	17.39988G	57.62	68.20	-10.58	21.50	3	Vertical	290	1.50	36.12	38.60	16.24	33.34

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56732G	40.77	54.00	-13.23	17.87	3	Horizontal	353	1.50	22.90	38.83	13.14	34.10
PK	11.6068G	54.44	74.00	-19.56	17.73	3	Horizontal	353	1.50	36.71	38.70	13.16	34.13
PK	17.36844G	57.27	68.20	-10.93	21.42	3	Horizontal	118	2.89	35.85	38.51	16.24	33.33

5.15-5.25GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.73	54.00	-1.27	8.79	3	Vertical	186	1.50	43.94	33.10	9.83	34.14
AV	5.226G	100.65	Inf	-Inf	8.78	3	Vertical	186	1.50	91.87	33.05	9.88	34.15
AV	5.351G	51.12	54.00	-2.88	8.71	3	Vertical	186	1.50	42.41	32.90	9.97	34.16
PK	5.096G	65.65	74.00	-8.35	8.79	3	Vertical	186	1.50	56.86	33.12	9.80	34.13
PK	5.183G	117.53	Inf	-Inf	8.81	3	Vertical	186	1.50	108.72	33.10	9.85	34.14
PK	5.364G	64.37	74.00	-9.63	8.71	3	Vertical	186	1.50	55.66	32.90	9.97	34.16

5.15-5.25GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5724G	43.30	54.00	-10.70	20.11	3	Vertical	249	2.39	23.19	38.76	15.70	34.35
PK	10.37896G	53.13	68.20	-15.07	16.97	3	Vertical	308	1.69	36.16	38.90	12.68	34.61
PK	15.59976G	56.05	74.00	-17.95	20.05	3	Vertical	249	2.39	36.00	38.70	15.72	34.37

5.15-5.25GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57096G	43.29	54.00	-10.71	20.11	3	Horizontal	56	1.77	23.18	38.76	15.70	34.35
PK	10.44136G	52.84	68.20	-15.36	17.04	3	Horizontal	119	1.76	35.80	38.90	12.70	34.56
PK	15.59208G	55.64	74.00	-18.36	20.08	3	Horizontal	56	1.77	35.56	38.72	15.72	34.36

5.25-5.35GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	50.54	54.00	-3.46	8.79	3	Vertical	186	1.50	41.75	33.10	9.83	34.14
AV	5.252G	99.44	Inf	-Inf	8.75	3	Vertical	186	1.50	90.69	33.00	9.90	34.15
AV	5.35G	52.92	54.00	-1.08	8.71	3	Vertical	186	1.50	44.21	32.90	9.97	34.16
PK	5.147G	63.46	74.00	-10.54	8.79	3	Vertical	186	1.50	54.67	33.10	9.83	34.14
PK	5.266G	117.65	Inf	-Inf	8.76	3	Vertical	186	1.50	108.89	33.00	9.91	34.15
PK	5.518G	63.26	68.20	-4.94	8.76	3	Vertical	186	1.50	54.50	32.90	10.04	34.18

5.25-5.35GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.91872G	43.62	54.00	-10.38	19.50	3	Vertical	189	2.46	24.12	38.16	15.96	34.62
PK	10.55504G	52.71	68.20	-15.49	17.18	3	Vertical	132	1.71	35.53	38.90	12.75	34.47
PK	15.90312G	55.44	74.00	-18.56	19.54	3	Vertical	189	2.46	35.90	38.19	15.95	34.60

5.25-5.35GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.91752G	43.66	54.00	-10.34	19.50	3	Horizontal	70	1.42	24.16	38.16	15.96	34.62
PK	10.63568G	53.08	74.00	-20.92	17.37	3	Horizontal	79	1.51	35.71	39.01	12.78	34.42
PK	15.86592G	56.44	74.00	-17.56	19.61	3	Horizontal	70	1.42	36.83	38.27	15.92	34.58

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	51.72	54.00	-2.28	8.75	3	Vertical	187	2.49	42.97	32.90	10.02	34.17
AV	5.515G	101.90	Inf	-Inf	8.76	3	Vertical	187	2.49	93.14	32.90	10.04	34.18
PK	5.462G	66.74	68.20	-1.46	8.74	3	Vertical	187	2.49	58.00	32.90	10.02	34.18
PK	5.503G	117.14	Inf	-Inf	8.76	3	Vertical	187	2.49	108.38	32.90	10.04	34.18
PK	5.756G	63.73	68.20	-4.47	9.80	3	Vertical	187	2.49	53.93	33.84	10.16	34.20

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00672G	40.63	54.00	-13.37	17.75	3	Vertical	107	2.44	22.88	38.99	12.92	34.16
PK	11.0576G	53.70	74.00	-20.30	17.73	3	Vertical	107	2.44	35.97	38.94	12.94	34.15
PK	16.53144G	55.86	68.20	-12.34	20.28	3	Vertical	20	1.96	35.58	38.31	16.11	34.14

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0036G	40.65	54.00	-13.35	17.76	3	Horizontal	223	1.45	22.89	39.00	12.92	34.16
PK	11.03768G	53.29	74.00	-20.71	17.74	3	Horizontal	223	1.45	35.55	38.96	12.93	34.15
PK	16.62768G	55.43	68.20	-12.77	20.33	3	Horizontal	22	1.12	35.10	38.16	16.12	33.95

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	52.25	54.00	-1.75	8.75	3	Vertical	200	1.73	43.50	32.90	10.02	34.17
AV	5.585G	103.97	Inf	-Inf	8.84	3	Vertical	200	1.73	95.13	32.97	10.06	34.19
PK	5.47G	64.54	68.20	-3.66	8.74	3	Vertical	200	1.73	55.80	32.90	10.02	34.18
PK	5.581G	119.91	Inf	-Inf	8.83	3	Vertical	200	1.73	111.08	32.96	10.06	34.19
PK	5.73G	66.57	68.20	-1.63	9.66	3	Vertical	200	1.73	56.91	33.72	10.14	34.20

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.27832G	40.56	54.00	-13.44	18.01	3	Vertical	28	2.81	22.55	39.08	13.03	34.10
PK	11.2596G	52.40	74.00	-21.60	17.97	3	Vertical	28	2.81	34.43	39.06	13.02	34.11
PK	16.78752G	56.30	68.20	-11.90	20.82	3	Vertical	302	1.09	35.48	38.30	16.15	33.63

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.27408G	40.54	54.00	-13.46	17.99	3	Horizontal	196	1.40	22.55	39.07	13.03	34.11
PK	11.2888G	54.72	74.00	-19.28	18.02	3	Horizontal	196	1.40	36.70	39.09	13.03	34.10
PK	16.88832G	56.91	68.20	-11.29	20.85	3	Horizontal	98	2.89	36.06	38.12	16.16	33.43

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	50.87	54.00	-3.13	8.75	3	Vertical	200	1.72	42.12	32.90	10.02	34.17
AV	5.7176G	105.81	Inf	-Inf	9.60	3	Vertical	200	1.72	96.21	33.67	10.13	34.20
PK	5.4668G	63.98	68.20	-4.22	8.74	3	Vertical	200	1.72	55.24	32.90	10.02	34.18
PK	5.6552G	120.89	Inf	-Inf	8.97	3	Vertical	200	1.72	111.92	33.06	10.10	34.19
PK	5.8544G	66.49	68.20	-1.71	10.13	3	Vertical	200	1.72	56.36	34.12	10.22	34.21



5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39056G	41.29	54.00	-12.71	18.18	3	Vertical	13	2.70	23.11	39.19	13.07	34.08
PK	11.42512G	53.97	74.00	-20.03	18.19	3	Vertical	13	2.70	35.78	39.17	13.09	34.07
PK	17.0196G	56.38	68.20	-11.82	21.08	3	Vertical	340	2.24	35.30	38.12	16.18	33.22

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38696G	41.17	54.00	-12.83	18.18	3	Horizontal	169	1.35	22.99	39.19	13.07	34.08
PK	11.39656G	53.13	74.00	-20.87	18.19	3	Horizontal	169	1.35	34.94	39.20	13.07	34.08
PK	17.02248G	55.34	68.20	-12.86	21.08	3	Horizontal	10	1.69	34.26	38.12	16.18	33.22

5.725-5.85GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7954G	107.00	Inf	-Inf	10.05	3	Vertical	191	1.67	96.95	34.07	10.18	34.20
PK	5.6514G	67.98	69.24	-1.26	8.93	3	Vertical	191	1.67	59.05	33.02	10.10	34.19
PK	5.7954G	119.50	Inf	-Inf	10.05	3	Vertical	191	1.67	109.45	34.07	10.18	34.20
PK	5.9346G	66.84	68.20	-1.36	10.30	3	Vertical	191	1.67	56.54	34.23	10.28	34.21

5.725-5.85GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51472G	40.89	54.00	-13.11	18.09	3	Vertical	209	1.50	22.80	39.04	13.12	34.07
PK	11.50704G	54.26	74.00	-19.74	18.13	3	Vertical	209	1.50	36.13	39.07	13.12	34.06
PK	17.37948G	57.74	68.20	-10.46	21.45	3	Vertical	176	1.50	36.29	38.54	16.24	33.33

5.725-5.85GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51064G	40.93	54.00	-13.07	18.11	3	Horizontal	302	2.84	22.82	39.06	13.12	34.07
PK	11.49552G	54.51	74.00	-19.49	18.15	3	Horizontal	302	2.84	36.36	39.10	13.11	34.06
PK	17.37588G	57.20	68.20	-11.00	21.44	3	Horizontal	42	1.50	35.76	38.53	16.24	33.33

5.25-5.35GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	51.20	54.00	-2.80	8.79	3	Vertical	191	1.50	42.41	33.10	9.83	34.14
AV	5.1732G	98.84	Inf	-Inf	8.81	3	Vertical	191	1.50	90.03	33.10	9.85	34.14
AV	5.35G	52.75	54.00	-1.25	8.71	3	Vertical	191	1.50	44.04	32.90	9.97	34.16
PK	5.148G	69.02	74.00	-4.98	8.79	3	Vertical	191	1.50	60.23	33.10	9.83	34.14
PK	5.1816G	114.06	Inf	-Inf	8.81	3	Vertical	191	1.50	105.25	33.10	9.85	34.14
PK	5.4876G	63.25	68.20	-4.95	8.75	3	Vertical	191	1.50	54.50	32.90	10.03	34.18

5.25-5.35GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8484G	44.06	54.00	-9.94	19.65	3	Vertical	87	2.60	24.41	38.30	15.91	34.56
PK	10.4208G	54.26	68.20	-13.94	17.01	3	Vertical	310	1.50	37.25	38.90	12.69	34.58
PK	15.86808G	57.79	74.00	-16.21	19.60	3	Vertical	87	2.60	38.19	38.26	15.92	34.58

5.25-5.35GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86664G	44.07	54.00	-9.93	19.61	3	Horizontal	289	1.50	24.46	38.27	15.92	34.58
PK	10.464G	54.16	68.20	-14.04	17.07	3	Horizontal	191	1.48	37.09	38.90	12.71	34.54
PK	15.7956G	57.27	74.00	-16.73	19.75	3	Horizontal	289	1.50	37.52	38.40	15.87	34.52

5.47-5.725GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	51.35	54.00	-2.65	8.75	3	Vertical	185	1.60	42.60	32.90	10.02	34.17
AV	5.5004G	100.98	Inf	-Inf	8.76	3	Vertical	185	1.60	92.22	32.90	10.04	34.18
PK	5.4632G	66.65	68.20	-1.55	8.74	3	Vertical	185	1.60	57.91	32.90	10.02	34.18
PK	5.5064G	114.19	Inf	-Inf	8.76	3	Vertical	185	1.60	105.43	32.90	10.04	34.18
PK	5.726G	65.03	68.20	-3.17	9.64	3	Vertical	185	1.60	55.39	33.70	10.14	34.20

5.47-5.725GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.17744G	40.92	54.00	-13.08	17.85	3	Vertical	259	2.34	23.07	38.98	12.99	34.12
PK	11.10832G	52.71	74.00	-21.29	17.73	3	Vertical	259	2.34	34.98	38.91	12.96	34.14
PK	16.76184G	56.73	68.20	-11.47	20.76	3	Vertical	217	1.24	35.97	38.30	16.14	33.68

5.47-5.725GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.11248G	40.89	54.00	-13.11	17.73	3	Horizontal	133	1.92	23.16	38.91	12.96	34.14
PK	11.15824G	52.90	74.00	-21.10	17.81	3	Horizontal	133	1.92	35.09	38.96	12.98	34.13
PK	16.71576G	56.87	68.20	-11.33	20.66	3	Horizontal	357	1.86	36.21	38.30	16.13	33.77