



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	2.41236G	11.65	-18.35	2.30641G	-56.06	2.39904G	-45.49	2.4G	-48.07	2.5103G	-52.90	24.03913G	-42.24	2
802.11g_Nss1,(6Mbps)_2TX	Pass	2.44442G	4.22	-25.78	2.10137G	-55.20	2.39984G	-47.27	2.4G	-45.23	2.5051G	-53.31	17.30461G	-42.05	1
802.11n HT20_Nss1,(MCS0)_2TX	Pass	2.4319G	0.53	-29.47	2.12001G	-54.83	2.4G	-45.35	2.4G	-43.41	2.51126G	-53.53	15.18058G	-41.60	1
802.11n HT40_Nss1,(MCS0)_2TX	Pass	2.4319G	-2.05	-32.05	2.30855G	-55.56	2.39968G	-50.97	2.4G	-51.52	2.50814G	-52.90	21.83084G	-42.22	2
VHT20_Nss1,(MCS0)_2TX	Pass	2.43958G	0.70	-29.30	2.15962G	-54.30	2.39992G	-45.39	2.4G	-42.31	2.51374G	-53.83	24.50552G	-41.91	1
VHT40_Nss1,(MCS0)_2TX	Pass	2.4319G	-2.01	-32.01	1.97879G	-54.85	2.4G	-51.54	2.4G	-50.04	2.51006G	-53.67	24.51201G	-41.09	1
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	2.43574G	0.31	-29.69	2.11885G	-54.79	2.39976G	-45.43	2.4G	-45.75	2.5063G	-52.89	15.19182G	-41.96	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	2.43206G	-2.08	-32.08	2.1597G	-54.68	2.39984G	-52.99	2.4G	-48.82	2.51518G	-53.39	24.21192G	-41.53	1







CSE (NdB Down) _ Non-Beamforming_Radio 3



Appendix E.2



Result



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.41236G	11.65	-18.35	2.19574G	-55.27	2.39816G	-47.16	2.4G	-48.14	2.51526G	-53.24	16.23136G	-42.25	1
2412MHz	Pass	2.41236G	11.65	-18.35	2.30641G	-56.06	2.39904G	-45.49	2.4G	-48.07	2.5103G	-52.90	24.03913G	-42.24	2
2437MHz	Pass	2.41236G	11.65	-18.35	1.95691G	-54.90	2.39976G	-51.29	2.4G	-51.66	2.5111G	-53.81	24.53642G	-42.10	1
2437MHz	Pass	2.41236G	11.65	-18.35	2.30525G	-54.88	2.3984G	-51.81	2.4G	-52.29	2.51262G	-53.07	24.15713G	-41.70	2
2462MHz	Pass	2.41236G	11.65	-18.35	2.09788G	-55.38	2.39792G	-52.44	2.4G	-55.86	2.50974G	-52.56	24.20208G	-41.53	1
2462MHz	Pass	2.41236G	11.65	-18.35	2.1503G	-55.13	2.39704G	-53.71	2.4G	-54.09	2.51358G	-52.81	24.51956G	-41.57	2
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44442G	4.22	-25.78	2.10137G	-55.20	2.39984G	-47.27	2.4G	-45.23	2.5051G	-53.31	17.30461G	-42.05	1
2412MHz	Pass	2.44442G	4.22	-25.78	2.30758G	-55.20	2.39976G	-46.81	2.4G	-45.51	2.51158G	-53.25	24.68814G	-42.00	2
2437MHz	Pass	2.44442G	4.22	-25.78	1.88468G	-55.82	2.4G	-51.56	2.4G	-51.66	2.50902G	-53.29	17.04613G	-41.94	1
2437MHz	Pass	2.44442G	4.22	-25.78	1.98138G	-55.24	2.39784G	-52.73	2.4G	-54.14	2.52006G	-54.14	24.86233G	-41.79	2
2462MHz	Pass	2.44442G	4.22	-25.78	1.78799G	-55.79	2.39104G	-53.64	2.4G	-55.66	2.51678G	-53.63	24.53642G	-41.71	1
2462MHz	Pass	2.44442G	4.22	-25.78	1.74488G	-55.14	2.39768G	-53.72	2.4G	-53.85	2.52054G	-53.71	24.48304G	-41.96	2
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.4319G	0.53	-29.47	2.12001G	-54.83	2.4G	-45.35	2.4G	-43.41	2.51126G	-53.53	15.18058G	-41.60	1
2412MHz	Pass	2.4319G	0.53	-29.47	2.12351G	-54.87	2.39984G	-44.80	2.4G	-43.64	2.50134G	-53.62	24.15432G	-41.55	2
2437MHz	Pass	2.4319G	0.53	-29.47	2.19341G	-55.57	2.39728G	-54.08	2.4G	-54.31	2.50142G	-52.81	17.50128G	-41.24	1
2437MHz	Pass	2.4319G	0.53	-29.47	2.12001G	-54.87	2.39368G	-53.67	2.4G	-54.99	2.51462G	-52.24	24.1768G	-41.07	2
2462MHz	Pass	2.4319G	0.53	-29.47	2.30408G	-54.44	2.39072G	-53.88	2.4G	-56.07	2.51382G	-53.62	17.15008G	-41.05	1
2462MHz	Pass	2.4319G	0.53	-29.47	2.30408G	-55.38	2.3964G	-53.97	2.4G	-55.13	2.5031G	-53.69	17.62209G	-41.92	2
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.4319G	-2.05	-32.05	2.12306G	-55.25	2.39808G	-51.74	2.4G	-51.75	2.51566G	-54.02	16.24696G	-42.15	1
2422MHz	Pass	2.4319G	-2.05	-32.05	2.30855G	-55.56	2.39968G	-50.97	2.4G	-51.52	2.50814G	-52.90	21.83084G	-42.22	2
2437MHz	Pass	2.4319G	-2.05	-32.05	1.95246G	-55.52	2.39632G	-53.40	2.4G	-54.22	2.5003G	-54.10	17.26502G	-42.01	1
2437MHz	Pass	2.4319G	-2.05	-32.05	1.99253G	-55.44	2.39728G	-52.57	2.4G	-53.93	2.5211G	-53.71	24.50359G	-41.29	2
2452MHz	Pass	2.4319G	-2.05	-32.05	2.13337G	-55.78	2.39888G	-53.92	2.4G	-55.31	2.50142G	-52.70	23.2163G	-41.72	1
2452MHz	Pass	2.4319G	-2.05	-32.05	2.18031G	-54.92	2.3976G	-53.79	2.4G	-54.63	2.50238G	-52.72	24.15302G	-42.43	2
VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43958G	0.70	-29.30	2.15962G	-54.30	2.39992G	-45.39	2.4G	-42.31	2.51374G	-53.83	24.50552G	-41.91	1
2412MHz	Pass	2.43958G	0.70	-29.30	2.12933G	-55.05	2.3996G	-46.28	2.4G	-43.50	2.51062G	-53.20	17.02365G	-41.58	2
2437MHz	Pass	2.43958G	0.70	-29.30	2.0338G	-55.64	2.39248G	-53.78	2.4G	-54.22	2.50278G	-53.38	24.52799G	-41.52	1
2437MHz	Pass	2.43958G	0.70	-29.30	2.30641G	-54.30	2.39888G	-54.04	2.4G	-54.23	2.50158G	-53.08	24.15432G	-39.91	2
2462MHz	Pass	2.43958G	0.70	-29.30	2.11186G	-55.58	2.3956G	-53.59	2.4G	-55.82	2.52326G	-52.31	23.50531G	-41.49	1
2462MHz	Pass	2.43958G	0.70	-29.30	1.93944G	-55.29	2.39288G	-54.04	2.4G	-54.65	2.50278G	-52.22	23.4435G	-42.31	2
VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.4319G	-2.01	-32.01	1.97879G	-54.85	2.4G	-51.54	2.4G	-50.04	2.51006G	-53.67	24.51201G	-41.09	1
2422MHz	Pass	2.4319G	-2.01	-32.01	2.10131G	-55.25	2.39984G	-52.12	2.4G	-51.73	2.50622G	-52.72	16.86396G	-40.22	2
2437MHz	Pass	2.4319G	-2.01	-32.01	2.1826G	-55.30	2.39888G	-52.30	2.4G	-54.64	2.50574G	-52.61	17.63802G	-41.39	1
2437MHz	Pass	2.4319G	-2.01	-32.01	2.06009G	-55.81	2.39952G	-53.06	2.4G	-53.92	2.5251G	-53.52	15.19805G	-41.47	2
2452MHz	Pass	2.4319G	-2.01	-32.01	2.19405G	-55.41	2.39456G	-53.85	2.4G	-54.88	2.52734G	-53.18	24.16704G	-41.51	1
2452MHz	Pass	2.4319G	-2.01	-32.01	2.13795G	-55.15	2.392G	-53.70	2.4G	-53.79	2.5315G	-53.74	24.84014G	-42.01	2
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43574G	0.31	-29.69	2.11885G	-54.79	2.39976G	-45.43	2.4G	-45.75	2.5063G	-52.89	15.19182G	-41.96	1
2412MHz	Pass	2.43574G	0.31	-29.69	2.12234G	-54.30	2.39976G	-46.73	2.4G	-46.53	2.51318G	-53.71	24.51114G	-41.26	2
2437MHz	Pass	2.43574G	0.31	-29.69	2.19923G	-54.32	2.39136G	-52.80	2.4G	-55.74	2.51894G	-53.29	24.80052G	-41.75	1
2437MHz	Pass	2.43574G	0.31	-29.69	2.14681G	-55.51	2.3948G	-53.15	2.4G	-55.54	2.51046G	-53.47	24.71623G	-41.56	2
2462MHz	Pass	2.43574G	0.31	-29.69	2.15846G	-55.28	2.39248G	-53.87	2.4G	-54.42	2.51758G	-53.46	24.51114G	-41.63	1
2462MHz	Pass	2.43574G	0.31	-29.69	2.30641G	-55.83	2.39752G	-53.76	2.4G	-54.65	2.52246G	-53.83	24.62914G	-41.18	2
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.43206G	-2.08	-32.08	2.1597G	-54.68	2.39984G	-52.99	2.4G	-48.82	2.51518G	-53.39	24.21192G	-41.53	1
2422MHz	Pass	2.43206G	-2.08	-32.08	2.10131G	-55.33	2.39712G	-52.78	2.4G	-52.48	2.54942G	-53.18	24.57651G	-42.36	2
2437MHz	Pass	2.43206G	-2.08	-32.08	1.96391G	-55.39	2.39648G	-52.91	2.4G	-54.13	2.5067G	-53.69	24.59895G	-41.93	1
2437MHz	Pass	2.43206G	-2.08	-32.08	2.30512G	-55.55	2.39952G	-50.95	2.4G	-53.71	2.55966G	-53.49	21.87852G	-41.43	2
2452MHz	Pass	2.43206G	-2.08	-32.08	2.30054G	-54.81	2.39952G	-54.13	2.4G	-55.36	2.53054G	-53.83	24.54005G	-40.97	1
2452MHz	Pass	2.43206G	-2.08	-32.08	2.19978G	-54.95	2.39712G	-53.72	2.4G	-53.87	2.51582G	-52.77	21.77475G	-41.74	2











































Summary



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	2.4319G	-1.02	-31.02	2.11885G	-51.59	2.39272G	-50.16	2.4G	-48.00	2.5183G	-49.85	24.62633G	-38.02	3
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	2.42572G	-4.99	-34.99	1.95246G	-52.00	2.39456G	-48.88	2.4G	-52.54	2.5147G	-49.91	24.43628G	-37.12	4





Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.4319G	-1.02	-31.02	2.30408G	-51.71	2.39904G	-50.25	2.4G	-48.17	2.51398G	-49.71	24.61228G	-38.09	1
2412MHz	Pass	2.4319G	-1.02	-31.02	1.85672G	-52.42	2.39976G	-49.80	2.4G	-50.15	2.51102G	-50.23	24.4128G	-38.27	2
2412MHz	Pass	2.4319G	-1.02	-31.02	2.11885G	-51.59	2.39272G	-50.16	2.4G	-48.00	2.5183G	-49.85	24.62633G	-38.02	3
2412MHz	Pass	2.4319G	-1.02	-31.02	2.1538G	-51.14	2.39952G	-50.39	2.4G	-51.01	2.50382G	-49.82	24.09532G	-37.74	4
2437MHz	Pass	2.4319G	-1.02	-31.02	2.16778G	-51.85	2.39624G	-50.35	2.4G	-52.14	2.51486G	-49.98	16.29878G	-38.40	1
2437MHz	Pass	2.4319G	-1.02	-31.02	2.13749G	-51.09	2.39144G	-50.09	2.4G	-52.23	2.52334G	-49.86	15.16653G	-38.36	2
2437MHz	Pass	2.4319G	-1.02	-31.02	1.90216G	-51.88	2.3976G	-50.46	2.4G	-51.76	2.5055G	-48.88	24.13746G	-37.44	3
2437MHz	Pass	2.4319G	-1.02	-31.02	1.97905G	-51.89	2.39208G	-49.44	2.4G	-52.11	2.50582G	-49.70	16.2735G	-38.87	4
2462MHz	Pass	2.4319G	-1.02	-31.02	1.99652G	-51.21	2.39288G	-50.88	2.4G	-51.86	2.51158G	-49.30	16.2454G	-37.96	1
2462MHz	Pass	2.4319G	-1.02	-31.02	2.01283G	-52.07	2.39696G	-51.03	2.4G	-53.11	2.52134G	-49.31	24.75838G	-38.19	2
2462MHz	Pass	2.4319G	-1.02	-31.02	1.97439G	-51.43	2.39256G	-49.54	2.4G	-52.64	2.52006G	-49.34	24.23018G	-38.60	3
2462MHz	Pass	2.4319G	-1.02	-31.02	2.30641G	-51.77	2.39584G	-50.59	2.4G	-52.54	2.50446G	-49.62	24.25547G	-37.42	4
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.42572G	-4.99	-34.99	2.30855G	-51.20	2.39904G	-50.84	2.4G	-50.86	2.5635G	-50.03	24.10254G	-38.36	1
2422MHz	Pass	2.42572G	-4.99	-34.99	2.12993G	-51.41	2.39696G	-50.33	2.4G	-51.71	2.5043G	-50.04	24.08852G	-37.89	2
2422MHz	Pass	2.42572G	-4.99	-34.99	2.11047G	-51.00	2.39168G	-49.90	2.4G	-51.94	2.53118G	-49.62	17.50621G	-38.11	3
2422MHz	Pass	2.42572G	-4.99	-34.99	1.95246G	-52.00	2.39456G	-48.88	2.4G	-52.54	2.5147G	-49.91	24.43628G	-37.12	4
2437MHz	Pass	2.42572G	-4.99	-34.99	2.16314G	-51.57	2.3968G	-50.70	2.4G	-52.31	2.54526G	-49.37	24.18948G	-38.67	1
2437MHz	Pass	2.42572G	-4.99	-34.99	2.16772G	-51.32	2.3928G	-50.15	2.4G	-51.39	2.50158G	-49.72	16.30025G	-38.66	2
2437MHz	Pass	2.42572G	-4.99	-34.99	2.13451G	-51.30	2.39504G	-51.20	2.4G	-51.12	2.5563G	-49.19	24.49237G	-38.42	3
2437MHz	Pass	2.42572G	-4.99	-34.99	1.90093G	-51.52	2.39312G	-50.81	2.4G	-51.91	2.56174G	-49.51	15.19805G	-36.43	4
2452MHz	Pass	2.42572G	-4.99	-34.99	2.12879G	-51.50	2.39488G	-51.29	2.4G	-53.03	2.56046G	-49.40	17.13881G	-37.85	1
2452MHz	Pass	2.42572G	-4.99	-34.99	2.15627G	-51.64	2.39744G	-50.83	2.4G	-53.12	2.55118G	-50.50	24.22314G	-38.57	2
2452MHz	Pass	2.42572G	-4.99	-34.99	2.1139G	-50.45	2.39104G	-51.05	2.4G	-52.97	2.52222G	-49.81	17.42488G	-38.10	3
2452MHz	Pass	2.42572G	-4.99	-34.99	2.3097G	-50.72	2.39104G	-50.18	2.4G	-52.45	2.5043G	-50.00	24.73357G	-36.85	4











Summary



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	2.43958G	3.65	-26.35	2.13632G	-52.20	2.4G	-44.69	2.4G	-47.08	2.51222G	-50.21	17.68109G	-39.09	1
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	2.42956G	-2.96	-32.96	2.12535G	-51.88	2.39104G	-51.24	2.4G	-52.38	2.50862G	-49.90	24.11376G	-38.36	1





Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43958G	3.65	-26.35	2.13632G	-52.20	2.4G	-44.69	2.4G	-47.08	2.51222G	-50.21	17.68109G	-39.09	1
2412MHz	Pass	2.43958G	3.65	-26.35	2.11885G	-51.43	2.4G	-46.32	2.4G	-47.47	2.51782G	-49.66	16.97308G	-38.41	2
2437MHz	Pass	2.43958G	3.65	-26.35	2.1305G	-52.42	2.39384G	-49.75	2.4G	-50.16	2.52206G	-50.08	24.45775G	-38.00	1
2437MHz	Pass	2.43958G	3.65	-26.35	2.30525G	-51.19	2.4G	-50.66	2.4G	-51.76	2.5179G	-50.95	16.20607G	-39.17	2
2462MHz	Pass	2.43958G	3.65	-26.35	2.00351G	-51.92	2.39112G	-51.33	2.4G	-52.24	2.50902G	-49.94	24.83424G	-38.83	1
2462MHz	Pass	2.43958G	3.65	-26.35	2.30525G	-52.50	2.39952G	-50.70	2.4G	-52.80	2.52134G	-50.52	24.47461G	-38.04	2
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.42956G	-2.96	-32.96	2.10016G	-52.15	2.39552G	-50.89	2.4G	-51.15	2.5259G	-50.38	24.79246G	-38.69	1
2422MHz	Pass	2.42956G	-2.96	-32.96	2.14253G	-52.05	2.39152G	-50.56	2.4G	-51.54	2.56062G	-50.23	24.53164G	-37.85	2
2437MHz	Pass	2.42956G	-2.96	-32.96	2.12535G	-51.88	2.39104G	-51.24	2.4G	-52.38	2.50862G	-49.90	24.11376G	-38.36	1
2437MHz	Pass	2.42956G	-2.96	-32.96	2.0807G	-52.23	2.3992G	-50.57	2.4G	-51.85	2.51614G	-50.59	16.48535G	-39.33	2
2452MHz	Pass	2.42956G	-2.96	-32.96	2.06581G	-51.92	2.39568G	-51.64	2.4G	-51.98	2.51358G	-50.31	14.86431G	-39.16	1
2452MHz	Pass	2.42956G	-2.96	-32.96	2.30626G	-51.50	2.3928G	-51.42	2.4G	-50.57	2.5267G	-50.32	24.54566G	-38.80	2









Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	AV	2.3878G	52.62	54.00	-1.38	3	Vertical	183	1.50




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	2.3878G	52.62	54.00	-1.38	3	Vertical	183	1.50
2437MHz	Pass	AV	2.4128G	122.86	Inf	-Inf	3	Vertical	183	1.50
2437MHz	Pass	PK	2.3882G	64.57	74.00	-9.43	3	Vertical	183	1.50
2437MHz	Pass	PK	2.413G	125.52	Inf	-Inf	3	Vertical	183	1.50
2437MHz	Pass	AV	4.82396G	39.97	54.00	-14.03	3	Vertical	175	2.44
2437MHz	Pass	PK	4.82408G	48.75	74.00	-25.25	3	Vertical	175	2.44
2437MHz	Pass	AV	4.82396G	33.87	54.00	-20.13	3	Horizontal	0	2.52
2437MHz	Pass	PK	4.82304G	45.75	74.00	-28.25	3	Horizontal	0	2.52

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX


2437MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	31.82	40.00	-8.18	-2.80	3	Vertical	360	1.00	34.62	23.14	1.02	26.96
PK	97.9M	23.35	43.50	-20.15	-10.70	3	Vertical	360	1.00	34.05	15.72	1.41	27.83
PK	225.94M	28.70	46.00	-17.30	-10.28	3	Vertical	360	1.00	38.98	14.85	2.15	27.28
PK	350.1M	38.07	46.00	-7.93	-5.21	3	Vertical	360	1.00	43.28	19.58	2.71	27.50
PK	491.72M	33.17	46.00	-12.83	-2.37	3	Vertical	360	1.00	35.54	22.69	3.27	28.33
PK	559.62M	27.62	46.00	-18.38	-1.18	3	Vertical	360	1.00	28.80	23.98	3.44	28.60

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	47.46M	31.67	40.00	-8.33	-11.87	3	Horizontal	0	1.00	43.54	14.39	1.03	27.29
PK	117.3M	21.38	43.50	-22.12	-8.92	3	Horizontal	0	1.00	30.30	17.34	1.52	27.78
PK	225.94M	34.70	46.00	-11.30	-10.28	3	Horizontal	0	1.00	44.98	14.85	2.15	27.28
PK	348.16M	38.97	46.00	-7.03	-5.31	3	Horizontal	0	1.00	44.28	19.48	2.70	27.49
PK	371.44M	34.68	46.00	-11.32	-4.85	3	Horizontal	0	1.00	39.53	20.02	2.78	27.65
PK	522.76M	30.59	46.00	-15.41	-2.39	3	Horizontal	0	1.00	32.98	22.73	3.36	28.48



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	AV	2.4838G	52.82	54.00	-1.18	3	Vertical	185	1.50
802.11g_Nss1,(6Mbps)_4TX	Pass	PK	2.3874G	72.92	74.00	-1.08	3	Vertical	195	1.44
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	2.4835G	52.99	54.00	-1.01	3	Vertical	189	1.50
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	2.4835G	52.81	54.00	-1.19	3	Vertical	189	1.47



RSE TX above 1GHz_Non-Beamforming_Radio 1

Appendix F.2

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3878G	52.62	54.00	-1.38	3	Vertical	183	1.50
2412MHz	Pass	AV	2.4128G	122.86	Inf	-Inf	3	Vertical	183	1.50
2412MHz	Pass	PK	2.3882G	64.57	74.00	-9.43	3	Vertical	183	1.50
2412MHz	Pass	PK	2.413G	125.52	Inf	-Inf	3	Vertical	183	1.50
2412MHz	Pass	AV	4.82396G	39.97	54.00	-14.03	3	Vertical	175	2.44
2412MHz	Pass	PK	4.82408G	48.75	74.00	-25.25	3	Vertical	175	2.44
2412MHz	Pass	AV	4.82396G	33.87	54.00	-20.13	3	Horizontal	0	2.52
2412MHz	Pass	PK	4.82304G	45.75	74.00	-28.25	3	Horizontal	0	2.52
2417MHz	Pass	AV	2.39G	52.70	54.00	-1.30	3	Vertical	176	1.16
2417MHz	Pass	AV	2.4178G	123.51	Inf	-Inf	3	Vertical	176	1.16
2417MHz	Pass	PK	2.3892G	64.78	74.00	-9.22	3	Vertical	176	1.16
2417MHz	Pass	PK	2.4178G	126.04	Inf	-Inf	3	Vertical	176	1.16
2417MHz	Pass	AV	4.83396G	52.18	54.00	-1.82	3	Vertical	182	1.63
2417MHz	Pass	PK	4.83396G	54.96	74.00	-19.04	3	Vertical	182	1.63
2417MHz	Pass	AV	4.83396G	36.85	54.00	-17.15	3	Horizontal	0	2.54
2417MHz	Pass	PK	4.83396G	47.06	74.00	-26.94	3	Horizontal	0	2.54
2437MHz	Pass	AV	2.3898G	50.55	54.00	-3.45	3	Vertical	180	1.14
2437MHz	Pass	AV	2.4362G	122.58	Inf	-Inf	3	Vertical	180	1.14
2437MHz	Pass	AV	2.4835G	51.41	54.00	-2.59	3	Vertical	180	1.14
2437MHz	Pass	PK	2.3894G	62.35	74.00	-11.65	3	Vertical	180	1.14
2437MHz	Pass	PK	2.4362G	125.22	Inf	-Inf	3	Vertical	180	1.14
2437MHz	Pass	PK	2.4835G	64.01	74.00	-9.99	3	Vertical	180	1.14
2437MHz	Pass	AV	4.87392G	52.74	54.00	-1.26	3	Vertical	174	1.29
2437MHz	Pass	AV	7.30916G	47.21	54.00	-6.79	3	Vertical	303	2.22
2437MHz	Pass	PK	4.874G	55.48	74.00	-18.52	3	Vertical	174	1.29
2437MHz	Pass	PK	7.3092G	54.80	74.00	-19.20	3	Vertical	303	2.22
2437MHz	Pass	AV	4.87396G	32.67	54.00	-21.33	3	Horizontal	131	2.20
2437MHz	Pass	AV	7.30912G	40.91	54.00	-13.09	3	Horizontal	325	2.70
2437MHz	Pass	PK	4.86648G	45.72	74.00	-28.28	3	Horizontal	131	2.20
2437MHz	Pass	PK	7.30992G	51.75	74.00	-22.25	3	Horizontal	325	2.70
2457MHz	Pass	AV	2.4578G	122.81	Inf	-Inf	3	Vertical	185	1.50
2457MHz	Pass	AV	2.4838G	52.82	54.00	-1.18	3	Vertical	185	1.50
2457MHz	Pass	PK	2.458G	125.31	Inf	-Inf	3	Vertical	185	1.50
2457MHz	Pass	PK	2.4838G	64.97	74.00	-9.03	3	Vertical	185	1.50
2457MHz	Pass	AV	4.91392G	46.86	54.00	-7.14	3	Vertical	189	1.71
2457MHz	Pass	AV	7.37086G	38.89	54.00	-15.11	3	Vertical	308	2.02
2457MHz	Pass	PK	4.91392G	51.69	74.00	-22.31	3	Vertical	189	1.71
2457MHz	Pass	PK	7.3714G	51.91	74.00	-22.09	3	Vertical	308	2.02
2457MHz	Pass	AV	4.91394G	33.69	54.00	-20.31	3	Horizontal	20	1.27
2457MHz	Pass	AV	7.37076G	37.07	54.00	-16.93	3	Horizontal	0	2.51
2457MHz	Pass	PK	4.91582G	46.56	74.00	-27.44	3	Horizontal	20	1.27
2457MHz	Pass	PK	7.37102G	50.75	74.00	-23.25	3	Horizontal	0	2.51
2462MHz	Pass	AV	2.39G	48.22	54.00	-5.78	3	Vertical	186	1.42
2462MHz	Pass	AV	2.4628G	122.42	Inf	-Inf	3	Vertical	186	1.42
2462MHz	Pass	AV	2.4848G	52.67	54.00	-1.33	3	Vertical	186	1.42
2462MHz	Pass	PK	2.3884G	60.64	74.00	-13.36	3	Vertical	186	1.42
2462MHz	Pass	PK	2.4612G	125.30	Inf	-Inf	3	Vertical	186	1.42
2462MHz	Pass	PK	2.4848G	64.93	74.00	-9.07	3	Vertical	186	1.42
2462MHz	Pass	AV	4.92396G	45.59	54.00	-8.41	3	Vertical	185	1.66
2462MHz	Pass	AV	7.3861G	37.28	54.00	-16.72	3	Vertical	296	2.00
2462MHz	Pass	PK	4.92382G	50.81	74.00	-23.19	3	Vertical	185	1.66
2462MHz	Pass	PK	7.38788G	50.72	74.00	-23.28	3	Vertical	296	2.00
2462MHz	Pass	AV	4.92384G	32.74	54.00	-21.26	3	Horizontal	340	2.95
2462MHz	Pass	AV	7.3859G	37.73	54.00	-16.27	3	Horizontal	0	1.86
2462MHz	Pass	PK	4.92306G	45.95	74.00	-28.05	3	Horizontal	340	2.95
2462MHz	Pass	PK	7.38622G	51.25	74.00	-22.75	3	Horizontal	0	1.86
802.11g_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.67	54.00	-1.33	3	Vertical	198	1.50
2412MHz	Pass	AV	2.416G	116.54	Inf	-Inf	3	Vertical	198	1.50
2412MHz	Pass	PK	2.39G	71.86	74.00	-2.14	3	Vertical	198	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 1

Appendix F.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	PK	2.4158G	125.54	Inf	-Inf	3	Vertical	198	1.50
2412MHz	Pass	AV	4.83072G	34.34	54.00	-19.66	3	Vertical	191	1.54
2412MHz	Pass	PK	4.8204G	47.55	74.00	-26.45	3	Vertical	191	1.54
2412MHz	Pass	AV	4.81722G	33.95	54.00	-20.05	3	Horizontal	51	1.20
2412MHz	Pass	PK	4.81794G	47.28	74.00	-26.72	3	Horizontal	51	1.20
2417MHz	Pass	AV	2.39G	52.62	54.00	-1.38	3	Vertical	195	1.44
2417MHz	Pass	AV	2.4122G	116.92	Inf	-Inf	3	Vertical	195	1.44
2417MHz	Pass	PK	2.3874G	72.92	74.00	-1.08	3	Vertical	195	1.44
2417MHz	Pass	PK	2.4124G	126.53	Inf	-Inf	3	Vertical	195	1.44
2437MHz	Pass	AV	2.3894G	50.87	54.00	-3.13	3	Vertical	196	1.50
2437MHz	Pass	AV	2.431G	118.88	Inf	-Inf	3	Vertical	196	1.50
2437MHz	Pass	AV	2.4835G	52.82	54.00	-1.18	3	Vertical	196	1.50
2437MHz	Pass	PK	2.3898G	63.86	74.00	-10.14	3	Vertical	196	1.50
2437MHz	Pass	PK	2.4314G	128.28	Inf	-Inf	3	Vertical	196	1.50
2437MHz	Pass	PK	2.4842G	65.08	74.00	-8.92	3	Vertical	196	1.50
2437MHz	Pass	AV	4.87082G	35.50	54.00	-18.50	3	Vertical	191	1.50
2437MHz	Pass	AV	7.31088G	40.09	54.00	-13.91	3	Vertical	294	2.30
2437MHz	Pass	PK	4.86836G	48.34	74.00	-25.66	3	Vertical	191	1.50
2437MHz	Pass	PK	7.31382G	53.24	74.00	-20.76	3	Vertical	294	2.30
2437MHz	Pass	AV	4.88084G	34.23	54.00	-19.77	3	Horizontal	229	2.64
2437MHz	Pass	AV	7.31094G	39.82	54.00	-14.18	3	Horizontal	3	2.43
2437MHz	Pass	PK	4.86236G	47.83	74.00	-26.17	3	Horizontal	229	2.64
2437MHz	Pass	PK	7.31082G	53.41	74.00	-20.59	3	Horizontal	3	2.43
2457MHz	Pass	AV	2.461G	116.09	Inf	-Inf	3	Vertical	189	1.86
2457MHz	Pass	AV	2.4835G	52.91	54.00	-1.09	3	Vertical	189	1.86
2457MHz	Pass	PK	2.4608G	125.16	Inf	-Inf	3	Vertical	189	1.86
2457MHz	Pass	PK	2.4835G	67.36	74.00	-6.64	3	Vertical	189	1.86
2462MHz	Pass	AV	2.466G	112.30	Inf	-Inf	3	Vertical	188	1.74
2462MHz	Pass	AV	2.4835G	52.55	54.00	-1.45	3	Vertical	188	1.74
2462MHz	Pass	PK	2.4658G	121.25	Inf	-Inf	3	Vertical	188	1.74
2462MHz	Pass	PK	2.4835G	69.03	74.00	-4.97	3	Vertical	188	1.74
2462MHz	Pass	AV	4.924G	34.60	54.00	-19.40	3	Vertical	300	2.26
2462MHz	Pass	AV	7.386G	39.34	54.00	-14.66	3	Vertical	310	2.01
2462MHz	Pass	PK	4.924G	47.52	74.00	-26.48	3	Vertical	300	2.26
2462MHz	Pass	PK	7.38066G	52.76	74.00	-21.24	3	Vertical	310	2.01
2462MHz	Pass	AV	4.92382G	34.96	54.00	-19.04	3	Horizontal	349	2.16
2462MHz	Pass	AV	7.3731G	39.24	54.00	-14.76	3	Horizontal	268	1.50
2462MHz	Pass	PK	4.91254G	47.53	74.00	-26.47	3	Horizontal	349	2.16
2462MHz	Pass	PK	7.37646G	52.22	74.00	-21.78	3	Horizontal	268	1.50
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.78	54.00	-1.22	3	Vertical	183	1.61
2412MHz	Pass	AV	2.416G	109.16	Inf	-Inf	3	Vertical	183	1.61
2412MHz	Pass	PK	2.3896G	71.71	74.00	-2.29	3	Vertical	183	1.61
2412MHz	Pass	PK	2.4208G	122.51	Inf	-Inf	3	Vertical	183	1.61
2412MHz	Pass	AV	4.81758G	31.96	54.00	-22.04	3	Vertical	278	1.50
2412MHz	Pass	PK	4.8378G	45.55	74.00	-28.45	3	Vertical	278	1.50
2412MHz	Pass	AV	4.81872G	32.01	54.00	-21.99	3	Horizontal	198	1.50
2412MHz	Pass	PK	4.82094G	45.66	74.00	-28.34	3	Horizontal	198	1.50
2417MHz	Pass	AV	2.39G	52.82	54.00	-1.18	3	Vertical	192	1.61
2417MHz	Pass	AV	2.4222G	113.35	Inf	-Inf	3	Vertical	192	1.61
2417MHz	Pass	PK	2.3898G	72.51	74.00	-1.49	3	Vertical	192	1.61
2417MHz	Pass	PK	2.4224G	127.31	Inf	-Inf	3	Vertical	192	1.61
2437MHz	Pass	AV	2.3898G	51.32	54.00	-2.68	3	Vertical	189	1.50
2437MHz	Pass	AV	2.4326G	117.58	Inf	-Inf	3	Vertical	189	1.50
2437MHz	Pass	AV	2.4835G	52.99	54.00	-1.01	3	Vertical	189	1.50
2437MHz	Pass	PK	2.3882G	69.24	74.00	-4.76	3	Vertical	189	1.50
2437MHz	Pass	PK	2.4326G	129.82	Inf	-Inf	3	Vertical	189	1.50
2437MHz	Pass	PK	2.4858G	69.65	74.00	-4.35	3	Vertical	189	1.50
2437MHz	Pass	AV	4.86758G	32.19	54.00	-21.81	3	Vertical	17	1.50
2437MHz	Pass	AV	7.31094G	38.35	54.00	-15.65	3	Vertical	294	2.42
2437MHz	Pass	PK	4.86476G	46.32	74.00	-27.68	3	Vertical	17	1.50
2437MHz	Pass	PK	7.30752G	51.27	74.00	-22.73	3	Vertical	294	2.42



RSE TX above 1GHz_Non-Beamforming_Radio 1

Appendix F.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	AV	4.86572G	32.26	54.00	-21.74	3	Horizontal	85	2.39
2437MHz	Pass	AV	7.2969G	37.24	54.00	-16.76	3	Horizontal	107	1.99
2437MHz	Pass	PK	4.86452G	46.19	74.00	-27.81	3	Horizontal	85	2.39
2437MHz	Pass	PK	7.32138G	51.37	74.00	-22.63	3	Horizontal	107	1.99
2457MHz	Pass	AV	2.461G	110.60	Inf	-Inf	3	Vertical	184	1.56
2457MHz	Pass	AV	2.4835G	52.37	54.00	-1.63	3	Vertical	184	1.56
2457MHz	Pass	PK	2.4564G	123.92	Inf	-Inf	3	Vertical	184	1.56
2457MHz	Pass	PK	2.4835G	69.51	74.00	-4.49	3	Vertical	184	1.56
2462MHz	Pass	AV	2.4644G	107.42	Inf	-Inf	3	Vertical	186	1.50
2462MHz	Pass	AV	2.4842G	52.03	54.00	-1.97	3	Vertical	186	1.50
2462MHz	Pass	PK	2.4642G	121.70	Inf	-Inf	3	Vertical	186	1.50
2462MHz	Pass	PK	2.4848G	70.80	74.00	-3.20	3	Vertical	186	1.50
2462MHz	Pass	AV	4.91368G	32.35	54.00	-21.65	3	Vertical	0	1.00
2462MHz	Pass	AV	7.38612G	37.34	54.00	-16.66	3	Vertical	309	1.50
2462MHz	Pass	PK	4.9141G	45.89	74.00	-28.11	3	Vertical	0	1.00
2462MHz	Pass	PK	7.38396G	50.94	74.00	-23.06	3	Vertical	309	1.50
2462MHz	Pass	AV	4.92388G	32.78	54.00	-21.22	3	Horizontal	5	2.57
2462MHz	Pass	AV	7.3734G	37.10	54.00	-16.90	3	Horizontal	73	2.88
2462MHz	Pass	PK	4.92142G	46.14	74.00	-27.86	3	Horizontal	5	2.57
2462MHz	Pass	PK	7.38528G	50.96	74.00	-23.04	3	Horizontal	73	2.88
802.11ax HEW40_Nss1.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3892G	52.34	54.00	-1.66	3	Vertical	180	1.68
2422MHz	Pass	AV	2.426G	106.74	Inf	-Inf	3	Vertical	180	1.68
2422MHz	Pass	AV	2.4835G	49.40	54.00	-4.60	3	Vertical	180	1.68
2422MHz	Pass	PK	2.39G	66.58	74.00	-7.42	3	Vertical	180	1.68
2422MHz	Pass	PK	2.426G	117.49	Inf	-Inf	3	Vertical	180	1.68
2422MHz	Pass	PK	2.4884G	61.67	74.00	-12.33	3	Vertical	180	1.68
2422MHz	Pass	AV	4.84388G	33.71	54.00	-20.29	3	Vertical	315	1.50
2422MHz	Pass	AV	7.266G	40.25	54.00	-13.75	3	Vertical	293	2.60
2422MHz	Pass	PK	4.84244G	46.19	74.00	-27.81	3	Vertical	315	1.50
2422MHz	Pass	PK	7.26504G	52.01	74.00	-21.99	3	Vertical	293	2.60
2422MHz	Pass	AV	4.86848G	33.73	54.00	-20.27	3	Horizontal	48	2.38
2422MHz	Pass	AV	7.26424G	39.08	54.00	-14.92	3	Horizontal	120	1.27
2422MHz	Pass	PK	4.86428G	46.10	74.00	-27.90	3	Horizontal	48	2.38
2422MHz	Pass	PK	7.27324G	50.87	74.00	-23.13	3	Horizontal	120	1.27
2427MHz	Pass	AV	2.3898G	52.66	54.00	-1.34	3	Vertical	190	1.46
2427MHz	Pass	AV	2.4226G	107.55	Inf	-Inf	3	Vertical	190	1.46
2427MHz	Pass	AV	2.4846G	49.74	54.00	-4.26	3	Vertical	190	1.46
2427MHz	Pass	PK	2.387G	69.55	74.00	-4.45	3	Vertical	190	1.46
2427MHz	Pass	PK	2.4322G	119.44	Inf	-Inf	3	Vertical	190	1.46
2427MHz	Pass	PK	2.4838G	62.99	74.00	-11.01	3	Vertical	190	1.46
2437MHz	Pass	AV	2.3886G	51.82	54.00	-2.18	3	Vertical	189	1.47
2437MHz	Pass	AV	2.4326G	108.47	Inf	-Inf	3	Vertical	189	1.47
2437MHz	Pass	AV	2.4835G	52.81	54.00	-1.19	3	Vertical	189	1.47
2437MHz	Pass	PK	2.3894G	69.50	74.00	-4.50	3	Vertical	189	1.47
2437MHz	Pass	PK	2.4426G	119.90	Inf	-Inf	3	Vertical	189	1.47
2437MHz	Pass	PK	2.4835G	69.49	74.00	-4.51	3	Vertical	189	1.47
2437MHz	Pass	AV	4.89284G	33.71	54.00	-20.29	3	Vertical	226	1.50
2437MHz	Pass	AV	7.31112G	39.17	54.00	-14.83	3	Vertical	330	2.40
2437MHz	Pass	PK	4.87712G	46.08	74.00	-27.92	3	Vertical	226	1.50
2437MHz	Pass	PK	7.3278G	50.57	74.00	-23.43	3	Vertical	330	2.40
2437MHz	Pass	AV	4.87772G	33.85	54.00	-20.15	3	Horizontal	2	1.50
2437MHz	Pass	AV	7.31088G	39.18	54.00	-14.82	3	Horizontal	66	2.40
2437MHz	Pass	PK	4.87436G	46.30	74.00	-27.70	3	Horizontal	2	1.50
2437MHz	Pass	PK	7.28124G	51.00	74.00	-23.00	3	Horizontal	66	2.40
2447MHz	Pass	AV	2.387G	48.85	54.00	-5.15	3	Vertical	187	1.25
2447MHz	Pass	AV	2.4502G	105.26	Inf	-Inf	3	Vertical	187	1.25
2447MHz	Pass	AV	2.485G	52.79	54.00	-1.21	3	Vertical	187	1.25
2447MHz	Pass	PK	2.3878G	61.68	74.00	-12.32	3	Vertical	187	1.25
2447MHz	Pass	PK	2.4502G	116.85	Inf	-Inf	3	Vertical	187	1.25
2447MHz	Pass	PK	2.485G	67.43	74.00	-6.57	3	Vertical	187	1.25
2452MHz	Pass	AV	2.3878G	52.62	54.00	-1.38	3	Vertical	183	1.50




RSE TX above 1GHz_Non-Beamforming_Radio 1

Appendix F.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2452MHz	Pass	AV	2.4128G	122.86	Inf	-Inf	3	Vertical	183	1.50
2452MHz	Pass	PK	2.3882G	64.57	74.00	-9.43	3	Vertical	183	1.50
2452MHz	Pass	PK	2.413G	125.52	Inf	-Inf	3	Vertical	183	1.50
2452MHz	Pass	AV	4.82396G	39.97	54.00	-14.03	3	Vertical	175	2.44
2452MHz	Pass	PK	4.82408G	48.75	74.00	-25.25	3	Vertical	175	2.44
2452MHz	Pass	AV	4.82396G	33.87	54.00	-20.13	3	Horizontal	0	2.52
2452MHz	Pass	PK	4.82304G	45.75	74.00	-28.25	3	Horizontal	0	2.52

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3878G	52.62	54.00	-1.38	1.58	3	Vertical	183	1.50	51.04	27.50	8.28	34.20
AV	2.4128G	122.86	Inf	-Inf	1.73	3	Vertical	183	1.50	121.13	27.63	8.30	34.20
PK	2.3882G	64.57	74.00	-9.43	1.59	3	Vertical	183	1.50	62.98	27.51	8.28	34.20
PK	2.413G	125.52	Inf	-Inf	1.73	3	Vertical	183	1.50	123.79	27.63	8.30	34.20


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82396G	39.97	54.00	-14.03	7.84	3	Vertical	175	2.44	32.13	32.34	9.68	34.18
PK	4.82408G	48.75	74.00	-25.25	7.84	3	Vertical	175	2.44	40.91	32.34	9.68	34.18

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX
2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82396G	33.87	54.00	-20.13	7.84	3	Horizontal	0	2.52	26.03	32.34	9.68	34.18
PK	4.82304G	45.75	74.00	-28.25	7.84	3	Horizontal	0	2.52	37.91	32.34	9.68	34.18

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX
2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.70	54.00	-1.30	1.60	3	Vertical	176	1.16	51.10	27.52	8.28	34.20
AV	2.4178G	123.51	Inf	-Inf	1.74	3	Vertical	176	1.16	121.77	27.64	8.30	34.20
PK	2.3892G	64.78	74.00	-9.22	1.59	3	Vertical	176	1.16	63.19	27.51	8.28	34.20
PK	2.4178G	126.04	Inf	-Inf	1.74	3	Vertical	176	1.16	124.30	27.64	8.30	34.20

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX
2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83396G	52.18	54.00	-1.82	7.90	3	Vertical	182	1.63	44.28	32.40	9.68	34.18
PK	4.83396G	54.96	74.00	-19.04	7.90	3	Vertical	182	1.63	47.06	32.40	9.68	34.18

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX
2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83396G	36.85	54.00	-17.15	7.90	3	Horizontal	0	2.54	28.95	32.40	9.68	34.18
PK	4.83396G	47.06	74.00	-26.94	7.90	3	Horizontal	0	2.54	39.16	32.40	9.68	34.18

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX
2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.55	54.00	-3.45	1.60	3	Vertical	180	1.14	48.95	27.52	8.28	34.20
AV	2.4362G	122.58	Inf	-Inf	1.77	3	Vertical	180	1.14	120.81	27.67	8.31	34.21
AV	2.4835G	51.41	54.00	-2.59	1.95	3	Vertical	180	1.14	49.46	27.83	8.34	34.22
PK	2.3894G	62.35	74.00	-11.65	1.60	3	Vertical	180	1.14	60.75	27.52	8.28	34.20
PK	2.4362G	125.22	Inf	-Inf	1.77	3	Vertical	180	1.14	123.45	27.67	8.31	34.21
PK	2.4835G	64.01	74.00	-9.99	1.95	3	Vertical	180	1.14	62.06	27.83	8.34	34.22


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX
2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87392G	52.74	54.00	-1.26	8.13	3	Vertical	174	1.29	44.61	32.60	9.70	34.17
AV	7.30916G	47.21	54.00	-6.79	13.58	3	Vertical	303	2.22	33.63	36.76	11.32	34.50
PK	4.874G	55.48	74.00	-18.52	8.13	3	Vertical	174	1.29	47.35	32.60	9.70	34.17
PK	7.3092G	54.80	74.00	-19.20	13.58	3	Vertical	303	2.22	41.22	36.76	11.32	34.50

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87396G	32.67	54.00	-21.33	8.13	3	Horizontal	131	2.20	24.54	32.60	9.70	34.17
AV	7.30912G	40.91	54.00	-13.09	13.58	3	Horizontal	325	2.70	27.33	36.76	11.32	34.50
PK	4.86648G	45.72	74.00	-28.28	8.10	3	Horizontal	131	2.20	37.62	32.57	9.70	34.17
PK	7.30992G	51.75	74.00	-22.25	13.58	3	Horizontal	325	2.70	38.17	36.76	11.32	34.50

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4578G	122.81	Inf	-Inf	1.85	3	Vertical	185	1.50	120.96	27.73	8.33	34.21
AV	2.4838G	52.82	54.00	-1.18	1.96	3	Vertical	185	1.50	50.86	27.84	8.34	34.22
PK	2.458G	125.31	Inf	-Inf	1.85	3	Vertical	185	1.50	123.46	27.73	8.33	34.21
PK	2.4838G	64.97	74.00	-9.03	1.96	3	Vertical	185	1.50	63.01	27.84	8.34	34.22

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91392G	46.86	54.00	-7.14	8.35	3	Vertical	189	1.71	38.51	32.78	9.72	34.15
AV	7.37086G	38.89	54.00	-15.11	13.35	3	Vertical	308	2.02	25.54	36.52	11.33	34.50
PK	4.91392G	51.69	74.00	-22.31	8.35	3	Vertical	189	1.71	43.34	32.78	9.72	34.15
PK	7.3714G	51.91	74.00	-22.09	13.34	3	Vertical	308	2.02	38.57	36.51	11.33	34.50


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91394G	33.69	54.00	-20.31	8.35	3	Horizontal	20	1.27	25.34	32.78	9.72	34.15
AV	7.37076G	37.07	54.00	-16.93	13.35	3	Horizontal	0	2.51	23.72	36.52	11.33	34.50
PK	4.91582G	46.56	74.00	-27.44	8.36	3	Horizontal	20	1.27	38.20	32.79	9.72	34.15
PK	7.37102G	50.75	74.00	-23.25	13.35	3	Horizontal	0	2.51	37.40	36.52	11.33	34.50

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX
2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.22	54.00	-5.78	1.60	3	Vertical	186	1.42	46.62	27.52	8.28	34.20
AV	2.4628G	122.42	Inf	-Inf	1.87	3	Vertical	186	1.42	120.55	27.75	8.33	34.21
AV	2.4848G	52.67	54.00	-1.33	1.97	3	Vertical	186	1.42	50.70	27.84	8.35	34.22
PK	2.3884G	60.64	74.00	-13.36	1.59	3	Vertical	186	1.42	59.05	27.51	8.28	34.20
PK	2.4612G	125.30	Inf	-Inf	1.86	3	Vertical	186	1.42	123.44	27.74	8.33	34.21
PK	2.4848G	64.93	74.00	-9.07	1.97	3	Vertical	186	1.42	62.96	27.84	8.35	34.22


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX
2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92396G	45.59	54.00	-8.41	8.41	3	Vertical	185	1.66	37.18	32.84	9.72	34.15
AV	7.3861G	37.28	54.00	-16.72	13.29	3	Vertical	296	2.00	23.99	36.46	11.34	34.51
PK	4.92382G	50.81	74.00	-23.19	8.41	3	Vertical	185	1.66	42.40	32.84	9.72	34.15
PK	7.38788G	50.72	74.00	-23.28	13.28	3	Vertical	296	2.00	37.44	36.45	11.34	34.51

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92384G	32.74	54.00	-21.26	8.41	3	Horizontal	340	2.95	24.33	32.84	9.72	34.15
AV	7.3859G	37.73	54.00	-16.27	13.29	3	Horizontal	0	1.86	24.44	36.46	11.34	34.51
PK	4.92306G	45.95	74.00	-28.05	8.41	3	Horizontal	340	2.95	37.54	32.84	9.72	34.15
PK	7.38622G	51.25	74.00	-22.75	13.29	3	Horizontal	0	1.86	37.96	36.46	11.34	34.51


2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.67	54.00	-1.33	1.60	3	Vertical	198	1.50	51.07	27.52	8.28	34.20
AV	2.416G	116.54	Inf	-Inf	1.73	3	Vertical	198	1.50	114.81	27.63	8.30	34.20
PK	2.39G	71.86	74.00	-2.14	1.60	3	Vertical	198	1.50	70.26	27.52	8.28	34.20
PK	2.4158G	125.54	Inf	-Inf	1.73	3	Vertical	198	1.50	123.81	27.63	8.30	34.20

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83072G	34.34	54.00	-19.66	7.88	3	Vertical	191	1.54	26.46	32.38	9.68	34.18
PK	4.8204G	47.55	74.00	-26.45	7.82	3	Vertical	191	1.54	39.73	32.32	9.68	34.18


2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81722G	33.95	54.00	-20.05	7.79	3	Horizontal	51	1.20	26.16	32.30	9.68	34.19
PK	4.81794G	47.28	74.00	-26.72	7.80	3	Horizontal	51	1.20	39.48	32.31	9.68	34.19

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.62	54.00	-1.38	1.60	3	Vertical	195	1.44	51.02	27.52	8.28	34.20
AV	2.4122G	116.92	Inf	-Inf	1.72	3	Vertical	195	1.44	115.20	27.62	8.30	34.20
PK	2.3874G	72.92	74.00	-1.08	1.58	3	Vertical	195	1.44	71.34	27.50	8.28	34.20
PK	2.4124G	126.53	Inf	-Inf	1.72	3	Vertical	195	1.44	124.81	27.62	8.30	34.20

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	50.87	54.00	-3.13	1.60	3	Vertical	196	1.50	49.27	27.52	8.28	34.20
AV	2.431G	118.88	Inf	-Inf	1.76	3	Vertical	196	1.50	117.12	27.66	8.31	34.21
AV	2.4835G	52.82	54.00	-1.18	1.95	3	Vertical	196	1.50	50.87	27.83	8.34	34.22
PK	2.3898G	63.86	74.00	-10.14	1.60	3	Vertical	196	1.50	62.26	27.52	8.28	34.20
PK	2.4314G	128.28	Inf	-Inf	1.76	3	Vertical	196	1.50	126.52	27.66	8.31	34.21
PK	2.4842G	65.08	74.00	-8.92	1.96	3	Vertical	196	1.50	63.12	27.84	8.34	34.22

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87082G	35.50	54.00	-18.50	8.11	3	Vertical	191	1.50	27.39	32.58	9.70	34.17
AV	7.31088G	40.09	54.00	-13.91	13.58	3	Vertical	294	2.30	26.51	36.76	11.32	34.50
PK	4.86836G	48.34	74.00	-25.66	8.10	3	Vertical	191	1.50	40.24	32.57	9.70	34.17
PK	7.31382G	53.24	74.00	-20.76	13.56	3	Vertical	294	2.30	39.68	36.74	11.32	34.50

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88084G	34.23	54.00	-19.77	8.16	3	Horizontal	229	2.64	26.07	32.62	9.70	34.16
AV	7.31094G	39.82	54.00	-14.18	13.58	3	Horizontal	3	2.43	26.24	36.76	11.32	34.50
PK	4.86236G	47.83	74.00	-26.17	8.07	3	Horizontal	229	2.64	39.76	32.55	9.69	34.17
PK	7.31082G	53.41	74.00	-20.59	13.58	3	Horizontal	3	2.43	39.83	36.76	11.32	34.50

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.461G	116.09	Inf	-Inf	1.86	3	Vertical	189	1.86	114.23	27.74	8.33	34.21
AV	2.4835G	52.91	54.00	-1.09	1.95	3	Vertical	189	1.86	50.96	27.83	8.34	34.22
PK	2.4608G	125.16	Inf	-Inf	1.86	3	Vertical	189	1.86	123.30	27.74	8.33	34.21
PK	2.4835G	67.36	74.00	-6.64	1.95	3	Vertical	189	1.86	65.41	27.83	8.34	34.22

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.466G	112.30	Inf	-Inf	1.88	3	Vertical	188	1.74	110.42	27.76	8.33	34.21
AV	2.4835G	52.55	54.00	-1.45	1.95	3	Vertical	188	1.74	50.60	27.83	8.34	34.22
PK	2.4658G	121.25	Inf	-Inf	1.88	3	Vertical	188	1.74	119.37	27.76	8.33	34.21
PK	2.4835G	69.03	74.00	-4.97	1.95	3	Vertical	188	1.74	67.08	27.83	8.34	34.22

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	34.60	54.00	-19.40	8.41	3	Vertical	300	2.26	26.19	32.84	9.72	34.15
AV	7.386G	39.34	54.00	-14.66	13.29	3	Vertical	310	2.01	26.05	36.46	11.34	34.51
PK	4.924G	47.52	74.00	-26.48	8.41	3	Vertical	300	2.26	39.11	32.84	9.72	34.15
PK	7.38066G	52.76	74.00	-21.24	13.31	3	Vertical	310	2.01	39.45	36.48	11.34	34.51

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92382G	34.96	54.00	-19.04	8.41	3	Horizontal	349	2.16	26.55	32.84	9.72	34.15
AV	7.3731G	39.24	54.00	-14.76	13.34	3	Horizontal	268	1.50	25.90	36.51	11.33	34.50
PK	4.91254G	47.53	74.00	-26.47	8.35	3	Horizontal	349	2.16	39.18	32.78	9.72	34.15
PK	7.37646G	52.22	74.00	-21.78	13.32	3	Horizontal	268	1.50	38.90	36.49	11.34	34.51

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.78	54.00	-1.22	1.60	3	Vertical	183	1.61	51.18	27.52	8.28	34.20
AV	2.416G	109.16	Inf	-Inf	1.73	3	Vertical	183	1.61	107.43	27.63	8.30	34.20
PK	2.3896G	71.71	74.00	-2.29	1.60	3	Vertical	183	1.61	70.11	27.52	8.28	34.20
PK	2.4208G	122.51	Inf	-Inf	1.74	3	Vertical	183	1.61	120.77	27.64	8.30	34.20


2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81758G	31.96	54.00	-22.04	7.80	3	Vertical	278	1.50	24.16	32.31	9.68	34.19
PK	4.8378G	45.55	74.00	-28.45	7.94	3	Vertical	278	1.50	37.61	32.43	9.69	34.18

**2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
2412MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81872G	32.01	54.00	-21.99	7.80	3	Horizontal	198	1.50	24.21	32.31	9.68	34.19
PK	4.82094G	45.66	74.00	-28.34	7.83	3	Horizontal	198	1.50	37.83	32.33	9.68	34.18

**2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
2417MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.82	54.00	-1.18	1.60	3	Vertical	192	1.61	51.22	27.52	8.28	34.20
AV	2.4222G	113.35	Inf	-Inf	1.74	3	Vertical	192	1.61	111.61	27.64	8.30	34.20
PK	2.3898G	72.51	74.00	-1.49	1.60	3	Vertical	192	1.61	70.91	27.52	8.28	34.20
PK	2.4224G	127.31	Inf	-Inf	1.74	3	Vertical	192	1.61	125.57	27.64	8.30	34.20

**2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.32	54.00	-2.68	1.60	3	Vertical	189	1.50	49.72	27.52	8.28	34.20
AV	2.4326G	117.58	Inf	-Inf	1.77	3	Vertical	189	1.50	115.81	27.67	8.31	34.21
AV	2.4835G	52.99	54.00	-1.01	1.95	3	Vertical	189	1.50	51.04	27.83	8.34	34.22
PK	2.3882G	69.24	74.00	-4.76	1.59	3	Vertical	189	1.50	67.65	27.51	8.28	34.20
PK	2.4326G	129.82	Inf	-Inf	1.77	3	Vertical	189	1.50	128.05	27.67	8.31	34.21
PK	2.4858G	69.65	74.00	-4.35	1.97	3	Vertical	189	1.50	67.68	27.84	8.35	34.22


**2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_4TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86758G	32.19	54.00	-21.81	8.10	3	Vertical	17	1.50	24.09	32.57	9.70	34.17
AV	7.31094G	38.35	54.00	-15.65	13.58	3	Vertical	294	2.42	24.77	36.76	11.32	34.50
PK	4.86476G	46.32	74.00	-27.68	8.09	3	Vertical	17	1.50	38.23	32.56	9.70	34.17
PK	7.30752G	51.27	74.00	-22.73	13.59	3	Vertical	294	2.42	37.68	36.77	11.32	34.50

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86572G	32.26	54.00	-21.74	8.09	3	Horizontal	85	2.39	24.17	32.56	9.70	34.17
AV	7.2969G	37.24	54.00	-16.76	13.63	3	Horizontal	107	1.99	23.61	36.81	11.32	34.50
PK	4.86452G	46.19	74.00	-27.81	8.09	3	Horizontal	85	2.39	38.10	32.56	9.70	34.17
PK	7.32138G	51.37	74.00	-22.63	13.53	3	Horizontal	107	1.99	37.84	36.71	11.32	34.50

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.461G	110.60	Inf	-Inf	1.86	3	Vertical	184	1.56	108.74	27.74	8.33	34.21
AV	2.4835G	52.37	54.00	-1.63	1.95	3	Vertical	184	1.56	50.42	27.83	8.34	34.22
PK	2.4564G	123.92	Inf	-Inf	1.85	3	Vertical	184	1.56	122.07	27.73	8.33	34.21
PK	2.4835G	69.51	74.00	-4.49	1.95	3	Vertical	184	1.56	67.56	27.83	8.34	34.22

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4644G	107.42	Inf	-Inf	1.88	3	Vertical	186	1.50	105.54	27.76	8.33	34.21
AV	2.4842G	52.03	54.00	-1.97	1.96	3	Vertical	186	1.50	50.07	27.84	8.34	34.22
PK	2.4642G	121.70	Inf	-Inf	1.88	3	Vertical	186	1.50	119.82	27.76	8.33	34.21
PK	2.4848G	70.80	74.00	-3.20	1.97	3	Vertical	186	1.50	68.83	27.84	8.35	34.22

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91368G	32.35	54.00	-21.65	8.35	3	Vertical	0	1.00	24.00	32.78	9.72	34.15
AV	7.38612G	37.34	54.00	-16.66	13.29	3	Vertical	309	1.50	24.05	36.46	11.34	34.51
PK	4.9141G	45.89	74.00	-28.11	8.35	3	Vertical	0	1.00	37.54	32.78	9.72	34.15
PK	7.38396G	50.94	74.00	-23.06	13.29	3	Vertical	309	1.50	37.65	36.46	11.34	34.51

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92388G	32.78	54.00	-21.22	8.41	3	Horizontal	5	2.57	24.37	32.84	9.72	34.15
AV	7.3734G	37.10	54.00	-16.90	13.34	3	Horizontal	73	2.88	23.76	36.51	11.33	34.50
PK	4.92142G	46.14	74.00	-27.86	8.40	3	Horizontal	5	2.57	37.74	32.83	9.72	34.15
PK	7.38528G	50.96	74.00	-23.04	13.29	3	Horizontal	73	2.88	37.67	36.46	11.34	34.51

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	52.34	54.00	-1.66	1.59	3	Vertical	180	1.68	50.75	27.51	8.28	34.20
AV	2.426G	106.74	Inf	-Inf	1.75	3	Vertical	180	1.68	104.99	27.65	8.31	34.21
AV	2.4835G	49.40	54.00	-4.60	1.95	3	Vertical	180	1.68	47.45	27.83	8.34	34.22
PK	2.39G	66.58	74.00	-7.42	1.60	3	Vertical	180	1.68	64.98	27.52	8.28	34.20
PK	2.426G	117.49	Inf	-Inf	1.75	3	Vertical	180	1.68	115.74	27.65	8.31	34.21
PK	2.4884G	61.67	74.00	-12.33	1.98	3	Vertical	180	1.68	59.69	27.85	8.35	34.22

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84388G	33.71	54.00	-20.29	7.97	3	Vertical	315	1.50	25.74	32.46	9.69	34.18
AV	7.266G	40.25	54.00	-13.75	13.76	3	Vertical	293	2.60	26.49	36.94	11.31	34.49
PK	4.84244G	46.19	74.00	-27.81	7.96	3	Vertical	315	1.50	38.23	32.45	9.69	34.18
PK	7.26504G	52.01	74.00	-21.99	13.76	3	Vertical	293	2.60	38.25	36.94	11.31	34.49


2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86848G	33.73	54.00	-20.27	8.10	3	Horizontal	48	2.38	25.63	32.57	9.70	34.17
AV	7.26424G	39.08	54.00	-14.92	13.76	3	Horizontal	120	1.27	25.32	36.94	11.31	34.49
PK	4.86428G	46.10	74.00	-27.90	8.09	3	Horizontal	48	2.38	38.01	32.56	9.70	34.17
PK	7.27324G	50.87	74.00	-23.13	13.73	3	Horizontal	120	1.27	37.14	36.91	11.31	34.49

**2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
2427MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.66	54.00	-1.34	1.60	3	Vertical	190	1.46	51.06	27.52	8.28	34.20
AV	2.4226G	107.55	Inf	-Inf	1.75	3	Vertical	190	1.46	105.80	27.65	8.30	34.20
AV	2.4846G	49.74	54.00	-4.26	1.96	3	Vertical	190	1.46	47.78	27.84	8.34	34.22
PK	2.387G	69.55	74.00	-4.45	1.58	3	Vertical	190	1.46	67.97	27.50	8.28	34.20
PK	2.4322G	119.44	Inf	-Inf	1.76	3	Vertical	190	1.46	117.68	27.66	8.31	34.21
PK	2.4838G	62.99	74.00	-11.01	1.96	3	Vertical	190	1.46	61.03	27.84	8.34	34.22


**2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	51.82	54.00	-2.18	1.59	3	Vertical	189	1.47	50.23	27.51	8.28	34.20
AV	2.4326G	108.47	Inf	-Inf	1.77	3	Vertical	189	1.47	106.70	27.67	8.31	34.21
AV	2.4835G	52.81	54.00	-1.19	1.95	3	Vertical	189	1.47	50.86	27.83	8.34	34.22
PK	2.3894G	69.50	74.00	-4.50	1.60	3	Vertical	189	1.47	67.90	27.52	8.28	34.20
PK	2.4426G	119.90	Inf	-Inf	1.80	3	Vertical	189	1.47	118.10	27.69	8.32	34.21
PK	2.4835G	69.49	74.00	-4.51	1.95	3	Vertical	189	1.47	67.54	27.83	8.34	34.22

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89284G	33.71	54.00	-20.29	8.22	3	Vertical	226	1.50	25.49	32.67	9.71	34.16
AV	7.31112G	39.17	54.00	-14.83	13.58	3	Vertical	330	2.40	25.59	36.76	11.32	34.50
PK	4.87712G	46.08	74.00	-27.92	8.15	3	Vertical	226	1.50	37.93	32.61	9.70	34.16
PK	7.3278G	50.57	74.00	-23.43	13.52	3	Vertical	330	2.40	37.05	36.69	11.33	34.50

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87772G	33.85	54.00	-20.15	8.15	3	Horizontal	2	1.50	25.70	32.61	9.70	34.16
AV	7.31088G	39.18	54.00	-14.82	13.58	3	Horizontal	66	2.40	25.60	36.76	11.32	34.50
PK	4.87436G	46.30	74.00	-27.70	8.13	3	Horizontal	2	1.50	38.17	32.60	9.70	34.17
PK	7.28124G	51.00	74.00	-23.00	13.71	3	Horizontal	66	2.40	37.29	36.88	11.32	34.49

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.387G	48.85	54.00	-5.15	1.58	3	Vertical	187	1.25	47.27	27.50	8.28	34.20
AV	2.4502G	105.26	Inf	-Inf	1.81	3	Vertical	187	1.25	103.45	27.70	8.32	34.21
AV	2.485G	52.79	54.00	-1.21	1.97	3	Vertical	187	1.25	50.82	27.84	8.35	34.22
PK	2.3878G	61.68	74.00	-12.32	1.58	3	Vertical	187	1.25	60.10	27.50	8.28	34.20
PK	2.4502G	116.85	Inf	-Inf	1.81	3	Vertical	187	1.25	115.04	27.70	8.32	34.21
PK	2.485G	67.43	74.00	-6.57	1.97	3	Vertical	187	1.25	65.46	27.84	8.35	34.22

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	48.70	54.00	-5.30	1.60	3	Vertical	180	1.50	47.10	27.52	8.28	34.20
AV	2.456G	104.88	Inf	-Inf	1.84	3	Vertical	180	1.50	103.04	27.72	8.33	34.21
AV	2.486G	52.40	54.00	-1.60	1.97	3	Vertical	180	1.50	50.43	27.84	8.35	34.22
PK	2.3856G	60.67	74.00	-13.33	1.56	3	Vertical	180	1.50	59.11	27.48	8.28	34.20
PK	2.4512G	116.42	Inf	-Inf	1.81	3	Vertical	180	1.50	114.61	27.70	8.32	34.21
PK	2.4864G	67.08	74.00	-6.92	1.98	3	Vertical	180	1.50	65.10	27.85	8.35	34.22

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91804G	33.80	54.00	-20.20	8.38	3	Vertical	360	1.50	25.42	32.81	9.72	34.15
AV	7.35588G	39.84	54.00	-14.16	13.41	3	Vertical	304	1.50	26.43	36.58	11.33	34.50
PK	4.93196G	46.69	74.00	-27.31	8.47	3	Vertical	360	1.50	38.22	32.89	9.72	34.14
PK	7.3632G	50.72	74.00	-23.28	13.38	3	Vertical	304	1.50	37.34	36.55	11.33	34.50

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91456G	34.30	54.00	-19.70	8.36	3	Horizontal	274	1.11	25.94	32.79	9.72	34.15
AV	7.3806G	38.67	54.00	-15.33	13.31	3	Horizontal	236	1.50	25.36	36.48	11.34	34.51
PK	4.88192G	46.01	74.00	-27.99	8.17	3	Horizontal	274	1.11	37.84	32.63	9.70	34.16
PK	7.34436G	50.98	74.00	-23.02	13.45	3	Horizontal	236	1.50	37.53	36.62	11.33	34.50



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.3898G	52.65	54.00	-1.35	3	Vertical	170	1.49




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3898G	52.65	54.00	-1.35	3	Vertical	170	1.49
2412MHz	Pass	AV	2.4128G	120.87	Inf	-Inf	3	Vertical	170	1.49
2412MHz	Pass	PK	2.3898G	64.54	74.00	-9.46	3	Vertical	170	1.49
2412MHz	Pass	PK	2.413G	123.46	Inf	-Inf	3	Vertical	170	1.49
2412MHz	Pass	AV	4.824G	51.55	54.00	-2.45	3	Vertical	179	1.54
2412MHz	Pass	PK	4.824G	54.59	74.00	-19.41	3	Vertical	179	1.54
2412MHz	Pass	AV	4.824G	32.96	54.00	-21.04	3	Horizontal	142	1.31
2412MHz	Pass	PK	4.8339G	45.05	74.00	-28.95	3	Horizontal	142	1.31

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	39.7M	31.65	40.00	-8.35	-7.75	3	Vertical	0	1.00	39.40	18.01	1.03	26.79
PK	123.12M	20.99	43.50	-22.51	-8.86	3	Vertical	0	1.00	29.85	17.34	1.56	27.76
PK	255.04M	24.98	46.00	-21.02	-6.73	3	Vertical	0	1.00	31.71	18.14	2.29	27.16
PK	346.22M	35.57	46.00	-10.43	-5.41	3	Vertical	0	1.00	40.98	19.38	2.69	27.48
PK	497.54M	39.22	46.00	-6.78	-2.39	3	Vertical	0	1.00	41.61	22.65	3.30	28.34
PK	518.88M	32.30	46.00	-13.70	-2.42	3	Vertical	0	1.00	34.72	22.68	3.35	28.45

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	49.4M	32.53	40.00	-7.47	-12.59	3	Horizontal	360	1.00	45.12	13.76	1.04	27.39
PK	194.9M	27.72	43.50	-15.78	-11.14	3	Horizontal	360	1.00	38.86	14.29	2.00	27.43
PK	225.94M	31.29	46.00	-14.71	-10.28	3	Horizontal	360	1.00	41.57	14.85	2.15	27.28
PK	369.5M	32.18	46.00	-13.82	-4.84	3	Horizontal	360	1.00	37.02	20.01	2.78	27.63
PK	423.82M	36.81	46.00	-9.19	-3.29	3	Horizontal	360	1.00	40.10	21.77	2.98	28.04
PK	489.78M	34.45	46.00	-11.55	-2.37	3	Horizontal	360	1.00	36.82	22.70	3.26	28.33



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.48372G	52.99	54.00	-1.01	3	Vertical	188	1.58
802.11g_Nss1,(6Mbps)_2TX	Pass	PK	2.3898G	72.89	74.00	-1.11	3	Vertical	192	1.50
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	52.97	54.00	-1.03	3	Vertical	183	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	2.38956G	52.88	54.00	-1.12	3	Vertical	183	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 3

Appendix F.4

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3898G	52.65	54.00	-1.35	3	Vertical	170	1.49
2412MHz	Pass	AV	2.4128G	120.87	Inf	-Inf	3	Vertical	170	1.49
2412MHz	Pass	PK	2.3898G	64.54	74.00	-9.46	3	Vertical	170	1.49
2412MHz	Pass	PK	2.413G	123.46	Inf	-Inf	3	Vertical	170	1.49
2412MHz	Pass	AV	4.824G	51.55	54.00	-2.45	3	Vertical	179	1.54
2412MHz	Pass	PK	4.824G	54.59	74.00	-19.41	3	Vertical	179	1.54
2412MHz	Pass	AV	4.824G	32.96	54.00	-21.04	3	Horizontal	142	1.31
2412MHz	Pass	PK	4.8339G	45.05	74.00	-28.95	3	Horizontal	142	1.31
2417MHz	Pass	AV	2.39G	52.85	54.00	-1.15	3	Vertical	192	1.50
2417MHz	Pass	AV	2.4178G	122.43	Inf	-Inf	3	Vertical	192	1.50
2417MHz	Pass	PK	2.3896G	66.34	74.00	-7.66	3	Vertical	192	1.50
2417MHz	Pass	PK	2.4178G	125.17	Inf	-Inf	3	Vertical	192	1.50
2437MHz	Pass	AV	2.38996G	49.15	54.00	-4.85	3	Vertical	188	1.58
2437MHz	Pass	AV	2.43636G	120.46	Inf	-Inf	3	Vertical	188	1.58
2437MHz	Pass	AV	2.48372G	52.99	54.00	-1.01	3	Vertical	188	1.58
2437MHz	Pass	PK	2.38868G	62.66	74.00	-11.34	3	Vertical	188	1.58
2437MHz	Pass	PK	2.43604G	123.16	Inf	-Inf	3	Vertical	188	1.58
2437MHz	Pass	PK	2.48372G	66.74	74.00	-7.26	3	Vertical	188	1.58
2437MHz	Pass	AV	4.87394G	42.39	54.00	-11.61	3	Vertical	181	1.49
2437MHz	Pass	AV	7.29618G	36.91	54.00	-17.09	3	Vertical	259	1.50
2437MHz	Pass	PK	4.874G	49.01	74.00	-24.99	3	Vertical	181	1.49
2437MHz	Pass	PK	7.32096G	50.83	74.00	-23.17	3	Vertical	259	1.50
2437MHz	Pass	AV	4.86566G	31.76	54.00	-22.24	3	Horizontal	38	1.48
2437MHz	Pass	AV	7.30032G	36.83	54.00	-17.17	3	Horizontal	268	1.50
2437MHz	Pass	PK	4.88042G	45.49	74.00	-28.51	3	Horizontal	38	1.48
2437MHz	Pass	PK	7.29702G	51.24	74.00	-22.76	3	Horizontal	268	1.50
2457MHz	Pass	AV	2.4578G	118.01	Inf	-Inf	3	Vertical	177	1.38
2457MHz	Pass	AV	2.4835G	52.89	54.00	-1.11	3	Vertical	177	1.38
2457MHz	Pass	PK	2.4578G	120.64	Inf	-Inf	3	Vertical	177	1.38
2457MHz	Pass	PK	2.4835G	66.84	74.00	-7.16	3	Vertical	177	1.38
2462MHz	Pass	AV	2.4612G	118.31	Inf	-Inf	3	Vertical	188	1.50
2462MHz	Pass	AV	2.4835G	52.99	54.00	-1.01	3	Vertical	188	1.50
2462MHz	Pass	PK	2.4628G	121.08	Inf	-Inf	3	Vertical	188	1.50
2462MHz	Pass	PK	2.484G	66.61	74.00	-7.39	3	Vertical	188	1.50
2462MHz	Pass	AV	4.924G	37.92	54.00	-16.08	3	Vertical	198	1.70
2462MHz	Pass	AV	7.386G	37.42	54.00	-16.58	3	Vertical	306	1.90
2462MHz	Pass	PK	4.92388G	46.49	74.00	-27.51	3	Vertical	198	1.70
2462MHz	Pass	PK	7.38918G	50.18	74.00	-23.82	3	Vertical	306	1.90
2462MHz	Pass	AV	4.91758G	31.77	54.00	-22.23	3	Horizontal	246	1.50
2462MHz	Pass	AV	7.37268G	36.63	54.00	-17.37	3	Horizontal	353	1.64
2462MHz	Pass	PK	4.92586G	45.54	74.00	-28.46	3	Horizontal	246	1.50
2462MHz	Pass	PK	7.38636G	50.48	74.00	-23.52	3	Horizontal	353	1.64
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3898G	52.43	54.00	-1.57	3	Vertical	192	1.50
2412MHz	Pass	AV	2.4198G	107.76	Inf	-Inf	3	Vertical	192	1.50
2412MHz	Pass	PK	2.3898G	72.89	74.00	-1.11	3	Vertical	192	1.50
2412MHz	Pass	PK	2.4196G	116.80	Inf	-Inf	3	Vertical	192	1.50
2412MHz	Pass	AV	4.8186G	32.35	54.00	-21.65	3	Vertical	109	2.92
2412MHz	Pass	PK	4.81908G	45.28	74.00	-28.72	3	Vertical	109	2.92
2412MHz	Pass	AV	4.81944G	32.32	54.00	-21.68	3	Horizontal	-0	1.50
2412MHz	Pass	PK	4.8363G	45.02	74.00	-28.98	3	Horizontal	-0	1.50
2417MHz	Pass	AV	2.39G	52.88	54.00	-1.12	3	Vertical	190	1.50
2417MHz	Pass	AV	2.4246G	113.79	Inf	-Inf	3	Vertical	190	1.50
2417MHz	Pass	PK	2.3892G	72.45	74.00	-1.55	3	Vertical	190	1.50
2417MHz	Pass	PK	2.4244G	122.82	Inf	-Inf	3	Vertical	190	1.50
2437MHz	Pass	AV	2.38996G	49.32	54.00	-4.68	3	Vertical	188	1.68
2437MHz	Pass	AV	2.4322G	112.24	Inf	-Inf	3	Vertical	188	1.68
2437MHz	Pass	AV	2.4835G	52.88	54.00	-1.12	3	Vertical	188	1.68
2437MHz	Pass	PK	2.38964G	61.83	74.00	-12.17	3	Vertical	188	1.68
2437MHz	Pass	PK	2.43252G	121.51	Inf	-Inf	3	Vertical	188	1.68



RSE TX above 1GHz_Non-Beamforming_Radio 3

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	PK	2.48724G	65.25	74.00	-8.75	3	Vertical	188	1.68
2437MHz	Pass	AV	4.87226G	33.08	54.00	-20.92	3	Vertical	197	1.49
2437MHz	Pass	AV	7.3008G	37.63	54.00	-16.37	3	Vertical	313	1.47
2437MHz	Pass	PK	4.86332G	46.65	74.00	-27.35	3	Vertical	197	1.49
2437MHz	Pass	PK	7.31394G	50.80	74.00	-23.20	3	Vertical	313	1.47
2437MHz	Pass	AV	4.86956G	32.51	54.00	-21.49	3	Horizontal	58	1.48
2437MHz	Pass	AV	7.30182G	37.64	54.00	-16.36	3	Horizontal	318	1.24
2437MHz	Pass	PK	4.8641G	45.58	74.00	-28.42	3	Horizontal	58	1.48
2437MHz	Pass	PK	7.32528G	50.56	74.00	-23.44	3	Horizontal	318	1.24
2457MHz	Pass	AV	2.4592G	110.93	Inf	-Inf	3	Vertical	187	1.50
2457MHz	Pass	AV	2.4842G	52.85	54.00	-1.15	3	Vertical	187	1.50
2457MHz	Pass	PK	2.4642G	120.17	Inf	-Inf	3	Vertical	187	1.50
2457MHz	Pass	PK	2.4836G	66.07	74.00	-7.93	3	Vertical	187	1.50
2462MHz	Pass	AV	2.4662G	109.90	Inf	-Inf	3	Vertical	183	1.50
2462MHz	Pass	AV	2.4835G	52.88	54.00	-1.12	3	Vertical	183	1.50
2462MHz	Pass	PK	2.4612G	118.88	Inf	-Inf	3	Vertical	183	1.50
2462MHz	Pass	PK	2.4836G	66.63	74.00	-7.37	3	Vertical	183	1.50
2462MHz	Pass	AV	4.9111G	32.59	54.00	-21.41	3	Vertical	51	1.50
2462MHz	Pass	AV	7.38588G	37.93	54.00	-16.07	3	Vertical	309	1.50
2462MHz	Pass	PK	4.9222G	45.60	74.00	-28.40	3	Vertical	51	1.50
2462MHz	Pass	PK	7.39338G	50.94	74.00	-23.06	3	Vertical	309	1.50
2462MHz	Pass	AV	4.91578G	32.47	54.00	-21.53	3	Horizontal	215	1.50
2462MHz	Pass	AV	7.37172G	37.47	54.00	-16.53	3	Horizontal	43	1.50
2462MHz	Pass	PK	4.93162G	45.55	74.00	-28.45	3	Horizontal	215	1.50
2462MHz	Pass	PK	7.3791G	50.63	74.00	-23.37	3	Horizontal	43	1.50
802.11ax HEW20_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	52.95	54.00	-1.05	3	Vertical	191	1.50
2412MHz	Pass	AV	2.4198G	107.57	Inf	-Inf	3	Vertical	191	1.50
2412MHz	Pass	PK	2.3894G	70.15	74.00	-3.85	3	Vertical	191	1.50
2412MHz	Pass	PK	2.4174G	119.98	Inf	-Inf	3	Vertical	191	1.50
2412MHz	Pass	AV	4.81794G	32.34	54.00	-21.66	3	Vertical	122	1.50
2412MHz	Pass	PK	4.82832G	45.11	74.00	-28.89	3	Vertical	122	1.50
2412MHz	Pass	AV	4.82034G	32.28	54.00	-21.72	3	Horizontal	-0	1.50
2412MHz	Pass	PK	4.83522G	45.06	74.00	-28.94	3	Horizontal	-0	1.50
2417MHz	Pass	AV	2.39G	51.38	54.00	-2.62	3	Vertical	190	1.50
2417MHz	Pass	AV	2.422G	110.80	Inf	-Inf	3	Vertical	190	1.50
2417MHz	Pass	PK	2.3894G	72.07	74.00	-1.93	3	Vertical	190	1.50
2417MHz	Pass	PK	2.4222G	122.85	Inf	-Inf	3	Vertical	190	1.50
2437MHz	Pass	AV	2.38996G	49.18	54.00	-4.82	3	Vertical	183	1.50
2437MHz	Pass	AV	2.43156G	111.06	Inf	-Inf	3	Vertical	183	1.50
2437MHz	Pass	AV	2.48372G	52.62	54.00	-1.38	3	Vertical	183	1.50
2437MHz	Pass	PK	2.38996G	61.76	74.00	-12.24	3	Vertical	183	1.50
2437MHz	Pass	PK	2.43412G	123.68	Inf	-Inf	3	Vertical	183	1.50
2437MHz	Pass	PK	2.48372G	65.14	74.00	-8.86	3	Vertical	183	1.50
2437MHz	Pass	AV	4.86446G	32.97	54.00	-21.03	3	Vertical	187	1.50
2437MHz	Pass	AV	7.31904G	37.56	54.00	-16.44	3	Vertical	205	1.50
2437MHz	Pass	PK	4.86998G	47.38	74.00	-26.62	3	Vertical	187	1.50
2437MHz	Pass	PK	7.30164G	50.99	74.00	-23.01	3	Vertical	205	1.50
2437MHz	Pass	AV	4.87058G	32.50	54.00	-21.50	3	Horizontal	203	1.50
2437MHz	Pass	AV	7.31064G	37.65	54.00	-16.35	3	Horizontal	53	2.53
2437MHz	Pass	PK	4.8638G	46.27	74.00	-27.73	3	Horizontal	203	1.50
2437MHz	Pass	PK	7.32438G	50.72	74.00	-23.28	3	Horizontal	53	2.53
2457MHz	Pass	AV	2.463G	108.66	Inf	-Inf	3	Vertical	185	1.44
2457MHz	Pass	AV	2.4835G	52.67	54.00	-1.33	3	Vertical	185	1.44
2457MHz	Pass	PK	2.4628G	120.53	Inf	-Inf	3	Vertical	185	1.44
2457MHz	Pass	PK	2.4835G	70.48	74.00	-3.52	3	Vertical	185	1.44
2462MHz	Pass	AV	2.4628G	106.66	Inf	-Inf	3	Vertical	183	1.50
2462MHz	Pass	AV	2.4835G	52.97	54.00	-1.03	3	Vertical	183	1.50
2462MHz	Pass	PK	2.463G	118.54	Inf	-Inf	3	Vertical	183	1.50
2462MHz	Pass	PK	2.4848G	70.71	74.00	-3.29	3	Vertical	183	1.50
2462MHz	Pass	AV	4.92388G	32.85	54.00	-21.15	3	Vertical	66	1.75
2462MHz	Pass	AV	7.38588G	38.36	54.00	-15.64	3	Vertical	306	2.02



RSE TX above 1GHz_Non-Beamforming_Radio 3


Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz	Pass	PK	4.91818G	45.86	74.00	-28.14	3	Vertical	66	1.75
2462MHz	Pass	PK	7.37514G	51.05	74.00	-22.95	3	Vertical	306	2.02
2462MHz	Pass	AV	4.9156G	32.54	54.00	-21.46	3	Horizontal	276	1.02
2462MHz	Pass	AV	7.37424G	37.56	54.00	-16.44	3	Horizontal	360	1.50
2462MHz	Pass	PK	4.9297G	45.86	74.00	-28.14	3	Horizontal	276	1.02
2462MHz	Pass	PK	7.38786G	50.64	74.00	-23.36	3	Horizontal	360	1.50
802.11ax HEW40_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.38816G	52.55	54.00	-1.45	3	Vertical	183	1.50
2422MHz	Pass	AV	2.42776G	104.05	Inf	-Inf	3	Vertical	183	1.50
2422MHz	Pass	PK	2.3872G	66.62	74.00	-7.38	3	Vertical	183	1.50
2422MHz	Pass	PK	2.4304G	114.66	Inf	-Inf	3	Vertical	183	1.50
2422MHz	Pass	AV	4.86596G	33.44	54.00	-20.56	3	Vertical	325	1.29
2422MHz	Pass	AV	7.25624G	38.60	54.00	-15.40	3	Vertical	99	2.62
2422MHz	Pass	PK	4.84628G	45.92	74.00	-28.08	3	Vertical	325	1.29
2422MHz	Pass	PK	7.26652G	50.35	74.00	-23.65	3	Vertical	99	2.62
2422MHz	Pass	AV	4.8674G	33.47	54.00	-20.53	3	Horizontal	252	1.50
2422MHz	Pass	AV	7.2672G	38.66	54.00	-15.34	3	Horizontal	346	2.91
2422MHz	Pass	PK	4.8512G	45.32	74.00	-28.68	3	Horizontal	252	1.50
2422MHz	Pass	PK	7.25988G	50.35	74.00	-23.65	3	Horizontal	346	2.91
2427MHz	Pass	AV	2.38956G	52.88	54.00	-1.12	3	Vertical	183	1.50
2427MHz	Pass	AV	2.43276G	104.63	Inf	-Inf	3	Vertical	183	1.50
2427MHz	Pass	AV	2.4846G	51.01	54.00	-2.99	3	Vertical	183	1.50
2427MHz	Pass	PK	2.38932G	67.47	74.00	-6.53	3	Vertical	183	1.50
2427MHz	Pass	PK	2.4282G	116.45	Inf	-Inf	3	Vertical	183	1.50
2427MHz	Pass	PK	2.48388G	63.75	74.00	-10.25	3	Vertical	183	1.50
2437MHz	Pass	AV	2.389G	50.94	54.00	-3.06	3	Vertical	184	1.51
2437MHz	Pass	AV	2.43156G	105.33	Inf	-Inf	3	Vertical	184	1.51
2437MHz	Pass	AV	2.4835G	52.79	54.00	-1.21	3	Vertical	184	1.51
2437MHz	Pass	PK	2.38964G	65.34	74.00	-8.66	3	Vertical	184	1.51
2437MHz	Pass	PK	2.42452G	116.67	Inf	-Inf	3	Vertical	184	1.51
2437MHz	Pass	PK	2.48372G	66.41	74.00	-7.59	3	Vertical	184	1.51
2437MHz	Pass	AV	4.8668G	33.83	54.00	-20.17	3	Vertical	60	1.50
2437MHz	Pass	AV	7.31664G	38.45	54.00	-15.55	3	Vertical	289	1.96
2437MHz	Pass	PK	4.89572G	45.94	74.00	-28.06	3	Vertical	60	1.50
2437MHz	Pass	PK	7.30704G	50.83	74.00	-23.17	3	Vertical	289	1.96
2437MHz	Pass	AV	4.86848G	33.46	54.00	-20.54	3	Horizontal	344	1.50
2437MHz	Pass	AV	7.30248G	38.40	54.00	-15.60	3	Horizontal	164	1.48
2437MHz	Pass	PK	4.87256G	46.00	74.00	-28.00	3	Horizontal	344	1.50
2437MHz	Pass	PK	7.31792G	50.23	74.00	-23.77	3	Horizontal	164	1.48
2447MHz	Pass	AV	2.38964G	48.62	54.00	-5.38	3	Vertical	184	1.48
2447MHz	Pass	AV	2.46068G	103.33	Inf	-Inf	3	Vertical	184	1.48
2447MHz	Pass	AV	2.4835G	52.88	54.00	-1.12	3	Vertical	184	1.48
2447MHz	Pass	PK	2.38964G	60.18	74.00	-13.82	3	Vertical	184	1.48
2447MHz	Pass	PK	2.46308G	115.26	Inf	-Inf	3	Vertical	184	1.48
2447MHz	Pass	PK	2.4835G	66.11	74.00	-7.89	3	Vertical	184	1.48
2452MHz	Pass	AV	2.389G	50.94	54.00	-3.06	3	Vertical	184	1.51
2452MHz	Pass	AV	2.43156G	105.33	Inf	-Inf	3	Vertical	184	1.51
2452MHz	Pass	AV	2.4835G	52.79	54.00	-1.21	3	Vertical	184	1.51
2452MHz	Pass	PK	2.38964G	65.34	74.00	-8.66	3	Vertical	184	1.51
2452MHz	Pass	PK	2.42452G	116.67	Inf	-Inf	3	Vertical	184	1.51
2452MHz	Pass	PK	2.48372G	66.41	74.00	-7.59	3	Vertical	184	1.51
2452MHz	Pass	AV	4.8668G	33.83	54.00	-20.17	3	Vertical	60	1.50
2452MHz	Pass	AV	7.31664G	38.45	54.00	-15.55	3	Vertical	289	1.96
2452MHz	Pass	PK	4.89572G	45.94	74.00	-28.06	3	Vertical	60	1.50
2452MHz	Pass	PK	7.30704G	50.83	74.00	-23.17	3	Vertical	289	1.96
2452MHz	Pass	AV	4.86848G	33.46	54.00	-20.54	3	Horizontal	344	1.50
2452MHz	Pass	AV	7.36344G	38.26	54.00	-15.74	3	Horizontal	206	2.93
2452MHz	Pass	PK	4.87256G	46.00	74.00	-28.00	3	Horizontal	344	1.50
2452MHz	Pass	PK	7.34636G	50.49	74.00	-23.51	3	Horizontal	206	2.93



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.65	54.00	-1.35	1.60	3	Vertical	170	1.49	51.05	27.52	8.28	34.20
AV	2.4128G	120.87	Inf	-Inf	1.73	3	Vertical	170	1.49	119.14	27.63	8.30	34.20
PK	2.3898G	64.54	74.00	-9.46	1.60	3	Vertical	170	1.49	62.94	27.52	8.28	34.20
PK	2.413G	123.46	Inf	-Inf	1.73	3	Vertical	170	1.49	121.73	27.63	8.30	34.20

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	51.55	54.00	-2.45	7.84	3	Vertical	179	1.54	43.71	32.34	9.68	34.18
PK	4.824G	54.59	74.00	-19.41	7.84	3	Vertical	179	1.54	46.75	32.34	9.68	34.18

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	32.96	54.00	-21.04	7.84	3	Horizontal	142	1.31	25.12	32.34	9.68	34.18
PK	4.8339G	45.05	74.00	-28.95	7.90	3	Horizontal	142	1.31	37.15	32.40	9.68	34.18

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.85	54.00	-1.15	1.60	3	Vertical	192	1.50	51.25	27.52	8.28	34.20
AV	2.4178G	122.43	Inf	-Inf	1.74	3	Vertical	192	1.50	120.69	27.64	8.30	34.20
PK	2.3896G	66.34	74.00	-7.66	1.60	3	Vertical	192	1.50	64.74	27.52	8.28	34.20
PK	2.4178G	125.17	Inf	-Inf	1.74	3	Vertical	192	1.50	123.43	27.64	8.30	34.20

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.38996G	49.15	54.00	-4.85	1.60	3	Vertical	188	1.58	47.55	27.52	8.28	34.20
AV	2.43636G	120.46	Inf	-Inf	1.77	3	Vertical	188	1.58	118.69	27.67	8.31	34.21
AV	2.48372G	52.99	54.00	-1.01	1.95	3	Vertical	188	1.58	51.04	27.83	8.34	34.22
PK	2.38868G	62.66	74.00	-11.34	1.59	3	Vertical	188	1.58	61.07	27.51	8.28	34.20
PK	2.43604G	123.16	Inf	-Inf	1.77	3	Vertical	188	1.58	121.39	27.67	8.31	34.21
PK	2.48372G	66.74	74.00	-7.26	1.95	3	Vertical	188	1.58	64.79	27.83	8.34	34.22

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87394G	42.39	54.00	-11.61	8.13	3	Vertical	181	1.49	34.26	32.60	9.70	34.17
AV	7.29618G	36.91	54.00	-17.09	13.64	3	Vertical	259	1.50	23.27	36.82	11.32	34.50
PK	4.874G	49.01	74.00	-24.99	8.13	3	Vertical	181	1.49	40.88	32.60	9.70	34.17
PK	7.32096G	50.83	74.00	-23.17	13.54	3	Vertical	259	1.50	37.29	36.72	11.32	34.50

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86566G	31.76	54.00	-22.24	8.09	3	Horizontal	38	1.48	23.67	32.56	9.70	34.17
AV	7.30032G	36.83	54.00	-17.17	13.62	3	Horizontal	268	1.50	23.21	36.80	11.32	34.50
PK	4.88042G	45.49	74.00	-28.51	8.16	3	Horizontal	38	1.48	37.33	32.62	9.70	34.16
PK	7.29702G	51.24	74.00	-22.76	13.63	3	Horizontal	268	1.50	37.61	36.81	11.32	34.50

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4578G	118.01	Inf	-Inf	1.85	3	Vertical	177	1.38	116.16	27.73	8.33	34.21
AV	2.4835G	52.89	54.00	-1.11	1.95	3	Vertical	177	1.38	50.94	27.83	8.34	34.22
PK	2.4578G	120.64	Inf	-Inf	1.85	3	Vertical	177	1.38	118.79	27.73	8.33	34.21
PK	2.4835G	66.84	74.00	-7.16	1.95	3	Vertical	177	1.38	64.89	27.83	8.34	34.22

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	118.31	Inf	-Inf	1.86	3	Vertical	188	1.50	116.45	27.74	8.33	34.21
AV	2.4835G	52.99	54.00	-1.01	1.95	3	Vertical	188	1.50	51.04	27.83	8.34	34.22
PK	2.4628G	121.08	Inf	-Inf	1.87	3	Vertical	188	1.50	119.21	27.75	8.33	34.21
PK	2.484G	66.61	74.00	-7.39	1.96	3	Vertical	188	1.50	64.65	27.84	8.34	34.22

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	37.92	54.00	-16.08	8.41	3	Vertical	198	1.70	29.51	32.84	9.72	34.15
AV	7.386G	37.42	54.00	-16.58	13.29	3	Vertical	306	1.90	24.13	36.46	11.34	34.51
PK	4.92388G	46.49	74.00	-27.51	8.41	3	Vertical	198	1.70	38.08	32.84	9.72	34.15
PK	7.38918G	50.18	74.00	-23.82	13.27	3	Vertical	306	1.90	36.91	36.44	11.34	34.51

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91758G	31.77	54.00	-22.23	8.38	3	Horizontal	246	1.50	23.39	32.81	9.72	34.15
AV	7.37268G	36.63	54.00	-17.37	13.34	3	Horizontal	353	1.64	23.29	36.51	11.33	34.50
PK	4.92586G	45.54	74.00	-28.46	8.43	3	Horizontal	246	1.50	37.11	32.86	9.72	34.15
PK	7.38636G	50.48	74.00	-23.52	13.28	3	Horizontal	353	1.64	37.20	36.45	11.34	34.51

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.43	54.00	-1.57	1.60	3	Vertical	192	1.50	50.83	27.52	8.28	34.20
AV	2.4198G	107.76	Inf	-Inf	1.74	3	Vertical	192	1.50	106.02	27.64	8.30	34.20
PK	2.3898G	72.89	74.00	-1.11	1.60	3	Vertical	192	1.50	71.29	27.52	8.28	34.20
PK	2.4196G	116.80	Inf	-Inf	1.74	3	Vertical	192	1.50	115.06	27.64	8.30	34.20

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8186G	32.35	54.00	-21.65	7.80	3	Vertical	109	2.92	24.55	32.31	9.68	34.19
PK	4.81908G	45.28	74.00	-28.72	7.80	3	Vertical	109	2.92	37.48	32.31	9.68	34.19

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81944G	32.32	54.00	-21.68	7.81	3	Horizontal	-0	1.50	24.51	32.32	9.68	34.19
PK	4.8363G	45.02	74.00	-28.98	7.92	3	Horizontal	-0	1.50	37.10	32.42	9.68	34.18

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.88	54.00	-1.12	1.60	3	Vertical	190	1.50	51.28	27.52	8.28	34.20
AV	2.4246G	113.79	Inf	-Inf	1.76	3	Vertical	190	1.50	112.03	27.65	8.31	34.20
PK	2.3892G	72.45	74.00	-1.55	1.59	3	Vertical	190	1.50	70.86	27.51	8.28	34.20
PK	2.4244G	122.82	Inf	-Inf	1.76	3	Vertical	190	1.50	121.06	27.65	8.31	34.20

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.38996G	49.32	54.00	-4.68	1.60	3	Vertical	188	1.68	47.72	27.52	8.28	34.20
AV	2.4322G	112.24	Inf	-Inf	1.76	3	Vertical	188	1.68	110.48	27.66	8.31	34.21
AV	2.4835G	52.88	54.00	-1.12	1.95	3	Vertical	188	1.68	50.93	27.83	8.34	34.22
PK	2.38964G	61.83	74.00	-12.17	1.60	3	Vertical	188	1.68	60.23	27.52	8.28	34.20
PK	2.43252G	121.51	Inf	-Inf	1.77	3	Vertical	188	1.68	119.74	27.67	8.31	34.21
PK	2.48724G	65.25	74.00	-8.75	1.98	3	Vertical	188	1.68	63.27	27.85	8.35	34.22

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87226G	33.08	54.00	-20.92	8.12	3	Vertical	197	1.49	24.96	32.59	9.70	34.17
AV	7.3008G	37.63	54.00	-16.37	13.62	3	Vertical	313	1.47	24.01	36.80	11.32	34.50
PK	4.86332G	46.65	74.00	-27.35	8.08	3	Vertical	197	1.49	38.57	32.55	9.70	34.17
PK	7.31394G	50.80	74.00	-23.20	13.56	3	Vertical	313	1.47	37.24	36.74	11.32	34.50

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86956G	32.51	54.00	-21.49	8.11	3	Horizontal	58	1.48	24.40	32.58	9.70	34.17
AV	7.30182G	37.64	54.00	-16.36	13.61	3	Horizontal	318	1.24	24.03	36.79	11.32	34.50
PK	4.8641G	45.58	74.00	-28.42	8.09	3	Horizontal	58	1.48	37.49	32.56	9.70	34.17
PK	7.32528G	50.56	74.00	-23.44	13.53	3	Horizontal	318	1.24	37.03	36.70	11.33	34.50

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4592G	110.93	Inf	-Inf	1.86	3	Vertical	187	1.50	109.07	27.74	8.33	34.21
AV	2.4842G	52.85	54.00	-1.15	1.96	3	Vertical	187	1.50	50.89	27.84	8.34	34.22
PK	2.4642G	120.17	Inf	-Inf	1.88	3	Vertical	187	1.50	118.29	27.76	8.33	34.21
PK	2.4836G	66.07	74.00	-7.93	1.95	3	Vertical	187	1.50	64.12	27.83	8.34	34.22

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4662G	109.90	Inf	-Inf	1.88	3	Vertical	183	1.50	108.02	27.76	8.33	34.21
AV	2.4835G	52.88	54.00	-1.12	1.95	3	Vertical	183	1.50	50.93	27.83	8.34	34.22
PK	2.4612G	118.88	Inf	-Inf	1.86	3	Vertical	183	1.50	117.02	27.74	8.33	34.21
PK	2.4836G	66.63	74.00	-7.37	1.95	3	Vertical	183	1.50	64.68	27.83	8.34	34.22

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9111G	32.59	54.00	-21.41	8.33	3	Vertical	51	1.50	24.26	32.77	9.71	34.15
AV	7.38588G	37.93	54.00	-16.07	13.29	3	Vertical	309	1.50	24.64	36.46	11.34	34.51
PK	4.9222G	45.60	74.00	-28.40	8.40	3	Vertical	51	1.50	37.20	32.83	9.72	34.15
PK	7.39338G	50.94	74.00	-23.06	13.26	3	Vertical	309	1.50	37.68	36.43	11.34	34.51

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91578G	32.47	54.00	-21.53	8.36	3	Horizontal	215	1.50	24.11	32.79	9.72	34.15
AV	7.37172G	37.47	54.00	-16.53	13.34	3	Horizontal	43	1.50	24.13	36.51	11.33	34.50
PK	4.93162G	45.55	74.00	-28.45	8.47	3	Horizontal	215	1.50	37.08	32.89	9.72	34.14
PK	7.3791G	50.63	74.00	-23.37	13.31	3	Horizontal	43	1.50	37.32	36.48	11.34	34.51

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	52.95	54.00	-1.05	1.60	3	Vertical	191	1.50	51.35	27.52	8.28	34.20
AV	2.4198G	107.57	Inf	-Inf	1.74	3	Vertical	191	1.50	105.83	27.64	8.30	34.20
PK	2.3894G	70.15	74.00	-3.85	1.60	3	Vertical	191	1.50	68.55	27.52	8.28	34.20
PK	2.4174G	119.98	Inf	-Inf	1.73	3	Vertical	191	1.50	118.25	27.63	8.30	34.20

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81794G	32.34	54.00	-21.66	7.80	3	Vertical	122	1.50	24.54	32.31	9.68	34.19
PK	4.82832G	45.11	74.00	-28.89	7.87	3	Vertical	122	1.50	37.24	32.37	9.68	34.18

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82034G	32.28	54.00	-21.72	7.82	3	Horizontal	-0	1.50	24.46	32.32	9.68	34.18
PK	4.83522G	45.06	74.00	-28.94	7.91	3	Horizontal	-0	1.50	37.15	32.41	9.68	34.18

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.38	54.00	-2.62	1.60	3	Vertical	190	1.50	49.78	27.52	8.28	34.20
AV	2.422G	110.80	Inf	-Inf	1.74	3	Vertical	190	1.50	109.06	27.64	8.30	34.20
PK	2.3894G	72.07	74.00	-1.93	1.60	3	Vertical	190	1.50	70.47	27.52	8.28	34.20
PK	2.4222G	122.85	Inf	-Inf	1.74	3	Vertical	190	1.50	121.11	27.64	8.30	34.20



2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.38996G	49.18	54.00	-4.82	1.60	3	Vertical	183	1.50	47.58	27.52	8.28	34.20
AV	2.43156G	111.06	Inf	-Inf	1.76	3	Vertical	183	1.50	109.30	27.66	8.31	34.21
AV	2.48372G	52.62	54.00	-1.38	1.95	3	Vertical	183	1.50	50.67	27.83	8.34	34.22
PK	2.38996G	61.76	74.00	-12.24	1.60	3	Vertical	183	1.50	60.16	27.52	8.28	34.20
PK	2.43412G	123.68	Inf	-Inf	1.77	3	Vertical	183	1.50	121.91	27.67	8.31	34.21
PK	2.48372G	65.14	74.00	-8.86	1.95	3	Vertical	183	1.50	63.19	27.83	8.34	34.22

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86446G	32.97	54.00	-21.03	8.09	3	Vertical	187	1.50	24.88	32.56	9.70	34.17
AV	7.31904G	37.56	54.00	-16.44	13.54	3	Vertical	205	1.50	24.02	36.72	11.32	34.50
PK	4.86998G	47.38	74.00	-26.62	8.11	3	Vertical	187	1.50	39.27	32.58	9.70	34.17
PK	7.30164G	50.99	74.00	-23.01	13.61	3	Vertical	205	1.50	37.38	36.79	11.32	34.50

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87058G	32.50	54.00	-21.50	8.11	3	Horizontal	203	1.50	24.39	32.58	9.70	34.17
AV	7.31064G	37.65	54.00	-16.35	13.58	3	Horizontal	53	2.53	24.07	36.76	11.32	34.50
PK	4.8638G	46.27	74.00	-27.73	8.09	3	Horizontal	203	1.50	38.18	32.56	9.70	34.17
PK	7.32438G	50.72	74.00	-23.28	13.52	3	Horizontal	53	2.53	37.20	36.70	11.32	34.50

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.463G	108.66	Inf	-Inf	1.87	3	Vertical	185	1.44	106.79	27.75	8.33	34.21
AV	2.4835G	52.67	54.00	-1.33	1.95	3	Vertical	185	1.44	50.72	27.83	8.34	34.22
PK	2.4628G	120.53	Inf	-Inf	1.87	3	Vertical	185	1.44	118.66	27.75	8.33	34.21
PK	2.4835G	70.48	74.00	-3.52	1.95	3	Vertical	185	1.44	68.53	27.83	8.34	34.22

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4628G	106.66	Inf	-Inf	1.87	3	Vertical	183	1.50	104.79	27.75	8.33	34.21
AV	2.4835G	52.97	54.00	-1.03	1.95	3	Vertical	183	1.50	51.02	27.83	8.34	34.22
PK	2.463G	118.54	Inf	-Inf	1.87	3	Vertical	183	1.50	116.67	27.75	8.33	34.21
PK	2.4848G	70.71	74.00	-3.29	1.97	3	Vertical	183	1.50	68.74	27.84	8.35	34.22

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92388G	32.85	54.00	-21.15	8.41	3	Vertical	66	1.75	24.44	32.84	9.72	34.15
AV	7.38588G	38.36	54.00	-15.64	13.29	3	Vertical	306	2.02	25.07	36.46	11.34	34.51
PK	4.91818G	45.86	74.00	-28.14	8.38	3	Vertical	66	1.75	37.48	32.81	9.72	34.15
PK	7.37514G	51.05	74.00	-22.95	13.33	3	Vertical	306	2.02	37.72	36.50	11.34	34.51

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9156G	32.54	54.00	-21.46	8.36	3	Horizontal	276	1.02	24.18	32.79	9.72	34.15
AV	7.37424G	37.56	54.00	-16.44	13.33	3	Horizontal	360	1.50	24.23	36.50	11.33	34.50
PK	4.9297G	45.86	74.00	-28.14	8.45	3	Horizontal	276	1.02	37.41	32.88	9.72	34.15
PK	7.38786G	50.64	74.00	-23.36	13.28	3	Horizontal	360	1.50	37.36	36.45	11.34	34.51

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.38816G	52.55	54.00	-1.45	1.59	3	Vertical	183	1.50	50.96	27.51	8.28	34.20
AV	2.42776G	104.05	Inf	-Inf	1.76	3	Vertical	183	1.50	102.29	27.66	8.31	34.21
PK	2.3872G	66.62	74.00	-7.38	1.58	3	Vertical	183	1.50	65.04	27.50	8.28	34.20
PK	2.4304G	114.66	Inf	-Inf	1.76	3	Vertical	183	1.50	112.90	27.66	8.31	34.21

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86596G	33.44	54.00	-20.56	8.09	3	Vertical	325	1.29	25.35	32.56	9.70	34.17
AV	7.26624G	38.60	54.00	-15.40	13.80	3	Vertical	99	2.62	24.80	36.98	11.31	34.49
PK	4.84628G	45.92	74.00	-28.08	7.99	3	Vertical	325	1.29	37.93	32.48	9.69	34.18
PK	7.26652G	50.35	74.00	-23.65	13.75	3	Vertical	99	2.62	36.60	36.93	11.31	34.49

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8674G	33.47	54.00	-20.53	8.10	3	Horizontal	252	1.50	25.37	32.57	9.70	34.17
AV	7.2672G	38.66	54.00	-15.34	13.75	3	Horizontal	346	2.91	24.91	36.93	11.31	34.49
PK	4.8512G	45.32	74.00	-28.68	8.02	3	Horizontal	252	1.50	37.30	32.50	9.69	34.17
PK	7.25988G	50.35	74.00	-23.65	13.78	3	Horizontal	346	2.91	36.57	36.96	11.31	34.49

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.38956G	52.88	54.00	-1.12	1.60	3	Vertical	183	1.50	51.28	27.52	8.28	34.20
AV	2.43276G	104.63	Inf	-Inf	1.77	3	Vertical	183	1.50	102.86	27.67	8.31	34.21
AV	2.4846G	51.01	54.00	-2.99	1.96	3	Vertical	183	1.50	49.05	27.84	8.34	34.22
PK	2.38932G	67.47	74.00	-6.53	1.59	3	Vertical	183	1.50	65.88	27.51	8.28	34.20
PK	2.4282G	116.45	Inf	-Inf	1.76	3	Vertical	183	1.50	114.69	27.66	8.31	34.21
PK	2.48388G	63.75	74.00	-10.25	1.96	3	Vertical	183	1.50	61.79	27.84	8.34	34.22

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	50.94	54.00	-3.06	1.59	3	Vertical	184	1.51	49.35	27.51	8.28	34.20
AV	2.43156G	105.33	Inf	-Inf	1.76	3	Vertical	184	1.51	103.57	27.66	8.31	34.21
AV	2.4835G	52.79	54.00	-1.21	1.95	3	Vertical	184	1.51	50.84	27.83	8.34	34.22
PK	2.38964G	65.34	74.00	-8.66	1.60	3	Vertical	184	1.51	63.74	27.52	8.28	34.20
PK	2.42452G	116.67	Inf	-Inf	1.76	3	Vertical	184	1.51	114.91	27.65	8.31	34.20
PK	2.48372G	66.41	74.00	-7.59	1.95	3	Vertical	184	1.51	64.46	27.83	8.34	34.22

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8668G	33.83	54.00	-20.17	8.10	3	Vertical	60	1.50	25.73	32.57	9.70	34.17
AV	7.31664G	38.45	54.00	-15.55	13.55	3	Vertical	289	1.96	24.90	36.73	11.32	34.50
PK	4.89572G	45.94	74.00	-28.06	8.23	3	Vertical	60	1.50	37.71	32.68	9.71	34.16
PK	7.30704G	50.83	74.00	-23.17	13.59	3	Vertical	289	1.96	37.24	36.77	11.32	34.50

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86848G	33.46	54.00	-20.54	8.10	3	Horizontal	344	1.50	25.36	32.57	9.70	34.17
AV	7.30248G	38.40	54.00	-15.60	13.61	3	Horizontal	164	1.48	24.79	36.79	11.32	34.50
PK	4.87256G	46.00	74.00	-28.00	8.12	3	Horizontal	344	1.50	37.88	32.59	9.70	34.17
PK	7.31792G	50.23	74.00	-23.77	13.55	3	Horizontal	164	1.48	36.68	36.73	11.32	34.50

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.38964G	48.62	54.00	-5.38	1.60	3	Vertical	184	1.48	47.02	27.52	8.28	34.20
AV	2.46068G	103.33	Inf	-Inf	1.86	3	Vertical	184	1.48	101.47	27.74	8.33	34.21
AV	2.4835G	52.88	54.00	-1.12	1.95	3	Vertical	184	1.48	50.93	27.83	8.34	34.22
PK	2.38964G	60.18	74.00	-13.82	1.60	3	Vertical	184	1.48	58.58	27.52	8.28	34.20
PK	2.46308G	115.26	Inf	-Inf	1.87	3	Vertical	184	1.48	113.39	27.75	8.33	34.21
PK	2.4835G	66.11	74.00	-7.89	1.95	3	Vertical	184	1.48	64.16	27.83	8.34	34.22

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX



2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	50.94	54.00	-3.06	1.59	3	Vertical	184	1.51	49.35	27.51	8.28	34.20
AV	2.43156G	105.33	Inf	-Inf	1.76	3	Vertical	184	1.51	103.57	27.66	8.31	34.21
AV	2.4835G	52.79	54.00	-1.21	1.95	3	Vertical	184	1.51	50.84	27.83	8.34	34.22
PK	2.38964G	65.34	74.00	-8.66	1.60	3	Vertical	184	1.51	63.74	27.52	8.28	34.20
PK	2.42452G	116.67	Inf	-Inf	1.76	3	Vertical	184	1.51	114.91	27.65	8.31	34.20
PK	2.48372G	66.41	74.00	-7.59	1.95	3	Vertical	184	1.51	64.46	27.83	8.34	34.22

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX





26/11/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8668G	33.83	54.00	-20.17	8.10	3	Vertical	60	1.50	25.73	32.57	9.70	34.17
AV	7.31664G	38.45	54.00	-15.55	13.55	3	Vertical	289	1.96	24.90	36.73	11.32	34.50
PK	4.89572G	45.94	74.00	-28.06	8.23	3	Vertical	60	1.50	37.71	32.68	9.71	34.16
PK	7.30704G	50.83	74.00	-23.17	13.59	3	Vertical	289	1.96	37.24	36.77	11.32	34.50

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX



26/11/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86848G	33.46	54.00	-20.54	8.10	3	Horizontal	344	1.50	25.36	32.57	9.70	34.17
AV	7.36344G	38.26	54.00	-15.74	13.38	3	Horizontal	206	2.93	24.88	36.55	11.33	34.50
PK	4.87256G	46.00	74.00	-28.00	8.12	3	Horizontal	344	1.50	37.88	32.59	9.70	34.17
PK	7.34636G	50.49	74.00	-23.51	13.44	3	Horizontal	206	2.93	37.05	36.61	11.33	34.50



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	2.4836G	52.90	54.00	-1.10	3	Vertical	187	1.71
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	2.3898G	52.56	54.00	-1.44	3	Vertical	180	1.50



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.11	54.00	-1.89	3	Vertical	191	1.58
2412MHz	Pass	AV	2.4112G	104.66	Inf	-Inf	3	Vertical	191	1.58
2412MHz	Pass	PK	2.39G	67.77	74.00	-6.23	3	Vertical	191	1.58
2412MHz	Pass	PK	2.4166G	117.89	Inf	-Inf	3	Vertical	191	1.58
2412MHz	Pass	AV	4.81764G	32.25	54.00	-21.75	3	Vertical	132	1.50
2412MHz	Pass	PK	4.8278G	45.65	74.00	-28.35	3	Vertical	132	1.50
2412MHz	Pass	AV	4.82392G	32.31	54.00	-21.69	3	Horizontal	326	2.19
2412MHz	Pass	PK	4.81732G	46.18	74.00	-27.82	3	Horizontal	326	2.19
2417MHz	Pass	AV	2.39G	52.46	54.00	-1.54	3	Vertical	183	1.89
2417MHz	Pass	AV	2.4218G	109.03	Inf	-Inf	3	Vertical	183	1.89
2417MHz	Pass	PK	2.39G	71.64	74.00	-2.36	3	Vertical	183	1.89
2417MHz	Pass	PK	2.4216G	122.43	Inf	-Inf	3	Vertical	183	1.89
2437MHz	Pass	AV	2.3894G	50.91	54.00	-3.09	3	Vertical	193	1.96
2437MHz	Pass	AV	2.4298G	115.27	Inf	-Inf	3	Vertical	193	1.96
2437MHz	Pass	AV	2.4835G	52.17	54.00	-1.83	3	Vertical	193	1.96
2437MHz	Pass	PK	2.389G	68.48	74.00	-5.52	3	Vertical	193	1.96
2437MHz	Pass	PK	2.4342G	127.57	Inf	-Inf	3	Vertical	193	1.96
2437MHz	Pass	PK	2.4842G	72.50	74.00	-1.50	3	Vertical	193	1.96
2437MHz	Pass	AV	4.87704G	33.30	54.00	-20.70	3	Vertical	190	2.07
2437MHz	Pass	AV	7.31088G	38.34	54.00	-15.66	3	Vertical	310	1.50
2437MHz	Pass	PK	4.87476G	46.98	74.00	-27.02	3	Vertical	190	2.07
2437MHz	Pass	PK	7.30776G	51.69	74.00	-22.31	3	Vertical	310	1.50
2437MHz	Pass	AV	4.86612G	32.72	54.00	-21.28	3	Horizontal	166	2.91
2437MHz	Pass	AV	7.3082G	37.94	54.00	-16.06	3	Horizontal	26	2.75
2437MHz	Pass	PK	4.88084G	45.44	74.00	-28.56	3	Horizontal	166	2.91
2437MHz	Pass	PK	7.30164G	51.56	74.00	-22.44	3	Horizontal	26	2.75
2457MHz	Pass	AV	2.4582G	108.71	Inf	-Inf	3	Vertical	185	1.73
2457MHz	Pass	AV	2.4835G	52.27	54.00	-1.73	3	Vertical	185	1.73
2457MHz	Pass	PK	2.4616G	121.67	Inf	-Inf	3	Vertical	185	1.73
2457MHz	Pass	PK	2.4835G	72.88	74.00	-1.12	3	Vertical	185	1.73
2462MHz	Pass	AV	2.4604G	104.98	Inf	-Inf	3	Vertical	187	1.71
2462MHz	Pass	AV	2.4836G	52.90	54.00	-1.10	3	Vertical	187	1.71
2462MHz	Pass	PK	2.4594G	117.06	Inf	-Inf	3	Vertical	187	1.71
2462MHz	Pass	PK	2.484G	71.41	74.00	-2.59	3	Vertical	187	1.71
2462MHz	Pass	AV	4.91608G	32.81	54.00	-21.19	3	Vertical	155	1.52
2462MHz	Pass	AV	7.38584G	41.57	54.00	-12.43	3	Vertical	305	2.04
2462MHz	Pass	PK	4.91464G	46.25	74.00	-27.75	3	Vertical	155	1.52
2462MHz	Pass	PK	7.38592G	52.08	74.00	-21.92	3	Vertical	305	2.04
2462MHz	Pass	AV	4.924G	33.02	54.00	-20.98	3	Horizontal	16	2.27
2462MHz	Pass	AV	7.38188G	37.68	54.00	-16.32	3	Horizontal	312	1.87
2462MHz	Pass	PK	4.93176G	45.78	74.00	-28.22	3	Horizontal	16	2.27
2462MHz	Pass	PK	7.38692G	51.37	74.00	-22.63	3	Horizontal	312	1.87
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	52.53	54.00	-1.47	3	Vertical	190	1.83
2422MHz	Pass	AV	2.4168G	101.45	Inf	-Inf	3	Vertical	190	1.83
2422MHz	Pass	AV	2.484G	47.99	54.00	-6.01	3	Vertical	190	1.83
2422MHz	Pass	PK	2.39G	67.11	74.00	-6.89	3	Vertical	190	1.83
2422MHz	Pass	PK	2.418G	115.33	Inf	-Inf	3	Vertical	190	1.83
2422MHz	Pass	PK	2.486G	61.29	74.00	-12.71	3	Vertical	190	1.83
2422MHz	Pass	AV	4.84404G	32.95	54.00	-21.05	3	Vertical	299	2.54
2422MHz	Pass	AV	7.266G	39.59	54.00	-14.41	3	Vertical	305	2.02
2422MHz	Pass	PK	4.84044G	45.85	74.00	-28.15	3	Vertical	299	2.54
2422MHz	Pass	PK	7.26328G	52.02	74.00	-21.98	3	Vertical	305	2.02
2422MHz	Pass	AV	4.84792G	32.01	54.00	-21.99	3	Horizontal	294	1.50
2422MHz	Pass	AV	7.2562G	37.50	54.00	-16.50	3	Horizontal	106	1.31
2422MHz	Pass	PK	4.84904G	46.88	74.00	-27.12	3	Horizontal	294	1.50
2422MHz	Pass	PK	7.276G	51.79	74.00	-22.21	3	Horizontal	106	1.31
2427MHz	Pass	AV	2.3898G	52.56	54.00	-1.44	3	Vertical	180	1.50
2427MHz	Pass	AV	2.4314G	101.80	Inf	-Inf	3	Vertical	180	1.50
2427MHz	Pass	AV	2.4882G	48.34	54.00	-5.66	3	Vertical	180	1.50




RSE TX above 1GHz_Beamforming_Radio 1

Appendix F.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2427MHz	Pass	PK	2.3874G	67.80	74.00	-6.20	3	Vertical	180	1.50
2427MHz	Pass	PK	2.4258G	114.89	Inf	-Inf	3	Vertical	180	1.50
2427MHz	Pass	PK	2.4946G	61.02	74.00	-12.98	3	Vertical	180	1.50
2437MHz	Pass	AV	2.3898G	50.39	54.00	-3.61	3	Vertical	186	1.50
2437MHz	Pass	AV	2.4318G	102.93	Inf	-Inf	3	Vertical	186	1.50
2437MHz	Pass	AV	2.4835G	52.05	54.00	-1.95	3	Vertical	186	1.50
2437MHz	Pass	PK	2.3886G	65.15	74.00	-8.85	3	Vertical	186	1.50
2437MHz	Pass	PK	2.4318G	116.38	Inf	-Inf	3	Vertical	186	1.50
2437MHz	Pass	PK	2.4858G	68.59	74.00	-5.41	3	Vertical	186	1.50
2437MHz	Pass	AV	4.87396G	32.32	54.00	-21.68	3	Vertical	310	1.50
2437MHz	Pass	AV	7.311G	38.59	54.00	-15.41	3	Vertical	316	1.58
2437MHz	Pass	PK	4.86516G	45.81	74.00	-28.19	3	Vertical	310	1.50
2437MHz	Pass	PK	7.30868G	51.64	74.00	-22.36	3	Vertical	316	1.58
2437MHz	Pass	AV	4.8644G	32.26	54.00	-21.74	3	Horizontal	274	1.50
2437MHz	Pass	AV	7.311G	37.43	54.00	-16.57	3	Horizontal	7	1.48
2437MHz	Pass	PK	4.8656G	46.08	74.00	-27.92	3	Horizontal	274	1.50
2437MHz	Pass	PK	7.30164G	52.12	74.00	-21.88	3	Horizontal	7	1.48
2447MHz	Pass	AV	2.3878G	47.20	54.00	-6.80	3	Vertical	188	1.92
2447MHz	Pass	AV	2.4606G	101.06	Inf	-Inf	3	Vertical	188	1.92
2447MHz	Pass	AV	2.4835G	52.13	54.00	-1.87	3	Vertical	188	1.92
2447MHz	Pass	PK	2.3886G	60.75	74.00	-13.25	3	Vertical	188	1.92
2447MHz	Pass	PK	2.4574G	113.96	Inf	-Inf	3	Vertical	188	1.92
2447MHz	Pass	PK	2.4835G	66.62	74.00	-7.38	3	Vertical	188	1.92
2452MHz	Pass	AV	2.39G	52.11	54.00	-1.89	3	Vertical	191	1.58
2452MHz	Pass	AV	2.4112G	104.66	Inf	-Inf	3	Vertical	191	1.58
2452MHz	Pass	PK	2.39G	67.77	74.00	-6.23	3	Vertical	191	1.58
2452MHz	Pass	PK	2.4166G	117.89	Inf	-Inf	3	Vertical	191	1.58
2452MHz	Pass	AV	4.81764G	32.25	54.00	-21.75	3	Vertical	132	1.50
2452MHz	Pass	PK	4.8278G	45.65	74.00	-28.35	3	Vertical	132	1.50
2452MHz	Pass	AV	4.82392G	32.31	54.00	-21.69	3	Horizontal	326	2.19
2452MHz	Pass	PK	4.81732G	46.18	74.00	-27.82	3	Horizontal	326	2.19

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.11	54.00	-1.89	1.60	3	Vertical	191	1.58	50.51	27.52	8.28	34.20
AV	2.4112G	104.66	Inf	-Inf	1.72	3	Vertical	191	1.58	102.94	27.62	8.30	34.20
PK	2.39G	67.77	74.00	-6.23	1.60	3	Vertical	191	1.58	66.17	27.52	8.28	34.20
PK	2.4166G	117.89	Inf	-Inf	1.73	3	Vertical	191	1.58	116.16	27.63	8.30	34.20

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81764G	32.25	54.00	-21.75	7.80	3	Vertical	132	1.50	24.45	32.31	9.68	34.19
PK	4.8278G	45.65	74.00	-28.35	7.87	3	Vertical	132	1.50	37.78	32.37	9.68	34.18

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82392G	32.31	54.00	-21.69	7.84	3	Horizontal	326	2.19	24.47	32.34	9.68	34.18
PK	4.81732G	46.18	74.00	-27.82	7.79	3	Horizontal	326	2.19	38.39	32.30	9.68	34.19

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.46	54.00	-1.54	1.60	3	Vertical	183	1.89	50.86	27.52	8.28	34.20
AV	2.4218G	109.03	Inf	-Inf	1.74	3	Vertical	183	1.89	107.29	27.64	8.30	34.20
PK	2.39G	71.64	74.00	-2.36	1.60	3	Vertical	183	1.89	70.04	27.52	8.28	34.20
PK	2.4216G	122.43	Inf	-Inf	1.74	3	Vertical	183	1.89	120.69	27.64	8.30	34.20

2.4-2.4835GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	50.91	54.00	-3.09	1.60	3	Vertical	193	1.96	49.31	27.52	8.28	34.20
AV	2.4298G	115.27	Inf	-Inf	1.76	3	Vertical	193	1.96	113.51	27.66	8.31	34.21
AV	2.4835G	52.17	54.00	-1.83	1.95	3	Vertical	193	1.96	50.22	27.83	8.34	34.22
PK	2.389G	68.48	74.00	-5.52	1.59	3	Vertical	193	1.96	66.89	27.51	8.28	34.20
PK	2.4342G	127.57	Inf	-Inf	1.77	3	Vertical	193	1.96	125.80	27.67	8.31	34.21
PK	2.4842G	72.50	74.00	-1.50	1.96	3	Vertical	193	1.96	70.54	27.84	8.34	34.22

2.4-2.4835GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87704G	33.30	54.00	-20.70	8.15	3	Vertical	190	2.07	25.15	32.61	9.70	34.16
AV	7.31088G	38.34	54.00	-15.66	13.58	3	Vertical	310	1.50	24.76	36.76	11.32	34.50
PK	4.87476G	46.98	74.00	-27.02	8.13	3	Vertical	190	2.07	38.85	32.60	9.70	34.17
PK	7.30776G	51.69	74.00	-22.31	13.59	3	Vertical	310	1.50	38.10	36.77	11.32	34.50

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86612G	32.72	54.00	-21.28	8.09	3	Horizontal	166	2.91	24.63	32.56	9.70	34.17
AV	7.3082G	37.94	54.00	-16.06	13.59	3	Horizontal	26	2.75	24.35	36.77	11.32	34.50
PK	4.88084G	45.44	74.00	-28.56	8.16	3	Horizontal	166	2.91	37.28	32.62	9.70	34.16
PK	7.30164G	51.56	74.00	-22.44	13.61	3	Horizontal	26	2.75	37.95	36.79	11.32	34.50

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4582G	108.71	Inf	-Inf	1.85	3	Vertical	185	1.73	106.86	27.73	8.33	34.21
AV	2.4835G	52.27	54.00	-1.73	1.95	3	Vertical	185	1.73	50.32	27.83	8.34	34.22
PK	2.4616G	121.67	Inf	-Inf	1.87	3	Vertical	185	1.73	119.80	27.75	8.33	34.21
PK	2.4835G	72.88	74.00	-1.12	1.95	3	Vertical	185	1.73	70.93	27.83	8.34	34.22

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4604G	104.98	Inf	-Inf	1.86	3	Vertical	187	1.71	103.12	27.74	8.33	34.21
AV	2.4836G	52.90	54.00	-1.10	1.95	3	Vertical	187	1.71	50.95	27.83	8.34	34.22
PK	2.4594G	117.06	Inf	-Inf	1.86	3	Vertical	187	1.71	115.20	27.74	8.33	34.21
PK	2.484G	71.41	74.00	-2.59	1.96	3	Vertical	187	1.71	69.45	27.84	8.34	34.22

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91608G	32.81	54.00	-21.19	8.37	3	Vertical	155	1.52	24.44	32.80	9.72	34.15
AV	7.38584G	41.57	54.00	-12.43	13.29	3	Vertical	305	2.04	28.28	36.46	11.34	34.51
PK	4.91464G	46.25	74.00	-27.75	8.36	3	Vertical	155	1.52	37.89	32.79	9.72	34.15
PK	7.38592G	52.08	74.00	-21.92	13.29	3	Vertical	305	2.04	38.79	36.46	11.34	34.51



2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	33.02	54.00	-20.98	8.41	3	Horizontal	16	2.27	24.61	32.84	9.72	34.15
AV	7.38188G	37.68	54.00	-16.32	13.30	3	Horizontal	312	1.87	24.38	36.47	11.34	34.51
PK	4.93176G	45.78	74.00	-28.22	8.47	3	Horizontal	16	2.27	37.31	32.89	9.72	34.14
PK	7.38692G	51.37	74.00	-22.63	13.28	3	Horizontal	312	1.87	38.09	36.45	11.34	34.51

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.53	54.00	-1.47	1.60	3	Vertical	190	1.83	50.93	27.52	8.28	34.20
AV	2.4168G	101.45	Inf	-Inf	1.73	3	Vertical	190	1.83	99.72	27.63	8.30	34.20
AV	2.484G	47.99	54.00	-6.01	1.96	3	Vertical	190	1.83	46.03	27.84	8.34	34.22
PK	2.39G	67.11	74.00	-6.89	1.60	3	Vertical	190	1.83	65.51	27.52	8.28	34.20
PK	2.418G	115.33	Inf	-Inf	1.74	3	Vertical	190	1.83	113.59	27.64	8.30	34.20
PK	2.486G	61.29	74.00	-12.71	1.97	3	Vertical	190	1.83	59.32	27.84	8.35	34.22

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84404G	32.95	54.00	-21.05	7.97	3	Vertical	299	2.54	24.98	32.46	9.69	34.18
AV	7.266G	39.59	54.00	-14.41	13.76	3	Vertical	305	2.02	25.83	36.94	11.31	34.49
PK	4.84044G	45.85	74.00	-28.15	7.95	3	Vertical	299	2.54	37.90	32.44	9.69	34.18
PK	7.26328G	52.02	74.00	-21.98	13.77	3	Vertical	305	2.02	38.25	36.95	11.31	34.49

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84792G	32.01	54.00	-21.99	8.01	3	Horizontal	294	1.50	24.00	32.49	9.69	34.17
AV	7.2562G	37.50	54.00	-16.50	13.80	3	Horizontal	106	1.31	23.70	36.98	11.31	34.49
PK	4.84904G	46.88	74.00	-27.12	8.01	3	Horizontal	294	1.50	38.87	32.49	9.69	34.17
PK	7.276G	51.79	74.00	-22.21	13.73	3	Horizontal	106	1.31	38.06	36.90	11.32	34.49

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.56	54.00	-1.44	1.60	3	Vertical	180	1.50	50.96	27.52	8.28	34.20
AV	2.4314G	101.80	Inf	-Inf	1.76	3	Vertical	180	1.50	100.04	27.66	8.31	34.21
AV	2.4882G	48.34	54.00	-5.66	1.98	3	Vertical	180	1.50	46.36	27.85	8.35	34.22
PK	2.3874G	67.80	74.00	-6.20	1.58	3	Vertical	180	1.50	66.22	27.50	8.28	34.20
PK	2.4258G	114.89	Inf	-Inf	1.75	3	Vertical	180	1.50	113.14	27.65	8.31	34.21
PK	2.4946G	61.02	74.00	-12.98	2.01	3	Vertical	180	1.50	59.01	27.88	8.35	34.22

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.39	54.00	-3.61	1.60	3	Vertical	186	1.50	48.79	27.52	8.28	34.20
AV	2.4318G	102.93	Inf	-Inf	1.76	3	Vertical	186	1.50	101.17	27.66	8.31	34.21
AV	2.4835G	52.05	54.00	-1.95	1.95	3	Vertical	186	1.50	50.10	27.83	8.34	34.22
PK	2.3886G	65.15	74.00	-8.85	1.59	3	Vertical	186	1.50	63.56	27.51	8.28	34.20
PK	2.4318G	116.38	Inf	-Inf	1.76	3	Vertical	186	1.50	114.62	27.66	8.31	34.21
PK	2.4858G	68.59	74.00	-5.41	1.97	3	Vertical	186	1.50	66.62	27.84	8.35	34.22

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87396G	32.32	54.00	-21.68	8.13	3	Vertical	310	1.50	24.19	32.60	9.70	34.17
AV	7.3111G	38.59	54.00	-15.41	13.58	3	Vertical	316	1.58	25.01	36.76	11.32	34.50
PK	4.86516G	45.81	74.00	-28.19	8.09	3	Vertical	310	1.50	37.72	32.56	9.70	34.17
PK	7.30868G	51.64	74.00	-22.36	13.59	3	Vertical	316	1.58	38.05	36.77	11.32	34.50

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8644G	32.26	54.00	-21.74	8.09	3	Horizontal	274	1.50	24.17	32.56	9.70	34.17
AV	7.3111G	37.43	54.00	-16.57	13.58	3	Horizontal	7	1.48	23.85	36.76	11.32	34.50
PK	4.8656G	46.08	74.00	-27.92	8.09	3	Horizontal	274	1.50	37.99	32.56	9.70	34.17
PK	7.30164G	52.12	74.00	-21.88	13.61	3	Horizontal	7	1.48	38.51	36.79	11.32	34.50

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3878G	47.20	54.00	-6.80	1.58	3	Vertical	188	1.92	45.62	27.50	8.28	34.20
AV	2.4606G	101.06	Inf	-Inf	1.86	3	Vertical	188	1.92	99.20	27.74	8.33	34.21
AV	2.4835G	52.13	54.00	-1.87	1.95	3	Vertical	188	1.92	50.18	27.83	8.34	34.22
PK	2.3886G	60.75	74.00	-13.25	1.59	3	Vertical	188	1.92	59.16	27.51	8.28	34.20
PK	2.4574G	113.96	Inf	-Inf	1.85	3	Vertical	188	1.92	112.11	27.73	8.33	34.21
PK	2.4835G	66.62	74.00	-7.38	1.95	3	Vertical	188	1.92	64.67	27.83	8.34	34.22

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	47.25	54.00	-6.75	1.60	3	Vertical	180	1.91	45.65	27.52	8.28	34.20
AV	2.4588G	100.98	Inf	-Inf	1.86	3	Vertical	180	1.91	99.12	27.74	8.33	34.21
AV	2.484G	52.33	54.00	-1.67	1.96	3	Vertical	180	1.91	50.37	27.84	8.34	34.22
PK	2.3772G	60.51	74.00	-13.49	1.49	3	Vertical	180	1.91	59.02	27.42	8.27	34.20
PK	2.46G	113.76	Inf	-Inf	1.86	3	Vertical	180	1.91	111.90	27.74	8.33	34.21
PK	2.4835G	67.40	74.00	-6.60	1.95	3	Vertical	180	1.91	65.45	27.83	8.34	34.22

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89664G	32.15	54.00	-21.85	8.24	3	Vertical	126	2.15	23.91	32.69	9.71	34.16
AV	7.356G	39.98	54.00	-14.02	13.41	3	Vertical	304	1.50	26.57	36.58	11.33	34.50
PK	4.89784G	46.54	74.00	-27.46	8.24	3	Vertical	126	2.15	38.30	32.69	9.71	34.16
PK	7.35592G	51.36	74.00	-22.64	13.41	3	Vertical	304	1.50	37.95	36.58	11.33	34.50

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.898G	32.24	54.00	-21.76	8.24	3	Horizontal	39	1.50	24.00	32.69	9.71	34.16
AV	7.35984G	37.18	54.00	-16.82	13.39	3	Horizontal	179	2.81	23.79	36.56	11.33	34.50
PK	4.90816G	46.35	74.00	-27.65	8.31	3	Horizontal	39	1.50	38.04	32.75	9.71	34.15
PK	7.36116G	51.59	74.00	-22.41	13.39	3	Horizontal	179	2.81	38.20	36.56	11.33	34.50



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	2.39G	52.79	54.00	-1.21	3	Vertical	189	2.23
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	2.39G	52.79	54.00	-1.21	3	Vertical	189	2.23



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.79	54.00	-1.21	3	Vertical	189	2.23
2412MHz	Pass	AV	2.4162G	107.00	Inf	-Inf	3	Vertical	189	2.23
2412MHz	Pass	PK	2.3898G	70.84	74.00	-3.16	3	Vertical	189	2.23
2412MHz	Pass	PK	2.4202G	119.75	Inf	-Inf	3	Vertical	189	2.23
2412MHz	Pass	AV	4.81296G	31.97	54.00	-22.03	3	Vertical	6	2.64
2412MHz	Pass	PK	4.82718G	46.09	74.00	-27.91	3	Vertical	6	2.64
2412MHz	Pass	AV	4.80948G	32.21	54.00	-21.79	3	Horizontal	172	1.50
2412MHz	Pass	PK	4.8147G	45.35	74.00	-28.65	3	Horizontal	172	1.50
2417MHz	Pass	AV	2.39G	52.78	54.00	-1.22	3	Vertical	191	1.76
2417MHz	Pass	AV	2.4236G	109.82	Inf	-Inf	3	Vertical	191	1.76
2417MHz	Pass	PK	2.39G	69.92	74.00	-4.08	3	Vertical	191	1.76
2417MHz	Pass	PK	2.4218G	123.38	Inf	-Inf	3	Vertical	191	1.76
2437MHz	Pass	AV	2.3898G	49.90	54.00	-4.10	3	Vertical	190	1.75
2437MHz	Pass	AV	2.4334G	111.00	Inf	-Inf	3	Vertical	190	1.75
2437MHz	Pass	AV	2.4835G	52.70	54.00	-1.30	3	Vertical	190	1.75
2437MHz	Pass	PK	2.3898G	62.07	74.00	-11.93	3	Vertical	190	1.75
2437MHz	Pass	PK	2.4418G	123.80	Inf	-Inf	3	Vertical	190	1.75
2437MHz	Pass	PK	2.4838G	65.03	74.00	-8.97	3	Vertical	190	1.75
2437MHz	Pass	AV	4.86422G	31.55	54.00	-22.45	3	Vertical	278	1.50
2437MHz	Pass	AV	7.30596G	38.28	54.00	-15.72	3	Vertical	269	1.50
2437MHz	Pass	PK	4.87766G	44.57	74.00	-29.43	3	Vertical	278	1.50
2437MHz	Pass	PK	7.32372G	51.56	74.00	-22.44	3	Vertical	269	1.50
2437MHz	Pass	AV	4.86494G	31.53	54.00	-22.47	3	Horizontal	39	1.50
2437MHz	Pass	AV	7.30836G	38.12	54.00	-15.88	3	Horizontal	3	1.50
2437MHz	Pass	PK	4.86164G	44.35	74.00	-29.65	3	Horizontal	39	1.50
2437MHz	Pass	PK	7.30884G	51.67	74.00	-22.33	3	Horizontal	3	1.50
2457MHz	Pass	AV	2.459G	109.29	Inf	-Inf	3	Vertical	192	2.18
2457MHz	Pass	AV	2.4836G	52.45	54.00	-1.55	3	Vertical	192	2.18
2457MHz	Pass	PK	2.4618G	122.73	Inf	-Inf	3	Vertical	192	2.18
2457MHz	Pass	PK	2.4835G	70.88	74.00	-3.12	3	Vertical	192	2.18
2462MHz	Pass	AV	2.4594G	105.52	Inf	-Inf	3	Vertical	193	2.10
2462MHz	Pass	AV	2.4836G	52.20	54.00	-1.80	3	Vertical	193	2.10
2462MHz	Pass	PK	2.4612G	118.07	Inf	-Inf	3	Vertical	193	2.10
2462MHz	Pass	PK	2.4835G	68.08	74.00	-5.92	3	Vertical	193	2.10
2462MHz	Pass	AV	4.93042G	31.43	54.00	-22.57	3	Vertical	52	1.30
2462MHz	Pass	AV	7.37664G	37.80	54.00	-16.20	3	Vertical	228	2.71
2462MHz	Pass	PK	4.93516G	44.54	74.00	-29.46	3	Vertical	52	1.30
2462MHz	Pass	PK	7.37784G	50.51	74.00	-23.49	3	Vertical	228	2.71
2462MHz	Pass	AV	4.91296G	31.32	54.00	-22.68	3	Horizontal	33	2.89
2462MHz	Pass	AV	7.3794G	37.92	54.00	-16.08	3	Horizontal	273	2.86
2462MHz	Pass	PK	4.91476G	45.00	74.00	-29.00	3	Horizontal	33	2.89
2462MHz	Pass	PK	7.39638G	51.08	74.00	-22.92	3	Horizontal	273	2.86
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	52.59	54.00	-1.41	3	Vertical	181	1.80
2422MHz	Pass	AV	2.4252G	102.23	Inf	-Inf	3	Vertical	181	1.80
2422MHz	Pass	AV	2.4835G	49.30	54.00	-4.70	3	Vertical	181	1.80
2422MHz	Pass	PK	2.3888G	68.47	74.00	-5.53	3	Vertical	181	1.80
2422MHz	Pass	PK	2.4264G	115.77	Inf	-Inf	3	Vertical	181	1.80
2422MHz	Pass	PK	2.4856G	62.43	74.00	-11.57	3	Vertical	181	1.80
2422MHz	Pass	AV	4.82432G	31.31	54.00	-22.69	3	Vertical	178	1.36
2422MHz	Pass	AV	7.25072G	37.82	54.00	-16.18	3	Vertical	46	1.93
2422MHz	Pass	PK	4.84752G	44.81	74.00	-29.19	3	Vertical	178	1.36
2422MHz	Pass	PK	7.26576G	51.47	74.00	-22.53	3	Vertical	46	1.93
2422MHz	Pass	AV	4.83712G	31.35	54.00	-22.65	3	Horizontal	277	2.23
2422MHz	Pass	AV	7.25616G	37.83	54.00	-16.17	3	Horizontal	205	1.31
2422MHz	Pass	PK	4.85368G	45.13	74.00	-28.87	3	Horizontal	277	2.23
2422MHz	Pass	PK	7.27048G	51.35	74.00	-22.65	3	Horizontal	205	1.31
2427MHz	Pass	AV	2.3898G	52.65	54.00	-1.35	3	Vertical	186	1.75
2427MHz	Pass	AV	2.4238G	102.80	Inf	-Inf	3	Vertical	186	1.75
2427MHz	Pass	AV	2.4842G	49.84	54.00	-4.16	3	Vertical	186	1.75




RSE TX above 1GHz_Beamforming_Radio 3

Appendix F.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2427MHz	Pass	PK	2.3882G	67.52	74.00	-6.48	3	Vertical	186	1.75
2427MHz	Pass	PK	2.4218G	115.94	Inf	-Inf	3	Vertical	186	1.75
2427MHz	Pass	PK	2.491G	62.37	74.00	-11.63	3	Vertical	186	1.75
2437MHz	Pass	AV	2.3898G	52.17	54.00	-1.83	3	Vertical	190	1.75
2437MHz	Pass	AV	2.4234G	103.51	Inf	-Inf	3	Vertical	190	1.75
2437MHz	Pass	AV	2.4835G	52.75	54.00	-1.25	3	Vertical	190	1.75
2437MHz	Pass	PK	2.3894G	68.52	74.00	-5.48	3	Vertical	190	1.75
2437MHz	Pass	PK	2.423G	117.07	Inf	-Inf	3	Vertical	190	1.75
2437MHz	Pass	PK	2.4835G	68.58	74.00	-5.42	3	Vertical	190	1.75
2437MHz	Pass	AV	4.85816G	31.25	54.00	-22.75	3	Vertical	321	1.16
2437MHz	Pass	AV	7.28916G	37.75	54.00	-16.25	3	Vertical	233	1.50
2437MHz	Pass	PK	4.86284G	44.83	74.00	-29.17	3	Vertical	321	1.16
2437MHz	Pass	PK	7.30956G	51.47	74.00	-22.53	3	Vertical	233	1.50
2437MHz	Pass	AV	4.85816G	31.26	54.00	-22.74	3	Horizontal	202	1.50
2437MHz	Pass	AV	7.29336G	37.66	54.00	-16.34	3	Horizontal	192	1.50
2437MHz	Pass	PK	4.87172G	45.18	74.00	-28.82	3	Horizontal	202	1.50
2437MHz	Pass	PK	7.30116G	51.03	74.00	-22.97	3	Horizontal	192	1.50
2447MHz	Pass	AV	2.3878G	47.32	54.00	-6.68	3	Vertical	194	2.14
2447MHz	Pass	AV	2.4598G	102.78	Inf	-Inf	3	Vertical	194	2.14
2447MHz	Pass	AV	2.4835G	52.42	54.00	-1.58	3	Vertical	194	2.14
2447MHz	Pass	PK	2.3854G	61.15	74.00	-12.85	3	Vertical	194	2.14
2447MHz	Pass	PK	2.4586G	115.14	Inf	-Inf	3	Vertical	194	2.14
2447MHz	Pass	PK	2.4835G	67.65	74.00	-6.35	3	Vertical	194	2.14
2452MHz	Pass	AV	2.39G	52.79	54.00	-1.21	3	Vertical	189	2.23
2452MHz	Pass	AV	2.4162G	107.00	Inf	-Inf	3	Vertical	189	2.23
2452MHz	Pass	PK	2.3898G	70.84	74.00	-3.16	3	Vertical	189	2.23
2452MHz	Pass	PK	2.4202G	119.75	Inf	-Inf	3	Vertical	189	2.23
2452MHz	Pass	AV	4.81296G	31.97	54.00	-22.03	3	Vertical	6	2.64
2452MHz	Pass	PK	4.82718G	46.09	74.00	-27.91	3	Vertical	6	2.64
2452MHz	Pass	AV	4.80948G	32.21	54.00	-21.79	3	Horizontal	172	1.50
2452MHz	Pass	PK	4.8147G	45.35	74.00	-28.65	3	Horizontal	172	1.50

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.79	54.00	-1.21	1.60	3	Vertical	189	2.23	51.19	27.52	8.28	34.20
AV	2.4162G	107.00	Inf	-Inf	1.73	3	Vertical	189	2.23	105.27	27.63	8.30	34.20
PK	2.3898G	70.84	74.00	-3.16	1.60	3	Vertical	189	2.23	69.24	27.52	8.28	34.20
PK	2.4202G	119.75	Inf	-Inf	1.74	3	Vertical	189	2.23	118.01	27.64	8.30	34.20

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81296G	31.97	54.00	-22.03	7.77	3	Vertical	6	2.64	24.20	32.28	9.68	34.19
PK	4.82718G	46.09	74.00	-27.91	7.86	3	Vertical	6	2.64	38.23	32.36	9.68	34.18

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.80948G	32.21	54.00	-21.79	7.74	3	Horizontal	172	1.50	24.47	32.26	9.67	34.19
PK	4.8147G	45.35	74.00	-28.65	7.78	3	Horizontal	172	1.50	37.57	32.29	9.68	34.19

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.78	54.00	-1.22	1.60	3	Vertical	191	1.76	51.18	27.52	8.28	34.20
AV	2.4236G	109.82	Inf	-Inf	1.76	3	Vertical	191	1.76	108.06	27.65	8.31	34.20
PK	2.39G	69.92	74.00	-4.08	1.60	3	Vertical	191	1.76	68.32	27.52	8.28	34.20
PK	2.4218G	123.38	Inf	-Inf	1.74	3	Vertical	191	1.76	121.64	27.64	8.30	34.20

2.4-2.4835GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.90	54.00	-4.10	1.60	3	Vertical	190	1.75	48.30	27.52	8.28	34.20
AV	2.4334G	111.00	Inf	-Inf	1.77	3	Vertical	190	1.75	109.23	27.67	8.31	34.21
AV	2.4835G	52.70	54.00	-1.30	1.95	3	Vertical	190	1.75	50.75	27.83	8.34	34.22
PK	2.3898G	62.07	74.00	-11.93	1.60	3	Vertical	190	1.75	60.47	27.52	8.28	34.20
PK	2.4418G	123.80	Inf	-Inf	1.79	3	Vertical	190	1.75	122.01	27.68	8.32	34.21
PK	2.4838G	65.03	74.00	-8.97	1.96	3	Vertical	190	1.75	63.07	27.84	8.34	34.22

2.4-2.4835GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86422G	31.55	54.00	-22.45	8.09	3	Vertical	278	1.50	23.46	32.56	9.70	34.17
AV	7.30596G	38.28	54.00	-15.72	13.60	3	Vertical	269	1.50	24.68	36.78	11.32	34.50
PK	4.87766G	44.57	74.00	-29.43	8.15	3	Vertical	278	1.50	36.42	32.61	9.70	34.16
PK	7.32372G	51.56	74.00	-22.44	13.53	3	Vertical	269	1.50	38.03	36.71	11.32	34.50

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86494G	31.53	54.00	-22.47	8.09	3	Horizontal	39	1.50	23.44	32.56	9.70	34.17
AV	7.30836G	38.12	54.00	-15.88	13.59	3	Horizontal	3	1.50	24.53	36.77	11.32	34.50
PK	4.86164G	44.35	74.00	-29.65	8.07	3	Horizontal	39	1.50	36.28	32.55	9.69	34.17
PK	7.30884G	51.67	74.00	-22.33	13.58	3	Horizontal	3	1.50	38.09	36.76	11.32	34.50

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.459G	109.29	Inf	-Inf	1.86	3	Vertical	192	2.18	107.43	27.74	8.33	34.21
AV	2.4836G	52.45	54.00	-1.55	1.95	3	Vertical	192	2.18	50.50	27.83	8.34	34.22
PK	2.4618G	122.73	Inf	-Inf	1.87	3	Vertical	192	2.18	120.86	27.75	8.33	34.21
PK	2.4835G	70.88	74.00	-3.12	1.95	3	Vertical	192	2.18	68.93	27.83	8.34	34.22

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4594G	105.52	Inf	-Inf	1.86	3	Vertical	193	2.10	103.66	27.74	8.33	34.21
AV	2.4836G	52.20	54.00	-1.80	1.95	3	Vertical	193	2.10	50.25	27.83	8.34	34.22
PK	2.4612G	118.07	Inf	-Inf	1.86	3	Vertical	193	2.10	116.21	27.74	8.33	34.21
PK	2.4835G	68.08	74.00	-5.92	1.95	3	Vertical	193	2.10	66.13	27.83	8.34	34.22

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93042G	31.43	54.00	-22.57	8.45	3	Vertical	52	1.30	22.98	32.88	9.72	34.15
AV	7.37664G	37.80	54.00	-16.20	13.32	3	Vertical	228	2.71	24.48	36.49	11.34	34.51
PK	4.93516G	44.54	74.00	-29.46	8.49	3	Vertical	52	1.30	36.05	32.91	9.72	34.14
PK	7.37784G	50.51	74.00	-23.49	13.32	3	Vertical	228	2.71	37.19	36.49	11.34	34.51

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91296G	31.32	54.00	-22.68	8.35	3	Horizontal	33	2.89	22.97	32.78	9.72	34.15
AV	7.3794G	37.92	54.00	-16.08	13.31	3	Horizontal	273	2.86	24.61	36.48	11.34	34.51
PK	4.91476G	45.00	74.00	-29.00	8.36	3	Horizontal	33	2.89	36.64	32.79	9.72	34.15
PK	7.39638G	51.08	74.00	-22.92	13.24	3	Horizontal	273	2.86	37.84	36.41	11.34	34.51

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.59	54.00	-1.41	1.60	3	Vertical	181	1.80	50.99	27.52	8.28	34.20
AV	2.4252G	102.23	Inf	-Inf	1.75	3	Vertical	181	1.80	100.48	27.65	8.31	34.21
AV	2.4835G	49.30	54.00	-4.70	1.95	3	Vertical	181	1.80	47.35	27.83	8.34	34.22
PK	2.3888G	68.47	74.00	-5.53	1.59	3	Vertical	181	1.80	66.88	27.51	8.28	34.20
PK	2.4264G	115.77	Inf	-Inf	1.75	3	Vertical	181	1.80	114.02	27.65	8.31	34.21
PK	2.4856G	62.43	74.00	-11.57	1.97	3	Vertical	181	1.80	60.46	27.84	8.35	34.22



2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82432G	31.31	54.00	-22.69	7.85	3	Vertical	178	1.36	23.46	32.35	9.68	34.18
AV	7.25072G	37.82	54.00	-16.18	13.82	3	Vertical	46	1.93	24.00	37.00	11.31	34.49
PK	4.84752G	44.81	74.00	-29.19	8.01	3	Vertical	178	1.36	36.80	32.49	9.69	34.17
PK	7.26576G	51.47	74.00	-22.53	13.76	3	Vertical	46	1.93	37.71	36.94	11.31	34.49

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83712G	31.35	54.00	-22.65	7.92	3	Horizontal	277	2.23	23.43	32.42	9.68	34.18
AV	7.25616G	37.83	54.00	-16.17	13.80	3	Horizontal	205	1.31	24.03	36.98	11.31	34.49
PK	4.85368G	45.13	74.00	-28.87	8.03	3	Horizontal	277	2.23	37.10	32.51	9.69	34.17
PK	7.27048G	51.35	74.00	-22.65	13.74	3	Horizontal	205	1.31	37.61	36.92	11.31	34.49

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.65	54.00	-1.35	1.60	3	Vertical	186	1.75	51.05	27.52	8.28	34.20
AV	2.4238G	102.80	Inf	-Inf	1.76	3	Vertical	186	1.75	101.04	27.65	8.31	34.20
AV	2.4842G	49.84	54.00	-4.16	1.96	3	Vertical	186	1.75	47.88	27.84	8.34	34.22
PK	2.3882G	67.52	74.00	-6.48	1.59	3	Vertical	186	1.75	65.93	27.51	8.28	34.20
PK	2.4218G	115.94	Inf	-Inf	1.74	3	Vertical	186	1.75	114.20	27.64	8.30	34.20
PK	2.491G	62.37	74.00	-11.63	1.99	3	Vertical	186	1.75	60.38	27.86	8.35	34.22

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.17	54.00	-1.83	1.60	3	Vertical	190	1.75	50.57	27.52	8.28	34.20
AV	2.4234G	103.51	Inf	-Inf	1.76	3	Vertical	190	1.75	101.75	27.65	8.31	34.20
AV	2.4835G	52.75	54.00	-1.25	1.95	3	Vertical	190	1.75	50.80	27.83	8.34	34.22
PK	2.3894G	68.52	74.00	-5.48	1.60	3	Vertical	190	1.75	66.92	27.52	8.28	34.20
PK	2.423G	117.07	Inf	-Inf	1.75	3	Vertical	190	1.75	115.32	27.65	8.30	34.20
PK	2.4835G	68.58	74.00	-5.42	1.95	3	Vertical	190	1.75	66.63	27.83	8.34	34.22

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85816G	31.25	54.00	-22.75	8.05	3	Vertical	321	1.16	23.20	32.53	9.69	34.17
AV	7.28916G	37.75	54.00	-16.25	13.67	3	Vertical	233	1.50	24.08	36.84	11.32	34.49
PK	4.86284G	44.83	74.00	-29.17	8.08	3	Vertical	321	1.16	36.75	32.55	9.70	34.17
PK	7.30956G	51.47	74.00	-22.53	13.58	3	Vertical	233	1.50	37.89	36.76	11.32	34.50

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85816G	31.26	54.00	-22.74	8.05	3	Horizontal	202	1.50	23.21	32.53	9.69	34.17
AV	7.29336G	37.66	54.00	-16.34	13.65	3	Horizontal	192	1.50	24.01	36.83	11.32	34.50
PK	4.87172G	45.18	74.00	-28.82	8.12	3	Horizontal	202	1.50	37.06	32.59	9.70	34.17
PK	7.30116G	51.03	74.00	-22.97	13.62	3	Horizontal	192	1.50	37.41	36.80	11.32	34.50

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3878G	47.32	54.00	-6.68	1.58	3	Vertical	194	2.14	45.74	27.50	8.28	34.20
AV	2.4598G	102.78	Inf	-Inf	1.86	3	Vertical	194	2.14	100.92	27.74	8.33	34.21
AV	2.4835G	52.42	54.00	-1.58	1.95	3	Vertical	194	2.14	50.47	27.83	8.34	34.22
PK	2.3854G	61.15	74.00	-12.85	1.56	3	Vertical	194	2.14	59.59	27.48	8.28	34.20
PK	2.4586G	115.14	Inf	-Inf	1.85	3	Vertical	194	2.14	113.29	27.73	8.33	34.21
PK	2.4835G	67.65	74.00	-6.35	1.95	3	Vertical	194	2.14	65.70	27.83	8.34	34.22

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	47.41	54.00	-6.59	1.59	3	Vertical	193	2.19	45.82	27.51	8.28	34.20
AV	2.4588G	102.53	Inf	-Inf	1.86	3	Vertical	193	2.19	100.67	27.74	8.33	34.21
AV	2.4835G	52.58	54.00	-1.42	1.95	3	Vertical	193	2.19	50.63	27.83	8.34	34.22
PK	2.3836G	60.72	74.00	-13.28	1.55	3	Vertical	193	2.19	59.17	27.47	8.28	34.20
PK	2.4628G	116.25	Inf	-Inf	1.87	3	Vertical	193	2.19	114.38	27.75	8.33	34.21
PK	2.486G	66.65	74.00	-7.35	1.97	3	Vertical	193	2.19	64.68	27.84	8.35	34.22



2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92088G	30.88	54.00	-23.12	8.40	3	Vertical	48	1.96	22.48	32.83	9.72	34.15
AV	7.33944G	37.27	54.00	-16.73	13.47	3	Vertical	243	1.88	23.80	36.64	11.33	34.50
PK	4.91264G	44.80	74.00	-29.20	8.35	3	Vertical	48	1.96	36.45	32.78	9.72	34.15
PK	7.35376G	50.63	74.00	-23.37	13.41	3	Vertical	243	1.88	37.22	36.58	11.33	34.50

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88448G	30.93	54.00	-23.07	8.18	3	Horizontal	288	1.54	22.75	32.64	9.70	34.16
AV	7.37592G	37.35	54.00	-16.65	13.33	3	Horizontal	201	2.64	24.02	36.50	11.34	34.51
PK	4.89824G	44.90	74.00	-29.10	8.24	3	Horizontal	288	1.54	36.66	32.69	9.71	34.16
PK	7.35976G	50.91	74.00	-23.09	13.39	3	Horizontal	201	2.64	37.52	36.56	11.33	34.50



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.8023G	43.44	54.00	-10.56	Vertical
Mode 2	Pass	AV	4.82378G	45.37	54.00	-8.63	Horizontal
Mode 3	Pass	AV	1.59621G	31.41	54.00	-22.59	Vertical
Mode 4	Pass	AV	7.38731G	51.80	54.00	-2.20	Horizontal
Mode 5	Pass	AV	4.82391G	46.82	54.00	-7.18	Horizontal
Mode 6	Pass	AV	4.82419G	45.77	54.00	-8.23	Vertical
Mode 7	Pass	AV	4.27322G	31.00	54.00	-23.00	Vertical
Mode 8	Pass	AV	7.38584G	48.64	54.00	-5.36	Horizontal




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	1.5837G	29.50	54.00	-24.50	-4.27	3	Vertical	0	2.78
Mode 1	Pass	AV	4.8023G	43.44	54.00	-10.56	4.92	3	Vertical	14	1.44
Mode 1	Pass	PK	1.597G	48.23	74.00	-25.77	-4.27	3	Vertical	0	2.78
Mode 1	Pass	PK	4.803G	44.85	74.00	-29.15	4.93	3	Vertical	14	1.44
Mode 1	Pass	AV	1.3872G	38.13	74.00	-35.87	-4.41	3	Horizontal	0	1.47
Mode 1	Pass	AV	1.991G	24.77	68.20	-43.43	-2.71	3	Horizontal	344	1.75
Mode 1	Pass	PK	1.387G	41.81	74.00	-32.19	-4.42	3	Horizontal	0	1.47
Mode 1	Pass	PK	1.991G	41.67	68.20	-26.53	-2.71	3	Horizontal	344	1.75
Mode 2	Pass	AV	1.58371G	38.85	54.00	-15.15	-4.27	3	Vertical	0	3.00
Mode 2	Pass	AV	1.811G	22.73	68.20	-45.47	-4.41	3	Vertical	321	1.49
Mode 2	Pass	PK	1.583G	47.86	74.00	-26.14	-4.26	3	Vertical	0	3.00
Mode 2	Pass	PK	1.818G	43.00	68.20	-25.20	-4.37	3	Vertical	321	1.49
Mode 2	Pass	AV	1.3987G	23.45	54.00	-30.55	-4.41	3	Horizontal	360	1.50
Mode 2	Pass	AV	4.82378G	45.37	54.00	-8.63	5.05	3	Horizontal	10	1.87
Mode 2	Pass	PK	1.397G	39.02	74.00	-34.98	-4.40	3	Horizontal	360	1.50
Mode 2	Pass	PK	4.824G	49.60	74.00	-24.40	5.05	3	Horizontal	10	1.87
Mode 3	Pass	AV	1.59621G	31.41	54.00	-22.59	-4.28	3	Vertical	180	2.12
Mode 3	Pass	AV	3.19871G	32.15	68.20	-36.05	1.28	3	Vertical	355	1.74
Mode 3	Pass	PK	1.596G	47.80	74.00	-26.20	-4.28	3	Vertical	180	2.12
Mode 3	Pass	PK	3.192G	42.60	68.20	-25.60	1.26	3	Vertical	355	1.74
Mode 3	Pass	AV	1.58412G	28.92	54.00	-25.08	-4.27	3	Horizontal	178	2.49
Mode 3	Pass	AV	3.5841G	28.98	68.20	-39.22	1.36	3	Horizontal	234	1.87
Mode 3	Pass	PK	1.584G	46.99	74.00	-27.01	-4.27	3	Horizontal	178	2.49
Mode 3	Pass	PK	3.584G	43.21	68.20	-24.99	1.36	3	Horizontal	234	1.87
Mode 4	Pass	AV	1.581G	26.89	54.00	-27.11	-4.26	3	Vertical	158	1.50
Mode 4	Pass	AV	7.38751G	49.24	54.00	-4.76	10.36	3	Vertical	276	1.50
Mode 4	Pass	PK	1.5812G	39.75	129.15	-89.40	-13.78	3	Vertical	158	1.50
Mode 4	Pass	PK	7.387G	53.37	74.00	-20.63	10.36	3	Vertical	276	1.50
Mode 4	Pass	AV	1.58531G	27.29	54.00	-26.71	-4.27	3	Horizontal	311	2.09
Mode 4	Pass	AV	7.38731G	51.80	54.00	-2.20	10.36	3	Horizontal	87	1.99
Mode 4	Pass	PK	1.585G	46.10	74.00	-27.90	-4.27	3	Horizontal	311	2.09
Mode 4	Pass	PK	7.387G	53.39	74.00	-20.61	10.36	3	Horizontal	87	1.99
Mode 5	Pass	AV	1.58321G	27.31	54.00	-26.69	-4.26	3	Vertical	360	2.91
Mode 5	Pass	AV	4.82431G	46.72	54.00	-7.28	5.06	3	Vertical	5	1.50
Mode 5	Pass	PK	1.583G	47.85	74.00	-26.15	-4.26	3	Vertical	360	2.91
Mode 5	Pass	PK	4.824G	50.91	74.00	-23.09	5.05	3	Vertical	5	1.50
Mode 5	Pass	AV	1.5981G	29.50	54.00	-24.50	-4.28	3	Horizontal	355	1.47
Mode 5	Pass	AV	4.82391G	46.82	54.00	-7.18	5.05	3	Horizontal	360	1.61
Mode 5	Pass	PK	1.585G	47.31	74.00	-26.69	-4.27	3	Horizontal	355	1.47
Mode 5	Pass	PK	4.824G	48.14	74.00	-25.86	5.05	3	Horizontal	360	1.61
Mode 6	Pass	AV	1.57631G	30.48	54.00	-23.52	-4.25	3	Vertical	99	1.77
Mode 6	Pass	AV	4.82419G	45.77	54.00	-8.23	5.06	3	Vertical	25	1.50
Mode 6	Pass	PK	1.5871G	48.18	74.00	-25.82	-4.27	3	Vertical	99	1.77
Mode 6	Pass	PK	4.82433G	47.62	74.00	-26.38	5.06	3	Vertical	25	1.50
Mode 6	Pass	AV	1.5812G	27.32	54.00	-26.68	-4.26	3	Horizontal	0	1.99
Mode 6	Pass	AV	4.82412G	45.34	54.00	-8.66	5.05	3	Horizontal	15	1.57
Mode 6	Pass	PK	1.5813G	46.61	74.00	-27.39	-4.26	3	Horizontal	0	1.99
Mode 6	Pass	PK	4.82369G	47.66	74.00	-26.34	5.05	3	Horizontal	15	1.57
Mode 7	Pass	AV	1.7534G	29.54	68.20	-38.66	-4.60	3	Vertical	47	1.55
Mode 7	Pass	AV	4.27322G	31.00	54.00	-23.00	3.58	3	Vertical	0	1.50




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 7	Pass	PK	1.75733G	42.49	68.20	-25.71	-4.60	3	Vertical	47	1.55
Mode 7	Pass	PK	4.27321G	44.31	74.00	-29.69	3.58	3	Vertical	0	1.50
Mode 7	Pass	AV	3.017G	28.48	68.20	-39.72	1.06	3	Horizontal	0	1.50
Mode 7	Pass	AV	4.0177G	30.65	54.00	-23.35	2.77	3	Horizontal	112	1.74
Mode 7	Pass	PK	3.007G	42.07	68.20	-26.13	1.03	3	Horizontal	0	1.50
Mode 7	Pass	PK	4.011G	43.68	74.00	-30.32	2.77	3	Horizontal	112	1.74
Mode 8	Pass	AV	1.58127G	37.56	54.00	-16.44	-4.26	3	Vertical	100	2.51
Mode 8	Pass	AV	7.38687G	48.03	54.00	-5.97	10.35	3	Vertical	79	1.79
Mode 8	Pass	PK	1.5854G	47.30	74.00	-26.70	-4.27	3	Vertical	100	2.51
Mode 8	Pass	PK	7.387G	52.32	74.00	-21.68	10.36	3	Vertical	79	1.79
Mode 8	Pass	AV	1.581374G	28.48	54.00	-25.52	-4.26	3	Horizontal	243	1.22
Mode 8	Pass	AV	7.38584G	48.64	54.00	-5.36	10.36	3	Horizontal	157	2.50
Mode 8	Pass	PK	1.581875G	46.60	74.00	-27.40	-4.25	3	Horizontal	243	1.22
Mode 8	Pass	PK	7.38788G	51.39	74.00	-22.61	10.36	3	Horizontal	157	2.50

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.5837G	29.50	54.00	-24.50	-4.27	3	Vertical	0	2.78	33.77	25.63	3.89	33.79
AV	4.8023G	43.44	54.00	-10.56	4.92	3	Vertical	14	1.44	38.52	32.31	6.90	34.29
PK	1.597G	48.23	74.00	-25.77	-4.27	3	Vertical	0	2.78	52.50	25.61	3.91	33.79
PK	4.803G	44.85	74.00	-29.15	4.93	3	Vertical	14	1.44	39.92	32.32	6.90	34.29

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.3872G	38.13	74.00	-35.87	-4.41	3	Horizontal	0	1.47	42.54	25.93	3.62	33.96
AV	1.991G	24.77	68.20	-43.43	-2.71	3	Horizontal	344	1.75	27.48	26.73	4.37	33.81
PK	1.387G	41.81	74.00	-32.19	-4.42	3	Horizontal	0	1.47	46.23	25.93	3.62	33.97
PK	1.991G	41.67	68.20	-26.53	-2.71	3	Horizontal	344	1.75	44.38	26.73	4.37	33.81

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.58371G	38.85	54.00	-15.15	-4.27	3	Vertical	0	3.00	43.12	25.63	3.89	33.79
AV	1.811G	22.73	68.20	-45.47	-4.41	3	Vertical	321	1.49	27.14	25.24	4.15	33.80
PK	1.583G	47.86	74.00	-26.14	-4.26	3	Vertical	0	3.00	52.12	25.63	3.89	33.78
PK	1.818G	43.00	68.20	-25.20	-4.37	3	Vertical	321	1.49	47.37	25.27	4.16	33.80

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.3987G	23.45	54.00	-30.55	-4.41	3	Horizontal	360	1.50	27.86	25.90	3.64	33.95
AV	4.82378G	45.37	54.00	-8.63	5.05	3	Horizontal	10	1.87	40.32	32.44	6.90	34.29
PK	1.397G	39.02	74.00	-34.98	-4.40	3	Horizontal	360	1.50	43.42	25.91	3.64	33.95
PK	4.824G	49.60	74.00	-24.40	5.05	3	Horizontal	10	1.87	44.55	32.44	6.90	34.29

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59621G	31.41	54.00	-22.59	-4.28	3	Vertical	180	2.12	35.69	25.61	3.90	33.79
AV	3.19871G	32.15	68.20	-36.05	1.28	3	Vertical	355	1.74	30.87	29.90	5.55	34.17
PK	1.596G	47.80	74.00	-26.20	-4.28	3	Vertical	180	2.12	52.08	25.61	3.90	33.79
PK	3.192G	42.60	68.20	-25.60	1.26	3	Vertical	355	1.74	41.34	29.88	5.55	34.17

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.58412G	28.92	54.00	-25.08	-4.27	3	Horizontal	178	2.49	33.19	25.63	3.89	33.79
AV	3.5841G	28.98	68.20	-39.22	1.36	3	Horizontal	234	1.87	27.62	29.64	5.95	34.23
PK	1.584G	46.99	74.00	-27.01	-4.27	3	Horizontal	178	2.49	51.26	25.63	3.89	33.79
PK	3.584G	43.21	68.20	-24.99	1.36	3	Horizontal	234	1.87	41.85	29.64	5.95	34.23

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.581G	26.89	54.00	-27.11	-4.26	3	Vertical	158	1.50	31.15	25.64	3.88	33.78
AV	7.38751G	49.24	54.00	-4.76	10.36	3	Vertical	276	1.50	38.88	36.55	8.62	34.81
PK	1.5812G	39.75	129.15	-89.40	-13.78	3	Vertical	158	1.50	53.53	20.90	1.56	36.24
PK	7.387G	53.37	74.00	-20.63	10.36	3	Vertical	276	1.50	43.01	36.55	8.62	34.81

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.58531G	27.29	54.00	-26.71	-4.27	3	Horizontal	311	2.09	31.56	25.63	3.89	33.79
AV	7.38731G	51.80	54.00	-2.20	10.36	3	Horizontal	87	1.99	41.44	36.55	8.62	34.81
PK	1.585G	46.10	74.00	-27.90	-4.27	3	Horizontal	311	2.09	50.37	25.63	3.89	33.79
PK	7.387G	53.39	74.00	-20.61	10.36	3	Horizontal	87	1.99	43.03	36.55	8.62	34.81

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.58321G	27.31	54.00	-26.69	-4.26	3	Vertical	360	2.91	31.57	25.63	3.89	33.78
AV	4.82431G	46.72	54.00	-7.28	5.06	3	Vertical	5	1.50	41.66	32.45	6.90	34.29
PK	1.583G	47.85	74.00	-26.15	-4.26	3	Vertical	360	2.91	52.11	25.63	3.89	33.78
PK	4.824G	50.91	74.00	-23.09	5.05	3	Vertical	5	1.50	45.86	32.44	6.90	34.29

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.5981G	29.50	54.00	-24.50	-4.28	3	Horizontal	355	1.47	33.78	25.60	3.91	33.79
AV	4.82391G	46.82	54.00	-7.18	5.05	3	Horizontal	360	1.61	41.77	32.44	6.90	34.29
PK	1.585G	47.31	74.00	-26.69	-4.27	3	Horizontal	355	1.47	51.58	25.63	3.89	33.79
PK	4.824G	48.14	74.00	-25.86	5.05	3	Horizontal	360	1.61	43.09	32.44	6.90	34.29

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.57631G	30.48	54.00	-23.52	-4.25	3	Vertical	99	1.77	34.73	25.65	3.88	33.78
AV	4.82419G	45.77	54.00	-8.23	5.06	3	Vertical	25	1.50	40.71	32.45	6.90	34.29
PK	1.5871G	48.18	74.00	-25.82	-4.27	3	Vertical	99	1.77	52.45	25.63	3.89	33.79
PK	4.82433G	47.62	74.00	-26.38	5.06	3	Vertical	25	1.50	42.56	32.45	6.90	34.29

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.5812G	27.32	54.00	-26.68	-4.26	3	Horizontal	0	1.99	31.58	25.64	3.88	33.78
AV	4.82412G	45.34	54.00	-8.66	5.05	3	Horizontal	15	1.57	40.29	32.44	6.90	34.29
PK	1.5813G	46.61	74.00	-27.39	-4.26	3	Horizontal	0	1.99	50.87	25.64	3.88	33.78
PK	4.82369G	47.66	74.00	-26.34	5.05	3	Horizontal	15	1.57	42.61	32.44	6.90	34.29

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.7534G	29.54	68.20	-38.66	-4.60	3	Vertical	47	1.55	34.14	25.11	4.09	33.80
AV	4.27322G	31.00	54.00	-23.00	3.58	3	Vertical	0	1.50	27.42	31.45	6.42	34.29
PK	1.75733G	42.49	68.20	-25.71	-4.60	3	Vertical	47	1.55	47.09	25.11	4.09	33.80
PK	4.27321G	44.31	74.00	-29.69	3.58	3	Vertical	0	1.50	40.73	31.45	6.42	34.29

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.017G	28.48	68.20	-39.72	1.06	3	Horizontal	0	1.50	27.42	29.73	5.46	34.13
AV	4.0177G	30.65	54.00	-23.35	2.77	3	Horizontal	112	1.74	27.88	30.80	6.22	34.25
PK	3.007G	42.07	68.20	-26.13	1.03	3	Horizontal	0	1.50	41.04	29.71	5.45	34.13
PK	4.011G	43.68	74.00	-30.32	2.77	3	Horizontal	112	1.74	40.91	30.80	6.22	34.25

Radiated Emissions above 1GHz_Mode 8



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.58127G	37.56	54.00	-16.44	-4.26	3	Vertical	100	2.51	41.82	25.64	3.88	33.78
AV	7.38687G	48.03	54.00	-5.97	10.35	3	Vertical	79	1.79	37.68	36.55	8.61	34.81
PK	1.5854G	47.30	74.00	-26.70	-4.27	3	Vertical	100	2.51	51.57	25.63	3.89	33.79
PK	7.387G	52.32	74.00	-21.68	10.36	3	Vertical	79	1.79	41.96	36.55	8.62	34.81

Radiated Emissions above 1GHz_Mode 8



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.581374G	28.48	54.00	-25.52	-4.26	3	Horizontal	243	1.22	32.74	25.64	3.88	33.78
AV	7.38584G	48.64	54.00	-5.36	10.36	3	Horizontal	157	2.50	38.28	36.56	8.61	34.81
PK	1.581875G	46.60	74.00	-27.40	-4.25	3	Horizontal	243	1.22	50.85	25.64	3.89	33.78
PK	7.38788G	51.39	74.00	-22.61	10.36	3	Horizontal	157	2.50	41.03	36.55	8.62	34.81