




802.11a\_Nss1,(6Mbps)\_4TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	109.23	Inf	-Inf	6.89	3	Horizontal	304	1.82	-	102.34	32.09	9.09	34.29
PK	5.6294G	58.69	68.20	-9.51	6.32	3	Horizontal	304	1.82	-	52.37	31.66	8.93	34.27
PK	5.8214G	119.18	Inf	-Inf	6.89	3	Horizontal	304	1.82	-	112.29	32.09	9.09	34.29
PK	5.987G	57.91	68.20	-10.29	7.22	3	Horizontal	304	1.82	-	50.69	32.37	9.16	34.31



802.11a\_Nss1,(6Mbps)\_4TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64988G	44.38	54.00	-9.62	18.15	3	Vertical	25	1.00	-	26.23	39.55	12.83	34.23
PK	11.65068G	56.82	74.00	-17.18	18.15	3	Vertical	25	1.00	-	38.67	39.55	12.83	34.23
PK	17.47472G	66.04	68.20	-2.16	22.95	3	Vertical	15	2.08	-	43.09	41.05	15.10	33.20



802.11a\_Nss1,(6Mbps)\_4TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64996G	43.82	54.00	-10.18	18.15	3	Horizontal	27	1.09	-	25.67	39.55	12.83	34.23
PK	11.65012G	55.07	74.00	-18.93	18.15	3	Horizontal	27	1.09	-	36.92	39.55	12.83	34.23
PK	17.47348G	65.91	68.20	-2.29	22.94	3	Horizontal	30	1.47	-	42.97	41.04	15.10	33.20



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	48.61	54.00	-5.39	5.99	3	Vertical	27	2.86	-	42.62	31.70	8.52	34.23
AV	5.186G	102.70	Inf	-Inf	5.89	3	Vertical	27	2.86	-	96.81	31.56	8.56	34.23
AV	5.3792G	43.65	54.00	-10.35	5.54	3	Vertical	27	2.86	-	38.11	31.18	8.61	34.25
PK	5.1476G	61.31	74.00	-12.69	5.99	3	Vertical	27	2.86	-	55.32	31.70	8.52	34.23
PK	5.186G	114.18	Inf	-Inf	5.89	3	Vertical	27	2.86	-	108.29	31.56	8.56	34.23
PK	5.474G	55.37	68.20	-12.83	6.11	3	Vertical	27	2.86	-	49.26	31.65	8.72	34.26



802.11ax HEW20\_Nss1,(MCS0)\_4TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.87	54.00	-1.13	5.99	3	Horizontal	67	1.83	-	46.88	31.70	8.52	34.23
AV	5.1728G	107.45	Inf	-Inf	5.92	3	Horizontal	67	1.83	-	101.53	31.61	8.54	34.23
AV	5.3648G	44.53	54.00	-9.47	5.44	3	Horizontal	67	1.83	-	39.09	31.09	8.60	34.25
PK	5.15G	64.95	74.00	-9.05	5.99	3	Horizontal	67	1.83	-	58.96	31.70	8.52	34.23
PK	5.1716G	119.42	Inf	-Inf	5.92	3	Horizontal	67	1.83	-	113.50	31.61	8.54	34.23
PK	5.4608G	55.45	68.20	-12.75	6.06	3	Horizontal	67	1.83	-	49.39	31.62	8.70	34.26



802.11ax HEW20\_Nss1,(MCS0)\_4TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53356G	44.38	54.00	-9.62	18.51	3	Vertical	0	1.50	-	25.87	38.27	14.61	34.37
PK	10.35996G	58.06	68.20	-10.14	16.88	3	Vertical	31	2.77	-	41.18	39.38	12.18	34.68
PK	15.54224G	57.11	74.00	-16.89	18.43	3	Vertical	0	1.50	-	38.68	38.20	14.61	34.38



802.11ax HEW20\_Nss1,(MCS0)\_4TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54136G	44.67	54.00	-9.33	18.44	3	Horizontal	319	2.46	-	26.23	38.21	14.61	34.38
PK	10.35888G	61.07	68.20	-7.13	16.88	3	Horizontal	72	2.14	-	44.19	39.38	12.18	34.68
PK	15.5368G	56.65	74.00	-17.35	18.48	3	Horizontal	319	2.46	-	38.17	38.24	14.61	34.37



802.11ax HEW20\_Nss1,(MCS0)\_4TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0032G	47.15	54.00	-6.85	5.47	3	Vertical	7	2.91	-	41.68	31.31	8.38	34.22
AV	5.1964G	107.25	Inf	-Inf	5.84	3	Vertical	7	2.91	-	101.41	31.51	8.57	34.24
AV	5.3968G	46.20	54.00	-7.80	5.64	3	Vertical	7	2.91	-	40.56	31.28	8.61	34.25
PK	5.0416G	59.14	74.00	-14.86	5.67	3	Vertical	7	2.91	-	53.47	31.47	8.42	34.22
PK	5.1976G	117.65	Inf	-Inf	5.84	3	Vertical	7	2.91	-	111.81	31.51	8.57	34.24
PK	5.4928G	57.67	68.20	-10.53	6.17	3	Vertical	7	2.91	-	51.50	31.69	8.74	34.26





802.11ax HEW20\_Nss1,(MCS0)\_4TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	48.19	54.00	-5.81	5.99	3	Horizontal	306	1.78	-	42.20	31.70	8.52	34.23
AV	5.194G	108.58	Inf	-Inf	5.84	3	Horizontal	306	1.78	-	102.74	31.52	8.56	34.24
AV	5.3872G	47.64	54.00	-6.36	5.58	3	Horizontal	306	1.78	-	42.06	31.22	8.61	34.25
PK	5.1436G	60.77	74.00	-13.23	5.99	3	Horizontal	306	1.78	-	54.78	31.70	8.52	34.23
PK	5.194G	120.20	Inf	-Inf	5.84	3	Horizontal	306	1.78	-	114.36	31.52	8.56	34.24
PK	5.4868G	57.67	68.20	-10.53	6.15	3	Horizontal	306	1.78	-	51.52	31.67	8.74	34.26



802.11ax HEW20\_Nss1,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59932G	45.12	54.00	-8.88	17.99	3	Vertical	20	1.56	-	27.13	37.80	14.62	34.43
PK	10.3964G	59.67	68.20	-8.53	17.04	3	Vertical	340	1.41	-	42.63	39.49	12.20	34.65
PK	15.59936G	58.90	74.00	-15.10	17.99	3	Vertical	20	1.56	-	40.91	37.80	14.62	34.43

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59404G	46.08	54.00	-7.92	18.03	3	Horizontal	360	1.50	-	28.05	37.84	14.62	34.43
PK	10.39664G	64.12	68.20	-4.08	17.04	3	Horizontal	71	1.64	-	47.08	39.49	12.20	34.65
PK	15.59324G	60.44	74.00	-13.56	18.04	3	Horizontal	360	1.50	-	42.40	37.85	14.62	34.43



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	49.10	54.00	-4.90	5.99	3	Vertical	4	2.90	-	43.11	31.70	8.52	34.23
AV	5.2412G	109.96	Inf	-Inf	5.59	3	Vertical	4	2.90	-	104.37	31.25	8.58	34.24
AV	5.35G	47.68	54.00	-6.32	5.35	3	Vertical	4	2.90	-	42.33	31.00	8.60	34.25
PK	5.1452G	60.37	74.00	-13.63	5.99	3	Vertical	4	2.90	-	54.38	31.70	8.52	34.23
PK	5.24G	120.01	Inf	-Inf	5.60	3	Vertical	4	2.90	-	114.41	31.26	8.58	34.24
PK	5.5208G	58.52	68.20	-9.68	6.19	3	Vertical	4	2.90	-	52.33	31.66	8.79	34.26



802.11ax HEW20\_Nss1,(MCS0)\_4TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	51.23	54.00	-2.77	5.99	3	Horizontal	313	2.89	-	45.24	31.70	8.52	34.23
AV	5.2412G	111.30	Inf	-Inf	5.59	3	Horizontal	313	2.89	-	105.71	31.25	8.58	34.24
AV	5.4344G	48.73	54.00	-5.27	5.92	3	Horizontal	313	2.89	-	42.81	31.51	8.66	34.25
PK	5.1428G	63.42	74.00	-10.58	5.99	3	Horizontal	313	2.89	-	57.43	31.70	8.52	34.23
PK	5.2424G	122.37	Inf	-Inf	5.59	3	Horizontal	313	2.89	-	116.78	31.25	8.58	34.24
PK	5.5016G	58.47	68.20	-9.73	6.20	3	Horizontal	313	2.89	-	52.27	31.70	8.76	34.26



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71792G	48.89	54.00	-5.11	18.04	3	Vertical	345	1.45	-	30.85	37.93	14.65	34.54
PK	10.47596G	64.36	68.20	-3.84	17.30	3	Vertical	337	1.41	-	47.06	39.65	12.24	34.59
PK	15.71844G	61.31	74.00	-12.69	18.04	3	Vertical	345	1.45	-	43.27	37.93	14.65	34.54



802.11ax HEW20\_Nss1,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71808G	51.49	54.00	-2.51	18.04	3	Horizontal	326	1.60	-	33.45	37.93	14.65	34.54
PK	10.48208G	66.82	68.20	-1.38	17.32	3	Horizontal	63	1.75	-	49.50	39.66	12.24	34.58
PK	15.71904G	64.74	74.00	-9.26	18.03	3	Horizontal	326	1.60	-	46.71	37.92	14.65	34.54

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	104.85	Inf	-Inf	6.72	3	Vertical	35	2.90	-	98.13	31.97	9.03	34.28
PK	5.6106G	59.60	68.20	-8.60	6.26	3	Vertical	35	2.90	-	53.34	31.62	8.91	34.27
PK	5.7426G	117.04	Inf	-Inf	6.72	3	Vertical	35	2.90	-	110.32	31.97	9.03	34.28
PK	6.039G	59.60	68.20	-8.60	7.21	3	Vertical	35	2.90	-	52.39	32.32	9.20	34.31



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	110.52	Inf	-Inf	6.74	3	Horizontal	72	1.88	-	103.78	31.99	9.03	34.28
PK	5.643G	59.77	68.20	-8.43	6.36	3	Horizontal	72	1.88	-	53.41	31.69	8.94	34.27
PK	5.7486G	121.41	Inf	-Inf	6.74	3	Horizontal	72	1.88	-	114.67	31.99	9.03	34.28
PK	6.0078G	60.50	68.20	-7.70	7.25	3	Horizontal	72	1.88	-	53.25	32.38	9.18	34.31



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4898G	45.32	54.00	-8.68	18.57	3	Vertical	344	1.50	-	26.75	39.98	12.75	34.16
PK	11.49G	56.64	74.00	-17.36	18.57	3	Vertical	344	1.50	-	38.07	39.98	12.75	34.16
PK	17.23848G	62.35	68.20	-5.85	21.38	3	Vertical	350	1.49	-	40.97	39.62	15.04	33.28



802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48996G	45.88	54.00	-8.12	18.57	3	Horizontal	58	2.92	-	27.31	39.98	12.75	34.16
PK	11.4896G	57.47	74.00	-16.53	18.57	3	Horizontal	58	2.92	-	38.90	39.98	12.75	34.16
PK	17.23552G	66.52	68.20	-1.68	21.37	3	Horizontal	27	1.86	-	45.15	39.61	15.04	33.28



802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	109.44	Inf	-Inf	6.78	3	Vertical	26	3.00	-	102.66	32.00	9.07	34.29
PK	5.5762G	58.75	68.20	-9.45	6.20	3	Vertical	26	3.00	-	52.55	31.60	8.87	34.27
PK	5.7874G	119.08	Inf	-Inf	6.78	3	Vertical	26	3.00	-	112.30	32.00	9.07	34.29
PK	6.0718G	60.33	68.20	-7.87	7.25	3	Vertical	26	3.00	-	53.08	32.34	9.23	34.32



802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	112.64	Inf	-Inf	6.78	3	Horizontal	302	2.20	-	105.86	32.00	9.07	34.29
PK	5.5942G	61.20	68.20	-7.00	6.22	3	Horizontal	302	2.20	-	54.98	31.60	8.89	34.27
PK	5.7874G	124.79	Inf	-Inf	6.78	3	Horizontal	302	2.20	-	118.01	32.00	9.07	34.29
PK	6.0598G	60.21	68.20	-7.99	7.23	3	Horizontal	302	2.20	-	52.98	32.32	9.22	34.31



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56728G	49.86	54.00	-4.14	18.53	3	Vertical	352	1.00	-	31.33	39.93	12.79	34.19
PK	11.56792G	61.69	74.00	-12.31	18.53	3	Vertical	352	1.00	-	43.16	39.93	12.79	34.19
PK	17.35648G	66.37	68.20	-1.83	22.08	3	Vertical	25	2.51	-	44.29	40.25	15.07	33.24



802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56612G	48.29	54.00	-5.71	18.53	3	Horizontal	70	2.11	-	29.76	39.93	12.79	34.19
PK	11.56628G	60.81	74.00	-13.19	18.53	3	Horizontal	70	2.11	-	42.28	39.93	12.79	34.19
PK	17.35416G	67.14	68.20	-1.06	22.06	3	Horizontal	360	1.68	-	45.08	40.23	15.07	33.24



802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	109.89	Inf	-Inf	6.91	3	Vertical	26	2.96	-	102.98	32.11	9.09	34.29
PK	5.5838G	58.62	68.20	-9.58	6.21	3	Vertical	26	2.96	-	52.41	31.60	8.88	34.27
PK	5.8274G	120.99	Inf	-Inf	6.91	3	Vertical	26	2.96	-	114.08	32.11	9.09	34.29
PK	6.1058G	60.08	68.20	-8.12	7.34	3	Vertical	26	2.96	-	52.74	32.41	9.25	34.32





802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	112.02	Inf	-Inf	6.89	3	Horizontal	310	1.50	-	105.13	32.09	9.09	34.29
PK	5.6282G	59.29	68.20	-8.91	6.32	3	Horizontal	310	1.50	-	52.97	31.66	8.93	34.27
PK	5.8202G	123.62	Inf	-Inf	6.88	3	Horizontal	310	1.50	-	116.74	32.08	9.09	34.29
PK	5.9294G	60.72	68.20	-7.48	7.14	3	Horizontal	310	1.50	-	53.58	32.30	9.14	34.30



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6496G	48.59	54.00	-5.41	18.15	3	Vertical	12	1.50	-	30.44	39.55	12.83	34.23
PK	11.65048G	60.48	74.00	-13.52	18.15	3	Vertical	12	1.50	-	42.33	39.55	12.83	34.23
PK	17.4784G	66.45	68.20	-1.75	22.97	3	Vertical	12	2.11	-	43.48	41.07	15.10	33.20



802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64592G	50.46	54.00	-3.54	18.18	3	Horizontal	70	2.10	-	32.28	39.58	12.83	34.23
PK	11.64664G	62.52	74.00	-11.48	18.17	3	Horizontal	70	2.10	-	44.35	39.57	12.83	34.23
PK	17.46524G	66.50	68.20	-1.70	22.88	3	Horizontal	25	1.91	-	43.62	40.99	15.09	33.20



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1396G	49.21	54.00	-4.79	5.98	3	Vertical	12	2.93	-	43.23	31.70	8.51	34.23
AV	5.1792G	101.80	Inf	-Inf	5.90	3	Vertical	12	2.93	-	95.90	31.58	8.55	34.23
AV	5.4588G	46.12	54.00	-7.88	6.06	3	Vertical	12	2.93	-	40.06	31.62	8.70	34.26
PK	5.1384G	62.32	74.00	-11.68	5.98	3	Vertical	12	2.93	-	56.34	31.70	8.51	34.23
PK	5.178G	112.28	Inf	-Inf	5.91	3	Vertical	12	2.93	-	106.37	31.59	8.55	34.23
PK	5.46G	57.60	68.20	-10.60	6.06	3	Vertical	12	2.93	-	51.54	31.62	8.70	34.26



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.65	54.00	-1.35	5.99	3	Horizontal	309	1.86	-	46.66	31.70	8.52	34.23
AV	5.1984G	105.28	Inf	-Inf	5.84	3	Horizontal	309	1.86	-	99.44	31.51	8.57	34.24
AV	5.3904G	47.05	54.00	-6.95	5.60	3	Horizontal	309	1.86	-	41.45	31.24	8.61	34.25
PK	5.15G	65.61	74.00	-8.39	5.99	3	Horizontal	309	1.86	-	59.62	31.70	8.52	34.23
PK	5.178G	115.04	Inf	-Inf	5.91	3	Horizontal	309	1.86	-	109.13	31.59	8.55	34.23
PK	5.4888G	58.57	68.20	-9.63	6.16	3	Horizontal	309	1.86	-	52.41	31.68	8.74	34.26



802.11ax HEW40\_Nss1,(MCS0)\_4TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55504G	44.28	54.00	-9.72	18.33	3	Vertical	30	1.52	-	25.95	38.11	14.61	34.39
PK	10.38008G	57.02	68.20	-11.18	16.97	3	Vertical	31	2.70	-	40.05	39.44	12.19	34.66
PK	15.55768G	56.46	74.00	-17.54	18.32	3	Vertical	30	1.52	-	38.14	38.10	14.61	34.39



802.11ax HEW40\_Nss1,(MCS0)\_4TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56256G	44.35	54.00	-9.65	18.27	3	Horizontal	74	1.50	-	26.08	38.06	14.61	34.40
PK	10.36376G	54.81	68.20	-13.39	16.90	3	Horizontal	0	2.99	-	37.91	39.39	12.18	34.67
PK	15.582G	56.83	74.00	-17.17	18.13	3	Horizontal	74	1.50	-	38.70	37.93	14.62	34.42



802.11ax HEW40\_Nss1,(MCS0)\_4TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	47.61	54.00	-6.39	5.99	3	Vertical	7	2.87	-	41.62	31.70	8.52	34.23
AV	5.2336G	104.74	Inf	-Inf	5.64	3	Vertical	7	2.87	-	99.10	31.30	8.58	34.24
AV	5.4256G	46.21	54.00	-7.79	5.85	3	Vertical	7	2.87	-	40.36	31.45	8.65	34.25
PK	5.0392G	58.35	74.00	-15.65	5.66	3	Vertical	7	2.87	-	52.69	31.46	8.42	34.22
PK	5.2336G	115.25	Inf	-Inf	5.64	3	Vertical	7	2.87	-	109.61	31.30	8.58	34.24
PK	5.4892G	58.35	68.20	-9.85	6.16	3	Vertical	7	2.87	-	52.19	31.68	8.74	34.26





802.11ax HEW40\_Nss1,(MCS0)\_4TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	50.99	54.00	-3.01	5.99	3	Horizontal	301	2.83	-	45.00	31.70	8.52	34.23
AV	5.2288G	107.35	Inf	-Inf	5.67	3	Horizontal	301	2.83	-	101.68	31.33	8.58	34.24
AV	5.422G	47.45	54.00	-6.55	5.82	3	Horizontal	301	2.83	-	41.63	31.43	8.64	34.25
PK	5.1496G	62.57	74.00	-11.43	5.99	3	Horizontal	301	2.83	-	56.58	31.70	8.52	34.23
PK	5.2288G	118.09	Inf	-Inf	5.67	3	Horizontal	301	2.83	-	112.42	31.33	8.58	34.24
PK	5.5264G	58.75	68.20	-9.45	6.18	3	Horizontal	301	2.83	-	52.57	31.65	8.79	34.26



802.11ax HEW40\_Nss1,(MCS0)\_4TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6848G	44.36	54.00	-9.64	18.10	3	Vertical	4	1.27	-	26.26	37.97	14.64	34.51
PK	10.46024G	56.77	68.20	-11.43	17.25	3	Vertical	29	2.45	-	39.52	39.62	12.23	34.60
PK	15.6888G	57.28	74.00	-16.72	18.11	3	Vertical	4	1.27	-	39.17	37.98	14.64	34.51



802.11ax HEW40\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69264G	44.77	54.00	-9.23	18.11	3	Horizontal	327	1.50	-	26.66	37.99	14.64	34.52
PK	10.45728G	60.93	68.20	-7.27	17.24	3	Horizontal	70	1.74	-	43.69	39.61	12.23	34.60
PK	15.6936G	56.77	74.00	-17.23	18.11	3	Horizontal	327	1.50	-	38.66	37.99	14.64	34.52

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.749G	104.12	Inf	-Inf	6.75	3	Vertical	33	2.92	-	97.37	32.00	9.03	34.28
PK	5.6494G	60.22	68.20	-7.98	6.37	3	Vertical	33	2.92	-	53.85	31.70	8.94	34.27
PK	5.7502G	114.92	Inf	-Inf	6.75	3	Vertical	33	2.92	-	108.17	32.00	9.04	34.29
PK	5.9998G	59.92	68.20	-8.28	7.26	3	Vertical	33	2.92	-	52.66	32.40	9.17	34.31

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.749G	110.83	Inf	-Inf	6.75	3	Horizontal	66	2.29	-	104.08	32.00	9.03	34.28
PK	5.647G	65.10	68.20	-3.10	6.36	3	Horizontal	66	2.29	-	58.74	31.69	8.94	34.27
PK	5.749G	121.04	Inf	-Inf	6.75	3	Horizontal	66	2.29	-	114.29	32.00	9.03	34.28
PK	6.031G	59.98	68.20	-8.22	7.22	3	Horizontal	66	2.29	-	52.76	32.34	9.19	34.31



802.11ax HEW40\_Nss1,(MCS0)\_4TX

5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50992G	44.79	54.00	-9.21	18.59	3	Vertical	311	1.42	-	26.20	39.99	12.76	34.16
PK	11.49096G	55.40	74.00	-18.60	18.57	3	Vertical	311	1.42	-	36.83	39.98	12.75	34.16
PK	17.27196G	63.72	68.20	-4.48	21.49	3	Vertical	339	1.88	-	42.23	39.72	15.04	33.27



802.11ax HEW40\_Nss1,(MCS0)\_4TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50984G	43.49	54.00	-10.51	18.59	3	Horizontal	331	1.39	-	24.90	39.99	12.76	34.16
PK	11.51208G	55.07	74.00	-18.93	18.58	3	Horizontal	331	1.39	-	36.49	39.99	12.76	34.17
PK	17.25972G	64.48	68.20	-3.72	21.45	3	Horizontal	338	2.51	-	43.03	39.68	15.04	33.27



802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7902G	106.33	Inf	-Inf	6.78	3	Vertical	32	3.00	-	99.55	32.00	9.07	34.29
PK	5.6474G	61.99	68.20	-6.21	6.36	3	Vertical	32	3.00	-	55.63	31.69	8.94	34.27
PK	5.789G	117.03	Inf	-Inf	6.78	3	Vertical	32	3.00	-	110.25	32.00	9.07	34.29
PK	6.0878G	59.68	68.20	-8.52	7.30	3	Vertical	32	3.00	-	52.38	32.38	9.24	34.32



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

#### 5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	111.89	Inf	-Inf	6.78	3	Horizontal	64	2.35	-	105.11	32.00	9.07	34.29
PK	5.6474G	66.28	68.20	-1.92	6.36	3	Horizontal	64	2.35	-	59.92	31.69	8.94	34.27
PK	5.7878G	122.20	Inf	-Inf	6.78	3	Horizontal	64	2.35	-	115.42	32.00	9.07	34.29
PK	6.0674G	59.32	68.20	-8.88	7.23	3	Horizontal	64	2.35	-	52.09	32.33	9.22	34.32



802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58984G	44.51	54.00	-9.49	18.51	3	Vertical	312	1.37	-	26.00	39.91	12.80	34.20
PK	11.59776G	55.98	74.00	-18.02	18.50	3	Vertical	312	1.37	-	37.48	39.90	12.81	34.21
PK	17.3774G	64.82	68.20	-3.38	22.26	3	Vertical	31	1.00	-	42.56	40.42	15.07	33.23



802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58984G	44.04	54.00	-9.96	18.51	3	Horizontal	23	1.50	-	25.53	39.91	12.80	34.20
PK	11.59944G	55.79	74.00	-18.21	18.50	3	Horizontal	23	1.50	-	37.29	39.90	12.81	34.21
PK	17.38452G	66.64	68.20	-1.56	22.32	3	Horizontal	55	1.98	-	44.32	40.48	15.07	33.23



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1332G	48.80	54.00	-5.20	5.98	3	Vertical	35	2.92	-	42.82	31.70	8.51	34.23
AV	5.2136G	96.96	Inf	-Inf	5.75	3	Vertical	35	2.92	-	91.21	31.42	8.57	34.24
AV	5.3552G	45.88	54.00	-8.12	5.38	3	Vertical	35	2.92	-	40.50	31.03	8.60	34.25
PK	5.132G	60.61	74.00	-13.39	5.98	3	Vertical	35	2.92	-	54.63	31.70	8.51	34.23
PK	5.1944G	107.45	Inf	-Inf	5.84	3	Vertical	35	2.92	-	101.61	31.52	8.56	34.24
PK	5.4836G	57.58	68.20	-10.62	6.14	3	Vertical	35	2.92	-	51.44	31.67	8.73	34.26



802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1452G	52.73	54.00	-1.27	5.99	3	Horizontal	64	1.29	-	46.74	31.70	8.52	34.23
AV	5.2052G	100.61	Inf	-Inf	5.80	3	Horizontal	64	1.29	-	94.81	31.47	8.57	34.24
AV	5.366G	46.16	54.00	-7.84	5.45	3	Horizontal	64	1.29	-	40.71	31.10	8.60	34.25
PK	5.144G	66.64	74.00	-7.36	5.99	3	Horizontal	64	1.29	-	60.65	31.70	8.52	34.23
PK	5.2256G	112.45	Inf	-Inf	5.69	3	Horizontal	64	1.29	-	106.76	31.35	8.58	34.24
PK	5.4836G	58.24	68.20	-9.96	6.14	3	Horizontal	64	1.29	-	52.10	31.67	8.73	34.26



802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63248G	44.06	54.00	-9.94	18.03	3	Vertical	3	1.50	-	26.03	37.86	14.63	34.46
PK	10.38352G	54.61	68.20	-13.59	16.98	3	Vertical	197	1.50	-	37.63	39.45	12.19	34.66
PK	15.63192G	56.68	74.00	-17.32	18.03	3	Vertical	3	1.50	-	38.65	37.86	14.63	34.46



802.11ax HEW80\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62404G	43.97	54.00	-10.03	18.03	3	Horizontal	281	1.50	-	25.94	37.85	14.63	34.45
PK	10.42004G	57.39	68.20	-10.81	17.12	3	Horizontal	19	2.02	-	40.27	39.54	12.21	34.63
PK	15.62096G	56.32	74.00	-17.68	18.02	3	Horizontal	281	1.50	-	38.30	37.84	14.63	34.45

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7774G	99.94	Inf	-Inf	6.77	3	Vertical	27	3.00	-	93.17	32.00	9.06	34.29
PK	5.6346G	62.58	68.20	-5.62	6.33	3	Vertical	27	3.00	-	56.25	31.67	8.93	34.27
PK	5.7786G	112.25	Inf	-Inf	6.77	3	Vertical	27	3.00	-	105.48	32.00	9.06	34.29
PK	6.003G	59.88	68.20	-8.32	7.25	3	Vertical	27	3.00	-	52.63	32.39	9.17	34.31



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

#### 5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7714G	102.48	Inf	-Inf	6.76	3	Horizontal	312	1.50	-	95.72	32.00	9.05	34.29
PK	5.6502G	66.83	68.35	-1.52	6.37	3	Horizontal	312	1.50	-	60.46	31.70	8.95	34.28
PK	5.7714G	114.64	Inf	-Inf	6.76	3	Horizontal	312	1.50	-	107.88	32.00	9.05	34.29
PK	6.003G	59.26	68.20	-8.94	7.25	3	Horizontal	312	1.50	-	52.01	32.39	9.17	34.31



802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54984G	44.58	54.00	-9.42	18.55	3	Vertical	310	1.39	-	26.03	39.95	12.78	34.18
PK	11.54984G	55.71	74.00	-18.29	18.55	3	Vertical	310	1.39	-	37.16	39.95	12.78	34.18
PK	17.34272G	60.12	68.20	-8.08	21.96	3	Vertical	333	2.85	-	38.16	40.14	15.06	33.24



802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55G	43.99	54.00	-10.01	18.55	3	Horizontal	332	1.50	-	25.44	39.95	12.78	34.18
PK	11.57144G	55.61	74.00	-18.39	18.53	3	Horizontal	332	1.50	-	37.08	39.93	12.79	34.19
PK	17.29764G	59.85	68.20	-8.35	21.58	3	Horizontal	27	1.50	-	38.27	39.79	15.05	33.26



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	PK	844.8M	42.18	46.00	-3.82	3	Vertical	360	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	99.84M	31.13	43.50	-12.37	3	Vertical	0	1.00	-
5775MHz	Pass	PK	187.14M	32.12	43.50	-11.38	3	Vertical	0	1.00	-
5775MHz	Pass	PK	600.36M	40.31	46.00	-5.69	3	Vertical	0	1.00	-
5775MHz	Pass	PK	714.82M	39.77	46.00	-6.23	3	Vertical	0	1.00	-
5775MHz	Pass	PK	910.76M	36.22	46.00	-9.78	3	Vertical	0	1.00	-
5775MHz	Pass	QP	31.94M	26.27	40.00	-13.73	3	Vertical	39	1.03	-
5775MHz	Pass	PK	30M	31.07	40.00	-8.93	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	47.46M	32.87	40.00	-7.13	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	189.08M	32.07	43.50	-11.43	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	600.36M	38.35	46.00	-7.65	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	716.76M	39.49	46.00	-6.51	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	720.64M	38.40	46.00	-7.60	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	37.76M	36.10	40.00	-3.90	3	Vertical	360	1.00	-
5775MHz	Pass	PK	179.38M	37.69	43.50	-5.81	3	Vertical	360	1.00	-
5775MHz	Pass	PK	600.36M	36.73	46.00	-9.27	3	Vertical	360	1.00	-
5775MHz	Pass	PK	844.8M	42.18	46.00	-3.82	3	Vertical	360	1.00	-
5775MHz	Pass	PK	895.24M	40.82	46.00	-5.18	3	Vertical	360	1.00	-
5775MHz	Pass	QP	30M	32.80	40.00	-7.20	3	Vertical	0	1.03	-
5775MHz	Pass	PK	31.94M	35.04	40.00	-4.96	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	179.38M	34.70	43.50	-8.80	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	233.7M	35.47	46.00	-10.53	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	600.36M	37.91	46.00	-8.09	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	722.58M	41.61	46.00	-4.39	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	895.24M	39.75	46.00	-6.25	3	Horizontal	0	1.00	-



### 802.11ax HEW80\_Nss1,(MCS0)\_8TX

#### 5775MHz\_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	99.84M	31.13	43.50	-12.37	-10.28	3	Vertical	0	1.00	-	41.41	16.09	1.40	27.77
PK	187.14M	32.12	43.50	-11.38	-11.13	3	Vertical	0	1.00	-	43.25	14.22	2.04	27.39
PK	600.36M	40.31	46.00	-5.69	-0.55	3	Vertical	0	1.00	-	40.86	23.97	3.80	28.32
PK	714.82M	39.77	46.00	-6.23	0.41	3	Vertical	0	1.00	-	39.36	24.26	4.23	28.08
PK	910.76M	36.22	46.00	-9.78	3.18	3	Vertical	0	1.00	-	33.04	25.73	4.82	27.37
QP	31.94M	26.27	40.00	-13.73	-4.32	3	Vertical	39	1.03	-	30.59	22.03	0.74	27.09



### 802.11ax HEW80\_Nss1,(MCS0)\_8TX

#### 5775MHz\_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	31.07	40.00	-8.93	-3.19	3	Horizontal	360	1.00	-	34.26	23.32	0.70	27.21
PK	47.46M	32.87	40.00	-7.13	-12.65	3	Horizontal	360	1.00	-	45.52	14.05	0.95	27.65
PK	189.08M	32.07	43.50	-11.43	-11.13	3	Horizontal	360	1.00	-	43.20	14.19	2.05	27.37
PK	600.36M	38.35	46.00	-7.65	-0.55	3	Horizontal	360	1.00	-	38.90	23.97	3.80	28.32
PK	716.76M	39.49	46.00	-6.51	0.47	3	Horizontal	360	1.00	-	39.02	24.31	4.23	28.07
PK	720.64M	38.40	46.00	-7.60	0.60	3	Horizontal	360	1.00	-	37.80	24.42	4.24	28.06



### 802.11ax HEW80\_Nss1,(MCS0)\_8TX

#### 5775MHz\_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	36.10	40.00	-3.90	-7.21	3	Vertical	360	1.00	-	43.31	19.08	0.86	27.15
PK	179.38M	37.69	43.50	-5.81	-10.95	3	Vertical	360	1.00	-	48.64	14.50	1.99	27.44
PK	600.36M	36.73	46.00	-9.27	-0.55	3	Vertical	360	1.00	-	37.28	23.97	3.80	28.32
PK	844.8M	42.18	46.00	-3.82	2.45	3	Vertical	360	1.00	-	39.73	25.49	4.59	27.63
PK	895.24M	40.82	46.00	-5.18	3.00	3	Vertical	360	1.00	-	37.82	25.64	4.78	27.42
QP	30M	32.80	40.00	-7.20	-3.19	3	Vertical	0	1.03	-	35.99	23.32	0.70	27.21





802.11ax HEW80\_Nss1,(MCS0)\_8TX

5775MHz\_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	35.04	40.00	-4.96	-4.32	3	Horizontal	0	1.00	-	39.36	22.03	0.74	27.09
PK	179.38M	34.70	43.50	-8.80	-10.95	3	Horizontal	0	1.00	-	45.65	14.50	1.99	27.44
PK	233.7M	35.47	46.00	-10.53	-9.10	3	Horizontal	0	1.00	-	44.57	15.73	2.30	27.13
PK	600.36M	37.91	46.00	-8.09	-0.55	3	Horizontal	0	1.00	-	38.46	23.97	3.80	28.32
PK	722.58M	41.61	46.00	-4.39	0.65	3	Horizontal	0	1.00	-	40.96	24.46	4.25	28.06
PK	895.24M	39.75	46.00	-6.25	3.00	3	Horizontal	0	1.00	-	36.75	25.64	4.78	27.42



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	AV	5.15G	53.42	54.00	-0.58	3	Vertical	5	1.37	-
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	PK	10.39634G	67.07	68.20	-1.13	3	Horizontal	69	1.67	-
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	AV	5.1436G	53.32	54.00	-0.68	3	Horizontal	66	1.68	-
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	AV	5.1428G	52.90	54.00	-1.10	3	Horizontal	311	1.93	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	PK	17.35652G	67.02	68.20	-1.18	3	Horizontal	317	2.20	-
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	PK	17.46216G	67.11	68.20	-1.09	3	Horizontal	55	2.27	-
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	PK	17.37404G	66.83	68.20	-1.37	3	Horizontal	49	1.00	-
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	PK	5.6562G	71.97	72.79	-0.82	3	Horizontal	307	1.97	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_8TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	53.42	54.00	-0.58	3	Vertical	5	1.37	-
5180MHz	Pass	AV	5.1836G	109.78	Inf	-Inf	3	Vertical	5	1.37	-
5180MHz	Pass	AV	5.3756G	47.23	54.00	-6.77	3	Vertical	5	1.37	-
5180MHz	Pass	PK	5.15G	67.15	74.00	-6.85	3	Vertical	5	1.37	-
5180MHz	Pass	PK	5.1836G	117.69	Inf	-Inf	3	Vertical	5	1.37	-
5180MHz	Pass	PK	5.4668G	58.62	68.20	-9.58	3	Vertical	5	1.37	-
5180MHz	Pass	AV	5.1368G	53.20	54.00	-0.80	3	Horizontal	299	1.96	-
5180MHz	Pass	AV	5.1776G	115.58	Inf	-Inf	3	Horizontal	299	1.96	-
5180MHz	Pass	AV	5.3696G	51.61	54.00	-2.39	3	Horizontal	299	1.96	-
5180MHz	Pass	PK	5.1368G	66.45	74.00	-7.55	3	Horizontal	299	1.96	-
5180MHz	Pass	PK	5.1788G	123.37	Inf	-Inf	3	Horizontal	299	1.96	-
5180MHz	Pass	PK	5.4704G	58.59	68.20	-9.61	3	Horizontal	299	1.96	-
5180MHz	Pass	AV	15.545G	35.09	54.00	-18.91	3	Vertical	360	1.50	-
5180MHz	Pass	AV	20.7209G	39.57	54.00	-14.43	3	Vertical	23	1.70	-
5180MHz	Pass	PK	10.35996G	54.87	68.20	-13.33	3	Vertical	32	2.84	-
5180MHz	Pass	PK	15.53672G	48.15	74.00	-25.85	3	Vertical	360	1.50	-
5180MHz	Pass	PK	20.7225G	52.39	74.00	-21.61	3	Vertical	23	1.70	-
5180MHz	Pass	AV	15.53728G	35.87	54.00	-18.13	3	Horizontal	64	1.65	-
5180MHz	Pass	AV	20.7259G	38.61	54.00	-15.39	3	Horizontal	45	1.62	-
5180MHz	Pass	PK	10.35816G	60.37	68.20	-7.83	3	Horizontal	65	1.68	-
5180MHz	Pass	PK	15.53716G	47.44	74.00	-26.56	3	Horizontal	64	1.65	-
5180MHz	Pass	PK	20.7276G	52.31	74.00	-21.69	3	Horizontal	45	1.62	-
5200MHz	Pass	AV	5.1484G	51.66	54.00	-2.34	3	Vertical	8	2.90	-
5200MHz	Pass	AV	5.1988G	111.58	Inf	-Inf	3	Vertical	8	2.90	-
5200MHz	Pass	AV	5.3932G	48.01	54.00	-5.99	3	Vertical	8	2.90	-
5200MHz	Pass	PK	5.1496G	64.39	74.00	-9.61	3	Vertical	8	2.90	-
5200MHz	Pass	PK	5.2012G	119.63	Inf	-Inf	3	Vertical	8	2.90	-
5200MHz	Pass	PK	5.4772G	58.07	68.20	-10.13	3	Vertical	8	2.90	-
5200MHz	Pass	AV	5.1496G	52.29	54.00	-1.71	3	Horizontal	54	1.50	-
5200MHz	Pass	AV	5.1928G	114.30	Inf	-Inf	3	Horizontal	54	1.50	-
5200MHz	Pass	AV	5.3848G	49.04	54.00	-4.96	3	Horizontal	54	1.50	-
5200MHz	Pass	PK	5.1496G	62.57	74.00	-11.43	3	Horizontal	54	1.50	-
5200MHz	Pass	PK	5.1928G	122.14	Inf	-Inf	3	Horizontal	54	1.50	-
5200MHz	Pass	PK	5.4988G	58.09	68.20	-10.11	3	Horizontal	54	1.50	-
5200MHz	Pass	AV	15.5944G	47.00	54.00	-7.00	3	Vertical	347	1.50	-
5200MHz	Pass	AV	20.7905G	39.75	54.00	-14.25	3	Vertical	357	1.34	-
5200MHz	Pass	PK	10.3962G	63.52	68.20	-4.68	3	Vertical	29	3.00	-
5200MHz	Pass	PK	15.5942G	59.52	74.00	-14.48	3	Vertical	347	1.50	-
5200MHz	Pass	PK	20.7904G	52.39	74.00	-21.61	3	Vertical	357	1.34	-
5200MHz	Pass	AV	15.6026G	47.65	54.00	-6.35	3	Horizontal	0	1.54	-
5200MHz	Pass	AV	20.8048G	40.17	54.00	-13.83	3	Horizontal	42	1.70	-
5200MHz	Pass	PK	10.4028G	67.19	68.20	-1.01	3	Horizontal	76	1.71	-
5200MHz	Pass	PK	15.5988G	60.43	74.00	-13.57	3	Horizontal	0	1.54	-
5200MHz	Pass	PK	20.8049G	53.12	74.00	-20.88	3	Horizontal	42	1.70	-
5240MHz	Pass	AV	5.0444G	46.61	54.00	-7.39	3	Vertical	5	2.71	-
5240MHz	Pass	AV	5.2328G	108.76	Inf	-Inf	3	Vertical	5	2.71	-
5240MHz	Pass	AV	5.4248G	45.71	54.00	-8.29	3	Vertical	5	2.71	-
5240MHz	Pass	PK	5.0492G	57.24	74.00	-16.76	3	Vertical	5	2.71	-
5240MHz	Pass	PK	5.2328G	118.49	Inf	-Inf	3	Vertical	5	2.71	-
5240MHz	Pass	PK	5.534G	55.99	68.20	-12.21	3	Vertical	5	2.71	-
5240MHz	Pass	AV	5.0528G	48.65	54.00	-5.35	3	Horizontal	72	1.00	-
5240MHz	Pass	AV	5.246G	112.74	Inf	-Inf	3	Horizontal	72	1.00	-
5240MHz	Pass	AV	5.426G	48.11	54.00	-5.89	3	Horizontal	72	1.00	-
5240MHz	Pass	PK	5.12G	62.38	74.00	-11.62	3	Horizontal	72	1.00	-
5240MHz	Pass	PK	5.246G	123.11	Inf	-Inf	3	Horizontal	72	1.00	-
5240MHz	Pass	PK	5.5124G	58.09	68.20	-10.11	3	Horizontal	72	1.00	-
5240MHz	Pass	AV	15.72748G	46.31	54.00	-7.69	3	Vertical	346	1.50	-
5240MHz	Pass	AV	20.9599G	37.68	54.00	-16.32	3	Vertical	22	1.39	-
5240MHz	Pass	PK	10.47636G	63.66	68.20	-4.54	3	Vertical	25	2.96	-
5240MHz	Pass	PK	15.7168G	60.00	74.00	-14.00	3	Vertical	346	1.50	-



RSE TX above 1GHz\_Non-Beamforming\_Radio1\_8T1S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	20.9554G	51.80	74.00	-22.20	3	Vertical	22	1.39	-
5240MHz	Pass	AV	15.7168G	47.45	54.00	-6.55	3	Horizontal	320	1.74	-
5240MHz	Pass	AV	20.9598G	37.88	54.00	-16.12	3	Horizontal	37	1.67	-
5240MHz	Pass	PK	10.47732G	66.53	68.20	-1.67	3	Horizontal	300	1.79	-
5240MHz	Pass	PK	15.71636G	61.36	74.00	-12.64	3	Horizontal	320	1.74	-
5240MHz	Pass	PK	20.9598G	51.54	74.00	-22.46	3	Horizontal	37	1.67	-
5745MHz	Pass	AV	5.7402G	107.02	Inf	-Inf	3	Vertical	21	1.68	-
5745MHz	Pass	PK	5.535G	56.73	68.20	-11.47	3	Vertical	21	1.68	-
5745MHz	Pass	PK	5.7414G	116.57	Inf	-Inf	3	Vertical	21	1.68	-
5745MHz	Pass	PK	5.9646G	57.78	68.20	-10.42	3	Vertical	21	1.68	-
5745MHz	Pass	AV	5.7378G	112.83	Inf	-Inf	3	Horizontal	54	2.16	-
5745MHz	Pass	PK	5.625G	59.83	68.20	-8.37	3	Horizontal	54	2.16	-
5745MHz	Pass	PK	5.7378G	122.66	Inf	-Inf	3	Horizontal	54	2.16	-
5745MHz	Pass	PK	5.9298G	58.97	68.20	-9.23	3	Horizontal	54	2.16	-
5745MHz	Pass	AV	11.4902G	48.89	54.00	-5.11	3	Vertical	357	1.50	-
5745MHz	Pass	AV	22.97988G	36.48	54.00	-17.52	3	Vertical	223	1.65	-
5745MHz	Pass	PK	11.49056G	62.19	74.00	-11.81	3	Vertical	357	1.50	-
5745MHz	Pass	PK	17.23176G	65.61	68.20	-2.59	3	Vertical	38	2.30	-
5745MHz	Pass	PK	22.98G	46.62	74.00	-27.38	3	Vertical	223	1.65	-
5745MHz	Pass	AV	11.4954G	49.76	54.00	-4.24	3	Horizontal	58	1.68	-
5745MHz	Pass	AV	22.9799G	40.05	54.00	-13.95	3	Horizontal	330	1.76	-
5745MHz	Pass	PK	11.49508G	63.29	74.00	-10.71	3	Horizontal	58	1.68	-
5745MHz	Pass	PK	17.23172G	66.63	68.20	-1.57	3	Horizontal	332	3.00	-
5745MHz	Pass	PK	22.98G	47.14	74.00	-26.86	3	Horizontal	330	1.76	-
5785MHz	Pass	AV	5.7778G	106.30	Inf	-Inf	3	Vertical	360	2.04	-
5785MHz	Pass	PK	5.5858G	56.91	68.20	-11.29	3	Vertical	360	2.04	-
5785MHz	Pass	PK	5.7778G	115.80	Inf	-Inf	3	Vertical	360	2.04	-
5785MHz	Pass	PK	5.9758G	57.77	68.20	-10.43	3	Vertical	360	2.04	-
5785MHz	Pass	AV	5.7874G	114.30	Inf	-Inf	3	Horizontal	70	2.38	-
5785MHz	Pass	PK	5.5942G	61.86	68.20	-6.34	3	Horizontal	70	2.38	-
5785MHz	Pass	PK	5.7874G	123.68	Inf	-Inf	3	Horizontal	70	2.38	-
5785MHz	Pass	PK	5.9794G	58.98	68.20	-9.22	3	Horizontal	70	2.38	-
5785MHz	Pass	AV	11.57028G	49.74	54.00	-4.26	3	Vertical	356	1.50	-
5785MHz	Pass	PK	11.5704G	62.58	74.00	-11.42	3	Vertical	356	1.50	-
5785MHz	Pass	PK	17.35124G	66.60	68.20	-1.60	3	Vertical	337	1.11	-
5785MHz	Pass	PK	23.1397G	44.19	68.20	-24.01	3	Vertical	13	1.80	-
5785MHz	Pass	AV	11.57264G	50.57	54.00	-3.43	3	Horizontal	76	2.22	-
5785MHz	Pass	PK	11.57292G	63.94	74.00	-10.06	3	Horizontal	76	2.22	-
5785MHz	Pass	PK	17.35652G	67.02	68.20	-1.18	3	Horizontal	317	2.20	-
5785MHz	Pass	PK	23.14012G	45.33	68.20	-22.87	3	Horizontal	50	1.65	-
5825MHz	Pass	AV	5.8238G	106.55	Inf	-Inf	3	Vertical	354	3.00	-
5825MHz	Pass	PK	5.6426G	57.46	68.20	-10.74	3	Vertical	354	3.00	-
5825MHz	Pass	PK	5.8226G	116.21	Inf	-Inf	3	Vertical	354	3.00	-
5825MHz	Pass	PK	5.927G	58.59	68.20	-9.61	3	Vertical	354	3.00	-
5825MHz	Pass	AV	5.8214G	112.11	Inf	-Inf	3	Horizontal	71	1.00	-
5825MHz	Pass	PK	5.6366G	58.95	68.20	-9.25	3	Horizontal	71	1.00	-
5825MHz	Pass	PK	5.8214G	121.39	Inf	-Inf	3	Horizontal	71	1.00	-
5825MHz	Pass	PK	6.0194G	59.92	68.20	-8.28	3	Horizontal	71	1.00	-
5825MHz	Pass	AV	11.65004G	48.75	54.00	-5.25	3	Vertical	356	1.49	-
5825MHz	Pass	PK	11.65052G	61.40	74.00	-12.60	3	Vertical	356	1.49	-
5825MHz	Pass	PK	17.47012G	66.44	68.20	-1.76	3	Vertical	337	1.16	-
5825MHz	Pass	PK	23.29964G	43.63	68.20	-24.57	3	Vertical	348	1.39	-
5825MHz	Pass	AV	11.65196G	49.35	54.00	-4.65	3	Horizontal	73	2.30	-
5825MHz	Pass	PK	11.65172G	62.47	74.00	-11.53	3	Horizontal	73	2.30	-
5825MHz	Pass	PK	17.481G	66.86	68.20	-1.34	3	Horizontal	66	1.09	-
5825MHz	Pass	PK	23.29964G	43.22	68.20	-24.98	3	Horizontal	0	1.76	-
802.11ax HEW20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1464G	48.69	54.00	-5.31	3	Vertical	24	2.97	-
5180MHz	Pass	AV	5.1764G	105.50	Inf	-Inf	3	Vertical	24	2.97	-
5180MHz	Pass	AV	5.456G	44.41	54.00	-9.59	3	Vertical	24	2.97	-
5180MHz	Pass	PK	5.1476G	64.46	74.00	-9.54	3	Vertical	24	2.97	-
5180MHz	Pass	PK	5.1872G	118.99	Inf	-Inf	3	Vertical	24	2.97	-



RSE TX above 1GHz\_Non-Beamforming\_Radio1\_8T1S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	PK	5.4752G	56.74	68.20	-11.46	3	Vertical	24	2.97	-
5180MHz	Pass	AV	5.15G	52.61	54.00	-1.39	3	Horizontal	298	1.88	-
5180MHz	Pass	AV	5.1812G	112.17	Inf	-Inf	3	Horizontal	298	1.88	-
5180MHz	Pass	AV	5.3744G	47.63	54.00	-6.37	3	Horizontal	298	1.88	-
5180MHz	Pass	PK	5.15G	68.05	74.00	-5.95	3	Horizontal	298	1.88	-
5180MHz	Pass	PK	5.1824G	124.55	Inf	-Inf	3	Horizontal	298	1.88	-
5180MHz	Pass	PK	5.4728G	57.39	68.20	-10.81	3	Horizontal	298	1.88	-
5180MHz	Pass	AV	15.52656G	47.22	54.00	-6.78	3	Vertical	253	1.06	-
5180MHz	Pass	AV	20.71984G	42.71	54.00	-11.29	3	Vertical	73	1.65	-
5180MHz	Pass	PK	10.36G	57.72	68.20	-10.48	3	Vertical	31	2.61	-
5180MHz	Pass	PK	15.53214G	61.29	74.00	-12.71	3	Vertical	253	1.06	-
5180MHz	Pass	PK	20.728G	53.48	74.00	-20.52	3	Vertical	73	1.65	-
5180MHz	Pass	AV	15.53112G	47.36	54.00	-6.64	3	Horizontal	338	2.02	-
5180MHz	Pass	AV	20.71984G	41.31	54.00	-12.69	3	Horizontal	34	1.64	-
5180MHz	Pass	PK	10.35724G	64.61	68.20	-3.59	3	Horizontal	69	1.54	-
5180MHz	Pass	PK	15.55278G	60.63	74.00	-13.37	3	Horizontal	338	2.02	-
5180MHz	Pass	PK	20.7152G	54.33	74.00	-19.67	3	Horizontal	34	1.64	-
5200MHz	Pass	AV	5.1496G	47.14	54.00	-6.86	3	Vertical	51	2.92	-
5200MHz	Pass	AV	5.1928G	108.45	Inf	-Inf	3	Vertical	51	2.92	-
5200MHz	Pass	AV	5.386G	45.43	54.00	-8.57	3	Vertical	51	2.92	-
5200MHz	Pass	PK	5.1496G	59.57	74.00	-14.43	3	Vertical	51	2.92	-
5200MHz	Pass	PK	5.194G	119.90	Inf	-Inf	3	Vertical	51	2.92	-
5200MHz	Pass	PK	5.476G	56.71	68.20	-11.49	3	Vertical	51	2.92	-
5200MHz	Pass	AV	5.1496G	50.88	54.00	-3.12	3	Horizontal	304	1.78	-
5200MHz	Pass	AV	5.1928G	112.84	Inf	-Inf	3	Horizontal	304	1.78	-
5200MHz	Pass	AV	5.3944G	48.50	54.00	-5.50	3	Horizontal	304	1.78	-
5200MHz	Pass	PK	5.1412G	65.39	74.00	-8.61	3	Horizontal	304	1.78	-
5200MHz	Pass	PK	5.1952G	125.03	Inf	-Inf	3	Horizontal	304	1.78	-
5200MHz	Pass	PK	5.4688G	58.29	68.20	-9.91	3	Horizontal	304	1.78	-
5200MHz	Pass	AV	15.59868G	47.62	54.00	-6.38	3	Vertical	26	1.00	-
5200MHz	Pass	AV	20.79396G	47.31	54.00	-6.69	3	Vertical	44	1.47	-
5200MHz	Pass	PK	10.40612G	63.77	68.20	-4.43	3	Vertical	344	1.50	-
5200MHz	Pass	PK	15.59784G	61.33	74.00	-12.67	3	Vertical	26	1.00	-
5200MHz	Pass	PK	20.79188G	63.72	74.00	-10.28	3	Vertical	44	1.47	-
5200MHz	Pass	AV	15.603G	49.05	54.00	-4.95	3	Horizontal	337	2.08	-
5200MHz	Pass	AV	20.79668G	47.09	54.00	-6.91	3	Horizontal	48	1.61	-
5200MHz	Pass	PK	10.39634G	67.07	68.20	-1.13	3	Horizontal	69	1.67	-
5200MHz	Pass	PK	15.60264G	63.19	74.00	-10.81	3	Horizontal	337	2.08	-
5200MHz	Pass	PK	20.79516G	63.75	74.00	-10.25	3	Horizontal	48	1.61	-
5240MHz	Pass	AV	5.0468G	45.82	54.00	-8.18	3	Vertical	22	2.59	-
5240MHz	Pass	AV	5.2412G	109.18	Inf	-Inf	3	Vertical	22	2.59	-
5240MHz	Pass	AV	5.4344G	46.49	54.00	-7.51	3	Vertical	22	2.59	-
5240MHz	Pass	PK	5.0468G	57.85	74.00	-16.15	3	Vertical	22	2.59	-
5240MHz	Pass	PK	5.2412G	121.28	Inf	-Inf	3	Vertical	22	2.59	-
5240MHz	Pass	PK	5.5232G	56.63	68.20	-11.57	3	Vertical	22	2.59	-
5240MHz	Pass	AV	5.0528G	48.76	54.00	-5.24	3	Horizontal	72	1.79	-
5240MHz	Pass	AV	5.2448G	113.18	Inf	-Inf	3	Horizontal	72	1.79	-
5240MHz	Pass	AV	5.4368G	49.68	54.00	-4.32	3	Horizontal	72	1.79	-
5240MHz	Pass	PK	5.0504G	61.09	74.00	-12.91	3	Horizontal	72	1.79	-
5240MHz	Pass	PK	5.2448G	125.22	Inf	-Inf	3	Horizontal	72	1.79	-
5240MHz	Pass	PK	5.5052G	59.28	68.20	-8.92	3	Horizontal	72	1.79	-
5240MHz	Pass	AV	15.72126G	47.70	54.00	-6.30	3	Vertical	27	1.00	-
5240MHz	Pass	AV	20.95968G	47.52	54.00	-6.48	3	Vertical	19	1.38	-
5240MHz	Pass	PK	10.47508G	63.39	68.20	-4.81	3	Vertical	14	1.02	-
5240MHz	Pass	PK	15.71916G	62.22	74.00	-11.78	3	Vertical	27	1.00	-
5240MHz	Pass	PK	20.95732G	66.72	74.00	-7.28	3	Vertical	19	1.38	-
5240MHz	Pass	AV	15.7218G	47.27	54.00	-6.73	3	Horizontal	318	1.79	-
5240MHz	Pass	AV	20.95648G	46.25	54.00	-7.75	3	Horizontal	42	1.68	-
5240MHz	Pass	PK	10.47676G	66.96	68.20	-1.24	3	Horizontal	70	1.50	-
5240MHz	Pass	PK	15.72162G	61.88	74.00	-12.12	3	Horizontal	318	1.79	-
5240MHz	Pass	PK	20.95776G	64.34	74.00	-9.66	3	Horizontal	42	1.68	-
5745MHz	Pass	AV	5.7414G	108.87	Inf	-Inf	3	Vertical	25	2.96	-



RSE TX above 1GHz\_Non-Beamforming\_Radio1\_8T1S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.5554G	57.77	68.20	-10.43	3	Vertical	25	2.96	-
5745MHz	Pass	PK	5.7414G	120.44	Inf	-Inf	3	Vertical	25	2.96	-
5745MHz	Pass	PK	6.0342G	57.54	68.20	-10.66	3	Vertical	25	2.96	-
5745MHz	Pass	AV	5.7402G	112.59	Inf	-Inf	3	Horizontal	298	2.02	-
5745MHz	Pass	PK	5.6466G	60.28	68.20	-7.92	3	Horizontal	298	2.02	-
5745MHz	Pass	PK	5.7414G	123.50	Inf	-Inf	3	Horizontal	298	2.02	-
5745MHz	Pass	PK	5.9358G	60.27	68.20	-7.93	3	Horizontal	298	2.02	-
5745MHz	Pass	AV	11.48946G	49.27	54.00	-4.73	3	Vertical	354	1.31	-
5745MHz	Pass	AV	22.97972G	42.29	54.00	-11.71	3	Vertical	5	1.64	-
5745MHz	Pass	PK	11.48988G	63.28	74.00	-10.72	3	Vertical	354	1.31	-
5745MHz	Pass	PK	17.23254G	66.62	68.20	-1.58	3	Vertical	348	2.83	-
5745MHz	Pass	PK	22.97984G	53.90	74.00	-20.10	3	Vertical	5	1.64	-
5745MHz	Pass	AV	11.49294G	50.95	54.00	-3.05	3	Horizontal	288	1.66	-
5745MHz	Pass	AV	22.97988G	44.45	54.00	-9.55	3	Horizontal	30	1.65	-
5745MHz	Pass	PK	11.49318G	65.40	74.00	-8.60	3	Horizontal	288	1.66	-
5745MHz	Pass	PK	17.235G	66.50	68.20	-1.70	3	Horizontal	346	1.00	-
5745MHz	Pass	PK	22.9796G	54.49	74.00	-19.51	3	Horizontal	30	1.65	-
5785MHz	Pass	AV	5.7874G	106.90	Inf	-Inf	3	Vertical	6	2.93	-
5785MHz	Pass	PK	5.5834G	57.39	68.20	-10.81	3	Vertical	6	2.93	-
5785MHz	Pass	PK	5.7886G	119.04	Inf	-Inf	3	Vertical	6	2.93	-
5785MHz	Pass	PK	6.0658G	57.90	68.20	-10.30	3	Vertical	6	2.93	-
5785MHz	Pass	AV	5.7802G	110.55	Inf	-Inf	3	Horizontal	66	2.26	-
5785MHz	Pass	PK	5.5954G	58.16	68.20	-10.04	3	Horizontal	66	2.26	-
5785MHz	Pass	PK	5.7802G	121.91	Inf	-Inf	3	Horizontal	66	2.26	-
5785MHz	Pass	PK	5.983G	58.76	68.20	-9.44	3	Horizontal	66	2.26	-
5785MHz	Pass	AV	11.57012G	47.66	54.00	-6.34	3	Vertical	353	1.29	-
5785MHz	Pass	PK	11.56916G	61.14	74.00	-12.86	3	Vertical	353	1.29	-
5785MHz	Pass	PK	17.35332G	67.09	68.20	-1.11	3	Vertical	16	2.85	-
5785MHz	Pass	PK	23.1416G	55.19	68.20	-13.01	3	Vertical	0	2.18	-
5785MHz	Pass	AV	11.57276G	48.34	54.00	-5.66	3	Horizontal	286	1.74	-
5785MHz	Pass	PK	11.57282G	62.47	74.00	-11.53	3	Horizontal	286	1.74	-
5785MHz	Pass	PK	17.35062G	67.03	68.20	-1.17	3	Horizontal	49	1.00	-
5785MHz	Pass	PK	23.13972G	56.50	68.20	-11.70	3	Horizontal	51	1.69	-
5825MHz	Pass	AV	5.8334G	107.64	Inf	-Inf	3	Vertical	28	2.91	-
5825MHz	Pass	PK	5.6258G	57.80	68.20	-10.40	3	Vertical	28	2.91	-
5825MHz	Pass	PK	5.8322G	119.01	Inf	-Inf	3	Vertical	28	2.91	-
5825MHz	Pass	PK	6.0098G	58.04	68.20	-10.16	3	Vertical	28	2.91	-
5825MHz	Pass	AV	5.8214G	113.15	Inf	-Inf	3	Horizontal	66.3	1.11	-
5825MHz	Pass	PK	5.6294G	60.27	68.20	-7.93	3	Horizontal	66.3	1.11	-
5825MHz	Pass	PK	5.8226G	125.22	Inf	-Inf	3	Horizontal	66.3	1.11	-
5825MHz	Pass	PK	6.0146G	59.58	68.20	-8.62	3	Horizontal	66.3	1.11	-
5825MHz	Pass	AV	11.64628G	47.80	54.00	-6.20	3	Vertical	14	1.43	-
5825MHz	Pass	PK	11.64724G	61.44	74.00	-12.56	3	Vertical	14	1.43	-
5825MHz	Pass	PK	17.47386G	66.87	68.20	-1.33	3	Vertical	21	2.75	-
5825MHz	Pass	PK	23.29444G	54.01	68.20	-14.19	3	Vertical	13	1.67	-
5825MHz	Pass	AV	11.6557G	49.92	54.00	-4.08	3	Horizontal	294	3.00	-
5825MHz	Pass	PK	11.65438G	64.59	74.00	-9.41	3	Horizontal	294	3.00	-
5825MHz	Pass	PK	17.46216G	67.11	68.20	-1.09	3	Horizontal	55	2.27	-
5825MHz	Pass	PK	23.29976G	55.81	68.20	-12.39	3	Horizontal	51	1.61	-
802.11ax HEW40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	49.12	54.00	-4.88	3	Vertical	8	2.76	-
5190MHz	Pass	AV	5.1828G	102.33	Inf	-Inf	3	Vertical	8	2.76	-
5190MHz	Pass	AV	5.3772G	44.34	54.00	-9.66	3	Vertical	8	2.76	-
5190MHz	Pass	PK	5.1492G	63.27	74.00	-10.73	3	Vertical	8	2.76	-
5190MHz	Pass	PK	5.1828G	113.48	Inf	-Inf	3	Vertical	8	2.76	-
5190MHz	Pass	PK	5.4636G	57.17	68.20	-11.03	3	Vertical	8	2.76	-
5190MHz	Pass	AV	5.15G	52.31	54.00	-1.69	3	Horizontal	67	1.00	-
5190MHz	Pass	AV	5.2044G	107.58	Inf	-Inf	3	Horizontal	67	1.00	-
5190MHz	Pass	AV	5.3976G	45.98	54.00	-8.02	3	Horizontal	67	1.00	-
5190MHz	Pass	PK	5.15G	66.04	74.00	-7.96	3	Horizontal	67	1.00	-
5190MHz	Pass	PK	5.2032G	118.84	Inf	-Inf	3	Horizontal	67	1.00	-
5190MHz	Pass	PK	5.4768G	57.80	68.20	-10.40	3	Horizontal	67	1.00	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5190MHz	Pass	AV	15.5602G	46.11	54.00	-7.89	3	Vertical	107	1.91	-
5190MHz	Pass	AV	20.75984G	33.50	54.00	-20.50	3	Vertical	16	1.84	-
5190MHz	Pass	PK	10.3802G	55.44	68.20	-12.76	3	Vertical	28	2.47	-
5190MHz	Pass	PK	15.57032G	59.83	74.00	-14.17	3	Vertical	107	1.91	-
5190MHz	Pass	PK	20.75992G	43.64	74.00	-30.36	3	Vertical	16	1.84	-
5190MHz	Pass	AV	15.5559G	46.28	54.00	-7.72	3	Horizontal	112	1.50	-
5190MHz	Pass	AV	20.75984G	39.70	54.00	-14.30	3	Horizontal	28	1.64	-
5190MHz	Pass	PK	10.3749G	59.58	68.20	-8.62	3	Horizontal	69	2.14	-
5190MHz	Pass	PK	15.55524G	59.87	74.00	-14.13	3	Horizontal	112	1.50	-
5190MHz	Pass	PK	20.75992G	46.27	74.00	-27.73	3	Horizontal	28	1.64	-
5230MHz	Pass	AV	5.1316G	51.43	54.00	-2.57	3	Vertical	323	2.58	-
5230MHz	Pass	AV	5.2336G	105.44	Inf	-Inf	3	Vertical	323	2.58	-
5230MHz	Pass	AV	5.3548G	47.87	54.00	-6.13	3	Vertical	323	2.58	-
5230MHz	Pass	PK	5.1424G	64.94	74.00	-9.06	3	Vertical	323	2.58	-
5230MHz	Pass	PK	5.2324G	117.61	Inf	-Inf	3	Vertical	323	2.58	-
5230MHz	Pass	PK	5.476G	57.27	68.20	-10.93	3	Vertical	323	2.58	-
5230MHz	Pass	AV	5.1436G	53.32	54.00	-0.68	3	Horizontal	66	1.68	-
5230MHz	Pass	AV	5.2216G	108.91	Inf	-Inf	3	Horizontal	66	1.68	-
5230MHz	Pass	AV	5.3596G	48.57	54.00	-5.43	3	Horizontal	66	1.68	-
5230MHz	Pass	PK	5.1424G	66.55	74.00	-7.45	3	Horizontal	66	1.68	-
5230MHz	Pass	PK	5.2204G	120.16	Inf	-Inf	3	Horizontal	66	1.68	-
5230MHz	Pass	PK	5.5192G	58.02	68.20	-10.18	3	Horizontal	66	1.68	-
5230MHz	Pass	AV	15.68652G	46.01	54.00	-7.99	3	Vertical	354	1.18	-
5230MHz	Pass	AV	20.9084G	36.94	54.00	-17.06	3	Vertical	338	1.35	-
5230MHz	Pass	PK	10.45528G	61.38	68.20	-6.82	3	Vertical	13	1.01	-
5230MHz	Pass	PK	15.68776G	59.38	74.00	-14.62	3	Vertical	354	1.18	-
5230MHz	Pass	PK	20.90976G	51.47	74.00	-22.53	3	Vertical	338	1.35	-
5230MHz	Pass	AV	15.6834G	46.14	54.00	-7.86	3	Horizontal	360	1.50	-
5230MHz	Pass	AV	20.91824G	36.49	54.00	-17.51	3	Horizontal	43	1.71	-
5230MHz	Pass	PK	10.45804G	62.19	68.20	-6.01	3	Horizontal	69	1.61	-
5230MHz	Pass	PK	15.68952G	59.56	74.00	-14.44	3	Horizontal	360	1.50	-
5230MHz	Pass	PK	20.9194G	50.55	74.00	-23.45	3	Horizontal	43	1.71	-
5755MHz	Pass	AV	5.7538G	104.85	Inf	-Inf	3	Vertical	344	2.95	-
5755MHz	Pass	PK	5.623G	59.60	68.20	-8.60	3	Vertical	344	2.95	-
5755MHz	Pass	PK	5.7538G	117.48	Inf	-Inf	3	Vertical	344	2.95	-
5755MHz	Pass	PK	5.9962G	57.50	68.20	-10.70	3	Vertical	344	2.95	-
5755MHz	Pass	AV	5.7382G	108.30	Inf	-Inf	3	Horizontal	307	1.90	-
5755MHz	Pass	PK	5.6482G	64.13	68.20	-4.07	3	Horizontal	307	1.90	-
5755MHz	Pass	PK	5.7382G	119.47	Inf	-Inf	3	Horizontal	307	1.90	-
5755MHz	Pass	PK	6.037G	58.24	68.20	-9.96	3	Horizontal	307	1.90	-
5755MHz	Pass	AV	11.5067G	46.71	54.00	-7.29	3	Vertical	16	1.30	-
5755MHz	Pass	AV	23.0198G	36.43	54.00	-17.57	3	Vertical	0	1.28	-
5755MHz	Pass	PK	11.5078G	61.15	74.00	-12.85	3	Vertical	16	1.30	-
5755MHz	Pass	PK	17.26986G	63.88	68.20	-4.32	3	Vertical	46	2.10	-
5755MHz	Pass	PK	23.01981G	45.37	74.00	-28.63	3	Vertical	0	1.28	-
5755MHz	Pass	AV	11.51582G	47.29	54.00	-6.71	3	Horizontal	293	2.99	-
5755MHz	Pass	AV	23.0198G	40.80	54.00	-13.20	3	Horizontal	31	1.66	-
5755MHz	Pass	PK	11.5148G	60.89	74.00	-13.11	3	Horizontal	293	2.99	-
5755MHz	Pass	PK	17.27316G	66.76	68.20	-1.44	3	Horizontal	51	1.00	-
5755MHz	Pass	PK	23.01974G	47.25	74.00	-26.75	3	Horizontal	31	1.66	-
5795MHz	Pass	AV	5.7854G	105.87	Inf	-Inf	3	Vertical	10	2.93	-
5795MHz	Pass	PK	5.6414G	57.85	68.20	-10.35	3	Vertical	10	2.93	-
5795MHz	Pass	PK	5.7854G	117.29	Inf	-Inf	3	Vertical	10	2.93	-
5795MHz	Pass	PK	5.9354G	58.20	68.20	-10.00	3	Vertical	10	2.93	-
5795MHz	Pass	AV	5.7938G	109.22	Inf	-Inf	3	Horizontal	307	2.99	-
5795MHz	Pass	PK	5.6366G	58.94	68.20	-9.26	3	Horizontal	307	2.99	-
5795MHz	Pass	PK	5.7938G	119.72	Inf	-Inf	3	Horizontal	307	2.99	-
5795MHz	Pass	PK	5.9354G	59.92	68.20	-8.28	3	Horizontal	307	2.99	-
5795MHz	Pass	AV	11.58624G	46.82	54.00	-7.18	3	Vertical	16	1.33	-
5795MHz	Pass	PK	11.58608G	59.85	74.00	-14.15	3	Vertical	16	1.33	-
5795MHz	Pass	PK	17.38428G	65.86	68.20	-2.34	3	Vertical	9	2.38	-
5795MHz	Pass	PK	23.17964G	44.73	68.20	-23.47	3	Vertical	5	1.67	-



RSE TX above 1GHz\_Non-Beamforming\_Radio1\_8T1S

Appendix E.4


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5795MHz	Pass	AV	11.57552G	48.93	54.00	-5.07	3	Horizontal	76	1.80	-
5795MHz	Pass	PK	11.57544G	62.61	74.00	-11.39	3	Horizontal	76	1.80	-
5795MHz	Pass	PK	17.37404G	66.83	68.20	-1.37	3	Horizontal	49	1.00	-
5795MHz	Pass	PK	23.1798G	46.31	68.20	-21.89	3	Horizontal	57	1.82	-
802.11ax HEW80_Nss1_(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.1344G	49.03	54.00	-4.97	3	Vertical	0	3.00	-
5210MHz	Pass	AV	5.2256G	99.00	Inf	-Inf	3	Vertical	0	3.00	-
5210MHz	Pass	AV	5.4068G	44.80	54.00	-9.20	3	Vertical	0	3.00	-
5210MHz	Pass	PK	5.1452G	65.95	74.00	-8.05	3	Vertical	0	3.00	-
5210MHz	Pass	PK	5.2268G	111.27	Inf	-Inf	3	Vertical	0	3.00	-
5210MHz	Pass	PK	5.5088G	56.81	68.20	-11.39	3	Vertical	0	3.00	-
5210MHz	Pass	AV	5.1428G	52.90	54.00	-1.10	3	Horizontal	311	1.93	-
5210MHz	Pass	AV	5.2232G	103.44	Inf	-Inf	3	Horizontal	311	1.93	-
5210MHz	Pass	AV	5.324G	45.72	54.00	-8.28	3	Horizontal	311	1.93	-
5210MHz	Pass	PK	5.1452G	71.90	74.00	-2.10	3	Horizontal	311	1.93	-
5210MHz	Pass	PK	5.222G	115.54	Inf	-Inf	3	Horizontal	311	1.93	-
5210MHz	Pass	PK	5.4956G	56.83	68.20	-11.37	3	Horizontal	311	1.93	-
5210MHz	Pass	AV	15.62456G	45.11	54.00	-8.89	3	Vertical	158	1.50	-
5210MHz	Pass	AV	20.83982G	32.00	54.00	-22.00	3	Vertical	228	1.81	-
5210MHz	Pass	PK	10.41984G	55.27	68.20	-12.93	3	Vertical	338	2.95	-
5210MHz	Pass	PK	15.62284G	58.81	74.00	-15.19	3	Vertical	158	1.50	-
5210MHz	Pass	PK	20.83988G	43.69	74.00	-30.31	3	Vertical	228	1.81	-
5210MHz	Pass	AV	15.6272G	45.33	54.00	-8.67	3	Horizontal	120	1.01	-
5210MHz	Pass	AV	20.83982G	35.91	54.00	-18.09	3	Horizontal	26	2.07	-
5210MHz	Pass	PK	10.42308G	54.66	68.20	-13.54	3	Horizontal	28	1.50	-
5210MHz	Pass	PK	15.6278G	58.36	74.00	-15.64	3	Horizontal	120	1.01	-
5210MHz	Pass	PK	20.83982G	44.25	74.00	-29.75	3	Horizontal	26	2.07	-
5775MHz	Pass	AV	5.7618G	99.30	Inf	-Inf	3	Vertical	39	2.30	-
5775MHz	Pass	PK	5.6418G	65.22	68.20	-2.98	3	Vertical	39	2.30	-
5775MHz	Pass	PK	5.7618G	110.55	Inf	-Inf	3	Vertical	39	2.30	-
5775MHz	Pass	PK	6.0498G	57.83	68.20	-10.37	3	Vertical	39	2.30	-
5775MHz	Pass	AV	5.7582G	105.94	Inf	-Inf	3	Horizontal	307	1.97	-
5775MHz	Pass	PK	5.6562G	71.97	72.79	-0.82	3	Horizontal	307	1.97	-
5775MHz	Pass	PK	5.7594G	118.76	Inf	-Inf	3	Horizontal	307	1.97	-
5775MHz	Pass	PK	5.925G	65.05	68.20	-3.15	3	Horizontal	307	1.97	-
5775MHz	Pass	AV	11.54992G	44.92	54.00	-9.08	3	Vertical	4	1.00	-
5775MHz	Pass	AV	23.09982G	33.18	54.00	-20.82	3	Vertical	12	1.87	-
5775MHz	Pass	PK	11.54996G	57.23	74.00	-16.77	3	Vertical	4	1.00	-
5775MHz	Pass	PK	17.32996G	63.34	68.20	-4.86	3	Vertical	339	1.03	-
5775MHz	Pass	PK	23.10108G	43.20	74.00	-30.80	3	Vertical	12	1.87	-
5775MHz	Pass	AV	11.55G	44.82	54.00	-9.18	3	Horizontal	50	1.50	-
5775MHz	Pass	AV	23.09982G	33.04	54.00	-20.96	3	Horizontal	326	1.81	-
5775MHz	Pass	PK	11.573G	56.06	74.00	-17.94	3	Horizontal	50	1.50	-
5775MHz	Pass	PK	17.3744G	62.24	68.20	-5.96	3	Horizontal	336	1.16	-
5775MHz	Pass	PK	23.08602G	43.68	74.00	-30.32	3	Horizontal	326	1.81	-





802.11a\_Nss1,(6Mbps)\_8TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.42	54.00	-0.58	5.99	3	Vertical	5	1.37	-	47.43	31.70	8.52	34.23
AV	5.1836G	109.78	Inf	-Inf	5.89	3	Vertical	5	1.37	-	103.89	31.57	8.55	34.23
AV	5.3756G	47.23	54.00	-6.77	5.51	3	Vertical	5	1.37	-	41.72	31.15	8.61	34.25
PK	5.15G	67.15	74.00	-6.85	5.99	3	Vertical	5	1.37	-	61.16	31.70	8.52	34.23
PK	5.1836G	117.69	Inf	-Inf	5.89	3	Vertical	5	1.37	-	111.80	31.57	8.55	34.23
PK	5.4668G	58.62	68.20	-9.58	6.08	3	Vertical	5	1.37	-	52.54	31.63	8.71	34.26



802.11a\_Nss1,(6Mbps)\_8TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1368G	53.20	54.00	-0.80	5.98	3	Horizontal	299	1.96	-	47.22	31.70	8.51	34.23
AV	5.1776G	115.58	Inf	-Inf	5.91	3	Horizontal	299	1.96	-	109.67	31.59	8.55	34.23
AV	5.3696G	51.61	54.00	-2.39	5.47	3	Horizontal	299	1.96	-	46.14	31.12	8.60	34.25
PK	5.1368G	66.45	74.00	-7.55	5.98	3	Horizontal	299	1.96	-	60.47	31.70	8.51	34.23
PK	5.1788G	123.37	Inf	-Inf	5.90	3	Horizontal	299	1.96	-	117.47	31.58	8.55	34.23
PK	5.4704G	58.59	68.20	-9.61	6.09	3	Horizontal	299	1.96	-	52.50	31.64	8.71	34.26



802.11a\_Nss1,(6Mbps)\_8TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.545G	35.09	54.00	-18.91	8.25	3	Vertical	360	1.50	-	26.84	38.10	14.61	44.46
AV	20.7209G	39.57	54.00	-14.43	-3.15	3	Vertical	23	1.70	-	42.72	39.23	16.22	49.06
PK	10.35996G	54.87	68.20	-13.33	13.08	3	Vertical	32	2.84	-	41.79	38.10	12.18	37.20
PK	15.53672G	48.15	74.00	-25.85	8.26	3	Vertical	360	1.50	-	39.89	38.10	14.61	44.45
PK	20.7225G	52.39	74.00	-21.61	-3.15	3	Vertical	23	1.70	-	55.54	39.23	16.22	49.06



802.11a\_Nss1,(6Mbps)\_8TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53728G	35.87	54.00	-18.13	8.26	3	Horizontal	64	1.65	-	27.61	38.10	14.61	44.45
AV	20.7259G	38.61	54.00	-15.39	-3.13	3	Horizontal	45	1.62	-	41.74	39.23	16.23	49.05
PK	10.35816G	60.37	68.20	-7.83	13.08	3	Horizontal	65	1.68	-	47.29	38.10	12.18	37.20
PK	15.53716G	47.44	74.00	-26.56	8.26	3	Horizontal	64	1.65	-	39.18	38.10	14.61	44.45
PK	20.7276G	52.31	74.00	-21.69	-3.13	3	Horizontal	45	1.62	-	55.44	39.23	16.23	49.05



802.11a\_Nss1,(6Mbps)\_8TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	51.66	54.00	-2.34	5.99	3	Vertical	8	2.90	-	45.67	31.70	8.52	34.23
AV	5.1988G	111.58	Inf	-Inf	5.83	3	Vertical	8	2.90	-	105.75	31.50	8.57	34.24
AV	5.3932G	48.01	54.00	-5.99	5.62	3	Vertical	8	2.90	-	42.39	31.26	8.61	34.25
PK	5.1496G	64.39	74.00	-9.61	5.99	3	Vertical	8	2.90	-	58.40	31.70	8.52	34.23
PK	5.2012G	119.63	Inf	-Inf	5.82	3	Vertical	8	2.90	-	113.81	31.49	8.57	34.24
PK	5.4772G	58.07	68.20	-10.13	6.11	3	Vertical	8	2.90	-	51.96	31.65	8.72	34.26



802.11a\_Nss1,(6Mbps)\_8TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.29	54.00	-1.71	5.99	3	Horizontal	54	1.50	-	46.30	31.70	8.52	34.23
AV	5.1928G	114.30	Inf	-Inf	5.85	3	Horizontal	54	1.50	-	108.45	31.53	8.56	34.24
AV	5.3848G	49.04	54.00	-4.96	5.57	3	Horizontal	54	1.50	-	43.47	31.21	8.61	34.25
PK	5.1496G	62.57	74.00	-11.43	5.99	3	Horizontal	54	1.50	-	56.58	31.70	8.52	34.23
PK	5.1928G	122.14	Inf	-Inf	5.85	3	Horizontal	54	1.50	-	116.29	31.53	8.56	34.24
PK	5.4988G	58.09	68.20	-10.11	6.19	3	Horizontal	54	1.50	-	51.90	31.70	8.75	34.26



802.11a\_Nss1,(6Mbps)\_8TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5944G	47.00	54.00	-7.00	18.03	3	Vertical	347	1.50	-	28.97	37.84	14.62	34.43
AV	20.7905G	39.75	54.00	-14.25	-3.17	3	Vertical	357	1.34	-	42.92	39.15	16.26	49.04
PK	10.3962G	63.52	68.20	-4.68	17.04	3	Vertical	29	3.00	-	46.48	39.49	12.20	34.65
PK	15.5942G	59.52	74.00	-14.48	18.03	3	Vertical	347	1.50	-	41.49	37.84	14.62	34.43
PK	20.7904G	52.39	74.00	-21.61	-3.17	3	Vertical	357	1.34	-	55.56	39.15	16.26	49.04



802.11a\_Nss1,(6Mbps)\_8TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6026G	47.65	54.00	-6.35	18.00	3	Horizontal	0	1.54	-	29.65	37.81	14.62	34.43
AV	20.8048G	40.17	54.00	-13.83	-3.18	3	Horizontal	42	1.70	-	43.35	39.13	16.27	49.04
PK	10.4028G	67.19	68.20	-1.01	17.07	3	Horizontal	76	1.71	-	50.12	39.51	12.20	34.64
PK	15.5988G	60.43	74.00	-13.57	18.00	3	Horizontal	0	1.54	-	42.43	37.81	14.62	34.43
PK	20.8049G	53.12	74.00	-20.88	-3.18	3	Horizontal	42	1.70	-	56.30	39.13	16.27	49.04





802.11a\_Nss1,(6Mbps)\_8TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0444G	46.61	54.00	-7.39	5.68	3	Vertical	5	2.71	-	40.93	31.48	8.42	34.22
AV	5.2328G	108.76	Inf	-Inf	5.64	3	Vertical	5	2.71	-	103.12	31.30	8.58	34.24
AV	5.4248G	45.71	54.00	-8.29	5.85	3	Vertical	5	2.71	-	39.86	31.45	8.65	34.25
PK	5.0492G	57.24	74.00	-16.76	5.71	3	Vertical	5	2.71	-	51.53	31.50	8.43	34.22
PK	5.2328G	118.49	Inf	-Inf	5.64	3	Vertical	5	2.71	-	112.85	31.30	8.58	34.24
PK	5.534G	55.99	68.20	-12.21	6.17	3	Vertical	5	2.71	-	49.82	31.63	8.80	34.26



802.11a\_Nss1,(6Mbps)\_8TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0528G	48.65	54.00	-5.35	5.72	3	Horizontal	72	1.00	-	42.93	31.51	8.43	34.22
AV	5.246G	112.74	Inf	-Inf	5.56	3	Horizontal	72	1.00	-	107.18	31.22	8.58	34.24
AV	5.426G	48.11	54.00	-5.89	5.86	3	Horizontal	72	1.00	-	42.25	31.46	8.65	34.25
PK	5.12G	62.38	74.00	-11.62	5.96	3	Horizontal	72	1.00	-	56.42	31.70	8.49	34.23
PK	5.246G	123.11	Inf	-Inf	5.56	3	Horizontal	72	1.00	-	117.55	31.22	8.58	34.24
PK	5.5124G	58.09	68.20	-10.11	6.19	3	Horizontal	72	1.00	-	51.90	31.68	8.77	34.26



802.11a\_Nss1,(6Mbps)\_8TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72748G	46.31	54.00	-7.69	17.99	3	Vertical	346	1.50	-	28.32	37.89	14.65	34.55
AV	20.9599G	37.68	54.00	-16.32	-3.23	3	Vertical	22	1.39	-	40.91	38.95	16.37	49.01
PK	10.47636G	63.66	68.20	-4.54	17.30	3	Vertical	25	2.96	-	46.36	39.65	12.24	34.59
PK	15.7168G	60.00	74.00	-14.00	18.04	3	Vertical	346	1.50	-	41.96	37.93	14.65	34.54
PK	20.9554G	51.80	74.00	-22.20	-3.24	3	Vertical	22	1.39	-	55.04	38.95	16.36	49.01



802.11a\_Nss1,(6Mbps)\_8TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7168G	47.45	54.00	-6.55	18.04	3	Horizontal	320	1.74	-	29.41	37.93	14.65	34.54
AV	20.9598G	37.88	54.00	-16.12	-3.23	3	Horizontal	37	1.67	-	41.11	38.95	16.37	49.01
PK	10.47732G	66.53	68.20	-1.67	17.30	3	Horizontal	300	1.79	-	49.23	39.65	12.24	34.59
PK	15.71636G	61.36	74.00	-12.64	18.04	3	Horizontal	320	1.74	-	43.32	37.93	14.65	34.54
PK	20.9598G	51.54	74.00	-22.46	-3.23	3	Horizontal	37	1.67	-	54.77	38.95	16.37	49.01

### 802.11a\_Nss1,(6Mbps)\_8TX

### 5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	107.02	Inf	-Inf	6.71	3	Vertical	21	1.68	-	100.31	31.96	9.03	34.28
PK	5.535G	56.73	68.20	-11.47	6.18	3	Vertical	21	1.68	-	50.55	31.63	8.81	34.26
PK	5.7414G	116.57	Inf	-Inf	6.72	3	Vertical	21	1.68	-	109.85	31.97	9.03	34.28
PK	5.9646G	57.78	68.20	-10.42	7.17	3	Vertical	21	1.68	-	50.61	32.33	9.15	34.31



802.11a\_Nss1,(6Mbps)\_8TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	112.83	Inf	-Inf	6.69	3	Horizontal	54	2.16	-	106.14	31.95	9.02	34.28
PK	5.625G	59.83	68.20	-8.37	6.30	3	Horizontal	54	2.16	-	53.53	31.65	8.92	34.27
PK	5.7378G	122.66	Inf	-Inf	6.69	3	Horizontal	54	2.16	-	115.97	31.95	9.02	34.28
PK	5.9298G	58.97	68.20	-9.23	7.14	3	Horizontal	54	2.16	-	51.83	32.30	9.14	34.30



802.11a\_Nss1,(6Mbps)\_8TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4902G	48.89	54.00	-5.11	18.57	3	Vertical	357	1.50	-	30.32	39.98	12.75	34.16
AV	22.97988G	36.48	54.00	-17.52	-0.98	3	Vertical	223	1.65	-	37.46	39.46	17.41	48.31
PK	11.49056G	62.19	74.00	-11.81	18.57	3	Vertical	357	1.50	-	43.62	39.98	12.75	34.16
PK	17.23176G	65.61	68.20	-2.59	21.35	3	Vertical	38	2.30	-	44.26	39.60	15.03	33.28
PK	22.98G	46.62	74.00	-27.38	-0.98	3	Vertical	223	1.65	-	47.60	39.46	17.41	48.31



802.11a\_Nss1,(6Mbps)\_8TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4954G	49.76	54.00	-4.24	18.59	3	Horizontal	58	1.68	-	31.17	39.99	12.76	34.16
AV	22.9799G	40.05	54.00	-13.95	-0.98	3	Horizontal	330	1.76	-	41.03	39.46	17.41	48.31
PK	11.49508G	63.29	74.00	-10.71	18.59	3	Horizontal	58	1.68	-	44.70	39.99	12.76	34.16
PK	17.23172G	66.63	68.20	-1.57	21.35	3	Horizontal	332	3.00	-	45.28	39.60	15.03	33.28
PK	22.98G	47.14	74.00	-26.86	-0.98	3	Horizontal	330	1.76	-	48.12	39.46	17.41	48.31





802.11a\_Nss1,(6Mbps)\_8TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	106.30	Inf	-Inf	6.77	3	Vertical	360	2.04	-	99.53	32.00	9.06	34.29
PK	5.5858G	56.91	68.20	-11.29	6.21	3	Vertical	360	2.04	-	50.70	31.60	8.88	34.27
PK	5.7778G	115.80	Inf	-Inf	6.77	3	Vertical	360	2.04	-	109.03	32.00	9.06	34.29
PK	5.9758G	57.77	68.20	-10.43	7.20	3	Vertical	360	2.04	-	50.57	32.35	9.16	34.31



802.11a\_Nss1,(6Mbps)\_8TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	114.30	Inf	-Inf	6.78	3	Horizontal	70	2.38	-	107.52	32.00	9.07	34.29
PK	5.5942G	61.86	68.20	-6.34	6.22	3	Horizontal	70	2.38	-	55.64	31.60	8.89	34.27
PK	5.7874G	123.68	Inf	-Inf	6.78	3	Horizontal	70	2.38	-	116.90	32.00	9.07	34.29
PK	5.9794G	58.98	68.20	-9.22	7.21	3	Horizontal	70	2.38	-	51.77	32.36	9.16	34.31



802.11a\_Nss1,(6Mbps)\_8TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57028G	49.74	54.00	-4.26	18.53	3	Vertical	356	1.50	-	31.21	39.93	12.79	34.19
PK	11.5704G	62.58	74.00	-11.42	18.53	3	Vertical	356	1.50	-	44.05	39.93	12.79	34.19
PK	17.35124G	66.60	68.20	-1.60	22.03	3	Vertical	337	1.11	-	44.57	40.21	15.06	33.24
PK	23.1397G	44.19	68.20	-24.01	-0.66	3	Vertical	13	1.80	-	44.85	39.56	17.48	48.16



802.11a\_Nss1,(6Mbps)\_8TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57264G	50.57	54.00	-3.43	18.53	3	Horizontal	76	2.22	-	32.04	39.93	12.79	34.19
PK	11.57292G	63.94	74.00	-10.06	18.52	3	Horizontal	76	2.22	-	45.42	39.93	12.79	34.20
PK	17.35652G	67.02	68.20	-1.18	22.08	3	Horizontal	317	2.20	-	44.94	40.25	15.07	33.24
PK	23.14012G	45.33	68.20	-22.87	-0.66	3	Horizontal	50	1.65	-	45.99	39.56	17.48	48.16



802.11a\_Nss1,(6Mbps)\_8TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	106.55	Inf	-Inf	6.90	3	Vertical	354	3.00	-	99.65	32.10	9.09	34.29
PK	5.6426G	57.46	68.20	-10.74	6.36	3	Vertical	354	3.00	-	51.10	31.69	8.94	34.27
PK	5.8226G	116.21	Inf	-Inf	6.89	3	Vertical	354	3.00	-	109.32	32.09	9.09	34.29
PK	5.927G	58.59	68.20	-9.61	7.14	3	Vertical	354	3.00	-	51.45	32.30	9.14	34.30



802.11a\_Nss1,(6Mbps)\_8TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	112.11	Inf	-Inf	6.89	3	Horizontal	71	1.00	-	105.22	32.09	9.09	34.29
PK	5.6366G	58.95	68.20	-9.25	6.33	3	Horizontal	71	1.00	-	52.62	31.67	8.93	34.27
PK	5.8214G	121.39	Inf	-Inf	6.89	3	Horizontal	71	1.00	-	114.50	32.09	9.09	34.29
PK	6.0194G	59.92	68.20	-8.28	7.24	3	Horizontal	71	1.00	-	52.68	32.36	9.19	34.31



802.11a\_Nss1,(6Mbps)\_8TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65004G	48.75	54.00	-5.25	18.15	3	Vertical	356	1.49	-	30.60	39.55	12.83	34.23
PK	11.65052G	61.40	74.00	-12.60	18.15	3	Vertical	356	1.49	-	43.25	39.55	12.83	34.23
PK	17.47012G	66.44	68.20	-1.76	22.91	3	Vertical	337	1.16	-	43.53	41.02	15.09	33.20
PK	23.29964G	43.63	68.20	-24.57	-0.37	3	Vertical	348	1.39	-	44.00	39.62	17.55	48.00



802.11a\_Nss1,(6Mbps)\_8TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65196G	49.35	54.00	-4.65	18.14	3	Horizontal	73	2.30	-	31.21	39.54	12.83	34.23
PK	11.65172G	62.47	74.00	-11.53	18.14	3	Horizontal	73	2.30	-	44.33	39.54	12.83	34.23
PK	17.481G	66.86	68.20	-1.34	22.99	3	Horizontal	66	1.09	-	43.87	41.09	15.10	33.20
PK	23.29964G	43.22	68.20	-24.98	-0.37	3	Horizontal	0	1.76	-	43.59	39.62	17.55	48.00





### 802.11ax HEW20\_Nss1,(MCS0)\_8TX

### 5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	48.69	54.00	-5.31	5.99	3	Vertical	24	2.97	-	42.70	31.70	8.52	34.23
AV	5.1764G	105.50	Inf	-Inf	5.91	3	Vertical	24	2.97	-	99.59	31.59	8.55	34.23
AV	5.456G	44.41	54.00	-9.59	6.04	3	Vertical	24	2.97	-	38.37	31.61	8.69	34.26
PK	5.1476G	64.46	74.00	-9.54	5.99	3	Vertical	24	2.97	-	58.47	31.70	8.52	34.23
PK	5.1872G	118.99	Inf	-Inf	5.88	3	Vertical	24	2.97	-	113.11	31.55	8.56	34.23
PK	5.4752G	56.74	68.20	-11.46	6.11	3	Vertical	24	2.97	-	50.63	31.65	8.72	34.26



802.11ax HEW20\_Nss1,(MCS0)\_8TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.61	54.00	-1.39	5.99	3	Horizontal	298	1.88	-	46.62	31.70	8.52	34.23
AV	5.1812G	112.17	Inf	-Inf	5.90	3	Horizontal	298	1.88	-	106.27	31.58	8.55	34.23
AV	5.3744G	47.63	54.00	-6.37	5.50	3	Horizontal	298	1.88	-	42.13	31.15	8.60	34.25
PK	5.15G	68.05	74.00	-5.95	5.99	3	Horizontal	298	1.88	-	62.06	31.70	8.52	34.23
PK	5.1824G	124.55	Inf	-Inf	5.89	3	Horizontal	298	1.88	-	118.66	31.57	8.55	34.23
PK	5.4728G	57.39	68.20	-10.81	6.11	3	Horizontal	298	1.88	-	51.28	31.65	8.72	34.26



802.11ax HEW20\_Nss1,(MCS0)\_8TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52656G	47.22	54.00	-6.78	18.55	3	Vertical	253	1.06	-	28.67	38.31	14.60	34.36
AV	20.71984G	42.71	54.00	-11.29	6.40	3	Vertical	73	1.65	-	36.31	39.24	16.22	49.06
PK	10.36G	57.72	68.20	-10.48	16.88	3	Vertical	31	2.61	-	40.84	39.38	12.18	34.68
PK	15.53214G	61.29	74.00	-12.71	18.52	3	Vertical	253	1.06	-	42.77	38.28	14.61	34.37
PK	20.728G	53.48	74.00	-20.52	6.41	3	Vertical	73	1.65	-	47.07	39.23	16.23	49.05



802.11ax HEW20\_Nss1,(MCS0)\_8TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53112G	47.36	54.00	-6.64	18.52	3	Horizontal	338	2.02	-	28.84	38.28	14.61	34.37
AV	20.71984G	41.31	54.00	-12.69	6.40	3	Horizontal	34	1.64	-	34.91	39.24	16.22	49.06
PK	10.35724G	64.61	68.20	-3.59	16.87	3	Horizontal	69	1.54	-	47.74	39.37	12.18	34.68
PK	15.55278G	60.63	74.00	-13.37	18.35	3	Horizontal	338	2.02	-	42.28	38.13	14.61	34.39
PK	20.7152G	54.33	74.00	-19.67	6.40	3	Horizontal	34	1.64	-	47.93	39.24	16.22	49.06



802.11ax HEW20\_Nss1,(MCS0)\_8TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	47.14	54.00	-6.86	5.99	3	Vertical	51	2.92	-	41.15	31.70	8.52	34.23
AV	5.1928G	108.45	Inf	-Inf	5.85	3	Vertical	51	2.92	-	102.60	31.53	8.56	34.24
AV	5.386G	45.43	54.00	-8.57	5.58	3	Vertical	51	2.92	-	39.85	31.22	8.61	34.25
PK	5.1496G	59.57	74.00	-14.43	5.99	3	Vertical	51	2.92	-	53.58	31.70	8.52	34.23
PK	5.194G	119.90	Inf	-Inf	5.84	3	Vertical	51	2.92	-	114.06	31.52	8.56	34.24
PK	5.476G	56.71	68.20	-11.49	6.11	3	Vertical	51	2.92	-	50.60	31.65	8.72	34.26



### 802.11ax HEW20\_Nss1,(MCS0)\_8TX

### 5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.88	54.00	-3.12	5.99	3	Horizontal	304	1.78	-	44.89	31.70	8.52	34.23
AV	5.1928G	112.84	Inf	-Inf	5.85	3	Horizontal	304	1.78	-	106.99	31.53	8.56	34.24
AV	5.3944G	48.50	54.00	-5.50	5.63	3	Horizontal	304	1.78	-	42.87	31.27	8.61	34.25
PK	5.1412G	65.39	74.00	-8.61	5.98	3	Horizontal	304	1.78	-	59.41	31.70	8.51	34.23
PK	5.1952G	125.03	Inf	-Inf	5.85	3	Horizontal	304	1.78	-	119.18	31.52	8.57	34.24
PK	5.4688G	58.29	68.20	-9.91	6.09	3	Horizontal	304	1.78	-	52.20	31.64	8.71	34.26



### 802.11ax HEW20\_Nss1,(MCS0)\_8TX

### 5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59868G	47.62	54.00	-6.38	18.00	3	Vertical	26	1.00	-	29.62	37.81	14.62	34.43
AV	20.79396G	47.31	54.00	-6.69	6.38	3	Vertical	44	1.47	-	40.93	39.15	16.27	49.04
PK	10.40612G	63.77	68.20	-4.43	17.08	3	Vertical	344	1.50	-	46.69	39.51	12.21	34.64
PK	15.59784G	61.33	74.00	-12.67	18.01	3	Vertical	26	1.00	-	43.32	37.82	14.62	34.43
PK	20.79188G	63.72	74.00	-10.28	6.38	3	Vertical	44	1.47	-	57.34	39.15	16.27	49.04



### 802.11ax HEW20\_Nss1,(MCS0)\_8TX

### 5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.603G	49.05	54.00	-4.95	18.00	3	Horizontal	337	2.08	-	31.05	37.81	14.62	34.43
AV	20.79668G	47.09	54.00	-6.91	6.37	3	Horizontal	48	1.61	-	40.72	39.14	16.27	49.04
PK	10.39634G	67.07	68.20	-1.13	17.04	3	Horizontal	69	1.67	-	50.03	39.49	12.20	34.65
PK	15.60264G	63.19	74.00	-10.81	18.00	3	Horizontal	337	2.08	-	45.19	37.81	14.62	34.43
PK	20.79516G	63.75	74.00	-10.25	6.38	3	Horizontal	48	1.61	-	57.37	39.15	16.27	49.04





802.11ax HEW20\_Nss1,(MCS0)\_8TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0468G	45.82	54.00	-8.18	5.69	3	Vertical	22	2.59	-	40.13	31.49	8.42	34.22
AV	5.2412G	109.18	Inf	-Inf	5.59	3	Vertical	22	2.59	-	103.59	31.25	8.58	34.24
AV	5.4344G	46.49	54.00	-7.51	5.92	3	Vertical	22	2.59	-	40.57	31.51	8.66	34.25
PK	5.0468G	57.85	74.00	-16.15	5.69	3	Vertical	22	2.59	-	52.16	31.49	8.42	34.22
PK	5.2412G	121.28	Inf	-Inf	5.59	3	Vertical	22	2.59	-	115.69	31.25	8.58	34.24
PK	5.5232G	56.63	68.20	-11.57	6.18	3	Vertical	22	2.59	-	50.45	31.65	8.79	34.26



802.11ax HEW20\_Nss1,(MCS0)\_8TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0528G	48.76	54.00	-5.24	5.72	3	Horizontal	72	1.79	-	43.04	31.51	8.43	34.22
AV	5.2448G	113.18	Inf	-Inf	5.57	3	Horizontal	72	1.79	-	107.61	31.23	8.58	34.24
AV	5.4368G	49.68	54.00	-4.32	5.93	3	Horizontal	72	1.79	-	43.75	31.52	8.66	34.25
PK	5.0504G	61.09	74.00	-12.91	5.71	3	Horizontal	72	1.79	-	55.38	31.50	8.43	34.22
PK	5.2448G	125.22	Inf	-Inf	5.57	3	Horizontal	72	1.79	-	119.65	31.23	8.58	34.24
PK	5.5052G	59.28	68.20	-8.92	6.19	3	Horizontal	72	1.79	-	53.09	31.69	8.76	34.26



802.11ax HEW20\_Nss1,(MCS0)\_8TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72126G	47.70	54.00	-6.30	18.02	3	Vertical	27	1.00	-	29.68	37.91	14.65	34.54
AV	20.95968G	47.52	54.00	-6.48	6.31	3	Vertical	19	1.38	-	41.21	38.95	16.37	49.01
PK	10.47508G	63.39	68.20	-4.81	17.30	3	Vertical	14	1.02	-	46.09	39.65	12.24	34.59
PK	15.71916G	62.22	74.00	-11.78	18.03	3	Vertical	27	1.00	-	44.19	37.92	14.65	34.54
PK	20.95732G	66.72	74.00	-7.28	6.30	3	Vertical	19	1.38	-	60.42	38.95	16.36	49.01



802.11ax HEW20\_Nss1,(MCS0)\_8TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7218G	47.27	54.00	-6.73	18.02	3	Horizontal	318	1.79	-	29.25	37.91	14.65	34.54
AV	20.95648G	46.25	54.00	-7.75	6.30	3	Horizontal	42	1.68	-	39.95	38.95	16.36	49.01
PK	10.47676G	66.96	68.20	-1.24	17.30	3	Horizontal	70	1.50	-	49.66	39.65	12.24	34.59
PK	15.72162G	61.88	74.00	-12.12	18.02	3	Horizontal	318	1.79	-	43.86	37.91	14.65	34.54
PK	20.95776G	64.34	74.00	-9.66	6.30	3	Horizontal	42	1.68	-	58.04	38.95	16.36	49.01



802.11ax HEW20\_Nss1,(MCS0)\_8TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	108.87	Inf	-Inf	6.72	3	Vertical	25	2.96	-	102.15	31.97	9.03	34.28
PK	5.5554G	57.77	68.20	-10.43	6.17	3	Vertical	25	2.96	-	51.60	31.60	8.84	34.27
PK	5.7414G	120.44	Inf	-Inf	6.72	3	Vertical	25	2.96	-	113.72	31.97	9.03	34.28
PK	6.0342G	57.54	68.20	-10.66	7.22	3	Vertical	25	2.96	-	50.32	32.33	9.20	34.31



### 802.11ax HEW20\_Nss1,(MCS0)\_8TX

### 5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	112.59	Inf	-Inf	6.71	3	Horizontal	298	2.02	-	105.88	31.96	9.03	34.28
PK	5.6466G	60.28	68.20	-7.92	6.36	3	Horizontal	298	2.02	-	53.92	31.69	8.94	34.27
PK	5.7414G	123.50	Inf	-Inf	6.72	3	Horizontal	298	2.02	-	116.78	31.97	9.03	34.28
PK	5.9358G	60.27	68.20	-7.93	7.14	3	Horizontal	298	2.02	-	53.13	32.30	9.14	34.30



802.11ax HEW20\_Nss1,(MCS0)\_8TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48946G	49.27	54.00	-4.73	18.57	3	Vertical	354	1.31	-	30.70	39.98	12.75	34.16
AV	22.97972G	42.29	54.00	-11.71	8.56	3	Vertical	5	1.64	-	33.73	39.46	17.41	48.31
PK	11.48988G	63.28	74.00	-10.72	18.57	3	Vertical	354	1.31	-	44.71	39.98	12.75	34.16
PK	17.23254G	66.62	68.20	-1.58	21.35	3	Vertical	348	2.83	-	45.27	39.60	15.03	33.28
PK	22.97984G	53.90	74.00	-20.10	8.56	3	Vertical	5	1.64	-	45.34	39.46	17.41	48.31



802.11ax HEW20\_Nss1,(MCS0)\_8TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49294G	50.95	54.00	-3.05	18.58	3	Horizontal	288	1.66	-	32.37	39.99	12.75	34.16
AV	22.97988G	44.45	54.00	-9.55	8.56	3	Horizontal	30	1.65	-	35.89	39.46	17.41	48.31
PK	11.49318G	65.40	74.00	-8.60	18.58	3	Horizontal	288	1.66	-	46.82	39.99	12.75	34.16
PK	17.235G	66.50	68.20	-1.70	21.35	3	Horizontal	346	1.00	-	45.15	39.60	15.03	33.28
PK	22.9796G	54.49	74.00	-19.51	8.56	3	Horizontal	30	1.65	-	45.93	39.46	17.41	48.31





802.11ax HEW20\_Nss1,(MCS0)\_8TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	106.90	Inf	-Inf	6.78	3	Vertical	6	2.93	-	100.12	32.00	9.07	34.29
PK	5.5834G	57.39	68.20	-10.81	6.21	3	Vertical	6	2.93	-	51.18	31.60	8.88	34.27
PK	5.7886G	119.04	Inf	-Inf	6.78	3	Vertical	6	2.93	-	112.26	32.00	9.07	34.29
PK	6.0658G	57.90	68.20	-10.30	7.23	3	Vertical	6	2.93	-	50.67	32.33	9.22	34.32



802.11ax HEW20\_Nss1,(MCS0)\_8TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	110.55	Inf	-Inf	6.77	3	Horizontal	66	2.26	-	103.78	32.00	9.06	34.29
PK	5.5954G	58.16	68.20	-10.04	6.22	3	Horizontal	66	2.26	-	51.94	31.60	8.89	34.27
PK	5.7802G	121.91	Inf	-Inf	6.77	3	Horizontal	66	2.26	-	115.14	32.00	9.06	34.29
PK	5.983G	58.76	68.20	-9.44	7.22	3	Horizontal	66	2.26	-	51.54	32.37	9.16	34.31



802.11ax HEW20\_Nss1,(MCS0)\_8TX

5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57012G	47.66	54.00	-6.34	18.53	3	Vertical	353	1.29	-	29.13	39.93	12.79	34.19
PK	11.56916G	61.14	74.00	-12.86	18.53	3	Vertical	353	1.29	-	42.61	39.93	12.79	34.19
PK	17.35332G	67.09	68.20	-1.11	22.06	3	Vertical	16	2.85	-	45.03	40.23	15.07	33.24
PK	23.1416G	55.19	68.20	-13.01	8.88	3	Vertical	0	2.18	-	46.31	39.56	17.48	48.16

### 802.11ax HEW20\_Nss1,(MCS0)\_8TX

### 5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57276G	48.34	54.00	-5.66	18.53	3	Horizontal	286	1.74	-	29.81	39.93	12.79	34.19
PK	11.57282G	62.47	74.00	-11.53	18.53	3	Horizontal	286	1.74	-	43.94	39.93	12.79	34.19
PK	17.35062G	67.03	68.20	-1.17	22.02	3	Horizontal	49	1.00	-	45.01	40.20	15.06	33.24
PK	23.13972G	56.50	68.20	-11.70	8.88	3	Horizontal	51	1.69	-	47.62	39.56	17.48	48.16



802.11ax HEW20\_Nss1,(MCS0)\_8TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	107.64	Inf	-Inf	6.94	3	Vertical	28	2.91	-	100.70	32.13	9.10	34.29
PK	5.6258G	57.80	68.20	-10.40	6.30	3	Vertical	28	2.91	-	51.50	31.65	8.92	34.27
PK	5.8322G	119.01	Inf	-Inf	6.93	3	Vertical	28	2.91	-	112.08	32.13	9.09	34.29
PK	6.0098G	58.04	68.20	-10.16	7.25	3	Vertical	28	2.91	-	50.79	32.38	9.18	34.31



802.11ax HEW20\_Nss1,(MCS0)\_8TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	113.15	Inf	-Inf	6.89	3	Horizontal	66.3	1.11	-	106.26	32.09	9.09	34.29
PK	5.6294G	60.27	68.20	-7.93	6.32	3	Horizontal	66.3	1.11	-	53.95	31.66	8.93	34.27
PK	5.8226G	125.22	Inf	-Inf	6.89	3	Horizontal	66.3	1.11	-	118.33	32.09	9.09	34.29
PK	6.0146G	59.58	68.20	-8.62	7.24	3	Horizontal	66.3	1.11	-	52.34	32.37	9.18	34.31



802.11ax HEW20\_Nss1,(MCS0)\_8TX

5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64628G	47.80	54.00	-6.20	18.18	3	Vertical	14	1.43	-	29.62	39.58	12.83	34.23
PK	11.64724G	61.44	74.00	-12.56	18.17	3	Vertical	14	1.43	-	43.27	39.57	12.83	34.23
PK	17.47386G	66.87	68.20	-1.33	22.94	3	Vertical	21	2.75	-	43.93	41.04	15.10	33.20
PK	23.29444G	54.01	68.20	-14.19	9.16	3	Vertical	13	1.67	-	44.85	39.62	17.55	48.01



802.11ax HEW20\_Nss1,(MCS0)\_8TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6557G	49.92	54.00	-4.08	18.12	3	Horizontal	294	3.00	-	31.80	39.51	12.84	34.23
PK	11.65438G	64.59	74.00	-9.41	18.13	3	Horizontal	294	3.00	-	46.46	39.52	12.84	34.23
PK	17.46216G	67.11	68.20	-1.09	22.86	3	Horizontal	55	2.27	-	44.25	40.97	15.09	33.20
PK	23.29976G	55.81	68.20	-12.39	9.17	3	Horizontal	51	1.61	-	46.64	39.62	17.55	48.00





### 802.11ax HEW40\_Nss1,(MCS0)\_8TX

#### 5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.12	54.00	-4.88	5.99	3	Vertical	8	2.76	-	43.13	31.70	8.52	34.23
AV	5.1828G	102.33	Inf	-Inf	5.89	3	Vertical	8	2.76	-	96.44	31.57	8.55	34.23
AV	5.3772G	44.34	54.00	-9.66	5.52	3	Vertical	8	2.76	-	38.82	31.16	8.61	34.25
PK	5.1492G	63.27	74.00	-10.73	5.99	3	Vertical	8	2.76	-	57.28	31.70	8.52	34.23
PK	5.1828G	113.48	Inf	-Inf	5.89	3	Vertical	8	2.76	-	107.59	31.57	8.55	34.23
PK	5.4636G	57.17	68.20	-11.03	6.07	3	Vertical	8	2.76	-	51.10	31.63	8.70	34.26



802.11ax HEW40\_Nss1,(MCS0)\_8TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.31	54.00	-1.69	5.99	3	Horizontal	67	1.00	-	46.32	31.70	8.52	34.23
AV	5.2044G	107.58	Inf	-Inf	5.80	3	Horizontal	67	1.00	-	101.78	31.47	8.57	34.24
AV	5.3976G	45.98	54.00	-8.02	5.65	3	Horizontal	67	1.00	-	40.33	31.29	8.61	34.25
PK	5.15G	66.04	74.00	-7.96	5.99	3	Horizontal	67	1.00	-	60.05	31.70	8.52	34.23
PK	5.2032G	118.84	Inf	-Inf	5.81	3	Horizontal	67	1.00	-	113.03	31.48	8.57	34.24
PK	5.4768G	57.80	68.20	-10.40	6.11	3	Horizontal	67	1.00	-	51.69	31.65	8.72	34.26



802.11ax HEW40\_Nss1,(MCS0)\_8TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5602G	46.11	54.00	-7.89	18.29	3	Vertical	107	1.91	-	27.82	38.08	14.61	34.40
AV	20.75984G	33.50	54.00	-20.50	-3.15	3	Vertical	16	1.84	-	36.65	39.19	16.25	49.05
PK	10.3802G	55.44	68.20	-12.76	16.97	3	Vertical	28	2.47	-	38.47	39.44	12.19	34.66
PK	15.57032G	59.83	74.00	-14.17	18.22	3	Vertical	107	1.91	-	41.61	38.01	14.61	34.40
PK	20.75992G	43.64	74.00	-30.36	-3.15	3	Vertical	16	1.84	-	46.79	39.19	16.25	49.05



### 802.11ax HEW40\_Nss1,(MCS0)\_8TX

#### 5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5559G	46.28	54.00	-7.72	18.33	3	Horizontal	112	1.50	-	27.95	38.11	14.61	34.39
AV	20.75984G	39.70	54.00	-14.30	-3.15	3	Horizontal	28	1.64	-	42.85	39.19	16.25	49.05
PK	10.3749G	59.58	68.20	-8.62	16.94	3	Horizontal	69	2.14	-	42.64	39.42	12.19	34.67
PK	15.55524G	59.87	74.00	-14.13	18.33	3	Horizontal	112	1.50	-	41.54	38.11	14.61	34.39
PK	20.75992G	46.27	74.00	-27.73	-3.15	3	Horizontal	28	1.64	-	49.42	39.19	16.25	49.05



### 802.11ax HEW40\_Nss1,(MCS0)\_8TX

### 5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1316G	51.43	54.00	-2.57	5.98	3	Vertical	323	2.58	-	45.45	31.70	8.51	34.23
AV	5.2336G	105.44	Inf	-Inf	5.64	3	Vertical	323	2.58	-	99.80	31.30	8.58	34.24
AV	5.3548G	47.87	54.00	-6.13	5.38	3	Vertical	323	2.58	-	42.49	31.03	8.60	34.25
PK	5.1424G	64.94	74.00	-9.06	5.99	3	Vertical	323	2.58	-	58.95	31.70	8.52	34.23
PK	5.2324G	117.61	Inf	-Inf	5.65	3	Vertical	323	2.58	-	111.96	31.31	8.58	34.24
PK	5.476G	57.27	68.20	-10.93	6.11	3	Vertical	323	2.58	-	51.16	31.65	8.72	34.26



802.11ax HEW40\_Nss1,(MCS0)\_8TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1436G	53.32	54.00	-0.68	5.99	3	Horizontal	66	1.68	-	47.33	31.70	8.52	34.23
AV	5.2216G	108.91	Inf	-Inf	5.70	3	Horizontal	66	1.68	-	103.21	31.37	8.57	34.24
AV	5.3596G	48.57	54.00	-5.43	5.41	3	Horizontal	66	1.68	-	43.16	31.06	8.60	34.25
PK	5.1424G	66.55	74.00	-7.45	5.99	3	Horizontal	66	1.68	-	60.56	31.70	8.52	34.23
PK	5.2204G	120.16	Inf	-Inf	5.71	3	Horizontal	66	1.68	-	114.45	31.38	8.57	34.24
PK	5.5192G	58.02	68.20	-10.18	6.18	3	Horizontal	66	1.68	-	51.84	31.66	8.78	34.26



802.11ax HEW40\_Nss1,(MCS0)\_8TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68652G	46.01	54.00	-7.99	18.10	3	Vertical	354	1.18	-	27.91	37.97	14.64	34.51
AV	20.9084G	36.94	54.00	-17.06	-3.21	3	Vertical	338	1.35	-	40.15	39.01	16.34	49.02
PK	10.45528G	61.38	68.20	-6.82	17.24	3	Vertical	13	1.01	-	44.14	39.61	12.23	34.60
PK	15.68776G	59.38	74.00	-14.62	18.11	3	Vertical	354	1.18	-	41.27	37.98	14.64	34.51
PK	20.90976G	51.47	74.00	-22.53	-3.21	3	Vertical	338	1.35	-	54.68	39.01	16.34	49.02



802.11ax HEW40\_Nss1,(MCS0)\_8TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6834G	46.14	54.00	-7.86	18.10	3	Horizontal	360	1.50	-	28.04	37.97	14.64	34.51
AV	20.91824G	36.49	54.00	-17.51	-3.22	3	Horizontal	43	1.71	-	39.71	39.00	16.34	49.02
PK	10.45804G	62.19	68.20	-6.01	17.25	3	Horizontal	69	1.61	-	44.94	39.62	12.23	34.60
PK	15.68952G	59.56	74.00	-14.44	18.11	3	Horizontal	360	1.50	-	41.45	37.98	14.64	34.51
PK	20.9194G	50.55	74.00	-23.45	-3.22	3	Horizontal	43	1.71	-	53.77	39.00	16.34	49.02





802.11ax HEW40\_Nss1,(MCS0)\_8TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	104.85	Inf	-Inf	6.75	3	Vertical	344	2.95	-	98.10	32.00	9.04	34.29
PK	5.623G	59.60	68.20	-8.60	6.30	3	Vertical	344	2.95	-	53.30	31.65	8.92	34.27
PK	5.7538G	117.48	Inf	-Inf	6.75	3	Vertical	344	2.95	-	110.73	32.00	9.04	34.29
PK	5.9962G	57.50	68.20	-10.70	7.25	3	Vertical	344	2.95	-	50.25	32.39	9.17	34.31



802.11ax HEW40\_Nss1,(MCS0)\_8TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7382G	108.30	Inf	-Inf	6.69	3	Horizontal	307	1.90	-	101.61	31.95	9.02	34.28
PK	5.6482G	64.13	68.20	-4.07	6.37	3	Horizontal	307	1.90	-	57.76	31.70	8.94	34.27
PK	5.7382G	119.47	Inf	-Inf	6.69	3	Horizontal	307	1.90	-	112.78	31.95	9.02	34.28
PK	6.037G	58.24	68.20	-9.96	7.22	3	Horizontal	307	1.90	-	51.02	32.33	9.20	34.31



802.11ax HEW40\_Nss1,(MCS0)\_8TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5067G	46.71	54.00	-7.29	18.59	3	Vertical	16	1.30	-	28.12	39.99	12.76	34.16
AV	23.0198G	36.43	54.00	-17.57	-0.88	3	Vertical	0	1.28	-	37.31	39.51	17.43	48.28
PK	11.5078G	61.15	74.00	-12.85	18.59	3	Vertical	16	1.30	-	42.56	39.99	12.76	34.16
PK	17.26986G	63.88	68.20	-4.32	21.48	3	Vertical	46	2.10	-	42.40	39.71	15.04	33.27
PK	23.01981G	45.37	74.00	-28.63	-0.88	3	Vertical	0	1.28	-	46.25	39.51	17.43	48.28



802.11ax HEW40\_Nss1,(MCS0)\_8TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51582G	47.29	54.00	-6.71	18.58	3	Horizontal	293	2.99	-	28.71	39.98	12.77	34.17
AV	23.0198G	40.80	54.00	-13.20	-0.88	3	Horizontal	31	1.66	-	41.68	39.51	17.43	48.28
PK	11.5148G	60.89	74.00	-13.11	18.58	3	Horizontal	293	2.99	-	42.31	39.99	12.76	34.17
PK	17.27316G	66.76	68.20	-1.44	21.49	3	Horizontal	51	1.00	-	45.27	39.72	15.04	33.27
PK	23.01974G	47.25	74.00	-26.75	-0.88	3	Horizontal	31	1.66	-	48.13	39.51	17.43	48.28



802.11ax HEW40\_Nss1,(MCS0)\_8TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7854G	105.87	Inf	-Inf	6.78	3	Vertical	10	2.93	-	99.09	32.00	9.07	34.29
PK	5.6414G	57.85	68.20	-10.35	6.35	3	Vertical	10	2.93	-	51.50	31.68	8.94	34.27
PK	5.7854G	117.29	Inf	-Inf	6.78	3	Vertical	10	2.93	-	110.51	32.00	9.07	34.29
PK	5.9354G	58.20	68.20	-10.00	7.14	3	Vertical	10	2.93	-	51.06	32.30	9.14	34.30



802.11ax HEW40\_Nss1,(MCS0)\_8TX

5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	109.22	Inf	-Inf	6.78	3	Horizontal	307	2.99	-	102.44	32.00	9.07	34.29
PK	5.6366G	58.94	68.20	-9.26	6.33	3	Horizontal	307	2.99	-	52.61	31.67	8.93	34.27
PK	5.7938G	119.72	Inf	-Inf	6.78	3	Horizontal	307	2.99	-	112.94	32.00	9.07	34.29
PK	5.9354G	59.92	68.20	-8.28	7.14	3	Horizontal	307	2.99	-	52.78	32.30	9.14	34.30



802.11ax HEW40\_Nss1,(MCS0)\_8TX

5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58624G	46.82	54.00	-7.18	18.51	3	Vertical	16	1.33	-	28.31	39.91	12.80	34.20
PK	11.58608G	59.85	74.00	-14.15	18.51	3	Vertical	16	1.33	-	41.34	39.91	12.80	34.20
PK	17.38428G	65.86	68.20	-2.34	22.31	3	Vertical	9	2.38	-	43.55	40.47	15.07	33.23
PK	23.17964G	44.73	68.20	-23.47	-0.59	3	Vertical	5	1.67	-	45.32	39.57	17.50	48.12



802.11ax HEW40\_Nss1,(MCS0)\_8TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57552G	48.93	54.00	-5.07	18.52	3	Horizontal	76	1.80	-	30.41	39.92	12.80	34.20
PK	11.57544G	62.61	74.00	-11.39	18.52	3	Horizontal	76	1.80	-	44.09	39.92	12.80	34.20
PK	17.37404G	66.83	68.20	-1.37	22.23	3	Horizontal	49	1.00	-	44.60	40.39	15.07	33.23
PK	23.1798G	46.31	68.20	-21.89	-0.59	3	Horizontal	57	1.82	-	46.90	39.57	17.50	48.12





802.11ax HEW80\_Nss1,(MCS0)\_8TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1344G	49.03	54.00	-4.97	5.98	3	Vertical	0	3.00	-	43.05	31.70	8.51	34.23
AV	5.2256G	99.00	Inf	-Inf	5.69	3	Vertical	0	3.00	-	93.31	31.35	8.58	34.24
AV	5.4068G	44.80	54.00	-9.20	5.71	3	Vertical	0	3.00	-	39.09	31.34	8.62	34.25
PK	5.1452G	65.95	74.00	-8.05	5.99	3	Vertical	0	3.00	-	59.96	31.70	8.52	34.23
PK	5.2268G	111.27	Inf	-Inf	5.68	3	Vertical	0	3.00	-	105.59	31.34	8.58	34.24
PK	5.5088G	56.81	68.20	-11.39	6.19	3	Vertical	0	3.00	-	50.62	31.68	8.77	34.26



802.11ax HEW80\_Nss1,(MCS0)\_8TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1428G	52.90	54.00	-1.10	5.99	3	Horizontal	311	1.93	-	46.91	31.70	8.52	34.23
AV	5.2232G	103.44	Inf	-Inf	5.69	3	Horizontal	311	1.93	-	97.75	31.36	8.57	34.24
AV	5.3624G	45.72	54.00	-8.28	5.42	3	Horizontal	311	1.93	-	40.30	31.07	8.60	34.25
PK	5.1452G	71.90	74.00	-2.10	5.99	3	Horizontal	311	1.93	-	65.91	31.70	8.52	34.23
PK	5.222G	115.54	Inf	-Inf	5.70	3	Horizontal	311	1.93	-	109.84	31.37	8.57	34.24
PK	5.4956G	56.83	68.20	-11.37	6.18	3	Horizontal	311	1.93	-	50.65	31.69	8.75	34.26



### 802.11ax HEW80\_Nss1,(MCS0)\_8TX

### 5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62456G	45.11	54.00	-8.89	18.03	3	Vertical	158	1.50	-	27.08	37.85	14.63	34.45
AV	20.83982G	32.00	54.00	-22.00	-3.19	3	Vertical	228	1.81	-	35.19	39.09	16.29	49.03
PK	10.41984G	55.27	68.20	-12.93	17.12	3	Vertical	338	2.95	-	38.15	39.54	12.21	34.63
PK	15.62284G	58.81	74.00	-15.19	18.03	3	Vertical	158	1.50	-	40.78	37.85	14.63	34.45
PK	20.83988G	43.69	74.00	-30.31	-3.19	3	Vertical	228	1.81	-	46.88	39.09	16.29	49.03



802.11ax HEW80\_Nss1,(MCS0)\_8TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6272G	45.33	54.00	-8.67	18.02	3	Horizontal	120	1.01	-	27.31	37.85	14.63	34.46
AV	20.83982G	35.91	54.00	-18.09	-3.19	3	Horizontal	26	2.07	-	39.10	39.09	16.29	49.03
PK	10.42308G	54.66	68.20	-13.54	17.13	3	Horizontal	28	1.50	-	37.53	39.55	12.21	34.63
PK	15.6278G	58.36	74.00	-15.64	18.03	3	Horizontal	120	1.01	-	40.33	37.86	14.63	34.46
PK	20.83982G	44.25	74.00	-29.75	-3.19	3	Horizontal	26	2.07	-	47.44	39.09	16.29	49.03

### 802.11ax HEW80\_Nss1,(MCS0)\_8TX

#### 5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7618G	99.30	Inf	-Inf	6.76	3	Vertical	39	2.30	-	92.54	32.00	9.05	34.29
PK	5.6418G	65.22	68.20	-2.98	6.35	3	Vertical	39	2.30	-	58.87	31.68	8.94	34.27
PK	5.7618G	110.55	Inf	-Inf	6.76	3	Vertical	39	2.30	-	103.79	32.00	9.05	34.29
PK	6.0498G	57.83	68.20	-10.37	7.20	3	Vertical	39	2.30	-	50.63	32.30	9.21	34.31



802.11ax HEW80\_Nss1,(MCS0)\_8TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7582G	105.94	Inf	-Inf	6.75	3	Horizontal	307	1.97	-	99.19	32.00	9.04	34.29
PK	5.6562G	71.97	72.79	-0.82	6.38	3	Horizontal	307	1.97	-	65.59	31.71	8.95	34.28
PK	5.7594G	118.76	Inf	-Inf	6.75	3	Horizontal	307	1.97	-	112.01	32.00	9.04	34.29
PK	5.925G	65.05	68.20	-3.15	7.14	3	Horizontal	307	1.97	-	57.91	32.30	9.14	34.30



802.11ax HEW80\_Nss1,(MCS0)\_8TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54992G	44.92	54.00	-9.08	18.55	3	Vertical	4	1.00	-	26.37	39.95	12.78	34.18
AV	23.09982G	33.18	54.00	-20.82	-0.74	3	Vertical	12	1.87	-	33.92	39.54	17.46	48.20
PK	11.54996G	57.23	74.00	-16.77	18.55	3	Vertical	4	1.00	-	38.68	39.95	12.78	34.18
PK	17.32996G	63.34	68.20	-4.86	21.85	3	Vertical	339	1.03	-	41.49	40.04	15.06	33.25
PK	23.10108G	43.20	74.00	-30.80	-0.74	3	Vertical	12	1.87	-	43.94	39.54	17.46	48.20



802.11ax HEW80\_Nss1,(MCS0)\_8TX

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55G	44.82	54.00	-9.18	18.55	3	Horizontal	50	1.50	-	26.27	39.95	12.78	34.18
AV	23.09982G	33.04	54.00	-20.96	-0.74	3	Horizontal	326	1.81	-	33.78	39.54	17.46	48.20
PK	11.573G	56.06	74.00	-17.94	18.52	3	Horizontal	50	1.50	-	37.54	39.93	12.79	34.20
PK	17.3744G	62.24	68.20	-5.96	22.24	3	Horizontal	336	1.16	-	40.00	40.40	15.07	33.23
PK	23.08602G	43.68	74.00	-30.32	-0.76	3	Horizontal	326	1.81	-	44.44	39.53	17.46	48.21





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac_VHT80_Nss1,(MCS0)_1TX	Pass	PK	39.7M	36.43	40.00	-3.57	3	Vertical	360	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1 (MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	185.2M	28.18	43.50	-15.32	3	Vertical	0	1.00	-
5775MHz	Pass	PK	288.02M	28.97	46.00	-17.03	3	Vertical	0	1.00	-
5775MHz	Pass	PK	410.24M	29.52	46.00	-16.48	3	Vertical	0	1.00	-
5775MHz	Pass	PK	483.96M	31.41	46.00	-14.59	3	Vertical	0	1.00	-
5775MHz	Pass	PK	600.36M	38.02	46.00	-7.98	3	Vertical	0	1.00	-
5775MHz	Pass	QP	30M	35.63	40.00	-4.37	3	Vertical	200	1.00	-
5775MHz	Pass	PK	30M	33.09	40.00	-6.91	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	189.08M	31.04	43.50	-12.46	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	288.02M	33.04	46.00	-12.96	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	385.02M	28.38	46.00	-17.62	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	547.98M	31.18	46.00	-14.82	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	600.36M	33.89	46.00	-12.11	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	39.7M	36.43	40.00	-3.57	3	Vertical	360	1.00	-
5775MHz	Pass	PK	59.1M	32.54	40.00	-7.46	3	Vertical	360	1.00	-
5775MHz	Pass	PK	152.22M	30.01	43.50	-13.49	3	Vertical	360	1.00	-
5775MHz	Pass	PK	447.1M	30.10	46.00	-15.90	3	Vertical	360	1.00	-
5775MHz	Pass	PK	528.58M	33.15	46.00	-12.85	3	Vertical	360	1.00	-
5775MHz	Pass	PK	600.36M	33.70	46.00	-12.30	3	Vertical	360	1.00	-
5775MHz	Pass	PK	45.52M	32.85	40.00	-7.15	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	152.22M	30.10	43.50	-13.40	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	272.5M	26.57	46.00	-19.43	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	425.76M	29.83	46.00	-16.17	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	600.36M	32.68	46.00	-13.32	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	736.16M	32.06	46.00	-13.94	3	Horizontal	0	1.00	-



### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

#### 5775MHz\_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	185.2M	28.18	43.50	-15.32	-11.14	3	Vertical	0	1.00	-	39.32	14.23	2.03	27.40
PK	288.02M	28.97	46.00	-17.03	-6.33	3	Vertical	0	1.00	-	35.30	18.16	2.55	27.04
PK	410.24M	29.52	46.00	-16.48	-3.12	3	Vertical	0	1.00	-	32.64	21.64	3.04	27.80
PK	483.96M	31.41	46.00	-14.59	-2.00	3	Vertical	0	1.00	-	33.41	22.81	3.40	28.21
PK	600.36M	38.02	46.00	-7.98	-0.55	3	Vertical	0	1.00	-	38.57	23.97	3.80	28.32
QP	30M	35.63	40.00	-4.37	-3.19	3	Vertical	200	1.00	-	38.82	23.32	0.70	27.21



### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

#### 5775MHz\_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	33.09	40.00	-6.91	-3.19	3	Horizontal	360	1.00	-	36.28	23.32	0.70	27.21
PK	189.08M	31.04	43.50	-12.46	-11.13	3	Horizontal	360	1.00	-	42.17	14.19	2.05	27.37
PK	288.02M	33.04	46.00	-12.96	-6.33	3	Horizontal	360	1.00	-	39.37	18.16	2.55	27.04
PK	385.02M	28.38	46.00	-17.62	-4.34	3	Horizontal	360	1.00	-	32.72	20.33	2.94	27.61
PK	547.98M	31.18	46.00	-14.82	-0.91	3	Horizontal	360	1.00	-	32.09	23.85	3.60	28.36
PK	600.36M	33.89	46.00	-12.11	-0.55	3	Horizontal	360	1.00	-	34.44	23.97	3.80	28.32



802.11ac VHT80\_Nss1,(MCS0)\_1TX

5775MHz\_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	39.7M	36.43	40.00	-3.57	-8.55	3	Vertical	360	1.00	-	44.98	17.89	0.89	27.33
PK	59.1M	32.54	40.00	-7.46	-15.04	3	Vertical	360	1.00	-	47.58	11.67	1.08	27.79
PK	152.22M	30.01	43.50	-13.49	-10.34	3	Vertical	360	1.00	-	40.35	15.47	1.76	27.57
PK	447.1M	30.10	46.00	-15.90	-2.86	3	Vertical	360	1.00	-	32.96	22.00	3.19	28.05
PK	528.58M	33.15	46.00	-12.85	-1.84	3	Vertical	360	1.00	-	34.99	22.93	3.56	28.33
PK	600.36M	33.70	46.00	-12.30	-0.55	3	Vertical	360	1.00	-	34.25	23.97	3.80	28.32



802.11ac VHT80\_Nss1,(MCS0)\_1TX

5775MHz\_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	32.85	40.00	-7.15	-11.72	3	Horizontal	0	1.00	-	44.57	14.98	0.91	27.61
PK	152.22M	30.10	43.50	-13.40	-10.34	3	Horizontal	0	1.00	-	40.44	15.47	1.76	27.57
PK	272.5M	26.57	46.00	-19.43	-6.54	3	Horizontal	0	1.00	-	33.11	18.02	2.49	27.05
PK	425.76M	29.83	46.00	-16.17	-2.86	3	Horizontal	0	1.00	-	32.69	21.95	3.10	27.91
PK	600.36M	32.68	46.00	-13.32	-0.55	3	Horizontal	0	1.00	-	33.23	23.97	3.80	28.32
PK	736.16M	32.06	46.00	-13.94	1.02	3	Horizontal	0	1.00	-	31.04	24.78	4.27	28.03



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.4056G	52.61	54.00	-1.39	3	Horizontal	299	1.87	-
802.11ac VHT20_Nss1,(MCS0)_1TX	Pass	AV	5.15G	52.61	54.00	-1.39	3	Horizontal	295	1.92	-
802.11ac VHT40_Nss1,(MCS0)_1TX	Pass	AV	5.4408G	53.31	54.00	-0.69	3	Horizontal	296	2.02	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.41	54.00	-0.59	3	Vertical	20	1.13	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	17.4627G	65.54	68.20	-2.66	3	Horizontal	348	2.27	-
802.11ac VHT20_Nss1,(MCS0)_1TX	Pass	PK	17.47744G	65.58	68.20	-2.62	3	Vertical	20	1.47	-
802.11ac VHT40_Nss1,(MCS0)_1TX	Pass	PK	17.37888G	64.33	68.20	-3.87	3	Horizontal	357	2.12	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	PK	5.649G	67.46	68.20	-0.74	3	Horizontal	317	1.79	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1_(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	51.61	54.00	-2.39	3	Vertical	22	1.28	-
5180MHz	Pass	AV	5.1872G	100.81	Inf	-Inf	3	Vertical	22	1.28	-
5180MHz	Pass	AV	5.4404G	48.43	54.00	-5.57	3	Vertical	22	1.28	-
5180MHz	Pass	PK	5.1464G	65.91	74.00	-8.09	3	Vertical	22	1.28	-
5180MHz	Pass	PK	5.1752G	111.20	Inf	-Inf	3	Vertical	22	1.28	-
5180MHz	Pass	PK	5.4644G	60.62	68.20	-7.58	3	Vertical	22	1.28	-
5180MHz	Pass	AV	5.15G	52.58	54.00	-1.42	3	Horizontal	294	2.01	-
5180MHz	Pass	AV	5.186G	102.11	Inf	-Inf	3	Horizontal	294	2.01	-
5180MHz	Pass	AV	5.4404G	50.10	54.00	-3.90	3	Horizontal	294	2.01	-
5180MHz	Pass	PK	5.1476G	65.85	74.00	-8.15	3	Horizontal	294	2.01	-
5180MHz	Pass	PK	5.1836G	111.96	Inf	-Inf	3	Horizontal	294	2.01	-
5180MHz	Pass	PK	5.4608G	60.08	68.20	-8.12	3	Horizontal	294	2.01	-
5180MHz	Pass	AV	15.5331G	47.71	54.00	-6.29	3	Vertical	130	2.11	-
5180MHz	Pass	AV	20.7198G	41.28	54.00	-12.72	3	Vertical	13	2.19	-
5180MHz	Pass	PK	10.37044G	55.04	68.20	-13.16	3	Vertical	301	1.31	-
5180MHz	Pass	PK	15.52824G	60.94	74.00	-13.06	3	Vertical	130	2.11	-
5180MHz	Pass	PK	20.7286G	55.29	74.00	-18.71	3	Vertical	13	2.19	-
5180MHz	Pass	AV	15.5307G	47.84	54.00	-6.16	3	Horizontal	245	2.24	-
5180MHz	Pass	AV	20.7172G	41.73	54.00	-12.27	3	Horizontal	330	1.82	-
5180MHz	Pass	PK	10.34656G	54.61	68.20	-13.59	3	Horizontal	104	1.36	-
5180MHz	Pass	PK	15.53016G	60.30	74.00	-13.70	3	Horizontal	245	2.24	-
5180MHz	Pass	PK	20.7206G	57.09	74.00	-16.91	3	Horizontal	330	1.82	-
5200MHz	Pass	AV	5.0368G	45.46	54.00	-8.54	3	Vertical	0	1.99	-
5200MHz	Pass	AV	5.194G	100.80	Inf	-Inf	3	Vertical	0	1.99	-
5200MHz	Pass	AV	5.368G	50.42	54.00	-3.58	3	Vertical	0	1.99	-
5200MHz	Pass	PK	5.1256G	57.93	74.00	-16.07	3	Vertical	0	1.99	-
5200MHz	Pass	PK	5.1976G	110.40	Inf	-Inf	3	Vertical	0	1.99	-
5200MHz	Pass	PK	5.4916G	60.02	68.20	-8.18	3	Vertical	0	1.99	-
5200MHz	Pass	AV	5.1196G	46.09	54.00	-7.91	3	Horizontal	299	2.03	-
5200MHz	Pass	AV	5.206G	102.34	Inf	-Inf	3	Horizontal	299	2.03	-
5200MHz	Pass	AV	5.3668G	50.85	54.00	-3.15	3	Horizontal	299	2.03	-
5200MHz	Pass	PK	5.0464G	57.55	74.00	-16.45	3	Horizontal	299	2.03	-
5200MHz	Pass	PK	5.2048G	112.71	Inf	-Inf	3	Horizontal	299	2.03	-
5200MHz	Pass	PK	5.4976G	61.53	68.20	-6.67	3	Horizontal	299	2.03	-
5200MHz	Pass	AV	15.58932G	46.17	54.00	-7.83	3	Vertical	155	1.02	-
5200MHz	Pass	AV	20.8008G	39.18	54.00	-14.82	3	Vertical	3	1.50	-
5200MHz	Pass	PK	10.4051G	54.55	68.20	-13.65	3	Vertical	57	1.14	-
5200MHz	Pass	PK	15.60786G	59.16	74.00	-14.84	3	Vertical	155	1.02	-
5200MHz	Pass	PK	20.8006G	53.89	74.00	-20.11	3	Vertical	3	1.50	-
5200MHz	Pass	AV	15.59028G	46.18	54.00	-7.82	3	Horizontal	84	1.68	-
5200MHz	Pass	AV	20.7984G	45.48	54.00	-8.52	3	Horizontal	60	1.65	-
5200MHz	Pass	PK	10.4072G	54.44	68.20	-13.76	3	Horizontal	247	1.56	-
5200MHz	Pass	PK	15.60168G	59.38	74.00	-14.62	3	Horizontal	84	1.68	-
5200MHz	Pass	PK	20.801G	60.44	74.00	-13.56	3	Horizontal	60	1.65	-
5240MHz	Pass	AV	5.0768G	46.79	54.00	-7.21	3	Vertical	19	1.17	-
5240MHz	Pass	AV	5.2472G	102.03	Inf	-Inf	3	Vertical	19	1.17	-
5240MHz	Pass	AV	5.4056G	49.83	54.00	-4.17	3	Vertical	19	1.17	-
5240MHz	Pass	PK	5.0804G	58.12	74.00	-15.88	3	Vertical	19	1.17	-
5240MHz	Pass	PK	5.246G	111.82	Inf	-Inf	3	Vertical	19	1.17	-
5240MHz	Pass	PK	5.54G	60.33	68.20	-7.87	3	Vertical	19	1.17	-
5240MHz	Pass	AV	5.078G	46.48	54.00	-7.52	3	Horizontal	299	1.87	-
5240MHz	Pass	AV	5.246G	103.84	Inf	-Inf	3	Horizontal	299	1.87	-
5240MHz	Pass	AV	5.4056G	52.61	54.00	-1.39	3	Horizontal	299	1.87	-
5240MHz	Pass	PK	5.0876G	58.30	74.00	-15.70	3	Horizontal	299	1.87	-
5240MHz	Pass	PK	5.2328G	113.50	Inf	-Inf	3	Horizontal	299	1.87	-
5240MHz	Pass	PK	5.4836G	62.90	68.20	-5.30	3	Horizontal	299	1.87	-
5240MHz	Pass	AV	15.711G	45.76	54.00	-8.24	3	Vertical	234	1.73	-
5240MHz	Pass	AV	20.9594G	42.57	54.00	-11.43	3	Vertical	1	1.62	-
5240MHz	Pass	PK	10.48852G	55.03	68.20	-13.17	3	Vertical	60	2.45	-
5240MHz	Pass	PK	15.71364G	59.21	74.00	-14.79	3	Vertical	234	1.73	-





RSE TX above 1GHz\_Non-Beamforming\_Radio3\_1T1S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	20.961G	57.49	74.00	-16.51	3	Vertical	1	1.62	-
5240MHz	Pass	AV	15.71346G	46.37	54.00	-7.63	3	Horizontal	40	1.09	-
5240MHz	Pass	AV	20.9608G	45.94	54.00	-8.06	3	Horizontal	45	1.72	-
5240MHz	Pass	PK	10.48714G	55.33	68.20	-12.87	3	Horizontal	197	1.17	-
5240MHz	Pass	PK	15.723G	60.09	74.00	-13.91	3	Horizontal	40	1.09	-
5240MHz	Pass	PK	20.9628G	60.92	74.00	-13.08	3	Horizontal	45	1.72	-
5745MHz	Pass	AV	5.739G	101.53	Inf	-Inf	3	Vertical	14	1.50	-
5745MHz	Pass	PK	5.6394G	60.90	68.20	-7.30	3	Vertical	14	1.50	-
5745MHz	Pass	PK	5.739G	111.94	Inf	-Inf	3	Vertical	14	1.50	-
5745MHz	Pass	PK	6.0222G	58.02	68.20	-10.18	3	Vertical	14	1.50	-
5745MHz	Pass	AV	5.739G	102.72	Inf	-Inf	3	Horizontal	315	1.80	-
5745MHz	Pass	PK	5.6322G	62.15	68.20	-6.05	3	Horizontal	315	1.80	-
5745MHz	Pass	PK	5.7462G	112.80	Inf	-Inf	3	Horizontal	315	1.80	-
5745MHz	Pass	PK	5.9418G	58.26	68.20	-9.94	3	Horizontal	315	1.80	-
5745MHz	Pass	AV	11.49672G	42.82	54.00	-11.18	3	Vertical	44	2.92	-
5745MHz	Pass	AV	22.9796G	35.58	54.00	-18.42	3	Vertical	196	1.76	-
5745MHz	Pass	PK	11.4939G	55.66	74.00	-18.34	3	Vertical	44	2.92	-
5745MHz	Pass	PK	17.23416G	62.87	68.20	-5.33	3	Vertical	17	1.49	-
5745MHz	Pass	PK	22.9806G	48.58	74.00	-25.42	3	Vertical	196	1.76	-
5745MHz	Pass	AV	11.5002G	42.71	54.00	-11.29	3	Horizontal	0	1.50	-
5745MHz	Pass	AV	22.98G	34.86	54.00	-19.14	3	Horizontal	145	1.50	-
5745MHz	Pass	PK	11.47662G	56.18	74.00	-17.82	3	Horizontal	0	1.50	-
5745MHz	Pass	PK	17.23836G	64.36	68.20	-3.84	3	Horizontal	356	2.41	-
5745MHz	Pass	PK	22.9848G	48.50	74.00	-25.50	3	Horizontal	145	1.50	-
5785MHz	Pass	AV	5.7778G	101.37	Inf	-Inf	3	Vertical	346	1.01	-
5785MHz	Pass	PK	5.6266G	62.41	68.20	-5.79	3	Vertical	346	1.01	-
5785MHz	Pass	PK	5.7826G	111.60	Inf	-Inf	3	Vertical	346	1.01	-
5785MHz	Pass	PK	5.947G	58.33	68.20	-9.87	3	Vertical	346	1.01	-
5785MHz	Pass	AV	5.7778G	102.01	Inf	-Inf	3	Horizontal	317	1.77	-
5785MHz	Pass	PK	5.6302G	62.40	68.20	-5.80	3	Horizontal	317	1.77	-
5785MHz	Pass	PK	5.7898G	112.46	Inf	-Inf	3	Horizontal	317	1.77	-
5785MHz	Pass	PK	5.9302G	58.32	68.20	-9.88	3	Horizontal	317	1.77	-
5785MHz	Pass	AV	11.57696G	42.48	54.00	-11.52	3	Vertical	250	1.40	-
5785MHz	Pass	PK	11.5661G	55.71	74.00	-18.29	3	Vertical	250	1.40	-
5785MHz	Pass	PK	17.36376G	64.46	68.20	-3.74	3	Vertical	20	1.46	-
5785MHz	Pass	PK	23.1418G	52.32	68.20	-15.88	3	Vertical	26	1.81	-
5785MHz	Pass	AV	11.56406G	42.38	54.00	-11.62	3	Horizontal	123	2.01	-
5785MHz	Pass	PK	11.57708G	55.64	74.00	-18.36	3	Horizontal	123	2.01	-
5785MHz	Pass	PK	17.3547G	64.77	68.20	-3.43	3	Horizontal	360	2.28	-
5785MHz	Pass	PK	23.1496G	51.97	68.20	-16.23	3	Horizontal	47	1.68	-
5825MHz	Pass	AV	5.819G	100.00	Inf	-Inf	3	Vertical	16	1.00	-
5825MHz	Pass	PK	5.639G	63.91	68.20	-4.29	3	Vertical	16	1.00	-
5825MHz	Pass	PK	5.8214G	110.08	Inf	-Inf	3	Vertical	16	1.00	-
5825MHz	Pass	PK	5.9546G	58.13	68.20	-10.07	3	Vertical	16	1.00	-
5825MHz	Pass	AV	5.8178G	101.85	Inf	-Inf	3	Horizontal	317	1.95	-
5825MHz	Pass	PK	5.6378G	64.13	68.20	-4.07	3	Horizontal	317	1.95	-
5825MHz	Pass	PK	5.8226G	112.02	Inf	-Inf	3	Horizontal	317	1.95	-
5825MHz	Pass	PK	5.9534G	58.89	68.20	-9.31	3	Horizontal	317	1.95	-
5825MHz	Pass	AV	11.659G	41.85	54.00	-12.15	3	Vertical	114	1.66	-
5825MHz	Pass	PK	11.6401G	54.50	74.00	-19.50	3	Vertical	114	1.66	-
5825MHz	Pass	PK	17.47062G	63.92	68.20	-4.28	3	Vertical	19	1.42	-
5825MHz	Pass	PK	23.301G	50.74	68.20	-17.46	3	Vertical	25	2.01	-
5825MHz	Pass	AV	11.6434G	41.93	54.00	-12.07	3	Horizontal	244	1.78	-
5825MHz	Pass	PK	11.6554G	55.06	74.00	-18.94	3	Horizontal	244	1.78	-
5825MHz	Pass	PK	17.4627G	65.54	68.20	-2.66	3	Horizontal	348	2.27	-
5825MHz	Pass	PK	23.3036G	51.38	68.20	-16.82	3	Horizontal	210	1.76	-
802.11ac_VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	51.71	54.00	-2.29	3	Vertical	360	1.90	-
5180MHz	Pass	AV	5.186G	99.97	Inf	-Inf	3	Vertical	360	1.90	-
5180MHz	Pass	AV	5.4404G	49.05	54.00	-4.95	3	Vertical	360	1.90	-
5180MHz	Pass	PK	5.15G	65.72	74.00	-8.28	3	Vertical	360	1.90	-
5180MHz	Pass	PK	5.1824G	109.78	Inf	-Inf	3	Vertical	360	1.90	-



RSE TX above 1GHz\_Non-Beamforming\_Radio3\_1T1S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	PK	5.48G	60.68	68.20	-7.52	3	Vertical	360	1.90	-
5180MHz	Pass	AV	5.15G	52.61	54.00	-1.39	3	Horizontal	295	1.92	-
5180MHz	Pass	AV	5.186G	101.23	Inf	-Inf	3	Horizontal	295	1.92	-
5180MHz	Pass	AV	5.4404G	50.63	54.00	-3.37	3	Horizontal	295	1.92	-
5180MHz	Pass	PK	5.1476G	64.71	74.00	-9.29	3	Horizontal	295	1.92	-
5180MHz	Pass	PK	5.186G	111.34	Inf	-Inf	3	Horizontal	295	1.92	-
5180MHz	Pass	PK	5.4764G	60.77	68.20	-7.43	3	Horizontal	295	1.92	-
5180MHz	Pass	AV	15.52518G	47.76	54.00	-6.24	3	Vertical	98	1.74	-
5180MHz	Pass	AV	20.715G	49.09	54.00	-4.91	3	Vertical	0	1.64	-
5180MHz	Pass	PK	10.37098G	54.07	68.20	-14.13	3	Vertical	49	1.85	-
5180MHz	Pass	PK	15.53202G	61.58	74.00	-12.42	3	Vertical	98	1.74	-
5180MHz	Pass	PK	20.7146G	62.81	74.00	-11.19	3	Vertical	0	1.64	-
5180MHz	Pass	AV	15.52566G	47.73	54.00	-6.27	3	Horizontal	77	1.63	-
5180MHz	Pass	AV	20.729G	51.04	54.00	-2.96	3	Horizontal	48	2.04	-
5180MHz	Pass	PK	10.34728G	54.34	68.20	-13.86	3	Horizontal	150	1.91	-
5180MHz	Pass	PK	15.53448G	60.51	74.00	-13.49	3	Horizontal	77	1.63	-
5180MHz	Pass	PK	20.7092G	65.28	74.00	-8.72	3	Horizontal	48	2.04	-
5200MHz	Pass	AV	5.0464G	45.91	54.00	-8.09	3	Vertical	306	2.08	-
5200MHz	Pass	AV	5.206G	100.99	Inf	-Inf	3	Vertical	306	2.08	-
5200MHz	Pass	AV	5.3548G	48.58	54.00	-5.42	3	Vertical	306	2.08	-
5200MHz	Pass	PK	5.1484G	58.06	74.00	-15.94	3	Vertical	306	2.08	-
5200MHz	Pass	PK	5.2048G	110.76	Inf	-Inf	3	Vertical	306	2.08	-
5200MHz	Pass	PK	5.4964G	59.13	68.20	-9.07	3	Vertical	306	2.08	-
5200MHz	Pass	AV	5.1196G	46.21	54.00	-7.79	3	Horizontal	295	1.97	-
5200MHz	Pass	AV	5.206G	102.29	Inf	-Inf	3	Horizontal	295	1.97	-
5200MHz	Pass	AV	5.3668G	50.97	54.00	-3.03	3	Horizontal	295	1.97	-
5200MHz	Pass	PK	5.032G	57.43	74.00	-16.57	3	Horizontal	295	1.97	-
5200MHz	Pass	PK	5.206G	112.15	Inf	-Inf	3	Horizontal	295	1.97	-
5200MHz	Pass	PK	5.4676G	61.48	68.20	-6.72	3	Horizontal	295	1.97	-
5200MHz	Pass	AV	15.58602G	46.29	54.00	-7.71	3	Vertical	226	1.79	-
5200MHz	Pass	AV	20.805G	39.41	54.00	-14.59	3	Vertical	2	1.50	-
5200MHz	Pass	PK	10.41146G	54.66	68.20	-13.54	3	Vertical	125	2.26	-
5200MHz	Pass	PK	15.59052G	59.62	74.00	-14.38	3	Vertical	226	1.79	-
5200MHz	Pass	PK	20.81G	54.09	74.00	-19.91	3	Vertical	2	1.50	-
5200MHz	Pass	AV	15.58884G	46.22	54.00	-7.78	3	Horizontal	31	2.37	-
5200MHz	Pass	AV	20.8004G	38.58	54.00	-15.42	3	Horizontal	21	1.50	-
5200MHz	Pass	PK	10.403G	54.70	68.20	-13.50	3	Horizontal	207	2.37	-
5200MHz	Pass	PK	15.59838G	59.02	74.00	-14.98	3	Horizontal	31	2.37	-
5200MHz	Pass	PK	20.7952G	52.04	74.00	-21.96	3	Horizontal	21	1.50	-
5240MHz	Pass	AV	5.0852G	46.91	54.00	-7.09	3	Vertical	19	1.20	-
5240MHz	Pass	AV	5.246G	102.18	Inf	-Inf	3	Vertical	19	1.20	-
5240MHz	Pass	AV	5.4056G	50.16	54.00	-3.84	3	Vertical	19	1.20	-
5240MHz	Pass	PK	5.072G	58.47	74.00	-15.53	3	Vertical	19	1.20	-
5240MHz	Pass	PK	5.246G	111.89	Inf	-Inf	3	Vertical	19	1.20	-
5240MHz	Pass	PK	5.4812G	59.44	68.20	-8.76	3	Vertical	19	1.20	-
5240MHz	Pass	AV	5.0876G	46.60	54.00	-7.40	3	Horizontal	300	1.98	-
5240MHz	Pass	AV	5.246G	103.64	Inf	-Inf	3	Horizontal	300	1.98	-
5240MHz	Pass	AV	5.4056G	51.99	54.00	-2.01	3	Horizontal	300	1.98	-
5240MHz	Pass	PK	5.0816G	58.08	74.00	-15.92	3	Horizontal	300	1.98	-
5240MHz	Pass	PK	5.2448G	113.75	Inf	-Inf	3	Horizontal	300	1.98	-
5240MHz	Pass	PK	5.4824G	62.99	68.20	-5.21	3	Horizontal	300	1.98	-
5240MHz	Pass	AV	15.7053G	45.85	54.00	-8.15	3	Vertical	157	1.96	-
5240MHz	Pass	AV	20.956G	41.10	54.00	-12.90	3	Vertical	0	1.61	-
5240MHz	Pass	PK	10.49164G	55.82	68.20	-12.38	3	Vertical	169	1.07	-
5240MHz	Pass	PK	15.71868G	59.07	74.00	-14.93	3	Vertical	157	1.96	-
5240MHz	Pass	PK	20.9504G	55.34	74.00	-18.66	3	Vertical	0	1.61	-
5240MHz	Pass	AV	15.72738G	45.82	54.00	-8.18	3	Horizontal	12	2.50	-
5240MHz	Pass	AV	20.9588G	45.01	54.00	-8.99	3	Horizontal	44	1.71	-
5240MHz	Pass	PK	10.47346G	54.53	68.20	-13.67	3	Horizontal	332	1.13	-
5240MHz	Pass	PK	15.72204G	58.94	74.00	-15.06	3	Horizontal	12	2.50	-
5240MHz	Pass	PK	20.948G	60.64	74.00	-13.36	3	Horizontal	44	1.71	-
5745MHz	Pass	AV	5.7378G	101.50	Inf	-Inf	3	Vertical	12	1.50	-



RSE TX above 1GHz\_Non-Beamforming\_Radio3\_1T1S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.6406G	60.88	68.20	-7.32	3	Vertical	12	1.50	-
5745MHz	Pass	PK	5.7378G	111.88	Inf	-Inf	3	Vertical	12	1.50	-
5745MHz	Pass	PK	5.973G	57.64	68.20	-10.56	3	Vertical	12	1.50	-
5745MHz	Pass	AV	5.7378G	102.81	Inf	-Inf	3	Horizontal	314	1.84	-
5745MHz	Pass	PK	5.5878G	63.23	68.20	-4.97	3	Horizontal	314	1.84	-
5745MHz	Pass	PK	5.7438G	112.81	Inf	-Inf	3	Horizontal	314	1.84	-
5745MHz	Pass	PK	5.9502G	58.22	68.20	-9.98	3	Horizontal	314	1.84	-
5745MHz	Pass	AV	11.5044G	42.74	54.00	-11.26	3	Vertical	298	1.67	-
5745MHz	Pass	AV	22.983G	35.01	54.00	-18.99	3	Vertical	196	1.75	-
5745MHz	Pass	PK	11.50182G	55.89	74.00	-18.11	3	Vertical	298	1.67	-
5745MHz	Pass	PK	17.2311G	62.22	68.20	-5.98	3	Vertical	236	1.31	-
5745MHz	Pass	PK	22.9692G	48.82	74.00	-25.18	3	Vertical	196	1.75	-
5745MHz	Pass	AV	11.47602G	42.78	54.00	-11.22	3	Horizontal	262	2.69	-
5745MHz	Pass	AV	22.9782G	35.87	54.00	-18.13	3	Horizontal	146	1.53	-
5745MHz	Pass	PK	11.48094G	55.91	74.00	-18.09	3	Horizontal	262	2.69	-
5745MHz	Pass	PK	17.24538G	63.83	68.20	-4.37	3	Horizontal	38	1.35	-
5745MHz	Pass	PK	22.9744G	49.39	74.00	-24.61	3	Horizontal	146	1.53	-
5785MHz	Pass	AV	5.779G	101.49	Inf	-Inf	3	Vertical	345	1.00	-
5785MHz	Pass	PK	5.623G	62.75	68.20	-5.45	3	Vertical	345	1.00	-
5785MHz	Pass	PK	5.7766G	111.46	Inf	-Inf	3	Vertical	345	1.00	-
5785MHz	Pass	PK	5.9458G	58.31	68.20	-9.89	3	Vertical	345	1.00	-
5785MHz	Pass	AV	5.779G	102.30	Inf	-Inf	3	Horizontal	316	1.86	-
5785MHz	Pass	PK	5.6482G	63.49	68.20	-4.71	3	Horizontal	316	1.86	-
5785MHz	Pass	PK	5.7778G	113.25	Inf	-Inf	3	Horizontal	316	1.86	-
5785MHz	Pass	PK	5.929G	58.63	68.20	-9.57	3	Horizontal	316	1.86	-
5785MHz	Pass	AV	11.56748G	41.96	54.00	-12.04	3	Vertical	176	1.97	-
5785MHz	Pass	PK	11.56388G	55.33	74.00	-18.67	3	Vertical	176	1.97	-
5785MHz	Pass	PK	17.35172G	65.13	68.20	-3.07	3	Vertical	20	1.50	-
5785MHz	Pass	PK	23.1374G	53.57	68.20	-14.63	3	Vertical	36	1.78	-
5785MHz	Pass	AV	11.5618G	42.73	54.00	-11.27	3	Horizontal	38	2.84	-
5785MHz	Pass	PK	11.57428G	55.99	74.00	-18.01	3	Horizontal	38	2.84	-
5785MHz	Pass	PK	17.36072G	64.59	68.20	-3.61	3	Horizontal	360	1.55	-
5785MHz	Pass	PK	23.1318G	51.86	68.20	-16.34	3	Horizontal	47	1.67	-
5825MHz	Pass	AV	5.8178G	100.59	Inf	-Inf	3	Vertical	2	2.43	-
5825MHz	Pass	PK	5.6402G	63.84	68.20	-4.36	3	Vertical	2	2.43	-
5825MHz	Pass	PK	5.8178G	110.68	Inf	-Inf	3	Vertical	2	2.43	-
5825MHz	Pass	PK	6.107G	58.35	68.20	-9.85	3	Vertical	2	2.43	-
5825MHz	Pass	AV	5.819G	101.78	Inf	-Inf	3	Horizontal	317	1.98	-
5825MHz	Pass	PK	5.6402G	64.49	68.20	-3.71	3	Horizontal	317	1.98	-
5825MHz	Pass	PK	5.819G	112.44	Inf	-Inf	3	Horizontal	317	1.98	-
5825MHz	Pass	PK	6.0818G	60.10	68.20	-8.10	3	Horizontal	317	1.98	-
5825MHz	Pass	AV	11.64156G	42.04	54.00	-11.96	3	Vertical	360	1.50	-
5825MHz	Pass	PK	11.65124G	54.73	74.00	-19.27	3	Vertical	360	1.50	-
5825MHz	Pass	PK	17.47744G	65.58	68.20	-2.62	3	Vertical	20	1.47	-
5825MHz	Pass	PK	23.2906G	51.88	68.20	-16.32	3	Vertical	38	1.77	-
5825MHz	Pass	AV	11.64212G	41.91	54.00	-12.09	3	Horizontal	337	1.50	-
5825MHz	Pass	PK	11.64076G	54.70	74.00	-19.30	3	Horizontal	337	1.50	-
5825MHz	Pass	PK	17.48128G	64.93	68.20	-3.27	3	Horizontal	356	2.00	-
5825MHz	Pass	PK	23.304G	51.45	68.20	-16.75	3	Horizontal	209	1.77	-
802.11ac_VHT40_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	49.90	54.00	-4.10	3	Vertical	22	1.43	-
5190MHz	Pass	AV	5.2032G	95.68	Inf	-Inf	3	Vertical	22	1.43	-
5190MHz	Pass	AV	5.3604G	50.91	54.00	-3.09	3	Vertical	22	1.43	-
5190MHz	Pass	PK	5.15G	60.54	74.00	-13.46	3	Vertical	22	1.43	-
5190MHz	Pass	PK	5.196G	105.75	Inf	-Inf	3	Vertical	22	1.43	-
5190MHz	Pass	PK	5.4648G	60.15	68.20	-8.05	3	Vertical	22	1.43	-
5190MHz	Pass	AV	5.15G	50.49	54.00	-3.51	3	Horizontal	296	2.02	-
5190MHz	Pass	AV	5.2008G	97.19	Inf	-Inf	3	Horizontal	296	2.02	-
5190MHz	Pass	AV	5.4408G	53.31	54.00	-0.69	3	Horizontal	296	2.02	-
5190MHz	Pass	PK	5.1492G	61.80	74.00	-12.20	3	Horizontal	296	2.02	-
5190MHz	Pass	PK	5.1948G	106.37	Inf	-Inf	3	Horizontal	296	2.02	-
5190MHz	Pass	PK	5.4744G	62.04	68.20	-6.16	3	Horizontal	296	2.02	-



RSE TX above 1GHz\_Non-Beamforming\_Radio3\_1T1S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5190MHz	Pass	AV	15.56024G	47.71	54.00	-6.29	3	Vertical	165	2.68	-
5190MHz	Pass	AV	20.76402G	41.81	54.00	-12.19	3	Vertical	14	2.23	-
5190MHz	Pass	PK	10.38436G	54.51	68.20	-13.69	3	Vertical	0	2.02	-
5190MHz	Pass	PK	15.56716G	60.16	74.00	-13.84	3	Vertical	165	2.68	-
5190MHz	Pass	PK	20.75522G	54.17	74.00	-19.83	3	Vertical	14	2.23	-
5190MHz	Pass	AV	15.5612G	47.76	54.00	-6.24	3	Horizontal	351	1.50	-
5190MHz	Pass	AV	20.75736G	41.37	54.00	-12.63	3	Horizontal	21	1.56	-
5190MHz	Pass	PK	10.3882G	55.08	68.20	-13.12	3	Horizontal	309	1.34	-
5190MHz	Pass	PK	15.56748G	60.38	74.00	-13.62	3	Horizontal	351	1.50	-
5190MHz	Pass	PK	20.75794G	53.37	74.00	-20.63	3	Horizontal	21	1.56	-
5230MHz	Pass	AV	5.086G	47.49	54.00	-6.51	3	Vertical	20	1.20	-
5230MHz	Pass	AV	5.236G	97.26	Inf	-Inf	3	Vertical	20	1.20	-
5230MHz	Pass	AV	5.44G	51.26	54.00	-2.74	3	Vertical	20	1.20	-
5230MHz	Pass	PK	5.1436G	59.33	74.00	-14.67	3	Vertical	20	1.20	-
5230MHz	Pass	PK	5.236G	106.65	Inf	-Inf	3	Vertical	20	1.20	-
5230MHz	Pass	PK	5.464G	60.22	68.20	-7.98	3	Vertical	20	1.20	-
5230MHz	Pass	AV	5.1196G	47.21	54.00	-6.79	3	Horizontal	301	1.97	-
5230MHz	Pass	AV	5.2336G	98.64	Inf	-Inf	3	Horizontal	301	1.97	-
5230MHz	Pass	AV	5.44G	53.28	54.00	-0.72	3	Horizontal	301	1.97	-
5230MHz	Pass	PK	5.086G	58.44	74.00	-15.56	3	Horizontal	301	1.97	-
5230MHz	Pass	PK	5.2372G	107.99	Inf	-Inf	3	Horizontal	301	1.97	-
5230MHz	Pass	PK	5.4688G	63.27	68.20	-4.93	3	Horizontal	301	1.97	-
5230MHz	Pass	AV	15.6932G	46.65	54.00	-7.35	3	Vertical	223	1.48	-
5230MHz	Pass	AV	20.9398G	43.35	54.00	-10.65	3	Vertical	2	1.64	-
5230MHz	Pass	PK	10.4596G	55.64	68.20	-12.56	3	Vertical	43	1.50	-
5230MHz	Pass	PK	15.6898G	59.11	74.00	-14.89	3	Vertical	223	1.48	-
5230MHz	Pass	PK	20.9427G	56.23	74.00	-17.77	3	Vertical	2	1.64	-
5230MHz	Pass	AV	15.69468G	46.71	54.00	-7.29	3	Horizontal	136	1.50	-
5230MHz	Pass	AV	20.91956G	45.94	54.00	-8.06	3	Horizontal	52	1.71	-
5230MHz	Pass	PK	10.46744G	55.34	68.20	-12.86	3	Horizontal	340	2.75	-
5230MHz	Pass	PK	15.6984G	59.31	74.00	-14.69	3	Horizontal	136	1.50	-
5230MHz	Pass	PK	20.92568G	58.74	74.00	-15.26	3	Horizontal	52	1.71	-
5755MHz	Pass	AV	5.743G	100.19	Inf	-Inf	3	Vertical	346	1.01	-
5755MHz	Pass	PK	5.6494G	63.91	68.20	-4.29	3	Vertical	346	1.01	-
5755MHz	Pass	PK	5.7394G	109.57	Inf	-Inf	3	Vertical	346	1.01	-
5755MHz	Pass	PK	5.9686G	58.81	68.20	-9.39	3	Vertical	346	1.01	-
5755MHz	Pass	AV	5.743G	100.28	Inf	-Inf	3	Horizontal	315	1.82	-
5755MHz	Pass	PK	5.6458G	64.23	68.20	-3.97	3	Horizontal	315	1.82	-
5755MHz	Pass	PK	5.743G	111.13	Inf	-Inf	3	Horizontal	315	1.82	-
5755MHz	Pass	PK	5.9974G	58.57	68.20	-9.63	3	Horizontal	315	1.82	-
5755MHz	Pass	AV	11.51052G	43.54	54.00	-10.46	3	Vertical	66	1.35	-
5755MHz	Pass	AV	23.01352G	47.29	54.00	-6.71	3	Vertical	205	1.74	-
5755MHz	Pass	PK	11.51524G	56.16	74.00	-17.84	3	Vertical	66	1.35	-
5755MHz	Pass	PK	17.26112G	62.44	68.20	-5.76	3	Vertical	18	1.99	-
5755MHz	Pass	PK	23.01268G	59.52	74.00	-14.48	3	Vertical	205	1.74	-
5755MHz	Pass	AV	11.5112G	43.69	54.00	-10.31	3	Horizontal	319	1.50	-
5755MHz	Pass	AV	23.009G	47.53	54.00	-6.47	3	Horizontal	144	1.94	-
5755MHz	Pass	PK	11.50876G	56.22	74.00	-17.78	3	Horizontal	319	1.50	-
5755MHz	Pass	PK	17.27428G	63.33	68.20	-4.87	3	Horizontal	340	2.88	-
5755MHz	Pass	PK	23.0064G	58.86	74.00	-15.14	3	Horizontal	144	1.94	-
5795MHz	Pass	AV	5.7782G	99.12	Inf	-Inf	3	Vertical	345	1.02	-
5795MHz	Pass	PK	5.6402G	62.57	68.20	-5.63	3	Vertical	345	1.02	-
5795MHz	Pass	PK	5.7794G	108.56	Inf	-Inf	3	Vertical	345	1.02	-
5795MHz	Pass	PK	5.933G	58.23	68.20	-9.97	3	Vertical	345	1.02	-
5795MHz	Pass	AV	5.7842G	99.67	Inf	-Inf	3	Horizontal	314	1.83	-
5795MHz	Pass	PK	5.6174G	63.87	68.20	-4.33	3	Horizontal	314	1.83	-
5795MHz	Pass	PK	5.7806G	109.34	Inf	-Inf	3	Horizontal	314	1.83	-
5795MHz	Pass	PK	5.951G	59.32	68.20	-8.88	3	Horizontal	314	1.83	-
5795MHz	Pass	AV	11.58836G	42.92	54.00	-11.08	3	Vertical	328	1.50	-
5795MHz	Pass	PK	11.58696G	55.50	74.00	-18.50	3	Vertical	328	1.50	-
5795MHz	Pass	PK	17.39332G	63.13	68.20	-5.07	3	Vertical	57	1.32	-
5795MHz	Pass	PK	23.1828G	60.99	68.20	-7.21	3	Vertical	36	1.75	-



RSE TX above 1GHz\_Non-Beamforming\_Radio3\_1T1S


Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5795MHz	Pass	AV	11.59272G	43.37	54.00	-10.63	3	Horizontal	55	1.50	-
5795MHz	Pass	PK	11.595G	56.16	74.00	-17.84	3	Horizontal	55	1.50	-
5795MHz	Pass	PK	17.37888G	64.33	68.20	-3.87	3	Horizontal	357	2.12	-
5795MHz	Pass	PK	23.1788G	60.26	68.20	-7.94	3	Horizontal	218	2.16	-
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.41	54.00	-0.59	3	Vertical	20	1.13	-
5210MHz	Pass	AV	5.2448G	89.02	Inf	-Inf	3	Vertical	20	1.13	-
5210MHz	Pass	AV	5.4404G	49.52	54.00	-4.48	3	Vertical	20	1.13	-
5210MHz	Pass	PK	5.15G	64.62	74.00	-9.38	3	Vertical	20	1.13	-
5210MHz	Pass	PK	5.1992G	99.29	Inf	-Inf	3	Vertical	20	1.13	-
5210MHz	Pass	PK	5.5052G	59.96	68.20	-8.24	3	Vertical	20	1.13	-
5210MHz	Pass	AV	5.15G	53.31	54.00	-0.69	3	Horizontal	302	1.93	-
5210MHz	Pass	AV	5.2376G	91.14	Inf	-Inf	3	Horizontal	302	1.93	-
5210MHz	Pass	AV	5.4404G	53.31	54.00	-0.69	3	Horizontal	302	1.93	-
5210MHz	Pass	PK	5.15G	65.67	74.00	-8.33	3	Horizontal	302	1.93	-
5210MHz	Pass	PK	5.2364G	100.40	Inf	-Inf	3	Horizontal	302	1.93	-
5210MHz	Pass	PK	5.4992G	63.89	68.20	-4.31	3	Horizontal	302	1.93	-
5210MHz	Pass	AV	15.63544G	46.66	54.00	-7.34	3	Vertical	55	2.78	-
5210MHz	Pass	AV	20.84448G	41.69	54.00	-12.31	3	Vertical	168	1.02	-
5210MHz	Pass	PK	10.41484G	55.10	68.20	-13.10	3	Vertical	310	2.22	-
5210MHz	Pass	PK	15.6354G	58.96	74.00	-15.04	3	Vertical	55	2.78	-
5210MHz	Pass	PK	20.84076G	54.24	74.00	-19.76	3	Vertical	168	1.02	-
5210MHz	Pass	AV	15.63772G	46.68	54.00	-7.32	3	Horizontal	313	1.50	-
5210MHz	Pass	AV	20.8314G	41.50	54.00	-12.50	3	Horizontal	123	1.74	-
5210MHz	Pass	PK	10.41152G	55.12	68.20	-13.08	3	Horizontal	178	1.04	-
5210MHz	Pass	PK	15.63644G	59.52	74.00	-14.48	3	Horizontal	313	1.50	-
5210MHz	Pass	PK	20.83708G	54.50	74.00	-19.50	3	Horizontal	123	1.74	-
5775MHz	Pass	AV	5.739G	95.34	Inf	-Inf	3	Vertical	345	1.00	-
5775MHz	Pass	PK	5.6442G	64.98	68.20	-3.22	3	Vertical	345	1.00	-
5775MHz	Pass	PK	5.7642G	104.75	Inf	-Inf	3	Vertical	345	1.00	-
5775MHz	Pass	PK	5.9502G	58.72	68.20	-9.48	3	Vertical	345	1.00	-
5775MHz	Pass	AV	5.7426G	95.56	Inf	-Inf	3	Horizontal	317	1.79	-
5775MHz	Pass	PK	5.649G	67.46	68.20	-0.74	3	Horizontal	317	1.79	-
5775MHz	Pass	PK	5.7642G	106.41	Inf	-Inf	3	Horizontal	317	1.79	-
5775MHz	Pass	PK	5.9262G	60.01	68.20	-8.19	3	Horizontal	317	1.79	-
5775MHz	Pass	AV	11.54184G	43.22	54.00	-10.78	3	Vertical	136	1.50	-
5775MHz	Pass	AV	23.09708G	43.05	54.00	-10.95	3	Vertical	194	1.56	-
5775MHz	Pass	PK	11.54896G	55.41	74.00	-18.59	3	Vertical	136	1.50	-
5775MHz	Pass	PK	17.322G	63.75	68.20	-4.45	3	Vertical	168	1.95	-
5775MHz	Pass	PK	23.10552G	55.23	74.00	-18.77	3	Vertical	194	1.56	-
5775MHz	Pass	AV	11.54184G	43.47	54.00	-10.53	3	Horizontal	292	2.38	-
5775MHz	Pass	AV	23.09208G	43.67	54.00	-10.33	3	Horizontal	306	1.65	-
5775MHz	Pass	PK	11.54792G	55.67	74.00	-18.33	3	Horizontal	292	2.38	-
5775MHz	Pass	PK	17.3192G	62.84	68.20	-5.36	3	Horizontal	17	1.50	-
5775MHz	Pass	PK	23.09608G	55.52	74.00	-18.48	3	Horizontal	306	1.65	-



802.11a\_Nss1,(6Mbps)\_1TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.61	54.00	-2.39	5.99	3	Vertical	22	1.28	-	45.62	31.70	8.52	34.23
AV	5.1872G	100.81	Inf	-Inf	5.88	3	Vertical	22	1.28	-	94.93	31.55	8.56	34.23
AV	5.4404G	48.43	54.00	-5.57	5.95	3	Vertical	22	1.28	-	42.48	31.54	8.67	34.26
PK	5.1464G	65.91	74.00	-8.09	5.99	3	Vertical	22	1.28	-	59.92	31.70	8.52	34.23
PK	5.1752G	111.20	Inf	-Inf	5.92	3	Vertical	22	1.28	-	105.28	31.60	8.55	34.23
PK	5.4644G	60.62	68.20	-7.58	6.07	3	Vertical	22	1.28	-	54.55	31.63	8.70	34.26



802.11a\_Nss1,(6Mbps)\_1TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.58	54.00	-1.42	5.99	3	Horizontal	294	2.01	-	46.59	31.70	8.52	34.23
AV	5.186G	102.11	Inf	-Inf	5.89	3	Horizontal	294	2.01	-	96.22	31.56	8.56	34.23
AV	5.4404G	50.10	54.00	-3.90	5.95	3	Horizontal	294	2.01	-	44.15	31.54	8.67	34.26
PK	5.1476G	65.85	74.00	-8.15	5.99	3	Horizontal	294	2.01	-	59.86	31.70	8.52	34.23
PK	5.1836G	111.96	Inf	-Inf	5.89	3	Horizontal	294	2.01	-	106.07	31.57	8.55	34.23
PK	5.4608G	60.08	68.20	-8.12	6.06	3	Horizontal	294	2.01	-	54.02	31.62	8.70	34.26



802.11a\_Nss1,(6Mbps)\_1TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5331G	47.71	54.00	-6.29	18.51	3	Vertical	130	2.11	-	29.20	38.27	14.61	34.37
AV	20.7198G	41.28	54.00	-12.72	-3.14	3	Vertical	13	2.19	-	44.42	39.24	16.22	49.06
PK	10.37044G	55.04	68.20	-13.16	16.93	3	Vertical	301	1.31	-	38.11	39.41	12.19	34.67
PK	15.52824G	60.94	74.00	-13.06	18.53	3	Vertical	130	2.11	-	42.41	38.30	14.60	34.37
PK	20.7286G	55.29	74.00	-18.71	-3.13	3	Vertical	13	2.19	-	58.42	39.23	16.23	49.05





802.11a\_Nss1,(6Mbps)\_1TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5307G	47.84	54.00	-6.16	18.53	3	Horizontal	245	2.24	-	29.31	38.29	14.61	34.37
AV	20.7172G	41.73	54.00	-12.27	-3.14	3	Horizontal	330	1.82	-	44.87	39.24	16.22	49.06
PK	10.34656G	54.61	68.20	-13.59	16.83	3	Horizontal	104	1.36	-	37.78	39.34	12.18	34.69
PK	15.53016G	60.30	74.00	-13.70	18.52	3	Horizontal	245	2.24	-	41.78	38.29	14.60	34.37
PK	20.7206G	57.09	74.00	-16.91	-3.14	3	Horizontal	330	1.82	-	60.23	39.24	16.22	49.06



802.11a\_Nss1,(6Mbps)\_1TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0368G	45.46	54.00	-8.54	5.64	3	Vertical	0	1.99	-	39.82	31.45	8.41	34.22
AV	5.194G	100.80	Inf	-Inf	5.84	3	Vertical	0	1.99	-	94.96	31.52	8.56	34.24
AV	5.368G	50.42	54.00	-3.58	5.46	3	Vertical	0	1.99	-	44.96	31.11	8.60	34.25
PK	5.1256G	57.93	74.00	-16.07	5.97	3	Vertical	0	1.99	-	51.96	31.70	8.50	34.23
PK	5.1976G	110.40	Inf	-Inf	5.84	3	Vertical	0	1.99	-	104.56	31.51	8.57	34.24
PK	5.4916G	60.02	68.20	-8.18	6.16	3	Vertical	0	1.99	-	53.86	31.68	8.74	34.26



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1196G	46.09	54.00	-7.91	5.96	3	Horizontal	299	2.03	-	40.13	31.70	8.49	34.23
AV	5.206G	102.34	Inf	-Inf	5.79	3	Horizontal	299	2.03	-	96.55	31.46	8.57	34.24
AV	5.3668G	50.85	54.00	-3.15	5.45	3	Horizontal	299	2.03	-	45.40	31.10	8.60	34.25
PK	5.0464G	57.55	74.00	-16.45	5.69	3	Horizontal	299	2.03	-	51.86	31.49	8.42	34.22
PK	5.2048G	112.71	Inf	-Inf	5.80	3	Horizontal	299	2.03	-	106.91	31.47	8.57	34.24
PK	5.4976G	61.53	68.20	-6.67	6.19	3	Horizontal	299	2.03	-	55.34	31.70	8.75	34.26



802.11a\_Nss1,(6Mbps)\_1TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58932G	46.17	54.00	-7.83	18.07	3	Vertical	155	1.02	-	28.10	37.87	14.62	34.42
AV	20.8008G	39.18	54.00	-14.82	-3.17	3	Vertical	3	1.50	-	42.35	39.14	16.27	49.04
PK	10.4051G	54.55	68.20	-13.65	17.07	3	Vertical	57	1.14	-	37.48	39.51	12.20	34.64
PK	15.60786G	59.16	74.00	-14.84	18.00	3	Vertical	155	1.02	-	41.16	37.82	14.62	34.44
PK	20.8006G	53.89	74.00	-20.11	-3.17	3	Vertical	3	1.50	-	57.06	39.14	16.27	49.04



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59028G	46.18	54.00	-7.82	18.07	3	Horizontal	84	1.68	-	28.11	37.87	14.62	34.42
AV	20.7984G	45.48	54.00	-8.52	-3.17	3	Horizontal	60	1.65	-	48.65	39.14	16.27	49.04
PK	10.4072G	54.44	68.20	-13.76	17.08	3	Horizontal	247	1.56	-	37.36	39.51	12.21	34.64
PK	15.60168G	59.38	74.00	-14.62	17.99	3	Horizontal	84	1.68	-	41.39	37.80	14.62	34.43
PK	20.801G	60.44	74.00	-13.56	-3.17	3	Horizontal	60	1.65	-	63.61	39.14	16.27	49.04



802.11a\_Nss1,(6Mbps)\_1TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0768G	46.79	54.00	-7.21	5.83	3	Vertical	19	1.17	-	40.96	31.61	8.45	34.23
AV	5.2472G	102.03	Inf	-Inf	5.56	3	Vertical	19	1.17	-	96.47	31.22	8.58	34.24
AV	5.4056G	49.83	54.00	-4.17	5.70	3	Vertical	19	1.17	-	44.13	31.33	8.62	34.25
PK	5.0804G	58.12	74.00	-15.88	5.85	3	Vertical	19	1.17	-	52.27	31.62	8.46	34.23
PK	5.246G	111.82	Inf	-Inf	5.56	3	Vertical	19	1.17	-	106.26	31.22	8.58	34.24
PK	5.54G	60.33	68.20	-7.87	6.17	3	Vertical	19	1.17	-	54.16	31.62	8.81	34.26



802.11a\_Nss1,(6Mbps)\_1TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.078G	46.48	54.00	-7.52	5.83	3	Horizontal	299	1.87	-	40.65	31.61	8.45	34.23
AV	5.246G	103.84	Inf	-Inf	5.56	3	Horizontal	299	1.87	-	98.28	31.22	8.58	34.24
AV	5.4056G	52.61	54.00	-1.39	5.70	3	Horizontal	299	1.87	-	46.91	31.33	8.62	34.25
PK	5.0876G	58.30	74.00	-15.70	5.88	3	Horizontal	299	1.87	-	52.42	31.65	8.46	34.23
PK	5.2328G	113.50	Inf	-Inf	5.64	3	Horizontal	299	1.87	-	107.86	31.30	8.58	34.24
PK	5.4836G	62.90	68.20	-5.30	6.14	3	Horizontal	299	1.87	-	56.76	31.67	8.73	34.26



802.11a\_Nss1,(6Mbps)\_1TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.711G	45.76	54.00	-8.24	18.08	3	Vertical	234	1.73	-	27.68	37.96	14.65	34.53
AV	20.9594G	42.57	54.00	-11.43	-3.23	3	Vertical	1	1.62	-	45.80	38.95	16.37	49.01
PK	10.48852G	55.03	68.20	-13.17	17.35	3	Vertical	60	2.45	-	37.68	39.68	12.25	34.58
PK	15.71364G	59.21	74.00	-14.79	18.06	3	Vertical	234	1.73	-	41.15	37.95	14.65	34.54
PK	20.961G	57.49	74.00	-16.51	-3.23	3	Vertical	1	1.62	-	60.72	38.95	16.37	49.01





802.11a\_Nss1,(6Mbps)\_1TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71346G	46.37	54.00	-7.63	18.06	3	Horizontal	40	1.09	-	28.31	37.95	14.65	34.54
AV	20.9608G	45.94	54.00	-8.06	-3.23	3	Horizontal	45	1.72	-	49.17	38.95	16.37	49.01
PK	10.48714G	55.33	68.20	-12.87	17.34	3	Horizontal	197	1.17	-	37.99	39.67	12.25	34.58
PK	15.723G	60.09	74.00	-13.91	18.01	3	Horizontal	40	1.09	-	42.08	37.91	14.65	34.55
PK	20.9628G	60.92	74.00	-13.08	-3.24	3	Horizontal	45	1.72	-	64.16	38.94	16.37	49.01



802.11a\_Nss1,(6Mbps)\_1TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	101.53	Inf	-Inf	6.71	3	Vertical	14	1.50	-	94.82	31.96	9.03	34.28
PK	5.6394G	60.90	68.20	-7.30	6.35	3	Vertical	14	1.50	-	54.55	31.68	8.94	34.27
PK	5.739G	111.94	Inf	-Inf	6.71	3	Vertical	14	1.50	-	105.23	31.96	9.03	34.28
PK	6.0222G	58.02	68.20	-10.18	7.24	3	Vertical	14	1.50	-	50.78	32.36	9.19	34.31



802.11a\_Nss1,(6Mbps)\_1TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	102.72	Inf	-Inf	6.71	3	Horizontal	315	1.80	-	96.01	31.96	9.03	34.28
PK	5.6322G	62.15	68.20	-6.05	6.32	3	Horizontal	315	1.80	-	55.83	31.66	8.93	34.27
PK	5.7462G	112.80	Inf	-Inf	6.73	3	Horizontal	315	1.80	-	106.07	31.98	9.03	34.28
PK	5.9418G	58.26	68.20	-9.94	7.14	3	Horizontal	315	1.80	-	51.12	32.30	9.14	34.30



802.11a\_Nss1,(6Mbps)\_1TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49672G	42.82	54.00	-11.18	18.59	3	Vertical	44	2.92	-	24.23	39.99	12.76	34.16
AV	22.9796G	35.58	54.00	-18.42	-0.98	3	Vertical	196	1.76	-	36.56	39.46	17.41	48.31
PK	11.4939G	55.66	74.00	-18.34	18.58	3	Vertical	44	2.92	-	37.08	39.99	12.75	34.16
PK	17.23416G	62.87	68.20	-5.33	21.35	3	Vertical	17	1.49	-	41.52	39.60	15.03	33.28
PK	22.9806G	48.58	74.00	-25.42	-0.97	3	Vertical	196	1.76	-	49.55	39.47	17.41	48.31



802.11a\_Nss1,(6Mbps)\_1TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5002G	42.71	54.00	-11.29	18.60	3	Horizontal	0	1.50	-	24.11	40.00	12.76	34.16
AV	22.98G	34.86	54.00	-19.14	-0.98	3	Horizontal	145	1.50	-	35.84	39.46	17.41	48.31
PK	11.47662G	56.18	74.00	-17.82	18.54	3	Horizontal	0	1.50	-	37.64	39.95	12.75	34.16
PK	17.23836G	64.36	68.20	-3.84	21.38	3	Horizontal	356	2.41	-	42.98	39.62	15.04	33.28
PK	22.9848G	48.50	74.00	-25.50	-0.97	3	Horizontal	145	1.50	-	49.47	39.47	17.41	48.31



802.11a\_Nss1,(6Mbps)\_1TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	101.37	Inf	-Inf	6.77	3	Vertical	346	1.01	-	94.60	32.00	9.06	34.29
PK	5.6266G	62.41	68.20	-5.79	6.30	3	Vertical	346	1.01	-	56.11	31.65	8.92	34.27
PK	5.7826G	111.60	Inf	-Inf	6.77	3	Vertical	346	1.01	-	104.83	32.00	9.06	34.29
PK	5.947G	58.33	68.20	-9.87	7.15	3	Vertical	346	1.01	-	51.18	32.30	9.15	34.30



802.11a\_Nss1,(6Mbps)\_1TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	102.01	Inf	-Inf	6.77	3	Horizontal	317	1.77	-	95.24	32.00	9.06	34.29
PK	5.6302G	62.40	68.20	-5.80	6.32	3	Horizontal	317	1.77	-	56.08	31.66	8.93	34.27
PK	5.7898G	112.46	Inf	-Inf	6.78	3	Horizontal	317	1.77	-	105.68	32.00	9.07	34.29
PK	5.9302G	58.32	68.20	-9.88	7.14	3	Horizontal	317	1.77	-	51.18	32.30	9.14	34.30



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57696G	42.48	54.00	-11.52	18.52	3	Vertical	250	1.40	-	23.96	39.92	12.80	34.20
PK	11.5661G	55.71	74.00	-18.29	18.53	3	Vertical	250	1.40	-	37.18	39.93	12.79	34.19
PK	17.36376G	64.46	68.20	-3.74	22.14	3	Vertical	20	1.46	-	42.32	40.31	15.07	33.24
PK	23.1418G	52.32	68.20	-15.88	-0.66	3	Vertical	26	1.81	-	52.98	39.56	17.48	48.16





802.11a\_Nss1,(6Mbps)\_1TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56406G	42.38	54.00	-11.62	18.54	3	Horizontal	123	2.01	-	23.84	39.94	12.79	34.19
PK	11.57708G	55.64	74.00	-18.36	18.52	3	Horizontal	123	2.01	-	37.12	39.92	12.80	34.20
PK	17.3547G	64.77	68.20	-3.43	22.07	3	Horizontal	360	2.28	-	42.70	40.24	15.07	33.24
PK	23.1496G	51.97	68.20	-16.23	-0.65	3	Horizontal	47	1.68	-	52.62	39.56	17.48	48.15



802.11a\_Nss1,(6Mbps)\_1TX

5825MHz\_TX




18/02/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	100.00	Inf	-Inf	6.88	3	Vertical	16	1.00	-	93.12	32.08	9.09	34.29
PK	5.639G	63.91	68.20	-4.29	6.35	3	Vertical	16	1.00	-	57.56	31.68	8.94	34.27
PK	5.8214G	110.08	Inf	-Inf	6.89	3	Vertical	16	1.00	-	103.19	32.09	9.09	34.29
PK	5.9546G	58.13	68.20	-10.07	7.15	3	Vertical	16	1.00	-	50.98	32.31	9.15	34.31



802.11a\_Nss1,(6Mbps)\_1TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	101.85	Inf	-Inf	6.87	3	Horizontal	317	1.95	-	94.98	32.07	9.09	34.29
PK	5.6378G	64.13	68.20	-4.07	6.34	3	Horizontal	317	1.95	-	57.79	31.68	8.93	34.27
PK	5.8226G	112.02	Inf	-Inf	6.89	3	Horizontal	317	1.95	-	105.13	32.09	9.09	34.29
PK	5.9534G	58.89	68.20	-9.31	7.15	3	Horizontal	317	1.95	-	51.74	32.31	9.15	34.31



802.11a\_Nss1,(6Mbps)\_1TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.659G	41.85	54.00	-12.15	18.09	3	Vertical	114	1.66	-	23.76	39.49	12.84	34.24
PK	11.6401G	54.50	74.00	-19.50	18.22	3	Vertical	114	1.66	-	36.28	39.62	12.83	34.23
PK	17.47062G	63.92	68.20	-4.28	22.92	3	Vertical	19	1.42	-	41.00	41.02	15.10	33.20
PK	23.301G	50.74	68.20	-17.46	-0.37	3	Vertical	25	2.01	-	51.11	39.62	17.55	48.00



802.11a\_Nss1,(6Mbps)\_1TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6434G	41.93	54.00	-12.07	18.20	3	Horizontal	244	1.78	-	23.73	39.60	12.83	34.23
PK	11.6554G	55.06	74.00	-18.94	18.12	3	Horizontal	244	1.78	-	36.94	39.51	12.84	34.23
PK	17.4627G	65.54	68.20	-2.66	22.87	3	Horizontal	348	2.27	-	42.67	40.98	15.09	33.20
PK	23.3036G	51.38	68.20	-16.82	-0.37	3	Horizontal	210	1.76	-	51.75	39.62	17.55	48.00



802.11ac VHT20\_Nss1,(MCS0)\_1TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.71	54.00	-2.29	5.99	3	Vertical	360	1.90	-	45.72	31.70	8.52	34.23
AV	5.186G	99.97	Inf	-Inf	5.89	3	Vertical	360	1.90	-	94.08	31.56	8.56	34.23
AV	5.4404G	49.05	54.00	-4.95	5.95	3	Vertical	360	1.90	-	43.10	31.54	8.67	34.26
PK	5.15G	65.72	74.00	-8.28	5.99	3	Vertical	360	1.90	-	59.73	31.70	8.52	34.23
PK	5.1824G	109.78	Inf	-Inf	5.89	3	Vertical	360	1.90	-	103.89	31.57	8.55	34.23
PK	5.48G	60.68	68.20	-7.52	6.13	3	Vertical	360	1.90	-	54.55	31.66	8.73	34.26



802.11ac VHT20\_Nss1,(MCS0)\_1TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.61	54.00	-1.39	5.99	3	Horizontal	295	1.92	-	46.62	31.70	8.52	34.23
AV	5.186G	101.23	Inf	-Inf	5.89	3	Horizontal	295	1.92	-	95.34	31.56	8.56	34.23
AV	5.4404G	50.63	54.00	-3.37	5.95	3	Horizontal	295	1.92	-	44.68	31.54	8.67	34.26
PK	5.1476G	64.71	74.00	-9.29	5.99	3	Horizontal	295	1.92	-	58.72	31.70	8.52	34.23
PK	5.186G	111.34	Inf	-Inf	5.89	3	Horizontal	295	1.92	-	105.45	31.56	8.56	34.23
PK	5.4764G	60.77	68.20	-7.43	6.11	3	Horizontal	295	1.92	-	54.66	31.65	8.72	34.26

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

#### 5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52518G	47.76	54.00	-6.24	18.56	3	Vertical	98	1.74	-	29.20	38.32	14.60	34.36
AV	20.715G	49.09	54.00	-4.91	6.40	3	Vertical	0	1.64	-	42.69	39.24	16.22	49.06
PK	10.37098G	54.07	68.20	-14.13	16.93	3	Vertical	49	1.85	-	37.14	39.41	12.19	34.67
PK	15.53202G	61.58	74.00	-12.42	18.52	3	Vertical	98	1.74	-	43.06	38.28	14.61	34.37
PK	20.7146G	62.81	74.00	-11.19	6.40	3	Vertical	0	1.64	-	56.41	39.24	16.22	49.06





802.11ac VHT20\_Nss1,(MCS0)\_1TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52566G	47.73	54.00	-6.27	18.56	3	Horizontal	77	1.63	-	29.17	38.32	14.60	34.36
AV	20.729G	51.04	54.00	-2.96	6.41	3	Horizontal	48	2.04	-	44.63	39.23	16.23	49.05
PK	10.34728G	54.34	68.20	-13.86	16.83	3	Horizontal	150	1.91	-	37.51	39.34	12.18	34.69
PK	15.53448G	60.51	74.00	-13.49	18.50	3	Horizontal	77	1.63	-	42.01	38.26	14.61	34.37
PK	20.7092G	65.28	74.00	-8.72	6.41	3	Horizontal	48	2.04	-	58.87	39.25	16.22	49.06



### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0464G	45.91	54.00	-8.09	5.69	3	Vertical	306	2.08	-	40.22	31.49	8.42	34.22
AV	5.206G	100.99	Inf	-Inf	5.79	3	Vertical	306	2.08	-	95.20	31.46	8.57	34.24
AV	5.3548G	48.58	54.00	-5.42	5.38	3	Vertical	306	2.08	-	43.20	31.03	8.60	34.25
PK	5.1484G	58.06	74.00	-15.94	5.99	3	Vertical	306	2.08	-	52.07	31.70	8.52	34.23
PK	5.2048G	110.76	Inf	-Inf	5.80	3	Vertical	306	2.08	-	104.96	31.47	8.57	34.24
PK	5.4964G	59.13	68.20	-9.07	6.18	3	Vertical	306	2.08	-	52.95	31.69	8.75	34.26



### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1196G	46.21	54.00	-7.79	5.96	3	Horizontal	295	1.97	-	40.25	31.70	8.49	34.23
AV	5.206G	102.29	Inf	-Inf	5.79	3	Horizontal	295	1.97	-	96.50	31.46	8.57	34.24
AV	5.3668G	50.97	54.00	-3.03	5.45	3	Horizontal	295	1.97	-	45.52	31.10	8.60	34.25
PK	5.032G	57.43	74.00	-16.57	5.62	3	Horizontal	295	1.97	-	51.81	31.43	8.41	34.22
PK	5.206G	112.15	Inf	-Inf	5.79	3	Horizontal	295	1.97	-	106.36	31.46	8.57	34.24
PK	5.4676G	61.48	68.20	-6.72	6.09	3	Horizontal	295	1.97	-	55.39	31.64	8.71	34.26



### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58602G	46.29	54.00	-7.71	18.10	3	Vertical	226	1.79	-	28.19	37.90	14.62	34.42
AV	20.805G	39.41	54.00	-14.59	-3.18	3	Vertical	2	1.50	-	42.59	39.13	16.27	49.04
PK	10.41146G	54.66	68.20	-13.54	17.09	3	Vertical	125	2.26	-	37.57	39.52	12.21	34.64
PK	15.59052G	59.62	74.00	-14.38	18.07	3	Vertical	226	1.79	-	41.55	37.87	14.62	34.42
PK	20.81G	54.09	74.00	-19.91	-3.17	3	Vertical	2	1.50	-	57.26	39.13	16.28	49.04



802.11ac VHT20\_Nss1,(MCS0)\_1TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58884G	46.22	54.00	-7.78	18.08	3	Horizontal	31	2.37	-	28.14	37.88	14.62	34.42
AV	20.8004G	38.58	54.00	-15.42	-3.17	3	Horizontal	21	1.50	-	41.75	39.14	16.27	49.04
PK	10.403G	54.70	68.20	-13.50	17.07	3	Horizontal	207	2.37	-	37.63	39.51	12.20	34.64
PK	15.59838G	59.02	74.00	-14.98	18.00	3	Horizontal	31	2.37	-	41.02	37.81	14.62	34.43
PK	20.7952G	52.04	74.00	-21.96	-3.16	3	Horizontal	21	1.50	-	55.20	39.15	16.27	49.04



802.11ac VHT20\_Nss1,(MCS0)\_1TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0852G	46.91	54.00	-7.09	5.87	3	Vertical	19	1.20	-	41.04	31.64	8.46	34.23
AV	5.246G	102.18	Inf	-Inf	5.56	3	Vertical	19	1.20	-	96.62	31.22	8.58	34.24
AV	5.4056G	50.16	54.00	-3.84	5.70	3	Vertical	19	1.20	-	44.46	31.33	8.62	34.25
PK	5.072G	58.47	74.00	-15.53	5.81	3	Vertical	19	1.20	-	52.66	31.59	8.45	34.23
PK	5.246G	111.89	Inf	-Inf	5.56	3	Vertical	19	1.20	-	106.33	31.22	8.58	34.24
PK	5.4812G	59.44	68.20	-8.76	6.13	3	Vertical	19	1.20	-	53.31	31.66	8.73	34.26



### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0876G	46.60	54.00	-7.40	5.88	3	Horizontal	300	1.98	-	40.72	31.65	8.46	34.23
AV	5.246G	103.64	Inf	-Inf	5.56	3	Horizontal	300	1.98	-	98.08	31.22	8.58	34.24
AV	5.4056G	51.99	54.00	-2.01	5.70	3	Horizontal	300	1.98	-	46.29	31.33	8.62	34.25
PK	5.0816G	58.08	74.00	-15.92	5.86	3	Horizontal	300	1.98	-	52.22	31.63	8.46	34.23
PK	5.2448G	113.75	Inf	-Inf	5.57	3	Horizontal	300	1.98	-	108.18	31.23	8.58	34.24
PK	5.4824G	62.99	68.20	-5.21	6.13	3	Horizontal	300	1.98	-	56.86	31.66	8.73	34.26



802.11ac VHT20\_Nss1,(MCS0)\_1TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7053G	45.85	54.00	-8.15	18.10	3	Vertical	157	1.96	-	27.75	37.98	14.65	34.53
AV	20.956G	41.10	54.00	-12.90	-3.24	3	Vertical	0	1.61	-	44.34	38.95	16.36	49.01
PK	10.49164G	55.82	68.20	-12.38	17.35	3	Vertical	169	1.07	-	38.47	39.68	12.25	34.58
PK	15.71868G	59.07	74.00	-14.93	18.04	3	Vertical	157	1.96	-	41.03	37.93	14.65	34.54
PK	20.9504G	55.34	74.00	-18.66	-3.23	3	Vertical	0	1.61	-	58.57	38.96	16.36	49.01





802.11ac VHT20\_Nss1,(MCS0)\_1TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72738G	45.82	54.00	-8.18	17.99	3	Horizontal	12	2.50	-	27.83	37.89	14.65	34.55
AV	20.9588G	45.01	54.00	-8.99	-3.23	3	Horizontal	44	1.71	-	48.24	38.95	16.37	49.01
PK	10.47346G	54.53	68.20	-13.67	17.30	3	Horizontal	332	1.13	-	37.23	39.65	12.24	34.59
PK	15.72204G	58.94	74.00	-15.06	18.02	3	Horizontal	12	2.50	-	40.92	37.91	14.65	34.54
PK	20.948G	60.64	74.00	-13.36	-3.23	3	Horizontal	44	1.71	-	63.87	38.96	16.36	49.01



802.11ac VHT20\_Nss1,(MCS0)\_1TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	101.50	Inf	-Inf	6.69	3	Vertical	12	1.50	-	94.81	31.95	9.02	34.28
PK	5.6406G	60.88	68.20	-7.32	6.35	3	Vertical	12	1.50	-	54.53	31.68	8.94	34.27
PK	5.7378G	111.88	Inf	-Inf	6.69	3	Vertical	12	1.50	-	105.19	31.95	9.02	34.28
PK	5.973G	57.64	68.20	-10.56	7.20	3	Vertical	12	1.50	-	50.44	32.35	9.16	34.31



802.11ac VHT20\_Nss1,(MCS0)\_1TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	102.81	Inf	-Inf	6.69	3	Horizontal	314	1.84	-	96.12	31.95	9.02	34.28
PK	5.5878G	63.23	68.20	-4.97	6.21	3	Horizontal	314	1.84	-	57.02	31.60	8.88	34.27
PK	5.7438G	112.81	Inf	-Inf	6.73	3	Horizontal	314	1.84	-	106.08	31.98	9.03	34.28
PK	5.9502G	58.22	68.20	-9.98	7.14	3	Horizontal	314	1.84	-	51.08	32.30	9.15	34.31



802.11ac VHT20\_Nss1,(MCS0)\_1TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5044G	42.74	54.00	-11.26	18.60	3	Vertical	298	1.67	-	24.14	40.00	12.76	34.16
AV	22.983G	35.01	54.00	-18.99	-0.97	3	Vertical	196	1.75	-	35.98	39.47	17.41	48.31
PK	11.50182G	55.89	74.00	-18.11	18.60	3	Vertical	298	1.67	-	37.29	40.00	12.76	34.16
PK	17.2311G	62.22	68.20	-5.98	21.34	3	Vertical	236	1.31	-	40.88	39.59	15.03	33.28
PK	22.9692G	48.82	74.00	-25.18	-1.01	3	Vertical	196	1.75	-	49.83	39.44	17.41	48.32



802.11ac VHT20\_Nss1,(MCS0)\_1TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.47602G	42.78	54.00	-11.22	18.54	3	Horizontal	262	2.69	-	24.24	39.95	12.75	34.16
AV	22.9782G	35.87	54.00	-18.13	-0.98	3	Horizontal	146	1.53	-	36.85	39.46	17.41	48.31
PK	11.48094G	55.91	74.00	-18.09	18.55	3	Horizontal	262	2.69	-	37.36	39.96	12.75	34.16
PK	17.24538G	63.83	68.20	-4.37	21.40	3	Horizontal	38	1.35	-	42.43	39.64	15.04	33.28
PK	22.9744G	49.39	74.00	-24.61	-1.00	3	Horizontal	146	1.53	-	50.39	39.45	17.41	48.32



802.11ac VHT20\_Nss1,(MCS0)\_1TX

5785MHz\_TX




18/02/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	101.49	Inf	-Inf	6.77	3	Vertical	345	1.00	-	94.72	32.00	9.06	34.29
PK	5.623G	62.75	68.20	-5.45	6.30	3	Vertical	345	1.00	-	56.45	31.65	8.92	34.27
PK	5.7766G	111.46	Inf	-Inf	6.77	3	Vertical	345	1.00	-	104.69	32.00	9.06	34.29
PK	5.9458G	58.31	68.20	-9.89	7.15	3	Vertical	345	1.00	-	51.16	32.30	9.15	34.30



802.11ac VHT20\_Nss1,(MCS0)\_1TX

5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	102.30	Inf	-Inf	6.77	3	Horizontal	316	1.86	-	95.53	32.00	9.06	34.29
PK	5.6482G	63.49	68.20	-4.71	6.37	3	Horizontal	316	1.86	-	57.12	31.70	8.94	34.27
PK	5.7778G	113.25	Inf	-Inf	6.77	3	Horizontal	316	1.86	-	106.48	32.00	9.06	34.29
PK	5.929G	58.63	68.20	-9.57	7.14	3	Horizontal	316	1.86	-	51.49	32.30	9.14	34.30



802.11ac VHT20\_Nss1,(MCS0)\_1TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56748G	41.96	54.00	-12.04	18.53	3	Vertical	176	1.97	-	23.43	39.93	12.79	34.19
PK	11.56388G	55.33	74.00	-18.67	18.54	3	Vertical	176	1.97	-	36.79	39.94	12.79	34.19
PK	17.35172G	65.13	68.20	-3.07	22.03	3	Vertical	20	1.50	-	43.10	40.21	15.06	33.24
PK	23.1374G	53.57	68.20	-14.63	-0.67	3	Vertical	36	1.78	-	54.24	39.55	17.48	48.16





802.11ac VHT20\_Nss1,(MCS0)\_1TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5618G	42.73	54.00	-11.27	18.54	3	Horizontal	38	2.84	-	24.19	39.94	12.79	34.19
PK	11.57428G	55.99	74.00	-18.01	18.53	3	Horizontal	38	2.84	-	37.46	39.93	12.80	34.20
PK	17.36072G	64.59	68.20	-3.61	22.12	3	Horizontal	360	1.55	-	42.47	40.29	15.07	33.24
PK	23.1318G	51.86	68.20	-16.34	-0.68	3	Horizontal	47	1.67	-	52.54	39.55	17.48	48.17



802.11ac VHT20\_Nss1,(MCS0)\_1TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	100.59	Inf	-Inf	6.87	3	Vertical	2	2.43	-	93.72	32.07	9.09	34.29
PK	5.6402G	63.84	68.20	-4.36	6.35	3	Vertical	2	2.43	-	57.49	31.68	8.94	34.27
PK	5.8178G	110.68	Inf	-Inf	6.87	3	Vertical	2	2.43	-	103.81	32.07	9.09	34.29
PK	6.107G	58.35	68.20	-9.85	7.35	3	Vertical	2	2.43	-	51.00	32.41	9.26	34.32



802.11ac VHT20\_Nss1,(MCS0)\_1TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	101.78	Inf	-Inf	6.88	3	Horizontal	317	1.98	-	94.90	32.08	9.09	34.29
PK	5.6402G	64.49	68.20	-3.71	6.35	3	Horizontal	317	1.98	-	58.14	31.68	8.94	34.27
PK	5.819G	112.44	Inf	-Inf	6.88	3	Horizontal	317	1.98	-	105.56	32.08	9.09	34.29
PK	6.0818G	60.10	68.20	-8.10	7.28	3	Horizontal	317	1.98	-	52.82	32.36	9.24	34.32



802.11ac VHT20\_Nss1,(MCS0)\_1TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64156G	42.04	54.00	-11.96	18.21	3	Vertical	360	1.50	-	23.83	39.61	12.83	34.23
PK	11.65124G	54.73	74.00	-19.27	18.14	3	Vertical	360	1.50	-	36.59	39.54	12.83	34.23
PK	17.47744G	65.58	68.20	-2.62	22.96	3	Vertical	20	1.47	-	42.62	41.06	15.10	33.20
PK	23.2906G	51.88	68.20	-16.32	-0.39	3	Vertical	38	1.77	-	52.27	39.62	17.54	48.01



802.11ac VHT20\_Nss1,(MCS0)\_1TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64212G	41.91	54.00	-12.09	18.21	3	Horizontal	337	1.50	-	23.70	39.61	12.83	34.23
PK	11.64076G	54.70	74.00	-19.30	18.21	3	Horizontal	337	1.50	-	36.49	39.61	12.83	34.23
PK	17.48128G	64.93	68.20	-3.27	22.99	3	Horizontal	356	2.00	-	41.94	41.09	15.10	33.20
PK	23.304G	51.45	68.20	-16.75	-0.37	3	Horizontal	209	1.77	-	51.82	39.62	17.55	48.00



802.11ac VHT40\_Nss1,(MCS0)\_1TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.90	54.00	-4.10	5.99	3	Vertical	22	1.43	-	43.91	31.70	8.52	34.23
AV	5.2032G	95.68	Inf	-Inf	5.81	3	Vertical	22	1.43	-	89.87	31.48	8.57	34.24
AV	5.3604G	50.91	54.00	-3.09	5.41	3	Vertical	22	1.43	-	45.50	31.06	8.60	34.25
PK	5.15G	60.54	74.00	-13.46	5.99	3	Vertical	22	1.43	-	54.55	31.70	8.52	34.23
PK	5.196G	105.75	Inf	-Inf	5.85	3	Vertical	22	1.43	-	99.90	31.52	8.57	34.24
PK	5.4648G	60.15	68.20	-8.05	6.07	3	Vertical	22	1.43	-	54.08	31.63	8.70	34.26



### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.49	54.00	-3.51	5.99	3	Horizontal	296	2.02	-	44.50	31.70	8.52	34.23
AV	5.2008G	97.19	Inf	-Inf	5.83	3	Horizontal	296	2.02	-	91.36	31.50	8.57	34.24
AV	5.4408G	53.31	54.00	-0.69	5.95	3	Horizontal	296	2.02	-	47.36	31.54	8.67	34.26
PK	5.1492G	61.80	74.00	-12.20	5.99	3	Horizontal	296	2.02	-	55.81	31.70	8.52	34.23
PK	5.1948G	106.37	Inf	-Inf	5.85	3	Horizontal	296	2.02	-	100.52	31.52	8.57	34.24
PK	5.4744G	62.04	68.20	-6.16	6.11	3	Horizontal	296	2.02	-	55.93	31.65	8.72	34.26



802.11ac VHT40\_Nss1,(MCS0)\_1TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56024G	47.71	54.00	-6.29	18.29	3	Vertical	165	2.68	-	29.42	38.08	14.61	34.40
AV	20.76402G	41.81	54.00	-12.19	6.38	3	Vertical	14	2.23	-	35.43	39.18	16.25	49.05
PK	10.38436G	54.51	68.20	-13.69	16.98	3	Vertical	0	2.02	-	37.53	39.45	12.19	34.66
PK	15.56716G	60.16	74.00	-13.84	18.24	3	Vertical	165	2.68	-	41.92	38.03	14.61	34.40
PK	20.75522G	54.17	74.00	-19.83	6.38	3	Vertical	14	2.23	-	47.79	39.19	16.24	49.05





802.11ac VHT40\_Nss1,(MCS0)\_1TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5612G	47.76	54.00	-6.24	18.28	3	Horizontal	351	1.50	-	29.48	38.07	14.61	34.40
AV	20.75736G	41.37	54.00	-12.63	6.38	3	Horizontal	21	1.56	-	34.99	39.19	16.24	49.05
PK	10.3882G	55.08	68.20	-13.12	17.01	3	Horizontal	309	1.34	-	38.07	39.46	12.20	34.65
PK	15.56748G	60.38	74.00	-13.62	18.24	3	Horizontal	351	1.50	-	42.14	38.03	14.61	34.40
PK	20.75794G	53.37	74.00	-20.63	6.38	3	Horizontal	21	1.56	-	46.99	39.19	16.24	49.05



802.11ac VHT40\_Nss1,(MCS0)\_1TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.086G	47.49	54.00	-6.51	5.87	3	Vertical	20	1.20	-	41.62	31.64	8.46	34.23
AV	5.236G	97.26	Inf	-Inf	5.62	3	Vertical	20	1.20	-	91.64	31.28	8.58	34.24
AV	5.44G	51.26	54.00	-2.74	5.95	3	Vertical	20	1.20	-	45.31	31.54	8.67	34.26
PK	5.1436G	59.33	74.00	-14.67	5.99	3	Vertical	20	1.20	-	53.34	31.70	8.52	34.23
PK	5.236G	106.65	Inf	-Inf	5.62	3	Vertical	20	1.20	-	101.03	31.28	8.58	34.24
PK	5.464G	60.22	68.20	-7.98	6.07	3	Vertical	20	1.20	-	54.15	31.63	8.70	34.26



802.11ac VHT40\_Nss1,(MCS0)\_1TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1196G	47.21	54.00	-6.79	5.96	3	Horizontal	301	1.97	-	41.25	31.70	8.49	34.23
AV	5.2336G	98.64	Inf	-Inf	5.64	3	Horizontal	301	1.97	-	93.00	31.30	8.58	34.24
AV	5.44G	53.28	54.00	-0.72	5.95	3	Horizontal	301	1.97	-	47.33	31.54	8.67	34.26
PK	5.086G	58.44	74.00	-15.56	5.87	3	Horizontal	301	1.97	-	52.57	31.64	8.46	34.23
PK	5.2372G	107.99	Inf	-Inf	5.62	3	Horizontal	301	1.97	-	102.37	31.28	8.58	34.24
PK	5.4688G	63.27	68.20	-4.93	6.09	3	Horizontal	301	1.97	-	57.18	31.64	8.71	34.26



802.11ac VHT40\_Nss1,(MCS0)\_1TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6932G	46.65	54.00	-7.35	18.11	3	Vertical	223	1.48	-	28.54	37.99	14.64	34.52
AV	20.9398G	43.35	54.00	-10.65	6.31	3	Vertical	2	1.64	-	37.04	38.97	16.35	49.01
PK	10.4596G	55.64	68.20	-12.56	17.25	3	Vertical	43	1.50	-	38.39	39.62	12.23	34.60
PK	15.6898G	59.11	74.00	-14.89	18.11	3	Vertical	223	1.48	-	41.00	37.98	14.64	34.51
PK	20.9427G	56.23	74.00	-17.77	6.32	3	Vertical	2	1.64	-	49.91	38.97	16.36	49.01



802.11ac VHT40\_Nss1,(MCS0)\_1TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69468G	46.71	54.00	-7.29	18.12	3	Horizontal	136	1.50	-	28.59	37.99	14.65	34.52
AV	20.91956G	45.94	54.00	-8.06	6.32	3	Horizontal	52	1.71	-	39.62	39.00	16.34	49.02
PK	10.46744G	55.34	68.20	-12.86	17.28	3	Horizontal	340	2.75	-	38.06	39.63	12.24	34.59
PK	15.6984G	59.31	74.00	-14.69	18.13	3	Horizontal	136	1.50	-	41.18	38.00	14.65	34.52
PK	20.92568G	58.74	74.00	-15.26	6.33	3	Horizontal	52	1.71	-	52.41	38.99	16.35	49.01



802.11ac VHT40\_Nss1,(MCS0)\_1TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.743G	100.19	Inf	-Inf	6.72	3	Vertical	346	1.01	-	93.47	31.97	9.03	34.28
PK	5.6494G	63.91	68.20	-4.29	6.37	3	Vertical	346	1.01	-	57.54	31.70	8.94	34.27
PK	5.7394G	109.57	Inf	-Inf	6.71	3	Vertical	346	1.01	-	102.86	31.96	9.03	34.28
PK	5.9686G	58.81	68.20	-9.39	7.19	3	Vertical	346	1.01	-	51.62	32.34	9.16	34.31



802.11ac VHT40\_Nss1,(MCS0)\_1TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.743G	100.28	Inf	-Inf	6.72	3	Horizontal	315	1.82	-	93.56	31.97	9.03	34.28
PK	5.6458G	64.23	68.20	-3.97	6.36	3	Horizontal	315	1.82	-	57.87	31.69	8.94	34.27
PK	5.743G	111.13	Inf	-Inf	6.72	3	Horizontal	315	1.82	-	104.41	31.97	9.03	34.28
PK	5.9974G	58.57	68.20	-9.63	7.25	3	Horizontal	315	1.82	-	51.32	32.39	9.17	34.31

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51052G	43.54	54.00	-10.46	18.58	3	Vertical	66	1.35	-	24.96	39.99	12.76	34.17
AV	23.01352G	47.29	54.00	-6.71	8.65	3	Vertical	205	1.74	-	38.64	39.51	17.43	48.29
PK	11.51524G	56.16	74.00	-17.84	18.58	3	Vertical	66	1.35	-	37.58	39.98	12.77	34.17
PK	17.26112G	62.44	68.20	-5.76	21.45	3	Vertical	18	1.99	-	40.99	39.68	15.04	33.27
PK	23.01268G	59.52	74.00	-14.48	8.65	3	Vertical	205	1.74	-	50.87	39.51	17.43	48.29





802.11ac VHT40\_Nss1,(MCS0)\_1TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5112G	43.69	54.00	-10.31	18.58	3	Horizontal	319	1.50	-	25.11	39.99	12.76	34.17
AV	23.009G	47.53	54.00	-6.47	8.63	3	Horizontal	144	1.94	-	38.90	39.50	17.42	48.29
PK	11.50876G	56.22	74.00	-17.78	18.59	3	Horizontal	319	1.50	-	37.63	39.99	12.76	34.16
PK	17.27428G	63.33	68.20	-4.87	21.49	3	Horizontal	340	2.88	-	41.84	39.72	15.04	33.27
PK	23.0064G	58.86	74.00	-15.14	8.63	3	Horizontal	144	1.94	-	50.23	39.50	17.42	48.29



802.11ac VHT40\_Nss1,(MCS0)\_1TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7782G	99.12	Inf	-Inf	6.77	3	Vertical	345	1.02	-	92.35	32.00	9.06	34.29
PK	5.6402G	62.57	68.20	-5.63	6.35	3	Vertical	345	1.02	-	56.22	31.68	8.94	34.27
PK	5.7794G	108.56	Inf	-Inf	6.77	3	Vertical	345	1.02	-	101.79	32.00	9.06	34.29
PK	5.933G	58.23	68.20	-9.97	7.14	3	Vertical	345	1.02	-	51.09	32.30	9.14	34.30



802.11ac VHT40\_Nss1,(MCS0)\_1TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7842G	99.67	Inf	-Inf	6.78	3	Horizontal	314	1.83	-	92.89	32.00	9.07	34.29
PK	5.6174G	63.87	68.20	-4.33	6.28	3	Horizontal	314	1.83	-	57.59	31.63	8.92	34.27
PK	5.7806G	109.34	Inf	-Inf	6.77	3	Horizontal	314	1.83	-	102.57	32.00	9.06	34.29
PK	5.951G	59.32	68.20	-8.88	7.14	3	Horizontal	314	1.83	-	52.18	32.30	9.15	34.31



802.11ac VHT40\_Nss1,(MCS0)\_1TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58836G	42.92	54.00	-11.08	18.51	3	Vertical	328	1.50	-	24.41	39.91	12.80	34.20
PK	11.58696G	55.50	74.00	-18.50	18.51	3	Vertical	328	1.50	-	36.99	39.91	12.80	34.20
PK	17.39332G	63.13	68.20	-5.07	22.40	3	Vertical	57	1.32	-	40.73	40.55	15.08	33.23
PK	23.1828G	60.99	68.20	-7.21	8.95	3	Vertical	36	1.75	-	52.04	39.57	17.50	48.12



802.11ac VHT40\_Nss1,(MCS0)\_1TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59272G	43.37	54.00	-10.63	18.51	3	Horizontal	55	1.50	-	24.86	39.91	12.80	34.20
PK	11.595G	56.16	74.00	-17.84	18.51	3	Horizontal	55	1.50	-	37.65	39.91	12.81	34.21
PK	17.37888G	64.33	68.20	-3.87	22.27	3	Horizontal	357	2.12	-	42.06	40.43	15.07	33.23
PK	23.1788G	60.26	68.20	-7.94	8.95	3	Horizontal	218	2.16	-	51.31	39.57	17.50	48.12



802.11ac VHT80\_Nss1,(MCS0)\_1TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.41	54.00	-0.59	5.99	3	Vertical	20	1.13	-	47.42	31.70	8.52	34.23
AV	5.2448G	89.02	Inf	-Inf	5.57	3	Vertical	20	1.13	-	83.45	31.23	8.58	34.24
AV	5.4404G	49.52	54.00	-4.48	5.95	3	Vertical	20	1.13	-	43.57	31.54	8.67	34.26
PK	5.15G	64.62	74.00	-9.38	5.99	3	Vertical	20	1.13	-	58.63	31.70	8.52	34.23
PK	5.1992G	99.29	Inf	-Inf	5.83	3	Vertical	20	1.13	-	93.46	31.50	8.57	34.24
PK	5.5052G	59.96	68.20	-8.24	6.19	3	Vertical	20	1.13	-	53.77	31.69	8.76	34.26

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.31	54.00	-0.69	5.99	3	Horizontal	302	1.93	-	47.32	31.70	8.52	34.23
AV	5.2376G	91.14	Inf	-Inf	5.61	3	Horizontal	302	1.93	-	85.53	31.27	8.58	34.24
AV	5.4404G	53.31	54.00	-0.69	5.95	3	Horizontal	302	1.93	-	47.36	31.54	8.67	34.26
PK	5.15G	65.67	74.00	-8.33	5.99	3	Horizontal	302	1.93	-	59.68	31.70	8.52	34.23
PK	5.2364G	100.40	Inf	-Inf	5.62	3	Horizontal	302	1.93	-	94.78	31.28	8.58	34.24
PK	5.4992G	63.89	68.20	-4.31	6.19	3	Horizontal	302	1.93	-	57.70	31.70	8.75	34.26



802.11ac VHT80\_Nss1,(MCS0)\_1TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63544G	46.66	54.00	-7.34	18.04	3	Vertical	55	2.78	-	28.62	37.87	14.63	34.46
AV	20.84448G	41.69	54.00	-12.31	6.36	3	Vertical	168	1.02	-	35.33	39.09	16.30	49.03
PK	10.41484G	55.10	68.20	-13.10	17.11	3	Vertical	310	2.22	-	37.99	39.53	12.21	34.63
PK	15.6354G	58.96	74.00	-15.04	18.04	3	Vertical	55	2.78	-	40.92	37.87	14.63	34.46
PK	20.84076G	54.24	74.00	-19.76	6.35	3	Vertical	168	1.02	-	47.89	39.09	16.29	49.03





802.11ac VHT80\_Nss1,(MCS0)\_1TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63772G	46.68	54.00	-7.32	18.04	3	Horizontal	313	1.50	-	28.64	37.88	14.63	34.47
AV	20.8314G	41.50	54.00	-12.50	6.36	3	Horizontal	123	1.74	-	35.14	39.10	16.29	49.03
PK	10.41152G	55.12	68.20	-13.08	17.09	3	Horizontal	178	1.04	-	38.03	39.52	12.21	34.64
PK	15.63644G	59.52	74.00	-14.48	18.03	3	Horizontal	313	1.50	-	41.49	37.87	14.63	34.47
PK	20.83708G	54.50	74.00	-19.50	6.36	3	Horizontal	123	1.74	-	48.14	39.10	16.29	49.03



802.11ac VHT80\_Nss1,(MCS0)\_1TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	95.34	Inf	-Inf	6.71	3	Vertical	345	1.00	-	88.63	31.96	9.03	34.28
PK	5.6442G	64.98	68.20	-3.22	6.36	3	Vertical	345	1.00	-	58.62	31.69	8.94	34.27
PK	5.7642G	104.75	Inf	-Inf	6.76	3	Vertical	345	1.00	-	97.99	32.00	9.05	34.29
PK	5.9502G	58.72	68.20	-9.48	7.14	3	Vertical	345	1.00	-	51.58	32.30	9.15	34.31



802.11ac VHT80\_Nss1,(MCS0)\_1TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	95.56	Inf	-Inf	6.72	3	Horizontal	317	1.79	-	88.84	31.97	9.03	34.28
PK	5.649G	67.46	68.20	-0.74	6.37	3	Horizontal	317	1.79	-	61.09	31.70	8.94	34.27
PK	5.7642G	106.41	Inf	-Inf	6.76	3	Horizontal	317	1.79	-	99.65	32.00	9.05	34.29
PK	5.9262G	60.01	68.20	-8.19	7.14	3	Horizontal	317	1.79	-	52.87	32.30	9.14	34.30



802.11ac VHT80\_Nss1,(MCS0)\_1TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54184G	43.22	54.00	-10.78	18.56	3	Vertical	136	1.50	-	24.66	39.96	12.78	34.18
AV	23.09708G	43.05	54.00	-10.95	8.80	3	Vertical	194	1.56	-	34.25	39.54	17.46	48.20
PK	11.54896G	55.41	74.00	-18.59	18.55	3	Vertical	136	1.50	-	36.86	39.95	12.78	34.18
PK	17.322G	63.75	68.20	-4.45	21.79	3	Vertical	168	1.95	-	41.96	39.98	15.06	33.25
PK	23.10552G	55.23	74.00	-18.77	8.82	3	Vertical	194	1.56	-	46.41	39.54	17.47	48.19



802.11ac VHT80\_Nss1,(MCS0)\_1TX

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54184G	43.47	54.00	-10.53	18.56	3	Horizontal	292	2.38	-	24.91	39.96	12.78	34.18
AV	23.09208G	43.67	54.00	-10.33	8.79	3	Horizontal	306	1.65	-	34.88	39.54	17.46	48.21
PK	11.54792G	55.67	74.00	-18.33	18.55	3	Horizontal	292	2.38	-	37.12	39.95	12.78	34.18
PK	17.3192G	62.84	68.20	-5.36	21.76	3	Horizontal	17	1.50	-	41.08	39.95	15.06	33.25
PK	23.09608G	55.52	74.00	-18.48	8.80	3	Horizontal	306	1.65	-	46.72	39.54	17.46	48.20