

802.11a_Nss1,(6Mbps)_4TX

PSD

5320MHz

04/06/2021

CF
5.32GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.63	9.63	4.11	4.12	3.54	3.82

802.11a_Nss1,(6Mbps)_4TX

PSD

5500MHz

04/06/2021

CF
5.5GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.46	10.46	4.40	4.70	4.05	5.27

802.11a_Nss1,(6Mbps)_4TX

PSD

5580MHz

04/06/2021

CF
5.58GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.68	10.68	4.84	5.28	4.02	5.28

802.11a_Nss1,(6Mbps)_4TX

PSD

5700MHz

04/06/2021

CF
5.7GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.29	9.29	3.45	4.13	2.75	3.79

802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

04/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.90	9.90	4.72	4.36	3.47	4.60

802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

04/06/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.05	8.05	1.34	2.78	1.65	2.59




802.11n HT20_Nss1,(MCS0)_4TX

PSD

5260MHz

04/06/2021

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.43	9.43	3.58	3.58	3.17	3.66


802.11n HT20_Nss1,(MCS0)_4TX

PSD

5300MHz

04/06/2021

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.51	9.51	4.22	3.39	3.26	3.46

802.11n HT20_Nss1,(MCS0)_4TX

PSD

5320MHz

04/06/2021

CF
5.32GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.35	9.35	4.01	3.49	3.35	2.98

802.11n HT20_Nss1,(MCS0)_4TX

PSD

5500MHz

04/06/2021

CF
5.5GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.65	8.65	2.89	3.03	2.46	3.49

802.11n HT20_Nss1,(MCS0)_4TX

PSD

5580MHz

04/06/2021

CF
5.58GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.89	10.89	4.94	5.80	4.94	5.25

802.11n HT20_Nss1,(MCS0)_4TX

PSD

5700MHz

04/06/2021

CF
5.7GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.23	9.23	3.26	4.06	3.03	3.82




802.11n HT20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

04/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.01	10.01	4.49	4.34	4.07	4.27

802.11n HT20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

04/06/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.55	8.55	2.72	2.46	2.65	2.69

802.11n HT40_Nss1,(MCS0)_4TX

PSD

5270MHz

05/06/2021

CF
5.27GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.15	6.15	0.37	0.42	0.39	0.28

802.11n HT40_Nss1,(MCS0)_4TX

PSD

5310MHz

05/06/2021

CF
5.31GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.16	4.16	-1.28	-1.47	-2.08	-1.46

802.11n HT40_Nss1,(MCS0)_4TX

PSD

5510MHz

04/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.43	3.43	-2.31	-2.23	-2.66	-1.94

802.11n HT40_Nss1,(MCS0)_4TX

PSD

5550MHz

04/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.61	6.61	1.02	1.07	0.79	1.34

802.11n HT40_Nss1,(MCS0)_4TX

PSD

5670MHz

04/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.96	3.96	-1.55	-1.52	-1.76	-1.31

802.11n HT40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

04/06/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.45	7.45	2.12	2.37	2.05	2.08



802.11n HT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.725-5.85GHz

PSD

04/06/2021

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.08	5.08	-0.22	-1.23	-2.13	-0.20

802.11ac VHT20_Nss1,(MCS0)_4TX

5260MHz

PSD

04/06/2021

CF
5.26GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.12	9.12	3.40	3.02	2.94	3.50

802.11ac VHT20_Nss1,(MCS0)_4TX

PSD

5300MHz

04/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.07	9.07	3.75	3.28	3.21	2.99

802.11ac VHT20_Nss1,(MCS0)_4TX

PSD

5320MHz

04/06/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.10	9.10	3.68	3.33	2.99	2.82




802.11ac VHT20_Nss1,(MCS0)_4TX

PSD

5500MHz

04/06/2021

CF
5.5GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.70	6.70	0.80	1.04	0.45	1.55


802.11ac VHT20_Nss1,(MCS0)_4TX

PSD

5580MHz

04/06/2021

CF
5.58GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.16	10.16	4.31	4.56	3.58	4.53

802.11ac VHT20_Nss1,(MCS0)_4TX

PSD

5700MHz

04/06/2021

CF
5.7GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.31	7.31	1.24	2.11	1.03	1.83

802.11ac VHT20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

04/06/2021

CF
5.71GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.61	10.61	4.92	5.08	4.87	4.74




802.11ac VHT20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.725-5.85GHz

PSD

04/06/2021

CF
 5.735GHz
 Span
 40MHz
 RBW
 500kHz
 VBW
 3MHz
 Sweep Time
 20ms
 Detector Type
 RMS



Sum
 Port 1
 Port 2
 Port 3
 Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.67	8.67	2.64	2.87	2.89	2.97

802.11ac VHT40_Nss1,(MCS0)_4TX
5270MHz

PSD

04/06/2021

CF
 5.27GHz
 Span
 60MHz
 RBW
 1MHz
 VBW
 3MHz
 Sweep Time
 20ms
 Detector Type
 RMS



Sum
 Port 1
 Port 2
 Port 3
 Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.71	5.71	0.02	0.21	-0.17	0.18

802.11ac VHT40_Nss1,(MCS0)_4TX

PSD

5310MHz

04/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.83	3.83	-1.79	-1.66	-2.50	-2.04

802.11ac VHT40_Nss1,(MCS0)_4TX

PSD

5510MHz

04/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.58	3.58	-2.08	-2.04	-2.61	-1.91

802.11ac VHT40_Nss1,(MCS0)_4TX

PSD

5550MHz

04/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.75	6.75	0.92	1.14	0.84	1.54

802.11ac VHT40_Nss1,(MCS0)_4TX

PSD

5670MHz

04/06/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.99	3.99	-1.56	-1.44	-1.50	-1.36

802.11ac VHT40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz

PSD

04/06/2021

CF
5.69GHz


Span
140MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.51	7.51	2.12	2.23	2.00	2.10

802.11ac VHT40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.725-5.85GHz

PSD

04/06/2021

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.57	4.57	-0.59	-1.71	-2.54	-0.69

802.11ac VHT80_Nss1,(MCS0)_4TX

PSD

5290MHz

04/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.78	-0.78	-6.32	-6.46	-6.62	-6.51

802.11ac VHT80_Nss1,(MCS0)_4TX

PSD

5530MHz

04/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.06	-0.06	-5.80	-5.64	-6.25	-5.36

802.11ac VHT80_Nss1,(MCS0)_4TX

PSD

5610MHz

04/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.42	1.42	-4.17	-4.01	-5.25	-4.18

802.11ac VHT80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

04/06/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.50	3.50	-2.00	-1.83	-2.28	-1.92



802.11ac VHT80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.725-5.85GHz

PSD

04/06/2021

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.42	0.42	-4.83	-5.73	-6.56	-5.00

802.11ax HEW20_Nss1,(MCS0)_4TX
5260MHz

PSD

04/06/2021

CF
5.26GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.13	9.13	3.39	3.47	2.87	3.63

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5300MHz

04/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.32	9.32	3.65	3.30	3.20	3.40

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5320MHz

04/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.99	8.99	3.66	3.09	2.97	3.11

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5500MHz

04/06/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5580MHz

04/06/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5700MHz

04/06/2021

CF
5.7GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.31	7.31	1.62	1.93	1.46	1.63


802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

04/06/2021

CF
5.71GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.52	10.52	5.21	4.94	4.27	4.83




802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.725-5.85GHz

PSD

04/06/2021

CF
 5.735GHz
 Span
 40MHz
 RBW
 500kHz
 VBW
 3MHz
 Sweep Time
 20ms
 Detector Type
 RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.54	8.54	2.91	2.75	2.25	2.90

802.11ax HEW40_Nss1,(MCS0)_4TX
5270MHz

PSD

04/06/2021

CF
 5.27GHz
 Span
 60MHz
 RBW
 1MHz
 VBW
 3MHz
 Sweep Time
 20ms
 Detector Type
 RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.84	5.84	0.26	0.15	-0.01	0.15

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5310MHz

04/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.89	3.89	-1.47	-2.05	-2.23	-2.15

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5510MHz

04/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.40	3.40	-2.32	-2.41	-2.75	-1.93

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5550MHz

04/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.55	6.55	0.95	0.91	0.65	1.36

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5670MHz

04/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.90	3.90	-1.70	-1.63	-1.43	-1.40

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

04/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.39	7.39	1.91	2.18	1.97	1.83

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

04/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.91	4.91	-0.42	-1.34	-1.62	-0.53

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5290MHz

04/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.08	-0.08	-5.79	-5.72	-6.03	-5.90

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5530MHz

04/06/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.59	0.59	-5.10	-5.09	-5.68	-4.69


802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5610MHz

04/06/2021

CF
5.61GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.84	1.84	-3.57	-3.62	-4.69	-3.53


802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

04/06/2021

CF
5.65GHz
Span
300MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.15	4.15	-1.49	-1.08	-1.53	-1.59

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

04/06/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.88	0.88	-4.57	-5.34	-5.41	-4.46



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11ac VHT80+80_Nss1,(MCS0)_4TX(Port1&Port2&Port3&Port4)	-0.06	9.46
802.11ax HEW80+80_Nss1,(MCS0)_4TX(Port1&Port2&Port3&Port4)	-0.10	9.42
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_8TX	7.17	16.18
802.11n HT20_Nss1,(MCS0)_8TX	7.06	16.07
802.11n HT40_Nss1,(MCS0)_8TX	7.10	16.11
802.11ac VHT20_Nss1,(MCS0)_8TX	7.02	16.03
802.11ac VHT40_Nss1,(MCS0)_8TX	6.96	15.97
802.11ac VHT80_Nss1,(MCS0)_8TX	2.06	11.07
802.11ac VHT80+80_Nss1,(MCS0)_4TX(Port5&Port6&Port7&Port8)	0.07	9.08
802.11ax HEW20_Nss1,(MCS0)_8TX	6.95	15.96
802.11ax HEW40_Nss1,(MCS0)_8TX	7.13	16.14
802.11ax HEW80_Nss1,(MCS0)_8TX	1.98	10.99
802.11ax HEW80+80_Nss1,(MCS0)_4TX(Port5&Port6&Port7&Port8)	0.08	9.09
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_8TX	7.44	15.39
802.11n HT20_Nss1,(MCS0)_8TX	7.10	15.05
802.11n HT40_Nss1,(MCS0)_8TX	6.73	14.68
802.11ac VHT20_Nss1,(MCS0)_8TX	7.18	15.13
802.11ac VHT40_Nss1,(MCS0)_8TX	6.60	14.55
802.11ac VHT80_Nss1,(MCS0)_8TX	3.93	11.88
802.11ac VHT80+80_Nss1,(MCS0)_8TX	0.44	8.39
802.11ax HEW20_Nss1,(MCS0)_8TX	7.22	15.17
802.11ax HEW40_Nss1,(MCS0)_8TX	6.64	14.59
802.11ax HEW80_Nss1,(MCS0)_8TX	4.14	12.09
802.11ax HEW80+80_Nss1,(MCS0)_8TX	0.19	8.14
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_8TX	4.34	12.18
802.11n HT20_Nss1,(MCS0)_8TX	4.81	12.65
802.11n HT40_Nss1,(MCS0)_8TX	3.39	11.23
802.11ac VHT20_Nss1,(MCS0)_8TX	4.54	12.38
802.11ac VHT40_Nss1,(MCS0)_8TX	3.26	11.10
802.11ac VHT80_Nss1,(MCS0)_8TX	0.54	8.38
802.11ax HEW20_Nss1,(MCS0)_8TX	4.83	12.67
802.11ax HEW40_Nss1,(MCS0)_8TX	3.30	11.14
802.11ax HEW80_Nss1,(MCS0)_8TX	0.21	8.05

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	Port 5 (dBm/RBW)	Port 6 (dBm/RBW)	Port 7 (dBm/RBW)	Port 8 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
&Port6&Port7&Port8)														
5210MHz,#5290MHz	Pass	9.01	-	-	-	-	-5.93	-5.51	-5.83	-5.87	0.07	7.99	9.08	17.00
802.11ac VHT80+80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5530MHz,#5610MHz	Pass	7.95	-5.32	-5.26	-6.00	-5.16	-4.65	-5.90	-5.67	-6.16	0.44	9.05	8.39	17.00
802.11ax HEW20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	9.01	-2.04	-1.38	-1.61	-1.55	-1.64	-1.63	-2.19	-2.20	6.91	7.99	15.92	17.00
5300MHz	Pass	9.01	-1.75	-1.88	-1.57	-1.51	-1.47	-1.56	-1.76	-2.20	6.94	7.99	15.95	17.00
5320MHz	Pass	9.01	-1.86	-1.72	-1.71	-1.47	-1.48	-1.56	-2.14	-2.30	6.95	7.99	15.96	17.00
5500MHz	Pass	7.95	-1.38	-1.77	-2.03	-1.38	-1.35	-1.54	-1.71	-1.95	6.95	9.05	14.90	17.00
5580MHz	Pass	7.95	-1.37	-1.21	-1.81	-1.60	-0.87	-1.58	-1.56	-2.22	7.03	9.05	14.98	17.00
5700MHz	Pass	7.95	-1.42	-1.16	-1.96	-1.67	-0.33	-1.65	-0.78	-2.61	7.22	9.05	15.17	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.95	-1.83	-2.24	-2.60	-2.25	-0.64	-2.52	-1.98	-2.61	6.49	9.05	14.44	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.84	-3.92	-4.28	-3.93	-3.68	-3.27	-4.67	-4.19	-5.12	4.83	28.16	12.67	36.00
802.11ax HEW40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	9.01	-1.87	-1.30	-1.69	-1.35	-1.15	-1.58	-2.15	-1.43	7.13	7.99	16.14	17.00
5310MHz	Pass	9.01	-1.61	-1.37	-1.79	-1.45	-1.23	-1.59	-2.29	-1.88	6.98	7.99	15.99	17.00
5510MHz	Pass	7.95	-2.74	-2.86	-3.98	-3.00	-3.04	-3.10	-3.57	-3.60	5.56	9.05	13.51	17.00
5550MHz	Pass	7.95	-2.17	-2.40	-2.27	-2.20	-1.62	-2.34	-2.05	-2.69	6.32	9.05	14.27	17.00
5670MHz	Pass	7.95	-2.36	-2.03	-2.26	-2.83	-1.61	-2.14	-2.34	-3.56	5.85	9.05	13.80	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.95	-1.09	-1.25	-1.17	-1.54	-0.68	-1.89	-1.78	-3.16	6.64	9.05	14.59	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.84	-4.67	-6.60	-6.19	-5.14	-4.46	-5.75	-5.27	-6.87	3.30	28.16	11.14	36.00
802.11ax HEW80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	9.01	-7.17	-6.43	-6.58	-6.72	-6.80	-6.65	-6.86	-6.80	1.98	7.99	10.99	17.00
5530MHz	Pass	7.95	-8.23	-8.47	-8.14	-8.08	-8.32	-8.20	-7.96	-8.46	0.31	9.05	8.26	17.00
5610MHz	Pass	7.95	-5.10	-5.20	-5.50	-5.29	-4.37	-5.26	-5.27	-6.20	3.20	9.05	11.15	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.95	-4.26	-4.11	-4.23	-4.71	-3.72	-5.02	-4.04	-5.97	4.14	9.05	12.09	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.84	-7.52	-9.20	-9.00	-8.17	-7.55	-9.41	-8.01	-9.81	0.21	28.16	8.05	36.00
802.11ax HEW80+80_Nss1,(MCS0)_4TX (Port1&Port2&Port3&Port4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5210MHz,5290MHz	Pass	9.52	-5.96	-5.57	-5.53	-5.75					-0.10	13.48	9.42	23.00
802.11ax HEW80+80_Nss1,(MCS0)_4TX (Port5&Port6&Port7&Port8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz,#5290MHz	Pass	9.01	-	-	-	-	-5.58	-5.99	-6.01	-5.80	0.08	7.99	9.09	17.00
802.11ax HEW80+80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5530MHz,#5610MHz	Pass	7.95	-5.45	-5.55	-5.84	-5.26	-4.72	-5.91	-5.62	-5.85	0.19	9.05	8.14	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;



802.11a_Nss1,(6Mbps)_8TX

PSD

5260MHz

07/06/2021

CF
5.26GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.88	6.88	-2.17	-1.47	-1.54	-1.74	-1.43	-2.13	-2.37	-2.06

802.11a_Nss1,(6Mbps)_8TX

PSD

5300MHz

07/06/2021

CF
5.3GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.07	7.07	-1.71	-1.79	-1.52	-1.55	-1.40	-1.49	-1.70	-1.87



802.11a_Nss1,(6Mbps)_8TX

PSD

5320MHz

07/06/2021

CF
5.32GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.17	7.17	-1.65	-1.51	-1.93	-1.22	-1.50	-1.55	-1.63	-1.81

802.11a_Nss1,(6Mbps)_8TX

PSD

5500MHz

07/06/2021

CF
5.5GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.44	7.44	-1.23	-1.53	-1.48	-1.38	-0.93	-1.48	-1.60	-1.29

802.11a_Nss1,(6Mbps)_8TX

PSD

5580MHz

07/06/2021

CF
5.58GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.26	7.26	-1.39	-1.04	-1.47	-1.22	-0.45	-1.46	-1.77	-1.67

802.11a_Nss1,(6Mbps)_8TX

PSD

5700MHz

07/06/2021

CF
5.7GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.41	7.41	-1.15	-1.04	-1.86	-0.93	-0.23	-1.37	-0.74	-2.02

802.11a_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz

PSD

07/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.37	6.37	-1.93	-2.10	-2.60	-1.76	-1.25	-2.62	-2.13	-2.70

802.11a_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.725-5.85GHz

PSD

07/06/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.34	4.34	-3.51	-4.37	-5.53	-4.28	-4.39	-5.03	-5.05	-4.35

802.11n HT20_Nss1,(MCS0)_8TX

PSD

5260MHz

07/06/2021

CF
5.26GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.06	7.06	-2.13	-1.52	-1.50	-1.65	-1.64	-1.85	-1.93	-1.85

802.11n HT20_Nss1,(MCS0)_8TX

PSD

5300MHz

07/06/2021

CF
5.3GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.93	6.93	-1.99	-1.92	-1.83	-1.52	-1.47	-1.81	-2.35	-1.98

802.11n HT20_Nss1,(MCS0)_8TX

PSD

5320MHz

07/06/2021

CF
5.32GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.90	6.90	-2.02	-1.82	-1.94	-1.66	-1.84	-1.57	-1.79	-2.45

802.11n HT20_Nss1,(MCS0)_8TX

PSD

5500MHz

07/06/2021

CF
5.5GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.97	6.97	-1.53	-1.75	-1.64	-1.63	-1.14	-1.69	-2.00	-1.68

802.11n HT20_Nss1,(MCS0)_8TX

PSD

5580MHz

07/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.10	7.10	-1.41	-0.95	-1.32	-2.29	-0.92	-1.76	-1.33	-2.34

802.11n HT20_Nss1,(MCS0)_8TX

PSD

5700MHz

07/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.92	6.92	-1.28	-1.67	-2.59	-1.38	-0.64	-1.74	-1.45	-3.20

802.11n HT20_Nss1,(MCS0)_8TX

5720MHz Straddle 5.47-5.725GHz

PSD

07/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.65	6.65	-1.40	-2.34	-1.04	-2.06	-0.93	-2.57	-1.80	-2.78

802.11n HT20_Nss1,(MCS0)_8TX

5720MHz Straddle 5.725-5.85GHz

PSD

07/06/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.81	4.81	-3.33	-5.00	-3.28	-4.91	-3.29	-5.02	-4.26	-4.48

802.11n HT40_Nss1,(MCS0)_8TX

PSD

5270MHz

07/06/2021

CF
5.27GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.09	7.09	-1.85	-1.25	-1.51	-1.53	-1.10	-1.45	-2.18	-1.53

802.11n HT40_Nss1,(MCS0)_8TX

PSD

5310MHz

07/06/2021

CF
5.31GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.10	7.10	-1.68	-1.25	-1.71	-1.47	-1.31	-1.65	-2.02	-1.99


802.11n HT40_Nss1,(MCS0)_8TX

PSD

5510MHz

08/06/2021

CF
5.51GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.69	5.69	-2.56	-2.82	-3.31	-2.50	-2.71	-2.89	-3.11	-3.44


802.11n HT40_Nss1,(MCS0)_8TX

PSD

5550MHz

08/06/2021

CF
5.55GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.37	6.37	-2.10	-2.25	-2.48	-2.05	-1.78	-2.07	-2.14	-2.72

802.11n HT40_Nss1,(MCS0)_8TX

PSD

5670MHz

08/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.14	6.14	-2.40	-1.86	-2.65	-2.51	-1.29	-2.30	-2.03	-3.52

802.11n HT40_Nss1,(MCS0)_8TX

PSD

5710MHz Straddle 5.47-5.725GHz

08/06/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.73	6.73	-0.88	-1.07	-1.47	-1.50	-0.92	-1.71	-1.50	-2.91

802.11n HT40_Nss1,(MCS0)_8TX

5710MHz Straddle 5.725-5.85GHz

PSD

08/06/2021

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.39	3.39	-4.35	-6.48	-6.58	-5.04	-4.63	-5.80	-4.99	-6.64

802.11ac VHT20_Nss1,(MCS0)_8TX

5260MHz

PSD

07/06/2021

CF
5.26GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.02	7.02	-2.06	-1.52	-1.99	-1.54	-1.61	-1.81	-1.87	-1.87

802.11ac VHT20_Nss1,(MCS0)_8TX

PSD

5300MHz

07/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.86	6.86	-1.96	-1.79	-2.09	-1.71	-1.45	-1.67	-2.21	-2.48

802.11ac VHT20_Nss1,(MCS0)_8TX

PSD

5320MHz

07/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.87	6.87	-2.15	-1.50	-1.81	-1.65	-1.72	-1.81	-1.91	-2.53

802.11ac VHT20_Nss1,(MCS0)_8TX

PSD

5500MHz

07/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.02	7.02	-1.43	-1.67	-1.90	-1.06	-1.32	-1.52	-1.62	-1.76

802.11ac VHT20_Nss1,(MCS0)_8TX

PSD

5580MHz

07/06/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.18	7.18	-1.42	-0.76	-1.34	-2.27	-0.64	-1.85	-1.62	-2.07

802.11ac VHT20_Nss1,(MCS0)_8TX

PSD

5700MHz

07/06/2021

CF
5.7GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.13	7.13	-1.47	-0.90	-1.64	-2.09	-0.34	-1.78	-1.23	-2.11

802.11ac VHT20_Nss1,(MCS0)_8TX

PSD

5720MHz Straddle 5.47-5.725GHz

07/06/2021

CF
5.71GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.31	6.31	-1.78	-1.94	-2.91	-1.83	-0.99	-2.74	-2.43	-2.96

802.11ac VHT20_Nss1,(MCS0)_8TX
5720MHz Straddle 5.725-5.85GHz

PSD

07/06/2021

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.54	4.54	-3.94	-3.15	-6.24	-4.59	-3.45	-4.21	-3.80	-5.20

802.11ac VHT40_Nss1,(MCS0)_8TX
5270MHz

PSD

07/06/2021

CF
5.27GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.96	6.96	-2.06	-1.20	-1.78	-1.67	-1.40	-1.65	-2.23	-1.75




802.11ac VHT40_Nss1,(MCS0)_8TX

PSD

5310MHz

07/06/2021

CF
5.31GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.89	6.89	-1.73	-1.44	-1.94	-1.71	-1.38	-1.69	-2.36	-1.91


802.11ac VHT40_Nss1,(MCS0)_8TX

PSD

5510MHz

08/06/2021

CF
5.51GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.39	5.39	-3.08	-3.17	-3.76	-2.84	-3.10	-2.97	-3.21	-3.68




802.11ac VHT40_Nss1,(MCS0)_8TX

PSD

5550MHz

08/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.28	6.28	-2.18	-2.37	-2.49	-2.06	-1.74	-2.09	-2.12	-2.77

802.11ac VHT40_Nss1,(MCS0)_8TX

PSD

5670MHz

08/06/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.99	5.99	-2.57	-2.09	-2.66	-2.69	-1.49	-2.56	-2.30	-3.45

802.11ac VHT40_Nss1,(MCS0)_8TX
5710MHz Straddle 5.47-5.725GHz

PSD

08/06/2021

CF
5.69GHz


Span
140MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.60	6.60	-1.12	-1.24	-1.39	-1.50	-0.89	-1.93	-1.46	-3.01

802.11ac VHT40_Nss1,(MCS0)_8TX
5710MHz Straddle 5.725-5.85GHz

PSD

08/06/2021

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.26	3.26	-4.39	-6.54	-6.65	-5.41	-4.64	-5.90	-5.33	-6.83

802.11ac VHT80_Nss1,(MCS0)_8TX

PSD

5290MHz

08/06/2021

CF
5.29GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.06	2.06	-6.98	-6.33	-6.46	-6.72	-6.64	-6.54	-6.63	-6.76

802.11ac VHT80_Nss1,(MCS0)_8TX

PSD

5530MHz

08/06/2021

CF
5.53GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.46	0.46	-8.07	-8.28	-8.29	-8.04	-8.09	-8.00	-7.78	-8.34

802.11ac VHT80_Nss1,(MCS0)_8TX

PSD

5610MHz

08/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.33	3.33	-5.03	-5.00	-5.67	-5.02	-4.27	-5.29	-5.25	-5.82

802.11ac VHT80_Nss1,(MCS0)_8TX

PSD

5690MHz Straddle 5.47-5.725GHz

08/06/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.93	3.93	-4.01	-3.93	-4.64	-4.23	-3.69	-4.97	-4.21	-5.63

802.11ac VHT80_Nss1,(MCS0)_8TX
5690MHz Straddle 5.725-5.85GHz

PSD

08/06/2021

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.54	0.54	-7.31	-9.14	-9.27	-7.84	-7.36	-9.15	-8.00	-9.28

802.11ac VHT80+80_Nss1,(MCS0)_4TX(Port1&Port2&Port3&Port4)
#5210MHz,5290MHz

PSD

09/06/2021

CF
5.21GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.06	-0.06	-6.04	-5.63	-5.58	-5.93

802.11ac VHT80+80_Nss1,(MCS0)_4TX(Port5&Port6&Port7&Port8)
5210MHz,#5290MHz

PSD

09/06/2021

CF
5.29GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.07	0.07	-	-	-	-	-5.93	-5.51	-5.83	-5.87

802.11ac VHT80+80_Nss1,(MCS0)_8TX
#5530MHz,#5610MHz

PSD

09/06/2021

CF
5.57GHz


Span
240MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.44	0.44	-5.32	-5.26	-6.00	-5.16	-4.65	-5.90	-5.67	-6.16

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5260MHz

07/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.91	6.91	-2.04	-1.38	-1.61	-1.55	-1.64	-1.63	-2.19	-2.20

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5300MHz

07/06/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.94	6.94	-1.75	-1.88	-1.57	-1.51	-1.47	-1.56	-1.76	-2.20

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5320MHz

07/06/2021

CF
5.32GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.95	6.95	-1.86	-1.72	-1.71	-1.47	-1.48	-1.56	-2.14	-2.30

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5500MHz

07/06/2021

CF
5.5GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.95	6.95	-1.38	-1.77	-2.03	-1.38	-1.35	-1.54	-1.71	-1.95

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5580MHz

07/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.03	7.03	-1.37	-1.21	-1.81	-1.60	-0.87	-1.58	-1.56	-2.22

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5700MHz

07/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.22	7.22	-1.42	-1.16	-1.96	-1.67	-0.33	-1.65	-0.78	-2.61

802.11ax HEW20_Nss1,(MCS0)_8TX
5720MHz Straddle 5.47-5.725GHz

PSD

07/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.49	6.49	-1.83	-2.24	-2.60	-2.25	-0.64	-2.52	-1.98	-2.61

802.11ax HEW20_Nss1,(MCS0)_8TX
5720MHz Straddle 5.725-5.85GHz

PSD

07/06/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.83	4.83	-3.92	-4.28	-3.93	-3.68	-3.27	-4.67	-4.19	-5.12

802.11ax HEW40_Nss1,(MCS0)_8TX

PSD

5270MHz

07/06/2021

CF
5.27GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.13	7.13	-1.87	-1.30	-1.69	-1.35	-1.15	-1.58	-2.15	-1.43

802.11ax HEW40_Nss1,(MCS0)_8TX

PSD

5310MHz

07/06/2021

CF
5.31GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.98	6.98	-1.61	-1.37	-1.79	-1.45	-1.23	-1.59	-2.29	-1.88

802.11ax HEW40_Nss1,(MCS0)_8TX

PSD

5510MHz

08/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.56	5.56	-2.74	-2.86	-3.98	-3.00	-3.04	-3.10	-3.57	-3.60

802.11ax HEW40_Nss1,(MCS0)_8TX

PSD

5550MHz

08/06/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.32	6.32	-2.17	-2.40	-2.27	-2.20	-1.62	-2.34	-2.05	-2.69




802.11ax HEW40_Nss1,(MCS0)_8TX

PSD

5670MHz

08/06/2021

CF
5.67GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.85	5.85	-2.36	-2.03	-2.26	-2.83	-1.61	-2.14	-2.34	-3.56


802.11ax HEW40_Nss1,(MCS0)_8TX

PSD

5710MHz Straddle 5.47-5.725GHz

08/06/2021

CF
5.69GHz
Span
140MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.64	6.64	-1.09	-1.25	-1.17	-1.54	-0.68	-1.89	-1.78	-3.16

802.11ax HEW40_Nss1,(MCS0)_8TX
5710MHz Straddle 5.725-5.85GHz

PSD

08/06/2021

CF
5.735GHz


Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.30	3.30	-4.67	-6.60	-6.19	-5.14	-4.46	-5.75	-5.27	-6.87

802.11ax HEW80_Nss1,(MCS0)_8TX
5290MHz

PSD

08/06/2021

CF
5.29GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.98	1.98	-7.17	-6.43	-6.58	-6.72	-6.80	-6.65	-6.86	-6.80

802.11ax HEW80_Nss1,(MCS0)_8TX

PSD

5530MHz

08/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.31	0.31	-8.23	-8.47	-8.14	-8.08	-8.32	-8.20	-7.96	-8.46

802.11ax HEW80_Nss1,(MCS0)_8TX

PSD

5610MHz

08/06/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.20	3.20	-5.10	-5.20	-5.50	-5.29	-4.37	-5.26	-5.27	-6.20




802.11ax HEW80_Nss1,(MCS0)_8TX

PSD

5690MHz Straddle 5.47-5.725GHz

08/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.14	4.14	-4.26	-4.11	-4.23	-4.71	-3.72	-5.02	-4.04	-5.97

802.11ax HEW80_Nss1,(MCS0)_8TX

PSD

5690MHz Straddle 5.725-5.85GHz

08/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.21	0.21	-7.52	-9.20	-9.00	-8.17	-7.55	-9.41	-8.01	-9.81

802.11ax HEW80+80_Nss1,(MCS0)_4TX(Port1&Port2&Port3&Port4)
#5210MHz,5290MHz

PSD

09/06/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.10	-0.10	-5.96	-5.57	-5.53	-5.75

802.11ax HEW80+80_Nss1,(MCS0)_4TX(Port5&Port6&Port7&Port8)
5210MHz,#5290MHz

PSD

09/06/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.08	0.08	-	-	-	-	-5.58	-5.99	-6.01	-5.80




802.11ax HEW80+80_Nss1,(MCS0)_8TX

PSD

#5530MHz,#5610MHz

08/06/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.19	0.19	-5.45	-5.55	-5.84	-5.26	-4.72	-5.91	-5.62	-5.85



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	6.87	11.47
802.11n HT20_Nss1,(MCS0)_1TX	6.40	11.00
802.11n HT40_Nss1,(MCS0)_1TX	-2.60	2.00
802.11ac VHT20_Nss1,(MCS0)_1TX	6.56	11.16
802.11ac VHT40_Nss1,(MCS0)_1TX	-2.25	2.35
802.11ac VHT80_Nss1,(MCS0)_1TX	-12.99	-8.39
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	8.06	12.66
802.11n HT20_Nss1,(MCS0)_1TX	7.19	11.79
802.11n HT40_Nss1,(MCS0)_1TX	3.78	8.38
802.11ac VHT20_Nss1,(MCS0)_1TX	7.46	12.06
802.11ac VHT40_Nss1,(MCS0)_1TX	4.11	8.71
802.11ac VHT80_Nss1,(MCS0)_1TX	0.33	4.93
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	4.86	9.46
802.11n HT20_Nss1,(MCS0)_1TX	4.02	8.62
802.11n HT40_Nss1,(MCS0)_1TX	0.25	4.85
802.11ac VHT20_Nss1,(MCS0)_1TX	4.35	8.95
802.11ac VHT40_Nss1,(MCS0)_1TX	0.69	5.29
802.11ac VHT80_Nss1,(MCS0)_1TX	-2.81	1.79

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	4.60	6.84	6.84	11.00	11.44	17.00
5300MHz	Pass	4.60	6.87	6.87	11.00	11.47	17.00
5320MHz	Pass	4.60	5.01	5.01	11.00	9.61	17.00
5500MHz	Pass	4.60	4.97	4.97	11.00	9.57	17.00
5580MHz	Pass	4.60	8.06	8.06	11.00	12.66	17.00
5700MHz	Pass	4.60	5.06	5.06	11.00	9.66	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.60	6.69	6.69	11.00	11.29	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.60	4.86	4.86	30.00	9.46	36.00
802.11n HT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	4.60	6.40	6.40	11.00	11.00	17.00
5300MHz	Pass	4.60	6.32	6.32	11.00	10.92	17.00
5320MHz	Pass	4.60	3.80	3.80	11.00	8.40	17.00
5500MHz	Pass	4.60	4.09	4.09	11.00	8.69	17.00
5580MHz	Pass	4.60	7.19	7.19	11.00	11.79	17.00
5700MHz	Pass	4.60	4.37	4.37	11.00	8.97	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.60	5.69	5.69	11.00	10.29	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.60	4.02	4.02	30.00	8.62	36.00
802.11n HT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5270MHz	Pass	4.60	-3.07	-3.07	11.00	1.53	17.00
5310MHz	Pass	4.60	-2.60	-2.60	11.00	2.00	17.00
5510MHz	Pass	4.60	0.48	0.48	11.00	5.08	17.00
5550MHz	Pass	4.60	3.78	3.78	11.00	8.38	17.00
5670MHz	Pass	4.60	2.44	2.44	11.00	7.04	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.60	2.47	2.47	11.00	7.07	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.60	0.25	0.25	30.00	4.85	36.00
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	4.60	6.52	6.52	11.00	11.12	17.00
5300MHz	Pass	4.60	6.56	6.56	11.00	11.16	17.00
5320MHz	Pass	4.60	4.12	4.12	11.00	8.72	17.00
5500MHz	Pass	4.60	4.66	4.66	11.00	9.26	17.00
5580MHz	Pass	4.60	7.46	7.46	11.00	12.06	17.00
5700MHz	Pass	4.60	4.65	4.65	11.00	9.25	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.60	6.04	6.04	11.00	10.64	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.60	4.35	4.35	30.00	8.95	36.00
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5270MHz	Pass	4.60	-2.94	-2.94	11.00	1.66	17.00
5310MHz	Pass	4.60	-2.25	-2.25	11.00	2.35	17.00
5510MHz	Pass	4.60	0.94	0.94	11.00	5.54	17.00
5550MHz	Pass	4.60	4.11	4.11	11.00	8.71	17.00
5670MHz	Pass	4.60	2.86	2.86	11.00	7.46	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.60	2.85	2.85	11.00	7.45	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.60	0.69	0.69	30.00	5.29	36.00
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5290MHz	Pass	4.60	-12.99	-12.99	11.00	-8.39	17.00
5530MHz	Pass	4.60	-6.47	-6.47	11.00	-1.87	17.00
5610MHz	Pass	4.60	-0.22	-0.22	11.00	4.38	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.60	0.33	0.33	11.00	4.93	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.60	-2.81	-2.81	30.00	1.79	36.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;




802.11a_Nss1,(6Mbps)_1TX

PSD

5260MHz

01/07/2021

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.84	6.84	6.84


802.11a_Nss1,(6Mbps)_1TX

PSD

5300MHz

01/07/2021

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.87	6.87	6.87




802.11a_Nss1,(6Mbps)_1TX

PSD

5320MHz

01/07/2021

CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.01	5.01	5.01


802.11a_Nss1,(6Mbps)_1TX

PSD

5500MHz

01/07/2021

CF
5.5GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.97	4.97	4.97




802.11a_Nss1,(6Mbps)_1TX

PSD

5580MHz

01/07/2021

CF
5.58GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.06	8.06	8.06


802.11a_Nss1,(6Mbps)_1TX

PSD

5700MHz

01/07/2021

CF
5.7GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.06	5.06	5.06




802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

01/07/2021

CF
5.71GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.69	6.69	6.69


802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

01/07/2021

CF
5.735GHz
Span
40MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.86	4.86	4.86




802.11n HT20_Nss1,(MCS0)_1TX

PSD

5260MHz

01/07/2021

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.40	6.40	6.40


802.11n HT20_Nss1,(MCS0)_1TX

PSD

5300MHz

01/07/2021

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.32	6.32	6.32




802.11n HT20_Nss1,(MCS0)_1TX

PSD

5320MHz

01/07/2021

CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.80	3.80	3.80


802.11n HT20_Nss1,(MCS0)_1TX

PSD

5500MHz

01/07/2021

CF
5.5GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.09	4.09	4.09

802.11n HT20_Nss1,(MCS0)_1TX

PSD

5580MHz

01/07/2021

CF
5.58GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.19	7.19	7.19

802.11n HT20_Nss1,(MCS0)_1TX

PSD

5700MHz

01/07/2021

CF
5.7GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.37	4.37	4.37

802.11n HT20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

01/07/2021

CF
5.71GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.69	5.69	5.69

802.11n HT20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

01/07/2021

CF
5.735GHz


Span
40MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.02	4.02	4.02




802.11n HT40_Nss1,(MCS0)_1TX

PSD

5270MHz

01/07/2021

CF
5.27GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.07	-3.07	-3.07


802.11n HT40_Nss1,(MCS0)_1TX

PSD

5310MHz

01/07/2021

CF
5.31GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.60	-2.60	-2.60




802.11n HT40_Nss1,(MCS0)_1TX

PSD

5510MHz

01/07/2021

CF
5.51GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.48	0.48	0.48


802.11n HT40_Nss1,(MCS0)_1TX

PSD

5550MHz

01/07/2021

CF
5.55GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.78	3.78	3.78




802.11n HT40_Nss1,(MCS0)_1TX

PSD

5670MHz

01/07/2021

CF
5.67GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.44	2.44	2.44


802.11n HT40_Nss1,(MCS0)_1TX

PSD

5710MHz Straddle 5.47-5.725GHz

01/07/2021

CF
5.69GHz
Span
140MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.47	2.47	2.47




802.11n HT40_Nss1,(MCS0)_1TX

PSD

5710MHz Straddle 5.725-5.85GHz

01/07/2021

CF
5.735GHz
Span
40MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.25	0.25	0.25


802.11ac VHT20_Nss1,(MCS0)_1TX

PSD

5260MHz

01/07/2021

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.52	6.52	6.52




802.11ac VHT20_Nss1,(MCS0)_1TX

PSD

5300MHz

01/07/2021

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.56	6.56	6.56


802.11ac VHT20_Nss1,(MCS0)_1TX

PSD

5320MHz

01/07/2021

CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.12	4.12	4.12




802.11ac VHT20_Nss1,(MCS0)_1TX

PSD

5500MHz

01/07/2021

CF
5.5GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.66	4.66	4.66


802.11ac VHT20_Nss1,(MCS0)_1TX

PSD

5580MHz

01/07/2021

CF
5.58GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.46	7.46	7.46




802.11ac VHT20_Nss1,(MCS0)_1TX

PSD

5700MHz

01/07/2021

CF
5.7GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.65	4.65	4.65


802.11ac VHT20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

01/07/2021

CF
5.71GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.04	6.04	6.04




802.11ac VHT20_Nss1,(MCS0)_1TX 5720MHz Straddle 5.725-5.85GHz

PSD

01/07/2021

CF
5.735GHz
Span
40MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.35	4.35	4.35

802.11ac VHT40_Nss1,(MCS0)_1TX 5270MHz

PSD

01/07/2021

CF
5.27GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.94	-2.94	-2.94




802.11ac VHT40_Nss1,(MCS0)_1TX

PSD

5310MHz

01/07/2021

CF
5.31GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.25	-2.25	-2.25


802.11ac VHT40_Nss1,(MCS0)_1TX

PSD

5510MHz

01/07/2021

CF
5.51GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.94	0.94	0.94




802.11ac VHT40_Nss1,(MCS0)_1TX

PSD

5550MHz

01/07/2021

CF
5.55GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.11	4.11	4.11


802.11ac VHT40_Nss1,(MCS0)_1TX

PSD

5670MHz

01/07/2021

CF
5.67GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.86	2.86	2.86

802.11ac VHT40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz

PSD

01/07/2021

CF
 5.69GHz
 Span
 140MHz
 RBW
 1MHz
 VBW
 3MHz
 Sweep Time
 20ms
 Detector Type
 RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.85	2.85	2.85

802.11ac VHT40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.725-5.85GHz

PSD

01/07/2021

CF
 5.735GHz
 Span
 40MHz
 RBW
 500kHz
 VBW
 3MHz
 Sweep Time
 20ms
 Detector Type
 RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.69	0.69	0.69




802.11ac VHT80_Nss1,(MCS0)_1TX

PSD

5290MHz

01/07/2021

CF
5.29GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.99	-12.99	-12.99


802.11ac VHT80_Nss1,(MCS0)_1TX

PSD

5530MHz

01/07/2021

CF
5.53GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.47	-6.47	-6.47




802.11ac VHT80_Nss1,(MCS0)_1TX

PSD

5610MHz

01/07/2021

CF
5.61GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.22	-0.22	-0.22


802.11ac VHT80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

01/07/2021

CF
5.65GHz
Span
300MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.33	0.33	0.33




802.11ac VHT80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

01/07/2021

CF
5.735GHz
Span
40MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.81	-2.81	-2.81



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	10.5171G	66.93	68.20	-1.27	3	Horizontal	299	1.67	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	5.3504G	52.74	54.00	-1.26	3	Vertical	60	1.68	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.3576G	53.38	54.00	-0.62	3	Horizontal	304	1.97	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.10	54.00	-0.90	3	Horizontal	75	1.50	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.7288G	67.28	68.20	-0.92	3	Horizontal	69	2.05	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.7252G	67.30	68.20	-0.90	3	Horizontal	69	1.96	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.4628G	67.02	68.20	-1.18	3	Horizontal	305	1.17	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.456G	52.48	54.00	-1.52	3	Horizontal	311	1.28	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.149G	46.13	54.00	-7.87	3	Vertical	0	1.33	-
5260MHz	Pass	AV	5.2594G	105.81	Inf	-Inf	3	Vertical	0	1.33	-
5260MHz	Pass	AV	5.3578G	45.93	54.00	-8.07	3	Vertical	0	1.33	-
5260MHz	Pass	PK	5.1358G	58.40	74.00	-15.60	3	Vertical	0	1.33	-
5260MHz	Pass	PK	5.2594G	115.09	Inf	-Inf	3	Vertical	0	1.33	-
5260MHz	Pass	PK	5.3626G	58.24	74.00	-15.76	3	Vertical	0	1.33	-
5260MHz	Pass	AV	5.1394G	47.68	54.00	-6.32	3	Horizontal	72	1.14	-
5260MHz	Pass	AV	5.2552G	108.58	Inf	-Inf	3	Horizontal	72	1.14	-
5260MHz	Pass	AV	5.3608G	48.93	54.00	-5.07	3	Horizontal	72	1.14	-
5260MHz	Pass	PK	5.14G	60.60	74.00	-13.40	3	Horizontal	72	1.14	-
5260MHz	Pass	PK	5.2558G	118.05	Inf	-Inf	3	Horizontal	72	1.14	-
5260MHz	Pass	PK	5.359G	62.76	74.00	-11.24	3	Horizontal	72	1.14	-
5260MHz	Pass	AV	15.7791G	50.49	54.00	-3.51	3	Vertical	332	1.08	-
5260MHz	Pass	PK	10.5204G	63.97	68.20	-4.23	3	Vertical	10	1.50	-
5260MHz	Pass	PK	15.7793G	63.08	74.00	-10.92	3	Vertical	332	1.08	-
5260MHz	Pass	AV	15.7825G	48.12	54.00	-5.88	3	Horizontal	356	2.26	-
5260MHz	Pass	PK	10.5171G	66.93	68.20	-1.27	3	Horizontal	299	1.67	-
5260MHz	Pass	PK	15.7818G	61.29	74.00	-12.71	3	Horizontal	356	2.26	-
5300MHz	Pass	AV	5.3036G	105.22	Inf	-Inf	3	Vertical	50	2.32	-
5300MHz	Pass	AV	5.35G	49.70	54.00	-4.30	3	Vertical	50	2.32	-
5300MHz	Pass	PK	5.3028G	114.72	Inf	-Inf	3	Vertical	50	2.32	-
5300MHz	Pass	PK	5.3516G	62.37	74.00	-11.63	3	Vertical	50	2.32	-
5300MHz	Pass	AV	5.306G	111.38	Inf	-Inf	3	Horizontal	74	1.87	-
5300MHz	Pass	AV	5.352G	49.47	54.00	-4.53	3	Horizontal	74	1.87	-
5300MHz	Pass	PK	5.3056G	120.95	Inf	-Inf	3	Horizontal	74	1.87	-
5300MHz	Pass	PK	5.3528G	63.80	74.00	-10.20	3	Horizontal	74	1.87	-
5300MHz	Pass	AV	15.9057G	46.27	54.00	-7.73	3	Vertical	91	2.37	-
5300MHz	Pass	PK	10.59176G	60.85	68.20	-7.35	3	Vertical	11	1.46	-
5300MHz	Pass	PK	15.9178G	59.58	74.00	-14.42	3	Vertical	91	2.37	-
5300MHz	Pass	AV	15.903G	46.57	54.00	-7.43	3	Horizontal	167	2.29	-
5300MHz	Pass	PK	10.5962G	66.27	68.20	-1.93	3	Horizontal	301	1.78	-
5300MHz	Pass	PK	15.9178G	59.62	74.00	-14.38	3	Horizontal	167	2.29	-
5320MHz	Pass	AV	5.3168G	102.41	Inf	-Inf	3	Vertical	0	1.37	-
5320MHz	Pass	AV	5.35G	51.56	54.00	-2.44	3	Vertical	0	1.37	-
5320MHz	Pass	PK	5.3172G	111.71	Inf	-Inf	3	Vertical	0	1.37	-
5320MHz	Pass	PK	5.35G	66.29	74.00	-7.71	3	Vertical	0	1.37	-
5320MHz	Pass	AV	5.3216G	109.93	Inf	-Inf	3	Horizontal	303	2.33	-
5320MHz	Pass	AV	5.35G	50.95	54.00	-3.05	3	Horizontal	303	2.33	-
5320MHz	Pass	PK	5.3212G	118.81	Inf	-Inf	3	Horizontal	303	2.33	-
5320MHz	Pass	PK	5.3532G	65.70	74.00	-8.30	3	Horizontal	303	2.33	-
5320MHz	Pass	AV	10.638G	47.89	54.00	-6.11	3	Vertical	14	1.36	-
5320MHz	Pass	AV	15.957G	47.40	54.00	-6.60	3	Vertical	287	2.41	-
5320MHz	Pass	PK	10.6442G	60.01	74.00	-13.99	3	Vertical	14	1.36	-
5320MHz	Pass	PK	16.0024G	60.50	74.00	-13.50	3	Vertical	287	2.41	-
5320MHz	Pass	AV	10.6378G	52.23	54.00	-1.77	3	Horizontal	304	1.65	-
5320MHz	Pass	AV	15.9992G	46.82	54.00	-7.18	3	Horizontal	222	2.34	-
5320MHz	Pass	PK	10.6364G	65.33	74.00	-8.67	3	Horizontal	304	1.65	-
5320MHz	Pass	PK	15.9968G	60.13	74.00	-13.87	3	Horizontal	222	2.34	-
5500MHz	Pass	AV	5.4548G	45.36	54.00	-8.64	3	Vertical	302	1.00	-
5500MHz	Pass	AV	5.5068G	99.27	Inf	-Inf	3	Vertical	302	1.00	-
5500MHz	Pass	PK	5.4664G	59.99	68.20	-8.21	3	Vertical	302	1.00	-
5500MHz	Pass	PK	5.5068G	108.60	Inf	-Inf	3	Vertical	302	1.00	-
5500MHz	Pass	AV	5.46G	48.29	54.00	-5.71	3	Horizontal	299	1.94	-
5500MHz	Pass	AV	5.5016G	109.62	Inf	-Inf	3	Horizontal	299	1.94	-
5500MHz	Pass	PK	5.4698G	67.22	68.20	-0.98	3	Horizontal	299	1.94	-
5500MHz	Pass	PK	5.502G	119.47	Inf	-Inf	3	Horizontal	299	1.94	-
5500MHz	Pass	AV	10.9983G	46.31	54.00	-7.69	3	Vertical	341	1.50	-
5500MHz	Pass	PK	10.9974G	58.85	74.00	-15.15	3	Vertical	341	1.50	-
5500MHz	Pass	PK	16.4898G	62.37	68.20	-5.83	3	Vertical	174	2.19	-
5500MHz	Pass	AV	11.0002G	48.87	54.00	-5.13	3	Horizontal	76	1.00	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	PK	11.0007G	61.34	74.00	-12.66	3	Horizontal	76	1.00	-
5500MHz	Pass	PK	16.5004G	62.75	68.20	-5.45	3	Horizontal	32	2.76	-
5580MHz	Pass	AV	5.4486G	45.62	54.00	-8.38	3	Vertical	24	2.85	-
5580MHz	Pass	AV	5.5878G	107.22	Inf	-Inf	3	Vertical	24	2.85	-
5580MHz	Pass	PK	5.4678G	57.56	68.20	-10.64	3	Vertical	24	2.85	-
5580MHz	Pass	PK	5.5872G	116.66	Inf	-Inf	3	Vertical	24	2.85	-
5580MHz	Pass	PK	5.7264G	58.25	68.20	-9.95	3	Vertical	24	2.85	-
5580MHz	Pass	AV	5.4522G	45.88	54.00	-8.12	3	Horizontal	57	2.09	-
5580MHz	Pass	AV	5.5872G	110.91	Inf	-Inf	3	Horizontal	57	2.09	-
5580MHz	Pass	PK	5.4612G	58.17	68.20	-10.03	3	Horizontal	57	2.09	-
5580MHz	Pass	PK	5.5872G	120.51	Inf	-Inf	3	Horizontal	57	2.09	-
5580MHz	Pass	PK	5.7276G	59.37	68.20	-8.83	3	Horizontal	57	2.09	-
5580MHz	Pass	AV	11.1561G	46.92	54.00	-7.08	3	Vertical	10	2.84	-
5580MHz	Pass	PK	11.1544G	59.71	74.00	-14.29	3	Vertical	10	2.84	-
5580MHz	Pass	PK	16.7475G	66.51	68.20	-1.69	3	Vertical	24	1.03	-
5580MHz	Pass	AV	11.1619G	49.41	54.00	-4.59	3	Horizontal	298	1.61	-
5580MHz	Pass	PK	11.1628G	62.46	74.00	-11.54	3	Horizontal	298	1.61	-
5580MHz	Pass	PK	16.7399G	66.27	68.20	-1.93	3	Horizontal	16	1.01	-
5700MHz	Pass	AV	5.7072G	102.23	Inf	-Inf	3	Vertical	30	3.00	-
5700MHz	Pass	PK	5.7076G	111.58	Inf	-Inf	3	Vertical	30	3.00	-
5700MHz	Pass	PK	5.7284G	59.49	68.20	-8.71	3	Vertical	30	3.00	-
5700MHz	Pass	AV	5.7008G	107.71	Inf	-Inf	3	Horizontal	69	2.05	-
5700MHz	Pass	PK	5.7012G	117.31	Inf	-Inf	3	Horizontal	69	2.05	-
5700MHz	Pass	PK	5.7288G	67.28	68.20	-0.92	3	Horizontal	69	2.05	-
5700MHz	Pass	AV	11.4031G	42.64	54.00	-11.36	3	Vertical	268	1.79	-
5700MHz	Pass	PK	11.3887G	55.50	74.00	-18.50	3	Vertical	268	1.79	-
5700MHz	Pass	PK	17.0808G	63.61	68.20	-4.59	3	Vertical	260	1.11	-
5700MHz	Pass	AV	11.3933G	42.68	54.00	-11.32	3	Horizontal	252	2.35	-
5700MHz	Pass	PK	11.4189G	56.49	74.00	-17.51	3	Horizontal	252	2.35	-
5700MHz	Pass	PK	17.0923G	63.68	68.20	-4.52	3	Horizontal	205	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	45.56	54.00	-8.44	3	Vertical	354	2.87	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	105.86	Inf	-Inf	3	Vertical	354	2.87	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	56.17	68.20	-12.03	3	Vertical	354	2.87	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	115.05	Inf	-Inf	3	Vertical	354	2.87	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8856G	58.94	68.20	-9.26	3	Vertical	354	2.87	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4464G	45.23	54.00	-8.77	3	Horizontal	3	2.94	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	97.89	Inf	-Inf	3	Horizontal	3	2.94	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	56.51	68.20	-11.69	3	Horizontal	3	2.94	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	107.29	Inf	-Inf	3	Horizontal	3	2.94	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9228G	58.13	68.20	-10.07	3	Horizontal	3	2.94	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4427G	43.07	54.00	-10.93	3	Vertical	332	2.01	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4456G	56.38	74.00	-17.62	3	Vertical	332	2.01	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.165G	65.08	68.20	-3.12	3	Vertical	19	2.16	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4422G	43.57	54.00	-10.43	3	Horizontal	303	1.01	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4575G	56.26	74.00	-17.74	3	Horizontal	303	1.01	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1596G	66.73	68.20	-1.47	3	Horizontal	320	2.23	-
802.11ax HEW20_Nss1 (MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1424G	46.76	54.00	-7.24	3	Vertical	0	1.34	-
5260MHz	Pass	AV	5.263G	106.15	Inf	-Inf	3	Vertical	0	1.34	-
5260MHz	Pass	AV	5.3554G	46.18	54.00	-7.82	3	Vertical	0	1.34	-
5260MHz	Pass	PK	5.1418G	59.69	74.00	-14.31	3	Vertical	0	1.34	-
5260MHz	Pass	PK	5.2624G	117.88	Inf	-Inf	3	Vertical	0	1.34	-
5260MHz	Pass	PK	5.3638G	58.83	74.00	-15.17	3	Vertical	0	1.34	-
5260MHz	Pass	AV	5.1406G	48.01	54.00	-5.99	3	Horizontal	310	1.59	-
5260MHz	Pass	AV	5.2534G	110.47	Inf	-Inf	3	Horizontal	310	1.59	-
5260MHz	Pass	AV	5.353G	52.70	54.00	-1.30	3	Horizontal	310	1.59	-
5260MHz	Pass	PK	5.1394G	60.05	74.00	-13.95	3	Horizontal	310	1.59	-
5260MHz	Pass	PK	5.2534G	122.79	Inf	-Inf	3	Horizontal	310	1.59	-
5260MHz	Pass	PK	5.3554G	68.14	74.00	-5.86	3	Horizontal	310	1.59	-
5260MHz	Pass	AV	15.78212G	48.95	54.00	-5.05	3	Vertical	345	1.00	-
5260MHz	Pass	PK	10.52056G	63.76	68.20	-4.44	3	Vertical	9	1.50	-
5260MHz	Pass	PK	15.78272G	63.53	74.00	-10.47	3	Vertical	345	1.00	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	AV	15.77976G	46.51	54.00	-7.49	3	Horizontal	327	1.50	-
5260MHz	Pass	PK	10.51668G	65.63	68.20	-2.57	3	Horizontal	88	1.67	-
5260MHz	Pass	PK	15.78052G	60.10	74.00	-13.90	3	Horizontal	327	1.50	-
5300MHz	Pass	AV	5.3008G	109.69	Inf	-Inf	3	Vertical	60	1.68	-
5300MHz	Pass	AV	5.3504G	52.74	54.00	-1.26	3	Vertical	60	1.68	-
5300MHz	Pass	PK	5.2992G	122.82	Inf	-Inf	3	Vertical	60	1.68	-
5300MHz	Pass	PK	5.3508G	70.57	74.00	-3.43	3	Vertical	60	1.68	-
5300MHz	Pass	AV	5.3012G	109.54	Inf	-Inf	3	Horizontal	301	1.50	-
5300MHz	Pass	AV	5.35G	51.77	54.00	-2.23	3	Horizontal	301	1.50	-
5300MHz	Pass	PK	5.3008G	122.64	Inf	-Inf	3	Horizontal	301	1.50	-
5300MHz	Pass	PK	5.35G	67.75	74.00	-6.25	3	Horizontal	301	1.50	-
5300MHz	Pass	AV	15.90244G	45.73	54.00	-8.27	3	Vertical	31	3.00	-
5300MHz	Pass	PK	10.596G	63.22	68.20	-4.98	3	Vertical	20	1.43	-
5300MHz	Pass	PK	15.89952G	60.41	74.00	-13.59	3	Vertical	31	3.00	-
5300MHz	Pass	AV	15.9024G	45.54	54.00	-8.46	3	Horizontal	1	1.92	-
5300MHz	Pass	PK	10.5976G	66.41	68.20	-1.79	3	Horizontal	83	1.73	-
5300MHz	Pass	PK	15.90236G	58.74	74.00	-15.26	3	Horizontal	1	1.92	-
5320MHz	Pass	AV	5.3162G	103.51	Inf	-Inf	3	Vertical	0	1.28	-
5320MHz	Pass	AV	5.3512G	50.32	54.00	-3.68	3	Vertical	0	1.28	-
5320MHz	Pass	PK	5.3156G	116.42	Inf	-Inf	3	Vertical	0	1.28	-
5320MHz	Pass	PK	5.3506G	65.02	74.00	-8.98	3	Vertical	0	1.28	-
5320MHz	Pass	AV	5.3256G	109.23	Inf	-Inf	3	Horizontal	67	1.15	-
5320MHz	Pass	AV	5.35G	52.61	54.00	-1.39	3	Horizontal	67	1.15	-
5320MHz	Pass	PK	5.3256G	122.54	Inf	-Inf	3	Horizontal	67	1.15	-
5320MHz	Pass	PK	5.3532G	68.58	74.00	-5.42	3	Horizontal	67	1.15	-
5320MHz	Pass	AV	10.63588G	48.04	54.00	-5.96	3	Vertical	22	1.33	-
5320MHz	Pass	AV	15.9644G	47.38	54.00	-6.62	3	Vertical	22	1.03	-
5320MHz	Pass	PK	10.63652G	63.37	74.00	-10.63	3	Vertical	22	1.33	-
5320MHz	Pass	PK	15.95664G	62.06	74.00	-11.94	3	Vertical	22	1.03	-
5320MHz	Pass	AV	10.637G	51.86	54.00	-2.14	3	Horizontal	84	1.70	-
5320MHz	Pass	AV	15.95896G	47.89	54.00	-6.11	3	Horizontal	50	1.33	-
5320MHz	Pass	PK	10.6374G	67.32	74.00	-6.68	3	Horizontal	84	1.70	-
5320MHz	Pass	PK	15.95884G	62.05	74.00	-11.95	3	Horizontal	50	1.33	-
5500MHz	Pass	AV	5.4578G	45.47	54.00	-8.53	3	Vertical	337	1.05	-
5500MHz	Pass	AV	5.4976G	100.83	Inf	-Inf	3	Vertical	337	1.05	-
5500MHz	Pass	PK	5.47G	60.68	68.20	-7.52	3	Vertical	337	1.05	-
5500MHz	Pass	PK	5.4978G	114.01	Inf	-Inf	3	Vertical	337	1.05	-
5500MHz	Pass	AV	5.454G	45.79	54.00	-8.21	3	Horizontal	72	2.39	-
5500MHz	Pass	AV	5.5056G	107.92	Inf	-Inf	3	Horizontal	72	2.39	-
5500MHz	Pass	PK	5.467G	65.77	68.20	-2.43	3	Horizontal	72	2.39	-
5500MHz	Pass	PK	5.5056G	121.28	Inf	-Inf	3	Horizontal	72	2.39	-
5500MHz	Pass	AV	10.9982G	45.13	54.00	-8.87	3	Vertical	340	1.46	-
5500MHz	Pass	PK	10.99864G	59.55	74.00	-14.45	3	Vertical	340	1.46	-
5500MHz	Pass	PK	16.50992G	62.17	68.20	-6.03	3	Vertical	282	1.50	-
5500MHz	Pass	AV	10.99912G	46.41	54.00	-7.59	3	Horizontal	79	1.00	-
5500MHz	Pass	PK	10.99748G	60.18	74.00	-13.82	3	Horizontal	79	1.00	-
5500MHz	Pass	PK	16.49484G	62.14	68.20	-6.06	3	Horizontal	64	1.50	-
5580MHz	Pass	AV	5.4552G	45.37	54.00	-8.63	3	Vertical	357	3.00	-
5580MHz	Pass	AV	5.5746G	108.09	Inf	-Inf	3	Vertical	357	3.00	-
5580MHz	Pass	PK	5.469G	57.51	68.20	-10.69	3	Vertical	357	3.00	-
5580MHz	Pass	PK	5.5746G	122.20	Inf	-Inf	3	Vertical	357	3.00	-
5580MHz	Pass	PK	5.7258G	59.14	68.20	-9.06	3	Vertical	357	3.00	-
5580MHz	Pass	AV	5.4594G	46.01	54.00	-7.99	3	Horizontal	308	1.83	-
5580MHz	Pass	AV	5.5788G	113.95	Inf	-Inf	3	Horizontal	308	1.83	-
5580MHz	Pass	PK	5.466G	58.28	68.20	-9.92	3	Horizontal	308	1.83	-
5580MHz	Pass	PK	5.5788G	126.80	Inf	-Inf	3	Horizontal	308	1.83	-
5580MHz	Pass	PK	5.7276G	59.49	68.20	-8.71	3	Horizontal	308	1.83	-
5580MHz	Pass	AV	11.15756G	46.25	54.00	-7.75	3	Vertical	339	1.50	-
5580MHz	Pass	PK	11.15792G	59.96	74.00	-14.04	3	Vertical	339	1.50	-
5580MHz	Pass	PK	16.74152G	66.54	68.20	-1.66	3	Vertical	24	1.06	-
5580MHz	Pass	AV	11.16012G	48.38	54.00	-5.62	3	Horizontal	299	1.61	-
5580MHz	Pass	PK	11.16016G	61.35	74.00	-12.65	3	Horizontal	299	1.61	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	16.74328G	65.28	68.20	-2.92	3	Horizontal	54	1.16	-
5700MHz	Pass	AV	5.6988G	104.32	Inf	-Inf	3	Vertical	342	3.00	-
5700MHz	Pass	PK	5.6992G	117.17	Inf	-Inf	3	Vertical	342	3.00	-
5700MHz	Pass	PK	5.7264G	62.41	68.20	-5.79	3	Vertical	342	3.00	-
5700MHz	Pass	AV	5.7008G	108.96	Inf	-Inf	3	Horizontal	69	1.96	-
5700MHz	Pass	PK	5.7004G	122.55	Inf	-Inf	3	Horizontal	69	1.96	-
5700MHz	Pass	PK	5.7252G	67.30	68.20	-0.90	3	Horizontal	69	1.96	-
5700MHz	Pass	AV	11.4002G	42.66	54.00	-11.34	3	Vertical	9	1.50	-
5700MHz	Pass	PK	11.39296G	56.25	74.00	-17.75	3	Vertical	9	1.50	-
5700MHz	Pass	PK	17.09976G	63.71	68.20	-4.49	3	Vertical	251	1.50	-
5700MHz	Pass	AV	11.39592G	42.59	54.00	-11.41	3	Horizontal	282	2.00	-
5700MHz	Pass	PK	11.39176G	56.22	74.00	-17.78	3	Horizontal	282	2.00	-
5700MHz	Pass	PK	17.09796G	64.75	68.20	-3.45	3	Horizontal	92	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	45.33	54.00	-8.67	3	Vertical	343	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	108.20	Inf	-Inf	3	Vertical	343	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	57.55	68.20	-10.65	3	Vertical	343	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	120.69	Inf	-Inf	3	Vertical	343	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.924G	58.64	68.20	-9.56	3	Vertical	343	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	45.83	54.00	-8.17	3	Horizontal	71	1.89	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	112.53	Inf	-Inf	3	Horizontal	71	1.89	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	57.83	68.20	-10.37	3	Horizontal	71	1.89	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	126.36	Inf	-Inf	3	Horizontal	71	1.89	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8616G	59.37	68.20	-8.83	3	Horizontal	71	1.89	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43552G	43.60	54.00	-10.40	3	Vertical	13	2.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4356G	56.94	74.00	-17.06	3	Vertical	13	2.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16228G	65.10	68.20	-3.10	3	Vertical	358	1.20	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44136G	44.71	54.00	-9.29	3	Horizontal	306	2.37	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44132G	58.47	74.00	-15.53	3	Horizontal	306	2.37	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16816G	66.61	68.20	-1.59	3	Horizontal	318	1.07	-
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.262G	101.87	Inf	-Inf	3	Vertical	2	3.00	-
5270MHz	Pass	AV	5.3516G	46.70	54.00	-7.30	3	Vertical	2	3.00	-
5270MHz	Pass	PK	5.2624G	113.47	Inf	-Inf	3	Vertical	2	3.00	-
5270MHz	Pass	PK	5.35G	60.24	74.00	-13.76	3	Vertical	2	3.00	-
5270MHz	Pass	AV	5.2624G	108.52	Inf	-Inf	3	Horizontal	72	1.81	-
5270MHz	Pass	AV	5.35G	53.35	54.00	-0.65	3	Horizontal	72	1.81	-
5270MHz	Pass	PK	5.2828G	121.01	Inf	-Inf	3	Horizontal	72	1.81	-
5270MHz	Pass	PK	5.3508G	67.97	74.00	-6.03	3	Horizontal	72	1.81	-
5270MHz	Pass	AV	15.80512G	46.99	54.00	-7.01	3	Vertical	28	1.00	-
5270MHz	Pass	PK	10.53628G	60.90	68.20	-7.30	3	Vertical	20	1.40	-
5270MHz	Pass	PK	15.80504G	61.41	74.00	-12.59	3	Vertical	28	1.00	-
5270MHz	Pass	AV	15.80892G	46.54	54.00	-7.46	3	Horizontal	46	2.34	-
5270MHz	Pass	PK	10.53688G	62.89	68.20	-5.31	3	Horizontal	88	1.74	-
5270MHz	Pass	PK	15.80836G	60.43	74.00	-13.57	3	Horizontal	46	2.34	-
5310MHz	Pass	AV	5.2988G	98.54	Inf	-Inf	3	Vertical	4	1.39	-
5310MHz	Pass	AV	5.3596G	47.22	54.00	-6.78	3	Vertical	4	1.39	-
5310MHz	Pass	PK	5.3004G	110.69	Inf	-Inf	3	Vertical	4	1.39	-
5310MHz	Pass	PK	5.3572G	59.43	74.00	-14.57	3	Vertical	4	1.39	-
5310MHz	Pass	AV	5.3176G	105.14	Inf	-Inf	3	Horizontal	304	1.97	-
5310MHz	Pass	AV	5.3576G	53.38	54.00	-0.62	3	Horizontal	304	1.97	-
5310MHz	Pass	PK	5.298G	118.33	Inf	-Inf	3	Horizontal	304	1.97	-
5310MHz	Pass	PK	5.3576G	68.90	74.00	-5.10	3	Horizontal	304	1.97	-
5310MHz	Pass	AV	10.62G	44.96	54.00	-9.04	3	Vertical	67	1.98	-
5310MHz	Pass	AV	15.9356G	45.44	54.00	-8.56	3	Vertical	0	1.57	-
5310MHz	Pass	PK	10.62024G	56.87	74.00	-17.13	3	Vertical	67	1.98	-
5310MHz	Pass	PK	15.93856G	59.43	74.00	-14.57	3	Vertical	0	1.57	-
5310MHz	Pass	AV	10.61724G	45.98	54.00	-8.02	3	Horizontal	86	1.74	-
5310MHz	Pass	AV	15.93848G	45.45	54.00	-8.55	3	Horizontal	0	1.50	-
5310MHz	Pass	PK	10.6166G	59.67	74.00	-14.33	3	Horizontal	86	1.74	-
5310MHz	Pass	PK	15.93856G	59.34	74.00	-14.66	3	Horizontal	0	1.50	-
5510MHz	Pass	AV	5.4476G	48.10	54.00	-5.90	3	Vertical	343	2.27	-
5510MHz	Pass	AV	5.5088G	99.40	Inf	-Inf	3	Vertical	343	2.27	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5510MHz	Pass	PK	5.4664G	65.50	68.20	-2.70	3	Vertical	343	2.27	-
5510MHz	Pass	PK	5.5084G	111.31	Inf	-Inf	3	Vertical	343	2.27	-
5510MHz	Pass	AV	5.46G	49.28	54.00	-4.72	3	Horizontal	299	1.34	-
5510MHz	Pass	AV	5.5028G	103.59	Inf	-Inf	3	Horizontal	299	1.34	-
5510MHz	Pass	PK	5.4632G	65.32	68.20	-2.88	3	Horizontal	299	1.34	-
5510MHz	Pass	PK	5.5028G	116.62	Inf	-Inf	3	Horizontal	299	1.34	-
5510MHz	Pass	AV	11.0273G	41.57	54.00	-12.43	3	Vertical	34	1.09	-
5510MHz	Pass	PK	11.0258G	55.04	74.00	-18.96	3	Vertical	34	1.09	-
5510MHz	Pass	PK	16.5208G	65.18	68.20	-3.02	3	Vertical	137	1.31	-
5510MHz	Pass	AV	11.0253G	42.48	54.00	-11.52	3	Horizontal	254	2.30	-
5510MHz	Pass	PK	11.0268G	55.91	74.00	-18.09	3	Horizontal	254	2.30	-
5510MHz	Pass	PK	16.522G	65.67	68.20	-2.53	3	Horizontal	60	1.97	-
5550MHz	Pass	AV	5.456G	49.01	54.00	-4.99	3	Vertical	335	2.33	-
5550MHz	Pass	AV	5.556G	103.22	Inf	-Inf	3	Vertical	335	2.33	-
5550MHz	Pass	PK	5.4636G	61.91	68.20	-6.29	3	Vertical	335	2.33	-
5550MHz	Pass	PK	5.5548G	115.74	Inf	-Inf	3	Vertical	335	2.33	-
5550MHz	Pass	AV	5.4556G	50.99	54.00	-3.01	3	Horizontal	305	1.17	-
5550MHz	Pass	AV	5.556G	109.54	Inf	-Inf	3	Horizontal	305	1.17	-
5550MHz	Pass	PK	5.4628G	67.02	68.20	-1.18	3	Horizontal	305	1.17	-
5550MHz	Pass	PK	5.5576G	121.81	Inf	-Inf	3	Horizontal	305	1.17	-
5550MHz	Pass	AV	11.0983G	43.80	54.00	-10.20	3	Vertical	340	1.45	-
5550MHz	Pass	PK	11.0987G	56.66	74.00	-17.34	3	Vertical	340	1.45	-
5550MHz	Pass	PK	16.6325G	64.56	68.20	-3.64	3	Vertical	134	2.04	-
5550MHz	Pass	AV	11.098G	47.24	54.00	-6.76	3	Horizontal	302	1.69	-
5550MHz	Pass	PK	11.098G	59.63	74.00	-14.37	3	Horizontal	302	1.69	-
5550MHz	Pass	PK	16.6423G	64.77	68.20	-3.43	3	Horizontal	203	1.81	-
5670MHz	Pass	AV	5.6736G	102.49	Inf	-Inf	3	Vertical	6	3.00	-
5670MHz	Pass	PK	5.6748G	115.12	Inf	-Inf	3	Vertical	6	3.00	-
5670MHz	Pass	PK	5.7336G	61.51	68.20	-6.69	3	Vertical	6	3.00	-
5670MHz	Pass	AV	5.6628G	106.43	Inf	-Inf	3	Horizontal	75	2.34	-
5670MHz	Pass	PK	5.6624G	119.66	Inf	-Inf	3	Horizontal	75	2.34	-
5670MHz	Pass	PK	5.7252G	65.89	68.20	-2.31	3	Horizontal	75	2.34	-
5670MHz	Pass	AV	11.34348G	38.15	54.00	-15.85	3	Vertical	0	2.50	-
5670MHz	Pass	PK	11.3364G	52.15	74.00	-21.85	3	Vertical	0	2.50	-
5670MHz	Pass	PK	17.00836G	56.61	68.20	-11.59	3	Vertical	360	2.53	-
5670MHz	Pass	AV	11.34344G	38.10	54.00	-15.90	3	Horizontal	82	3.00	-
5670MHz	Pass	PK	11.3314G	52.26	74.00	-21.74	3	Horizontal	82	3.00	-
5670MHz	Pass	PK	17.00044G	57.81	68.20	-10.39	3	Horizontal	37	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4412G	47.51	54.00	-6.49	3	Vertical	7	2.98	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7136G	106.11	Inf	-Inf	3	Vertical	7	2.98	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	59.11	68.20	-9.09	3	Vertical	7	2.98	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7124G	119.11	Inf	-Inf	3	Vertical	7	2.98	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8552G	62.73	68.20	-5.47	3	Vertical	7	2.98	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4556G	47.55	54.00	-6.45	3	Horizontal	73	2.43	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7028G	109.59	Inf	-Inf	3	Horizontal	73	2.43	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	60.50	68.20	-7.70	3	Horizontal	73	2.43	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7016G	120.77	Inf	-Inf	3	Horizontal	73	2.43	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8576G	61.42	68.20	-6.78	3	Horizontal	73	2.43	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41892G	37.53	54.00	-16.47	3	Vertical	81	2.27	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41676G	51.14	74.00	-22.86	3	Vertical	81	2.27	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12668G	56.46	68.20	-11.74	3	Vertical	27	1.96	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41872G	37.58	54.00	-16.42	3	Horizontal	248	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42532G	50.94	74.00	-23.06	3	Horizontal	248	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12392G	57.54	68.20	-10.66	3	Horizontal	356	2.13	-
802.11ax HEW80_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.143G	47.34	54.00	-6.66	3	Vertical	4	1.35	-
5290MHz	Pass	AV	5.279G	95.64	Inf	-Inf	3	Vertical	4	1.35	-
5290MHz	Pass	AV	5.359G	49.46	54.00	-4.54	3	Vertical	4	1.35	-
5290MHz	Pass	PK	5.123G	60.49	74.00	-13.51	3	Vertical	4	1.35	-
5290MHz	Pass	PK	5.279G	107.16	Inf	-Inf	3	Vertical	4	1.35	-
5290MHz	Pass	PK	5.54G	59.59	68.20	-8.61	3	Vertical	4	1.35	-
5290MHz	Pass	AV	5.15G	47.60	54.00	-6.40	3	Horizontal	75	1.50	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	AV	5.288G	99.69	Inf	-Inf	3	Horizontal	75	1.50	-
5290MHz	Pass	AV	5.35G	53.10	54.00	-0.90	3	Horizontal	75	1.50	-
5290MHz	Pass	PK	5.149G	60.07	74.00	-13.93	3	Horizontal	75	1.50	-
5290MHz	Pass	PK	5.289G	110.68	Inf	-Inf	3	Horizontal	75	1.50	-
5290MHz	Pass	PK	5.369G	66.74	74.00	-7.26	3	Horizontal	75	1.50	-
5290MHz	Pass	AV	10.61456G	41.63	54.00	-12.37	3	Vertical	78	1.88	-
5290MHz	Pass	AV	15.9015G	50.98	54.00	-3.02	3	Vertical	222	2.50	-
5290MHz	Pass	PK	10.6172G	54.93	74.00	-19.07	3	Vertical	78	1.88	-
5290MHz	Pass	PK	15.87198G	64.70	74.00	-9.30	3	Vertical	222	2.50	-
5290MHz	Pass	AV	10.60016G	41.75	54.00	-12.25	3	Horizontal	140	1.96	-
5290MHz	Pass	AV	15.91158G	51.02	54.00	-2.98	3	Horizontal	289	1.37	-
5290MHz	Pass	PK	10.60134G	55.37	74.00	-18.63	3	Horizontal	140	1.96	-
5290MHz	Pass	PK	15.85452G	64.44	74.00	-9.56	3	Horizontal	289	1.37	-
5530MHz	Pass	AV	5.456G	50.38	54.00	-3.62	3	Vertical	334	2.35	-
5530MHz	Pass	AV	5.536G	96.29	Inf	-Inf	3	Vertical	334	2.35	-
5530MHz	Pass	PK	5.346G	60.03	68.20	-8.17	3	Vertical	334	2.35	-
5530MHz	Pass	PK	5.536G	106.74	Inf	-Inf	3	Vertical	334	2.35	-
5530MHz	Pass	PK	5.763G	58.85	68.20	-9.35	3	Vertical	334	2.35	-
5530MHz	Pass	AV	5.456G	52.48	54.00	-1.52	3	Horizontal	311	1.28	-
5530MHz	Pass	AV	5.536G	100.75	Inf	-Inf	3	Horizontal	311	1.28	-
5530MHz	Pass	PK	5.462G	62.83	68.20	-5.37	3	Horizontal	311	1.28	-
5530MHz	Pass	PK	5.536G	112.45	Inf	-Inf	3	Horizontal	311	1.28	-
5530MHz	Pass	PK	5.757G	59.55	68.20	-8.65	3	Horizontal	311	1.28	-
5530MHz	Pass	AV	11.02004G	41.94	54.00	-12.06	3	Vertical	100	1.36	-
5530MHz	Pass	PK	11.03858G	55.47	74.00	-18.53	3	Vertical	100	1.36	-
5530MHz	Pass	PK	16.59252G	64.53	68.20	-3.67	3	Vertical	188	1.77	-
5530MHz	Pass	AV	11.078G	41.44	54.00	-12.56	3	Horizontal	207	2.21	-
5530MHz	Pass	PK	11.0996G	55.38	74.00	-18.62	3	Horizontal	207	2.21	-
5530MHz	Pass	PK	16.59234G	65.32	68.20	-2.88	3	Horizontal	216	1.57	-
5610MHz	Pass	AV	5.368G	47.42	54.00	-6.58	3	Vertical	5	2.80	-
5610MHz	Pass	AV	5.627G	98.78	Inf	-Inf	3	Vertical	5	2.80	-
5610MHz	Pass	PK	5.467G	58.78	68.20	-9.42	3	Vertical	5	2.80	-
5610MHz	Pass	PK	5.606G	110.82	Inf	-Inf	3	Vertical	5	2.80	-
5610MHz	Pass	PK	5.728G	63.76	68.20	-4.44	3	Vertical	5	2.80	-
5610MHz	Pass	AV	5.459G	48.07	54.00	-5.93	3	Horizontal	305	1.90	-
5610MHz	Pass	AV	5.62G	102.81	Inf	-Inf	3	Horizontal	305	1.90	-
5610MHz	Pass	PK	5.465G	60.31	68.20	-7.89	3	Horizontal	305	1.90	-
5610MHz	Pass	PK	5.62G	114.45	Inf	-Inf	3	Horizontal	305	1.90	-
5610MHz	Pass	PK	5.738G	65.43	68.20	-2.77	3	Horizontal	305	1.90	-
5610MHz	Pass	AV	11.21892G	37.41	54.00	-16.59	3	Vertical	192	1.37	-
5610MHz	Pass	PK	11.22072G	50.95	74.00	-23.05	3	Vertical	192	1.37	-
5610MHz	Pass	PK	16.82396G	56.24	68.20	-11.96	3	Vertical	348	1.50	-
5610MHz	Pass	AV	11.21788G	37.59	54.00	-16.41	3	Horizontal	58	1.50	-
5610MHz	Pass	PK	11.21376G	50.89	74.00	-23.11	3	Horizontal	58	1.50	-
5610MHz	Pass	PK	16.83052G	57.12	68.20	-11.08	3	Horizontal	360	1.52	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	47.92	54.00	-6.08	3	Vertical	25	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6792G	102.97	Inf	-Inf	3	Vertical	25	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	59.92	68.20	-8.28	3	Vertical	25	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.678G	114.02	Inf	-Inf	3	Vertical	25	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	64.65	68.20	-3.55	3	Vertical	25	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4488G	47.65	54.00	-6.35	3	Horizontal	71	2.24	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.684G	106.51	Inf	-Inf	3	Horizontal	71	2.24	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	59.71	68.20	-8.49	3	Horizontal	71	2.24	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6648G	117.18	Inf	-Inf	3	Horizontal	71	2.24	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	66.48	68.20	-1.72	3	Horizontal	71	2.24	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37096G	37.90	54.00	-16.10	3	Vertical	154	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37976G	51.31	74.00	-22.69	3	Vertical	154	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07456G	57.04	68.20	-11.16	3	Vertical	36	2.98	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37112G	38.05	54.00	-15.95	3	Horizontal	152.4	2.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37188G	51.42	74.00	-22.58	3	Horizontal	152.4	2.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06808G	56.41	68.20	-11.79	3	Horizontal	310	2.21	-



802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	46.13	54.00	-7.87	6.54	3	Vertical	0	1.33	-	39.59	31.70	9.07	34.23
AV	5.2594G	105.81	Inf	-Inf	6.09	3	Vertical	0	1.33	-	99.72	31.18	9.15	34.24
AV	5.3578G	45.93	54.00	-8.07	6.05	3	Vertical	0	1.33	-	39.88	31.05	9.25	34.25
PK	5.1358G	58.40	74.00	-15.60	6.54	3	Vertical	0	1.33	-	51.86	31.70	9.07	34.23
PK	5.2594G	115.09	Inf	-Inf	6.09	3	Vertical	0	1.33	-	109.00	31.18	9.15	34.24
PK	5.3626G	58.24	74.00	-15.76	6.09	3	Vertical	0	1.33	-	52.15	31.08	9.26	34.25

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1394G	47.68	54.00	-6.32	6.54	3	Horizontal	72	1.14	-	41.14	31.70	9.07	34.23
AV	5.2552G	108.58	Inf	-Inf	6.09	3	Horizontal	72	1.14	-	102.49	31.19	9.14	34.24
AV	5.3608G	48.93	54.00	-5.07	6.07	3	Horizontal	72	1.14	-	42.86	31.06	9.26	34.25
PK	5.14G	60.60	74.00	-13.40	6.54	3	Horizontal	72	1.14	-	54.06	31.70	9.07	34.23
PK	5.2558G	118.05	Inf	-Inf	6.09	3	Horizontal	72	1.14	-	111.96	31.19	9.14	34.24
PK	5.359G	62.76	74.00	-11.24	6.05	3	Horizontal	72	1.14	-	56.71	31.05	9.25	34.25



802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7791G	50.49	54.00	-3.51	17.96	3	Vertical	332	1.08	-	32.53	37.68	14.88	34.60
PK	10.5204G	63.97	68.20	-4.23	17.60	3	Vertical	10	1.50	-	46.37	39.72	12.43	34.55
PK	15.7793G	63.08	74.00	-10.92	17.96	3	Vertical	332	1.08	-	45.12	37.68	14.88	34.60



802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7825G	48.12	54.00	-5.88	17.95	3	Horizontal	356	2.26	-	30.17	37.67	14.88	34.60
PK	10.5171G	66.93	68.20	-1.27	17.59	3	Horizontal	299	1.67	-	49.34	39.72	12.43	34.56
PK	15.7818G	61.29	74.00	-12.71	17.95	3	Horizontal	356	2.26	-	43.34	37.67	14.88	34.60



802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3036G	105.22	Inf	-Inf	6.04	3	Vertical	50	2.32	-	99.18	31.09	9.19	34.24
AV	5.35G	49.70	54.00	-4.30	6.00	3	Vertical	50	2.32	-	43.70	31.00	9.25	34.25
PK	5.3028G	114.72	Inf	-Inf	6.04	3	Vertical	50	2.32	-	108.68	31.09	9.19	34.24
PK	5.3516G	62.37	74.00	-11.63	6.01	3	Vertical	50	2.32	-	56.36	31.01	9.25	34.25



802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.306G	111.38	Inf	-Inf	6.05	3	Horizontal	74	1.87	-	105.33	31.09	9.20	34.24
AV	5.352G	49.47	54.00	-4.53	6.01	3	Horizontal	74	1.87	-	43.46	31.01	9.25	34.25
PK	5.3056G	120.95	Inf	-Inf	6.05	3	Horizontal	74	1.87	-	114.90	31.09	9.20	34.24
PK	5.3528G	63.80	74.00	-10.20	6.02	3	Horizontal	74	1.87	-	57.78	31.02	9.25	34.25



802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.9057G	46.27	54.00	-7.73	17.62	3	Vertical	91	2.37	-	28.65	37.41	14.92	34.71
PK	10.59176G	60.85	68.20	-7.35	17.75	3	Vertical	11	1.46	-	43.10	39.79	12.46	34.50
PK	15.9178G	59.58	74.00	-14.42	17.62	3	Vertical	91	2.37	-	41.96	37.42	14.92	34.72



802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.903G	46.57	54.00	-7.43	17.61	3	Horizontal	167	2.29	-	28.96	37.40	14.92	34.71
PK	10.5962G	66.27	68.20	-1.93	17.76	3	Horizontal	301	1.78	-	48.51	39.80	12.46	34.50
PK	15.9178G	59.62	74.00	-14.38	17.62	3	Horizontal	167	2.29	-	42.00	37.42	14.92	34.72



802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	102.41	Inf	-Inf	6.03	3	Vertical	0	1.37	-	96.38	31.07	9.21	34.25
AV	5.35G	51.56	54.00	-2.44	6.00	3	Vertical	0	1.37	-	45.56	31.00	9.25	34.25
PK	5.3172G	111.71	Inf	-Inf	6.03	3	Vertical	0	1.37	-	105.68	31.07	9.21	34.25
PK	5.35G	66.29	74.00	-7.71	6.00	3	Vertical	0	1.37	-	60.29	31.00	9.25	34.25



802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3216G	109.93	Inf	-Inf	6.02	3	Horizontal	303	2.33	-	103.91	31.06	9.21	34.25
AV	5.35G	50.95	54.00	-3.05	6.00	3	Horizontal	303	2.33	-	44.95	31.00	9.25	34.25
PK	5.3212G	118.81	Inf	-Inf	6.02	3	Horizontal	303	2.33	-	112.79	31.06	9.21	34.25
PK	5.3532G	65.70	74.00	-8.30	6.02	3	Horizontal	303	2.33	-	59.68	31.02	9.25	34.25

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.638G	47.89	54.00	-6.11	17.85	3	Vertical	14	1.36	-	30.04	39.84	12.48	34.47
AV	15.957G	47.40	54.00	-6.60	17.64	3	Vertical	287	2.41	-	29.76	37.46	14.94	34.76
PK	10.6442G	60.01	74.00	-13.99	17.86	3	Vertical	14	1.36	-	42.15	39.84	12.48	34.46
PK	16.0024G	60.50	74.00	-13.50	17.65	3	Vertical	287	2.41	-	42.85	37.50	14.95	34.80



802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6378G	52.23	54.00	-1.77	17.85	3	Horizontal	304	1.65	-	34.38	39.84	12.48	34.47
AV	15.9992G	46.82	54.00	-7.18	17.65	3	Horizontal	222	2.34	-	29.17	37.50	14.95	34.80
PK	10.6364G	65.33	74.00	-8.67	17.85	3	Horizontal	304	1.65	-	47.48	39.84	12.48	34.47
PK	15.9968G	60.13	74.00	-13.87	17.65	3	Horizontal	222	2.34	-	42.48	37.50	14.95	34.80



802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	45.36	54.00	-8.64	6.69	3	Vertical	302	1.00	-	38.67	31.61	9.34	34.26
AV	5.5068G	99.27	Inf	-Inf	6.82	3	Vertical	302	1.00	-	92.45	31.69	9.39	34.26
PK	5.4664G	59.99	68.20	-8.21	6.72	3	Vertical	302	1.00	-	53.27	31.63	9.35	34.26
PK	5.5068G	108.60	Inf	-Inf	6.82	3	Vertical	302	1.00	-	101.78	31.69	9.39	34.26



802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.29	54.00	-5.71	6.71	3	Horizontal	299	1.94	-	41.58	31.62	9.35	34.26
AV	5.5016G	109.62	Inf	-Inf	6.82	3	Horizontal	299	1.94	-	102.80	31.70	9.38	34.26
PK	5.4698G	67.22	68.20	-0.98	6.74	3	Horizontal	299	1.94	-	60.48	31.64	9.36	34.26
PK	5.502G	119.47	Inf	-Inf	6.82	3	Horizontal	299	1.94	-	112.65	31.70	9.38	34.26



802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9983G	46.31	54.00	-7.69	18.64	3	Vertical	341	1.50	-	27.67	40.20	12.63	34.19
PK	10.9974G	58.85	74.00	-15.15	18.64	3	Vertical	341	1.50	-	40.21	40.20	12.63	34.19
PK	16.4898G	62.37	68.20	-5.83	19.72	3	Vertical	174	2.19	-	42.65	38.76	15.24	34.28



802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0002G	48.87	54.00	-5.13	18.64	3	Horizontal	76	1.00	-	30.23	40.20	12.63	34.19
PK	11.0007G	61.34	74.00	-12.66	18.64	3	Horizontal	76	1.00	-	42.70	40.20	12.63	34.19
PK	16.5004G	62.75	68.20	-5.45	19.77	3	Horizontal	32	2.76	-	42.98	38.80	15.24	34.27



802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4486G	45.62	54.00	-8.38	6.67	3	Vertical	24	2.85	-	38.95	31.59	9.34	34.26
AV	5.5878G	107.22	Inf	-Inf	6.78	3	Vertical	24	2.85	-	100.44	31.60	9.45	34.27
PK	5.4678G	57.56	68.20	-10.64	6.73	3	Vertical	24	2.85	-	50.83	31.64	9.35	34.26
PK	5.5872G	116.66	Inf	-Inf	6.78	3	Vertical	24	2.85	-	109.88	31.60	9.45	34.27
PK	5.7264G	58.25	68.20	-9.95	7.13	3	Vertical	24	2.85	-	51.12	31.91	9.50	34.28

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4522G	45.88	54.00	-8.12	6.68	3	Horizontal	57	2.09	-	39.20	31.60	9.34	34.26
AV	5.5872G	110.91	Inf	-Inf	6.78	3	Horizontal	57	2.09	-	104.13	31.60	9.45	34.27
PK	5.4612G	58.17	68.20	-10.03	6.71	3	Horizontal	57	2.09	-	51.46	31.62	9.35	34.26
PK	5.5872G	120.51	Inf	-Inf	6.78	3	Horizontal	57	2.09	-	113.73	31.60	9.45	34.27
PK	5.7276G	59.37	68.20	-8.83	7.13	3	Horizontal	57	2.09	-	52.24	31.91	9.50	34.28



802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




31/05/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1561G	46.92	54.00	-7.08	18.31	3	Vertical	10	2.84	-	28.61	39.79	12.70	34.18
PK	11.1544G	59.71	74.00	-14.29	18.30	3	Vertical	10	2.84	-	41.41	39.79	12.69	34.18
PK	16.7475G	66.51	68.20	-1.69	21.11	3	Vertical	24	1.03	-	45.40	39.54	15.39	33.82



802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1619G	49.41	54.00	-4.59	18.30	3	Horizontal	298	1.61	-	31.11	39.78	12.70	34.18
PK	11.1628G	62.46	74.00	-11.54	18.29	3	Horizontal	298	1.61	-	44.17	39.77	12.70	34.18
PK	16.7399G	66.27	68.20	-1.93	21.07	3	Horizontal	16	1.01	-	45.20	39.52	15.38	33.83



802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7072G	102.23	Inf	-Inf	7.04	3	Vertical	30	3.00	-	95.19	31.83	9.49	34.28
PK	5.7076G	111.58	Inf	-Inf	7.04	3	Vertical	30	3.00	-	104.54	31.83	9.49	34.28
PK	5.7284G	59.49	68.20	-8.71	7.13	3	Vertical	30	3.00	-	52.36	31.91	9.50	34.28



802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




31/05/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7008G	107.71	Inf	-Inf	7.01	3	Horizontal	69	2.05	-	100.70	31.80	9.49	34.28
PK	5.7012G	117.31	Inf	-Inf	7.01	3	Horizontal	69	2.05	-	110.30	31.80	9.49	34.28
PK	5.7288G	67.28	68.20	-0.92	7.14	3	Horizontal	69	2.05	-	60.14	31.92	9.50	34.28



802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4031G	42.64	54.00	-11.36	18.44	3	Vertical	268	1.79	-	24.20	39.81	12.80	34.17
PK	11.3887G	55.50	74.00	-18.50	18.41	3	Vertical	268	1.79	-	37.09	39.79	12.79	34.17
PK	17.0808G	63.61	68.20	-4.59	21.89	3	Vertical	260	1.11	-	41.72	39.64	15.58	33.33



802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3933G	42.68	54.00	-11.32	18.42	3	Horizontal	252	2.35	-	24.26	39.79	12.80	34.17
PK	11.4189G	56.49	74.00	-17.51	18.49	3	Horizontal	252	2.35	-	38.00	39.84	12.81	34.16
PK	17.0923G	63.68	68.20	-4.52	21.88	3	Horizontal	205	1.50	-	41.80	39.62	15.59	33.33



802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4392G	45.56	54.00	-8.44	6.61	3	Vertical	354	2.87	-	38.95	31.54	9.33	34.26
AV	5.7152G	105.86	Inf	-Inf	7.07	3	Vertical	354	2.87	-	98.79	31.86	9.49	34.28
PK	5.4644G	56.17	68.20	-12.03	6.72	3	Vertical	354	2.87	-	49.45	31.63	9.35	34.26
PK	5.7164G	115.05	Inf	-Inf	7.08	3	Vertical	354	2.87	-	107.97	31.87	9.49	34.28
PK	5.8856G	58.94	68.20	-9.26	7.56	3	Vertical	354	2.87	-	51.38	32.27	9.59	34.30



802.11a_Nss1,(6Mbps)_4TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4464G	45.23	54.00	-8.77	6.66	3	Horizontal	3	2.94	-	38.57	31.58	9.34	34.26
AV	5.7128G	97.89	Inf	-Inf	7.06	3	Horizontal	3	2.94	-	90.83	31.85	9.49	34.28
PK	5.46G	56.51	68.20	-11.69	6.71	3	Horizontal	3	2.94	-	49.80	31.62	9.35	34.26
PK	5.7128G	107.29	Inf	-Inf	7.06	3	Horizontal	3	2.94	-	100.23	31.85	9.49	34.28
PK	5.9228G	58.13	68.20	-10.07	7.62	3	Horizontal	3	2.94	-	50.51	32.30	9.62	34.30



802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4427G	43.07	54.00	-10.93	18.55	3	Vertical	332	2.01	-	24.52	39.89	12.82	34.16
PK	11.4456G	56.38	74.00	-17.62	18.55	3	Vertical	332	2.01	-	37.83	39.89	12.82	34.16
PK	17.165G	65.08	68.20	-3.12	21.86	3	Vertical	19	2.16	-	43.22	39.53	15.63	33.30




802.11a_Nss1,(6Mbps)_4TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4422G	43.57	54.00	-10.43	18.54	3	Horizontal	303	1.01	-	25.03	39.88	12.82	34.16
PK	11.4575G	56.26	74.00	-17.74	18.57	3	Horizontal	303	1.01	-	37.69	39.91	12.82	34.16
PK	17.1596G	66.73	68.20	-1.47	21.86	3	Horizontal	320	2.23	-	44.87	39.54	15.63	33.31

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1424G	46.76	54.00	-7.24	6.54	3	Vertical	0	1.34	-	40.22	31.70	9.07	34.23
AV	5.263G	106.15	Inf	-Inf	6.08	3	Vertical	0	1.34	-	100.07	31.17	9.15	34.24
AV	5.3554G	46.18	54.00	-7.82	6.03	3	Vertical	0	1.34	-	40.15	31.03	9.25	34.25
PK	5.1418G	59.69	74.00	-14.31	6.54	3	Vertical	0	1.34	-	53.15	31.70	9.07	34.23
PK	5.2624G	117.88	Inf	-Inf	6.09	3	Vertical	0	1.34	-	111.79	31.18	9.15	34.24
PK	5.3638G	58.83	74.00	-15.17	6.09	3	Vertical	0	1.34	-	52.74	31.08	9.26	34.25

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1406G	48.01	54.00	-5.99	6.54	3	Horizontal	310	1.59	-	41.47	31.70	9.07	34.23
AV	5.2534G	110.47	Inf	-Inf	6.09	3	Horizontal	310	1.59	-	104.38	31.19	9.14	34.24
AV	5.353G	52.70	54.00	-1.30	6.02	3	Horizontal	310	1.59	-	46.68	31.02	9.25	34.25
PK	5.1394G	60.05	74.00	-13.95	6.54	3	Horizontal	310	1.59	-	53.51	31.70	9.07	34.23
PK	5.2534G	122.79	Inf	-Inf	6.09	3	Horizontal	310	1.59	-	116.70	31.19	9.14	34.24
PK	5.3554G	68.14	74.00	-5.86	6.03	3	Horizontal	310	1.59	-	62.11	31.03	9.25	34.25



802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78212G	48.95	54.00	-5.05	17.95	3	Vertical	345	1.00	-	31.00	37.67	14.88	34.60
PK	10.52056G	63.76	68.20	-4.44	17.60	3	Vertical	9	1.50	-	46.16	39.72	12.43	34.55
PK	15.78272G	63.53	74.00	-10.47	17.95	3	Vertical	345	1.00	-	45.58	37.67	14.88	34.60



802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77976G	46.51	54.00	-7.49	17.96	3	Horizontal	327	1.50	-	28.55	37.68	14.88	34.60
PK	10.51668G	65.63	68.20	-2.57	17.59	3	Horizontal	88	1.67	-	48.04	39.72	12.43	34.56
PK	15.78052G	60.10	74.00	-13.90	17.96	3	Horizontal	327	1.50	-	42.14	37.68	14.88	34.60



802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3008G	109.69	Inf	-Inf	6.05	3	Vertical	60	1.68	-	103.64	31.10	9.19	34.24
AV	5.3504G	52.74	54.00	-1.26	6.00	3	Vertical	60	1.68	-	46.74	31.00	9.25	34.25
PK	5.2992G	122.82	Inf	-Inf	6.05	3	Vertical	60	1.68	-	116.77	31.10	9.19	34.24
PK	5.3508G	70.57	74.00	-3.43	6.00	3	Vertical	60	1.68	-	64.57	31.00	9.25	34.25



802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	109.54	Inf	-Inf	6.05	3	Horizontal	301	1.50	-	103.49	31.10	9.19	34.24
AV	5.35G	51.77	54.00	-2.23	6.00	3	Horizontal	301	1.50	-	45.77	31.00	9.25	34.25
PK	5.3008G	122.64	Inf	-Inf	6.05	3	Horizontal	301	1.50	-	116.59	31.10	9.19	34.24
PK	5.35G	67.75	74.00	-6.25	6.00	3	Horizontal	301	1.50	-	61.75	31.00	9.25	34.25



802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90244G	45.73	54.00	-8.27	17.61	3	Vertical	31	3.00	-	28.12	37.40	14.92	34.71
PK	10.596G	63.22	68.20	-4.98	17.76	3	Vertical	20	1.43	-	45.46	39.80	12.46	34.50
PK	15.89952G	60.41	74.00	-13.59	17.61	3	Vertical	31	3.00	-	42.80	37.40	14.92	34.71



802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.9024G	45.54	54.00	-8.46	17.61	3	Horizontal	1	1.92	-	27.93	37.40	14.92	34.71
PK	10.5976G	66.41	68.20	-1.79	17.76	3	Horizontal	83	1.73	-	48.65	39.80	12.46	34.50
PK	15.90236G	58.74	74.00	-15.26	17.61	3	Horizontal	1	1.92	-	41.13	37.40	14.92	34.71



802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3162G	103.51	Inf	-Inf	6.03	3	Vertical	0	1.28	-	97.48	31.07	9.21	34.25
AV	5.3512G	50.32	54.00	-3.68	6.01	3	Vertical	0	1.28	-	44.31	31.01	9.25	34.25
PK	5.3156G	116.42	Inf	-Inf	6.03	3	Vertical	0	1.28	-	110.39	31.07	9.21	34.25
PK	5.3506G	65.02	74.00	-8.98	6.00	3	Vertical	0	1.28	-	59.02	31.00	9.25	34.25



802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3256G	109.23	Inf	-Inf	6.02	3	Horizontal	67	1.15	-	103.21	31.05	9.22	34.25
AV	5.35G	52.61	54.00	-1.39	6.00	3	Horizontal	67	1.15	-	46.61	31.00	9.25	34.25
PK	5.3256G	122.54	Inf	-Inf	6.02	3	Horizontal	67	1.15	-	116.52	31.05	9.22	34.25
PK	5.3532G	68.58	74.00	-5.42	6.02	3	Horizontal	67	1.15	-	62.56	31.02	9.25	34.25



802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63588G	48.04	54.00	-5.96	17.85	3	Vertical	22	1.33	-	30.19	39.84	12.48	34.47
AV	15.9644G	47.38	54.00	-6.62	17.63	3	Vertical	22	1.03	-	29.75	37.46	14.94	34.77
PK	10.63652G	63.37	74.00	-10.63	17.85	3	Vertical	22	1.33	-	45.52	39.84	12.48	34.47
PK	15.95664G	62.06	74.00	-11.94	17.64	3	Vertical	22	1.03	-	44.42	37.46	14.94	34.76

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.637G	51.86	54.00	-2.14	17.85	3	Horizontal	84	1.70	-	34.01	39.84	12.48	34.47
AV	15.95896G	47.89	54.00	-6.11	17.64	3	Horizontal	50	1.33	-	30.25	37.46	14.94	34.76
PK	10.6374G	67.32	74.00	-6.68	17.85	3	Horizontal	84	1.70	-	49.47	39.84	12.48	34.47
PK	15.95884G	62.05	74.00	-11.95	17.64	3	Horizontal	50	1.33	-	44.41	37.46	14.94	34.76

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4578G	45.47	54.00	-8.53	6.71	3	Vertical	337	1.05	-	38.76	31.62	9.35	34.26
AV	5.4976G	100.83	Inf	-Inf	6.82	3	Vertical	337	1.05	-	94.01	31.70	9.38	34.26
PK	5.47G	60.68	68.20	-7.52	6.74	3	Vertical	337	1.05	-	53.94	31.64	9.36	34.26
PK	5.4978G	114.01	Inf	-Inf	6.82	3	Vertical	337	1.05	-	107.19	31.70	9.38	34.26



802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	45.79	54.00	-8.21	6.69	3	Horizontal	72	2.39	-	39.10	31.61	9.34	34.26
AV	5.5056G	107.92	Inf	-Inf	6.81	3	Horizontal	72	2.39	-	101.11	31.69	9.38	34.26
PK	5.467G	65.77	68.20	-2.43	6.72	3	Horizontal	72	2.39	-	59.05	31.63	9.35	34.26
PK	5.5056G	121.28	Inf	-Inf	6.81	3	Horizontal	72	2.39	-	114.47	31.69	9.38	34.26



802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9982G	45.13	54.00	-8.87	18.64	3	Vertical	340	1.46	-	26.49	40.20	12.63	34.19
PK	10.99864G	59.55	74.00	-14.45	18.64	3	Vertical	340	1.46	-	40.91	40.20	12.63	34.19
PK	16.50992G	62.17	68.20	-6.03	19.77	3	Vertical	282	1.50	-	42.40	38.77	15.25	34.25



802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99912G	46.41	54.00	-7.59	18.64	3	Horizontal	79	1.00	-	27.77	40.20	12.63	34.19
PK	10.99748G	60.18	74.00	-13.82	18.64	3	Horizontal	79	1.00	-	41.54	40.20	12.63	34.19
PK	16.49484G	62.14	68.20	-6.06	19.74	3	Horizontal	64	1.50	-	42.40	38.78	15.24	34.28

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	45.37	54.00	-8.63	6.69	3	Vertical	357	3.00	-	38.68	31.61	9.34	34.26
AV	5.5746G	108.09	Inf	-Inf	6.77	3	Vertical	357	3.00	-	101.32	31.60	9.44	34.27
PK	5.469G	57.51	68.20	-10.69	6.74	3	Vertical	357	3.00	-	50.77	31.64	9.36	34.26
PK	5.5746G	122.20	Inf	-Inf	6.77	3	Vertical	357	3.00	-	115.43	31.60	9.44	34.27
PK	5.7258G	59.14	68.20	-9.06	7.12	3	Vertical	357	3.00	-	52.02	31.90	9.50	34.28



802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	46.01	54.00	-7.99	6.71	3	Horizontal	308	1.83	-	39.30	31.62	9.35	34.26
AV	5.5788G	113.95	Inf	-Inf	6.77	3	Horizontal	308	1.83	-	107.18	31.60	9.44	34.27
PK	5.466G	58.28	68.20	-9.92	6.72	3	Horizontal	308	1.83	-	51.56	31.63	9.35	34.26
PK	5.5788G	126.80	Inf	-Inf	6.77	3	Horizontal	308	1.83	-	120.03	31.60	9.44	34.27
PK	5.7276G	59.49	68.20	-8.71	7.13	3	Horizontal	308	1.83	-	52.36	31.91	9.50	34.28



802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15756G	46.25	54.00	-7.75	18.30	3	Vertical	339	1.50	-	27.95	39.78	12.70	34.18
PK	11.15792G	59.96	74.00	-14.04	18.30	3	Vertical	339	1.50	-	41.66	39.78	12.70	34.18
PK	16.74152G	66.54	68.20	-1.66	21.07	3	Vertical	24	1.06	-	45.47	39.52	15.38	33.83



802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16012G	48.38	54.00	-5.62	18.30	3	Horizontal	299	1.61	-	30.08	39.78	12.70	34.18
PK	11.16016G	61.35	74.00	-12.65	18.30	3	Horizontal	299	1.61	-	43.05	39.78	12.70	34.18
PK	16.74328G	65.28	68.20	-2.92	21.08	3	Horizontal	54	1.16	-	44.20	39.53	15.38	33.83



802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6988G	104.32	Inf	-Inf	7.01	3	Vertical	342	3.00	-	97.31	31.80	9.49	34.28
PK	5.6992G	117.17	Inf	-Inf	7.01	3	Vertical	342	3.00	-	110.16	31.80	9.49	34.28
PK	5.7264G	62.41	68.20	-5.79	7.13	3	Vertical	342	3.00	-	55.28	31.91	9.50	34.28



802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7008G	108.96	Inf	-Inf	7.01	3	Horizontal	69	1.96	-	101.95	31.80	9.49	34.28
PK	5.7004G	122.55	Inf	-Inf	7.01	3	Horizontal	69	1.96	-	115.54	31.80	9.49	34.28
PK	5.7252G	67.30	68.20	-0.90	7.12	3	Horizontal	69	1.96	-	60.18	31.90	9.50	34.28



802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4002G	42.66	54.00	-11.34	18.43	3	Vertical	9	1.50	-	24.23	39.80	12.80	34.17
PK	11.39296G	56.25	74.00	-17.75	18.42	3	Vertical	9	1.50	-	37.83	39.79	12.80	34.17
PK	17.09976G	63.71	68.20	-4.49	21.86	3	Vertical	251	1.50	-	41.85	39.60	15.59	33.33



802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39592G	42.59	54.00	-11.41	18.43	3	Horizontal	282	2.00	-	24.16	39.80	12.80	34.17
PK	11.39176G	56.22	74.00	-17.78	18.41	3	Horizontal	282	2.00	-	37.81	39.79	12.79	34.17
PK	17.09796G	64.75	68.20	-3.45	21.86	3	Horizontal	92	1.50	-	42.89	39.60	15.59	33.33




802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	45.33	54.00	-8.67	6.70	3	Vertical	343	3.00	-	38.63	31.61	9.35	34.26
AV	5.7188G	108.20	Inf	-Inf	7.10	3	Vertical	343	3.00	-	101.10	31.88	9.50	34.28
PK	5.4656G	57.55	68.20	-10.65	6.72	3	Vertical	343	3.00	-	50.83	31.63	9.35	34.26
PK	5.7188G	120.69	Inf	-Inf	7.10	3	Vertical	343	3.00	-	113.59	31.88	9.50	34.28
PK	5.924G	58.64	68.20	-9.56	7.62	3	Vertical	343	3.00	-	51.02	32.30	9.62	34.30




802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	45.83	54.00	-8.17	6.71	3	Horizontal	71	1.89	-	39.12	31.62	9.35	34.26
AV	5.7212G	112.53	Inf	-Inf	7.10	3	Horizontal	71	1.89	-	105.43	31.88	9.50	34.28
PK	5.468G	57.83	68.20	-10.37	6.73	3	Horizontal	71	1.89	-	51.10	31.64	9.35	34.26
PK	5.7212G	126.36	Inf	-Inf	7.10	3	Horizontal	71	1.89	-	119.26	31.88	9.50	34.28
PK	5.8616G	59.37	68.20	-8.83	7.49	3	Horizontal	71	1.89	-	51.88	32.22	9.57	34.30




802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43552G	43.60	54.00	-10.40	18.52	3	Vertical	13	2.82	-	25.08	39.87	12.81	34.16
PK	11.4356G	56.94	74.00	-17.06	18.52	3	Vertical	13	2.82	-	38.42	39.87	12.81	34.16
PK	17.16228G	65.10	68.20	-3.10	21.87	3	Vertical	358	1.20	-	43.23	39.54	15.63	33.30



802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44136G	44.71	54.00	-9.29	18.54	3	Horizontal	306	2.37	-	26.17	39.88	12.82	34.16
PK	11.44132G	58.47	74.00	-15.53	18.54	3	Horizontal	306	2.37	-	39.93	39.88	12.82	34.16
PK	17.16816G	66.61	68.20	-1.59	21.86	3	Horizontal	318	1.07	-	44.75	39.53	15.63	33.30



802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.262G	101.87	Inf	-Inf	6.09	3	Vertical	2	3.00	-	95.78	31.18	9.15	34.24
AV	5.3516G	46.70	54.00	-7.30	6.01	3	Vertical	2	3.00	-	40.69	31.01	9.25	34.25
PK	5.2624G	113.47	Inf	-Inf	6.09	3	Vertical	2	3.00	-	107.38	31.18	9.15	34.24
PK	5.35G	60.24	74.00	-13.76	6.00	3	Vertical	2	3.00	-	54.24	31.00	9.25	34.25



802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2624G	108.52	Inf	-Inf	6.09	3	Horizontal	72	1.81	-	102.43	31.18	9.15	34.24
AV	5.35G	53.35	54.00	-0.65	6.00	3	Horizontal	72	1.81	-	47.35	31.00	9.25	34.25
PK	5.2828G	121.01	Inf	-Inf	6.06	3	Horizontal	72	1.81	-	114.95	31.13	9.17	34.24
PK	5.3508G	67.97	74.00	-6.03	6.00	3	Horizontal	72	1.81	-	61.97	31.00	9.25	34.25



802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80512G	46.99	54.00	-7.01	17.86	3	Vertical	28	1.00	-	29.13	37.59	14.89	34.62
PK	10.53628G	60.90	68.20	-7.30	17.64	3	Vertical	20	1.40	-	43.26	39.74	12.44	34.54
PK	15.80504G	61.41	74.00	-12.59	17.86	3	Vertical	28	1.00	-	43.55	37.59	14.89	34.62



802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80892G	46.54	54.00	-7.46	17.85	3	Horizontal	46	2.34	-	28.69	37.58	14.89	34.62
PK	10.53688G	62.89	68.20	-5.31	17.64	3	Horizontal	88	1.74	-	45.25	39.74	12.44	34.54
PK	15.80836G	60.43	74.00	-13.57	17.85	3	Horizontal	46	2.34	-	42.58	37.58	14.89	34.62



802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2988G	98.54	Inf	-Inf	6.05	3	Vertical	4	1.39	-	92.49	31.10	9.19	34.24
AV	5.3596G	47.22	54.00	-6.78	6.07	3	Vertical	4	1.39	-	41.15	31.06	9.26	34.25
PK	5.3004G	110.69	Inf	-Inf	6.05	3	Vertical	4	1.39	-	104.64	31.10	9.19	34.24
PK	5.3572G	59.43	74.00	-14.57	6.04	3	Vertical	4	1.39	-	53.39	31.04	9.25	34.25



802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3176G	105.14	Inf	-Inf	6.02	3	Horizontal	304	1.97	-	99.12	31.06	9.21	34.25
AV	5.3576G	53.38	54.00	-0.62	6.05	3	Horizontal	304	1.97	-	47.33	31.05	9.25	34.25
PK	5.298G	118.33	Inf	-Inf	6.05	3	Horizontal	304	1.97	-	112.28	31.10	9.19	34.24
PK	5.3576G	68.90	74.00	-5.10	6.05	3	Horizontal	304	1.97	-	62.85	31.05	9.25	34.25



802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62G	44.96	54.00	-9.04	17.81	3	Vertical	67	1.98	-	27.15	39.82	12.47	34.48
AV	15.9356G	45.44	54.00	-8.56	17.63	3	Vertical	0	1.57	-	27.81	37.44	14.93	34.74
PK	10.62024G	56.87	74.00	-17.13	17.81	3	Vertical	67	1.98	-	39.06	39.82	12.47	34.48
PK	15.93856G	59.43	74.00	-14.57	17.63	3	Vertical	0	1.57	-	41.80	37.44	14.93	34.74



802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61724G	45.98	54.00	-8.02	17.81	3	Horizontal	86	1.74	-	28.17	39.82	12.47	34.48
AV	15.93848G	45.45	54.00	-8.55	17.63	3	Horizontal	0	1.50	-	27.82	37.44	14.93	34.74
PK	10.6166G	59.67	74.00	-14.33	17.81	3	Horizontal	86	1.74	-	41.86	39.82	12.47	34.48
PK	15.93856G	59.34	74.00	-14.66	17.63	3	Horizontal	0	1.50	-	41.71	37.44	14.93	34.74



802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4476G	48.10	54.00	-5.90	8.98	3	Vertical	343	2.27	-	39.12	33.90	9.34	34.26
AV	5.5088G	99.40	Inf	-Inf	8.83	3	Vertical	343	2.27	-	90.57	33.70	9.39	34.26
PK	5.4664G	65.50	68.20	-2.70	8.92	3	Vertical	343	2.27	-	56.58	33.83	9.35	34.26
PK	5.5084G	111.31	Inf	-Inf	8.83	3	Vertical	343	2.27	-	102.48	33.70	9.39	34.26

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.28	54.00	-4.72	8.95	3	Horizontal	299	1.34	-	40.33	33.86	9.35	34.26
AV	5.5028G	103.59	Inf	-Inf	8.82	3	Horizontal	299	1.34	-	94.77	33.70	9.38	34.26
PK	5.4632G	65.32	68.20	-2.88	8.94	3	Horizontal	299	1.34	-	56.38	33.85	9.35	34.26
PK	5.5028G	116.62	Inf	-Inf	8.82	3	Horizontal	299	1.34	-	107.80	33.70	9.38	34.26



802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0273G	41.57	54.00	-12.43	17.78	3	Vertical	34	1.09	-	23.79	39.33	12.64	34.19
PK	11.0258G	55.04	74.00	-18.96	17.78	3	Vertical	34	1.09	-	37.26	39.33	12.64	34.19
PK	16.5208G	65.18	68.20	-3.02	22.53	3	Vertical	137	1.31	-	42.65	41.51	15.25	34.23



802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0253G	42.48	54.00	-11.52	17.78	3	Horizontal	254	2.30	-	24.70	39.33	12.64	34.19
PK	11.0268G	55.91	74.00	-18.09	17.78	3	Horizontal	254	2.30	-	38.13	39.33	12.64	34.19
PK	16.522G	65.67	68.20	-2.53	22.55	3	Horizontal	60	1.97	-	43.12	41.52	15.26	34.23



802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	49.01	54.00	-4.99	8.96	3	Vertical	335	2.33	-	40.05	33.88	9.34	34.26
AV	5.556G	103.22	Inf	-Inf	8.83	3	Vertical	335	2.33	-	94.39	33.68	9.42	34.27
PK	5.4636G	61.91	68.20	-6.29	8.94	3	Vertical	335	2.33	-	52.97	33.85	9.35	34.26
PK	5.5548G	115.74	Inf	-Inf	8.83	3	Vertical	335	2.33	-	106.91	33.68	9.42	34.27

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX



Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4556G	50.99	54.00	-3.01	8.96	3	Horizontal	305	1.17	-	42.03	33.88	9.34	34.26
AV	5.556G	109.54	Inf	-Inf	8.83	3	Horizontal	305	1.17	-	100.71	33.68	9.42	34.27
PK	5.4628G	67.02	68.20	-1.18	8.94	3	Horizontal	305	1.17	-	58.08	33.85	9.35	34.26
PK	5.5576G	121.81	Inf	-Inf	8.83	3	Horizontal	305	1.17	-	112.98	33.67	9.43	34.27



802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0983G	43.80	54.00	-10.20	17.89	3	Vertical	340	1.45	-	25.91	39.40	12.67	34.18
PK	11.0987G	56.66	74.00	-17.34	17.89	3	Vertical	340	1.45	-	38.77	39.40	12.67	34.18
PK	16.6325G	64.56	68.20	-3.64	23.82	3	Vertical	134	2.04	-	40.74	42.53	15.32	34.03



802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.098G	47.24	54.00	-6.76	17.89	3	Horizontal	302	1.69	-	29.35	39.40	12.67	34.18
PK	11.098G	59.63	74.00	-14.37	17.89	3	Horizontal	302	1.69	-	41.74	39.40	12.67	34.18
PK	16.6423G	64.77	68.20	-3.43	23.92	3	Horizontal	203	1.81	-	40.85	42.60	15.33	34.01

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6736G	102.49	Inf	-Inf	8.79	3	Vertical	6	3.00	-	93.70	33.59	9.48	34.28
PK	5.6748G	115.12	Inf	-Inf	8.80	3	Vertical	6	3.00	-	106.32	33.60	9.48	34.28
PK	5.7336G	61.51	68.20	-6.69	8.85	3	Vertical	6	3.00	-	52.66	33.63	9.50	34.28



802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6628G	106.43	Inf	-Inf	8.75	3	Horizontal	75	2.34	-	97.68	33.55	9.48	34.28
PK	5.6624G	119.66	Inf	-Inf	8.75	3	Horizontal	75	2.34	-	110.91	33.55	9.48	34.28
PK	5.7252G	65.89	68.20	-2.31	8.87	3	Horizontal	75	2.34	-	57.02	33.65	9.50	34.28



802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34348G	38.15	54.00	-15.85	-2.32	3	Vertical	0	2.50	-	40.47	40.27	12.77	55.36
PK	11.3364G	52.15	74.00	-21.85	-2.35	3	Vertical	0	2.50	-	54.50	40.25	12.77	55.37
PK	17.00836G	56.61	68.20	-11.59	7.00	3	Vertical	360	2.53	-	49.61	44.50	15.54	53.04



802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34344G	38.10	54.00	-15.90	-2.32	3	Horizontal	82	3.00	-	40.42	40.27	12.77	55.36
PK	11.3314G	52.26	74.00	-21.74	-2.37	3	Horizontal	82	3.00	-	54.63	40.23	12.77	55.37
PK	17.00044G	57.81	68.20	-10.39	7.01	3	Horizontal	37	1.50	-	50.80	44.50	15.54	53.03




802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4412G	47.51	54.00	-6.49	8.95	3	Vertical	7	2.98	-	38.56	33.88	9.33	34.26
AV	5.7136G	106.11	Inf	-Inf	8.88	3	Vertical	7	2.98	-	97.23	33.67	9.49	34.28
PK	5.4616G	59.11	68.20	-9.09	8.94	3	Vertical	7	2.98	-	50.17	33.85	9.35	34.26
PK	5.7124G	119.11	Inf	-Inf	8.89	3	Vertical	7	2.98	-	110.22	33.68	9.49	34.28
PK	5.8552G	62.73	68.20	-5.47	9.10	3	Vertical	7	2.98	-	53.63	33.84	9.56	34.30




802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4556G	47.55	54.00	-6.45	8.96	3	Horizontal	73	2.43	-	38.59	33.88	9.34	34.26
AV	5.7028G	109.59	Inf	-Inf	8.90	3	Horizontal	73	2.43	-	100.69	33.69	9.49	34.28
PK	5.4628G	60.50	68.20	-7.70	8.94	3	Horizontal	73	2.43	-	51.56	33.85	9.35	34.26
PK	5.7016G	120.77	Inf	-Inf	8.91	3	Horizontal	73	2.43	-	111.86	33.70	9.49	34.28
PK	5.8576G	61.42	68.20	-6.78	9.13	3	Horizontal	73	2.43	-	52.29	33.86	9.57	34.30




802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41892G	37.53	54.00	-16.47	-1.96	3	Vertical	81	2.27	-	39.49	40.54	12.81	55.31
PK	11.41676G	51.14	74.00	-22.86	-1.97	3	Vertical	81	2.27	-	53.11	40.53	12.81	55.31
PK	17.12668G	56.46	68.20	-11.74	7.13	3	Vertical	27	1.96	-	49.33	44.69	15.61	53.17



802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41872G	37.58	54.00	-16.42	-1.96	3	Horizontal	248	1.50	-	39.54	40.54	12.81	55.31
PK	11.42532G	50.94	74.00	-23.06	-1.94	3	Horizontal	248	1.50	-	52.88	40.55	12.81	55.30
PK	17.12392G	57.54	68.20	-10.66	7.11	3	Horizontal	356	2.13	-	50.43	44.67	15.61	53.17



802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	47.34	54.00	-6.66	8.83	3	Vertical	4	1.35	-	38.51	33.99	9.07	34.23
AV	5.279G	95.64	Inf	-Inf	8.83	3	Vertical	4	1.35	-	86.81	33.90	9.17	34.24
AV	5.359G	49.46	54.00	-4.54	9.05	3	Vertical	4	1.35	-	40.41	34.05	9.25	34.25
PK	5.123G	60.49	74.00	-13.51	8.79	3	Vertical	4	1.35	-	51.70	33.95	9.07	34.23
PK	5.279G	107.16	Inf	-Inf	8.83	3	Vertical	4	1.35	-	98.33	33.90	9.17	34.24
PK	5.54G	59.59	68.20	-8.61	8.85	3	Vertical	4	1.35	-	50.74	33.70	9.41	34.26



802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.60	54.00	-6.40	8.84	3	Horizontal	75	1.50	-	38.76	34.00	9.07	34.23
AV	5.288G	99.69	Inf	-Inf	8.84	3	Horizontal	75	1.50	-	90.85	33.90	9.18	34.24
AV	5.35G	53.10	54.00	-0.90	9.10	3	Horizontal	75	1.50	-	44.00	34.10	9.25	34.25
PK	5.149G	60.07	74.00	-13.93	8.84	3	Horizontal	75	1.50	-	51.23	34.00	9.07	34.23
PK	5.289G	110.68	Inf	-Inf	8.84	3	Horizontal	75	1.50	-	101.84	33.90	9.18	34.24
PK	5.369G	66.74	74.00	-7.26	9.01	3	Horizontal	75	1.50	-	57.73	33.99	9.27	34.25



802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61456G	41.63	54.00	-12.37	17.35	3	Vertical	78	1.88	-	24.28	39.36	12.47	34.48
AV	15.9015G	50.98	54.00	-3.02	22.91	3	Vertical	222	2.50	-	28.07	42.70	14.92	34.71
PK	10.6172G	54.93	74.00	-19.07	17.34	3	Vertical	78	1.88	-	37.59	39.35	12.47	34.48
PK	15.87198G	64.70	74.00	-9.30	23.01	3	Vertical	222	2.50	-	41.69	42.78	14.91	34.68



802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60016G	41.75	54.00	-12.25	17.37	3	Horizontal	140	1.96	-	24.38	39.40	12.46	34.49
AV	15.91158G	51.02	54.00	-2.98	22.89	3	Horizontal	289	1.37	-	28.13	42.69	14.92	34.72
PK	10.60134G	55.37	74.00	-18.63	17.37	3	Horizontal	140	1.96	-	38.00	39.40	12.46	34.49
PK	15.85452G	64.44	74.00	-9.56	23.07	3	Horizontal	289	1.37	-	41.37	42.84	14.90	34.67



802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	50.38	54.00	-3.62	8.96	3	Vertical	334	2.35	-	41.42	33.88	9.34	34.26
AV	5.536G	96.29	Inf	-Inf	8.85	3	Vertical	334	2.35	-	87.44	33.70	9.41	34.26
PK	5.346G	60.03	68.20	-8.17	9.07	3	Vertical	334	2.35	-	50.96	34.08	9.24	34.25
PK	5.536G	106.74	Inf	-Inf	8.85	3	Vertical	334	2.35	-	97.89	33.70	9.41	34.26
PK	5.763G	58.85	68.20	-9.35	8.87	3	Vertical	334	2.35	-	49.98	33.65	9.51	34.29



802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	52.48	54.00	-1.52	8.96	3	Horizontal	311	1.28	-	43.52	33.88	9.34	34.26
AV	5.536G	100.75	Inf	-Inf	8.85	3	Horizontal	311	1.28	-	91.90	33.70	9.41	34.26
PK	5.462G	62.83	68.20	-5.37	8.94	3	Horizontal	311	1.28	-	53.89	33.85	9.35	34.26
PK	5.536G	112.45	Inf	-Inf	8.85	3	Horizontal	311	1.28	-	103.60	33.70	9.41	34.26
PK	5.757G	59.55	68.20	-8.65	8.85	3	Horizontal	311	1.28	-	50.70	33.63	9.51	34.29



802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02004G	41.94	54.00	-12.06	17.77	3	Vertical	100	1.36	-	24.17	39.32	12.64	34.19
PK	11.03858G	55.47	74.00	-18.53	17.80	3	Vertical	100	1.36	-	37.67	39.34	12.65	34.19
PK	16.59252G	64.53	68.20	-3.67	23.43	3	Vertical	188	1.77	-	41.10	42.23	15.30	34.10



802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.078G	41.44	54.00	-12.56	17.85	3	Horizontal	207	2.21	-	23.59	39.38	12.66	34.19
PK	11.0996G	55.38	74.00	-18.62	17.89	3	Horizontal	207	2.21	-	37.49	39.40	12.67	34.18
PK	16.59234G	65.32	68.20	-2.88	23.42	3	Horizontal	216	1.57	-	41.90	42.22	15.30	34.10

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.368G	47.42	54.00	-6.58	9.00	3	Vertical	5	2.80	-	38.42	33.99	9.26	34.25
AV	5.627G	98.78	Inf	-Inf	8.70	3	Vertical	5	2.80	-	90.08	33.50	9.47	34.27
PK	5.467G	58.78	68.20	-9.42	8.92	3	Vertical	5	2.80	-	49.86	33.83	9.35	34.26
PK	5.606G	110.82	Inf	-Inf	8.69	3	Vertical	5	2.80	-	102.13	33.50	9.46	34.27
PK	5.728G	63.76	68.20	-4.44	8.86	3	Vertical	5	2.80	-	54.90	33.64	9.50	34.28



802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	48.07	54.00	-5.93	8.95	3	Horizontal	305	1.90	-	39.12	33.86	9.35	34.26
AV	5.62G	102.81	Inf	-Inf	8.70	3	Horizontal	305	1.90	-	94.11	33.50	9.47	34.27
PK	5.465G	60.31	68.20	-7.89	8.93	3	Horizontal	305	1.90	-	51.38	33.84	9.35	34.26
PK	5.62G	114.45	Inf	-Inf	8.70	3	Horizontal	305	1.90	-	105.75	33.50	9.47	34.27
PK	5.738G	65.43	68.20	-2.77	8.84	3	Horizontal	305	1.90	-	56.59	33.62	9.50	34.28



802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21892G	37.41	54.00	-16.59	-2.79	3	Vertical	192	1.37	-	40.20	39.94	12.72	55.45
PK	11.22072G	50.95	74.00	-23.05	-2.79	3	Vertical	192	1.37	-	53.74	39.94	12.72	55.45
PK	16.82396G	56.24	68.20	-11.96	6.46	3	Vertical	348	1.50	-	49.78	43.95	15.43	52.92



802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21788G	37.59	54.00	-16.41	-2.79	3	Horizontal	58	1.50	-	40.38	39.94	12.72	55.45
PK	11.21376G	50.89	74.00	-23.11	-2.81	3	Horizontal	58	1.50	-	53.70	39.93	12.72	55.46
PK	16.83052G	57.12	68.20	-11.08	6.48	3	Horizontal	360	1.52	-	50.64	43.96	15.44	52.92




802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	47.92	54.00	-6.08	8.97	3	Vertical	25	3.00	-	38.95	33.89	9.34	34.26
AV	5.6792G	102.97	Inf	-Inf	8.82	3	Vertical	25	3.00	-	94.15	33.62	9.48	34.28
PK	5.4692G	59.92	68.20	-8.28	8.92	3	Vertical	25	3.00	-	51.00	33.82	9.36	34.26
PK	5.678G	114.02	Inf	-Inf	8.81	3	Vertical	25	3.00	-	105.21	33.61	9.48	34.28
PK	5.858G	64.65	68.20	-3.55	9.13	3	Vertical	25	3.00	-	55.52	33.86	9.57	34.30




802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4488G	47.65	54.00	-6.35	8.98	3	Horizontal	71	2.24	-	38.67	33.90	9.34	34.26
AV	5.684G	106.51	Inf	-Inf	8.85	3	Horizontal	71	2.24	-	97.66	33.64	9.49	34.28
PK	5.468G	59.71	68.20	-8.49	8.92	3	Horizontal	71	2.24	-	50.79	33.83	9.35	34.26
PK	5.6648G	117.18	Inf	-Inf	8.76	3	Horizontal	71	2.24	-	108.42	33.56	9.48	34.28
PK	5.8556G	66.48	68.20	-1.72	9.10	3	Horizontal	71	2.24	-	57.38	33.84	9.56	34.30




802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37096G	37.90	54.00	-16.10	-2.17	3	Vertical	154	1.50	-	40.07	40.38	12.79	55.34
PK	11.37976G	51.31	74.00	-22.69	-2.13	3	Vertical	154	1.50	-	53.44	40.42	12.79	55.34
PK	17.07456G	57.04	68.20	-11.16	6.97	3	Vertical	36	2.98	-	50.07	44.50	15.58	53.11



802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37112G	38.05	54.00	-15.95	-2.17	3	Horizontal	152.4	2.49	-	40.22	40.38	12.79	55.34
PK	11.37188G	51.42	74.00	-22.58	-2.16	3	Horizontal	152.4	2.49	-	53.58	40.39	12.79	55.34
PK	17.06808G	56.41	68.20	-11.79	6.96	3	Horizontal	310	2.21	-	49.45	44.50	15.57	53.11



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	AV	5.3576G	53.02	54.00	-0.98	3	Horizontal	302	1.91	-
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	AV	5.35G	53.01	54.00	-0.99	3	Horizontal	326	2.62	-
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	AV	5.3636G	53.34	54.00	-0.66	3	Horizontal	298	1.82	-
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	AV	5.363G	52.86	54.00	-1.14	3	Horizontal	69	1.73	-
802.11ax HEW80+80_Nss1,(MCS0)_8TX	Pass	AV	5.3664G	53.43	54.00	-0.57	3	Horizontal	70	1.78	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	PK	16.74696G	67.19	68.20	-1.01	3	Vertical	20	1.07	-
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	PK	17.16474G	67.18	68.20	-1.02	3	Horizontal	289	2.81	-
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	PK	17.12864G	67.19	68.20	-1.01	3	Horizontal	13	3.15	-
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	PK	5.8544G	67.66	68.20	-0.54	3	Horizontal	305	1.91	-
802.11ax HEW80+80_Nss1,(MCS0)_8TX	Pass	AV	5.4428G	53.33	54.00	-0.67	3	Horizontal	72	2.47	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1_(6Mbps)_8TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1478G	47.65	54.00	-6.35	3	Vertical	12	2.56	-
5260MHz	Pass	AV	5.2552G	104.77	Inf	-Inf	3	Vertical	12	2.56	-
5260MHz	Pass	AV	5.3602G	48.48	54.00	-5.52	3	Vertical	12	2.56	-
5260MHz	Pass	PK	5.134G	59.59	74.00	-14.41	3	Vertical	12	2.56	-
5260MHz	Pass	PK	5.2558G	113.90	Inf	-Inf	3	Vertical	12	2.56	-
5260MHz	Pass	PK	5.3614G	60.72	74.00	-13.28	3	Vertical	12	2.56	-
5260MHz	Pass	AV	5.1484G	47.98	54.00	-6.02	3	Horizontal	308	1.45	-
5260MHz	Pass	AV	5.2588G	109.02	Inf	-Inf	3	Horizontal	308	1.45	-
5260MHz	Pass	AV	5.3596G	49.80	54.00	-4.20	3	Horizontal	308	1.45	-
5260MHz	Pass	PK	5.11G	59.84	74.00	-14.16	3	Horizontal	308	1.45	-
5260MHz	Pass	PK	5.2588G	118.71	Inf	-Inf	3	Horizontal	308	1.45	-
5260MHz	Pass	PK	5.3584G	61.35	74.00	-12.65	3	Horizontal	308	1.45	-
5260MHz	Pass	AV	15.78512G	50.64	54.00	-3.36	3	Vertical	231	1.40	-
5260MHz	Pass	AV	21.04042G	35.07	54.00	-18.93	3	Vertical	7	1.67	-
5260MHz	Pass	PK	10.5222G	62.20	68.20	-6.00	3	Vertical	340	1.49	-
5260MHz	Pass	PK	15.78592G	63.70	74.00	-10.30	3	Vertical	231	1.40	-
5260MHz	Pass	PK	21.04006G	48.84	74.00	-25.16	3	Vertical	7	1.67	-
5260MHz	Pass	AV	15.78648G	50.57	54.00	-3.43	3	Horizontal	56	1.96	-
5260MHz	Pass	AV	21.03856G	32.63	54.00	-21.37	3	Horizontal	39	1.64	-
5260MHz	Pass	PK	10.51752G	66.36	68.20	-1.84	3	Horizontal	301	1.76	-
5260MHz	Pass	PK	15.7836G	63.90	74.00	-10.10	3	Horizontal	56	1.96	-
5260MHz	Pass	PK	21.03872G	45.21	74.00	-28.79	3	Horizontal	39	1.64	-
5300MHz	Pass	AV	5.2928G	107.94	Inf	-Inf	3	Vertical	340	1.50	-
5300MHz	Pass	AV	5.3528G	48.40	54.00	-5.60	3	Vertical	340	1.50	-
5300MHz	Pass	PK	5.2928G	117.44	Inf	-Inf	3	Vertical	340	1.50	-
5300MHz	Pass	PK	5.3516G	60.32	74.00	-13.68	3	Vertical	340	1.50	-
5300MHz	Pass	AV	5.2968G	113.30	Inf	-Inf	3	Horizontal	57	1.65	-
5300MHz	Pass	AV	5.3532G	49.37	54.00	-4.63	3	Horizontal	57	1.65	-
5300MHz	Pass	PK	5.2968G	122.99	Inf	-Inf	3	Horizontal	57	1.65	-
5300MHz	Pass	PK	5.3556G	61.54	74.00	-12.46	3	Horizontal	57	1.65	-
5300MHz	Pass	AV	15.8944G	51.31	54.00	-2.69	3	Vertical	186	1.32	-
5300MHz	Pass	AV	21.19528G	34.26	54.00	-19.74	3	Vertical	311	1.28	-
5300MHz	Pass	PK	10.5952G	61.89	68.20	-6.31	3	Vertical	340	1.50	-
5300MHz	Pass	PK	15.90252G	64.67	74.00	-9.33	3	Vertical	186	1.32	-
5300MHz	Pass	PK	21.19352G	47.89	74.00	-26.11	3	Vertical	311	1.28	-
5300MHz	Pass	AV	15.89576G	51.24	54.00	-2.76	3	Horizontal	327	2.31	-
5300MHz	Pass	AV	21.19664G	32.50	54.00	-21.50	3	Horizontal	47	1.77	-
5300MHz	Pass	PK	10.59836G	67.14	68.20	-1.06	3	Horizontal	302	1.79	-
5300MHz	Pass	PK	15.90388G	64.44	74.00	-9.56	3	Horizontal	327	2.31	-
5300MHz	Pass	PK	21.196G	46.15	74.00	-27.85	3	Horizontal	47	1.77	-
5320MHz	Pass	AV	5.3176G	108.03	Inf	-Inf	3	Vertical	331	2.96	-
5320MHz	Pass	AV	5.3524G	51.14	54.00	-2.86	3	Vertical	331	2.96	-
5320MHz	Pass	PK	5.318G	117.04	Inf	-Inf	3	Vertical	331	2.96	-
5320MHz	Pass	PK	5.3532G	64.22	74.00	-9.78	3	Vertical	331	2.96	-
5320MHz	Pass	AV	5.3184G	115.18	Inf	-Inf	3	Horizontal	302	1.91	-
5320MHz	Pass	AV	5.3576G	53.02	54.00	-0.98	3	Horizontal	302	1.91	-
5320MHz	Pass	PK	5.3184G	124.86	Inf	-Inf	3	Horizontal	302	1.91	-
5320MHz	Pass	PK	5.3584G	67.61	74.00	-6.39	3	Horizontal	302	1.91	-
5320MHz	Pass	AV	10.64G	45.73	54.00	-8.27	3	Vertical	342	1.58	-
5320MHz	Pass	AV	15.95944G	51.41	54.00	-2.59	3	Vertical	189	1.50	-
5320MHz	Pass	AV	21.28104G	33.35	54.00	-20.65	3	Vertical	357	1.80	-
5320MHz	Pass	PK	10.64068G	58.84	74.00	-15.16	3	Vertical	342	1.58	-
5320MHz	Pass	PK	15.95924G	64.26	74.00	-9.74	3	Vertical	189	1.50	-
5320MHz	Pass	PK	21.28064G	47.51	74.00	-26.49	3	Vertical	357	1.80	-
5320MHz	Pass	AV	10.63776G	48.99	54.00	-5.01	3	Horizontal	306	1.82	-
5320MHz	Pass	AV	15.96636G	51.42	54.00	-2.58	3	Horizontal	113	1.59	-
5320MHz	Pass	AV	21.27656G	31.45	54.00	-22.55	3	Horizontal	31	1.81	-
5320MHz	Pass	PK	10.63628G	62.30	74.00	-11.70	3	Horizontal	306	1.82	-
5320MHz	Pass	PK	15.96672G	65.00	74.00	-9.00	3	Horizontal	113	1.59	-
5320MHz	Pass	PK	21.2836G	45.61	74.00	-28.39	3	Horizontal	31	1.81	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	AV	5.46G	48.39	54.00	-5.61	3	Vertical	42	2.92	-
5500MHz	Pass	AV	5.5032G	110.13	Inf	-Inf	3	Vertical	42	2.92	-
5500MHz	Pass	PK	5.47G	63.39	68.20	-4.81	3	Vertical	42	2.92	-
5500MHz	Pass	PK	5.5032G	119.78	Inf	-Inf	3	Vertical	42	2.92	-
5500MHz	Pass	AV	5.46G	49.98	54.00	-4.02	3	Horizontal	310	1.96	-
5500MHz	Pass	AV	5.5034G	113.30	Inf	-Inf	3	Horizontal	310	1.96	-
5500MHz	Pass	PK	5.4698G	66.02	68.20	-2.18	3	Horizontal	310	1.96	-
5500MHz	Pass	PK	5.5026G	123.32	Inf	-Inf	3	Horizontal	310	1.96	-
5500MHz	Pass	AV	11.00004G	44.90	54.00	-9.10	3	Vertical	360	1.78	-
5500MHz	Pass	PK	11.00008G	57.69	74.00	-16.31	3	Vertical	360	1.78	-
5500MHz	Pass	PK	16.49256G	64.23	68.20	-3.97	3	Vertical	229	1.20	-
5500MHz	Pass	PK	22.00552G	40.98	68.20	-27.22	3	Vertical	38	1.71	-
5500MHz	Pass	AV	11.00376G	50.30	54.00	-3.70	3	Horizontal	303	1.82	-
5500MHz	Pass	PK	11.00228G	64.27	74.00	-9.73	3	Horizontal	303	1.82	-
5500MHz	Pass	PK	16.49316G	64.81	68.20	-3.39	3	Horizontal	36	1.50	-
5500MHz	Pass	PK	21.98744G	37.12	68.20	-31.08	3	Horizontal	360	1.49	-
5580MHz	Pass	AV	5.4312G	47.99	54.00	-6.01	3	Vertical	360	3.00	-
5580MHz	Pass	AV	5.5728G	108.07	Inf	-Inf	3	Vertical	360	3.00	-
5580MHz	Pass	PK	5.463G	58.71	68.20	-9.49	3	Vertical	360	3.00	-
5580MHz	Pass	PK	5.574G	116.94	Inf	-Inf	3	Vertical	360	3.00	-
5580MHz	Pass	PK	5.727G	59.80	68.20	-8.40	3	Vertical	360	3.00	-
5580MHz	Pass	AV	5.4318G	48.46	54.00	-5.54	3	Horizontal	307	1.71	-
5580MHz	Pass	AV	5.5866G	110.98	Inf	-Inf	3	Horizontal	307	1.71	-
5580MHz	Pass	PK	5.4684G	59.77	68.20	-8.43	3	Horizontal	307	1.71	-
5580MHz	Pass	PK	5.586G	120.41	Inf	-Inf	3	Horizontal	307	1.71	-
5580MHz	Pass	PK	5.7258G	60.03	68.20	-8.17	3	Horizontal	307	1.71	-
5580MHz	Pass	AV	11.16G	44.75	54.00	-9.25	3	Vertical	355	1.20	-
5580MHz	Pass	AV	22.31584G	27.41	54.00	-26.59	3	Vertical	320	1.41	-
5580MHz	Pass	PK	11.16056G	58.50	74.00	-15.50	3	Vertical	355	1.20	-
5580MHz	Pass	PK	16.74696G	67.19	68.20	-1.01	3	Vertical	20	1.07	-
5580MHz	Pass	PK	22.3172G	41.81	74.00	-32.19	3	Vertical	320	1.41	-
5580MHz	Pass	AV	11.16236G	49.68	54.00	-4.32	3	Horizontal	82	1.64	-
5580MHz	Pass	AV	22.3144G	27.09	54.00	-26.91	3	Horizontal	70	1.65	-
5580MHz	Pass	PK	11.16272G	63.37	74.00	-10.63	3	Horizontal	82	1.64	-
5580MHz	Pass	PK	16.74928G	66.53	68.20	-1.67	3	Horizontal	55	1.60	-
5580MHz	Pass	PK	22.3148G	40.46	74.00	-33.54	3	Horizontal	70	1.65	-
5700MHz	Pass	AV	5.6992G	106.73	Inf	-Inf	3	Vertical	353	1.45	-
5700MHz	Pass	PK	5.6992G	116.07	Inf	-Inf	3	Vertical	353	1.45	-
5700MHz	Pass	PK	5.7384G	61.74	68.20	-6.46	3	Vertical	353	1.45	-
5700MHz	Pass	AV	5.7032G	112.73	Inf	-Inf	3	Horizontal	69	1.80	-
5700MHz	Pass	PK	5.7032G	122.50	Inf	-Inf	3	Horizontal	69	1.80	-
5700MHz	Pass	PK	5.7296G	64.62	68.20	-3.58	3	Horizontal	69	1.80	-
5700MHz	Pass	AV	11.40164G	38.78	54.00	-15.22	3	Vertical	18	1.50	-
5700MHz	Pass	AV	22.7751G	24.94	54.00	-29.06	3	Vertical	127	1.50	-
5700MHz	Pass	PK	11.40172G	51.74	74.00	-22.26	3	Vertical	18	1.50	-
5700MHz	Pass	PK	17.09084G	56.34	68.20	-11.86	3	Vertical	359	1.92	-
5700MHz	Pass	PK	22.7806G	38.24	74.00	-35.76	3	Vertical	127	1.50	-
5700MHz	Pass	AV	11.40324G	39.47	54.00	-14.53	3	Horizontal	82	1.62	-
5700MHz	Pass	AV	22.775G	25.23	54.00	-28.77	3	Horizontal	42	1.50	-
5700MHz	Pass	PK	11.40384G	52.23	74.00	-21.77	3	Horizontal	82	1.62	-
5700MHz	Pass	PK	17.0908G	57.55	68.20	-10.65	3	Horizontal	348	2.83	-
5700MHz	Pass	PK	22.7934G	37.51	74.00	-36.49	3	Horizontal	42	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	47.87	54.00	-6.13	3	Vertical	38	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	110.41	Inf	-Inf	3	Vertical	38	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	59.38	68.20	-8.82	3	Vertical	38	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	119.77	Inf	-Inf	3	Vertical	38	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8628G	60.02	68.20	-8.18	3	Vertical	38	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4296G	48.47	54.00	-5.53	3	Horizontal	72	2.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	115.44	Inf	-Inf	3	Horizontal	72	2.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	59.63	68.20	-8.57	3	Horizontal	72	2.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	124.50	Inf	-Inf	3	Horizontal	72	2.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.912G	61.78	68.20	-6.42	3	Horizontal	72	2.08	-



RSE TX above 1GHz_Radio 1_8T1S

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43994G	40.26	54.00	-13.74	3	Vertical	358	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	22.868G	25.07	54.00	-28.93	3	Vertical	40	1.32	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43994G	52.53	74.00	-21.47	3	Vertical	358	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15418G	64.31	68.20	-3.89	3	Vertical	335	2.86	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	22.87G	39.02	74.00	-34.98	3	Vertical	40	1.32	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44402G	42.18	54.00	-11.82	3	Horizontal	288	1.74	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	22.855G	23.36	54.00	-30.64	3	Horizontal	50	1.32	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44372G	55.92	74.00	-18.08	3	Horizontal	288	1.74	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1543G	66.75	68.20	-1.45	3	Horizontal	332	2.83	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	22.8713G	36.91	74.00	-37.09	3	Horizontal	50	1.32	-
802.11ax HEW20_Nss1,(MCS0)_8Tx	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.149G	47.61	54.00	-6.39	3	Vertical	2	2.53	-
5260MHz	Pass	AV	5.2654G	110.12	Inf	-Inf	3	Vertical	2	2.53	-
5260MHz	Pass	AV	5.3632G	48.50	54.00	-5.50	3	Vertical	2	2.53	-
5260MHz	Pass	PK	5.1394G	60.60	74.00	-13.40	3	Vertical	2	2.53	-
5260MHz	Pass	PK	5.2654G	123.28	Inf	-Inf	3	Vertical	2	2.53	-
5260MHz	Pass	PK	5.3614G	60.33	74.00	-13.67	3	Vertical	2	2.53	-
5260MHz	Pass	AV	5.1454G	47.76	54.00	-6.24	3	Horizontal	317	2.61	-
5260MHz	Pass	AV	5.2672G	113.55	Inf	-Inf	3	Horizontal	317	2.61	-
5260MHz	Pass	AV	5.362G	49.27	54.00	-4.73	3	Horizontal	317	2.61	-
5260MHz	Pass	PK	5.1472G	59.99	74.00	-14.01	3	Horizontal	317	2.61	-
5260MHz	Pass	PK	5.266G	125.65	Inf	-Inf	3	Horizontal	317	2.61	-
5260MHz	Pass	PK	5.365G	60.70	74.00	-13.30	3	Horizontal	317	2.61	-
5260MHz	Pass	AV	15.78476G	50.58	54.00	-3.42	3	Vertical	0	1.00	-
5260MHz	Pass	AV	21.0384G	33.93	54.00	-20.07	3	Vertical	340	1.38	-
5260MHz	Pass	PK	10.51516G	61.80	68.20	-6.40	3	Vertical	10	1.00	-
5260MHz	Pass	PK	15.78704G	63.80	74.00	-10.20	3	Vertical	0	1.00	-
5260MHz	Pass	PK	21.0384G	47.62	74.00	-26.38	3	Vertical	340	1.38	-
5260MHz	Pass	AV	15.78416G	50.42	54.00	-3.58	3	Horizontal	333	1.88	-
5260MHz	Pass	AV	21.0379G	32.10	54.00	-21.90	3	Horizontal	38	1.66	-
5260MHz	Pass	PK	10.51748G	66.25	68.20	-1.95	3	Horizontal	72	1.75	-
5260MHz	Pass	PK	15.77136G	63.97	74.00	-10.03	3	Horizontal	333	1.88	-
5260MHz	Pass	PK	21.0378G	46.21	74.00	-27.79	3	Horizontal	38	1.66	-
5300MHz	Pass	AV	5.3048G	109.55	Inf	-Inf	3	Vertical	346	1.88	-
5300MHz	Pass	AV	5.35G	49.78	54.00	-4.22	3	Vertical	346	1.88	-
5300MHz	Pass	PK	5.3052G	122.84	Inf	-Inf	3	Vertical	346	1.88	-
5300MHz	Pass	PK	5.35G	64.26	74.00	-9.74	3	Vertical	346	1.88	-
5300MHz	Pass	AV	5.2964G	113.12	Inf	-Inf	3	Horizontal	67	1.99	-
5300MHz	Pass	AV	5.364G	49.94	54.00	-4.06	3	Horizontal	67	1.99	-
5300MHz	Pass	PK	5.2964G	124.96	Inf	-Inf	3	Horizontal	67	1.99	-
5300MHz	Pass	PK	5.3532G	63.56	74.00	-10.44	3	Horizontal	67	1.99	-
5300MHz	Pass	AV	15.90712G	50.95	54.00	-3.05	3	Vertical	353	1.50	-
5300MHz	Pass	AV	21.2087G	34.16	54.00	-19.84	3	Vertical	10	1.27	-
5300MHz	Pass	PK	10.59384G	63.00	68.20	-5.20	3	Vertical	31	1.71	-
5300MHz	Pass	PK	15.89544G	64.02	74.00	-9.98	3	Vertical	353	1.50	-
5300MHz	Pass	PK	21.2089G	49.79	74.00	-24.21	3	Vertical	10	1.27	-
5300MHz	Pass	AV	15.90696G	50.88	54.00	-3.12	3	Horizontal	349	1.50	-
5300MHz	Pass	AV	21.1966G	31.02	54.00	-22.98	3	Horizontal	31	1.71	-
5300MHz	Pass	PK	10.59736G	65.73	68.20	-2.47	3	Horizontal	74	1.00	-
5300MHz	Pass	PK	15.89344G	64.43	74.00	-9.57	3	Horizontal	349	1.50	-
5300MHz	Pass	PK	21.1986G	44.79	74.00	-29.21	3	Horizontal	31	1.71	-
5320MHz	Pass	AV	5.3186G	109.38	Inf	-Inf	3	Vertical	7	2.51	-
5320MHz	Pass	AV	5.3578G	51.24	54.00	-2.76	3	Vertical	7	2.51	-
5320MHz	Pass	PK	5.319G	122.16	Inf	-Inf	3	Vertical	7	2.51	-
5320MHz	Pass	PK	5.3604G	66.45	74.00	-7.55	3	Vertical	7	2.51	-
5320MHz	Pass	AV	5.3192G	110.74	Inf	-Inf	3	Horizontal	326	2.62	-
5320MHz	Pass	AV	5.35G	53.01	54.00	-0.99	3	Horizontal	326	2.62	-
5320MHz	Pass	PK	5.3194G	123.43	Inf	-Inf	3	Horizontal	326	2.62	-
5320MHz	Pass	PK	5.35G	67.87	74.00	-6.13	3	Horizontal	326	2.62	-
5320MHz	Pass	AV	10.63992G	45.49	54.00	-8.51	3	Vertical	342	1.50	-
5320MHz	Pass	AV	15.96336G	50.69	54.00	-3.31	3	Vertical	345	1.50	-
5320MHz	Pass	AV	21.28072G	30.31	54.00	-23.69	3	Vertical	360	1.69	-



RSE TX above 1GHz_Radio 1_8T1S

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	PK	10.63996G	58.28	74.00	-15.72	3	Vertical	342	1.50	-
5320MHz	Pass	PK	15.95416G	64.29	74.00	-9.71	3	Vertical	345	1.50	-
5320MHz	Pass	PK	21.28054G	43.97	74.00	-30.03	3	Vertical	360	1.69	-
5320MHz	Pass	AV	10.63988G	47.79	54.00	-6.21	3	Horizontal	73	1.00	-
5320MHz	Pass	AV	15.9534G	50.68	54.00	-3.32	3	Horizontal	292	1.50	-
5320MHz	Pass	AV	21.276G	28.26	54.00	-25.74	3	Horizontal	30	1.82	-
5320MHz	Pass	PK	10.63812G	62.54	74.00	-11.46	3	Horizontal	73	1.00	-
5320MHz	Pass	PK	15.96504G	64.92	74.00	-9.08	3	Horizontal	292	1.50	-
5320MHz	Pass	PK	21.276G	43.29	74.00	-30.71	3	Horizontal	30	1.82	-
5500MHz	Pass	AV	5.458G	49.67	54.00	-4.33	3	Vertical	35	2.91	-
5500MHz	Pass	AV	5.4976G	109.75	Inf	-Inf	3	Vertical	35	2.91	-
5500MHz	Pass	PK	5.4642G	63.51	68.20	-4.69	3	Vertical	35	2.91	-
5500MHz	Pass	PK	5.4972G	122.95	Inf	-Inf	3	Vertical	35	2.91	-
5500MHz	Pass	AV	5.46G	52.72	54.00	-1.28	3	Horizontal	303	1.00	-
5500MHz	Pass	AV	5.5008G	112.89	Inf	-Inf	3	Horizontal	303	1.00	-
5500MHz	Pass	PK	5.469G	66.88	68.20	-1.32	3	Horizontal	303	1.00	-
5500MHz	Pass	PK	5.5016G	125.70	Inf	-Inf	3	Horizontal	303	1.00	-
5500MHz	Pass	AV	11.0066G	45.06	54.00	-8.94	3	Vertical	13	1.50	-
5500MHz	Pass	PK	10.9946G	60.22	74.00	-13.78	3	Vertical	13	1.50	-
5500MHz	Pass	PK	16.50532G	64.72	68.20	-3.48	3	Vertical	27	1.50	-
5500MHz	Pass	PK	21.9952G	37.12	68.20	-31.08	3	Vertical	69.6	1.69	-
5500MHz	Pass	AV	10.99692G	48.49	54.00	-5.51	3	Horizontal	58	1.50	-
5500MHz	Pass	PK	10.9988G	63.78	74.00	-10.22	3	Horizontal	58	1.50	-
5500MHz	Pass	PK	16.50176G	64.37	68.20	-3.83	3	Horizontal	108	1.50	-
5500MHz	Pass	PK	21.99568G	38.97	68.20	-29.23	3	Horizontal	302	1.70	-
5580MHz	Pass	AV	5.433G	47.22	54.00	-6.78	3	Vertical	19	3.00	-
5580MHz	Pass	AV	5.5782G	108.99	Inf	-Inf	3	Vertical	19	3.00	-
5580MHz	Pass	PK	5.4612G	58.80	68.20	-9.40	3	Vertical	19	3.00	-
5580MHz	Pass	PK	5.577G	120.50	Inf	-Inf	3	Vertical	19	3.00	-
5580MHz	Pass	PK	5.7252G	58.77	68.20	-9.43	3	Vertical	19	3.00	-
5580MHz	Pass	AV	5.43G	47.53	54.00	-6.47	3	Horizontal	306	1.67	-
5580MHz	Pass	AV	5.5842G	111.83	Inf	-Inf	3	Horizontal	306	1.67	-
5580MHz	Pass	PK	5.4642G	59.55	68.20	-8.65	3	Horizontal	306	1.67	-
5580MHz	Pass	PK	5.5854G	124.83	Inf	-Inf	3	Horizontal	306	1.67	-
5580MHz	Pass	PK	5.727G	60.99	68.20	-7.21	3	Horizontal	306	1.67	-
5580MHz	Pass	AV	11.16392G	43.32	54.00	-10.68	3	Vertical	10	2.97	-
5580MHz	Pass	AV	22.31982G	24.47	54.00	-29.53	3	Vertical	3	1.38	-
5580MHz	Pass	PK	11.1624G	56.62	74.00	-17.38	3	Vertical	10	2.97	-
5580MHz	Pass	PK	16.74864G	66.28	68.20	-1.92	3	Vertical	14	2.30	-
5580MHz	Pass	PK	22.33014G	37.60	74.00	-36.40	3	Vertical	3	1.38	-
5580MHz	Pass	AV	11.157G	43.82	54.00	-10.18	3	Horizontal	316	1.50	-
5580MHz	Pass	AV	22.3071G	22.84	54.00	-31.16	3	Horizontal	238	1.50	-
5580MHz	Pass	PK	11.15732G	57.60	74.00	-16.40	3	Horizontal	316	1.50	-
5580MHz	Pass	PK	16.74444G	66.90	68.20	-1.30	3	Horizontal	348	2.23	-
5580MHz	Pass	PK	22.3119G	36.14	74.00	-37.86	3	Horizontal	238	1.50	-
5700MHz	Pass	AV	5.7048G	103.97	Inf	-Inf	3	Vertical	26	1.53	-
5700MHz	Pass	PK	5.7044G	117.12	Inf	-Inf	3	Vertical	26	1.53	-
5700MHz	Pass	PK	5.7432G	60.12	68.20	-8.08	3	Vertical	26	1.53	-
5700MHz	Pass	AV	5.702G	109.70	Inf	-Inf	3	Horizontal	309	1.77	-
5700MHz	Pass	PK	5.7028G	122.78	Inf	-Inf	3	Horizontal	309	1.77	-
5700MHz	Pass	PK	5.7288G	66.35	68.20	-1.85	3	Horizontal	309	1.77	-
5700MHz	Pass	AV	11.39844G	38.74	54.00	-15.26	3	Vertical	356	1.00	-
5700MHz	Pass	AV	22.79982G	22.18	54.00	-31.82	3	Vertical	0	1.38	-
5700MHz	Pass	PK	11.39792G	52.29	74.00	-21.71	3	Vertical	356	1.00	-
5700MHz	Pass	PK	17.09568G	61.09	68.20	-7.11	3	Vertical	28	1.24	-
5700MHz	Pass	PK	22.78578G	36.20	74.00	-37.80	3	Vertical	0	1.38	-
5700MHz	Pass	AV	11.4036G	39.28	54.00	-14.72	3	Horizontal	294	1.68	-
5700MHz	Pass	AV	22.79106G	22.07	54.00	-31.93	3	Horizontal	0	1.38	-
5700MHz	Pass	PK	11.40332G	52.38	74.00	-21.62	3	Horizontal	294	1.68	-
5700MHz	Pass	PK	17.10584G	58.06	68.20	-10.14	3	Horizontal	329	3.00	-
5700MHz	Pass	PK	22.79712G	35.25	74.00	-38.75	3	Horizontal	0	1.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4428G	47.16	54.00	-6.84	3	Vertical	25	2.97	-



RSE TX above 1GHz_Radio 1_8T1S

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	110.34	Inf	-Inf	3	Vertical	25	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	58.51	68.20	-9.69	3	Vertical	25	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	121.02	Inf	-Inf	3	Vertical	25	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8616G	59.87	68.20	-8.33	3	Vertical	25	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	47.83	54.00	-6.17	3	Horizontal	68	2.30	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	114.32	Inf	-Inf	3	Horizontal	68	2.30	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	59.87	68.20	-8.33	3	Horizontal	68	2.30	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	127.12	Inf	-Inf	3	Horizontal	68	2.30	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9168G	60.70	68.20	-7.50	3	Horizontal	68	2.30	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43856G	40.38	54.00	-13.62	3	Vertical	355	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	22.87994G	22.16	54.00	-31.84	3	Vertical	351	1.28	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43886G	53.59	74.00	-20.41	3	Vertical	355	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1618G	67.17	68.20	-1.03	3	Vertical	334	2.95	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	22.89266G	35.17	74.00	-38.83	3	Vertical	351	1.28	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4367G	42.52	54.00	-11.48	3	Horizontal	58	1.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	22.8648G	21.55	54.00	-32.45	3	Horizontal	287	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43646G	55.71	74.00	-18.29	3	Horizontal	58	1.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16474G	67.18	68.20	-1.02	3	Horizontal	289	2.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	22.8628G	34.73	74.00	-39.27	3	Horizontal	287	1.50	-
802.11ax HEW40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2844G	106.82	Inf	-Inf	3	Vertical	360	2.98	-
5270MHz	Pass	AV	5.3572G	49.15	54.00	-4.85	3	Vertical	360	2.98	-
5270MHz	Pass	PK	5.2836G	118.43	Inf	-Inf	3	Vertical	360	2.98	-
5270MHz	Pass	PK	5.3564G	62.62	74.00	-11.38	3	Vertical	360	2.98	-
5270MHz	Pass	AV	5.2716G	110.34	Inf	-Inf	3	Horizontal	65	2.54	-
5270MHz	Pass	AV	5.354G	50.85	54.00	-3.15	3	Horizontal	65	2.54	-
5270MHz	Pass	PK	5.2724G	123.27	Inf	-Inf	3	Horizontal	65	2.54	-
5270MHz	Pass	PK	5.3516G	63.66	74.00	-10.34	3	Horizontal	65	2.54	-
5270MHz	Pass	AV	15.807G	50.18	54.00	-3.82	3	Vertical	0	1.12	-
5270MHz	Pass	AV	21.08G	29.51	54.00	-24.49	3	Vertical	340	1.35	-
5270MHz	Pass	PK	10.537G	59.65	68.20	-8.55	3	Vertical	14	1.00	-
5270MHz	Pass	PK	15.82272G	63.91	74.00	-10.09	3	Vertical	0	1.12	-
5270MHz	Pass	PK	21.07946G	43.87	74.00	-30.13	3	Vertical	340	1.35	-
5270MHz	Pass	AV	15.82056G	50.08	54.00	-3.92	3	Horizontal	0	2.69	-
5270MHz	Pass	AV	21.0875G	27.02	54.00	-26.98	3	Horizontal	355	1.67	-
5270MHz	Pass	PK	10.52672G	63.22	68.20	-4.98	3	Horizontal	80	1.68	-
5270MHz	Pass	PK	15.8145G	63.41	74.00	-10.59	3	Horizontal	0	2.69	-
5270MHz	Pass	PK	21.08834G	39.85	74.00	-34.15	3	Horizontal	355	1.67	-
5310MHz	Pass	AV	5.3176G	102.14	Inf	-Inf	3	Vertical	41	1.77	-
5310MHz	Pass	AV	5.3572G	51.67	54.00	-2.33	3	Vertical	41	1.77	-
5310MHz	Pass	PK	5.3168G	114.03	Inf	-Inf	3	Vertical	41	1.77	-
5310MHz	Pass	PK	5.3584G	65.52	74.00	-8.48	3	Vertical	41	1.77	-
5310MHz	Pass	AV	5.324G	107.39	Inf	-Inf	3	Horizontal	298	1.82	-
5310MHz	Pass	AV	5.3636G	53.34	54.00	-0.66	3	Horizontal	298	1.82	-
5310MHz	Pass	PK	5.3232G	119.28	Inf	-Inf	3	Horizontal	298	1.82	-
5310MHz	Pass	PK	5.35G	67.16	74.00	-6.84	3	Horizontal	298	1.82	-
5310MHz	Pass	AV	10.61995G	44.26	54.00	-9.74	3	Vertical	340	1.00	-
5310MHz	Pass	AV	15.9268G	50.32	54.00	-3.68	3	Vertical	360	1.19	-
5310MHz	Pass	AV	21.24096G	25.54	54.00	-28.46	3	Vertical	358	1.79	-
5310MHz	Pass	PK	10.61979G	55.77	74.00	-18.23	3	Vertical	340	1.00	-
5310MHz	Pass	PK	15.929G	64.23	74.00	-9.77	3	Vertical	360	1.19	-
5310MHz	Pass	PK	21.24102G	39.36	74.00	-34.64	3	Vertical	358	1.79	-
5310MHz	Pass	AV	10.61992G	44.96	54.00	-9.04	3	Horizontal	21	1.64	-
5310MHz	Pass	AV	15.92706G	50.36	54.00	-3.64	3	Horizontal	24	1.50	-
5310MHz	Pass	AV	21.23622G	24.16	54.00	-29.84	3	Horizontal	31	1.84	-
5310MHz	Pass	PK	10.6199G	56.21	74.00	-17.79	3	Horizontal	21	1.64	-
5310MHz	Pass	PK	15.93328G	64.39	74.00	-9.61	3	Horizontal	24	1.50	-
5310MHz	Pass	PK	21.23574G	37.78	74.00	-36.22	3	Horizontal	31	1.84	-
5510MHz	Pass	AV	5.4516G	48.24	54.00	-5.76	3	Vertical	39	2.94	-
5510MHz	Pass	AV	5.5036G	101.83	Inf	-Inf	3	Vertical	39	2.94	-
5510MHz	Pass	PK	5.464G	62.19	68.20	-6.01	3	Vertical	39	2.94	-
5510MHz	Pass	PK	5.5036G	113.65	Inf	-Inf	3	Vertical	39	2.94	-



RSE TX above 1GHz_Radio 1_8T1S

Appendix D.2

Table with 12 columns: Mode, Result, Type, Freq (Hz), Level (dBuV/m), Limit (dBuV/m), Margin (dB), Dist (m), Condition, Azimuth (°), Height (m), Comments. Rows include frequencies from 5510MHz to 5710MHz Straddle 5.47-5.725GHz.



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	PK	22.83148G	37.44	74.00	-36.56	3	Vertical	331	1.32	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41848G	44.70	54.00	-9.30	3	Horizontal	319	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	22.8316G	23.97	54.00	-30.03	3	Horizontal	46	1.73	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4188G	58.35	74.00	-15.65	3	Horizontal	319	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12864G	67.19	68.20	-1.01	3	Horizontal	13	3.15	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	22.83142G	36.66	74.00	-37.34	3	Horizontal	46	1.73	-
802.11ax HEW80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.149G	47.52	54.00	-6.48	3	Vertical	0	3.00	-
5290MHz	Pass	AV	5.289G	99.90	Inf	-Inf	3	Vertical	0	3.00	-
5290MHz	Pass	AV	5.361G	51.38	54.00	-2.62	3	Vertical	0	3.00	-
5290MHz	Pass	PK	5.146G	59.57	74.00	-14.43	3	Vertical	0	3.00	-
5290MHz	Pass	PK	5.287G	111.73	Inf	-Inf	3	Vertical	0	3.00	-
5290MHz	Pass	PK	5.529G	59.10	68.20	-9.10	3	Vertical	0	3.00	-
5290MHz	Pass	AV	5.142G	47.64	54.00	-6.36	3	Horizontal	69	1.73	-
5290MHz	Pass	AV	5.302G	103.03	Inf	-Inf	3	Horizontal	69	1.73	-
5290MHz	Pass	AV	5.363G	52.86	54.00	-1.14	3	Horizontal	69	1.73	-
5290MHz	Pass	PK	5.141G	59.74	74.00	-14.26	3	Horizontal	69	1.73	-
5290MHz	Pass	PK	5.302G	114.55	Inf	-Inf	3	Horizontal	69	1.73	-
5290MHz	Pass	PK	5.362G	67.46	74.00	-6.54	3	Horizontal	69	1.73	-
5290MHz	Pass	AV	15.8841G	50.03	54.00	-3.97	3	Vertical	14	2.46	-
5290MHz	Pass	AV	21.14512G	24.92	54.00	-29.08	3	Vertical	346	1.72	-
5290MHz	Pass	PK	10.58G	55.26	68.20	-12.94	3	Vertical	50	2.05	-
5290MHz	Pass	PK	15.8667G	64.10	74.00	-9.90	3	Vertical	14	2.46	-
5290MHz	Pass	PK	21.14518G	37.95	74.00	-36.05	3	Vertical	346	1.72	-
5290MHz	Pass	AV	15.8729G	49.94	54.00	-4.06	3	Horizontal	235	2.19	-
5290MHz	Pass	AV	21.145G	24.68	54.00	-29.32	3	Horizontal	314	1.50	-
5290MHz	Pass	PK	10.57986G	55.72	68.20	-12.48	3	Horizontal	20	1.67	-
5290MHz	Pass	PK	15.8703G	64.42	74.00	-9.58	3	Horizontal	235	2.19	-
5290MHz	Pass	PK	21.15028G	38.03	74.00	-35.97	3	Horizontal	314	1.50	-
5530MHz	Pass	AV	5.458G	49.12	54.00	-4.88	3	Vertical	27	3.00	-
5530MHz	Pass	AV	5.559G	98.71	Inf	-Inf	3	Vertical	27	3.00	-
5530MHz	Pass	PK	5.465G	60.32	68.20	-7.88	3	Vertical	27	3.00	-
5530MHz	Pass	PK	5.559G	109.91	Inf	-Inf	3	Vertical	27	3.00	-
5530MHz	Pass	PK	5.729G	58.38	68.20	-9.82	3	Vertical	27	3.00	-
5530MHz	Pass	AV	5.451G	52.50	54.00	-1.50	3	Horizontal	64	1.92	-
5530MHz	Pass	AV	5.543G	101.67	Inf	-Inf	3	Horizontal	64	1.92	-
5530MHz	Pass	PK	5.464G	67.49	68.20	-0.71	3	Horizontal	64	1.92	-
5530MHz	Pass	PK	5.543G	114.04	Inf	-Inf	3	Horizontal	64	1.92	-
5530MHz	Pass	PK	5.729G	59.75	68.20	-8.45	3	Horizontal	64	1.92	-
5530MHz	Pass	AV	11.0842G	41.12	54.00	-12.88	3	Vertical	147	1.93	-
5530MHz	Pass	AV	22.10506G	22.21	54.00	-31.79	3	Vertical	360	1.72	-
5530MHz	Pass	PK	11.0812G	54.66	74.00	-19.34	3	Vertical	147	1.93	-
5530MHz	Pass	PK	16.5755G	64.63	68.20	-3.57	3	Vertical	227	2.18	-
5530MHz	Pass	PK	22.10902G	35.48	74.00	-38.52	3	Vertical	360	1.72	-
5530MHz	Pass	AV	11.0627G	40.82	54.00	-13.18	3	Horizontal	248	2.15	-
5530MHz	Pass	AV	22.12312G	22.16	54.00	-31.84	3	Horizontal	306	2.35	-
5530MHz	Pass	PK	11.0807G	53.88	74.00	-20.12	3	Horizontal	248	2.15	-
5530MHz	Pass	PK	16.5998G	64.47	68.20	-3.73	3	Horizontal	128	1.75	-
5530MHz	Pass	PK	22.12036G	36.11	74.00	-37.89	3	Horizontal	306	2.35	-
5610MHz	Pass	AV	5.444G	47.41	54.00	-6.59	3	Vertical	39	2.97	-
5610MHz	Pass	AV	5.604G	100.40	Inf	-Inf	3	Vertical	39	2.97	-
5610MHz	Pass	PK	5.469G	58.84	68.20	-9.36	3	Vertical	39	2.97	-
5610MHz	Pass	PK	5.603G	113.27	Inf	-Inf	3	Vertical	39	2.97	-
5610MHz	Pass	PK	5.732G	60.94	68.20	-7.26	3	Vertical	39	2.97	-
5610MHz	Pass	AV	5.452G	48.73	54.00	-5.27	3	Horizontal	63	1.96	-
5610MHz	Pass	AV	5.603G	105.65	Inf	-Inf	3	Horizontal	63	1.96	-
5610MHz	Pass	PK	5.462G	61.05	68.20	-7.15	3	Horizontal	63	1.96	-
5610MHz	Pass	PK	5.603G	117.56	Inf	-Inf	3	Horizontal	63	1.96	-
5610MHz	Pass	PK	5.725G	65.52	68.20	-2.68	3	Horizontal	63	1.96	-
5610MHz	Pass	AV	11.21176G	43.24	54.00	-10.76	3	Vertical	52	2.20	-
5610MHz	Pass	AV	22.4472G	22.47	54.00	-31.53	3	Vertical	326	1.44	-
5610MHz	Pass	PK	11.22408G	56.36	74.00	-17.64	3	Vertical	52	2.20	-



RSE TX above 1GHz_Radio 1_8T1S

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz	Pass	PK	16.82952G	60.00	68.20	-8.20	3	Vertical	269	1.07	-
5610MHz	Pass	PK	22.42668G	36.16	74.00	-37.84	3	Vertical	326	1.44	-
5610MHz	Pass	AV	11.22472G	43.40	54.00	-10.60	3	Horizontal	90	2.29	-
5610MHz	Pass	AV	22.43988G	22.95	54.00	-31.05	3	Horizontal	71	1.84	-
5610MHz	Pass	PK	11.22416G	57.22	74.00	-16.78	3	Horizontal	90	2.29	-
5610MHz	Pass	PK	17.008G	60.87	68.20	-7.33	3	Horizontal	123	1.23	-
5610MHz	Pass	PK	22.43232G	35.64	74.00	-38.36	3	Horizontal	71	1.84	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4296G	47.21	54.00	-6.79	3	Vertical	22	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6804G	103.53	Inf	-Inf	3	Vertical	22	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	59.16	68.20	-9.04	3	Vertical	22	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6804G	114.19	Inf	-Inf	3	Vertical	22	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8628G	61.36	68.20	-6.84	3	Vertical	22	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.432G	48.34	54.00	-5.66	3	Horizontal	305	1.91	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6936G	108.48	Inf	-Inf	3	Horizontal	305	1.91	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	60.18	68.20	-8.02	3	Horizontal	305	1.91	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6936G	119.05	Inf	-Inf	3	Horizontal	305	1.91	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	67.66	68.20	-0.54	3	Horizontal	305	1.91	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3688G	43.26	54.00	-10.74	3	Vertical	317	2.75	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	22.75811G	26.45	54.00	-27.55	3	Vertical	80	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38696G	56.34	74.00	-17.66	3	Vertical	317	2.75	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06256G	61.77	68.20	-6.43	3	Vertical	145	1.60	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	22.76122G	39.63	74.00	-34.37	3	Vertical	80	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39904G	42.96	54.00	-11.04	3	Horizontal	157	2.09	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	22.75982G	28.40	54.00	-25.60	3	Horizontal	50	1.60	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39608G	55.88	74.00	-18.12	3	Horizontal	157	2.09	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06048G	61.64	68.20	-6.56	3	Horizontal	10	1.08	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	22.76008G	40.26	74.00	-33.74	3	Horizontal	50	1.60	-
802.11ax HEW80+80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-
#5210MHz,#5290MHz	Pass	AV	5.15G	48.84	54.00	-5.16	3	Vertical	342	2.60	-
#5210MHz,#5290MHz	Pass	AV	5.2116G	95.11	Inf	-Inf	3	Vertical	342	2.60	-
#5210MHz,#5290MHz	Pass	AV	5.35G	49.69	54.00	-4.31	3	Vertical	342	2.60	-
#5210MHz,#5290MHz	Pass	PK	5.15G	62.22	74.00	-11.78	3	Vertical	342	2.60	-
#5210MHz,#5290MHz	Pass	PK	5.2116G	105.87	Inf	-Inf	3	Vertical	342	2.60	-
#5210MHz,#5290MHz	Pass	PK	5.5332G	59.27	68.20	-8.93	3	Vertical	342	2.60	-
#5210MHz,#5290MHz	Pass	AV	5.1444G	51.13	54.00	-2.87	3	Horizontal	70	1.78	-
#5210MHz,#5290MHz	Pass	AV	5.2872G	100.44	Inf	-Inf	3	Horizontal	70	1.78	-
#5210MHz,#5290MHz	Pass	AV	5.3664G	53.43	54.00	-0.57	3	Horizontal	70	1.78	-
#5210MHz,#5290MHz	Pass	PK	5.136G	66.62	74.00	-7.38	3	Horizontal	70	1.78	-
#5210MHz,#5290MHz	Pass	PK	5.2872G	112.28	Inf	-Inf	3	Horizontal	70	1.78	-
#5210MHz,#5290MHz	Pass	PK	5.5068G	59.94	68.20	-8.26	3	Horizontal	70	1.78	-
#5210MHz,#5290MHz	Pass	AV	15.7639G	49.67	54.00	-4.33	3	Vertical	40	1.82	-
#5210MHz,#5290MHz	Pass	AV	20.98506G	24.45	54.00	-29.55	3	Vertical	201	2.02	-
#5210MHz,#5290MHz	Pass	PK	10.4889G	54.07	68.20	-14.13	3	Vertical	5	1.88	-
#5210MHz,#5290MHz	Pass	PK	15.7366G	63.27	74.00	-10.73	3	Vertical	40	1.82	-
#5210MHz,#5290MHz	Pass	PK	20.9958G	37.48	74.00	-36.52	3	Vertical	201	2.02	-
#5210MHz,#5290MHz	Pass	AV	15.7621G	49.78	54.00	-4.22	3	Horizontal	28	1.58	-
#5210MHz,#5290MHz	Pass	AV	20.985G	24.50	54.00	-29.50	3	Horizontal	348	2.02	-
#5210MHz,#5290MHz	Pass	PK	10.494G	54.51	68.20	-13.69	3	Horizontal	278	1.27	-
#5210MHz,#5290MHz	Pass	PK	15.7502G	63.13	74.00	-10.87	3	Horizontal	28	1.58	-
#5210MHz,#5290MHz	Pass	PK	20.99316G	37.91	74.00	-36.09	3	Horizontal	348	2.02	-
#5530MHz,#5610MHz	Pass	AV	5.4464G	49.68	54.00	-4.32	3	Vertical	336	1.06	-
#5530MHz,#5610MHz	Pass	AV	5.5268G	95.53	Inf	-Inf	3	Vertical	336	1.06	-
#5530MHz,#5610MHz	Pass	PK	5.4668G	62.44	68.20	-5.76	3	Vertical	336	1.06	-
#5530MHz,#5610MHz	Pass	PK	5.5268G	106.34	Inf	-Inf	3	Vertical	336	1.06	-
#5530MHz,#5610MHz	Pass	PK	5.798G	60.01	68.20	-8.19	3	Vertical	336	1.06	-
#5530MHz,#5610MHz	Pass	AV	5.4428G	53.33	54.00	-0.67	3	Horizontal	72	2.47	-
#5530MHz,#5610MHz	Pass	AV	5.522G	100.97	Inf	-Inf	3	Horizontal	72	2.47	-
#5530MHz,#5610MHz	Pass	PK	5.4632G	67.24	68.20	-0.96	3	Horizontal	72	2.47	-
#5530MHz,#5610MHz	Pass	PK	5.5448G	112.57	Inf	-Inf	3	Horizontal	72	2.47	-
#5530MHz,#5610MHz	Pass	PK	5.7824G	60.89	68.20	-7.31	3	Horizontal	72	2.47	-
#5530MHz,#5610MHz	Pass	AV	11.21956G	42.18	54.00	-11.82	3	Vertical	162	1.94	-
#5530MHz,#5610MHz	Pass	AV	22.26638G	23.92	54.00	-30.08	3	Vertical	29	2.16	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
#5530MHz,#5610MHz	Pass	PK	11.19712G	55.54	74.00	-18.46	3	Vertical	162	1.94	-
#5530MHz,#5610MHz	Pass	PK	16.7176G	65.28	68.20	-2.92	3	Vertical	40	2.12	-
#5530MHz,#5610MHz	Pass	PK	22.27388G	37.73	74.00	-36.27	3	Vertical	29	2.16	-
#5530MHz,#5610MHz	Pass	AV	11.1603G	41.91	54.00	-12.09	3	Horizontal	22	2.37	-
#5530MHz,#5610MHz	Pass	AV	22.26896G	23.37	54.00	-30.63	3	Horizontal	82	1.50	-
#5530MHz,#5610MHz	Pass	PK	11.1608G	56.13	74.00	-17.87	3	Horizontal	22	2.37	-
#5530MHz,#5610MHz	Pass	PK	16.7094G	65.73	68.20	-2.47	3	Horizontal	123	1.63	-
#5530MHz,#5610MHz	Pass	PK	22.27148G	36.50	74.00	-37.50	3	Horizontal	82	1.50	-



802.11a_Nss1,(6Mbps)_8TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	47.65	54.00	-6.35	8.84	3	Vertical	12	2.56	-	38.81	34.00	9.07	34.23
AV	5.2552G	104.77	Inf	-Inf	8.80	3	Vertical	12	2.56	-	95.97	33.90	9.14	34.24
AV	5.3602G	48.48	54.00	-5.52	9.05	3	Vertical	12	2.56	-	39.43	34.04	9.26	34.25
PK	5.134G	59.59	74.00	-14.41	8.81	3	Vertical	12	2.56	-	50.78	33.97	9.07	34.23
PK	5.2558G	113.90	Inf	-Inf	8.80	3	Vertical	12	2.56	-	105.10	33.90	9.14	34.24
PK	5.3614G	60.72	74.00	-13.28	9.04	3	Vertical	12	2.56	-	51.68	34.03	9.26	34.25



802.11a_Nss1,(6Mbps)_8TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	47.98	54.00	-6.02	8.84	3	Horizontal	308	1.45	-	39.14	34.00	9.07	34.23
AV	5.2588G	109.02	Inf	-Inf	8.80	3	Horizontal	308	1.45	-	100.22	33.90	9.14	34.24
AV	5.3596G	49.80	54.00	-4.20	9.05	3	Horizontal	308	1.45	-	40.75	34.04	9.26	34.25
PK	5.11G	59.84	74.00	-14.16	8.76	3	Horizontal	308	1.45	-	51.08	33.92	9.07	34.23
PK	5.2588G	118.71	Inf	-Inf	8.80	3	Horizontal	308	1.45	-	109.91	33.90	9.14	34.24
PK	5.3584G	61.35	74.00	-12.65	9.05	3	Horizontal	308	1.45	-	52.30	34.05	9.25	34.25



802.11a_Nss1,(6Mbps)_8TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78512G	50.64	54.00	-3.36	23.24	3	Vertical	231	1.40	-	27.40	42.96	14.88	34.60
AV	21.04042G	35.07	54.00	-18.93	-8.28	3	Vertical	7	1.67	-	43.35	38.60	17.06	54.40
PK	10.5222G	62.20	68.20	-6.00	17.05	3	Vertical	340	1.49	-	45.15	39.17	12.43	34.55
PK	15.78592G	63.70	74.00	-10.30	23.24	3	Vertical	231	1.40	-	40.46	42.96	14.88	34.60
PK	21.04006G	48.84	74.00	-25.16	-8.28	3	Vertical	7	1.67	-	57.12	38.60	17.06	54.40



802.11a_Nss1,(6Mbps)_8TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78648G	50.57	54.00	-3.43	23.24	3	Horizontal	56	1.96	-	27.33	42.96	14.88	34.60
AV	21.03856G	32.63	54.00	-21.37	-8.28	3	Horizontal	39	1.64	-	40.91	38.60	17.06	54.40
PK	10.51752G	66.36	68.20	-1.84	17.02	3	Horizontal	301	1.76	-	49.34	39.15	12.43	34.56
PK	15.7836G	63.90	74.00	-10.10	23.23	3	Horizontal	56	1.96	-	40.67	42.95	14.88	34.60
PK	21.03872G	45.21	74.00	-28.79	-8.28	3	Horizontal	39	1.64	-	53.49	38.60	17.06	54.40



802.11a_Nss1,(6Mbps)_8TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2928G	107.94	Inf	-Inf	8.84	3	Vertical	340	1.50	-	99.10	33.90	9.18	34.24
AV	5.3528G	48.40	54.00	-5.60	9.08	3	Vertical	340	1.50	-	39.32	34.08	9.25	34.25
PK	5.2928G	117.44	Inf	-Inf	8.84	3	Vertical	340	1.50	-	108.60	33.90	9.18	34.24
PK	5.3516G	60.32	74.00	-13.68	9.09	3	Vertical	340	1.50	-	51.23	34.09	9.25	34.25



802.11a_Nss1,(6Mbps)_8TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2968G	113.30	Inf	-Inf	8.85	3	Horizontal	57	1.65	-	104.45	33.90	9.19	34.24
AV	5.3532G	49.37	54.00	-4.63	9.08	3	Horizontal	57	1.65	-	40.29	34.08	9.25	34.25
PK	5.2968G	122.99	Inf	-Inf	8.85	3	Horizontal	57	1.65	-	114.14	33.90	9.19	34.24
PK	5.3556G	61.54	74.00	-12.46	9.07	3	Horizontal	57	1.65	-	52.47	34.07	9.25	34.25



802.11a_Nss1,(6Mbps)_8TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8944G	51.31	54.00	-2.69	22.94	3	Vertical	186	1.32	-	28.37	42.72	14.92	34.70
AV	21.19528G	34.26	54.00	-19.74	-8.20	3	Vertical	311	1.28	-	42.46	38.60	17.14	54.40
PK	10.5952G	61.89	68.20	-6.31	17.35	3	Vertical	340	1.50	-	44.54	39.39	12.46	34.50
PK	15.90252G	64.67	74.00	-9.33	22.91	3	Vertical	186	1.32	-	41.76	42.70	14.92	34.71
PK	21.19352G	47.89	74.00	-26.11	-8.20	3	Vertical	311	1.28	-	56.09	38.60	17.14	54.40



802.11a_Nss1,(6Mbps)_8TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89576G	51.24	54.00	-2.76	22.93	3	Horizontal	327	2.31	-	28.31	42.71	14.92	34.70
AV	21.19664G	32.50	54.00	-21.50	-8.20	3	Horizontal	47	1.77	-	40.70	38.60	17.14	54.40
PK	10.59836G	67.14	68.20	-1.06	17.36	3	Horizontal	302	1.79	-	49.78	39.40	12.46	34.50
PK	15.90388G	64.44	74.00	-9.56	22.91	3	Horizontal	327	2.31	-	41.53	42.70	14.92	34.71
PK	21.196G	46.15	74.00	-27.85	-8.20	3	Horizontal	47	1.77	-	54.35	38.60	17.14	54.40



802.11a_Nss1,(6Mbps)_8TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3176G	108.03	Inf	-Inf	8.93	3	Vertical	331	2.96	-	99.10	33.97	9.21	34.25
AV	5.3524G	51.14	54.00	-2.86	9.09	3	Vertical	331	2.96	-	42.05	34.09	9.25	34.25
PK	5.318G	117.04	Inf	-Inf	8.93	3	Vertical	331	2.96	-	108.11	33.97	9.21	34.25
PK	5.353G	64.22	74.00	-9.78	9.08	3	Vertical	331	2.96	-	55.14	34.08	9.25	34.25



802.11a_Nss1,(6Mbps)_8TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3184G	115.18	Inf	-Inf	8.93	3	Horizontal	302	1.91	-	106.25	33.97	9.21	34.25
AV	5.3576G	53.02	54.00	-0.98	9.05	3	Horizontal	302	1.91	-	43.97	34.05	9.25	34.25
PK	5.3184G	124.86	Inf	-Inf	8.93	3	Horizontal	302	1.91	-	115.93	33.97	9.21	34.25
PK	5.3584G	67.61	74.00	-6.39	9.05	3	Horizontal	302	1.91	-	58.56	34.05	9.25	34.25



802.11a_Nss1,(6Mbps)_8TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64G	45.73	54.00	-8.27	17.30	3	Vertical	342	1.58	-	28.43	39.28	12.48	34.46
AV	15.95944G	51.41	54.00	-2.59	22.82	3	Vertical	189	1.50	-	28.59	42.64	14.94	34.76
AV	21.28104G	33.35	54.00	-20.65	-8.10	3	Vertical	357	1.80	-	41.45	38.65	17.19	54.40
PK	10.64068G	58.84	74.00	-15.16	17.30	3	Vertical	342	1.58	-	41.54	39.28	12.48	34.46
PK	15.95924G	64.26	74.00	-9.74	22.82	3	Vertical	189	1.50	-	41.44	42.64	14.94	34.76
PK	21.28064G	47.51	74.00	-26.49	-8.10	3	Vertical	357	1.80	-	55.61	38.65	17.19	54.40



802.11a_Nss1,(6Mbps)_8TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63776G	48.99	54.00	-5.01	17.30	3	Horizontal	306	1.82	-	31.69	39.29	12.48	34.47
AV	15.96636G	51.42	54.00	-2.58	22.80	3	Horizontal	113	1.59	-	28.62	42.63	14.94	34.77
AV	21.27656G	31.45	54.00	-22.55	-8.12	3	Horizontal	31	1.81	-	39.57	38.64	17.18	54.40
PK	10.63628G	62.30	74.00	-11.70	17.30	3	Horizontal	306	1.82	-	45.00	39.29	12.48	34.47
PK	15.96672G	65.00	74.00	-9.00	22.80	3	Horizontal	113	1.59	-	42.20	42.63	14.94	34.77
PK	21.2836G	45.61	74.00	-28.39	-8.10	3	Horizontal	31	1.81	-	53.71	38.65	17.19	54.40



802.11a_Nss1,(6Mbps)_8TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.39	54.00	-5.61	8.95	3	Vertical	42	2.92	-	39.44	33.86	9.35	34.26
AV	5.5032G	110.13	Inf	-Inf	8.82	3	Vertical	42	2.92	-	101.31	33.70	9.38	34.26
PK	5.47G	63.39	68.20	-4.81	8.92	3	Vertical	42	2.92	-	54.47	33.82	9.36	34.26
PK	5.5032G	119.78	Inf	-Inf	8.82	3	Vertical	42	2.92	-	110.96	33.70	9.38	34.26

802.11a_Nss1,(6Mbps)_8TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.98	54.00	-4.02	8.95	3	Horizontal	310	1.96	-	41.03	33.86	9.35	34.26
AV	5.5034G	113.30	Inf	-Inf	8.82	3	Horizontal	310	1.96	-	104.48	33.70	9.38	34.26
PK	5.4698G	66.02	68.20	-2.18	8.92	3	Horizontal	310	1.96	-	57.10	33.82	9.36	34.26
PK	5.5026G	123.32	Inf	-Inf	8.82	3	Horizontal	310	1.96	-	114.50	33.70	9.38	34.26



802.11a_Nss1,(6Mbps)_8TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00004G	44.90	54.00	-9.10	17.74	3	Vertical	360	1.78	-	27.16	39.30	12.63	34.19
PK	11.00008G	57.69	74.00	-16.31	17.74	3	Vertical	360	1.78	-	39.95	39.30	12.63	34.19
PK	16.49256G	64.23	68.20	-3.97	22.26	3	Vertical	229	1.20	-	41.97	41.30	15.24	34.28
PK	22.00552G	40.98	68.20	-27.22	-8.98	3	Vertical	38	1.71	-	49.96	38.90	17.56	55.90



802.11a_Nss1,(6Mbps)_8TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00376G	50.30	54.00	-3.70	17.74	3	Horizontal	303	1.82	-	32.56	39.30	12.63	34.19
PK	11.00228G	64.27	74.00	-9.73	17.74	3	Horizontal	303	1.82	-	46.53	39.30	12.63	34.19
PK	16.49316G	64.81	68.20	-3.39	22.26	3	Horizontal	36	1.50	-	42.55	41.30	15.24	34.28
PK	21.98744G	37.12	68.20	-31.08	-8.95	3	Horizontal	360	1.49	-	46.07	38.90	17.55	55.86



802.11a_Nss1,(6Mbps)_8TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4312G	47.99	54.00	-6.01	8.93	3	Vertical	360	3.00	-	39.06	33.86	9.32	34.25
AV	5.5728G	108.07	Inf	-Inf	8.78	3	Vertical	360	3.00	-	99.29	33.61	9.44	34.27
PK	5.463G	58.71	68.20	-9.49	8.94	3	Vertical	360	3.00	-	49.77	33.85	9.35	34.26
PK	5.574G	116.94	Inf	-Inf	8.77	3	Vertical	360	3.00	-	108.17	33.60	9.44	34.27
PK	5.727G	59.80	68.20	-8.40	8.87	3	Vertical	360	3.00	-	50.93	33.65	9.50	34.28



802.11a_Nss1,(6Mbps)_8TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4318G	48.46	54.00	-5.54	8.94	3	Horizontal	307	1.71	-	39.52	33.86	9.33	34.25
AV	5.5866G	110.98	Inf	-Inf	8.73	3	Horizontal	307	1.71	-	102.25	33.55	9.45	34.27
PK	5.4684G	59.77	68.20	-8.43	8.92	3	Horizontal	307	1.71	-	50.85	33.83	9.35	34.26
PK	5.586G	120.41	Inf	-Inf	8.74	3	Horizontal	307	1.71	-	111.67	33.56	9.45	34.27
PK	5.7258G	60.03	68.20	-8.17	8.87	3	Horizontal	307	1.71	-	51.16	33.65	9.50	34.28



802.11a_Nss1,(6Mbps)_8TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16G	44.75	54.00	-9.25	18.22	3	Vertical	355	1.20	-	26.53	39.70	12.70	34.18
AV	22.31584G	27.41	54.00	-26.59	-8.66	3	Vertical	320	1.41	-	36.07	38.93	17.66	55.71
PK	11.16056G	58.50	74.00	-15.50	18.22	3	Vertical	355	1.20	-	40.28	39.70	12.70	34.18
PK	16.74696G	67.19	68.20	-1.01	24.99	3	Vertical	20	1.07	-	42.20	43.42	15.39	33.82
PK	22.3172G	41.81	74.00	-32.19	-8.66	3	Vertical	320	1.41	-	50.47	38.93	17.66	55.71



802.11a_Nss1,(6Mbps)_8TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16236G	49.68	54.00	-4.32	18.23	3	Horizontal	82	1.64	-	31.45	39.71	12.70	34.18
AV	22.3144G	27.09	54.00	-26.91	-8.66	3	Horizontal	70	1.65	-	35.75	38.93	17.66	55.71
PK	11.16272G	63.37	74.00	-10.63	18.23	3	Horizontal	82	1.64	-	45.14	39.71	12.70	34.18
PK	16.74928G	66.53	68.20	-1.67	25.01	3	Horizontal	55	1.60	-	41.52	43.44	15.39	33.82
PK	22.3148G	40.46	74.00	-33.54	-8.66	3	Horizontal	70	1.65	-	49.12	38.93	17.66	55.71



802.11a_Nss1,(6Mbps)_8TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6992G	106.73	Inf	-Inf	8.91	3	Vertical	353	1.45	-	97.82	33.70	9.49	34.28
PK	5.6992G	116.07	Inf	-Inf	8.91	3	Vertical	353	1.45	-	107.16	33.70	9.49	34.28
PK	5.7384G	61.74	68.20	-6.46	8.84	3	Vertical	353	1.45	-	52.90	33.62	9.50	34.28



802.11a_Nss1,(6Mbps)_8TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7032G	112.73	Inf	-Inf	8.90	3	Horizontal	69	1.80	-	103.83	33.69	9.49	34.28
PK	5.7032G	122.50	Inf	-Inf	8.90	3	Horizontal	69	1.80	-	113.60	33.69	9.49	34.28
PK	5.7296G	64.62	68.20	-3.58	8.86	3	Horizontal	69	1.80	-	55.76	33.64	9.50	34.28



802.11a_Nss1,(6Mbps)_8TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40164G	38.78	54.00	-15.22	-2.02	3	Vertical	18	1.50	-	40.80	40.50	12.80	55.32
AV	22.7751G	24.94	54.00	-29.06	-8.40	3	Vertical	127	1.50	-	33.34	39.33	17.80	55.99
PK	11.40172G	51.74	74.00	-22.26	-2.02	3	Vertical	18	1.50	-	53.76	40.50	12.80	55.32
PK	17.09084G	56.34	68.20	-11.86	6.96	3	Vertical	359	1.92	-	49.38	44.50	15.59	53.13
PK	22.7806G	38.24	74.00	-35.76	-8.39	3	Vertical	127	1.50	-	46.63	39.34	17.80	55.99



802.11a_Nss1,(6Mbps)_8TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40324G	39.47	54.00	-14.53	-2.01	3	Horizontal	82	1.62	-	41.48	40.51	12.80	55.32
AV	22.775G	25.23	54.00	-28.77	-8.39	3	Horizontal	42	1.50	-	33.62	39.33	17.80	55.98
PK	11.40384G	52.23	74.00	-21.77	-2.01	3	Horizontal	82	1.62	-	54.24	40.51	12.80	55.32
PK	17.0908G	57.55	68.20	-10.65	6.96	3	Horizontal	348	2.83	-	50.59	44.50	15.59	53.13
PK	22.7934G	37.51	74.00	-36.49	-8.40	3	Horizontal	42	1.50	-	45.91	39.35	17.80	56.01



802.11a_Nss1,(6Mbps)_8TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	47.87	54.00	-6.13	8.97	3	Vertical	38	2.97	-	38.90	33.89	9.34	34.26
AV	5.7176G	110.41	Inf	-Inf	8.88	3	Vertical	38	2.97	-	101.53	33.66	9.50	34.28
PK	5.462G	59.38	68.20	-8.82	8.94	3	Vertical	38	2.97	-	50.44	33.85	9.35	34.26
PK	5.7176G	119.77	Inf	-Inf	8.88	3	Vertical	38	2.97	-	110.89	33.66	9.50	34.28
PK	5.8628G	60.02	68.20	-8.18	9.17	3	Vertical	38	2.97	-	50.85	33.90	9.57	34.30



802.11a_Nss1,(6Mbps)_8TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4296G	48.47	54.00	-5.53	8.93	3	Horizontal	72	2.08	-	39.54	33.86	9.32	34.25
AV	5.7176G	115.44	Inf	-Inf	8.88	3	Horizontal	72	2.08	-	106.56	33.66	9.50	34.28
PK	5.4608G	59.63	68.20	-8.57	8.95	3	Horizontal	72	2.08	-	50.68	33.86	9.35	34.26
PK	5.7188G	124.50	Inf	-Inf	8.88	3	Horizontal	72	2.08	-	115.62	33.66	9.50	34.28
PK	5.912G	61.78	68.20	-6.42	9.46	3	Horizontal	72	2.08	-	52.32	34.15	9.61	34.30




802.11a_Nss1,(6Mbps)_8TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43994G	40.26	54.00	-13.74	-1.90	3	Vertical	358	1.00	-	42.16	40.58	12.81	55.29
AV	22.868G	25.07	54.00	-28.93	-8.40	3	Vertical	40	1.32	-	33.47	39.44	17.82	56.12
PK	11.43994G	52.53	74.00	-21.47	-1.90	3	Vertical	358	1.00	-	54.43	40.58	12.81	55.29
PK	17.15418G	64.31	68.20	-3.89	7.31	3	Vertical	335	2.86	-	57.00	44.88	15.63	53.20
PK	22.87G	39.02	74.00	-34.98	-8.39	3	Vertical	40	1.32	-	47.41	39.44	17.83	56.12



802.11a_Nss1,(6Mbps)_8TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44402G	42.18	54.00	-11.82	-1.88	3	Horizontal	288	1.74	-	44.06	40.59	12.82	55.29
AV	22.855G	23.36	54.00	-30.64	-8.39	3	Horizontal	50	1.32	-	31.75	39.43	17.82	56.10
PK	11.44372G	55.92	74.00	-18.08	-1.88	3	Horizontal	288	1.74	-	57.80	40.59	12.82	55.29
PK	17.1543G	66.75	68.20	-1.45	7.31	3	Horizontal	332	2.83	-	59.44	44.88	15.63	53.20
PK	22.8713G	36.91	74.00	-37.09	-8.38	3	Horizontal	50	1.32	-	45.29	39.45	17.83	56.12



802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	47.61	54.00	-6.39	8.84	3	Vertical	2	2.53	-	38.77	34.00	9.07	34.23
AV	5.2654G	110.12	Inf	-Inf	8.81	3	Vertical	2	2.53	-	101.31	33.90	9.15	34.24
AV	5.3632G	48.50	54.00	-5.50	9.03	3	Vertical	2	2.53	-	39.47	34.02	9.26	34.25
PK	5.1394G	60.60	74.00	-13.40	8.82	3	Vertical	2	2.53	-	51.78	33.98	9.07	34.23
PK	5.2654G	123.28	Inf	-Inf	8.81	3	Vertical	2	2.53	-	114.47	33.90	9.15	34.24
PK	5.3614G	60.33	74.00	-13.67	9.04	3	Vertical	2	2.53	-	51.29	34.03	9.26	34.25



802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1454G	47.76	54.00	-6.24	8.83	3	Horizontal	317	2.61	-	38.93	33.99	9.07	34.23
AV	5.2672G	113.55	Inf	-Inf	8.81	3	Horizontal	317	2.61	-	104.74	33.90	9.15	34.24
AV	5.362G	49.27	54.00	-4.73	9.04	3	Horizontal	317	2.61	-	40.23	34.03	9.26	34.25
PK	5.1472G	59.99	74.00	-14.01	8.83	3	Horizontal	317	2.61	-	51.16	33.99	9.07	34.23
PK	5.266G	125.65	Inf	-Inf	8.81	3	Horizontal	317	2.61	-	116.84	33.90	9.15	34.24
PK	5.365G	60.70	74.00	-13.30	9.02	3	Horizontal	317	2.61	-	51.68	34.01	9.26	34.25



802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78476G	50.58	54.00	-3.42	23.23	3	Vertical	0	1.00	-	27.35	42.95	14.88	34.60
AV	21.0384G	33.93	54.00	-20.07	-8.28	3	Vertical	340	1.38	-	42.21	38.60	17.06	54.40
PK	10.51516G	61.80	68.20	-6.40	17.02	3	Vertical	10	1.00	-	44.78	39.15	12.43	34.56
PK	15.78704G	63.80	74.00	-10.20	23.24	3	Vertical	0	1.00	-	40.56	42.96	14.88	34.60
PK	21.0384G	47.62	74.00	-26.38	-8.28	3	Vertical	340	1.38	-	55.90	38.60	17.06	54.40



802.11ax HEW20_Nss1,(MCS0)_8TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78416G	50.42	54.00	-3.58	23.23	3	Horizontal	333	1.88	-	27.19	42.95	14.88	34.60
AV	21.0379G	32.10	54.00	-21.90	-8.28	3	Horizontal	38	1.66	-	40.38	38.60	17.06	54.40
PK	10.51748G	66.25	68.20	-1.95	17.02	3	Horizontal	72	1.75	-	49.23	39.15	12.43	34.56
PK	15.77136G	63.97	74.00	-10.03	23.20	3	Horizontal	333	1.88	-	40.77	42.91	14.88	34.59
PK	21.0378G	46.21	74.00	-27.79	-8.28	3	Horizontal	38	1.66	-	54.49	38.60	17.06	54.40

802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3048G	109.55	Inf	-Inf	8.88	3	Vertical	346	1.88	-	100.67	33.92	9.20	34.24
AV	5.35G	49.78	54.00	-4.22	9.10	3	Vertical	346	1.88	-	40.68	34.10	9.25	34.25
PK	5.3052G	122.84	Inf	-Inf	8.88	3	Vertical	346	1.88	-	113.96	33.92	9.20	34.24
PK	5.35G	64.26	74.00	-9.74	9.10	3	Vertical	346	1.88	-	55.16	34.10	9.25	34.25



802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2964G	113.12	Inf	-Inf	8.85	3	Horizontal	67	1.99	-	104.27	33.90	9.19	34.24
AV	5.364G	49.94	54.00	-4.06	9.03	3	Horizontal	67	1.99	-	40.91	34.02	9.26	34.25
PK	5.2964G	124.96	Inf	-Inf	8.85	3	Horizontal	67	1.99	-	116.11	33.90	9.19	34.24
PK	5.3532G	63.56	74.00	-10.44	9.08	3	Horizontal	67	1.99	-	54.48	34.08	9.25	34.25



802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90712G	50.95	54.00	-3.05	22.90	3	Vertical	353	1.50	-	28.05	42.69	14.92	34.71
AV	21.2087G	34.16	54.00	-19.84	-8.19	3	Vertical	10	1.27	-	42.35	38.60	17.15	54.40
PK	10.59384G	63.00	68.20	-5.20	17.34	3	Vertical	31	1.71	-	45.66	39.38	12.46	34.50
PK	15.89544G	64.02	74.00	-9.98	22.93	3	Vertical	353	1.50	-	41.09	42.71	14.92	34.70
PK	21.2089G	49.79	74.00	-24.21	-8.19	3	Vertical	10	1.27	-	57.98	38.60	17.15	54.40



802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90696G	50.88	54.00	-3.12	22.90	3	Horizontal	349	1.50	-	27.98	42.69	14.92	34.71
AV	21.1966G	31.02	54.00	-22.98	-8.20	3	Horizontal	31	1.71	-	39.22	38.60	17.14	54.40
PK	10.59736G	65.73	68.20	-2.47	17.35	3	Horizontal	74	1.00	-	48.38	39.39	12.46	34.50
PK	15.89344G	64.43	74.00	-9.57	22.94	3	Horizontal	349	1.50	-	41.49	42.72	14.92	34.70
PK	21.1986G	44.79	74.00	-29.21	-8.20	3	Horizontal	31	1.71	-	52.99	38.60	17.14	54.40



802.11ax HEW20_Nss1,(MCS0)_8TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3186G	109.38	Inf	-Inf	8.93	3	Vertical	7	2.51	-	100.45	33.97	9.21	34.25
AV	5.3578G	51.24	54.00	-2.76	9.05	3	Vertical	7	2.51	-	42.19	34.05	9.25	34.25
PK	5.319G	122.16	Inf	-Inf	8.94	3	Vertical	7	2.51	-	113.22	33.98	9.21	34.25
PK	5.3604G	66.45	74.00	-7.55	9.05	3	Vertical	7	2.51	-	57.40	34.04	9.26	34.25

802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3192G	110.74	Inf	-Inf	8.94	3	Horizontal	326	2.62	-	101.80	33.98	9.21	34.25
AV	5.35G	53.01	54.00	-0.99	9.10	3	Horizontal	326	2.62	-	43.91	34.10	9.25	34.25
PK	5.3194G	123.43	Inf	-Inf	8.94	3	Horizontal	326	2.62	-	114.49	33.98	9.21	34.25
PK	5.35G	67.87	74.00	-6.13	9.10	3	Horizontal	326	2.62	-	58.77	34.10	9.25	34.25



802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63992G	45.49	54.00	-8.51	17.30	3	Vertical	342	1.50	-	28.19	39.28	12.48	34.46
AV	15.96336G	50.69	54.00	-3.31	22.81	3	Vertical	345	1.50	-	27.88	42.64	14.94	34.77
AV	21.28072G	30.31	54.00	-23.69	-8.10	3	Vertical	360	1.69	-	38.41	38.65	17.19	54.40
PK	10.63996G	58.28	74.00	-15.72	17.30	3	Vertical	342	1.50	-	40.98	39.28	12.48	34.46
PK	15.95416G	64.29	74.00	-9.71	22.83	3	Vertical	345	1.50	-	41.46	42.65	14.94	34.76
PK	21.28054G	43.97	74.00	-30.03	-8.10	3	Vertical	360	1.69	-	52.07	38.65	17.19	54.40



802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63988G	47.79	54.00	-6.21	17.30	3	Horizontal	73	1.00	-	30.49	39.28	12.48	34.46
AV	15.9534G	50.68	54.00	-3.32	22.83	3	Horizontal	292	1.50	-	27.85	42.65	14.94	34.76
AV	21.276G	28.26	54.00	-25.74	-8.12	3	Horizontal	30	1.82	-	36.38	38.64	17.18	54.40
PK	10.63812G	62.54	74.00	-11.46	17.30	3	Horizontal	73	1.00	-	45.24	39.29	12.48	34.47
PK	15.96504G	64.92	74.00	-9.08	22.80	3	Horizontal	292	1.50	-	42.12	42.63	14.94	34.77
PK	21.276G	43.29	74.00	-30.71	-8.12	3	Horizontal	30	1.82	-	51.41	38.64	17.18	54.40



802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	49.67	54.00	-4.33	8.96	3	Vertical	35	2.91	-	40.71	33.87	9.35	34.26
AV	5.4976G	109.75	Inf	-Inf	8.83	3	Vertical	35	2.91	-	100.92	33.71	9.38	34.26
PK	5.4642G	63.51	68.20	-4.69	8.93	3	Vertical	35	2.91	-	54.58	33.84	9.35	34.26
PK	5.4972G	122.95	Inf	-Inf	8.83	3	Vertical	35	2.91	-	114.12	33.71	9.38	34.26



802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	52.72	54.00	-1.28	8.95	3	Horizontal	303	1.00	-	43.77	33.86	9.35	34.26
AV	5.5008G	112.89	Inf	-Inf	8.82	3	Horizontal	303	1.00	-	104.07	33.70	9.38	34.26
PK	5.469G	66.88	68.20	-1.32	8.92	3	Horizontal	303	1.00	-	57.96	33.82	9.36	34.26
PK	5.5016G	125.70	Inf	-Inf	8.82	3	Horizontal	303	1.00	-	116.88	33.70	9.38	34.26



802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0066G	45.06	54.00	-8.94	17.75	3	Vertical	13	1.50	-	27.31	39.31	12.63	34.19
PK	10.9946G	60.22	74.00	-13.78	17.73	3	Vertical	13	1.50	-	42.49	39.29	12.63	34.19
PK	16.50532G	64.72	68.20	-3.48	22.34	3	Vertical	27	1.50	-	42.38	41.35	15.25	34.26
PK	21.9952G	37.12	68.20	-31.08	-8.97	3	Vertical	69.6	1.69	-	46.09	38.90	17.56	55.89



802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99692G	48.49	54.00	-5.51	17.73	3	Horizontal	58	1.50	-	30.76	39.29	12.63	34.19
PK	10.9988G	63.78	74.00	-10.22	17.74	3	Horizontal	58	1.50	-	46.04	39.30	12.63	34.19
PK	16.50176G	64.37	68.20	-3.83	22.29	3	Horizontal	108	1.50	-	42.08	41.32	15.24	34.27
PK	21.99568G	38.97	68.20	-29.23	-8.97	3	Horizontal	302	1.70	-	47.94	38.90	17.56	55.89



802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.433G	47.22	54.00	-6.78	8.95	3	Vertical	19	3.00	-	38.27	33.87	9.33	34.25
AV	5.5782G	108.99	Inf	-Inf	8.76	3	Vertical	19	3.00	-	100.23	33.59	9.44	34.27
PK	5.4612G	58.80	68.20	-9.40	8.95	3	Vertical	19	3.00	-	49.85	33.86	9.35	34.26
PK	5.577G	120.50	Inf	-Inf	8.76	3	Vertical	19	3.00	-	111.74	33.59	9.44	34.27
PK	5.7252G	58.77	68.20	-9.43	8.87	3	Vertical	19	3.00	-	49.90	33.65	9.50	34.28



802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.43G	47.53	54.00	-6.47	8.93	3	Horizontal	306	1.67	-	38.60	33.86	9.32	34.25
AV	5.5842G	111.83	Inf	-Inf	8.74	3	Horizontal	306	1.67	-	103.09	33.56	9.45	34.27
PK	5.4642G	59.55	68.20	-8.65	8.93	3	Horizontal	306	1.67	-	50.62	33.84	9.35	34.26
PK	5.5854G	124.83	Inf	-Inf	8.74	3	Horizontal	306	1.67	-	116.09	33.56	9.45	34.27
PK	5.727G	60.99	68.20	-7.21	8.87	3	Horizontal	306	1.67	-	52.12	33.65	9.50	34.28



802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16392G	43.32	54.00	-10.68	18.24	3	Vertical	10	2.97	-	25.08	39.72	12.70	34.18
AV	22.31982G	24.47	54.00	-29.53	-8.66	3	Vertical	3	1.38	-	33.13	38.93	17.66	55.71
PK	11.1624G	56.62	74.00	-17.38	18.23	3	Vertical	10	2.97	-	38.39	39.71	12.70	34.18
PK	16.74864G	66.28	68.20	-1.92	25.01	3	Vertical	14	2.30	-	41.27	43.44	15.39	33.82
PK	22.33014G	37.60	74.00	-36.40	-8.65	3	Vertical	3	1.38	-	46.25	38.93	17.66	55.70



802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.157G	43.82	54.00	-10.18	18.20	3	Horizontal	316	1.50	-	25.62	39.68	12.70	34.18
AV	22.3071G	22.84	54.00	-31.16	-8.69	3	Horizontal	238	1.50	-	31.53	38.92	17.65	55.72
PK	11.15732G	57.60	74.00	-16.40	18.21	3	Horizontal	316	1.50	-	39.39	39.69	12.70	34.18
PK	16.74444G	66.90	68.20	-1.30	24.96	3	Horizontal	348	2.23	-	41.94	43.40	15.39	33.83
PK	22.3119G	36.14	74.00	-37.86	-8.67	3	Horizontal	238	1.50	-	44.81	38.92	17.66	55.71



802.11ax HEW20_Nss1,(MCS0)_8TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7048G	103.97	Inf	-Inf	8.90	3	Vertical	26	1.53	-	95.07	33.69	9.49	34.28
PK	5.7044G	117.12	Inf	-Inf	8.90	3	Vertical	26	1.53	-	108.22	33.69	9.49	34.28
PK	5.7432G	60.12	68.20	-8.08	8.83	3	Vertical	26	1.53	-	51.29	33.61	9.50	34.28



802.11ax HEW20_Nss1,(MCS0)_8TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.702G	109.70	Inf	-Inf	8.91	3	Horizontal	309	1.77	-	100.79	33.70	9.49	34.28
PK	5.7028G	122.78	Inf	-Inf	8.90	3	Horizontal	309	1.77	-	113.88	33.69	9.49	34.28
PK	5.7288G	66.35	68.20	-1.85	8.86	3	Horizontal	309	1.77	-	57.49	33.64	9.50	34.28



802.11ax HEW20_Nss1,(MCS0)_8TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39844G	38.74	54.00	-15.26	-2.03	3	Vertical	356	1.00	-	40.77	40.49	12.80	55.32
AV	22.79982G	22.18	54.00	-31.82	-8.40	3	Vertical	0	1.38	-	30.58	39.36	17.80	56.02
PK	11.39792G	52.29	74.00	-21.71	-2.03	3	Vertical	356	1.00	-	54.32	40.49	12.80	55.32
PK	17.09568G	61.09	68.20	-7.11	6.95	3	Vertical	28	1.24	-	54.14	44.50	15.59	53.14
PK	22.78578G	36.20	74.00	-37.80	-8.40	3	Vertical	0	1.38	-	44.60	39.34	17.80	56.00




802.11ax HEW20_Nss1,(MCS0)_8TX

5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4036G	39.28	54.00	-14.72	-2.01	3	Horizontal	294	1.68	-	41.29	40.51	12.80	55.32
AV	22.79106G	22.07	54.00	-31.93	-8.40	3	Horizontal	0	1.38	-	30.47	39.35	17.80	56.01
PK	11.40332G	52.38	74.00	-21.62	-2.01	3	Horizontal	294	1.68	-	54.39	40.51	12.80	55.32
PK	17.10584G	58.06	68.20	-10.14	6.99	3	Horizontal	329	3.00	-	51.07	44.54	15.60	53.15
PK	22.79712G	35.25	74.00	-38.75	-8.40	3	Horizontal	0	1.38	-	43.65	39.36	17.80	56.02

802.11ax HEW20_Nss1,(MCS0)_8TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4428G	47.16	54.00	-6.84	8.96	3	Vertical	25	2.97	-	38.20	33.89	9.33	34.26
AV	5.7188G	110.34	Inf	-Inf	8.88	3	Vertical	25	2.97	-	101.46	33.66	9.50	34.28
PK	5.4644G	58.51	68.20	-9.69	8.93	3	Vertical	25	2.97	-	49.58	33.84	9.35	34.26
PK	5.7176G	121.02	Inf	-Inf	8.88	3	Vertical	25	2.97	-	112.14	33.66	9.50	34.28
PK	5.8616G	59.87	68.20	-8.33	9.16	3	Vertical	25	2.97	-	50.71	33.89	9.57	34.30