



**RSE TX below 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix E.5


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	92.08M	33.91	43.50	-9.59	3	Vertical	0	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	249.22M	25.79	46.00	-20.21	3	Vertical	0	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	359.8M	30.16	46.00	-15.84	3	Vertical	0	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	580.96M	29.20	46.00	-16.80	3	Vertical	0	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	672.14M	29.80	46.00	-16.20	3	Vertical	0	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	784.66M	33.86	46.00	-12.14	3	Vertical	0	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	90.14M	32.69	43.50	-10.81	3	Horizontal	360	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	220.12M	22.44	46.00	-23.56	3	Horizontal	360	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	371.44M	29.74	46.00	-16.26	3	Horizontal	360	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	513.06M	35.28	46.00	-10.72	3	Horizontal	360	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	784.66M	34.83	46.00	-11.17	3	Horizontal	360	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	862.26M	32.29	46.00	-13.71	3	Horizontal	360	1.00



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	92.08M	33.91	43.50	-9.59	-11.47	3	Vertical	0	1.00	45.38	14.79	1.57	27.83
PK	249.22M	25.79	46.00	-20.21	-7.06	3	Vertical	0	1.00	32.85	17.53	2.63	27.22
PK	359.8M	30.16	46.00	-15.84	-4.60	3	Vertical	0	1.00	34.76	19.84	3.21	27.65
PK	580.96M	29.20	46.00	-16.80	-0.34	3	Vertical	0	1.00	29.54	24.00	4.23	28.57
PK	672.14M	29.80	46.00	-16.20	0.41	3	Vertical	0	1.00	29.39	24.40	4.51	28.50
PK	784.66M	33.86	46.00	-12.14	2.23	3	Vertical	0	1.00	31.63	25.61	4.95	28.33

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	90.14M	32.69	43.50	-10.81	-11.93	3	Horizontal	360	1.00	44.62	14.34	1.56	27.83
PK	220.12M	22.44	46.00	-23.56	-10.56	3	Horizontal	360	1.00	33.00	14.35	2.47	27.38
PK	371.44M	29.74	46.00	-16.26	-4.48	3	Horizontal	360	1.00	34.22	19.99	3.26	27.73
PK	513.06M	35.28	46.00	-10.72	-1.63	3	Horizontal	360	1.00	36.91	22.97	3.89	28.49
PK	784.66M	34.83	46.00	-11.17	2.23	3	Horizontal	360	1.00	32.60	25.61	4.95	28.33
PK	862.26M	32.29	46.00	-13.71	2.95	3	Horizontal	360	1.00	29.34	25.77	5.16	27.98



**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix E.6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1488G	53.41	54.00	-0.59	3	Vertical	32	1.63
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.57	54.00	-0.43	3	Horizontal	17	1.69
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.32	54.00	-0.68	3	Vertical	31	2.36
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.57	54.00	-0.43	3	Vertical	29	2.05
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.649G	66.27	68.20	-1.93	3	Vertical	6	1.20
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.649G	68.10	68.20	-0.10	3	Horizontal	5	1.04
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.6494G	67.82	68.20	-0.38	3	Horizontal	7	1.18
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.649G	66.73	68.20	-1.47	3	Horizontal	360	1.74



**RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix E.6

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1488G	53.41	54.00	-0.59	3	Vertical	32	1.63
5180MHz	Pass	AV	5.1832G	110.73	Inf	-Inf	3	Vertical	32	1.63
5180MHz	Pass	PK	5.1496G	65.09	74.00	-8.91	3	Vertical	32	1.63
5180MHz	Pass	PK	5.183G	119.40	Inf	-Inf	3	Vertical	32	1.63
5180MHz	Pass	AV	5.15G	53.32	54.00	-0.68	3	Horizontal	17	1.76
5180MHz	Pass	AV	5.1768G	110.76	Inf	-Inf	3	Horizontal	17	1.76
5180MHz	Pass	PK	5.1498G	64.98	74.00	-9.02	3	Horizontal	17	1.76
5180MHz	Pass	PK	5.183G	121.23	Inf	-Inf	3	Horizontal	17	1.76
5180MHz	Pass	AV	15.53058G	42.08	54.00	-11.92	3	Vertical	343	2.78
5180MHz	Pass	PK	10.3471G	51.73	68.20	-16.47	3	Vertical	351	1.50
5180MHz	Pass	PK	15.5409G	53.16	74.00	-20.84	3	Vertical	343	2.78
5180MHz	Pass	AV	15.54924G	42.16	54.00	-11.84	3	Horizontal	16	1.50
5180MHz	Pass	PK	10.3723G	52.53	68.20	-15.67	3	Horizontal	282	1.50
5180MHz	Pass	PK	15.54792G	53.46	74.00	-20.54	3	Horizontal	16	1.50
5200MHz	Pass	AV	5.15G	53.15	54.00	-0.85	3	Vertical	26	1.79
5200MHz	Pass	AV	5.2012G	113.28	Inf	-Inf	3	Vertical	26	1.79
5200MHz	Pass	PK	5.1472G	67.19	74.00	-6.81	3	Vertical	26	1.79
5200MHz	Pass	PK	5.1964G	122.02	Inf	-Inf	3	Vertical	26	1.79
5200MHz	Pass	AV	5.1484G	50.54	54.00	-3.46	3	Horizontal	18	1.48
5200MHz	Pass	AV	5.2032G	113.44	Inf	-Inf	3	Horizontal	18	1.48
5200MHz	Pass	PK	5.1484G	62.40	74.00	-11.60	3	Horizontal	18	1.48
5200MHz	Pass	PK	5.2044G	123.22	Inf	-Inf	3	Horizontal	18	1.48
5200MHz	Pass	AV	15.60126G	45.36	54.00	-8.64	3	Vertical	360	2.01
5200MHz	Pass	PK	10.39982G	51.96	68.20	-16.24	3	Vertical	288	1.50
5200MHz	Pass	PK	15.60258G	58.07	74.00	-15.93	3	Vertical	360	2.01
5200MHz	Pass	AV	15.60114G	43.57	54.00	-10.43	3	Horizontal	335	1.50
5200MHz	Pass	PK	10.40252G	52.51	68.20	-15.69	3	Horizontal	36	1.00
5200MHz	Pass	PK	15.60606G	55.58	74.00	-18.42	3	Horizontal	335	1.50
5240MHz	Pass	AV	5.1494G	47.64	54.00	-6.36	3	Vertical	28	1.78
5240MHz	Pass	AV	5.2364G	113.67	Inf	-Inf	3	Vertical	28	1.78
5240MHz	Pass	AV	5.3504G	47.52	54.00	-6.48	3	Vertical	28	1.78
5240MHz	Pass	PK	5.1356G	59.05	74.00	-14.95	3	Vertical	28	1.78
5240MHz	Pass	PK	5.2364G	122.71	Inf	-Inf	3	Vertical	28	1.78
5240MHz	Pass	PK	5.3534G	58.53	74.00	-15.47	3	Vertical	28	1.78
5240MHz	Pass	AV	5.15G	48.85	54.00	-5.15	3	Horizontal	21	1.79
5240MHz	Pass	AV	5.2394G	114.34	Inf	-Inf	3	Horizontal	21	1.79
5240MHz	Pass	AV	5.3558G	47.53	54.00	-6.47	3	Horizontal	21	1.79
5240MHz	Pass	PK	5.1404G	59.85	74.00	-14.15	3	Horizontal	21	1.79
5240MHz	Pass	PK	5.2388G	123.99	Inf	-Inf	3	Horizontal	21	1.79
5240MHz	Pass	PK	5.35G	58.93	74.00	-15.07	3	Horizontal	21	1.79
5240MHz	Pass	AV	15.72252G	51.05	54.00	-2.95	3	Vertical	360	1.78
5240MHz	Pass	PK	10.47964G	53.26	68.20	-14.94	3	Vertical	43	1.02
5240MHz	Pass	PK	15.71778G	62.87	74.00	-11.13	3	Vertical	360	1.78
5240MHz	Pass	AV	15.72204G	48.17	54.00	-5.83	3	Horizontal	3	1.48
5240MHz	Pass	PK	10.4776G	55.15	68.20	-13.05	3	Horizontal	37	1.47
5240MHz	Pass	PK	15.7263G	60.18	74.00	-13.82	3	Horizontal	3	1.48
5745MHz	Pass	AV	5.451G	46.09	54.00	-7.91	3	Vertical	6	1.20
5745MHz	Pass	AV	5.7426G	112.41	Inf	-Inf	3	Vertical	6	1.20
5745MHz	Pass	PK	5.649G	66.27	68.20	-1.93	3	Vertical	6	1.20
5745MHz	Pass	PK	5.7474G	122.36	Inf	-Inf	3	Vertical	6	1.20
5745MHz	Pass	PK	5.985G	60.19	68.20	-8.01	3	Vertical	6	1.20
5745MHz	Pass	AV	5.4582G	45.74	54.00	-8.26	3	Horizontal	8	1.08
5745MHz	Pass	AV	5.7414G	112.80	Inf	-Inf	3	Horizontal	8	1.08
5745MHz	Pass	PK	5.6478G	65.55	68.20	-2.65	3	Horizontal	8	1.08
5745MHz	Pass	PK	5.7414G	121.52	Inf	-Inf	3	Horizontal	8	1.08
5745MHz	Pass	PK	6.0066G	60.66	68.20	-7.54	3	Horizontal	8	1.08
5745MHz	Pass	AV	11.48442G	47.80	54.00	-6.20	3	Horizontal	14	1.57
5745MHz	Pass	PK	11.48448G	60.33	74.00	-13.67	3	Horizontal	14	1.57
5745MHz	Pass	PK	17.24664G	53.73	68.20	-14.47	3	Horizontal	321	1.47
5745MHz	Pass	AV	11.4918G	49.36	54.00	-4.64	3	Vertical	25	1.36



**RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5745MHz	Pass	PK	11.487G	60.77	74.00	-13.23	3	Vertical	25	1.36
5745MHz	Pass	PK	17.23146G	53.83	68.20	-14.37	3	Vertical	360	1.83
5785MHz	Pass	AV	5.78129G	111.84	Inf	-Inf	3	Vertical	7	1.24
5785MHz	Pass	PK	5.63972G	59.52	68.20	-8.68	3	Vertical	7	1.24
5785MHz	Pass	PK	5.78734G	121.56	Inf	-Inf	3	Vertical	7	1.24
5785MHz	Pass	PK	5.96037G	60.30	68.20	-7.90	3	Vertical	7	1.24
5785MHz	Pass	AV	5.78129G	113.15	Inf	-Inf	3	Horizontal	8	1.20
5785MHz	Pass	PK	5.63246G	58.38	68.20	-9.82	3	Horizontal	8	1.20
5785MHz	Pass	PK	5.7825G	121.85	Inf	-Inf	3	Horizontal	8	1.20
5785MHz	Pass	PK	6.06927G	60.45	68.20	-7.75	3	Horizontal	8	1.20
5785MHz	Pass	AV	11.56976G	47.96	54.00	-6.04	3	Horizontal	60	1.46
5785MHz	Pass	PK	11.56442G	59.36	74.00	-14.64	3	Horizontal	60	1.46
5785MHz	Pass	PK	17.35302G	55.03	68.20	-13.17	3	Horizontal	344	1.50
5785MHz	Pass	AV	11.57156G	48.75	54.00	-5.25	3	Vertical	15	1.54
5785MHz	Pass	PK	11.56634G	60.20	74.00	-13.80	3	Vertical	15	1.54
5785MHz	Pass	PK	17.34648G	54.92	68.20	-13.28	3	Vertical	56	1.50
5825MHz	Pass	AV	5.8226G	111.01	Inf	-Inf	3	Vertical	5	1.38
5825MHz	Pass	PK	5.6474G	59.31	68.20	-8.89	3	Vertical	5	1.38
5825MHz	Pass	PK	5.8274G	120.26	Inf	-Inf	3	Vertical	5	1.38
5825MHz	Pass	PK	6.0122G	60.37	68.20	-7.83	3	Vertical	5	1.38
5825MHz	Pass	AV	5.8214G	111.97	Inf	-Inf	3	Horizontal	9	1.86
5825MHz	Pass	PK	5.5334G	58.30	68.20	-9.90	3	Horizontal	9	1.86
5825MHz	Pass	PK	5.8214G	120.93	Inf	-Inf	3	Horizontal	9	1.86
5825MHz	Pass	PK	5.9294G	60.71	68.20	-7.49	3	Horizontal	9	1.86
5825MHz	Pass	AV	11.64994G	47.82	54.00	-6.18	3	Horizontal	60	1.47
5825MHz	Pass	PK	11.64988G	58.40	74.00	-15.60	3	Horizontal	60	1.47
5825MHz	Pass	PK	17.4696G	55.30	68.20	-12.90	3	Horizontal	345	1.17
5825MHz	Pass	AV	11.65174G	49.74	54.00	-4.26	3	Vertical	15	1.58
5825MHz	Pass	PK	11.65204G	60.85	74.00	-13.15	3	Vertical	15	1.58
5825MHz	Pass	PK	17.47716G	55.08	68.20	-13.12	3	Vertical	360	1.50
802.11ax HEW20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	53.49	54.00	-0.51	3	Vertical	28	1.99
5180MHz	Pass	AV	5.177G	110.26	Inf	-Inf	3	Vertical	28	1.99
5180MHz	Pass	PK	5.1488G	66.03	74.00	-7.97	3	Vertical	28	1.99
5180MHz	Pass	PK	5.1758G	122.98	Inf	-Inf	3	Vertical	28	1.99
5180MHz	Pass	AV	5.15G	53.57	54.00	-0.43	3	Horizontal	17	1.69
5180MHz	Pass	AV	5.1824G	110.78	Inf	-Inf	3	Horizontal	17	1.69
5180MHz	Pass	PK	5.1494G	65.79	74.00	-8.21	3	Horizontal	17	1.69
5180MHz	Pass	PK	5.1814G	122.98	Inf	-Inf	3	Horizontal	17	1.69
5180MHz	Pass	AV	15.52524G	41.54	54.00	-12.46	3	Vertical	226	1.50
5180MHz	Pass	PK	10.36702G	51.96	68.20	-16.24	3	Vertical	40	1.69
5180MHz	Pass	PK	15.5424G	53.69	74.00	-20.31	3	Vertical	226	1.50
5180MHz	Pass	AV	15.53712G	41.65	54.00	-12.35	3	Horizontal	7	1.38
5180MHz	Pass	PK	10.36696G	53.00	68.20	-15.20	3	Horizontal	36	1.97
5180MHz	Pass	PK	15.54366G	53.27	74.00	-20.73	3	Horizontal	7	1.38
5200MHz	Pass	AV	5.15G	52.61	54.00	-1.39	3	Vertical	26	1.80
5200MHz	Pass	AV	5.2024G	112.10	Inf	-Inf	3	Vertical	26	1.80
5200MHz	Pass	PK	5.1496G	64.52	74.00	-9.48	3	Vertical	26	1.80
5200MHz	Pass	PK	5.2016G	124.56	Inf	-Inf	3	Vertical	26	1.80
5200MHz	Pass	AV	5.1496G	50.42	54.00	-3.58	3	Horizontal	20	1.64
5200MHz	Pass	AV	5.1984G	111.78	Inf	-Inf	3	Horizontal	20	1.64
5200MHz	Pass	PK	5.1492G	62.36	74.00	-11.64	3	Horizontal	20	1.64
5200MHz	Pass	PK	5.1988G	124.42	Inf	-Inf	3	Horizontal	20	1.64
5200MHz	Pass	AV	15.59784G	43.80	54.00	-10.20	3	Vertical	360	2.00
5200MHz	Pass	PK	10.3916G	51.43	68.20	-16.77	3	Vertical	9	1.50
5200MHz	Pass	PK	15.59874G	58.08	74.00	-15.92	3	Vertical	360	2.00
5200MHz	Pass	AV	15.59718G	42.28	54.00	-11.72	3	Horizontal	338	1.50
5200MHz	Pass	PK	10.40402G	55.08	68.20	-13.12	3	Horizontal	36	1.63
5200MHz	Pass	PK	15.59898G	54.35	74.00	-19.65	3	Horizontal	338	1.50
5240MHz	Pass	AV	5.1488G	47.31	54.00	-6.69	3	Vertical	29	1.80
5240MHz	Pass	AV	5.237G	112.93	Inf	-Inf	3	Vertical	29	1.80
5240MHz	Pass	AV	5.3762G	47.35	54.00	-6.65	3	Vertical	29	1.80



**RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.1392G	59.77	74.00	-14.23	3	Vertical	29	1.80
5240MHz	Pass	PK	5.2388G	124.59	Inf	-Inf	3	Vertical	29	1.80
5240MHz	Pass	PK	5.36G	59.50	74.00	-14.50	3	Vertical	29	1.80
5240MHz	Pass	AV	5.1494G	48.57	54.00	-5.43	3	Horizontal	18	1.65
5240MHz	Pass	AV	5.2424G	113.22	Inf	-Inf	3	Horizontal	18	1.65
5240MHz	Pass	AV	5.35G	47.52	54.00	-6.48	3	Horizontal	18	1.65
5240MHz	Pass	PK	5.1416G	60.08	74.00	-13.92	3	Horizontal	18	1.65
5240MHz	Pass	PK	5.2436G	125.70	Inf	-Inf	3	Horizontal	18	1.65
5240MHz	Pass	PK	5.3546G	58.94	74.00	-15.06	3	Horizontal	18	1.65
5240MHz	Pass	AV	15.72558G	49.17	54.00	-4.83	3	Vertical	360	1.78
5240MHz	Pass	PK	10.49332G	52.37	68.20	-15.83	3	Vertical	38	1.36
5240MHz	Pass	PK	15.72372G	63.92	74.00	-10.08	3	Vertical	360	1.78
5240MHz	Pass	AV	15.72384G	46.24	54.00	-7.76	3	Horizontal	3	1.11
5240MHz	Pass	PK	10.48438G	55.54	68.20	-12.66	3	Horizontal	37	1.50
5240MHz	Pass	PK	15.72342G	61.12	74.00	-12.88	3	Horizontal	3	1.11
5745MHz	Pass	AV	5.4582G	45.53	54.00	-8.47	3	Vertical	6	1.31
5745MHz	Pass	AV	5.7426G	112.19	Inf	-Inf	3	Vertical	6	1.31
5745MHz	Pass	PK	5.6502G	67.39	68.35	-0.96	3	Vertical	6	1.31
5745MHz	Pass	PK	5.7402G	123.60	Inf	-Inf	3	Vertical	6	1.31
5745MHz	Pass	PK	6.003G	60.80	68.20	-7.40	3	Vertical	6	1.31
5745MHz	Pass	AV	5.4594G	45.32	54.00	-8.68	3	Horizontal	5	1.04
5745MHz	Pass	AV	5.739G	112.11	Inf	-Inf	3	Horizontal	5	1.04
5745MHz	Pass	PK	5.649G	68.10	68.20	-0.10	3	Horizontal	5	1.04
5745MHz	Pass	PK	5.7402G	123.08	Inf	-Inf	3	Horizontal	5	1.04
5745MHz	Pass	PK	5.9682G	60.86	68.20	-7.34	3	Horizontal	5	1.04
5745MHz	Pass	AV	11.49006G	47.01	54.00	-6.99	3	Horizontal	13	1.52
5745MHz	Pass	PK	11.48748G	58.83	74.00	-15.17	3	Horizontal	13	1.52
5745MHz	Pass	PK	17.24856G	54.34	68.20	-13.86	3	Horizontal	345	2.02
5745MHz	Pass	AV	11.49192G	48.41	54.00	-5.59	3	Vertical	25	1.37
5745MHz	Pass	PK	11.49504G	60.47	74.00	-13.53	3	Vertical	25	1.37
5745MHz	Pass	PK	17.22126G	53.89	68.20	-14.31	3	Vertical	76	1.50
5785MHz	Pass	AV	5.78129G	111.31	Inf	-Inf	3	Vertical	6	1.26
5785MHz	Pass	PK	5.64698G	60.00	68.20	-8.20	3	Vertical	6	1.26
5785MHz	Pass	PK	5.78855G	122.86	Inf	-Inf	3	Vertical	6	1.26
5785MHz	Pass	PK	6.00514G	60.03	68.20	-8.17	3	Vertical	6	1.26
5785MHz	Pass	AV	5.78855G	112.33	Inf	-Inf	3	Horizontal	10	1.78
5785MHz	Pass	PK	5.63972G	58.85	68.20	-9.35	3	Horizontal	10	1.78
5785MHz	Pass	PK	5.78734G	123.42	Inf	-Inf	3	Horizontal	10	1.78
5785MHz	Pass	PK	6.04507G	60.37	68.20	-7.83	3	Horizontal	10	1.78
5785MHz	Pass	AV	11.56982G	48.01	54.00	-5.99	3	Horizontal	13	1.54
5785MHz	Pass	PK	11.57078G	60.21	74.00	-13.79	3	Horizontal	13	1.54
5785MHz	Pass	PK	17.35266G	54.88	68.20	-13.32	3	Horizontal	342	1.50
5785MHz	Pass	AV	11.57384G	48.09	54.00	-5.91	3	Vertical	16	1.48
5785MHz	Pass	PK	11.57504G	59.92	74.00	-14.08	3	Vertical	16	1.48
5785MHz	Pass	PK	17.35932G	55.68	68.20	-12.52	3	Vertical	212	1.50
5825MHz	Pass	AV	5.8214G	110.83	Inf	-Inf	3	Vertical	4	1.37
5825MHz	Pass	PK	5.6222G	58.36	68.20	-9.84	3	Vertical	4	1.37
5825MHz	Pass	PK	5.8226G	122.63	Inf	-Inf	3	Vertical	4	1.37
5825MHz	Pass	PK	5.9366G	60.53	68.20	-7.67	3	Vertical	4	1.37
5825MHz	Pass	AV	5.8178G	111.28	Inf	-Inf	3	Horizontal	9	2.07
5825MHz	Pass	PK	5.6318G	58.21	68.20	-9.99	3	Horizontal	9	2.07
5825MHz	Pass	PK	5.8178G	123.17	Inf	-Inf	3	Horizontal	9	2.07
5825MHz	Pass	PK	5.9714G	59.92	68.20	-8.28	3	Horizontal	9	2.07
5825MHz	Pass	AV	11.64988G	47.40	54.00	-6.60	3	Horizontal	62	1.49
5825MHz	Pass	PK	11.65864G	59.03	74.00	-14.97	3	Horizontal	62	1.49
5825MHz	Pass	PK	17.4759G	56.36	68.20	-11.84	3	Horizontal	345	2.04
5825MHz	Pass	AV	11.65282G	49.02	54.00	-4.98	3	Vertical	15	1.58
5825MHz	Pass	PK	11.65114G	60.65	74.00	-13.35	3	Vertical	15	1.58
5825MHz	Pass	PK	17.48364G	54.96	68.20	-13.24	3	Vertical	360	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.32	54.00	-0.68	3	Vertical	31	2.36
5190MHz	Pass	AV	5.194G	104.29	Inf	-Inf	3	Vertical	31	2.36



**RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5190MHz	Pass	PK	5.15G	65.11	74.00	-8.89	3	Vertical	31	2.36
5190MHz	Pass	PK	5.1856G	116.03	Inf	-Inf	3	Vertical	31	2.36
5190MHz	Pass	AV	5.15G	53.32	54.00	-0.68	3	Horizontal	14	1.57
5190MHz	Pass	AV	5.1876G	104.25	Inf	-Inf	3	Horizontal	14	1.57
5190MHz	Pass	PK	5.1496G	65.37	74.00	-8.63	3	Horizontal	14	1.57
5190MHz	Pass	PK	5.1864G	115.97	Inf	-Inf	3	Horizontal	14	1.57
5190MHz	Pass	AV	15.56016G	41.63	54.00	-12.37	3	Vertical	221	1.48
5190MHz	Pass	PK	10.36344G	51.63	68.20	-16.57	3	Vertical	266	1.50
5190MHz	Pass	PK	15.57288G	53.35	74.00	-20.65	3	Vertical	221	1.48
5190MHz	Pass	AV	15.5478G	41.76	54.00	-12.24	3	Horizontal	41	2.12
5190MHz	Pass	PK	10.38852G	52.31	68.20	-15.89	3	Horizontal	356	2.95
5190MHz	Pass	PK	15.59808G	53.06	74.00	-20.94	3	Horizontal	41	2.12
5230MHz	Pass	AV	5.1492G	52.04	54.00	-1.96	3	Vertical	21	2.00
5230MHz	Pass	AV	5.228G	106.60	Inf	-Inf	3	Vertical	21	2.00
5230MHz	Pass	PK	5.1464G	68.24	74.00	-5.76	3	Vertical	21	2.00
5230MHz	Pass	PK	5.2292G	118.41	Inf	-Inf	3	Vertical	21	2.00
5230MHz	Pass	AV	5.15G	50.05	54.00	-3.95	3	Horizontal	12	1.74
5230MHz	Pass	AV	5.2324G	108.13	Inf	-Inf	3	Horizontal	12	1.74
5230MHz	Pass	PK	5.1496G	64.64	74.00	-9.36	3	Horizontal	12	1.74
5230MHz	Pass	PK	5.2348G	120.22	Inf	-Inf	3	Horizontal	12	1.74
5230MHz	Pass	AV	15.69528G	42.54	54.00	-11.46	3	Vertical	353	1.55
5230MHz	Pass	PK	10.43876G	51.19	68.20	-17.01	3	Vertical	343	1.50
5230MHz	Pass	PK	15.7032G	56.49	74.00	-17.51	3	Vertical	353	1.55
5230MHz	Pass	AV	15.69384G	41.80	54.00	-12.20	3	Horizontal	335	1.54
5230MHz	Pass	PK	10.45472G	52.12	68.20	-16.08	3	Horizontal	29	1.78
5230MHz	Pass	PK	15.7038G	53.94	74.00	-20.06	3	Horizontal	335	1.54
5755MHz	Pass	AV	5.4574G	45.52	54.00	-8.48	3	Vertical	4	1.48
5755MHz	Pass	AV	5.7526G	107.44	Inf	-Inf	3	Vertical	4	1.48
5755MHz	Pass	PK	5.6506G	67.60	68.64	-1.04	3	Vertical	4	1.48
5755MHz	Pass	PK	5.7418G	118.92	Inf	-Inf	3	Vertical	4	1.48
5755MHz	Pass	PK	5.9518G	60.39	68.20	-7.81	3	Vertical	4	1.48
5755MHz	Pass	AV	5.4598G	45.32	54.00	-8.68	3	Horizontal	7	1.18
5755MHz	Pass	AV	5.749G	107.58	Inf	-Inf	3	Horizontal	7	1.18
5755MHz	Pass	PK	5.6494G	67.82	68.20	-0.38	3	Horizontal	7	1.18
5755MHz	Pass	PK	5.7586G	118.56	Inf	-Inf	3	Horizontal	7	1.18
5755MHz	Pass	PK	5.9482G	60.11	68.20	-8.09	3	Horizontal	7	1.18
5755MHz	Pass	AV	11.50988G	44.50	54.00	-9.50	3	Horizontal	14	1.53
5755MHz	Pass	PK	11.51084G	57.01	74.00	-16.99	3	Horizontal	14	1.53
5755MHz	Pass	PK	17.2878G	54.62	68.20	-13.58	3	Horizontal	58	2.35
5755MHz	Pass	AV	11.5136G	44.38	54.00	-9.62	3	Vertical	26	1.48
5755MHz	Pass	PK	11.51324G	57.43	74.00	-16.57	3	Vertical	26	1.48
5755MHz	Pass	PK	17.28096G	54.15	68.20	-14.05	3	Vertical	291	1.50
5795MHz	Pass	AV	5.7938G	107.45	Inf	-Inf	3	Vertical	2	1.50
5795MHz	Pass	PK	5.639G	65.33	68.20	-2.87	3	Vertical	2	1.50
5795MHz	Pass	PK	5.7926G	119.02	Inf	-Inf	3	Vertical	2	1.50
5795MHz	Pass	PK	5.9822G	60.73	68.20	-7.47	3	Vertical	2	1.50
5795MHz	Pass	AV	5.789G	108.58	Inf	-Inf	3	Horizontal	8	1.15
5795MHz	Pass	PK	5.6498G	64.85	68.20	-3.35	3	Horizontal	8	1.15
5795MHz	Pass	PK	5.7998G	120.36	Inf	-Inf	3	Horizontal	8	1.15
5795MHz	Pass	PK	5.981G	60.12	68.20	-8.08	3	Horizontal	8	1.15
5795MHz	Pass	AV	11.58964G	45.76	54.00	-8.24	3	Horizontal	61	1.44
5795MHz	Pass	PK	11.58976G	57.36	74.00	-16.64	3	Horizontal	61	1.44
5795MHz	Pass	PK	17.40156G	55.86	68.20	-12.34	3	Horizontal	301	1.57
5795MHz	Pass	AV	11.5918G	46.08	54.00	-7.92	3	Vertical	15	1.58
5795MHz	Pass	PK	11.59144G	58.20	74.00	-15.80	3	Vertical	15	1.58
5795MHz	Pass	PK	17.37924G	54.73	68.20	-13.47	3	Vertical	127	1.50
802.11ax HEW80_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.57	54.00	-0.43	3	Vertical	29	2.05
5210MHz	Pass	AV	5.232G	102.22	Inf	-Inf	3	Vertical	29	2.05
5210MHz	Pass	AV	5.35G	47.84	54.00	-6.16	3	Vertical	29	2.05
5210MHz	Pass	PK	5.142G	66.04	74.00	-7.96	3	Vertical	29	2.05
5210MHz	Pass	PK	5.216G	114.26	Inf	-Inf	3	Vertical	29	2.05



**RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**


Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	PK	5.353G	59.49	74.00	-14.51	3	Vertical	29	2.05
5210MHz	Pass	AV	5.15G	53.49	54.00	-0.51	3	Horizontal	17	1.77
5210MHz	Pass	AV	5.219G	102.36	Inf	-Inf	3	Horizontal	17	1.77
5210MHz	Pass	AV	5.35G	47.18	54.00	-6.82	3	Horizontal	17	1.77
5210MHz	Pass	PK	5.145G	64.73	74.00	-9.27	3	Horizontal	17	1.77
5210MHz	Pass	PK	5.208G	114.13	Inf	-Inf	3	Horizontal	17	1.77
5210MHz	Pass	PK	5.351G	58.75	74.00	-15.25	3	Horizontal	17	1.77
5210MHz	Pass	AV	15.57G	41.49	54.00	-12.51	3	Vertical	265	1.83
5210MHz	Pass	PK	10.44808G	51.40	68.20	-16.80	3	Vertical	21	2.53
5210MHz	Pass	PK	15.60912G	53.94	74.00	-20.06	3	Vertical	265	1.83
5210MHz	Pass	AV	15.57264G	41.49	54.00	-12.51	3	Horizontal	43	1.50
5210MHz	Pass	PK	10.43872G	52.04	68.20	-16.16	3	Horizontal	317	1.50
5210MHz	Pass	PK	15.58416G	53.34	74.00	-20.66	3	Horizontal	43	1.50
5775MHz	Pass	AV	5.7522G	98.58	Inf	-Inf	3	Vertical	357	1.48
5775MHz	Pass	PK	5.6502G	66.20	68.35	-2.15	3	Vertical	357	1.48
5775MHz	Pass	PK	5.751G	110.50	Inf	-Inf	3	Vertical	357	1.48
5775MHz	Pass	PK	6.075G	60.61	68.20	-7.59	3	Vertical	357	1.48
5775MHz	Pass	AV	5.7882G	101.83	Inf	-Inf	3	Horizontal	360	1.74
5775MHz	Pass	PK	5.649G	66.73	68.20	-1.47	3	Horizontal	360	1.74
5775MHz	Pass	PK	5.787G	113.32	Inf	-Inf	3	Horizontal	360	1.74
5775MHz	Pass	PK	6.0318G	60.31	68.20	-7.89	3	Horizontal	360	1.74
5775MHz	Pass	AV	11.55G	41.72	54.00	-12.28	3	Horizontal	64	1.50
5775MHz	Pass	PK	11.51856G	53.47	74.00	-20.53	3	Horizontal	64	1.50
5775MHz	Pass	PK	17.38188G	54.68	68.20	-13.52	3	Horizontal	210	1.50
5775MHz	Pass	AV	11.54328G	41.68	54.00	-12.32	3	Vertical	25	1.33
5775MHz	Pass	PK	11.56176G	53.65	74.00	-20.35	3	Vertical	25	1.33
5775MHz	Pass	PK	17.35356G	54.54	68.20	-13.66	3	Vertical	257	2.24



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	53.41	54.00	-0.59	5.27	3	Vertical	32	1.63	48.14	33.00	6.41	34.14
AV	5.1832G	110.73	Inf	-Inf	5.37	3	Vertical	32	1.63	105.36	33.07	6.44	34.14
PK	5.1496G	65.09	74.00	-8.91	5.27	3	Vertical	32	1.63	59.82	33.00	6.41	34.14
PK	5.183G	119.40	Inf	-Inf	5.37	3	Vertical	32	1.63	114.03	33.07	6.44	34.14

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.32	54.00	-0.68	5.27	3	Horizontal	17	1.76	48.05	33.00	6.41	34.14
AV	5.1768G	110.76	Inf	-Inf	5.34	3	Horizontal	17	1.76	105.42	33.05	6.43	34.14
PK	5.1498G	64.98	74.00	-9.02	5.27	3	Horizontal	17	1.76	59.71	33.00	6.41	34.14
PK	5.183G	121.23	Inf	-Inf	5.37	3	Horizontal	17	1.76	115.86	33.07	6.44	34.14



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53058G	42.08	54.00	-11.92	15.96	3	Vertical	343	2.78	26.12	38.12	12.15	34.31
PK	10.3471G	51.73	68.20	-16.47	15.17	3	Vertical	351	1.50	36.56	38.80	11.01	34.64
PK	15.5409G	53.16	74.00	-20.84	15.89	3	Vertical	343	2.78	37.27	38.05	12.16	34.32

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54924G	42.16	54.00	-11.84	15.83	3	Horizontal	16	1.50	26.33	38.00	12.16	34.33
PK	10.3723G	52.53	68.20	-15.67	15.20	3	Horizontal	282	1.50	37.33	38.80	11.02	34.62
PK	15.54792G	53.46	74.00	-20.54	15.84	3	Horizontal	16	1.50	37.62	38.01	12.16	34.33



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.15	54.00	-0.85	5.27	3	Vertical	26	1.79	47.88	33.00	6.41	34.14
AV	5.2012G	113.28	Inf	-Inf	5.41	3	Vertical	26	1.79	107.87	33.10	6.45	34.14
PK	5.1472G	67.19	74.00	-6.81	5.28	3	Vertical	26	1.79	61.91	33.01	6.41	34.14
PK	5.1964G	122.02	Inf	-Inf	5.40	3	Vertical	26	1.79	116.62	33.09	6.45	34.14

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	50.54	54.00	-3.46	5.27	3	Horizontal	18	1.48	45.27	33.00	6.41	34.14
AV	5.2032G	113.44	Inf	-Inf	5.40	3	Horizontal	18	1.48	108.04	33.09	6.45	34.14
PK	5.1484G	62.40	74.00	-11.60	5.27	3	Horizontal	18	1.48	57.13	33.00	6.41	34.14
PK	5.2044G	123.22	Inf	-Inf	5.40	3	Horizontal	18	1.48	117.82	33.09	6.45	34.14



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60126G	45.36	54.00	-8.64	15.82	3	Vertical	360	2.01	29.54	38.00	12.19	34.37
PK	10.39982G	51.96	68.20	-16.24	15.24	3	Vertical	288	1.50	36.72	38.80	11.03	34.59
PK	15.60258G	58.07	74.00	-15.93	15.81	3	Vertical	360	2.01	42.26	37.99	12.19	34.37

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60114G	43.37	54.00	-10.43	15.82	3	Horizontal	335	1.50	27.75	38.00	12.19	34.37
PK	10.40252G	52.51	68.20	-15.69	15.24	3	Horizontal	36	1.00	37.27	38.80	11.03	34.59
PK	15.60606G	55.58	74.00	-18.42	15.82	3	Horizontal	335	1.50	39.76	37.99	12.20	34.37



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	47.64	54.00	-6.36	5.27	3	Vertical	28	1.78	42.37	33.00	6.41	34.14
AV	5.2364G	113.67	Inf	-Inf	5.36	3	Vertical	28	1.78	108.31	33.03	6.48	34.15
AV	5.3504G	47.52	54.00	-6.48	5.40	3	Vertical	28	1.78	42.12	33.00	6.56	34.16
PK	5.1356G	59.05	74.00	-14.95	5.29	3	Vertical	28	1.78	53.76	33.03	6.40	34.14
PK	5.2364G	122.71	Inf	-Inf	5.36	3	Vertical	28	1.78	117.35	33.03	6.48	34.15
PK	5.3534G	58.53	74.00	-15.47	5.40	3	Vertical	28	1.78	53.13	33.00	6.56	34.16

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.85	54.00	-5.15	5.27	3	Horizontal	21	1.79	43.58	33.00	6.41	34.14
AV	5.2394G	114.34	Inf	-Inf	5.35	3	Horizontal	21	1.79	108.99	33.02	6.48	34.15
AV	5.3558G	47.53	54.00	-6.47	5.40	3	Horizontal	21	1.79	42.13	33.00	6.56	34.16
PK	5.1404G	59.85	74.00	-14.15	5.29	3	Horizontal	21	1.79	54.56	33.02	6.41	34.14
PK	5.2388G	123.99	Inf	-Inf	5.35	3	Horizontal	21	1.79	118.64	33.02	6.48	34.15
PK	5.35G	58.93	74.00	-15.07	5.39	3	Horizontal	21	1.79	53.54	33.00	6.55	34.16



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72252G	51.05	54.00	-2.95	16.01	3	Vertical	360	1.78	35.04	38.20	12.27	34.46
PK	10.47964G	53.26	68.20	-14.94	15.33	3	Vertical	43	1.02	37.93	38.80	11.06	34.53
PK	15.71778G	62.87	74.00	-11.13	16.01	3	Vertical	360	1.78	46.86	38.20	12.27	34.46

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72204G	48.17	54.00	-5.83	16.01	3	Horizontal	3	1.48	32.16	38.20	12.27	34.46
PK	10.4776G	55.15	68.20	-13.05	15.33	3	Horizontal	37	1.47	39.82	38.80	11.06	34.53
PK	15.7263G	60.18	74.00	-13.82	16.00	3	Horizontal	3	1.48	44.18	38.20	12.27	34.47



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.451G	46.09	54.00	-7.91	5.47	3	Vertical	6	1.20	40.62	33.00	6.64	34.17
AV	5.7426G	112.41	Inf	-Inf	6.42	3	Vertical	6	1.20	105.99	33.76	6.86	34.20
PK	5.649G	66.27	68.20	-1.93	5.71	3	Vertical	6	1.20	60.56	33.10	6.80	34.19
PK	5.7474G	122.36	Inf	-Inf	6.45	3	Vertical	6	1.20	115.91	33.78	6.87	34.20
PK	5.985G	60.19	68.20	-8.01	7.00	3	Vertical	6	1.20	53.19	34.16	7.06	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	45.74	54.00	-8.26	5.49	3	Horizontal	8	1.08	40.25	33.02	6.64	34.17
AV	5.7414G	112.80	Inf	-Inf	6.41	3	Horizontal	8	1.08	106.39	33.75	6.86	34.20
PK	5.6478G	65.55	68.20	-2.65	5.71	3	Horizontal	8	1.08	59.84	33.10	6.80	34.19
PK	5.7414G	121.52	Inf	-Inf	6.41	3	Horizontal	8	1.08	115.11	33.75	6.86	34.20
PK	6.0066G	60.66	68.20	-7.54	6.96	3	Horizontal	8	1.08	53.70	34.11	7.07	34.22



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48442G	47.80	54.00	-6.20	16.20	3	Horizontal	14	1.57	31.60	38.83	11.43	34.06
PK	11.48448G	60.33	74.00	-13.67	16.20	3	Horizontal	14	1.57	44.13	38.83	11.43	34.06
PK	17.24664G	53.73	68.20	-14.47	17.52	3	Horizontal	321	1.47	36.21	37.80	13.01	33.29

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4918G	49.36	54.00	-4.64	16.19	3	Vertical	25	1.36	33.17	38.82	11.43	34.06
PK	11.487G	60.77	74.00	-13.23	16.20	3	Vertical	25	1.36	44.57	38.83	11.43	34.06
PK	17.23146G	53.83	68.20	-14.37	17.52	3	Vertical	360	1.83	36.31	37.80	13.00	33.28



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78129G	111.84	Inf	-Inf	6.68	3	Vertical	7	1.24	105.16	33.99	6.89	34.20
PK	5.63972G	59.52	68.20	-8.68	5.69	3	Vertical	7	1.24	53.83	33.08	6.80	34.19
PK	5.78734G	121.56	Inf	-Inf	6.71	3	Vertical	7	1.24	114.85	34.02	6.89	34.20
PK	5.96037G	60.30	68.20	-7.90	7.08	3	Vertical	7	1.24	53.22	34.26	7.04	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78129G	113.15	Inf	-Inf	6.68	3	Horizontal	8	1.20	106.47	33.99	6.89	34.20
PK	5.63246G	58.38	68.20	-9.82	5.66	3	Horizontal	8	1.20	52.72	33.06	6.79	34.19
PK	5.7825G	121.85	Inf	-Inf	6.69	3	Horizontal	8	1.20	115.16	34.00	6.89	34.20
PK	6.06927G	60.45	68.20	-7.75	7.02	3	Horizontal	8	1.20	53.43	34.16	7.10	34.24



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56976G	47.96	54.00	-6.04	15.92	3	Horizontal	60	1.46	32.04	38.56	11.46	34.10
PK	11.56442G	59.36	74.00	-14.64	15.93	3	Horizontal	60	1.46	43.43	38.57	11.46	34.10
PK	17.35302G	55.03	68.20	-13.17	17.85	3	Horizontal	344	1.50	37.18	38.11	13.06	33.32

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57156G	48.75	54.00	-5.25	15.92	3	Vertical	15	1.54	32.83	38.56	11.46	34.10
PK	11.56634G	60.20	74.00	-13.80	15.93	3	Vertical	15	1.54	44.27	38.57	11.46	34.10
PK	17.34648G	54.92	68.20	-13.28	17.82	3	Vertical	56	1.50	37.10	38.09	13.05	33.32



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	111.01	Inf	-Inf	6.86	3	Vertical	5	1.38	104.15	34.15	6.92	34.21
PK	5.6474G	59.31	68.20	-8.89	5.70	3	Vertical	5	1.38	53.61	33.09	6.80	34.19
PK	5.8274G	120.26	Inf	-Inf	6.86	3	Vertical	5	1.38	113.40	34.15	6.92	34.21
PK	6.0122G	60.37	68.20	-7.83	6.98	3	Vertical	5	1.38	53.39	34.12	7.08	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	111.97	Inf	-Inf	6.85	3	Horizontal	9	1.86	105.12	34.14	6.92	34.21
PK	5.5334G	58.30	68.20	-9.90	5.56	3	Horizontal	9	1.86	52.74	33.03	6.71	34.18
PK	5.8214G	120.93	Inf	-Inf	6.85	3	Horizontal	9	1.86	114.08	34.14	6.92	34.21
PK	5.9294G	60.71	68.20	-7.49	7.14	3	Horizontal	9	1.86	53.57	34.34	7.01	34.21



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64994G	47.82	54.00	-6.18	15.64	3	Horizontal	60	1.47	32.18	38.30	11.49	34.15
PK	11.64988G	58.40	74.00	-15.60	15.64	3	Horizontal	60	1.47	42.76	38.30	11.49	34.15
PK	17.4696G	55.30	68.20	-12.90	18.15	3	Horizontal	345	1.17	37.15	38.40	13.11	33.36

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65174G	49.74	54.00	-4.26	15.64	3	Vertical	15	1.58	34.10	38.30	11.49	34.15
PK	11.65204G	60.85	74.00	-13.15	15.64	3	Vertical	15	1.58	45.21	38.30	11.49	34.15
PK	17.47716G	55.08	68.20	-13.12	18.15	3	Vertical	360	1.50	36.93	38.40	13.11	33.36



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.49	54.00	-0.51	5.27	3	Vertical	28	1.99	48.22	33.00	6.41	34.14
AV	5.177G	110.26	Inf	-Inf	5.34	3	Vertical	28	1.99	104.92	33.05	6.43	34.14
PK	5.1488G	66.03	74.00	-7.97	5.27	3	Vertical	28	1.99	60.76	33.00	6.41	34.14
PK	5.1758G	122.98	Inf	-Inf	5.34	3	Vertical	28	1.99	117.64	33.05	6.43	34.14

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.57	54.00	-0.43	5.27	3	Horizontal	17	1.69	48.30	33.00	6.41	34.14
AV	5.1824G	110.78	Inf	-Inf	5.36	3	Horizontal	17	1.69	105.42	33.06	6.44	34.14
PK	5.1494G	65.79	74.00	-8.21	5.27	3	Horizontal	17	1.69	60.52	33.00	6.41	34.14
PK	5.1814G	122.98	Inf	-Inf	5.36	3	Horizontal	17	1.69	117.62	33.06	6.44	34.14



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52524G	41.54	54.00	-12.46	15.99	3	Vertical	226	1.50	25.55	38.15	12.15	34.31
PK	10.36702G	51.96	68.20	-16.24	15.20	3	Vertical	40	1.69	36.76	38.80	11.02	34.62
PK	15.5424G	53.69	74.00	-20.31	15.89	3	Vertical	226	1.50	37.80	38.05	12.16	34.32

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53712G	41.65	54.00	-12.35	15.91	3	Horizontal	7	1.38	25.74	38.08	12.15	34.32
PK	10.36696G	53.00	68.20	-15.20	15.20	3	Horizontal	36	1.97	37.80	38.80	11.02	34.62
PK	15.54366G	53.27	74.00	-20.73	15.88	3	Horizontal	7	1.38	37.39	38.04	12.16	34.32



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.61	54.00	-1.39	5.27	3	Vertical	26	1.80	47.34	33.00	6.41	34.14
AV	5.2024G	112.10	Inf	-Inf	5.41	3	Vertical	26	1.80	106.69	33.10	6.45	34.14
PK	5.1496G	64.52	74.00	-9.48	5.27	3	Vertical	26	1.80	59.25	33.00	6.41	34.14
PK	5.2016G	124.56	Inf	-Inf	5.41	3	Vertical	26	1.80	119.15	33.10	6.45	34.14

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.42	54.00	-3.58	5.27	3	Horizontal	20	1.64	45.15	33.00	6.41	34.14
AV	5.1984G	111.78	Inf	-Inf	5.41	3	Horizontal	20	1.64	106.37	33.10	6.45	34.14
PK	5.1492G	62.36	74.00	-11.64	5.27	3	Horizontal	20	1.64	57.09	33.00	6.41	34.14
PK	5.1988G	124.42	Inf	-Inf	5.41	3	Horizontal	20	1.64	119.01	33.10	6.45	34.14



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59784G	43.80	54.00	-10.20	15.82	3	Vertical	360	2.00	27.98	38.00	12.19	34.37
PK	10.3916G	51.43	68.20	-16.77	15.22	3	Vertical	9	1.50	36.21	38.80	11.02	34.60
PK	15.59874G	58.08	74.00	-15.92	15.82	3	Vertical	360	2.00	42.26	38.00	12.19	34.37

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59718G	42.28	54.00	-11.72	15.82	3	Horizontal	338	1.50	26.46	38.00	12.19	34.37
PK	10.40402G	55.08	68.20	-13.12	15.24	3	Horizontal	36	1.63	39.84	38.80	11.03	34.59
PK	15.59898G	54.35	74.00	-19.65	15.82	3	Horizontal	338	1.50	38.53	38.00	12.19	34.37



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	47.31	54.00	-6.69	5.27	3	Vertical	29	1.80	42.04	33.00	6.41	34.14
AV	5.237G	112.93	Inf	-Inf	5.36	3	Vertical	29	1.80	107.57	33.03	6.48	34.15
AV	5.3762G	47.35	54.00	-6.65	5.40	3	Vertical	29	1.80	41.95	33.00	6.57	34.17
PK	5.1392G	59.77	74.00	-14.23	5.28	3	Vertical	29	1.80	54.49	33.02	6.40	34.14
PK	5.2388G	124.59	Inf	-Inf	5.35	3	Vertical	29	1.80	119.24	33.02	6.48	34.15
PK	5.36G	59.50	74.00	-14.50	5.40	3	Vertical	29	1.80	54.10	33.00	6.56	34.16

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	48.57	54.00	-5.43	5.27	3	Horizontal	18	1.65	43.30	33.00	6.41	34.14
AV	5.2424G	113.22	Inf	-Inf	5.35	3	Horizontal	18	1.65	107.87	33.02	6.48	34.15
AV	5.35G	47.52	54.00	-6.48	5.39	3	Horizontal	18	1.65	42.13	33.00	6.55	34.16
PK	5.1416G	60.08	74.00	-13.92	5.29	3	Horizontal	18	1.65	54.79	33.02	6.41	34.14
PK	5.2436G	125.70	Inf	-Inf	5.34	3	Horizontal	18	1.65	120.36	33.01	6.48	34.15
PK	5.3546G	58.94	74.00	-15.06	5.40	3	Horizontal	18	1.65	53.54	33.00	6.56	34.16



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72558G	49.17	54.00	-4.83	16.00	3	Vertical	360	1.78	33.17	38.20	12.27	34.47
PK	10.49332G	52.37	68.20	-15.83	15.34	3	Vertical	38	1.36	37.03	38.80	11.06	34.52
PK	15.72372G	63.92	74.00	-10.08	16.01	3	Vertical	360	1.78	47.91	38.20	12.27	34.46

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72384G	46.24	54.00	-7.76	16.01	3	Horizontal	3	1.11	30.23	38.20	12.27	34.46
PK	10.48438G	55.54	68.20	-12.66	15.34	3	Horizontal	37	1.50	40.20	38.80	11.06	34.52
PK	15.72342G	61.12	74.00	-12.88	16.01	3	Horizontal	3	1.11	45.11	38.20	12.27	34.46



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	45.53	54.00	-8.47	5.49	3	Vertical	6	1.31	40.04	33.02	6.64	34.17
AV	5.7426G	112.19	Inf	-Inf	6.42	3	Vertical	6	1.31	105.77	33.76	6.86	34.20
PK	5.6502G	67.39	68.35	-0.96	5.71	3	Vertical	6	1.31	61.68	33.10	6.80	34.19
PK	5.7402G	123.60	Inf	-Inf	6.40	3	Vertical	6	1.31	117.20	33.74	6.86	34.20
PK	6.003G	60.80	68.20	-7.40	6.96	3	Vertical	6	1.31	53.84	34.11	7.07	34.22

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	45.32	54.00	-8.68	5.48	3	Horizontal	5	1.04	39.84	33.02	6.64	34.18
AV	5.739G	112.11	Inf	-Inf	6.39	3	Horizontal	5	1.04	105.72	33.73	6.86	34.20
PK	5.649G	68.10	68.20	-0.10	5.71	3	Horizontal	5	1.04	62.39	33.10	6.80	34.19
PK	5.7402G	123.08	Inf	-Inf	6.40	3	Horizontal	5	1.04	116.68	33.74	6.86	34.20
PK	5.9682G	60.86	68.20	-7.34	7.05	3	Horizontal	5	1.04	53.81	34.23	7.04	34.22



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49006G	47.01	54.00	-6.99	16.19	3	Horizontal	13	1.52	30.82	38.82	11.43	34.06
PK	11.48748G	58.83	74.00	-15.17	16.20	3	Horizontal	13	1.52	42.63	38.83	11.43	34.06
PK	17.24856G	54.34	68.20	-13.86	17.52	3	Horizontal	345	2.02	36.82	37.80	13.01	33.29

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49192G	48.41	54.00	-5.59	16.19	3	Vertical	25	1.37	32.22	38.82	11.43	34.06
PK	11.49504G	60.47	74.00	-13.53	16.18	3	Vertical	25	1.37	44.29	38.81	11.43	34.06
PK	17.22126G	53.89	68.20	-14.31	17.52	3	Vertical	76	1.50	36.37	37.80	13.00	33.28



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78129G	111.31	Inf	-Inf	6.68	3	Vertical	6	1.26	104.63	33.99	6.89	34.20
PK	5.64698G	60.00	68.20	-8.20	5.70	3	Vertical	6	1.26	54.30	33.09	6.80	34.19
PK	5.78855G	122.86	Inf	-Inf	6.72	3	Vertical	6	1.26	116.14	34.03	6.89	34.20
PK	6.00514G	60.03	68.20	-8.17	6.96	3	Vertical	6	1.26	53.07	34.11	7.07	34.22

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78855G	112.33	Inf	-Inf	6.72	3	Horizontal	10	1.78	105.61	34.03	6.89	34.20
PK	5.63972G	58.85	68.20	-9.35	5.69	3	Horizontal	10	1.78	53.16	33.08	6.80	34.19
PK	5.78734G	123.42	Inf	-Inf	6.71	3	Horizontal	10	1.78	116.71	34.02	6.89	34.20
PK	6.04507G	60.37	68.20	-7.83	7.05	3	Horizontal	10	1.78	53.32	34.19	7.09	34.23



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56982G	48.01	54.00	-5.99	15.92	3	Horizontal	13	1.54	32.09	38.56	11.46	34.10
PK	11.57078G	60.21	74.00	-13.79	15.92	3	Horizontal	13	1.54	44.29	38.56	11.46	34.10
PK	17.35266G	54.88	68.20	-13.32	17.85	3	Horizontal	342	1.50	37.03	38.11	13.06	33.32

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57384G	48.09	54.00	-5.91	15.90	3	Vertical	16	1.48	32.19	38.55	11.46	34.11
PK	11.57504G	59.92	74.00	-14.08	15.90	3	Vertical	16	1.48	44.02	38.55	11.46	34.11
PK	17.35932G	55.68	68.20	-12.52	17.88	3	Vertical	212	1.50	37.80	38.14	13.06	33.32



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	110.83	Inf	-Inf	6.85	3	Vertical	4	1.37	103.98	34.14	6.92	34.21
PK	5.8222G	58.36	68.20	-9.84	5.63	3	Vertical	4	1.37	52.73	33.04	6.78	34.19
PK	5.8226G	122.63	Inf	-Inf	6.86	3	Vertical	4	1.37	115.77	34.15	6.92	34.21
PK	5.9366G	60.53	68.20	-7.67	7.14	3	Vertical	4	1.37	53.39	34.33	7.02	34.21

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	111.28	Inf	-Inf	6.85	3	Horizontal	9	2.07	104.43	34.14	6.92	34.21
PK	5.6318G	58.21	68.20	-9.99	5.66	3	Horizontal	9	2.07	52.55	33.06	6.79	34.19
PK	5.8178G	123.17	Inf	-Inf	6.85	3	Horizontal	9	2.07	116.32	34.14	6.92	34.21
PK	5.9714G	59.92	68.20	-8.28	7.04	3	Horizontal	9	2.07	52.88	34.21	7.05	34.22



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64988G	47.40	54.00	-6.60	15.64	3	Horizontal	62	1.49	31.76	38.30	11.49	34.15
PK	11.65864G	59.03	74.00	-14.97	15.65	3	Horizontal	62	1.49	43.38	38.32	11.49	34.16
PK	17.4759G	56.36	68.20	-11.84	18.15	3	Horizontal	345	2.04	38.21	38.40	13.11	33.36

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65282G	49.02	54.00	-4.98	15.65	3	Vertical	15	1.58	33.37	38.31	11.49	34.15
PK	11.65114G	60.65	74.00	-13.35	15.64	3	Vertical	15	1.58	45.01	38.30	11.49	34.15
PK	17.48364G	54.96	68.20	-13.24	18.16	3	Vertical	360	1.50	36.80	38.40	13.12	33.36



5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.32	54.00	-0.68	5.27	3	Vertical	31	2.36	48.05	33.00	6.41	34.14
AV	5.194G	104.29	Inf	-Inf	5.40	3	Vertical	31	2.36	98.89	33.09	6.45	34.14
PK	5.15G	65.11	74.00	-8.89	5.27	3	Vertical	31	2.36	59.84	33.00	6.41	34.14
PK	5.1856G	116.03	Inf	-Inf	5.37	3	Vertical	31	2.36	110.66	33.07	6.44	34.14

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.32	54.00	-0.68	5.27	3	Horizontal	14	1.57	48.05	33.00	6.41	34.14
AV	5.1876G	104.25	Inf	-Inf	5.38	3	Horizontal	14	1.57	98.87	33.08	6.44	34.14
PK	5.1496G	65.37	74.00	-8.63	5.27	3	Horizontal	14	1.57	60.10	33.00	6.41	34.14
PK	5.1864G	115.97	Inf	-Inf	5.37	3	Horizontal	14	1.57	110.60	33.07	6.44	34.14



5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56016G	41.63	54.00	-12.37	15.83	3	Vertical	221	1.48	25.80	38.00	12.17	34.34
PK	10.36344G	51.63	68.20	-16.57	15.19	3	Vertical	266	1.50	36.44	38.80	11.01	34.62
PK	15.57288G	53.35	74.00	-20.65	15.83	3	Vertical	221	1.48	37.52	38.00	12.18	34.35

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5478G	41.76	54.00	-12.24	15.84	3	Horizontal	41	2.12	25.92	38.01	12.16	34.33
PK	10.38852G	52.31	68.20	-15.89	15.22	3	Horizontal	356	2.95	37.09	38.80	11.02	34.60
PK	15.59808G	53.06	74.00	-20.94	15.82	3	Horizontal	41	2.12	37.24	38.00	12.19	34.37



5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	52.04	54.00	-1.96	5.27	3	Vertical	21	2.00	46.77	33.00	6.41	34.14
AV	5.228G	106.60	Inf	-Inf	5.36	3	Vertical	21	2.00	101.24	33.04	6.47	34.15
PK	5.1464G	68.24	74.00	-5.76	5.28	3	Vertical	21	2.00	62.96	33.01	6.41	34.14
PK	5.2292G	118.41	Inf	-Inf	5.36	3	Vertical	21	2.00	113.05	33.04	6.47	34.15

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.05	54.00	-3.95	5.27	3	Horizontal	12	1.74	44.78	33.00	6.41	34.14
AV	5.2324G	108.13	Inf	-Inf	5.36	3	Horizontal	12	1.74	102.77	33.04	6.47	34.15
PK	5.1496G	64.64	74.00	-9.36	5.27	3	Horizontal	12	1.74	59.37	33.00	6.41	34.14
PK	5.2348G	120.22	Inf	-Inf	5.35	3	Horizontal	12	1.74	114.87	33.03	6.47	34.15



5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69528G	42.54	54.00	-11.46	15.98	3	Vertical	353	1.55	26.56	38.17	12.25	34.44
PK	10.43876G	51.19	68.20	-17.01	15.28	3	Vertical	343	1.50	35.91	38.80	11.04	34.56
PK	15.7032G	56.49	74.00	-17.51	16.01	3	Vertical	353	1.55	40.48	38.20	12.26	34.45

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69384G	41.80	54.00	-12.20	15.97	3	Horizontal	335	1.54	25.83	38.16	12.25	34.44
PK	10.45472G	52.12	68.20	-16.08	15.30	3	Horizontal	29	1.78	36.82	38.80	11.05	34.55
PK	15.7038G	53.94	74.00	-20.06	16.01	3	Horizontal	335	1.54	37.93	38.20	12.26	34.45



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4574G	45.52	54.00	-8.48	5.48	3	Vertical	4	1.48	40.04	33.01	6.64	34.17
AV	5.7526G	107.44	Inf	-Inf	6.49	3	Vertical	4	1.48	100.95	33.82	6.87	34.20
PK	5.6506G	67.60	68.64	-1.04	5.71	3	Vertical	4	1.48	61.89	33.10	6.80	34.19
PK	5.7418G	118.92	Inf	-Inf	6.41	3	Vertical	4	1.48	112.51	33.75	6.86	34.20
PK	5.9518G	60.39	68.20	-7.81	7.10	3	Vertical	4	1.48	53.29	34.29	7.03	34.22

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	45.32	54.00	-8.68	5.48	3	Horizontal	7	1.18	39.84	33.02	6.64	34.18
AV	5.749G	107.58	Inf	-Inf	6.46	3	Horizontal	7	1.18	101.12	33.79	6.87	34.20
PK	5.6494G	67.82	68.20	-0.38	5.71	3	Horizontal	7	1.18	62.11	33.10	6.80	34.19
PK	5.7586G	118.56	Inf	-Inf	6.52	3	Horizontal	7	1.18	112.04	33.85	6.87	34.20
PK	5.9482G	60.11	68.20	-8.09	7.11	3	Horizontal	7	1.18	53.00	34.30	7.03	34.22



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50988G	44.50	54.00	-9.50	16.13	3	Horizontal	14	1.53	28.37	38.76	11.44	34.07
PK	11.51084G	57.01	74.00	-16.99	16.13	3	Horizontal	14	1.53	40.88	38.76	11.44	34.07
PK	17.2878G	54.62	68.20	-13.58	17.61	3	Horizontal	58	2.35	37.01	37.88	13.03	33.30

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5136G	44.38	54.00	-9.62	16.12	3	Vertical	26	1.48	28.26	38.75	11.44	34.07
PK	11.51324G	57.43	74.00	-16.57	16.12	3	Vertical	26	1.48	41.31	38.75	11.44	34.07
PK	17.28096G	54.15	68.20	-14.05	17.58	3	Vertical	291	1.50	36.57	37.86	13.02	33.30



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	107.45	Inf	-Inf	6.76	3	Vertical	2	1.50	100.69	34.06	6.90	34.20
PK	5.639G	65.33	68.20	-2.87	5.69	3	Vertical	2	1.50	59.64	33.08	6.80	34.19
PK	5.7926G	119.02	Inf	-Inf	6.76	3	Vertical	2	1.50	112.26	34.06	6.90	34.20
PK	5.9822G	60.73	68.20	-7.47	7.00	3	Vertical	2	1.50	53.73	34.17	7.05	34.22

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	108.58	Inf	-Inf	6.72	3	Horizontal	8	1.15	101.86	34.03	6.89	34.20
PK	5.6498G	64.85	68.20	-3.35	5.71	3	Horizontal	8	1.15	59.14	33.10	6.80	34.19
PK	5.7998G	120.36	Inf	-Inf	6.80	3	Horizontal	8	1.15	113.56	34.10	6.90	34.20
PK	5.981G	60.12	68.20	-8.08	7.01	3	Horizontal	8	1.15	53.11	34.18	7.05	34.22



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58964G	45.76	54.00	-8.24	15.87	3	Horizontal	61	1.44	29.89	38.52	11.47	34.12
PK	11.58976G	57.36	74.00	-16.64	15.87	3	Horizontal	61	1.44	41.49	38.52	11.47	34.12
PK	17.40156G	55.86	68.20	-12.34	18.04	3	Horizontal	301	1.57	37.82	38.30	13.08	33.34

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5918G	46.08	54.00	-7.92	15.87	3	Vertical	15	1.58	30.21	38.52	11.47	34.12
PK	11.59144G	58.20	74.00	-15.80	15.87	3	Vertical	15	1.58	42.33	38.52	11.47	34.12
PK	17.37924G	54.73	68.20	-13.47	17.96	3	Vertical	127	1.50	36.77	38.22	13.07	33.33



5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.57	54.00	-0.43	5.27	3	Vertical	29	2.05	48.30	33.00	6.41	34.14
AV	5.232G	102.22	Inf	-Inf	5.36	3	Vertical	29	2.05	96.86	33.04	6.47	34.15
AV	5.35G	47.84	54.00	-6.16	5.39	3	Vertical	29	2.05	42.45	33.00	6.55	34.16
PK	5.142G	66.04	74.00	-7.96	5.29	3	Vertical	29	2.05	60.75	33.02	6.41	34.14
PK	5.216G	114.26	Inf	-Inf	5.38	3	Vertical	29	2.05	108.88	33.07	6.46	34.15
PK	5.353G	59.49	74.00	-14.51	5.40	3	Vertical	29	2.05	54.09	33.00	6.56	34.16

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.49	54.00	-0.51	5.27	3	Horizontal	17	1.77	48.22	33.00	6.41	34.14
AV	5.219G	102.36	Inf	-Inf	5.37	3	Horizontal	17	1.77	96.99	33.06	6.46	34.15
AV	5.35G	47.18	54.00	-6.82	5.39	3	Horizontal	17	1.77	41.79	33.00	6.55	34.16
PK	5.145G	64.73	74.00	-9.27	5.28	3	Horizontal	17	1.77	59.45	33.01	6.41	34.14
PK	5.208G	114.13	Inf	-Inf	5.40	3	Horizontal	17	1.77	108.73	33.08	6.46	34.14
PK	5.351G	58.75	74.00	-15.25	5.40	3	Horizontal	17	1.77	53.35	33.00	6.56	34.16



5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57G	41.49	54.00	-12.51	15.83	3	Vertical	265	1.83	25.66	38.00	12.17	34.34
PK	10.44808G	51.40	68.20	-16.80	15.30	3	Vertical	21	2.53	36.10	38.80	11.05	34.55
PK	15.60912G	53.94	74.00	-20.06	15.80	3	Vertical	265	1.83	38.14	37.98	12.20	34.38

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57264G	41.49	54.00	-12.51	15.83	3	Horizontal	43	1.50	25.66	38.00	12.18	34.35
PK	10.43872G	52.04	68.20	-16.16	15.28	3	Horizontal	317	1.50	36.76	38.80	11.04	34.56
PK	15.58416G	53.34	74.00	-20.66	15.82	3	Horizontal	43	1.50	37.52	38.00	12.18	34.36



5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7522G	98.58	Inf	-Inf	6.48	3	Vertical	357	1.48	92.10	33.81	6.87	34.20
PK	5.6502G	66.20	68.35	-2.15	5.71	3	Vertical	357	1.48	60.49	33.10	6.80	34.19
PK	5.751G	110.50	Inf	-Inf	6.48	3	Vertical	357	1.48	104.02	33.81	6.87	34.20
PK	6.075G	60.61	68.20	-7.59	7.02	3	Vertical	357	1.48	53.59	34.15	7.11	34.24

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7882G	101.83	Inf	-Inf	6.72	3	Horizontal	360	1.74	95.11	34.03	6.89	34.20
PK	5.649G	66.73	68.20	-1.47	5.71	3	Horizontal	360	1.74	61.02	33.10	6.80	34.19
PK	5.787G	113.32	Inf	-Inf	6.71	3	Horizontal	360	1.74	106.61	34.02	6.89	34.20
PK	6.0318G	60.31	68.20	-7.89	7.02	3	Horizontal	360	1.74	53.29	34.16	7.09	34.23



5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55G	41.72	54.00	-12.28	15.96	3	Horizontal	64	1.50	25.76	38.60	11.45	34.09
PK	11.51856G	53.47	74.00	-20.53	16.10	3	Horizontal	64	1.50	37.37	38.73	11.44	34.07
PK	17.38188G	54.68	68.20	-13.52	17.97	3	Horizontal	210	1.50	36.71	38.23	13.07	33.33

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54328G	41.68	54.00	-12.32	15.99	3	Vertical	25	1.33	25.69	38.63	11.45	34.09
PK	11.56176G	53.65	74.00	-20.35	15.94	3	Vertical	25	1.33	37.71	38.58	11.46	34.10
PK	17.35356G	54.54	68.20	-13.66	17.85	3	Vertical	257	2.24	36.69	38.11	13.06	33.32



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	10.39919G	63.80	68.20	-4.40	Vertical
Mode 2	Pass	PK	13.60193G	61.07	68.20	-7.13	Horizontal
Mode 3	Pass	PK	10.39659G	65.10	68.20	-3.10	Horizontal
Mode 4	Pass	AV	12.02275G	43.15	54.00	-10.85	Horizontal
Mode 5	Pass	PK	13.321G	60.53	74.00	-13.47	Horizontal
Mode 6	Pass	AV	8.43579G	41.18	54.00	-12.82	Horizontal




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	6.0502G	33.59	68.20	-34.61	3	Vertical	234	1.50
Mode 1	Pass	AV	10.39919G	42.25	68.20	-25.95	3	Vertical	54	1.84
Mode 1	Pass	AV	16.04521G	42.41	54.00	-11.59	3	Vertical	47	1.56
Mode 1	Pass	PK	6.0502G	50.30	68.20	-17.90	3	Vertical	234	1.50
Mode 1	Pass	PK	10.39919G	63.80	68.20	-4.40	3	Vertical	54	1.84
Mode 1	Pass	PK	16.04521G	58.23	74.00	-15.77	3	Vertical	47	1.56
Mode 1	Pass	AV	4.87492G	40.13	54.00	-13.87	3	Horizontal	2	1.50
Mode 1	Pass	AV	10.39128G	42.97	68.20	-25.23	3	Horizontal	308	1.50
Mode 1	Pass	AV	13.48595G	45.95	68.20	-22.25	3	Horizontal	29	2.16
Mode 1	Pass	PK	4.87492G	53.76	74.00	-20.24	3	Horizontal	2	1.50
Mode 1	Pass	PK	10.39128G	52.44	68.20	-15.76	3	Horizontal	308	1.50
Mode 1	Pass	PK	13.48595G	61.42	68.20	-6.78	3	Horizontal	29	2.16
Mode 2	Pass	AV	4.32006G	30.47	54.00	-23.53	3	Vertical	54	1.44
Mode 2	Pass	AV	10.39718G	49.92	68.20	-18.28	3	Vertical	51	1.14
Mode 2	Pass	AV	15.77993G	42.59	54.00	-11.41	3	Vertical	14	2.18
Mode 2	Pass	PK	4.32006G	46.12	74.00	-27.88	3	Vertical	54	1.44
Mode 2	Pass	PK	10.39718G	59.92	68.20	-8.28	3	Vertical	51	1.14
Mode 2	Pass	PK	15.77993G	57.66	74.00	-16.34	3	Vertical	14	2.18
Mode 2	Pass	AV	4.3592G	30.40	54.00	-23.60	3	Horizontal	341	1.67
Mode 2	Pass	AV	13.60193G	58.60	68.20	-9.60	3	Horizontal	64	1.68
Mode 2	Pass	AV	16.81324G	43.39	68.20	-24.81	3	Horizontal	21	1.51
Mode 2	Pass	PK	4.3592G	46.60	74.00	-27.40	3	Horizontal	341	1.67
Mode 2	Pass	PK	13.60193G	61.07	68.20	-7.13	3	Horizontal	64	1.68
Mode 2	Pass	PK	16.81324G	59.92	68.20	-8.28	3	Horizontal	21	1.51
Mode 3	Pass	AV	3.41346G	28.67	68.20	-39.53	3	Vertical	276	1.83
Mode 3	Pass	AV	7.45493G	36.97	54.00	-17.03	3	Vertical	254	1.68
Mode 3	Pass	AV	14.92756G	44.36	68.20	-23.84	3	Vertical	358	1.62
Mode 3	Pass	PK	3.41346G	44.23	68.20	-23.97	3	Vertical	276	1.83
Mode 3	Pass	PK	7.45493G	53.18	74.00	-20.82	3	Vertical	254	1.68
Mode 3	Pass	PK	14.92756G	59.50	68.20	-8.70	3	Vertical	358	1.62
Mode 3	Pass	AV	2.97678G	28.44	68.20	-39.76	3	Horizontal	248	1.54
Mode 3	Pass	AV	5.96245G	34.00	68.20	-34.20	3	Horizontal	198	1.37
Mode 3	Pass	AV	10.39659G	41.56	68.20	-26.64	3	Horizontal	311	2.14
Mode 3	Pass	PK	2.97678G	43.67	68.20	-24.53	3	Horizontal	248	1.54
Mode 3	Pass	PK	5.96245G	49.60	68.20	-18.60	3	Horizontal	198	1.37
Mode 3	Pass	PK	10.39659G	65.10	68.20	-3.10	3	Horizontal	311	2.14
Mode 4	Pass	AV	5.66069G	32.90	68.20	-35.30	3	Vertical	116	1.17
Mode 4	Pass	AV	8.07867G	37.59	54.00	-16.41	3	Vertical	320	2.13
Mode 4	Pass	AV	15.8784G	42.37	54.00	-11.63	3	Vertical	68	2.41
Mode 4	Pass	PK	5.66069G	49.30	68.20	-18.90	3	Vertical	116	1.17
Mode 4	Pass	PK	8.07867G	53.38	74.00	-20.62	3	Vertical	320	2.13
Mode 4	Pass	PK	15.8784G	58.27	74.00	-15.73	3	Vertical	68	2.41
Mode 4	Pass	AV	4.87393G	31.12	54.00	-22.88	3	Horizontal	16	1.84
Mode 4	Pass	AV	6.4189G	34.63	68.20	-33.57	3	Horizontal	351	2.18
Mode 4	Pass	AV	12.02275G	43.15	54.00	-10.85	3	Horizontal	26	2.32
Mode 4	Pass	PK	4.87393G	58.82	74.00	-15.18	3	Horizontal	16	1.84
Mode 4	Pass	PK	6.4189G	50.46	68.20	-17.74	3	Horizontal	351	2.18
Mode 4	Pass	PK	12.02275G	57.83	74.00	-16.17	3	Horizontal	26	2.32
Mode 5	Pass	AV	3.1703G	30.43	68.20	-37.77	3	Vertical	106	1.82
Mode 5	Pass	AV	5.76388G	36.69	68.20	-31.51	3	Vertical	63	2.14




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 5	Pass	PK	3.1703G	46.42	68.20	-21.78	3	Vertical	106	1.82
Mode 5	Pass	PK	5.76388G	52.70	68.20	-15.50	3	Vertical	63	2.14
Mode 5	Pass	PK	11.45G	59.02	74.00	-14.98	3	Vertical	0	1.00
Mode 5	Pass	AV	3.38179G	31.00	68.20	-37.20	3	Horizontal	347	1.50
Mode 5	Pass	AV	6.08679G	36.38	68.20	-31.82	3	Horizontal	4	2.00
Mode 5	Pass	PK	3.38179G	47.22	68.20	-20.98	3	Horizontal	347	1.50
Mode 5	Pass	PK	6.08679G	52.06	68.20	-16.14	3	Horizontal	4	2.00
Mode 5	Pass	PK	13.321G	60.53	74.00	-13.47	3	Horizontal	360	1.00
Mode 6	Pass	AV	3.4337G	30.59	68.20	-37.61	3	Vertical	194	1.63
Mode 6	Pass	AV	6.19199G	36.89	68.20	-31.31	3	Vertical	59	2.79
Mode 6	Pass	AV	8.07156G	41.02	54.00	-12.98	3	Vertical	56	2.31
Mode 6	Pass	PK	3.4337G	46.23	68.20	-21.97	3	Vertical	194	1.63
Mode 6	Pass	PK	6.19199G	52.17	68.20	-16.03	3	Vertical	59	2.79
Mode 6	Pass	PK	8.07156G	56.44	74.00	-17.56	3	Vertical	56	2.31
Mode 6	Pass	AV	3.92062G	32.45	54.00	-21.55	3	Horizontal	118	1.52
Mode 6	Pass	AV	5.92792G	37.00	68.20	-31.20	3	Horizontal	53	1.67
Mode 6	Pass	AV	8.43579G	41.18	54.00	-12.82	3	Horizontal	316	1.46
Mode 6	Pass	PK	3.92062G	47.71	74.00	-26.29	3	Horizontal	118	1.52
Mode 6	Pass	PK	5.92792G	52.68	68.20	-15.52	3	Horizontal	53	1.67
Mode 6	Pass	PK	8.43579G	56.89	74.00	-17.11	3	Horizontal	316	1.46

Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	16.04521G	42.41	54.00	-11.59	15.82	3	Vertical	47	1.56	26.59	38.00	12.46	34.64
PK	6.0502G	50.30	68.20	-17.90	6.97	3	Vertical	234	1.50	43.33	34.10	7.10	34.23
PK	10.39919G	63.80	68.20	-4.40	15.34	3	Vertical	54	1.84	48.46	38.90	11.03	34.59
PK	16.04521G	58.23	74.00	-15.77	15.82	3	Vertical	47	1.56	42.41	38.00	12.46	34.64

Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87492G	40.13	54.00	-13.87	4.64	3	Horizontal	2	1.50	35.49	32.60	6.21	34.17
PK	4.87492G	53.76	74.00	-20.24	4.64	3	Horizontal	2	1.50	49.12	32.60	6.21	34.17
PK	10.39128G	52.44	68.20	-15.76	15.32	3	Horizontal	308	1.50	37.12	38.90	11.02	34.60
PK	13.48595G	61.42	68.20	-6.78	18.99	3	Horizontal	29	2.16	42.43	40.04	11.31	32.36

Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.32006G	30.47	54.00	-23.53	2.87	3	Vertical	54	1.44	27.60	31.44	5.74	34.31
AV	15.77993G	42.59	54.00	-11.41	16.19	3	Vertical	14	2.18	26.40	38.40	12.30	34.51
PK	4.32006G	46.12	74.00	-27.88	2.87	3	Vertical	54	1.44	43.25	31.44	5.74	34.31
PK	10.39718G	59.92	68.20	-8.28	15.33	3	Vertical	51	1.14	44.59	38.90	11.03	34.60
PK	15.77993G	57.66	74.00	-16.34	16.19	3	Vertical	14	2.18	41.47	38.40	12.30	34.51

Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.3592G	30.40	54.00	-23.60	2.99	3	Horizontal	341	1.67	27.41	31.56	5.74	34.31
PK	4.3592G	46.60	74.00	-27.40	2.99	3	Horizontal	341	1.67	43.61	31.56	5.74	34.31
PK	13.60193G	61.07	68.20	-7.13	18.82	3	Horizontal	64	1.68	42.25	39.90	11.28	32.36
PK	16.81324G	59.92	68.20	-8.28	17.50	3	Horizontal	21	1.51	42.42	38.27	12.81	33.58

Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	7.45493G	36.97	54.00	-17.03	9.77	3	Vertical	254	1.68	27.20	36.38	7.90	34.51
PK	3.41346G	44.23	68.20	-23.97	0.42	3	Vertical	276	1.83	43.81	29.57	5.11	34.26
PK	7.45493G	53.18	74.00	-20.82	9.77	3	Vertical	254	1.68	43.41	36.38	7.90	34.51
PK	14.92756G	59.50	68.20	-8.70	17.89	3	Vertical	358	1.62	41.61	39.70	11.78	33.59

Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	2.97678G	43.67	68.20	-24.53	-0.09	3	Horizontal	248	1.54	43.76	29.47	4.73	34.29
PK	5.96245G	49.60	68.20	-18.60	7.00	3	Horizontal	198	1.37	42.60	34.18	7.04	34.22
PK	10.39659G	65.10	68.20	-3.10	15.33	3	Horizontal	311	2.14	49.77	38.90	11.03	34.60


Mode 4



06/09/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	8.07867G	37.59	54.00	-16.41	10.93	3	Vertical	320	2.13	26.66	37.10	8.52	34.69
AV	15.8784G	42.37	54.00	-11.63	16.01	3	Vertical	68	2.41	26.36	38.24	12.36	34.59
PK	5.66069G	49.30	68.20	-18.90	5.75	3	Vertical	116	1.17	43.55	33.13	6.81	34.19
PK	8.07867G	53.38	74.00	-20.62	10.93	3	Vertical	320	2.13	42.45	37.10	8.52	34.69
PK	15.8784G	58.27	74.00	-15.73	16.01	3	Vertical	68	2.41	42.26	38.24	12.36	34.59


Mode 4



06/09/2023


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87393G	31.12	54.00	-22.88	4.64	3	Horizontal	16	1.84	26.48	32.60	6.21	34.17
AV	12.02275G	43.15	54.00	-10.85	16.38	3	Horizontal	26	2.32	26.77	39.12	11.62	34.36
PK	4.87393G	58.82	74.00	-15.18	4.64	3	Horizontal	16	1.84	54.18	32.60	6.21	34.17
PK	6.4189G	50.46	68.20	-17.74	7.73	3	Horizontal	351	2.18	42.73	34.80	7.24	34.31
PK	12.02275G	57.83	74.00	-16.17	16.38	3	Horizontal	26	2.32	41.45	39.12	11.62	34.36

Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	11.45G	42.86	54.00	-11.14	16.50	3	Vertical	0	1.00	26.36	39.15	11.42	34.07
PK	3.1703G	46.42	68.20	-21.78	0.43	3	Vertical	106	1.82	45.99	29.80	4.91	34.28
PK	5.76388G	52.70	68.20	-15.50	6.56	3	Vertical	63	2.14	46.14	33.88	6.88	34.20
PK	11.45G	59.02	74.00	-14.98	16.50	3	Vertical	0	1.00	42.52	39.15	11.42	34.07

Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	13.321G	44.97	54.00	-9.03	18.72	3	Horizontal	0	0.00	26.25	39.98	11.34	32.60
PK	3.38179G	47.22	68.20	-20.98	0.39	3	Horizontal	347	1.50	46.83	29.56	5.09	34.26
PK	6.08679G	52.06	68.20	-16.14	6.90	3	Horizontal	4	2.00	45.16	34.03	7.11	34.24
PK	13.321G	60.53	74.00	-13.47	18.72	3	Horizontal	360	1.00	41.81	39.98	11.34	32.60

Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	8.07156G	41.02	54.00	-12.98	10.94	3	Vertical	56	2.31	30.08	37.10	8.53	34.69
PK	3.4337G	46.23	68.20	-21.97	0.40	3	Vertical	194	1.63	45.83	29.53	5.13	34.26
PK	6.19199G	52.17	68.20	-16.03	7.19	3	Vertical	59	2.79	44.98	34.28	7.17	34.26
PK	8.07156G	56.44	74.00	-17.56	10.94	3	Vertical	56	2.31	45.50	37.10	8.53	34.69

Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.92062G	32.45	54.00	-21.55	2.20	3	Horizontal	118	1.52	30.25	30.94	5.57	34.31
AV	8.43579G	41.18	54.00	-12.82	11.71	3	Horizontal	316	1.46	29.47	37.54	8.84	34.67
PK	3.92062G	47.71	74.00	-26.29	2.20	3	Horizontal	118	1.52	45.51	30.94	5.57	34.31
PK	5.92792G	52.68	68.20	-15.52	7.04	3	Horizontal	53	1.67	45.64	34.24	7.01	34.21
PK	8.43579G	56.89	74.00	-17.11	11.71	3	Horizontal	316	1.46	45.18	37.54	8.84	34.67