




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4588G | 47.96 | 54.00 | -6.04 | 5.48 | 3 | Vertical | 27 | 1.81 | 42.48 | 33.02 | 6.64 | 34.18 |
| AV | 5.4968G | 109.19 | Inf | -Inf | 5.59 | 3 | Vertical | 27 | 1.81 | 103.60 | 33.09 | 6.68 | 34.18 |
| PK | 5.4596G | 61.30 | 74.00 | -12.70 | 5.48 | 3 | Vertical | 27 | 1.81 | 55.82 | 33.02 | 6.64 | 34.18 |
| PK | 5.4638G | 61.69 | 68.20 | -6.51 | 5.50 | 3 | Vertical | 27 | 1.81 | 56.19 | 33.03 | 6.65 | 34.18 |
| PK | 5.4968G | 118.12 | Inf | -Inf | 5.59 | 3 | Vertical | 27 | 1.81 | 112.53 | 33.09 | 6.68 | 34.18 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4584G | 48.11 | 54.00 | -5.89 | 5.48 | 3 | Horizontal | 14 | 2.85 | 42.63 | 33.02 | 6.64 | 34.18 |
| AV | 5.4978G | 109.45 | Inf | -Inf | 5.60 | 3 | Horizontal | 14 | 2.85 | 103.85 | 33.10 | 6.68 | 34.18 |
| PK | 5.4572G | 60.19 | 74.00 | -13.81 | 5.48 | 3 | Horizontal | 14 | 2.85 | 54.71 | 33.01 | 6.64 | 34.17 |
| PK | 5.469G | 60.86 | 68.20 | -7.34 | 5.51 | 3 | Horizontal | 14 | 2.85 | 55.35 | 33.04 | 6.65 | 34.18 |
| PK | 5.502G | 119.44 | Inf | -Inf | 5.60 | 3 | Horizontal | 14 | 2.85 | 113.84 | 33.10 | 6.68 | 34.18 |



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.00156G | 44.72 | 54.00 | -9.28 | 15.79 | 3 | Vertical | 352 | 1.68 | 28.93 | 38.70 | 11.25 | 34.16 |
| PK | 10.99634G | 56.70 | 74.00 | -17.30 | 15.80 | 3 | Vertical | 352 | 1.68 | 40.90 | 38.71 | 11.25 | 34.16 |
| PK | 16.50048G | 55.24 | 68.20 | -12.96 | 16.77 | 3 | Vertical | 360 | 1.56 | 38.47 | 38.30 | 12.67 | 34.20 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.00198G | 44.80 | 54.00 | -9.20 | 15.79 | 3 | Horizontal | 29 | 1.50 | 29.01 | 38.70 | 11.25 | 34.16 |
| PK | 11.0015G | 56.01 | 74.00 | -17.99 | 15.79 | 3 | Horizontal | 29 | 1.50 | 40.22 | 38.70 | 11.25 | 34.16 |
| PK | 16.49568G | 53.97 | 68.20 | -14.23 | 16.80 | 3 | Horizontal | 92 | 1.40 | 37.17 | 38.33 | 12.67 | 34.20 |



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4594G | 46.90 | 54.00 | -7.10 | 5.48 | 3 | Vertical | 30 | 1.76 | 41.42 | 33.02 | 6.64 | 34.18 |
| AV | 5.5752G | 108.50 | Inf | -Inf | 5.56 | 3 | Vertical | 30 | 1.76 | 102.94 | 33.00 | 6.75 | 34.19 |
| PK | 5.439G | 58.98 | 74.00 | -15.02 | 5.46 | 3 | Vertical | 30 | 1.76 | 53.52 | 33.00 | 6.63 | 34.17 |
| PK | 5.4606G | 58.30 | 68.20 | -9.90 | 5.48 | 3 | Vertical | 30 | 1.76 | 52.82 | 33.02 | 6.64 | 34.18 |
| PK | 5.5746G | 116.94 | Inf | -Inf | 5.56 | 3 | Vertical | 30 | 1.76 | 111.38 | 33.00 | 6.75 | 34.19 |
| PK | 5.727G | 58.73 | 68.20 | -9.47 | 6.31 | 3 | Vertical | 30 | 1.76 | 52.42 | 33.66 | 6.85 | 34.20 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4576G | 47.08 | 54.00 | -6.92 | 5.49 | 3 | Horizontal | 18 | 2.90 | 41.59 | 33.02 | 6.64 | 34.17 |
| AV | 5.5752G | 110.23 | Inf | -Inf | 5.56 | 3 | Horizontal | 18 | 2.90 | 104.67 | 33.00 | 6.75 | 34.19 |
| PK | 5.4558G | 58.74 | 74.00 | -15.26 | 5.48 | 3 | Horizontal | 18 | 2.90 | 53.26 | 33.01 | 6.64 | 34.17 |
| PK | 5.463G | 58.24 | 68.20 | -9.96 | 5.50 | 3 | Horizontal | 18 | 2.90 | 52.74 | 33.03 | 6.65 | 34.18 |
| PK | 5.5818G | 119.35 | Inf | -Inf | 5.56 | 3 | Horizontal | 18 | 2.90 | 113.79 | 33.00 | 6.75 | 34.19 |
| PK | 5.7276G | 59.24 | 68.20 | -8.96 | 6.32 | 3 | Horizontal | 18 | 2.90 | 52.92 | 33.67 | 6.85 | 34.20 |



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.16156G | 47.46 | 54.00 | -6.54 | 16.08 | 3 | Vertical | 351 | 1.40 | 31.38 | 38.90 | 11.31 | 34.13 |
| PK | 11.16162G | 59.87 | 74.00 | -14.13 | 16.08 | 3 | Vertical | 351 | 1.40 | 43.79 | 38.90 | 11.31 | 34.13 |
| PK | 16.73484G | 65.32 | 68.20 | -2.88 | 16.99 | 3 | Vertical | 347 | 1.44 | 48.33 | 37.96 | 12.77 | 33.74 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.16198G | 48.58 | 54.00 | -5.42 | 16.08 | 3 | Horizontal | 32 | 1.67 | 32.50 | 38.90 | 11.31 | 34.13 |
| PK | 11.16186G | 60.24 | 74.00 | -13.76 | 16.08 | 3 | Horizontal | 32 | 1.67 | 44.16 | 38.90 | 11.31 | 34.13 |
| PK | 16.74066G | 66.98 | 68.20 | -1.22 | 17.00 | 3 | Horizontal | 311 | 1.66 | 49.98 | 37.94 | 12.78 | 33.72 |



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.7012G | 109.01 | Inf | -Inf | 6.15 | 3 | Vertical | 10 | 1.80 | 102.86 | 33.51 | 6.84 | 34.20 |
| PK | 5.6964G | 118.05 | Inf | -Inf | 6.10 | 3 | Vertical | 10 | 1.80 | 111.95 | 33.47 | 6.83 | 34.20 |
| PK | 5.7276G | 64.95 | 68.20 | -3.25 | 6.32 | 3 | Vertical | 10 | 1.80 | 58.63 | 33.67 | 6.85 | 34.20 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.704G | 109.14 | Inf | -Inf | 6.16 | 3 | Horizontal | 32 | 2.27 | 102.98 | 33.52 | 6.84 | 34.20 |
| PK | 5.704G | 118.58 | Inf | -Inf | 6.16 | 3 | Horizontal | 32 | 2.27 | 112.42 | 33.52 | 6.84 | 34.20 |
| PK | 5.7252G | 61.80 | 68.20 | -6.40 | 6.30 | 3 | Horizontal | 32 | 2.27 | 55.50 | 33.65 | 6.85 | 34.20 |



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.39796G | 44.54 | 54.00 | -9.46 | 16.32 | 3 | Vertical | 25 | 1.61 | 28.22 | 39.00 | 11.40 | 34.08 |
| PK | 11.40288G | 56.65 | 74.00 | -17.35 | 16.31 | 3 | Vertical | 25 | 1.61 | 40.34 | 38.99 | 11.40 | 34.08 |
| PK | 17.11032G | 54.07 | 68.20 | -14.13 | 17.42 | 3 | Vertical | 19 | 1.50 | 36.65 | 37.72 | 12.95 | 33.25 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.39802G | 43.82 | 54.00 | -10.18 | 16.32 | 3 | Horizontal | 352 | 1.48 | 27.50 | 39.00 | 11.40 | 34.08 |
| PK | 11.39694G | 54.77 | 74.00 | -19.23 | 16.32 | 3 | Horizontal | 352 | 1.48 | 38.45 | 39.00 | 11.40 | 34.08 |
| PK | 17.0973G | 53.68 | 68.20 | -14.52 | 17.41 | 3 | Horizontal | -0 | 2.62 | 36.27 | 37.71 | 12.94 | 33.24 |



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.444G | 46.65 | 54.00 | -7.35 | 5.46 | 3 | Vertical | 10 | 1.86 | 41.19 | 33.00 | 6.63 | 34.17 |
| AV | 5.7164G | 113.60 | Inf | -Inf | 6.25 | 3 | Vertical | 10 | 1.86 | 107.35 | 33.60 | 6.85 | 34.20 |
| PK | 5.456G | 58.93 | 74.00 | -15.07 | 5.48 | 3 | Vertical | 10 | 1.86 | 53.45 | 33.01 | 6.64 | 34.17 |
| PK | 5.462G | 57.81 | 68.20 | -10.39 | 5.49 | 3 | Vertical | 10 | 1.86 | 52.32 | 33.02 | 6.65 | 34.18 |
| PK | 5.7164G | 122.22 | Inf | -Inf | 6.25 | 3 | Vertical | 10 | 1.86 | 115.97 | 33.60 | 6.85 | 34.20 |
| PK | 5.9468G | 60.20 | 68.20 | -8.00 | 7.11 | 3 | Vertical | 10 | 1.86 | 53.09 | 34.31 | 7.02 | 34.22 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.45G | 47.39 | 54.00 | -6.61 | 5.46 | 3 | Horizontal | 31 | 2.28 | 41.93 | 33.00 | 6.63 | 34.17 |
| AV | 5.7188G | 113.85 | Inf | -Inf | 6.26 | 3 | Horizontal | 31 | 2.28 | 107.59 | 33.61 | 6.85 | 34.20 |
| PK | 5.4368G | 59.00 | 74.00 | -15.00 | 5.45 | 3 | Horizontal | 31 | 2.28 | 53.55 | 33.00 | 6.62 | 34.17 |
| PK | 5.4644G | 59.08 | 68.20 | -9.12 | 5.50 | 3 | Horizontal | 31 | 2.28 | 53.58 | 33.03 | 6.65 | 34.18 |
| PK | 5.7236G | 122.65 | Inf | -Inf | 6.29 | 3 | Horizontal | 31 | 2.28 | 116.36 | 33.64 | 6.85 | 34.20 |
| PK | 5.99G | 60.41 | 68.20 | -7.79 | 6.98 | 3 | Horizontal | 31 | 2.28 | 53.43 | 34.14 | 7.06 | 34.22 |



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.43814G | 46.30 | 54.00 | -7.70 | 16.26 | 3 | Vertical | 25 | 1.64 | 30.04 | 38.92 | 11.41 | 34.07 |
| PK | 11.4427G | 57.60 | 74.00 | -16.40 | 16.25 | 3 | Vertical | 25 | 1.64 | 41.35 | 38.91 | 11.41 | 34.07 |
| PK | 17.16414G | 60.37 | 68.20 | -7.83 | 17.51 | 3 | Vertical | -0 | 1.50 | 42.86 | 37.80 | 12.97 | 33.26 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.43988G | 45.01 | 54.00 | -8.99 | 16.26 | 3 | Horizontal | 28 | 1.50 | 28.75 | 38.92 | 11.41 | 34.07 |
| PK | 11.4403G | 55.95 | 74.00 | -18.05 | 16.26 | 3 | Horizontal | 28 | 1.50 | 39.69 | 38.92 | 11.41 | 34.07 |
| PK | 17.15916G | 62.80 | 68.20 | -5.40 | 17.51 | 3 | Horizontal | 32 | 1.88 | 45.29 | 37.80 | 12.97 | 33.26 |



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.15G | 46.25 | 54.00 | -7.75 | 5.27 | 3 | Vertical | 30 | 1.75 | 40.98 | 33.00 | 6.41 | 34.14 |
| AV | 5.2624G | 110.16 | Inf | -Inf | 5.36 | 3 | Vertical | 30 | 1.75 | 104.80 | 33.02 | 6.49 | 34.15 |
| AV | 5.3764G | 49.19 | 54.00 | -4.81 | 5.40 | 3 | Vertical | 30 | 1.75 | 43.79 | 33.00 | 6.57 | 34.17 |
| PK | 5.1478G | 57.93 | 74.00 | -16.07 | 5.27 | 3 | Vertical | 30 | 1.75 | 52.66 | 33.00 | 6.41 | 34.14 |
| PK | 5.2636G | 121.64 | Inf | -Inf | 5.37 | 3 | Vertical | 30 | 1.75 | 116.27 | 33.03 | 6.49 | 34.15 |
| PK | 5.359G | 60.06 | 74.00 | -13.94 | 5.40 | 3 | Vertical | 30 | 1.75 | 54.66 | 33.00 | 6.56 | 34.16 |

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.15G | 46.63 | 54.00 | -7.37 | 5.27 | 3 | Horizontal | 18 | 1.82 | 41.36 | 33.00 | 6.41 | 34.14 |
| AV | 5.2582G | 110.71 | Inf | -Inf | 5.36 | 3 | Horizontal | 18 | 1.82 | 105.35 | 33.02 | 6.49 | 34.15 |
| AV | 5.3554G | 48.05 | 54.00 | -5.95 | 5.40 | 3 | Horizontal | 18 | 1.82 | 42.65 | 33.00 | 6.56 | 34.16 |
| PK | 5.1466G | 58.94 | 74.00 | -15.06 | 5.28 | 3 | Horizontal | 18 | 1.82 | 53.66 | 33.01 | 6.41 | 34.14 |
| PK | 5.2576G | 121.86 | Inf | -Inf | 5.36 | 3 | Horizontal | 18 | 1.82 | 116.50 | 33.02 | 6.49 | 34.15 |
| PK | 5.3632G | 59.66 | 74.00 | -14.34 | 5.40 | 3 | Horizontal | 18 | 1.82 | 54.26 | 33.00 | 6.56 | 34.16 |



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 15.7815G | 44.66 | 54.00 | -9.34 | 15.74 | 3 | Vertical | 356 | 2.02 | 28.92 | 37.95 | 12.30 | 34.51 |
| PK | 10.51466G | 55.25 | 68.20 | -12.95 | 15.37 | 3 | Vertical | 39 | 1.17 | 39.88 | 38.80 | 11.07 | 34.50 |
| PK | 15.78144G | 63.88 | 74.00 | -10.12 | 15.74 | 3 | Vertical | 356 | 2.02 | 48.14 | 37.95 | 12.30 | 34.51 |

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 15.78336G | 43.56 | 54.00 | -10.44 | 15.73 | 3 | Horizontal | 1 | 1.50 | 27.83 | 37.93 | 12.31 | 34.51 |
| PK | 10.52402G | 55.85 | 68.20 | -12.35 | 15.38 | 3 | Horizontal | 66 | 1.65 | 40.47 | 38.80 | 11.07 | 34.49 |
| PK | 15.774G | 58.67 | 74.00 | -15.33 | 15.81 | 3 | Horizontal | 1 | 1.50 | 42.86 | 38.01 | 12.30 | 34.50 |



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.3024G | 110.30 | Inf | -Inf | 5.46 | 3 | Vertical | 26 | 1.94 | 104.84 | 33.10 | 6.52 | 34.16 |
| AV | 5.3764G | 49.59 | 54.00 | -4.41 | 5.40 | 3 | Vertical | 26 | 1.94 | 44.19 | 33.00 | 6.57 | 34.17 |
| PK | 5.3032G | 122.26 | Inf | -Inf | 5.45 | 3 | Vertical | 26 | 1.94 | 116.81 | 33.09 | 6.52 | 34.16 |
| PK | 5.3512G | 60.71 | 74.00 | -13.29 | 5.40 | 3 | Vertical | 26 | 1.94 | 55.31 | 33.00 | 6.56 | 34.16 |

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.2972G | 110.06 | Inf | -Inf | 5.45 | 3 | Horizontal | 14 | 1.89 | 104.61 | 33.09 | 6.52 | 34.16 |
| AV | 5.3948G | 48.61 | 54.00 | -5.39 | 5.42 | 3 | Horizontal | 14 | 1.89 | 43.19 | 33.00 | 6.59 | 34.17 |
| PK | 5.2984G | 122.68 | Inf | -Inf | 5.46 | 3 | Horizontal | 14 | 1.89 | 117.22 | 33.10 | 6.52 | 34.16 |
| PK | 5.3508G | 60.23 | 74.00 | -13.77 | 5.40 | 3 | Horizontal | 14 | 1.89 | 54.83 | 33.00 | 6.56 | 34.16 |



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 15.88572G | 41.49 | 54.00 | -12.51 | 15.62 | 3 | Vertical | 360 | 1.50 | 25.87 | 37.84 | 12.37 | 34.59 |
| PK | 10.6036G | 56.55 | 74.00 | -17.45 | 15.77 | 3 | Vertical | 38 | 1.63 | 40.78 | 39.11 | 11.10 | 34.44 |
| PK | 15.88644G | 53.93 | 74.00 | -20.07 | 15.63 | 3 | Vertical | 360 | 1.50 | 38.30 | 37.85 | 12.37 | 34.59 |

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 10.60384G | 44.72 | 54.00 | -9.28 | 15.78 | 3 | Horizontal | 35 | 1.49 | 28.94 | 39.12 | 11.10 | 34.44 |
| AV | 15.88656G | 41.50 | 54.00 | -12.50 | 15.63 | 3 | Horizontal | 355 | 2.28 | 25.87 | 37.85 | 12.37 | 34.59 |
| PK | 10.59268G | 57.38 | 68.20 | -10.82 | 15.71 | 3 | Horizontal | 35 | 1.49 | 41.67 | 39.06 | 11.10 | 34.45 |
| PK | 15.89346G | 53.56 | 74.00 | -20.44 | 15.64 | 3 | Horizontal | 355 | 2.28 | 37.92 | 37.87 | 12.37 | 34.60 |



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.323G | 97.67 | Inf | -Inf | 5.43 | 3 | Vertical | 290 | 1.50 | 92.24 | 33.05 | 6.54 | 34.16 |
| AV | 5.35G | 45.74 | 54.00 | -8.26 | 5.39 | 3 | Vertical | 290 | 1.50 | 40.35 | 33.00 | 6.55 | 34.16 |
| PK | 5.3228G | 109.97 | Inf | -Inf | 5.43 | 3 | Vertical | 290 | 1.50 | 104.54 | 33.05 | 6.54 | 34.16 |
| PK | 5.3588G | 57.66 | 74.00 | -16.34 | 5.40 | 3 | Vertical | 290 | 1.50 | 52.26 | 33.00 | 6.56 | 34.16 |

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.3218G | 108.62 | Inf | -Inf | 5.44 | 3 | Horizontal | 14 | 1.61 | 103.18 | 33.06 | 6.54 | 34.16 |
| AV | 5.35G | 53.07 | 54.00 | -0.93 | 5.39 | 3 | Horizontal | 14 | 1.61 | 47.68 | 33.00 | 6.55 | 34.16 |
| PK | 5.3214G | 120.94 | Inf | -Inf | 5.43 | 3 | Horizontal | 14 | 1.61 | 115.51 | 33.06 | 6.53 | 34.16 |
| PK | 5.35G | 65.25 | 74.00 | -8.75 | 5.39 | 3 | Horizontal | 14 | 1.61 | 59.86 | 33.00 | 6.55 | 34.16 |



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 10.63994G | 42.63 | 54.00 | -11.37 | 15.97 | 3 | Vertical | 43 | 1.46 | 26.66 | 39.26 | 11.12 | 34.41 |
| AV | 15.95598G | 41.55 | 54.00 | -12.45 | 15.87 | 3 | Vertical | -0 | 1.71 | 25.68 | 38.11 | 12.41 | 34.65 |
| PK | 10.64066G | 54.37 | 74.00 | -19.63 | 15.97 | 3 | Vertical | 43 | 1.46 | 38.40 | 39.26 | 11.12 | 34.41 |
| PK | 15.95736G | 54.55 | 74.00 | -19.45 | 15.87 | 3 | Vertical | -0 | 1.71 | 38.68 | 38.11 | 12.41 | 34.65 |

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 10.63526G | 43.31 | 54.00 | -10.69 | 15.94 | 3 | Horizontal | 35 | 1.43 | 27.37 | 39.24 | 11.12 | 34.42 |
| AV | 15.95056G | 41.18 | 54.00 | -12.82 | 15.87 | 3 | Horizontal | 257 | 1.50 | 25.31 | 38.10 | 12.41 | 34.64 |
| PK | 10.63358G | 56.33 | 74.00 | -17.67 | 15.92 | 3 | Horizontal | 35 | 1.43 | 40.41 | 39.23 | 11.11 | 34.42 |
| PK | 15.95504G | 53.47 | 74.00 | -20.53 | 15.88 | 3 | Horizontal | 257 | 1.50 | 37.59 | 38.11 | 12.41 | 34.64 |



5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4598G | 50.22 | 54.00 | -3.78 | 5.48 | 3 | Vertical | 31 | 1.91 | 44.74 | 33.02 | 6.64 | 34.18 |
| AV | 5.5034G | 108.84 | Inf | -Inf | 5.59 | 3 | Vertical | 31 | 1.91 | 103.25 | 33.09 | 6.68 | 34.18 |
| PK | 5.46G | 63.05 | 74.00 | -10.95 | 5.48 | 3 | Vertical | 31 | 1.91 | 57.57 | 33.02 | 6.64 | 34.18 |
| PK | 5.4694G | 67.63 | 68.20 | -0.57 | 5.51 | 3 | Vertical | 31 | 1.91 | 62.12 | 33.04 | 6.65 | 34.18 |
| PK | 5.5034G | 121.32 | Inf | -Inf | 5.59 | 3 | Vertical | 31 | 1.91 | 115.73 | 33.09 | 6.68 | 34.18 |

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4574G | 47.79 | 54.00 | -6.21 | 5.48 | 3 | Horizontal | 16 | 2.84 | 42.31 | 33.01 | 6.64 | 34.17 |
| AV | 5.4958G | 109.21 | Inf | -Inf | 5.59 | 3 | Horizontal | 16 | 2.84 | 103.62 | 33.09 | 6.68 | 34.18 |
| PK | 5.4556G | 60.06 | 74.00 | -13.94 | 5.48 | 3 | Horizontal | 16 | 2.84 | 54.58 | 33.01 | 6.64 | 34.17 |
| PK | 5.4674G | 66.21 | 68.20 | -1.99 | 5.50 | 3 | Horizontal | 16 | 2.84 | 60.71 | 33.03 | 6.65 | 34.18 |
| PK | 5.5044G | 120.81 | Inf | -Inf | 5.59 | 3 | Horizontal | 16 | 2.84 | 115.22 | 33.09 | 6.68 | 34.18 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.00336G | 44.21 | 54.00 | -9.79 | 15.79 | 3 | Vertical | 353 | 1.68 | 28.42 | 38.70 | 11.25 | 34.16 |
| PK | 11.00318G | 56.86 | 74.00 | -17.14 | 15.79 | 3 | Vertical | 353 | 1.68 | 41.07 | 38.70 | 11.25 | 34.16 |
| PK | 16.5024G | 64.01 | 68.20 | -4.19 | 16.75 | 3 | Vertical | 359 | 1.57 | 47.26 | 38.28 | 12.67 | 34.20 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.00384G | 43.82 | 54.00 | -10.18 | 15.79 | 3 | Horizontal | 31 | 1.50 | 28.03 | 38.70 | 11.25 | 34.16 |
| PK | 11.0051G | 55.55 | 74.00 | -18.45 | 15.79 | 3 | Horizontal | 31 | 1.50 | 39.76 | 38.70 | 11.25 | 34.16 |
| PK | 16.50186G | 58.38 | 68.20 | -9.82 | 16.76 | 3 | Horizontal | -0 | 1.50 | 41.62 | 38.29 | 12.67 | 34.20 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.439G | 46.57 | 54.00 | -7.43 | 5.46 | 3 | Vertical | 30 | 1.76 | 41.11 | 33.00 | 6.63 | 34.17 |
| AV | 5.5752G | 107.11 | Inf | -Inf | 5.56 | 3 | Vertical | 30 | 1.76 | 101.55 | 33.00 | 6.75 | 34.19 |
| PK | 5.4342G | 58.94 | 74.00 | -15.06 | 5.45 | 3 | Vertical | 30 | 1.76 | 53.49 | 33.00 | 6.62 | 34.17 |
| PK | 5.4696G | 58.72 | 68.20 | -9.48 | 5.51 | 3 | Vertical | 30 | 1.76 | 53.21 | 33.04 | 6.65 | 34.18 |
| PK | 5.5746G | 119.46 | Inf | -Inf | 5.56 | 3 | Vertical | 30 | 1.76 | 113.90 | 33.00 | 6.75 | 34.19 |
| PK | 5.727G | 58.39 | 68.20 | -9.81 | 6.31 | 3 | Vertical | 30 | 1.76 | 52.08 | 33.66 | 6.85 | 34.20 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4388G | 46.71 | 54.00 | -7.29 | 5.48 | 3 | Horizontal | 19 | 2.90 | 41.23 | 33.02 | 6.64 | 34.18 |
| AV | 5.5758G | 108.75 | Inf | -Inf | 5.56 | 3 | Horizontal | 19 | 2.90 | 103.19 | 33.00 | 6.75 | 34.19 |
| PK | 5.4444G | 58.38 | 74.00 | -15.62 | 5.46 | 3 | Horizontal | 19 | 2.90 | 52.92 | 33.00 | 6.63 | 34.17 |
| PK | 5.469G | 58.43 | 68.20 | -9.77 | 5.51 | 3 | Horizontal | 19 | 2.90 | 52.92 | 33.04 | 6.65 | 34.18 |
| PK | 5.5758G | 120.30 | Inf | -Inf | 5.56 | 3 | Horizontal | 19 | 2.90 | 114.74 | 33.00 | 6.75 | 34.19 |
| PK | 5.727G | 58.84 | 68.20 | -9.36 | 6.31 | 3 | Horizontal | 19 | 2.90 | 52.53 | 33.66 | 6.85 | 34.20 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.16318G | 46.27 | 54.00 | -7.73 | 16.08 | 3 | Vertical | 351 | 1.24 | 30.19 | 38.90 | 11.31 | 34.13 |
| PK | 11.16162G | 58.73 | 74.00 | -15.27 | 16.08 | 3 | Vertical | 351 | 1.24 | 42.65 | 38.90 | 11.31 | 34.13 |
| PK | 16.74618G | 66.04 | 68.20 | -2.16 | 16.99 | 3 | Vertical | 347 | 1.41 | 49.05 | 37.92 | 12.78 | 33.71 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.15454G | 46.63 | 54.00 | -7.37 | 16.08 | 3 | Horizontal | 30 | 1.66 | 30.55 | 38.90 | 11.31 | 34.13 |
| PK | 11.15472G | 59.32 | 74.00 | -14.68 | 16.08 | 3 | Horizontal | 30 | 1.66 | 43.24 | 38.90 | 11.31 | 34.13 |
| PK | 16.74672G | 62.68 | 68.20 | -5.52 | 16.98 | 3 | Horizontal | 314 | 1.62 | 45.70 | 37.91 | 12.78 | 33.71 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.6976G | 107.85 | Inf | -Inf | 6.11 | 3 | Vertical | 9 | 1.78 | 101.74 | 33.48 | 6.83 | 34.20 |
| PK | 5.6968G | 119.44 | Inf | -Inf | 6.10 | 3 | Vertical | 9 | 1.78 | 113.34 | 33.47 | 6.83 | 34.20 |
| PK | 5.7256G | 67.24 | 68.20 | -0.96 | 6.30 | 3 | Vertical | 9 | 1.78 | 60.94 | 33.65 | 6.85 | 34.20 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.7032G | 108.18 | Inf | -Inf | 6.16 | 3 | Horizontal | 32 | 2.28 | 102.02 | 33.52 | 6.84 | 34.20 |
| PK | 5.7044G | 119.89 | Inf | -Inf | 6.17 | 3 | Horizontal | 32 | 2.28 | 113.72 | 33.53 | 6.84 | 34.20 |
| PK | 5.7256G | 67.07 | 68.20 | -1.13 | 6.30 | 3 | Horizontal | 32 | 2.28 | 60.77 | 33.65 | 6.85 | 34.20 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.39622G | 43.44 | 54.00 | -10.56 | 16.32 | 3 | Vertical | 26 | 1.58 | 27.12 | 39.00 | 11.40 | 34.08 |
| PK | 11.39634G | 54.69 | 74.00 | -19.31 | 16.32 | 3 | Vertical | 26 | 1.58 | 38.37 | 39.00 | 11.40 | 34.08 |
| PK | 17.10954G | 53.59 | 68.20 | -14.61 | 17.41 | 3 | Vertical | 19 | 1.50 | 36.18 | 37.72 | 12.94 | 33.25 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.39586G | 43.63 | 54.00 | -10.37 | 16.32 | 3 | Horizontal | 350 | 1.89 | 27.31 | 39.00 | 11.40 | 34.08 |
| PK | 11.3964G | 55.73 | 74.00 | -18.27 | 16.32 | 3 | Horizontal | 350 | 1.89 | 39.41 | 39.00 | 11.40 | 34.08 |
| PK | 17.1084G | 53.74 | 68.20 | -14.46 | 17.42 | 3 | Horizontal | 344 | 1.30 | 36.32 | 37.72 | 12.94 | 33.24 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4488G | 46.45 | 54.00 | -7.55 | 5.46 | 3 | Vertical | 10 | 1.86 | 40.99 | 33.00 | 6.63 | 34.17 |
| AV | 5.7176G | 112.50 | Inf | -Inf | 6.26 | 3 | Vertical | 10 | 1.86 | 106.24 | 33.61 | 6.85 | 34.20 |
| PK | 5.4236G | 58.68 | 74.00 | -15.32 | 5.44 | 3 | Vertical | 10 | 1.86 | 53.24 | 33.00 | 6.61 | 34.17 |
| PK | 5.4668G | 57.81 | 68.20 | -10.39 | 5.50 | 3 | Vertical | 10 | 1.86 | 52.31 | 33.03 | 6.65 | 34.18 |
| PK | 5.7272G | 123.45 | Inf | -Inf | 6.31 | 3 | Vertical | 10 | 1.86 | 117.14 | 33.66 | 6.85 | 34.20 |
| PK | 5.8844G | 61.30 | 68.20 | -6.90 | 7.10 | 3 | Vertical | 10 | 1.86 | 54.20 | 34.34 | 6.97 | 34.21 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4596G | 47.08 | 54.00 | -6.92 | 5.48 | 3 | Horizontal | 31 | 2.28 | 41.60 | 33.02 | 6.64 | 34.18 |
| AV | 5.7224G | 112.76 | Inf | -Inf | 6.28 | 3 | Horizontal | 31 | 2.28 | 106.48 | 33.63 | 6.85 | 34.20 |
| PK | 5.4428G | 58.88 | 74.00 | -15.12 | 5.46 | 3 | Horizontal | 31 | 2.28 | 53.42 | 33.00 | 6.63 | 34.17 |
| PK | 5.462G | 58.42 | 68.20 | -9.78 | 5.49 | 3 | Horizontal | 31 | 2.28 | 52.93 | 33.02 | 6.65 | 34.18 |
| PK | 5.7236G | 124.57 | Inf | -Inf | 6.29 | 3 | Horizontal | 31 | 2.28 | 118.28 | 33.64 | 6.85 | 34.20 |
| PK | 5.9456G | 60.70 | 68.20 | -7.50 | 7.11 | 3 | Horizontal | 31 | 2.28 | 53.59 | 34.31 | 7.02 | 34.22 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.43688G | 45.00 | 54.00 | -9.00 | 16.27 | 3 | Vertical | 26 | 1.57 | 28.73 | 38.93 | 11.41 | 34.07 |
| PK | 11.43676G | 55.73 | 74.00 | -18.27 | 16.27 | 3 | Vertical | 26 | 1.57 | 39.46 | 38.93 | 11.41 | 34.07 |
| PK | 17.15814G | 59.48 | 68.20 | -8.72 | 17.51 | 3 | Vertical | -0 | 1.50 | 41.97 | 37.80 | 12.97 | 33.26 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.43988G | 43.88 | 54.00 | -10.12 | 16.26 | 3 | Horizontal | 29 | 1.47 | 27.62 | 38.92 | 11.41 | 34.07 |
| PK | 11.43994G | 54.72 | 74.00 | -19.28 | 16.26 | 3 | Horizontal | 29 | 1.47 | 38.46 | 38.92 | 11.41 | 34.07 |
| PK | 17.16798G | 58.75 | 68.20 | -9.45 | 17.51 | 3 | Horizontal | 34 | 1.46 | 41.24 | 37.80 | 12.97 | 33.26 |



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.2632G | 107.58 | Inf | -Inf | 5.37 | 3 | Vertical | 25 | 1.74 | 102.21 | 33.03 | 6.49 | 34.15 |
| AV | 5.3516G | 52.54 | 54.00 | -1.46 | 5.40 | 3 | Vertical | 25 | 1.74 | 47.14 | 33.00 | 6.56 | 34.16 |
| PK | 5.272G | 120.38 | Inf | -Inf | 5.39 | 3 | Vertical | 25 | 1.74 | 114.99 | 33.04 | 6.50 | 34.15 |
| PK | 5.3532G | 65.19 | 74.00 | -8.81 | 5.40 | 3 | Vertical | 25 | 1.74 | 59.79 | 33.00 | 6.56 | 34.16 |

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.2676G | 107.81 | Inf | -Inf | 5.39 | 3 | Horizontal | 15 | 1.75 | 102.42 | 33.04 | 6.50 | 34.15 |
| AV | 5.35G | 51.66 | 54.00 | -2.34 | 5.39 | 3 | Horizontal | 15 | 1.75 | 46.27 | 33.00 | 6.55 | 34.16 |
| PK | 5.2748G | 119.32 | Inf | -Inf | 5.40 | 3 | Horizontal | 15 | 1.75 | 113.92 | 33.05 | 6.50 | 34.15 |
| PK | 5.3504G | 65.86 | 74.00 | -8.14 | 5.40 | 3 | Horizontal | 15 | 1.75 | 60.46 | 33.00 | 6.56 | 34.16 |



5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 15.79872G | 43.59 | 54.00 | -10.41 | 15.61 | 3 | Vertical | 348 | 1.50 | 27.98 | 37.81 | 12.32 | 34.52 |
| PK | 10.55836G | 54.17 | 68.20 | -14.03 | 15.47 | 3 | Vertical | 37 | 1.63 | 38.70 | 38.85 | 11.09 | 34.47 |
| PK | 15.81024G | 55.26 | 74.00 | -18.74 | 15.57 | 3 | Vertical | 348 | 1.50 | 39.69 | 37.78 | 12.32 | 34.53 |

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 15.79992G | 45.51 | 54.00 | -8.49 | 15.60 | 3 | Horizontal | 85 | 1.71 | 29.91 | 37.80 | 12.32 | 34.52 |
| PK | 10.56472G | 54.25 | 68.20 | -13.95 | 15.52 | 3 | Horizontal | 32 | 1.30 | 38.73 | 38.89 | 11.09 | 34.46 |
| PK | 15.8082G | 58.22 | 74.00 | -15.78 | 15.57 | 3 | Horizontal | 85 | 1.71 | 42.65 | 37.78 | 12.32 | 34.53 |



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.3072G | 103.43 | Inf | -Inf | 5.46 | 3 | Vertical | 30 | 1.71 | 97.97 | 33.09 | 6.53 | 34.16 |
| AV | 5.35G | 53.24 | 54.00 | -0.76 | 5.39 | 3 | Vertical | 30 | 1.71 | 47.85 | 33.00 | 6.55 | 34.16 |
| PK | 5.308G | 115.52 | Inf | -Inf | 5.45 | 3 | Vertical | 30 | 1.71 | 110.07 | 33.08 | 6.53 | 34.16 |
| PK | 5.35G | 65.27 | 74.00 | -8.73 | 5.39 | 3 | Vertical | 30 | 1.71 | 59.88 | 33.00 | 6.55 | 34.16 |

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.3028G | 102.94 | Inf | -Inf | 5.45 | 3 | Horizontal | 18 | 1.90 | 97.49 | 33.09 | 6.52 | 34.16 |
| AV | 5.35G | 51.13 | 54.00 | -2.87 | 5.39 | 3 | Horizontal | 18 | 1.90 | 45.74 | 33.00 | 6.55 | 34.16 |
| PK | 5.3136G | 115.47 | Inf | -Inf | 5.44 | 3 | Horizontal | 18 | 1.90 | 110.03 | 33.07 | 6.53 | 34.16 |
| PK | 5.35G | 63.87 | 74.00 | -10.13 | 5.39 | 3 | Horizontal | 18 | 1.90 | 58.48 | 33.00 | 6.55 | 34.16 |



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 10.61988G | 41.37 | 54.00 | -12.63 | 15.86 | 3 | Vertical | 352 | 1.50 | 25.51 | 39.18 | 11.11 | 34.43 |
| AV | 15.90936G | 41.27 | 54.00 | -12.73 | 15.71 | 3 | Vertical | 143 | 1.93 | 25.56 | 37.94 | 12.38 | 34.61 |
| PK | 10.62468G | 52.35 | 74.00 | -21.65 | 15.89 | 3 | Vertical | 352 | 1.50 | 36.46 | 39.20 | 11.11 | 34.42 |
| PK | 15.94296G | 54.28 | 74.00 | -19.72 | 15.83 | 3 | Vertical | 143 | 1.93 | 38.45 | 38.07 | 12.40 | 34.64 |

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 10.6038G | 41.15 | 54.00 | -12.85 | 15.78 | 3 | Horizontal | 34 | 1.50 | 25.37 | 39.12 | 11.10 | 34.44 |
| AV | 15.94224G | 41.20 | 54.00 | -12.80 | 15.84 | 3 | Horizontal | 254 | 1.50 | 25.36 | 38.07 | 12.40 | 34.63 |
| PK | 10.63344G | 52.76 | 74.00 | -21.24 | 15.92 | 3 | Horizontal | 34 | 1.50 | 36.84 | 39.23 | 11.11 | 34.42 |
| PK | 15.91416G | 53.98 | 74.00 | -20.02 | 15.74 | 3 | Horizontal | 254 | 1.50 | 38.24 | 37.96 | 12.39 | 34.61 |



5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4588G | 48.54 | 54.00 | -5.46 | 5.48 | 3 | Vertical | 28 | 1.87 | 43.06 | 33.02 | 6.64 | 34.18 |
| AV | 5.514G | 104.89 | Inf | -Inf | 5.58 | 3 | Vertical | 28 | 1.87 | 99.31 | 33.07 | 6.69 | 34.18 |
| PK | 5.4556G | 60.18 | 74.00 | -13.82 | 5.48 | 3 | Vertical | 28 | 1.87 | 54.70 | 33.01 | 6.64 | 34.17 |
| PK | 5.4696G | 67.20 | 68.20 | -1.00 | 5.51 | 3 | Vertical | 28 | 1.87 | 61.69 | 33.04 | 6.65 | 34.18 |
| PK | 5.5044G | 116.10 | Inf | -Inf | 5.59 | 3 | Vertical | 28 | 1.87 | 110.51 | 33.09 | 6.68 | 34.18 |

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4596G | 47.76 | 54.00 | -6.24 | 5.48 | 3 | Horizontal | 16 | 2.95 | 42.28 | 33.02 | 6.64 | 34.18 |
| AV | 5.5156G | 105.40 | Inf | -Inf | 5.58 | 3 | Horizontal | 16 | 2.95 | 99.82 | 33.07 | 6.69 | 34.18 |
| PK | 5.458G | 58.95 | 74.00 | -15.05 | 5.49 | 3 | Horizontal | 16 | 2.95 | 53.46 | 33.02 | 6.64 | 34.17 |
| PK | 5.4692G | 65.45 | 68.20 | -2.75 | 5.51 | 3 | Horizontal | 16 | 2.95 | 59.94 | 33.04 | 6.65 | 34.18 |
| PK | 5.5136G | 117.13 | Inf | -Inf | 5.58 | 3 | Horizontal | 16 | 2.95 | 111.55 | 33.07 | 6.69 | 34.18 |



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.02336G | 41.80 | 54.00 | -12.20 | 15.80 | 3 | Vertical | 353 | 1.76 | 26.00 | 38.70 | 11.26 | 34.16 |
| PK | 11.01232G | 53.66 | 74.00 | -20.34 | 15.79 | 3 | Vertical | 353 | 1.76 | 37.87 | 38.70 | 11.25 | 34.16 |
| PK | 16.52088G | 54.08 | 68.20 | -14.12 | 16.65 | 3 | Vertical | 360 | 1.50 | 37.43 | 38.13 | 12.68 | 34.16 |

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.02408G | 41.91 | 54.00 | -12.09 | 15.80 | 3 | Horizontal | 29 | 1.53 | 26.11 | 38.70 | 11.26 | 34.16 |
| PK | 11.01412G | 53.44 | 74.00 | -20.56 | 15.80 | 3 | Horizontal | 29 | 1.53 | 37.64 | 38.70 | 11.26 | 34.16 |
| PK | 16.50372G | 53.90 | 68.20 | -14.30 | 16.75 | 3 | Horizontal | 348 | 1.50 | 37.15 | 38.27 | 12.67 | 34.19 |



5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4596G | 49.26 | 54.00 | -4.74 | 5.48 | 3 | Vertical | 29 | 1.69 | 43.78 | 33.02 | 6.64 | 34.18 |
| AV | 5.5436G | 106.21 | Inf | -Inf | 5.55 | 3 | Vertical | 29 | 1.69 | 100.66 | 33.01 | 6.72 | 34.18 |
| PK | 5.4596G | 61.40 | 74.00 | -12.60 | 5.48 | 3 | Vertical | 29 | 1.69 | 55.92 | 33.02 | 6.64 | 34.18 |
| PK | 5.464G | 64.11 | 68.20 | -4.09 | 5.50 | 3 | Vertical | 29 | 1.69 | 58.61 | 33.03 | 6.65 | 34.18 |
| PK | 5.5428G | 118.02 | Inf | -Inf | 5.55 | 3 | Vertical | 29 | 1.69 | 112.47 | 33.01 | 6.72 | 34.18 |

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.46G | 48.84 | 54.00 | -5.16 | 5.48 | 3 | Horizontal | 16 | 2.94 | 43.36 | 33.02 | 6.64 | 34.18 |
| AV | 5.5448G | 107.73 | Inf | -Inf | 5.55 | 3 | Horizontal | 16 | 2.94 | 102.18 | 33.01 | 6.72 | 34.18 |
| PK | 5.4564G | 60.64 | 74.00 | -13.36 | 5.48 | 3 | Horizontal | 16 | 2.94 | 55.16 | 33.01 | 6.64 | 34.17 |
| PK | 5.47G | 64.85 | 68.20 | -3.35 | 5.51 | 3 | Horizontal | 16 | 2.94 | 59.34 | 33.04 | 6.65 | 34.18 |
| PK | 5.5452G | 119.70 | Inf | -Inf | 5.55 | 3 | Horizontal | 16 | 2.94 | 114.15 | 33.01 | 6.72 | 34.18 |



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.0946G | 43.74 | 54.00 | -10.26 | 15.94 | 3 | Vertical | 10 | 1.57 | 27.80 | 38.79 | 11.29 | 34.14 |
| PK | 11.10348G | 55.01 | 74.00 | -18.99 | 15.96 | 3 | Vertical | 10 | 1.57 | 39.05 | 38.81 | 11.29 | 34.14 |
| PK | 16.66404G | 63.57 | 68.20 | -4.63 | 16.96 | 3 | Vertical | 2 | 1.62 | 46.61 | 38.10 | 12.74 | 33.88 |

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.10468G | 44.51 | 54.00 | -9.49 | 15.96 | 3 | Horizontal | 30 | 1.64 | 28.55 | 38.81 | 11.29 | 34.14 |
| PK | 11.10372G | 57.27 | 74.00 | -16.73 | 15.96 | 3 | Horizontal | 30 | 1.64 | 41.31 | 38.81 | 11.29 | 34.14 |
| PK | 16.65492G | 61.42 | 68.20 | -6.78 | 16.95 | 3 | Horizontal | 311 | 1.54 | 44.47 | 38.10 | 12.74 | 33.89 |



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.6724G | 105.67 | Inf | -Inf | 5.91 | 3 | Vertical | 12 | 1.87 | 99.76 | 33.28 | 6.82 | 34.19 |
| PK | 5.6724G | 117.50 | Inf | -Inf | 5.91 | 3 | Vertical | 12 | 1.87 | 111.59 | 33.28 | 6.82 | 34.19 |
| PK | 5.7264G | 65.36 | 68.20 | -2.84 | 6.31 | 3 | Vertical | 12 | 1.87 | 59.05 | 33.66 | 6.85 | 34.20 |

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.6784G | 105.86 | Inf | -Inf | 5.96 | 3 | Horizontal | 32 | 2.39 | 99.90 | 33.33 | 6.82 | 34.19 |
| PK | 5.6778G | 118.06 | Inf | -Inf | 5.95 | 3 | Horizontal | 32 | 2.39 | 112.11 | 33.32 | 6.82 | 34.19 |
| PK | 5.7282G | 62.51 | 68.20 | -5.69 | 6.32 | 3 | Horizontal | 32 | 2.39 | 56.19 | 33.67 | 6.85 | 34.20 |



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.34012G | 43.68 | 54.00 | -10.32 | 16.29 | 3 | Vertical | 350 | 1.71 | 27.39 | 39.00 | 11.38 | 34.09 |
| PK | 11.34168G | 55.73 | 74.00 | -18.27 | 16.29 | 3 | Vertical | 350 | 1.71 | 39.44 | 39.00 | 11.38 | 34.09 |
| PK | 16.99428G | 53.41 | 68.20 | -14.79 | 17.15 | 3 | Vertical | 186 | 2.98 | 36.26 | 37.48 | 12.89 | 33.22 |

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.33148G | 42.09 | 54.00 | -11.91 | 16.28 | 3 | Horizontal | 9 | 3.00 | 25.81 | 39.00 | 11.37 | 34.09 |
| PK | 11.35104G | 53.85 | 74.00 | -20.15 | 16.29 | 3 | Horizontal | 9 | 3.00 | 37.56 | 39.00 | 11.38 | 34.09 |
| PK | 16.9998G | 53.93 | 68.20 | -14.27 | 17.18 | 3 | Horizontal | 249 | 1.50 | 36.75 | 37.50 | 12.89 | 33.21 |

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.46G | 46.54 | 54.00 | -7.46 | 5.48 | 3 | Vertical | 9 | 1.85 | 41.06 | 33.02 | 6.64 | 34.18 |
| AV | 5.7076G | 109.71 | Inf | -Inf | 6.19 | 3 | Vertical | 9 | 1.85 | 103.52 | 33.55 | 6.84 | 34.20 |
| PK | 5.46G | 58.20 | 74.00 | -15.80 | 5.48 | 3 | Vertical | 9 | 1.85 | 52.72 | 33.02 | 6.64 | 34.18 |
| PK | 5.4604G | 58.20 | 68.20 | -10.00 | 5.48 | 3 | Vertical | 9 | 1.85 | 52.72 | 33.02 | 6.64 | 34.18 |
| PK | 5.7172G | 121.05 | Inf | -Inf | 6.25 | 3 | Vertical | 9 | 1.85 | 114.80 | 33.60 | 6.85 | 34.20 |
| PK | 5.8708G | 61.28 | 68.20 | -6.92 | 7.03 | 3 | Vertical | 9 | 1.85 | 54.25 | 34.28 | 6.96 | 34.21 |

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.46G | 47.26 | 54.00 | -6.74 | 5.48 | 3 | Horizontal | 32 | 2.28 | 41.78 | 33.02 | 6.64 | 34.18 |
| AV | 5.7028G | 109.42 | Inf | -Inf | 6.16 | 3 | Horizontal | 32 | 2.28 | 103.26 | 33.52 | 6.84 | 34.20 |
| PK | 5.4508G | 59.03 | 74.00 | -14.97 | 5.47 | 3 | Horizontal | 32 | 2.28 | 53.56 | 33.00 | 6.64 | 34.17 |
| PK | 5.4604G | 58.87 | 68.20 | -9.33 | 5.48 | 3 | Horizontal | 32 | 2.28 | 53.39 | 33.02 | 6.64 | 34.18 |
| PK | 5.7136G | 120.39 | Inf | -Inf | 6.22 | 3 | Horizontal | 32 | 2.28 | 114.17 | 33.58 | 6.84 | 34.20 |
| PK | 5.8516G | 60.93 | 68.20 | -7.27 | 6.94 | 3 | Horizontal | 32 | 2.28 | 53.99 | 34.21 | 6.94 | 34.21 |



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.41628G | 43.50 | 54.00 | -10.50 | 16.29 | 3 | Vertical | 25 | 1.67 | 27.21 | 38.97 | 11.40 | 34.08 |
| PK | 11.4152G | 54.81 | 74.00 | -19.19 | 16.29 | 3 | Vertical | 25 | 1.67 | 38.52 | 38.97 | 11.40 | 34.08 |
| PK | 17.1498G | 58.20 | 68.20 | -10.00 | 17.50 | 3 | Vertical | 360 | 1.50 | 40.70 | 37.80 | 12.96 | 33.26 |

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.41628G | 43.69 | 54.00 | -10.31 | 16.29 | 3 | Horizontal | 349 | 1.93 | 27.40 | 38.97 | 11.40 | 34.08 |
| PK | 11.4104G | 55.11 | 74.00 | -18.89 | 16.30 | 3 | Horizontal | 349 | 1.93 | 38.81 | 38.98 | 11.40 | 34.08 |
| PK | 17.1498G | 55.97 | 68.20 | -12.23 | 17.50 | 3 | Horizontal | 356 | 1.50 | 38.47 | 37.80 | 12.96 | 33.26 |



5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.149G | 46.45 | 54.00 | -7.55 | 5.27 | 3 | Vertical | 30 | 1.93 | 41.18 | 33.00 | 6.41 | 34.14 |
| AV | 5.297G | 100.20 | Inf | -Inf | 5.45 | 3 | Vertical | 30 | 1.93 | 94.75 | 33.09 | 6.52 | 34.16 |
| AV | 5.35G | 53.82 | 54.00 | -0.18 | 5.39 | 3 | Vertical | 30 | 1.93 | 48.43 | 33.00 | 6.55 | 34.16 |
| PK | 5.136G | 58.85 | 74.00 | -15.15 | 5.29 | 3 | Vertical | 30 | 1.93 | 53.56 | 33.03 | 6.40 | 34.14 |
| PK | 5.287G | 112.81 | Inf | -Inf | 5.43 | 3 | Vertical | 30 | 1.93 | 107.38 | 33.07 | 6.51 | 34.15 |
| PK | 5.359G | 65.27 | 74.00 | -8.73 | 5.40 | 3 | Vertical | 30 | 1.93 | 59.87 | 33.00 | 6.56 | 34.16 |
| PK | 5.504G | 58.36 | 68.20 | -9.84 | 5.59 | 3 | Vertical | 30 | 1.93 | 52.77 | 33.09 | 6.68 | 34.18 |

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.124G | 46.28 | 54.00 | -7.72 | 5.31 | 3 | Horizontal | 17 | 1.65 | 40.97 | 33.05 | 6.39 | 34.13 |
| AV | 5.292G | 99.69 | Inf | -Inf | 5.43 | 3 | Horizontal | 17 | 1.65 | 94.26 | 33.08 | 6.51 | 34.16 |
| AV | 5.352G | 52.16 | 54.00 | -1.84 | 5.40 | 3 | Horizontal | 17 | 1.65 | 46.76 | 33.00 | 6.56 | 34.16 |
| PK | 5.144G | 57.71 | 74.00 | -16.29 | 5.28 | 3 | Horizontal | 17 | 1.65 | 52.43 | 33.01 | 6.41 | 34.14 |
| PK | 5.301G | 111.57 | Inf | -Inf | 5.46 | 3 | Horizontal | 17 | 1.65 | 106.11 | 33.10 | 6.52 | 34.16 |
| PK | 5.351G | 63.51 | 74.00 | -10.49 | 5.40 | 3 | Horizontal | 17 | 1.65 | 58.11 | 33.00 | 6.56 | 34.16 |
| PK | 5.506G | 59.26 | 68.20 | -8.94 | 5.60 | 3 | Horizontal | 17 | 1.65 | 53.66 | 33.09 | 6.69 | 34.18 |



5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 15.83928G | 41.73 | 54.00 | -12.27 | 15.51 | 3 | Vertical | 342 | 2.70 | 26.22 | 37.72 | 12.34 | 34.55 |
| PK | 10.59464G | 52.22 | 68.20 | -15.98 | 15.73 | 3 | Vertical | 351 | 1.50 | 36.49 | 39.07 | 11.10 | 34.44 |
| PK | 15.82344G | 53.58 | 74.00 | -20.42 | 15.54 | 3 | Vertical | 342 | 2.70 | 38.04 | 37.75 | 12.33 | 34.54 |

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 15.84168G | 41.71 | 54.00 | -12.29 | 15.50 | 3 | Horizontal | 256 | 2.46 | 26.21 | 37.72 | 12.34 | 34.56 |
| PK | 10.59392G | 52.35 | 68.20 | -15.85 | 15.72 | 3 | Horizontal | 35 | 1.78 | 36.63 | 39.06 | 11.10 | 34.44 |
| PK | 15.82728G | 54.01 | 74.00 | -19.99 | 15.53 | 3 | Horizontal | 256 | 2.46 | 38.48 | 37.75 | 12.33 | 34.55 |



5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.35G | 46.09 | 54.00 | -7.91 | 5.39 | 3 | Vertical | 27 | 1.81 | 40.70 | 33.00 | 6.55 | 34.16 |
| AV | 5.459G | 53.44 | 54.00 | -0.56 | 5.48 | 3 | Vertical | 27 | 1.81 | 47.96 | 33.02 | 6.64 | 34.18 |
| AV | 5.519G | 100.37 | Inf | -Inf | 5.58 | 3 | Vertical | 27 | 1.81 | 94.79 | 33.06 | 6.70 | 34.18 |
| PK | 5.334G | 58.03 | 68.20 | -10.17 | 5.41 | 3 | Vertical | 27 | 1.81 | 52.62 | 33.03 | 6.54 | 34.16 |
| PK | 5.458G | 66.15 | 74.00 | -7.85 | 5.49 | 3 | Vertical | 27 | 1.81 | 60.66 | 33.02 | 6.64 | 34.17 |
| PK | 5.47G | 66.35 | 68.20 | -1.85 | 5.51 | 3 | Vertical | 27 | 1.81 | 60.84 | 33.04 | 6.65 | 34.18 |
| PK | 5.519G | 112.41 | Inf | -Inf | 5.58 | 3 | Vertical | 27 | 1.81 | 106.83 | 33.06 | 6.70 | 34.18 |
| PK | 5.767G | 60.14 | 68.20 | -8.06 | 6.58 | 3 | Vertical | 27 | 1.81 | 53.56 | 33.90 | 6.88 | 34.20 |

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.35G | 45.69 | 54.00 | -8.31 | 5.39 | 3 | Horizontal | 14 | 2.91 | 40.30 | 33.00 | 6.55 | 34.16 |
| AV | 5.46G | 52.46 | 54.00 | -1.54 | 5.48 | 3 | Horizontal | 14 | 2.91 | 46.98 | 33.02 | 6.64 | 34.18 |
| AV | 5.54G | 101.18 | Inf | -Inf | 5.56 | 3 | Horizontal | 14 | 2.91 | 95.62 | 33.02 | 6.72 | 34.18 |
| PK | 5.334G | 57.98 | 68.20 | -10.22 | 5.41 | 3 | Horizontal | 14 | 2.91 | 52.57 | 33.03 | 6.54 | 34.16 |
| PK | 5.45G | 63.69 | 74.00 | -10.31 | 5.46 | 3 | Horizontal | 14 | 2.91 | 58.23 | 33.00 | 6.63 | 34.17 |
| PK | 5.47G | 65.39 | 68.20 | -2.81 | 5.51 | 3 | Horizontal | 14 | 2.91 | 59.88 | 33.04 | 6.65 | 34.18 |
| PK | 5.54G | 112.29 | Inf | -Inf | 5.56 | 3 | Horizontal | 14 | 2.91 | 106.73 | 33.02 | 6.72 | 34.18 |
| PK | 5.753G | 58.90 | 68.20 | -9.30 | 6.49 | 3 | Horizontal | 14 | 2.91 | 52.41 | 33.82 | 6.87 | 34.20 |



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.11424G | 40.33 | 54.00 | -13.67 | 15.98 | 3 | Vertical | 350 | 1.82 | 24.35 | 38.83 | 11.29 | 34.14 |
| PK | 11.09864G | 52.03 | 74.00 | -21.97 | 15.95 | 3 | Vertical | 350 | 1.82 | 36.08 | 38.80 | 11.29 | 34.14 |
| PK | 16.64328G | 53.89 | 68.20 | -14.31 | 16.86 | 3 | Vertical | 78 | 1.56 | 37.03 | 38.05 | 12.73 | 33.92 |

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.08424G | 41.06 | 54.00 | -12.94 | 15.91 | 3 | Horizontal | 32 | 1.77 | 25.15 | 38.77 | 11.28 | 34.14 |
| PK | 11.0924G | 52.73 | 74.00 | -21.27 | 15.92 | 3 | Horizontal | 32 | 1.77 | 36.81 | 38.78 | 11.28 | 34.14 |
| PK | 16.5624G | 53.70 | 68.20 | -14.50 | 16.47 | 3 | Horizontal | 343 | 1.50 | 37.23 | 37.85 | 12.70 | 34.08 |



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.46G | 52.07 | 54.00 | -1.93 | 5.48 | 3 | Vertical | 27 | 1.85 | 46.59 | 33.02 | 6.64 | 34.18 |
| AV | 5.59G | 100.86 | Inf | -Inf | 5.57 | 3 | Vertical | 27 | 1.85 | 95.29 | 33.00 | 6.76 | 34.19 |
| PK | 5.458G | 64.70 | 74.00 | -9.30 | 5.49 | 3 | Vertical | 27 | 1.85 | 59.21 | 33.02 | 6.64 | 34.17 |
| PK | 5.469G | 66.69 | 68.20 | -1.51 | 5.51 | 3 | Vertical | 27 | 1.85 | 61.18 | 33.04 | 6.65 | 34.18 |
| PK | 5.611G | 111.93 | Inf | -Inf | 5.61 | 3 | Vertical | 27 | 1.85 | 106.32 | 33.02 | 6.78 | 34.19 |
| PK | 5.725G | 67.02 | 68.20 | -1.18 | 6.30 | 3 | Vertical | 27 | 1.85 | 60.72 | 33.65 | 6.85 | 34.20 |

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.46G | 51.12 | 54.00 | -2.88 | 5.48 | 3 | Horizontal | 17 | 3.00 | 45.64 | 33.02 | 6.64 | 34.18 |
| AV | 5.59G | 102.39 | Inf | -Inf | 5.57 | 3 | Horizontal | 17 | 3.00 | 96.82 | 33.00 | 6.76 | 34.19 |
| PK | 5.459G | 62.83 | 74.00 | -11.17 | 5.48 | 3 | Horizontal | 17 | 3.00 | 57.35 | 33.02 | 6.64 | 34.18 |
| PK | 5.469G | 64.10 | 68.20 | -4.10 | 5.51 | 3 | Horizontal | 17 | 3.00 | 58.59 | 33.04 | 6.65 | 34.18 |
| PK | 5.619G | 113.76 | Inf | -Inf | 5.63 | 3 | Horizontal | 17 | 3.00 | 108.13 | 33.04 | 6.78 | 34.19 |
| PK | 5.73G | 65.31 | 68.20 | -2.89 | 6.33 | 3 | Horizontal | 17 | 3.00 | 58.98 | 33.68 | 6.85 | 34.20 |



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.22072G | 42.51 | 54.00 | -11.49 | 16.15 | 3 | Vertical | 352 | 1.50 | 26.36 | 38.94 | 11.33 | 34.12 |
| PK | 11.21136G | 54.05 | 74.00 | -19.95 | 16.13 | 3 | Vertical | 352 | 1.50 | 37.92 | 38.92 | 11.33 | 34.12 |
| PK | 16.80528G | 59.29 | 68.20 | -8.91 | 16.90 | 3 | Vertical | 347 | 1.45 | 42.39 | 37.69 | 12.81 | 33.60 |

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.20512G | 43.03 | 54.00 | -10.97 | 16.12 | 3 | Horizontal | 32 | 1.67 | 26.91 | 38.91 | 11.33 | 34.12 |
| PK | 11.22456G | 54.18 | 74.00 | -19.82 | 16.16 | 3 | Horizontal | 32 | 1.67 | 38.02 | 38.95 | 11.33 | 34.12 |
| PK | 16.8552G | 58.47 | 68.20 | -9.73 | 16.90 | 3 | Horizontal | 80 | 1.50 | 41.57 | 37.57 | 12.83 | 33.50 |

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4596G | 47.26 | 54.00 | -6.74 | 5.48 | 3 | Vertical | 10 | 1.90 | 41.78 | 33.02 | 6.64 | 34.18 |
| AV | 5.6924G | 103.12 | Inf | -Inf | 6.07 | 3 | Vertical | 10 | 1.90 | 97.05 | 33.44 | 6.83 | 34.20 |
| PK | 5.426G | 59.55 | 74.00 | -14.45 | 5.44 | 3 | Vertical | 10 | 1.90 | 54.11 | 33.00 | 6.61 | 34.17 |
| PK | 5.4656G | 61.01 | 68.20 | -7.19 | 5.50 | 3 | Vertical | 10 | 1.90 | 55.51 | 33.03 | 6.65 | 34.18 |
| PK | 5.6924G | 115.01 | Inf | -Inf | 6.07 | 3 | Vertical | 10 | 1.90 | 108.94 | 33.44 | 6.83 | 34.20 |
| PK | 5.8532G | 67.01 | 68.20 | -1.19 | 6.95 | 3 | Vertical | 10 | 1.90 | 60.06 | 34.21 | 6.95 | 34.21 |

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4596G | 46.90 | 54.00 | -7.10 | 5.48 | 3 | Horizontal | 28 | 2.18 | 41.42 | 33.02 | 6.64 | 34.18 |
| AV | 5.6888G | 103.27 | Inf | -Inf | 6.04 | 3 | Horizontal | 28 | 2.18 | 97.23 | 33.41 | 6.83 | 34.20 |
| PK | 5.414G | 58.95 | 74.00 | -15.05 | 5.43 | 3 | Horizontal | 28 | 2.18 | 53.52 | 33.00 | 6.60 | 34.17 |
| PK | 5.468G | 59.34 | 68.20 | -8.86 | 5.51 | 3 | Horizontal | 28 | 2.18 | 53.83 | 33.04 | 6.65 | 34.18 |
| PK | 5.6876G | 115.56 | Inf | -Inf | 6.03 | 3 | Horizontal | 28 | 2.18 | 109.53 | 33.40 | 6.83 | 34.20 |
| PK | 5.8676G | 61.78 | 68.20 | -6.42 | 7.02 | 3 | Horizontal | 28 | 2.18 | 54.76 | 34.27 | 6.96 | 34.21 |



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.37976G | 42.21 | 54.00 | -11.79 | 16.31 | 3 | Vertical | 350 | 1.74 | 25.90 | 39.00 | 11.39 | 34.08 |
| PK | 11.37088G | 53.23 | 74.00 | -20.77 | 16.30 | 3 | Vertical | 350 | 1.74 | 36.93 | 39.00 | 11.39 | 34.09 |
| PK | 17.02128G | 54.19 | 68.20 | -14.01 | 17.35 | 3 | Vertical | -0 | 1.50 | 36.84 | 37.67 | 12.90 | 33.22 |

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.36608G | 41.89 | 54.00 | -12.11 | 16.30 | 3 | Horizontal | 350 | 1.92 | 25.59 | 39.00 | 11.39 | 34.09 |
| PK | 11.35792G | 53.55 | 74.00 | -20.45 | 16.29 | 3 | Horizontal | 350 | 1.92 | 37.26 | 39.00 | 11.38 | 34.09 |
| PK | 17.01864G | 54.15 | 68.20 | -14.05 | 17.33 | 3 | Horizontal | 332 | 1.14 | 36.82 | 37.65 | 12.90 | 33.22 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5.25-5.35GHz | - | - | - | - | - | - | - | - | - | - |
| 802.11a_Nss1,(6Mbps)_2TX | Pass | AV | 5.35G | 52.49 | 54.00 | -1.51 | 3 | Vertical | 14 | 1.50 |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | Pass | AV | 5.35G | 52.98 | 54.00 | -1.02 | 3 | Vertical | 353 | 1.02 |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | Pass | AV | 5.3504G | 53.54 | 54.00 | -0.46 | 3 | Vertical | 24 | 1.64 |
| 802.11ax HEW80_Nss1,(MCS0)_2TX | Pass | AV | 5.354G | 53.55 | 54.00 | -0.45 | 3 | Vertical | 22 | 1.61 |
| 802.11ax HEW160_Nss1,(MCS0)_2TX | Pass | AV | 5.3544G | 53.91 | 54.00 | -0.09 | 3 | Vertical | 360 | 1.38 |
| 5.47-5.725GHz | - | - | - | - | - | - | - | - | - | - |
| 802.11a_Nss1,(6Mbps)_2TX | Pass | PK | 5.7276G | 67.48 | 68.20 | -0.72 | 3 | Vertical | 351 | 1.07 |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | Pass | PK | 5.7252G | 67.10 | 68.20 | -1.10 | 3 | Horizontal | 353 | 1.50 |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | Pass | PK | 5.4648G | 67.95 | 68.20 | -0.25 | 3 | Vertical | 19 | 1.59 |
| 802.11ax HEW80_Nss1,(MCS0)_2TX | Pass | PK | 5.725G | 67.50 | 68.20 | -0.70 | 3 | Vertical | 14 | 1.69 |
| 802.11ax HEW160_Nss1,(MCS0)_2TX | Pass | PK | 5.7296G | 67.11 | 68.20 | -1.09 | 3 | Vertical | 16 | 1.49 |



Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 802.11a_Nss1,(6Mbps)_2TX | - | - | - | - | - | - | - | - | - | - |
| 5260MHz | Pass | AV | 5.1196G | 49.08 | 54.00 | -4.92 | 3 | Vertical | 360 | 1.37 |
| 5260MHz | Pass | AV | 5.2624G | 112.23 | Inf | -Inf | 3 | Vertical | 360 | 1.37 |
| 5260MHz | Pass | AV | 5.4028G | 49.45 | 54.00 | -4.55 | 3 | Vertical | 360 | 1.37 |
| 5260MHz | Pass | PK | 5.119G | 61.05 | 74.00 | -12.95 | 3 | Vertical | 360 | 1.37 |
| 5260MHz | Pass | PK | 5.2618G | 121.95 | Inf | -Inf | 3 | Vertical | 360 | 1.37 |
| 5260MHz | Pass | PK | 5.3992G | 60.94 | 74.00 | -13.06 | 3 | Vertical | 360 | 1.37 |
| 5260MHz | Pass | AV | 5.1262G | 48.75 | 54.00 | -5.25 | 3 | Horizontal | 10 | 1.03 |
| 5260MHz | Pass | AV | 5.2588G | 111.76 | Inf | -Inf | 3 | Horizontal | 10 | 1.03 |
| 5260MHz | Pass | AV | 5.398G | 48.38 | 54.00 | -5.62 | 3 | Horizontal | 10 | 1.03 |
| 5260MHz | Pass | PK | 5.119G | 60.26 | 74.00 | -13.74 | 3 | Horizontal | 10 | 1.03 |
| 5260MHz | Pass | PK | 5.2594G | 119.62 | Inf | -Inf | 3 | Horizontal | 10 | 1.03 |
| 5260MHz | Pass | PK | 5.41G | 59.78 | 74.00 | -14.22 | 3 | Horizontal | 10 | 1.03 |
| 5260MHz | Pass | AV | 15.77658G | 47.57 | 54.00 | -6.43 | 3 | Vertical | 120 | 1.50 |
| 5260MHz | Pass | PK | 10.5155G | 55.53 | 68.20 | -12.67 | 3 | Vertical | 188 | 2.87 |
| 5260MHz | Pass | PK | 15.79056G | 59.68 | 74.00 | -14.32 | 3 | Vertical | 120 | 1.50 |
| 5260MHz | Pass | AV | 15.76956G | 47.59 | 54.00 | -6.41 | 3 | Horizontal | 319 | 2.33 |
| 5260MHz | Pass | PK | 10.52486G | 55.34 | 68.20 | -12.86 | 3 | Horizontal | 68 | 1.79 |
| 5260MHz | Pass | PK | 15.78396G | 58.93 | 74.00 | -15.07 | 3 | Horizontal | 319 | 2.33 |
| 5300MHz | Pass | AV | 5.298G | 111.57 | Inf | -Inf | 3 | Vertical | 20 | 1.61 |
| 5300MHz | Pass | AV | 5.35G | 48.92 | 54.00 | -5.08 | 3 | Vertical | 20 | 1.61 |
| 5300MHz | Pass | PK | 5.302G | 121.23 | Inf | -Inf | 3 | Vertical | 20 | 1.61 |
| 5300MHz | Pass | PK | 5.3504G | 60.41 | 74.00 | -13.59 | 3 | Vertical | 20 | 1.61 |
| 5300MHz | Pass | AV | 5.2992G | 111.90 | Inf | -Inf | 3 | Horizontal | 11 | 2.00 |
| 5300MHz | Pass | AV | 5.35G | 48.76 | 54.00 | -5.24 | 3 | Horizontal | 11 | 2.00 |
| 5300MHz | Pass | PK | 5.2992G | 119.75 | Inf | -Inf | 3 | Horizontal | 11 | 2.00 |
| 5300MHz | Pass | PK | 5.35G | 61.11 | 74.00 | -12.89 | 3 | Horizontal | 11 | 2.00 |
| 5300MHz | Pass | AV | 15.90006G | 46.89 | 54.00 | -7.11 | 3 | Vertical | 301 | 1.50 |
| 5300MHz | Pass | PK | 10.59298G | 56.04 | 68.20 | -12.16 | 3 | Vertical | 342 | 1.01 |
| 5300MHz | Pass | PK | 15.9051G | 58.13 | 74.00 | -15.87 | 3 | Vertical | 301 | 1.50 |
| 5300MHz | Pass | AV | 10.60024G | 44.23 | 54.00 | -9.77 | 3 | Horizontal | 351 | 1.50 |
| 5300MHz | Pass | AV | 15.89322G | 47.05 | 54.00 | -6.95 | 3 | Horizontal | 66 | 2.51 |
| 5300MHz | Pass | PK | 10.60018G | 56.16 | 74.00 | -17.84 | 3 | Horizontal | 351 | 1.50 |
| 5300MHz | Pass | PK | 15.89856G | 59.09 | 74.00 | -14.91 | 3 | Horizontal | 66 | 2.51 |
| 5320MHz | Pass | AV | 5.3226G | 109.69 | Inf | -Inf | 3 | Vertical | 14 | 1.50 |
| 5320MHz | Pass | AV | 5.35G | 52.49 | 54.00 | -1.51 | 3 | Vertical | 14 | 1.50 |
| 5320MHz | Pass | PK | 5.3226G | 119.81 | Inf | -Inf | 3 | Vertical | 14 | 1.50 |
| 5320MHz | Pass | PK | 5.3514G | 64.94 | 74.00 | -9.06 | 3 | Vertical | 14 | 1.50 |
| 5320MHz | Pass | AV | 5.319G | 109.46 | Inf | -Inf | 3 | Horizontal | 12 | 1.91 |
| 5320MHz | Pass | AV | 5.35G | 50.06 | 54.00 | -3.94 | 3 | Horizontal | 12 | 1.91 |
| 5320MHz | Pass | PK | 5.3244G | 117.92 | Inf | -Inf | 3 | Horizontal | 12 | 1.91 |
| 5320MHz | Pass | PK | 5.3504G | 61.83 | 74.00 | -12.17 | 3 | Horizontal | 12 | 1.91 |
| 5320MHz | Pass | AV | 10.64012G | 44.44 | 54.00 | -9.56 | 3 | Vertical | 12 | 1.50 |
| 5320MHz | Pass | AV | 15.95568G | 46.57 | 54.00 | -7.43 | 3 | Vertical | 360 | 2.50 |
| 5320MHz | Pass | PK | 10.6421G | 55.93 | 74.00 | -18.07 | 3 | Vertical | 12 | 1.50 |
| 5320MHz | Pass | PK | 15.94698G | 58.53 | 74.00 | -15.47 | 3 | Vertical | 360 | 2.50 |
| 5320MHz | Pass | AV | 10.64438G | 44.22 | 54.00 | -9.78 | 3 | Horizontal | 347 | 1.50 |
| 5320MHz | Pass | AV | 15.95916G | 46.63 | 54.00 | -7.37 | 3 | Horizontal | 14 | 1.50 |
| 5320MHz | Pass | PK | 10.6508G | 55.56 | 74.00 | -18.44 | 3 | Horizontal | 347 | 1.50 |
| 5320MHz | Pass | PK | 15.9588G | 58.23 | 74.00 | -15.77 | 3 | Horizontal | 14 | 1.50 |
| 5500MHz | Pass | AV | 5.4598G | 49.99 | 54.00 | -4.01 | 3 | Vertical | 0 | 1.34 |
| 5500MHz | Pass | AV | 5.5024G | 111.30 | Inf | -Inf | 3 | Vertical | 0 | 1.34 |
| 5500MHz | Pass | PK | 5.459G | 62.30 | 74.00 | -11.70 | 3 | Vertical | 0 | 1.34 |
| 5500MHz | Pass | PK | 5.4698G | 67.39 | 68.20 | -0.81 | 3 | Vertical | 0 | 1.34 |
| 5500MHz | Pass | PK | 5.5018G | 121.17 | Inf | -Inf | 3 | Vertical | 0 | 1.34 |
| 5500MHz | Pass | AV | 5.4598G | 48.63 | 54.00 | -5.37 | 3 | Horizontal | 360 | 1.80 |
| 5500MHz | Pass | AV | 5.5054G | 108.35 | Inf | -Inf | 3 | Horizontal | 360 | 1.80 |
| 5500MHz | Pass | PK | 5.4596G | 60.91 | 74.00 | -13.09 | 3 | Horizontal | 360 | 1.80 |
| 5500MHz | Pass | PK | 5.47G | 62.96 | 68.20 | -5.24 | 3 | Horizontal | 360 | 1.80 |
| 5500MHz | Pass | PK | 5.5028G | 116.61 | Inf | -Inf | 3 | Horizontal | 360 | 1.80 |
| 5500MHz | Pass | AV | 11.00012G | 43.86 | 54.00 | -10.14 | 3 | Vertical | 20 | 1.49 |



RSE TX above 1GHz_Non-Beamforming_Radio 3

Appendix D.2

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5500MHz | Pass | PK | 11.00936G | 55.48 | 74.00 | -18.52 | 3 | Vertical | 20 | 1.49 |
| 5500MHz | Pass | PK | 16.50228G | 59.41 | 68.20 | -8.79 | 3 | Vertical | 239 | 1.41 |
| 5500MHz | Pass | AV | 11G | 44.02 | 54.00 | -9.98 | 3 | Horizontal | 31 | 1.49 |
| 5500MHz | Pass | PK | 11.01044G | 55.93 | 74.00 | -18.07 | 3 | Horizontal | 31 | 1.49 |
| 5500MHz | Pass | PK | 16.5102G | 59.03 | 68.20 | -9.17 | 3 | Horizontal | 176 | 3.00 |
| 5580MHz | Pass | AV | 5.4366G | 48.80 | 54.00 | -5.20 | 3 | Vertical | 14 | 1.49 |
| 5580MHz | Pass | AV | 5.5818G | 113.39 | Inf | -Inf | 3 | Vertical | 14 | 1.49 |
| 5580MHz | Pass | PK | 5.4516G | 59.95 | 74.00 | -14.05 | 3 | Vertical | 14 | 1.49 |
| 5580MHz | Pass | PK | 5.463G | 60.10 | 68.20 | -8.10 | 3 | Vertical | 14 | 1.49 |
| 5580MHz | Pass | PK | 5.5818G | 122.98 | Inf | -Inf | 3 | Vertical | 14 | 1.49 |
| 5580MHz | Pass | PK | 5.7258G | 61.32 | 68.20 | -6.88 | 3 | Vertical | 14 | 1.49 |
| 5580MHz | Pass | AV | 5.4306G | 48.12 | 54.00 | -5.88 | 3 | Horizontal | 7 | 1.50 |
| 5580MHz | Pass | AV | 5.5794G | 111.48 | Inf | -Inf | 3 | Horizontal | 7 | 1.50 |
| 5580MHz | Pass | PK | 5.43G | 59.69 | 74.00 | -14.31 | 3 | Horizontal | 7 | 1.50 |
| 5580MHz | Pass | PK | 5.463G | 58.79 | 68.20 | -9.41 | 3 | Horizontal | 7 | 1.50 |
| 5580MHz | Pass | PK | 5.5794G | 119.32 | Inf | -Inf | 3 | Horizontal | 7 | 1.50 |
| 5580MHz | Pass | PK | 5.7288G | 61.02 | 68.20 | -7.18 | 3 | Horizontal | 7 | 1.50 |
| 5580MHz | Pass | AV | 11.16012G | 44.75 | 54.00 | -9.25 | 3 | Vertical | 344 | 1.48 |
| 5580MHz | Pass | PK | 11.15982G | 56.24 | 74.00 | -17.76 | 3 | Vertical | 344 | 1.48 |
| 5580MHz | Pass | PK | 16.7538G | 59.34 | 68.20 | -8.86 | 3 | Vertical | 311 | 1.50 |
| 5580MHz | Pass | AV | 11.16G | 44.83 | 54.00 | -9.17 | 3 | Horizontal | 17 | 1.24 |
| 5580MHz | Pass | PK | 11.15532G | 56.56 | 74.00 | -17.44 | 3 | Horizontal | 17 | 1.24 |
| 5580MHz | Pass | PK | 16.74252G | 58.92 | 68.20 | -9.28 | 3 | Horizontal | 55 | 1.50 |
| 5700MHz | Pass | AV | 5.7024G | 110.30 | Inf | -Inf | 3 | Vertical | 351 | 1.07 |
| 5700MHz | Pass | PK | 5.702G | 120.09 | Inf | -Inf | 3 | Vertical | 351 | 1.07 |
| 5700MHz | Pass | PK | 5.7276G | 67.48 | 68.20 | -0.72 | 3 | Vertical | 351 | 1.07 |
| 5700MHz | Pass | AV | 5.698G | 110.14 | Inf | -Inf | 3 | Horizontal | 353 | 1.32 |
| 5700MHz | Pass | PK | 5.6976G | 118.42 | Inf | -Inf | 3 | Horizontal | 353 | 1.32 |
| 5700MHz | Pass | PK | 5.7272G | 65.44 | 68.20 | -2.76 | 3 | Horizontal | 353 | 1.32 |
| 5700MHz | Pass | AV | 11.39658G | 43.97 | 54.00 | -10.03 | 3 | Vertical | 106 | 2.17 |
| 5700MHz | Pass | PK | 11.38734G | 55.50 | 74.00 | -18.50 | 3 | Vertical | 106 | 2.17 |
| 5700MHz | Pass | PK | 17.0958G | 58.76 | 68.20 | -9.44 | 3 | Vertical | 360 | 2.64 |
| 5700MHz | Pass | AV | 11.38842G | 44.07 | 54.00 | -9.93 | 3 | Horizontal | 105 | 1.50 |
| 5700MHz | Pass | PK | 11.38566G | 55.10 | 74.00 | -18.90 | 3 | Horizontal | 105 | 1.50 |
| 5700MHz | Pass | PK | 17.09736G | 59.30 | 68.20 | -8.90 | 3 | Horizontal | 185 | 1.50 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.456G | 47.93 | 54.00 | -6.07 | 3 | Vertical | 343 | 1.35 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7188G | 111.89 | Inf | -Inf | 3 | Vertical | 343 | 1.35 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4368G | 59.35 | 74.00 | -14.65 | 3 | Vertical | 343 | 1.35 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4668G | 58.56 | 68.20 | -9.64 | 3 | Vertical | 343 | 1.35 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7236G | 122.14 | Inf | -Inf | 3 | Vertical | 343 | 1.35 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.882G | 61.91 | 68.20 | -6.29 | 3 | Vertical | 343 | 1.35 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4308G | 47.95 | 54.00 | -6.05 | 3 | Horizontal | 360 | 1.50 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7212G | 111.72 | Inf | -Inf | 3 | Horizontal | 360 | 1.50 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4224G | 58.75 | 74.00 | -15.25 | 3 | Horizontal | 360 | 1.50 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4692G | 58.42 | 68.20 | -9.78 | 3 | Horizontal | 360 | 1.50 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7164G | 119.60 | Inf | -Inf | 3 | Horizontal | 360 | 1.50 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.9132G | 62.57 | 68.20 | -5.63 | 3 | Horizontal | 360 | 1.50 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.42716G | 43.42 | 54.00 | -10.58 | 3 | Vertical | 209 | 2.76 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.44426G | 55.96 | 74.00 | -18.04 | 3 | Vertical | 209 | 2.76 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 17.169G | 58.80 | 68.20 | -9.40 | 3 | Vertical | 281 | 2.63 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.42992G | 43.46 | 54.00 | -10.54 | 3 | Horizontal | 360 | 1.50 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.43022G | 55.07 | 74.00 | -18.93 | 3 | Horizontal | 360 | 1.50 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 17.15184G | 58.99 | 68.20 | -9.21 | 3 | Horizontal | 336 | 1.50 |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - |
| 5260MHz | Pass | AV | 5.143G | 48.01 | 54.00 | -5.99 | 3 | Vertical | 345 | 1.16 |
| 5260MHz | Pass | AV | 5.2612G | 110.80 | Inf | -Inf | 3 | Vertical | 345 | 1.16 |
| 5260MHz | Pass | AV | 5.398G | 48.04 | 54.00 | -5.96 | 3 | Vertical | 345 | 1.16 |
| 5260MHz | Pass | PK | 5.1394G | 60.16 | 74.00 | -13.84 | 3 | Vertical | 345 | 1.16 |
| 5260MHz | Pass | PK | 5.257G | 121.91 | Inf | -Inf | 3 | Vertical | 345 | 1.16 |
| 5260MHz | Pass | PK | 5.4028G | 59.87 | 74.00 | -14.13 | 3 | Vertical | 345 | 1.16 |
| 5260MHz | Pass | AV | 5.11G | 48.11 | 54.00 | -5.89 | 3 | Horizontal | 10 | 1.03 |
| 5260MHz | Pass | AV | 5.2582G | 111.15 | Inf | -Inf | 3 | Horizontal | 10 | 1.03 |



RSE TX above 1GHz_Non-Beamforming_Radio 3

Appendix D.2

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5260MHz | Pass | AV | 5.4094G | 47.86 | 54.00 | -6.14 | 3 | Horizontal | 10 | 1.03 |
| 5260MHz | Pass | PK | 5.1484G | 60.33 | 74.00 | -13.67 | 3 | Horizontal | 10 | 1.03 |
| 5260MHz | Pass | PK | 5.2588G | 122.27 | Inf | -Inf | 3 | Horizontal | 10 | 1.03 |
| 5260MHz | Pass | PK | 5.3536G | 59.93 | 74.00 | -14.07 | 3 | Horizontal | 10 | 1.03 |
| 5260MHz | Pass | AV | 15.78162G | 46.93 | 54.00 | -7.07 | 3 | Vertical | 175 | 1.50 |
| 5260MHz | Pass | PK | 10.52498G | 55.75 | 68.20 | -12.45 | 3 | Vertical | 337 | 1.50 |
| 5260MHz | Pass | PK | 15.7698G | 59.08 | 74.00 | -14.92 | 3 | Vertical | 175 | 1.50 |
| 5260MHz | Pass | AV | 15.78582G | 46.98 | 54.00 | -7.02 | 3 | Horizontal | 31 | 2.50 |
| 5260MHz | Pass | PK | 10.52426G | 55.71 | 68.20 | -12.49 | 3 | Horizontal | 341 | 1.46 |
| 5260MHz | Pass | PK | 15.78612G | 59.53 | 74.00 | -14.47 | 3 | Horizontal | 31 | 2.50 |
| 5300MHz | Pass | AV | 5.3008G | 111.11 | Inf | -Inf | 3 | Vertical | 17 | 2.13 |
| 5300MHz | Pass | AV | 5.35G | 50.06 | 54.00 | -3.94 | 3 | Vertical | 17 | 2.13 |
| 5300MHz | Pass | PK | 5.3012G | 123.41 | Inf | -Inf | 3 | Vertical | 17 | 2.13 |
| 5300MHz | Pass | PK | 5.3508G | 64.32 | 74.00 | -9.68 | 3 | Vertical | 17 | 2.13 |
| 5300MHz | Pass | AV | 5.298G | 111.17 | Inf | -Inf | 3 | Horizontal | 12 | 1.43 |
| 5300MHz | Pass | AV | 5.35G | 49.36 | 54.00 | -4.64 | 3 | Horizontal | 12 | 1.43 |
| 5300MHz | Pass | PK | 5.2984G | 123.02 | Inf | -Inf | 3 | Horizontal | 12 | 1.43 |
| 5300MHz | Pass | PK | 5.3508G | 63.39 | 74.00 | -10.61 | 3 | Horizontal | 12 | 1.43 |
| 5300MHz | Pass | AV | 15.90408G | 46.48 | 54.00 | -7.52 | 3 | Vertical | 0 | 1.12 |
| 5300MHz | Pass | PK | 10.6111G | 56.04 | 74.00 | -17.96 | 3 | Vertical | 0 | 1.50 |
| 5300MHz | Pass | PK | 15.89886G | 58.91 | 74.00 | -15.09 | 3 | Vertical | 0 | 1.12 |
| 5300MHz | Pass | AV | 15.89808G | 46.61 | 54.00 | -7.39 | 3 | Horizontal | 69 | 2.49 |
| 5300MHz | Pass | PK | 10.60678G | 56.56 | 74.00 | -17.44 | 3 | Horizontal | 351 | 1.59 |
| 5300MHz | Pass | PK | 15.90642G | 59.23 | 74.00 | -14.77 | 3 | Horizontal | 69 | 2.49 |
| 5320MHz | Pass | AV | 5.3184G | 109.80 | Inf | -Inf | 3 | Vertical | 353 | 1.02 |
| 5320MHz | Pass | AV | 5.35G | 52.98 | 54.00 | -1.02 | 3 | Vertical | 353 | 1.02 |
| 5320MHz | Pass | PK | 5.3178G | 121.12 | Inf | -Inf | 3 | Vertical | 353 | 1.02 |
| 5320MHz | Pass | PK | 5.3522G | 68.89 | 74.00 | -5.11 | 3 | Vertical | 353 | 1.02 |
| 5320MHz | Pass | AV | 5.3188G | 108.89 | Inf | -Inf | 3 | Horizontal | 10 | 1.91 |
| 5320MHz | Pass | AV | 5.35G | 50.58 | 54.00 | -3.42 | 3 | Horizontal | 10 | 1.91 |
| 5320MHz | Pass | PK | 5.3174G | 120.15 | Inf | -Inf | 3 | Horizontal | 10 | 1.91 |
| 5320MHz | Pass | PK | 5.3502G | 62.64 | 74.00 | -11.36 | 3 | Horizontal | 10 | 1.91 |
| 5320MHz | Pass | AV | 10.64006G | 44.12 | 54.00 | -9.88 | 3 | Vertical | 9 | 1.49 |
| 5320MHz | Pass | AV | 15.94674G | 46.09 | 54.00 | -7.91 | 3 | Vertical | 308 | 1.18 |
| 5320MHz | Pass | PK | 10.64978G | 56.45 | 74.00 | -17.55 | 3 | Vertical | 9 | 1.49 |
| 5320MHz | Pass | PK | 15.97266G | 58.76 | 74.00 | -15.24 | 3 | Vertical | 308 | 1.18 |
| 5320MHz | Pass | AV | 10.65266G | 43.58 | 54.00 | -10.42 | 3 | Horizontal | 160 | 1.50 |
| 5320MHz | Pass | AV | 15.95142G | 46.15 | 54.00 | -7.85 | 3 | Horizontal | 279 | 1.50 |
| 5320MHz | Pass | PK | 10.64108G | 56.02 | 74.00 | -17.98 | 3 | Horizontal | 160 | 1.50 |
| 5320MHz | Pass | PK | 15.95202G | 58.29 | 74.00 | -15.71 | 3 | Horizontal | 279 | 1.50 |
| 5500MHz | Pass | AV | 5.46G | 49.11 | 54.00 | -4.89 | 3 | Vertical | 14 | 1.50 |
| 5500MHz | Pass | AV | 5.504G | 109.72 | Inf | -Inf | 3 | Vertical | 14 | 1.50 |
| 5500MHz | Pass | PK | 5.4592G | 61.52 | 74.00 | -12.48 | 3 | Vertical | 14 | 1.50 |
| 5500MHz | Pass | PK | 5.4686G | 66.32 | 68.20 | -1.88 | 3 | Vertical | 14 | 1.50 |
| 5500MHz | Pass | PK | 5.5034G | 122.29 | Inf | -Inf | 3 | Vertical | 14 | 1.50 |
| 5500MHz | Pass | AV | 5.46G | 48.46 | 54.00 | -5.54 | 3 | Horizontal | 0 | 1.94 |
| 5500MHz | Pass | AV | 5.5014G | 107.31 | Inf | -Inf | 3 | Horizontal | 0 | 1.94 |
| 5500MHz | Pass | PK | 5.457G | 60.66 | 74.00 | -13.34 | 3 | Horizontal | 0 | 1.94 |
| 5500MHz | Pass | PK | 5.4694G | 62.37 | 68.20 | -5.83 | 3 | Horizontal | 0 | 1.94 |
| 5500MHz | Pass | PK | 5.5024G | 119.18 | Inf | -Inf | 3 | Horizontal | 0 | 1.94 |
| 5500MHz | Pass | AV | 10.99016G | 43.08 | 54.00 | -10.92 | 3 | Vertical | 209 | 1.50 |
| 5500MHz | Pass | PK | 11.00402G | 55.39 | 74.00 | -18.61 | 3 | Vertical | 209 | 1.50 |
| 5500MHz | Pass | PK | 16.5117G | 59.07 | 68.20 | -9.13 | 3 | Vertical | 0 | 2.93 |
| 5500MHz | Pass | AV | 11G | 43.38 | 54.00 | -10.62 | 3 | Horizontal | 331 | 1.50 |
| 5500MHz | Pass | PK | 10.98698G | 56.02 | 74.00 | -17.98 | 3 | Horizontal | 331 | 1.50 |
| 5500MHz | Pass | PK | 16.51386G | 59.24 | 68.20 | -8.96 | 3 | Horizontal | 124 | 2.24 |
| 5580MHz | Pass | AV | 5.4402G | 48.17 | 54.00 | -5.83 | 3 | Vertical | 16 | 1.50 |
| 5580MHz | Pass | AV | 5.583G | 112.67 | Inf | -Inf | 3 | Vertical | 16 | 1.50 |
| 5580MHz | Pass | PK | 5.436G | 60.10 | 74.00 | -13.90 | 3 | Vertical | 16 | 1.50 |
| 5580MHz | Pass | PK | 5.4678G | 59.83 | 68.20 | -8.37 | 3 | Vertical | 16 | 1.50 |
| 5580MHz | Pass | PK | 5.583G | 124.79 | Inf | -Inf | 3 | Vertical | 16 | 1.50 |
| 5580MHz | Pass | PK | 5.7288G | 60.53 | 68.20 | -7.67 | 3 | Vertical | 16 | 1.50 |



RSE TX above 1GHz_Non-Beamforming_Radio 3

Appendix D.2

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5580MHz | Pass | AV | 5.4438G | 47.67 | 54.00 | -6.33 | 3 | Horizontal | 8 | 1.50 |
| 5580MHz | Pass | AV | 5.5788G | 111.06 | Inf | -Inf | 3 | Horizontal | 8 | 1.50 |
| 5580MHz | Pass | PK | 5.451G | 59.95 | 74.00 | -14.05 | 3 | Horizontal | 8 | 1.50 |
| 5580MHz | Pass | PK | 5.4612G | 59.32 | 68.20 | -8.88 | 3 | Horizontal | 8 | 1.50 |
| 5580MHz | Pass | PK | 5.5788G | 121.97 | Inf | -Inf | 3 | Horizontal | 8 | 1.50 |
| 5580MHz | Pass | PK | 5.7276G | 60.74 | 68.20 | -7.46 | 3 | Horizontal | 8 | 1.50 |
| 5580MHz | Pass | AV | 11.16024G | 44.13 | 54.00 | -9.87 | 3 | Vertical | 346 | 1.46 |
| 5580MHz | Pass | PK | 11.15292G | 55.84 | 74.00 | -18.16 | 3 | Vertical | 346 | 1.46 |
| 5580MHz | Pass | PK | 16.74138G | 59.55 | 68.20 | -8.65 | 3 | Vertical | 331 | 2.18 |
| 5580MHz | Pass | AV | 11.16G | 44.13 | 54.00 | -9.87 | 3 | Horizontal | 46 | 1.40 |
| 5580MHz | Pass | PK | 11.1591G | 55.87 | 74.00 | -18.13 | 3 | Horizontal | 46 | 1.40 |
| 5580MHz | Pass | PK | 16.7394G | 58.62 | 68.20 | -9.58 | 3 | Horizontal | 323 | 2.77 |
| 5700MHz | Pass | AV | 5.7036G | 108.71 | Inf | -Inf | 3 | Vertical | 352 | 1.02 |
| 5700MHz | Pass | PK | 5.7056G | 120.27 | Inf | -Inf | 3 | Vertical | 352 | 1.02 |
| 5700MHz | Pass | PK | 5.7256G | 66.62 | 68.20 | -1.58 | 3 | Vertical | 352 | 1.02 |
| 5700MHz | Pass | AV | 5.6972G | 108.21 | Inf | -Inf | 3 | Horizontal | 353 | 1.50 |
| 5700MHz | Pass | PK | 5.7028G | 119.51 | Inf | -Inf | 3 | Horizontal | 353 | 1.50 |
| 5700MHz | Pass | PK | 5.7252G | 67.10 | 68.20 | -1.10 | 3 | Horizontal | 353 | 1.50 |
| 5700MHz | Pass | AV | 11.3979G | 43.51 | 54.00 | -10.49 | 3 | Vertical | 250 | 1.50 |
| 5700MHz | Pass | PK | 11.3961G | 55.77 | 74.00 | -18.23 | 3 | Vertical | 250 | 1.50 |
| 5700MHz | Pass | PK | 17.106G | 59.00 | 68.20 | -9.20 | 3 | Vertical | 299 | 1.00 |
| 5700MHz | Pass | AV | 11.38614G | 43.43 | 54.00 | -10.57 | 3 | Horizontal | 34 | 1.35 |
| 5700MHz | Pass | PK | 11.40228G | 56.12 | 74.00 | -17.88 | 3 | Horizontal | 34 | 1.35 |
| 5700MHz | Pass | PK | 17.10576G | 59.02 | 68.20 | -9.18 | 3 | Horizontal | 6 | 1.50 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4452G | 47.68 | 54.00 | -6.32 | 3 | Vertical | 360 | 1.50 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7236G | 111.43 | Inf | -Inf | 3 | Vertical | 360 | 1.50 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.444G | 59.54 | 74.00 | -14.46 | 3 | Vertical | 360 | 1.50 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4656G | 59.07 | 68.20 | -9.13 | 3 | Vertical | 360 | 1.50 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.726G | 123.12 | Inf | -Inf | 3 | Vertical | 360 | 1.50 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.9792G | 61.42 | 68.20 | -6.78 | 3 | Vertical | 360 | 1.50 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4524G | 47.55 | 54.00 | -6.45 | 3 | Horizontal | 345 | 1.41 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7176G | 109.21 | Inf | -Inf | 3 | Horizontal | 345 | 1.41 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4416G | 59.10 | 74.00 | -14.90 | 3 | Horizontal | 345 | 1.41 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.462G | 59.13 | 68.20 | -9.07 | 3 | Horizontal | 345 | 1.41 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7176G | 120.52 | Inf | -Inf | 3 | Horizontal | 345 | 1.41 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.9108G | 61.84 | 68.20 | -6.36 | 3 | Horizontal | 345 | 1.41 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.4301G | 43.00 | 54.00 | -11.00 | 3 | Vertical | 67 | 2.95 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.42674G | 55.01 | 74.00 | -18.99 | 3 | Vertical | 67 | 2.95 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 17.15286G | 59.02 | 68.20 | -9.18 | 3 | Vertical | 0 | 1.50 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.43202G | 43.15 | 54.00 | -10.85 | 3 | Horizontal | 33 | 1.50 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.44606G | 54.98 | 74.00 | -19.02 | 3 | Horizontal | 33 | 1.50 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 17.15838G | 59.96 | 68.20 | -8.24 | 3 | Horizontal | 338 | 1.61 |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - |
| 5270MHz | Pass | AV | 5.2664G | 108.04 | Inf | -Inf | 3 | Vertical | 24 | 1.64 |
| 5270MHz | Pass | AV | 5.3504G | 53.54 | 54.00 | -0.46 | 3 | Vertical | 24 | 1.64 |
| 5270MHz | Pass | PK | 5.266G | 119.67 | Inf | -Inf | 3 | Vertical | 24 | 1.64 |
| 5270MHz | Pass | PK | 5.3516G | 67.25 | 74.00 | -6.75 | 3 | Vertical | 24 | 1.64 |
| 5270MHz | Pass | AV | 5.2684G | 107.10 | Inf | -Inf | 3 | Horizontal | 10 | 1.50 |
| 5270MHz | Pass | AV | 5.35G | 50.06 | 54.00 | -3.94 | 3 | Horizontal | 10 | 1.50 |
| 5270MHz | Pass | PK | 5.268G | 118.43 | Inf | -Inf | 3 | Horizontal | 10 | 1.50 |
| 5270MHz | Pass | PK | 5.3512G | 62.43 | 74.00 | -11.57 | 3 | Horizontal | 10 | 1.50 |
| 5270MHz | Pass | AV | 15.80916G | 47.12 | 54.00 | -6.88 | 3 | Vertical | 295 | 2.86 |
| 5270MHz | Pass | PK | 10.54095G | 55.47 | 68.20 | -12.73 | 3 | Vertical | 279 | 1.00 |
| 5270MHz | Pass | PK | 15.80946G | 59.36 | 74.00 | -14.64 | 3 | Vertical | 295 | 2.86 |
| 5270MHz | Pass | AV | 15.80906G | 47.30 | 54.00 | -6.70 | 3 | Horizontal | 343 | 1.46 |
| 5270MHz | Pass | PK | 10.53991G | 55.77 | 68.20 | -12.43 | 3 | Horizontal | 14 | 2.81 |
| 5270MHz | Pass | PK | 15.80992G | 59.99 | 74.00 | -14.01 | 3 | Horizontal | 343 | 1.46 |
| 5310MHz | Pass | AV | 5.3112G | 103.34 | Inf | -Inf | 3 | Vertical | 17 | 2.15 |
| 5310MHz | Pass | AV | 5.3504G | 53.17 | 54.00 | -0.83 | 3 | Vertical | 17 | 2.15 |
| 5310MHz | Pass | PK | 5.3012G | 114.85 | Inf | -Inf | 3 | Vertical | 17 | 2.15 |
| 5310MHz | Pass | PK | 5.3504G | 65.38 | 74.00 | -8.62 | 3 | Vertical | 17 | 2.15 |
| 5310MHz | Pass | AV | 5.3184G | 103.66 | Inf | -Inf | 3 | Horizontal | 12 | 1.92 |



RSE TX above 1GHz_Non-Beamforming_Radio 3

Appendix D.2

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5310MHz | Pass | AV | 5.35G | 50.83 | 54.00 | -3.17 | 3 | Horizontal | 12 | 1.92 |
| 5310MHz | Pass | PK | 5.3184G | 116.26 | Inf | -Inf | 3 | Horizontal | 12 | 1.92 |
| 5310MHz | Pass | PK | 5.35G | 63.13 | 74.00 | -10.87 | 3 | Horizontal | 12 | 1.92 |
| 5310MHz | Pass | AV | 10.61918G | 43.17 | 54.00 | -10.83 | 3 | Vertical | 48 | 1.42 |
| 5310MHz | Pass | AV | 15.92974G | 46.11 | 54.00 | -7.89 | 3 | Vertical | 106 | 2.42 |
| 5310MHz | Pass | PK | 10.61957G | 55.69 | 74.00 | -18.31 | 3 | Vertical | 48 | 1.42 |
| 5310MHz | Pass | PK | 15.92902G | 58.95 | 74.00 | -15.05 | 3 | Vertical | 106 | 2.42 |
| 5310MHz | Pass | AV | 10.61992G | 43.35 | 54.00 | -10.65 | 3 | Horizontal | 141 | 2.17 |
| 5310MHz | Pass | AV | 15.92949G | 46.11 | 54.00 | -7.89 | 3 | Horizontal | 187 | 2.62 |
| 5310MHz | Pass | PK | 10.62013G | 55.44 | 74.00 | -18.56 | 3 | Horizontal | 141 | 2.17 |
| 5310MHz | Pass | PK | 15.93035G | 57.79 | 74.00 | -16.21 | 3 | Horizontal | 187 | 2.62 |
| 5510MHz | Pass | AV | 5.4596G | 49.41 | 54.00 | -4.59 | 3 | Vertical | 19 | 1.59 |
| 5510MHz | Pass | AV | 5.5148G | 105.68 | Inf | -Inf | 3 | Vertical | 19 | 1.59 |
| 5510MHz | Pass | PK | 5.458G | 65.20 | 74.00 | -8.80 | 3 | Vertical | 19 | 1.59 |
| 5510MHz | Pass | PK | 5.4648G | 67.95 | 68.20 | -0.25 | 3 | Vertical | 19 | 1.59 |
| 5510MHz | Pass | PK | 5.5144G | 117.24 | Inf | -Inf | 3 | Vertical | 19 | 1.59 |
| 5510MHz | Pass | AV | 5.4596G | 49.26 | 54.00 | -4.74 | 3 | Horizontal | 360 | 1.96 |
| 5510MHz | Pass | AV | 5.5116G | 103.97 | Inf | -Inf | 3 | Horizontal | 360 | 1.96 |
| 5510MHz | Pass | PK | 5.4528G | 61.45 | 74.00 | -12.55 | 3 | Horizontal | 360 | 1.96 |
| 5510MHz | Pass | PK | 5.47G | 64.55 | 68.20 | -3.65 | 3 | Horizontal | 360 | 1.96 |
| 5510MHz | Pass | PK | 5.5108G | 115.64 | Inf | -Inf | 3 | Horizontal | 360 | 1.96 |
| 5510MHz | Pass | AV | 11.01988G | 42.96 | 54.00 | -11.04 | 3 | Vertical | 248 | 1.59 |
| 5510MHz | Pass | PK | 11.01933G | 55.77 | 74.00 | -18.23 | 3 | Vertical | 248 | 1.59 |
| 5510MHz | Pass | PK | 16.52963G | 58.17 | 68.20 | -10.03 | 3 | Vertical | 281 | 1.34 |
| 5510MHz | Pass | AV | 11.0198G | 43.05 | 54.00 | -10.95 | 3 | Horizontal | 287 | 1.46 |
| 5510MHz | Pass | PK | 11.02011G | 55.92 | 74.00 | -18.08 | 3 | Horizontal | 287 | 1.46 |
| 5510MHz | Pass | PK | 16.53092G | 58.47 | 68.20 | -9.73 | 3 | Horizontal | 99 | 2.60 |
| 5550MHz | Pass | AV | 5.46G | 50.67 | 54.00 | -3.33 | 3 | Vertical | 16 | 1.49 |
| 5550MHz | Pass | AV | 5.544G | 109.17 | Inf | -Inf | 3 | Vertical | 16 | 1.49 |
| 5550MHz | Pass | PK | 5.4584G | 63.47 | 74.00 | -10.53 | 3 | Vertical | 16 | 1.49 |
| 5550MHz | Pass | PK | 5.4672G | 65.31 | 68.20 | -2.89 | 3 | Vertical | 16 | 1.49 |
| 5550MHz | Pass | PK | 5.552G | 120.59 | Inf | -Inf | 3 | Vertical | 16 | 1.49 |
| 5550MHz | Pass | AV | 5.4596G | 48.12 | 54.00 | -5.88 | 3 | Horizontal | 0 | 1.89 |
| 5550MHz | Pass | AV | 5.5516G | 105.95 | Inf | -Inf | 3 | Horizontal | 0 | 1.89 |
| 5550MHz | Pass | PK | 5.4572G | 59.44 | 74.00 | -14.56 | 3 | Horizontal | 0 | 1.89 |
| 5550MHz | Pass | PK | 5.4676G | 59.92 | 68.20 | -8.28 | 3 | Horizontal | 0 | 1.89 |
| 5550MHz | Pass | PK | 5.552G | 117.84 | Inf | -Inf | 3 | Horizontal | 0 | 1.89 |
| 5550MHz | Pass | AV | 11.09967G | 43.35 | 54.00 | -10.65 | 3 | Vertical | 184 | 2.61 |
| 5550MHz | Pass | PK | 11.10045G | 56.21 | 74.00 | -17.79 | 3 | Vertical | 184 | 2.61 |
| 5550MHz | Pass | PK | 16.65047G | 58.02 | 68.20 | -10.18 | 3 | Vertical | 235 | 1.26 |
| 5550MHz | Pass | AV | 11.09993G | 43.45 | 54.00 | -10.55 | 3 | Horizontal | 340 | 1.54 |
| 5550MHz | Pass | PK | 11.1009G | 55.30 | 74.00 | -18.70 | 3 | Horizontal | 340 | 1.54 |
| 5550MHz | Pass | PK | 16.64996G | 58.59 | 68.20 | -9.61 | 3 | Horizontal | 318 | 1.29 |
| 5670MHz | Pass | AV | 5.6736G | 105.70 | Inf | -Inf | 3 | Vertical | 0 | 1.19 |
| 5670MHz | Pass | PK | 5.6718G | 118.08 | Inf | -Inf | 3 | Vertical | 0 | 1.19 |
| 5670MHz | Pass | PK | 5.727G | 65.56 | 68.20 | -2.64 | 3 | Vertical | 0 | 1.19 |
| 5670MHz | Pass | AV | 5.676G | 105.44 | Inf | -Inf | 3 | Horizontal | 352 | 1.36 |
| 5670MHz | Pass | PK | 5.6772G | 117.12 | Inf | -Inf | 3 | Horizontal | 352 | 1.36 |
| 5670MHz | Pass | PK | 5.7258G | 66.13 | 68.20 | -2.07 | 3 | Horizontal | 352 | 1.36 |
| 5670MHz | Pass | AV | 11.34062G | 43.40 | 54.00 | -10.60 | 3 | Vertical | 257 | 1.50 |
| 5670MHz | Pass | PK | 11.33917G | 55.27 | 74.00 | -18.73 | 3 | Vertical | 257 | 1.50 |
| 5670MHz | Pass | PK | 17.00989G | 58.97 | 68.20 | -9.23 | 3 | Vertical | 251 | 1.86 |
| 5670MHz | Pass | AV | 11.33908G | 43.40 | 54.00 | -10.60 | 3 | Horizontal | 140 | 2.12 |
| 5670MHz | Pass | PK | 11.33915G | 55.52 | 74.00 | -18.48 | 3 | Horizontal | 140 | 2.12 |
| 5670MHz | Pass | PK | 17.01088G | 58.61 | 68.20 | -9.59 | 3 | Horizontal | 124 | 2.01 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.46G | 47.78 | 54.00 | -6.22 | 3 | Vertical | 352 | 1.02 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.704G | 110.72 | Inf | -Inf | 3 | Vertical | 352 | 1.02 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4532G | 59.60 | 74.00 | -14.40 | 3 | Vertical | 352 | 1.02 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4616G | 59.60 | 68.20 | -8.60 | 3 | Vertical | 352 | 1.02 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7052G | 122.19 | Inf | -Inf | 3 | Vertical | 352 | 1.02 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8684G | 62.93 | 68.20 | -5.27 | 3 | Vertical | 352 | 1.02 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4556G | 47.57 | 54.00 | -6.43 | 3 | Horizontal | 354 | 1.26 |



RSE TX above 1GHz_Non-Beamforming_Radio 3

Appendix D.2

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7052G | 109.58 | Inf | -Inf | 3 | Horizontal | 354 | 1.26 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.416G | 59.35 | 74.00 | -14.65 | 3 | Horizontal | 354 | 1.26 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4616G | 59.08 | 68.20 | -9.12 | 3 | Horizontal | 354 | 1.26 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.716G | 120.97 | Inf | -Inf | 3 | Horizontal | 354 | 1.26 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.9872G | 62.95 | 68.20 | -5.25 | 3 | Horizontal | 354 | 1.26 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 11.40452G | 43.33 | 54.00 | -10.67 | 3 | Vertical | 279 | 1.94 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 11.39408G | 55.34 | 74.00 | -18.66 | 3 | Vertical | 279 | 1.94 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 17.12556G | 59.19 | 68.20 | -9.01 | 3 | Vertical | 155 | 3.00 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 11.39G | 43.32 | 54.00 | -10.68 | 3 | Horizontal | 71 | 1.50 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 11.39012G | 55.18 | 74.00 | -18.82 | 3 | Horizontal | 71 | 1.50 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 17.14584G | 59.07 | 68.20 | -9.13 | 3 | Horizontal | 341 | 1.18 |
| 802.11ax HEW80_Nss1_(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - |
| 5290MHz | Pass | AV | 5.143G | 48.00 | 54.00 | -6.00 | 3 | Vertical | 22 | 1.61 |
| 5290MHz | Pass | AV | 5.296G | 99.83 | Inf | -Inf | 3 | Vertical | 22 | 1.61 |
| 5290MHz | Pass | AV | 5.354G | 53.55 | 54.00 | -0.45 | 3 | Vertical | 22 | 1.61 |
| 5290MHz | Pass | PK | 5.104G | 59.60 | 74.00 | -14.40 | 3 | Vertical | 22 | 1.61 |
| 5290MHz | Pass | PK | 5.286G | 111.16 | Inf | -Inf | 3 | Vertical | 22 | 1.61 |
| 5290MHz | Pass | PK | 5.353G | 65.14 | 74.00 | -8.86 | 3 | Vertical | 22 | 1.61 |
| 5290MHz | Pass | PK | 5.513G | 59.93 | 68.20 | -8.27 | 3 | Vertical | 22 | 1.61 |
| 5290MHz | Pass | AV | 5.15G | 48.14 | 54.00 | -5.86 | 3 | Horizontal | 0 | 1.50 |
| 5290MHz | Pass | AV | 5.289G | 99.22 | Inf | -Inf | 3 | Horizontal | 0 | 1.50 |
| 5290MHz | Pass | AV | 5.35G | 52.69 | 54.00 | -1.31 | 3 | Horizontal | 0 | 1.50 |
| 5290MHz | Pass | PK | 5.135G | 59.46 | 74.00 | -14.54 | 3 | Horizontal | 0 | 1.50 |
| 5290MHz | Pass | PK | 5.31G | 110.36 | Inf | -Inf | 3 | Horizontal | 0 | 1.50 |
| 5290MHz | Pass | PK | 5.35G | 64.79 | 74.00 | -9.21 | 3 | Horizontal | 0 | 1.50 |
| 5290MHz | Pass | PK | 5.52G | 59.41 | 68.20 | -8.79 | 3 | Horizontal | 0 | 1.50 |
| 5290MHz | Pass | AV | 15.86994G | 46.51 | 54.00 | -7.49 | 3 | Vertical | 224 | 1.96 |
| 5290MHz | Pass | PK | 10.57902G | 55.68 | 68.20 | -12.52 | 3 | Vertical | 108 | 1.42 |
| 5290MHz | Pass | PK | 15.86983G | 58.40 | 74.00 | -15.60 | 3 | Vertical | 224 | 1.96 |
| 5290MHz | Pass | AV | 15.87G | 46.51 | 54.00 | -7.49 | 3 | Horizontal | 198 | 1.27 |
| 5290MHz | Pass | PK | 10.57986G | 55.73 | 68.20 | -12.47 | 3 | Horizontal | 203 | 1.37 |
| 5290MHz | Pass | PK | 15.87092G | 58.89 | 74.00 | -15.11 | 3 | Horizontal | 198 | 1.27 |
| 5530MHz | Pass | AV | 5.35G | 47.43 | 54.00 | -6.57 | 3 | Vertical | 12 | 1.40 |
| 5530MHz | Pass | AV | 5.46G | 51.17 | 54.00 | -2.83 | 3 | Vertical | 12 | 1.40 |
| 5530MHz | Pass | AV | 5.532G | 102.73 | Inf | -Inf | 3 | Vertical | 12 | 1.40 |
| 5530MHz | Pass | PK | 5.307G | 59.07 | 68.20 | -9.13 | 3 | Vertical | 12 | 1.40 |
| 5530MHz | Pass | PK | 5.452G | 63.97 | 74.00 | -10.03 | 3 | Vertical | 12 | 1.40 |
| 5530MHz | Pass | PK | 5.469G | 65.86 | 68.20 | -2.34 | 3 | Vertical | 12 | 1.40 |
| 5530MHz | Pass | PK | 5.544G | 113.84 | Inf | -Inf | 3 | Vertical | 12 | 1.40 |
| 5530MHz | Pass | PK | 5.765G | 60.89 | 68.20 | -7.31 | 3 | Vertical | 12 | 1.40 |
| 5530MHz | Pass | AV | 5.35G | 47.43 | 54.00 | -6.57 | 3 | Horizontal | 0 | 1.86 |
| 5530MHz | Pass | AV | 5.46G | 50.13 | 54.00 | -3.87 | 3 | Horizontal | 0 | 1.86 |
| 5530MHz | Pass | AV | 5.531G | 101.44 | Inf | -Inf | 3 | Horizontal | 0 | 1.86 |
| 5530MHz | Pass | PK | 5.317G | 60.07 | 68.20 | -8.13 | 3 | Horizontal | 0 | 1.86 |
| 5530MHz | Pass | PK | 5.458G | 62.23 | 74.00 | -11.77 | 3 | Horizontal | 0 | 1.86 |
| 5530MHz | Pass | PK | 5.47G | 62.07 | 68.20 | -6.13 | 3 | Horizontal | 0 | 1.86 |
| 5530MHz | Pass | PK | 5.531G | 113.70 | Inf | -Inf | 3 | Horizontal | 0 | 1.86 |
| 5530MHz | Pass | PK | 5.774G | 61.53 | 68.20 | -6.67 | 3 | Horizontal | 0 | 1.86 |
| 5530MHz | Pass | AV | 11.06014G | 43.15 | 54.00 | -10.85 | 3 | Vertical | 180 | 1.10 |
| 5530MHz | Pass | PK | 11.06068G | 55.27 | 74.00 | -18.73 | 3 | Vertical | 180 | 1.10 |
| 5530MHz | Pass | PK | 16.59078G | 58.17 | 68.20 | -10.03 | 3 | Vertical | 333 | 1.33 |
| 5530MHz | Pass | AV | 11.06023G | 43.15 | 54.00 | -10.85 | 3 | Horizontal | 245 | 1.41 |
| 5530MHz | Pass | PK | 11.0608G | 55.12 | 74.00 | -18.88 | 3 | Horizontal | 245 | 1.41 |
| 5530MHz | Pass | PK | 16.58964G | 58.83 | 68.20 | -9.37 | 3 | Horizontal | 247 | 2.55 |
| 5610MHz | Pass | AV | 5.46G | 49.11 | 54.00 | -4.89 | 3 | Vertical | 14 | 1.69 |
| 5610MHz | Pass | AV | 5.614G | 104.25 | Inf | -Inf | 3 | Vertical | 14 | 1.69 |
| 5610MHz | Pass | PK | 5.456G | 60.94 | 74.00 | -13.06 | 3 | Vertical | 14 | 1.69 |
| 5610MHz | Pass | PK | 5.461G | 61.72 | 68.20 | -6.48 | 3 | Vertical | 14 | 1.69 |
| 5610MHz | Pass | PK | 5.633G | 115.55 | Inf | -Inf | 3 | Vertical | 14 | 1.69 |
| 5610MHz | Pass | PK | 5.725G | 67.50 | 68.20 | -0.70 | 3 | Vertical | 14 | 1.69 |
| 5610MHz | Pass | AV | 5.459G | 48.12 | 54.00 | -5.88 | 3 | Horizontal | 0 | 1.50 |
| 5610MHz | Pass | AV | 5.62G | 101.83 | Inf | -Inf | 3 | Horizontal | 0 | 1.50 |



RSE TX above 1GHz_Non-Beamforming_Radio 3

Appendix D.2

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5610MHz | Pass | PK | 5.449G | 59.44 | 74.00 | -14.56 | 3 | Horizontal | 0 | 1.50 |
| 5610MHz | Pass | PK | 5.463G | 59.42 | 68.20 | -8.78 | 3 | Horizontal | 0 | 1.50 |
| 5610MHz | Pass | PK | 5.623G | 112.92 | Inf | -Inf | 3 | Horizontal | 0 | 1.50 |
| 5610MHz | Pass | PK | 5.731G | 63.60 | 68.20 | -4.60 | 3 | Horizontal | 0 | 1.50 |
| 5610MHz | Pass | AV | 11.21935G | 43.47 | 54.00 | -10.53 | 3 | Vertical | 39 | 1.55 |
| 5610MHz | Pass | PK | 11.21994G | 55.02 | 74.00 | -18.98 | 3 | Vertical | 39 | 1.55 |
| 5610MHz | Pass | PK | 16.83096G | 59.18 | 68.20 | -9.02 | 3 | Vertical | 109 | 2.07 |
| 5610MHz | Pass | AV | 11.21994G | 43.58 | 54.00 | -10.42 | 3 | Horizontal | 94 | 1.74 |
| 5610MHz | Pass | PK | 11.21976G | 55.46 | 74.00 | -18.54 | 3 | Horizontal | 94 | 1.74 |
| 5610MHz | Pass | PK | 16.83022G | 58.65 | 68.20 | -9.55 | 3 | Horizontal | 100 | 1.61 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4596G | 48.47 | 54.00 | -5.53 | 3 | Vertical | 12 | 1.50 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.6828G | 105.87 | Inf | -Inf | 3 | Vertical | 12 | 1.50 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4548G | 60.06 | 74.00 | -13.94 | 3 | Vertical | 12 | 1.50 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4644G | 59.99 | 68.20 | -8.21 | 3 | Vertical | 12 | 1.50 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.6936G | 117.47 | Inf | -Inf | 3 | Vertical | 12 | 1.50 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8628G | 67.16 | 68.20 | -1.04 | 3 | Vertical | 12 | 1.50 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4512G | 47.90 | 54.00 | -6.10 | 3 | Horizontal | 352 | 1.32 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.6972G | 105.74 | Inf | -Inf | 3 | Horizontal | 352 | 1.32 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4512G | 59.91 | 74.00 | -14.09 | 3 | Horizontal | 352 | 1.32 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4692G | 58.99 | 68.20 | -9.21 | 3 | Horizontal | 352 | 1.32 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.696G | 116.80 | Inf | -Inf | 3 | Horizontal | 352 | 1.32 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8604G | 63.42 | 68.20 | -4.78 | 3 | Horizontal | 352 | 1.32 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 11.344G | 43.59 | 54.00 | -10.41 | 3 | Vertical | 112 | 1.50 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 11.37976G | 56.24 | 74.00 | -17.76 | 3 | Vertical | 112 | 1.50 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 17.12568G | 59.08 | 68.20 | -9.12 | 3 | Vertical | 324 | 1.50 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 11.33824G | 43.51 | 54.00 | -10.49 | 3 | Horizontal | 360 | 2.02 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 11.41744G | 55.67 | 74.00 | -18.33 | 3 | Horizontal | 360 | 2.02 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 17.1216G | 59.29 | 68.20 | -8.91 | 3 | Horizontal | 150 | 1.99 |
| 802.11ax HEW160_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - |
| 5250MHz Straddle 5.25-5.35GHz | Pass | AV | 5.15G | 52.75 | 54.00 | -1.25 | 3 | Vertical | 360 | 1.38 |
| 5250MHz Straddle 5.25-5.35GHz | Pass | AV | 5.2656G | 96.15 | Inf | -Inf | 3 | Vertical | 360 | 1.38 |
| 5250MHz Straddle 5.25-5.35GHz | Pass | AV | 5.3544G | 53.91 | 54.00 | -0.09 | 3 | Vertical | 360 | 1.38 |
| 5250MHz Straddle 5.25-5.35GHz | Pass | PK | 5.148G | 65.60 | 74.00 | -8.40 | 3 | Vertical | 360 | 1.38 |
| 5250MHz Straddle 5.25-5.35GHz | Pass | PK | 5.2476G | 108.33 | Inf | -Inf | 3 | Vertical | 360 | 1.38 |
| 5250MHz Straddle 5.25-5.35GHz | Pass | PK | 5.3652G | 66.38 | 74.00 | -7.62 | 3 | Vertical | 360 | 1.38 |
| 5250MHz Straddle 5.25-5.35GHz | Pass | PK | 5.466G | 60.84 | 68.20 | -7.36 | 3 | Vertical | 360 | 1.38 |
| 5250MHz Straddle 5.25-5.35GHz | Pass | AV | 5.148G | 53.17 | 54.00 | -0.83 | 3 | Horizontal | 6 | 1.19 |
| 5250MHz Straddle 5.25-5.35GHz | Pass | AV | 5.238G | 96.69 | Inf | -Inf | 3 | Horizontal | 6 | 1.19 |
| 5250MHz Straddle 5.25-5.35GHz | Pass | AV | 5.3592G | 52.54 | 54.00 | -1.46 | 3 | Horizontal | 6 | 1.19 |
| 5250MHz Straddle 5.25-5.35GHz | Pass | PK | 5.142G | 66.37 | 74.00 | -7.63 | 3 | Horizontal | 6 | 1.19 |
| 5250MHz Straddle 5.25-5.35GHz | Pass | PK | 5.2176G | 109.33 | Inf | -Inf | 3 | Horizontal | 6 | 1.19 |
| 5250MHz Straddle 5.25-5.35GHz | Pass | PK | 5.3628G | 65.77 | 74.00 | -8.23 | 3 | Horizontal | 6 | 1.19 |
| 5250MHz Straddle 5.25-5.35GHz | Pass | PK | 5.4732G | 59.68 | 68.20 | -8.52 | 3 | Horizontal | 6 | 1.19 |
| 5250MHz Straddle 5.25-5.35GHz | Pass | AV | 15.75083G | 46.35 | 54.00 | -7.65 | 3 | Vertical | 1 | 1.81 |
| 5250MHz Straddle 5.25-5.35GHz | Pass | PK | 10.49944G | 55.23 | 68.20 | -12.97 | 3 | Vertical | 337 | 1.64 |
| 5250MHz Straddle 5.25-5.35GHz | Pass | PK | 15.74991G | 58.29 | 74.00 | -15.71 | 3 | Vertical | 1 | 1.81 |
| 5250MHz Straddle 5.25-5.35GHz | Pass | AV | 15.75039G | 46.35 | 54.00 | -7.65 | 3 | Horizontal | 290 | 1.76 |
| 5250MHz Straddle 5.25-5.35GHz | Pass | PK | 10.499G | 56.06 | 68.20 | -12.14 | 3 | Horizontal | 82 | 2.89 |
| 5250MHz Straddle 5.25-5.35GHz | Pass | PK | 15.74943G | 58.46 | 74.00 | -15.54 | 3 | Horizontal | 290 | 1.76 |
| 5570MHz | Pass | AV | 5.4428G | 51.77 | 54.00 | -2.23 | 3 | Vertical | 16 | 1.49 |
| 5570MHz | Pass | AV | 5.5436G | 100.55 | Inf | -Inf | 3 | Vertical | 16 | 1.49 |
| 5570MHz | Pass | PK | 5.336G | 60.08 | 68.20 | -8.12 | 3 | Vertical | 16 | 1.49 |
| 5570MHz | Pass | PK | 5.4308G | 64.06 | 74.00 | -9.94 | 3 | Vertical | 16 | 1.49 |
| 5570MHz | Pass | PK | 5.4692G | 64.57 | 68.20 | -3.63 | 3 | Vertical | 16 | 1.49 |
| 5570MHz | Pass | PK | 5.534G | 112.78 | Inf | -Inf | 3 | Vertical | 16 | 1.49 |
| 5570MHz | Pass | PK | 5.7296G | 67.11 | 68.20 | -1.09 | 3 | Vertical | 16 | 1.49 |
| 5570MHz | Pass | AV | 5.4596G | 51.05 | 54.00 | -2.95 | 3 | Horizontal | 0 | 1.75 |
| 5570MHz | Pass | AV | 5.612G | 99.19 | Inf | -Inf | 3 | Horizontal | 0 | 1.75 |
| 5570MHz | Pass | PK | 5.3252G | 60.22 | 68.20 | -7.98 | 3 | Horizontal | 0 | 1.75 |
| 5570MHz | Pass | PK | 5.4524G | 62.27 | 74.00 | -11.73 | 3 | Horizontal | 0 | 1.75 |
| 5570MHz | Pass | PK | 5.4632G | 65.21 | 68.20 | -2.99 | 3 | Horizontal | 0 | 1.75 |
| 5570MHz | Pass | PK | 5.6132G | 111.30 | Inf | -Inf | 3 | Horizontal | 0 | 1.75 |




| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5570MHz | Pass | PK | 5.732G | 64.99 | 68.20 | -3.21 | 3 | Horizontal | 0 | 1.75 |
| 5570MHz | Pass | AV | 11.14021G | 43.40 | 54.00 | -10.60 | 3 | Vertical | 88 | 2.09 |
| 5570MHz | Pass | PK | 11.14058G | 55.18 | 74.00 | -18.82 | 3 | Vertical | 88 | 2.09 |
| 5570MHz | Pass | PK | 16.71043G | 59.04 | 68.20 | -9.16 | 3 | Vertical | 188 | 1.28 |
| 5570MHz | Pass | AV | 11.14021G | 43.40 | 54.00 | -10.60 | 3 | Horizontal | 107 | 1.85 |
| 5570MHz | Pass | PK | 11.14024G | 55.09 | 74.00 | -18.91 | 3 | Horizontal | 107 | 1.85 |
| 5570MHz | Pass | PK | 16.70956G | 58.38 | 68.20 | -9.82 | 3 | Horizontal | 322 | 1.23 |



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.1196G | 49.08 | 54.00 | -4.92 | 6.16 | 3 | Vertical | 360 | 1.37 | 42.92 | 33.14 | 6.99 | 33.97 |
| AV | 5.2624G | 112.23 | Inf | -Inf | 6.25 | 3 | Vertical | 360 | 1.37 | 105.98 | 33.08 | 7.11 | 33.94 |
| AV | 5.4028G | 49.45 | 54.00 | -4.55 | 6.28 | 3 | Vertical | 360 | 1.37 | 43.17 | 33.00 | 7.19 | 33.91 |
| PK | 5.119G | 61.05 | 74.00 | -12.95 | 6.16 | 3 | Vertical | 360 | 1.37 | 54.89 | 33.14 | 6.99 | 33.97 |
| PK | 5.2618G | 121.95 | Inf | -Inf | 6.25 | 3 | Vertical | 360 | 1.37 | 115.70 | 33.08 | 7.11 | 33.94 |
| PK | 5.3992G | 60.94 | 74.00 | -13.06 | 6.28 | 3 | Vertical | 360 | 1.37 | 54.66 | 33.00 | 7.19 | 33.91 |

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.1262G | 48.75 | 54.00 | -5.25 | 6.19 | 3 | Horizontal | 10 | 1.03 | 42.56 | 33.15 | 7.00 | 33.96 |
| AV | 5.2588G | 111.76 | Inf | -Inf | 6.25 | 3 | Horizontal | 10 | 1.03 | 105.51 | 33.08 | 7.11 | 33.94 |
| AV | 5.398G | 48.38 | 54.00 | -5.62 | 6.28 | 3 | Horizontal | 10 | 1.03 | 42.10 | 33.00 | 7.19 | 33.91 |
| PK | 5.119G | 60.26 | 74.00 | -13.74 | 6.16 | 3 | Horizontal | 10 | 1.03 | 54.10 | 33.14 | 6.99 | 33.97 |
| PK | 5.2594G | 119.62 | Inf | -Inf | 6.25 | 3 | Horizontal | 10 | 1.03 | 113.37 | 33.08 | 7.11 | 33.94 |
| PK | 5.41G | 59.78 | 74.00 | -14.22 | 6.29 | 3 | Horizontal | 10 | 1.03 | 53.49 | 33.00 | 7.20 | 33.91 |



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 15.77658G | 47.57 | 54.00 | -6.43 | 17.61 | 3 | Vertical | 120 | 1.50 | 29.96 | 38.40 | 12.94 | 33.73 |
| PK | 10.5155G | 55.53 | 68.20 | -12.67 | 15.01 | 3 | Vertical | 188 | 2.87 | 40.52 | 39.00 | 10.39 | 34.38 |
| PK | 15.79056G | 59.68 | 74.00 | -14.32 | 17.62 | 3 | Vertical | 120 | 1.50 | 42.06 | 38.40 | 12.95 | 33.73 |

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 15.76956G | 47.59 | 54.00 | -6.41 | 17.61 | 3 | Horizontal | 319 | 2.33 | 29.98 | 38.40 | 12.93 | 33.72 |
| PK | 10.52486G | 55.34 | 68.20 | -12.86 | 15.03 | 3 | Horizontal | 68 | 1.79 | 40.31 | 39.00 | 10.40 | 34.37 |
| PK | 15.78396G | 58.93 | 74.00 | -15.07 | 17.61 | 3 | Horizontal | 319 | 2.33 | 41.32 | 38.40 | 12.94 | 33.73 |



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.298G | 111.57 | Inf | -Inf | 6.20 | 3 | Vertical | 20 | 1.61 | 105.37 | 33.00 | 7.13 | 33.93 |
| AV | 5.35G | 48.92 | 54.00 | -5.08 | 6.14 | 3 | Vertical | 20 | 1.61 | 42.78 | 32.90 | 7.16 | 33.92 |
| PK | 5.302G | 121.23 | Inf | -Inf | 6.20 | 3 | Vertical | 20 | 1.61 | 115.03 | 33.00 | 7.13 | 33.93 |
| PK | 5.3504G | 60.41 | 74.00 | -13.59 | 6.14 | 3 | Vertical | 20 | 1.61 | 54.27 | 32.90 | 7.16 | 33.92 |

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.2992G | 111.90 | Inf | -Inf | 6.20 | 3 | Horizontal | 11 | 2.00 | 105.70 | 33.00 | 7.13 | 33.93 |
| AV | 5.35G | 48.76 | 54.00 | -5.24 | 6.14 | 3 | Horizontal | 11 | 2.00 | 42.62 | 32.90 | 7.16 | 33.92 |
| PK | 5.2992G | 119.75 | Inf | -Inf | 6.20 | 3 | Horizontal | 11 | 2.00 | 113.55 | 33.00 | 7.13 | 33.93 |
| PK | 5.35G | 61.11 | 74.00 | -12.89 | 6.14 | 3 | Horizontal | 11 | 2.00 | 54.97 | 32.90 | 7.16 | 33.92 |



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 15.90006G | 46.89 | 54.00 | -7.11 | 17.44 | 3 | Vertical | 301 | 1.50 | 29.45 | 38.20 | 13.02 | 33.78 |
| PK | 10.59298G | 56.04 | 68.20 | -12.16 | 15.11 | 3 | Vertical | 342 | 1.01 | 40.93 | 39.00 | 10.43 | 34.32 |
| PK | 15.9051G | 58.13 | 74.00 | -15.87 | 17.42 | 3 | Vertical | 301 | 1.50 | 40.71 | 38.19 | 13.02 | 33.79 |

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 10.60024G | 44.23 | 54.00 | -9.77 | 15.11 | 3 | Horizontal | 351 | 1.50 | 29.12 | 39.00 | 10.43 | 34.32 |
| AV | 15.89322G | 47.05 | 54.00 | -6.95 | 17.44 | 3 | Horizontal | 66 | 2.51 | 29.61 | 38.21 | 13.01 | 33.78 |
| PK | 10.60018G | 56.16 | 74.00 | -17.84 | 15.11 | 3 | Horizontal | 351 | 1.50 | 41.05 | 39.00 | 10.43 | 34.32 |
| PK | 15.89856G | 59.09 | 74.00 | -14.91 | 17.44 | 3 | Horizontal | 66 | 2.51 | 41.65 | 38.20 | 13.02 | 33.78 |



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.3226G | 109.69 | Inf | -Inf | 6.16 | 3 | Vertical | 14 | 1.50 | 103.53 | 32.95 | 7.14 | 33.93 |
| AV | 5.35G | 52.49 | 54.00 | -1.51 | 6.14 | 3 | Vertical | 14 | 1.50 | 46.35 | 32.90 | 7.16 | 33.92 |
| PK | 5.3226G | 119.81 | Inf | -Inf | 6.16 | 3 | Vertical | 14 | 1.50 | 113.65 | 32.95 | 7.14 | 33.93 |
| PK | 5.3514G | 64.94 | 74.00 | -9.06 | 6.14 | 3 | Vertical | 14 | 1.50 | 58.80 | 32.90 | 7.16 | 33.92 |

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.319G | 109.46 | Inf | -Inf | 6.17 | 3 | Horizontal | 12 | 1.91 | 103.29 | 32.96 | 7.14 | 33.93 |
| AV | 5.35G | 50.06 | 54.00 | -3.94 | 6.14 | 3 | Horizontal | 12 | 1.91 | 43.92 | 32.90 | 7.16 | 33.92 |
| PK | 5.3244G | 117.92 | Inf | -Inf | 6.16 | 3 | Horizontal | 12 | 1.91 | 111.76 | 32.95 | 7.14 | 33.93 |
| PK | 5.3504G | 61.83 | 74.00 | -12.17 | 6.14 | 3 | Horizontal | 12 | 1.91 | 55.69 | 32.90 | 7.16 | 33.92 |



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 10.64012G | 44.44 | 54.00 | -9.56 | 15.28 | 3 | Vertical | 12 | 1.50 | 29.16 | 39.12 | 10.45 | 34.29 |
| AV | 15.95568G | 46.57 | 54.00 | -7.43 | 17.38 | 3 | Vertical | 360 | 2.50 | 29.19 | 38.14 | 13.05 | 33.81 |
| PK | 10.6421G | 55.93 | 74.00 | -18.07 | 15.29 | 3 | Vertical | 12 | 1.50 | 40.64 | 39.13 | 10.45 | 34.29 |
| PK | 15.94698G | 58.53 | 74.00 | -15.47 | 17.39 | 3 | Vertical | 360 | 2.50 | 41.14 | 38.15 | 13.05 | 33.81 |

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 10.64438G | 44.22 | 54.00 | -9.78 | 15.29 | 3 | Horizontal | 347 | 1.50 | 28.93 | 39.13 | 10.45 | 34.29 |
| AV | 15.95916G | 46.63 | 54.00 | -7.37 | 17.38 | 3 | Horizontal | 14 | 1.50 | 29.25 | 38.14 | 13.05 | 33.81 |
| PK | 10.6508G | 55.56 | 74.00 | -18.44 | 15.33 | 3 | Horizontal | 347 | 1.50 | 40.23 | 39.15 | 10.46 | 34.28 |
| PK | 15.9588G | 58.23 | 74.00 | -15.77 | 17.38 | 3 | Horizontal | 14 | 1.50 | 40.85 | 38.14 | 13.05 | 33.81 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4598G | 49.99 | 54.00 | -4.01 | 6.32 | 3 | Vertical | 0 | 1.34 | 43.67 | 33.00 | 7.22 | 33.90 |
| AV | 5.5024G | 111.30 | Inf | -Inf | 6.36 | 3 | Vertical | 0 | 1.34 | 104.94 | 33.00 | 7.25 | 33.89 |
| PK | 5.459G | 62.30 | 74.00 | -11.70 | 6.32 | 3 | Vertical | 0 | 1.34 | 55.98 | 33.00 | 7.22 | 33.90 |
| PK | 5.4698G | 67.39 | 68.20 | -0.81 | 6.33 | 3 | Vertical | 0 | 1.34 | 61.06 | 33.00 | 7.23 | 33.90 |
| PK | 5.5018G | 121.17 | Inf | -Inf | 6.36 | 3 | Vertical | 0 | 1.34 | 114.81 | 33.00 | 7.25 | 33.89 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4598G | 48.63 | 54.00 | -5.37 | 6.32 | 3 | Horizontal | 360 | 1.80 | 42.31 | 33.00 | 7.22 | 33.90 |
| AV | 5.5054G | 108.35 | Inf | -Inf | 6.36 | 3 | Horizontal | 360 | 1.80 | 101.99 | 33.00 | 7.25 | 33.89 |
| PK | 5.4596G | 60.91 | 74.00 | -13.09 | 6.32 | 3 | Horizontal | 360 | 1.80 | 54.59 | 33.00 | 7.22 | 33.90 |
| PK | 5.47G | 62.96 | 68.20 | -5.24 | 6.33 | 3 | Horizontal | 360 | 1.80 | 56.63 | 33.00 | 7.23 | 33.90 |
| PK | 5.5028G | 116.61 | Inf | -Inf | 6.36 | 3 | Horizontal | 360 | 1.80 | 110.25 | 33.00 | 7.25 | 33.89 |



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.00012G | 43.86 | 54.00 | -10.14 | 15.59 | 3 | Vertical | 20 | 1.49 | 28.27 | 39.00 | 10.62 | 34.03 |
| PK | 11.00936G | 55.48 | 74.00 | -18.52 | 15.59 | 3 | Vertical | 20 | 1.49 | 39.89 | 39.00 | 10.62 | 34.03 |
| PK | 16.50228G | 59.41 | 68.20 | -8.79 | 17.93 | 3 | Vertical | 239 | 1.41 | 41.48 | 38.50 | 13.47 | 34.04 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11G | 44.02 | 54.00 | -9.98 | 15.59 | 3 | Horizontal | 31 | 1.49 | 28.43 | 39.00 | 10.62 | 34.03 |
| PK | 11.01044G | 55.93 | 74.00 | -18.07 | 15.59 | 3 | Horizontal | 31 | 1.49 | 40.34 | 39.00 | 10.62 | 34.03 |
| PK | 16.5102G | 59.03 | 68.20 | -9.17 | 17.93 | 3 | Horizontal | 176 | 3.00 | 41.10 | 38.48 | 13.48 | 34.03 |



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4366G | 48.80 | 54.00 | -5.20 | 6.31 | 3 | Vertical | 14 | 1.49 | 42.49 | 33.00 | 7.21 | 33.90 |
| AV | 5.5818G | 113.39 | Inf | -Inf | 6.43 | 3 | Vertical | 14 | 1.49 | 106.96 | 33.06 | 7.29 | 33.92 |
| PK | 5.4516G | 59.95 | 74.00 | -14.05 | 6.32 | 3 | Vertical | 14 | 1.49 | 53.63 | 33.00 | 7.22 | 33.90 |
| PK | 5.463G | 60.10 | 68.20 | -8.10 | 6.32 | 3 | Vertical | 14 | 1.49 | 53.78 | 33.00 | 7.22 | 33.90 |
| PK | 5.5818G | 122.98 | Inf | -Inf | 6.43 | 3 | Vertical | 14 | 1.49 | 116.55 | 33.06 | 7.29 | 33.92 |
| PK | 5.7258G | 61.32 | 68.20 | -6.88 | 7.27 | 3 | Vertical | 14 | 1.49 | 54.05 | 33.80 | 7.43 | 33.96 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4306G | 48.12 | 54.00 | -5.88 | 6.31 | 3 | Horizontal | 7 | 1.50 | 41.81 | 33.00 | 7.21 | 33.90 |
| AV | 5.5794G | 111.48 | Inf | -Inf | 6.43 | 3 | Horizontal | 7 | 1.50 | 105.05 | 33.06 | 7.29 | 33.92 |
| PK | 5.43G | 59.69 | 74.00 | -14.31 | 6.31 | 3 | Horizontal | 7 | 1.50 | 53.38 | 33.00 | 7.21 | 33.90 |
| PK | 5.463G | 58.79 | 68.20 | -9.41 | 6.32 | 3 | Horizontal | 7 | 1.50 | 52.47 | 33.00 | 7.22 | 33.90 |
| PK | 5.5794G | 119.32 | Inf | -Inf | 6.43 | 3 | Horizontal | 7 | 1.50 | 112.89 | 33.06 | 7.29 | 33.92 |
| PK | 5.7288G | 61.02 | 68.20 | -7.18 | 7.30 | 3 | Horizontal | 7 | 1.50 | 53.72 | 33.82 | 7.44 | 33.96 |



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.16012G | 44.75 | 54.00 | -9.25 | 15.66 | 3 | Vertical | 344 | 1.48 | 29.09 | 39.00 | 10.69 | 34.03 |
| PK | 11.15982G | 56.24 | 74.00 | -17.76 | 15.66 | 3 | Vertical | 344 | 1.48 | 40.58 | 39.00 | 10.69 | 34.03 |
| PK | 16.7538G | 59.34 | 68.20 | -8.86 | 18.33 | 3 | Vertical | 311 | 1.50 | 41.01 | 38.45 | 13.67 | 33.79 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.16G | 44.83 | 54.00 | -9.17 | 15.66 | 3 | Horizontal | 17 | 1.24 | 29.17 | 39.00 | 10.69 | 34.03 |
| PK | 11.15532G | 56.56 | 74.00 | -17.44 | 15.66 | 3 | Horizontal | 17 | 1.24 | 40.90 | 39.00 | 10.69 | 34.03 |
| PK | 16.74252G | 58.92 | 68.20 | -9.28 | 18.32 | 3 | Horizontal | 55 | 1.50 | 40.60 | 38.46 | 13.66 | 33.80 |



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.7024G | 110.30 | Inf | -Inf | 7.17 | 3 | Vertical | 351 | 1.07 | 103.13 | 33.71 | 7.41 | 33.95 |
| PK | 5.702G | 120.09 | Inf | -Inf | 7.17 | 3 | Vertical | 351 | 1.07 | 112.92 | 33.71 | 7.41 | 33.95 |
| PK | 5.7276G | 67.48 | 68.20 | -0.72 | 7.28 | 3 | Vertical | 351 | 1.07 | 60.20 | 33.81 | 7.43 | 33.96 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.698G | 110.14 | Inf | -Inf | 7.13 | 3 | Horizontal | 353 | 1.32 | 103.01 | 33.68 | 7.40 | 33.95 |
| PK | 5.6976G | 118.42 | Inf | -Inf | 7.12 | 3 | Horizontal | 353 | 1.32 | 111.30 | 33.67 | 7.40 | 33.95 |
| PK | 5.7272G | 65.44 | 68.20 | -2.76 | 7.28 | 3 | Horizontal | 353 | 1.32 | 58.16 | 33.81 | 7.43 | 33.96 |



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.39658G | 43.97 | 54.00 | -10.03 | 15.98 | 3 | Vertical | 106 | 2.17 | 27.99 | 39.20 | 10.80 | 34.02 |
| PK | 11.38734G | 55.50 | 74.00 | -18.50 | 15.96 | 3 | Vertical | 106 | 2.17 | 39.54 | 39.19 | 10.79 | 34.02 |
| PK | 17.0958G | 58.76 | 68.20 | -9.44 | 18.69 | 3 | Vertical | 360 | 2.64 | 40.07 | 38.29 | 13.93 | 33.53 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.38842G | 44.07 | 54.00 | -9.93 | 15.96 | 3 | Horizontal | 105 | 1.50 | 28.11 | 39.19 | 10.79 | 34.02 |
| PK | 11.38566G | 55.10 | 74.00 | -18.90 | 15.96 | 3 | Horizontal | 105 | 1.50 | 39.14 | 39.19 | 10.79 | 34.02 |
| PK | 17.09736G | 59.30 | 68.20 | -8.90 | 18.70 | 3 | Horizontal | 185 | 1.50 | 40.60 | 38.29 | 13.94 | 33.53 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.456G | 47.93 | 54.00 | -6.07 | 6.32 | 3 | Vertical | 343 | 1.35 | 41.61 | 33.00 | 7.22 | 33.90 |
| AV | 5.7188G | 111.89 | Inf | -Inf | 7.24 | 3 | Vertical | 343 | 1.35 | 104.65 | 33.78 | 7.42 | 33.96 |
| PK | 5.4368G | 59.35 | 74.00 | -14.65 | 6.31 | 3 | Vertical | 343 | 1.35 | 53.04 | 33.00 | 7.21 | 33.90 |
| PK | 5.4668G | 58.56 | 68.20 | -9.64 | 6.33 | 3 | Vertical | 343 | 1.35 | 52.23 | 33.00 | 7.23 | 33.90 |
| PK | 5.7236G | 122.14 | Inf | -Inf | 7.26 | 3 | Vertical | 343 | 1.35 | 114.88 | 33.79 | 7.43 | 33.96 |
| PK | 5.882G | 61.91 | 68.20 | -6.29 | 7.78 | 3 | Vertical | 343 | 1.35 | 54.13 | 34.29 | 7.50 | 34.01 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4308G | 47.95 | 54.00 | -6.05 | 6.31 | 3 | Horizontal | 360 | 1.50 | 41.64 | 33.00 | 7.21 | 33.90 |
| AV | 5.7212G | 111.72 | Inf | -Inf | 7.25 | 3 | Horizontal | 360 | 1.50 | 104.47 | 33.78 | 7.43 | 33.96 |
| PK | 5.4224G | 58.75 | 74.00 | -15.25 | 6.29 | 3 | Horizontal | 360 | 1.50 | 52.46 | 33.00 | 7.20 | 33.91 |
| PK | 5.4692G | 58.42 | 68.20 | -9.78 | 6.33 | 3 | Horizontal | 360 | 1.50 | 52.09 | 33.00 | 7.23 | 33.90 |
| PK | 5.7164G | 119.60 | Inf | -Inf | 7.23 | 3 | Horizontal | 360 | 1.50 | 112.37 | 33.77 | 7.42 | 33.96 |
| PK | 5.9132G | 62.57 | 68.20 | -5.63 | 7.82 | 3 | Horizontal | 360 | 1.50 | 54.75 | 34.35 | 7.49 | 34.02 |



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.42716G | 43.42 | 54.00 | -10.58 | 15.99 | 3 | Vertical | 209 | 2.76 | 27.43 | 39.20 | 10.81 | 34.02 |
| PK | 11.44426G | 55.96 | 74.00 | -18.04 | 16.00 | 3 | Vertical | 209 | 2.76 | 39.96 | 39.20 | 10.82 | 34.02 |
| PK | 17.169G | 58.80 | 68.20 | -9.40 | 18.77 | 3 | Vertical | 281 | 2.63 | 40.03 | 38.30 | 13.99 | 33.52 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.42992G | 43.46 | 54.00 | -10.54 | 15.99 | 3 | Horizontal | 360 | 1.50 | 27.47 | 39.20 | 10.81 | 34.02 |
| PK | 11.43022G | 55.07 | 74.00 | -18.93 | 15.99 | 3 | Horizontal | 360 | 1.50 | 39.08 | 39.20 | 10.81 | 34.02 |
| PK | 17.15184G | 58.99 | 68.20 | -9.21 | 18.76 | 3 | Horizontal | 336 | 1.50 | 40.23 | 38.30 | 13.98 | 33.52 |



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.143G | 48.01 | 54.00 | -5.99 | 6.24 | 3 | Vertical | 345 | 1.16 | 41.77 | 33.19 | 7.01 | 33.96 |
| AV | 5.2612G | 110.80 | Inf | -Inf | 6.25 | 3 | Vertical | 345 | 1.16 | 104.55 | 33.08 | 7.11 | 33.94 |
| AV | 5.398G | 48.04 | 54.00 | -5.96 | 6.28 | 3 | Vertical | 345 | 1.16 | 41.76 | 33.00 | 7.19 | 33.91 |
| PK | 5.1394G | 60.16 | 74.00 | -13.84 | 6.23 | 3 | Vertical | 345 | 1.16 | 53.93 | 33.18 | 7.01 | 33.96 |
| PK | 5.257G | 121.91 | Inf | -Inf | 6.25 | 3 | Vertical | 345 | 1.16 | 115.66 | 33.09 | 7.10 | 33.94 |
| PK | 5.4028G | 59.87 | 74.00 | -14.13 | 6.28 | 3 | Vertical | 345 | 1.16 | 53.59 | 33.00 | 7.19 | 33.91 |

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.11G | 48.11 | 54.00 | -5.89 | 6.13 | 3 | Horizontal | 10 | 1.03 | 41.98 | 33.12 | 6.98 | 33.97 |
| AV | 5.2582G | 111.15 | Inf | -Inf | 6.24 | 3 | Horizontal | 10 | 1.03 | 104.91 | 33.08 | 7.10 | 33.94 |
| AV | 5.4094G | 47.86 | 54.00 | -6.14 | 6.29 | 3 | Horizontal | 10 | 1.03 | 41.57 | 33.00 | 7.20 | 33.91 |
| PK | 5.1484G | 60.33 | 74.00 | -13.67 | 6.26 | 3 | Horizontal | 10 | 1.03 | 54.07 | 33.20 | 7.02 | 33.96 |
| PK | 5.2588G | 122.27 | Inf | -Inf | 6.25 | 3 | Horizontal | 10 | 1.03 | 116.02 | 33.08 | 7.11 | 33.94 |
| PK | 5.3536G | 59.93 | 74.00 | -14.07 | 6.15 | 3 | Horizontal | 10 | 1.03 | 53.78 | 32.91 | 7.16 | 33.92 |



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 15.78162G | 46.93 | 54.00 | -7.07 | 17.61 | 3 | Vertical | 175 | 1.50 | 29.32 | 38.40 | 12.94 | 33.73 |
| PK | 10.52498G | 55.75 | 68.20 | -12.45 | 15.03 | 3 | Vertical | 337 | 1.50 | 40.72 | 39.00 | 10.40 | 34.37 |
| PK | 15.7698G | 59.08 | 74.00 | -14.92 | 17.61 | 3 | Vertical | 175 | 1.50 | 41.47 | 38.40 | 12.93 | 33.72 |

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 15.78582G | 46.98 | 54.00 | -7.02 | 17.62 | 3 | Horizontal | 31 | 2.50 | 29.36 | 38.40 | 12.95 | 33.73 |
| PK | 10.52426G | 55.71 | 68.20 | -12.49 | 15.03 | 3 | Horizontal | 341 | 1.46 | 40.68 | 39.00 | 10.40 | 34.37 |
| PK | 15.78612G | 59.53 | 74.00 | -14.47 | 17.62 | 3 | Horizontal | 31 | 2.50 | 41.91 | 38.40 | 12.95 | 33.73 |



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.3008G | 111.11 | Inf | -Inf | 6.20 | 3 | Vertical | 17 | 2.13 | 104.91 | 33.00 | 7.13 | 33.93 |
| AV | 5.35G | 50.06 | 54.00 | -3.94 | 6.14 | 3 | Vertical | 17 | 2.13 | 43.92 | 32.90 | 7.16 | 33.92 |
| PK | 5.3012G | 123.41 | Inf | -Inf | 6.20 | 3 | Vertical | 17 | 2.13 | 117.21 | 33.00 | 7.13 | 33.93 |
| PK | 5.3508G | 64.32 | 74.00 | -9.68 | 6.14 | 3 | Vertical | 17 | 2.13 | 58.18 | 32.90 | 7.16 | 33.92 |

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.298G | 111.17 | Inf | -Inf | 6.20 | 3 | Horizontal | 12 | 1.43 | 104.97 | 33.00 | 7.13 | 33.93 |
| AV | 5.35G | 49.36 | 54.00 | -4.64 | 6.14 | 3 | Horizontal | 12 | 1.43 | 43.22 | 32.90 | 7.16 | 33.92 |
| PK | 5.2984G | 123.02 | Inf | -Inf | 6.20 | 3 | Horizontal | 12 | 1.43 | 116.82 | 33.00 | 7.13 | 33.93 |
| PK | 5.3508G | 63.39 | 74.00 | -10.61 | 6.14 | 3 | Horizontal | 12 | 1.43 | 57.25 | 32.90 | 7.16 | 33.92 |



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 15.90408G | 46.48 | 54.00 | -7.52 | 17.43 | 3 | Vertical | 0 | 1.12 | 29.05 | 38.20 | 13.02 | 33.79 |
| PK | 10.6111G | 56.04 | 74.00 | -17.96 | 15.16 | 3 | Vertical | 0 | 1.50 | 40.88 | 39.03 | 10.44 | 34.31 |
| PK | 15.89886G | 58.91 | 74.00 | -15.09 | 17.44 | 3 | Vertical | 0 | 1.12 | 41.47 | 38.20 | 13.02 | 33.78 |

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 15.89808G | 46.61 | 54.00 | -7.39 | 17.44 | 3 | Horizontal | 69 | 2.49 | 29.17 | 38.20 | 13.02 | 33.78 |
| PK | 10.60678G | 56.56 | 74.00 | -17.44 | 15.15 | 3 | Horizontal | 351 | 1.59 | 41.41 | 39.02 | 10.44 | 34.31 |
| PK | 15.90642G | 59.23 | 74.00 | -14.77 | 17.42 | 3 | Horizontal | 69 | 2.49 | 41.81 | 38.19 | 13.02 | 33.79 |



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.3184G | 109.80 | Inf | -Inf | 6.17 | 3 | Vertical | 353 | 1.02 | 103.63 | 32.96 | 7.14 | 33.93 |
| AV | 5.35G | 52.98 | 54.00 | -1.02 | 6.14 | 3 | Vertical | 353 | 1.02 | 46.84 | 32.90 | 7.16 | 33.92 |
| PK | 5.3178G | 121.12 | Inf | -Inf | 6.17 | 3 | Vertical | 353 | 1.02 | 114.95 | 32.96 | 7.14 | 33.93 |
| PK | 5.3522G | 68.89 | 74.00 | -5.11 | 6.14 | 3 | Vertical | 353 | 1.02 | 62.75 | 32.90 | 7.16 | 33.92 |

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.3188G | 108.89 | Inf | -Inf | 6.17 | 3 | Horizontal | 10 | 1.91 | 102.72 | 32.96 | 7.14 | 33.93 |
| AV | 5.35G | 50.58 | 54.00 | -3.42 | 6.14 | 3 | Horizontal | 10 | 1.91 | 44.44 | 32.90 | 7.16 | 33.92 |
| PK | 5.3174G | 120.15 | Inf | -Inf | 6.18 | 3 | Horizontal | 10 | 1.91 | 113.97 | 32.97 | 7.14 | 33.93 |
| PK | 5.3502G | 62.64 | 74.00 | -11.36 | 6.14 | 3 | Horizontal | 10 | 1.91 | 56.50 | 32.90 | 7.16 | 33.92 |



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 10.64006G | 44.12 | 54.00 | -9.88 | 15.28 | 3 | Vertical | 9 | 1.49 | 28.84 | 39.12 | 10.45 | 34.29 |
| AV | 15.94674G | 46.09 | 54.00 | -7.91 | 17.39 | 3 | Vertical | 308 | 1.18 | 28.70 | 38.15 | 13.05 | 33.81 |
| PK | 10.64978G | 56.45 | 74.00 | -17.55 | 15.33 | 3 | Vertical | 9 | 1.49 | 41.12 | 39.15 | 10.46 | 34.28 |
| PK | 15.97266G | 58.76 | 74.00 | -15.24 | 17.37 | 3 | Vertical | 308 | 1.18 | 41.39 | 38.13 | 13.06 | 33.82 |

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 10.65266G | 43.58 | 54.00 | -10.42 | 15.34 | 3 | Horizontal | 160 | 1.50 | 28.24 | 39.16 | 10.46 | 34.28 |
| AV | 15.95142G | 46.15 | 54.00 | -7.85 | 17.39 | 3 | Horizontal | 279 | 1.50 | 28.76 | 38.15 | 13.05 | 33.81 |
| PK | 10.64108G | 56.02 | 74.00 | -17.98 | 15.28 | 3 | Horizontal | 160 | 1.50 | 40.74 | 39.12 | 10.45 | 34.29 |
| PK | 15.95202G | 58.29 | 74.00 | -15.71 | 17.39 | 3 | Horizontal | 279 | 1.50 | 40.90 | 38.15 | 13.05 | 33.81 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.46G | 49.11 | 54.00 | -4.89 | 6.32 | 3 | Vertical | 14 | 1.50 | 42.79 | 33.00 | 7.22 | 33.90 |
| AV | 5.504G | 109.72 | Inf | -Inf | 6.36 | 3 | Vertical | 14 | 1.50 | 103.36 | 33.00 | 7.25 | 33.89 |
| PK | 5.4592G | 61.52 | 74.00 | -12.48 | 6.32 | 3 | Vertical | 14 | 1.50 | 55.20 | 33.00 | 7.22 | 33.90 |
| PK | 5.4686G | 66.32 | 68.20 | -1.88 | 6.33 | 3 | Vertical | 14 | 1.50 | 59.99 | 33.00 | 7.23 | 33.90 |
| PK | 5.5034G | 122.29 | Inf | -Inf | 6.36 | 3 | Vertical | 14 | 1.50 | 115.93 | 33.00 | 7.25 | 33.89 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.46G | 48.46 | 54.00 | -5.54 | 6.32 | 3 | Horizontal | 0 | 1.94 | 42.14 | 33.00 | 7.22 | 33.90 |
| AV | 5.5014G | 107.31 | Inf | -Inf | 6.36 | 3 | Horizontal | 0 | 1.94 | 100.95 | 33.00 | 7.25 | 33.89 |
| PK | 5.457G | 60.66 | 74.00 | -13.34 | 6.32 | 3 | Horizontal | 0 | 1.94 | 54.34 | 33.00 | 7.22 | 33.90 |
| PK | 5.4694G | 62.37 | 68.20 | -5.83 | 6.33 | 3 | Horizontal | 0 | 1.94 | 56.04 | 33.00 | 7.23 | 33.90 |
| PK | 5.5024G | 119.18 | Inf | -Inf | 6.36 | 3 | Horizontal | 0 | 1.94 | 112.82 | 33.00 | 7.25 | 33.89 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 10.99016G | 43.08 | 54.00 | -10.92 | 15.59 | 3 | Vertical | 209 | 1.50 | 27.49 | 39.02 | 10.61 | 34.04 |
| PK | 11.00402G | 55.39 | 74.00 | -18.61 | 15.59 | 3 | Vertical | 209 | 1.50 | 39.80 | 39.00 | 10.62 | 34.03 |
| PK | 16.5117G | 59.07 | 68.20 | -9.13 | 17.93 | 3 | Vertical | 0 | 2.93 | 41.14 | 38.48 | 13.48 | 34.03 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11G | 43.38 | 54.00 | -10.62 | 15.59 | 3 | Horizontal | 331 | 1.50 | 27.79 | 39.00 | 10.62 | 34.03 |
| PK | 10.98698G | 56.02 | 74.00 | -17.98 | 15.60 | 3 | Horizontal | 331 | 1.50 | 40.42 | 39.03 | 10.61 | 34.04 |
| PK | 16.51386G | 59.24 | 68.20 | -8.96 | 17.92 | 3 | Horizontal | 124 | 2.24 | 41.32 | 38.47 | 13.48 | 34.03 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4402G | 48.17 | 54.00 | -5.83 | 6.31 | 3 | Vertical | 16 | 1.50 | 41.86 | 33.00 | 7.21 | 33.90 |
| AV | 5.583G | 112.67 | Inf | -Inf | 6.44 | 3 | Vertical | 16 | 1.50 | 106.23 | 33.07 | 7.29 | 33.92 |
| PK | 5.436G | 60.10 | 74.00 | -13.90 | 6.31 | 3 | Vertical | 16 | 1.50 | 53.79 | 33.00 | 7.21 | 33.90 |
| PK | 5.4678G | 59.83 | 68.20 | -8.37 | 6.33 | 3 | Vertical | 16 | 1.50 | 53.50 | 33.00 | 7.23 | 33.90 |
| PK | 5.583G | 124.79 | Inf | -Inf | 6.44 | 3 | Vertical | 16 | 1.50 | 118.35 | 33.07 | 7.29 | 33.92 |
| PK | 5.7288G | 60.53 | 68.20 | -7.67 | 7.30 | 3 | Vertical | 16 | 1.50 | 53.23 | 33.82 | 7.44 | 33.96 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4438G | 47.67 | 54.00 | -6.33 | 6.31 | 3 | Horizontal | 8 | 1.50 | 41.36 | 33.00 | 7.21 | 33.90 |
| AV | 5.5788G | 111.06 | Inf | -Inf | 6.43 | 3 | Horizontal | 8 | 1.50 | 104.63 | 33.06 | 7.29 | 33.92 |
| PK | 5.451G | 59.95 | 74.00 | -14.05 | 6.32 | 3 | Horizontal | 8 | 1.50 | 53.63 | 33.00 | 7.22 | 33.90 |
| PK | 5.4612G | 59.32 | 68.20 | -8.88 | 6.32 | 3 | Horizontal | 8 | 1.50 | 53.00 | 33.00 | 7.22 | 33.90 |
| PK | 5.5788G | 121.97 | Inf | -Inf | 6.43 | 3 | Horizontal | 8 | 1.50 | 115.54 | 33.06 | 7.29 | 33.92 |
| PK | 5.7276G | 60.74 | 68.20 | -7.46 | 7.28 | 3 | Horizontal | 8 | 1.50 | 53.46 | 33.81 | 7.43 | 33.96 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.16024G | 44.13 | 54.00 | -9.87 | 15.66 | 3 | Vertical | 346 | 1.46 | 28.47 | 39.00 | 10.69 | 34.03 |
| PK | 11.15292G | 55.84 | 74.00 | -18.16 | 15.65 | 3 | Vertical | 346 | 1.46 | 40.19 | 39.00 | 10.68 | 34.03 |
| PK | 16.74138G | 59.55 | 68.20 | -8.65 | 18.32 | 3 | Vertical | 331 | 2.18 | 41.23 | 38.46 | 13.66 | 33.80 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.16G | 44.13 | 54.00 | -9.87 | 15.66 | 3 | Horizontal | 46 | 1.40 | 28.47 | 39.00 | 10.69 | 34.03 |
| PK | 11.1591G | 55.87 | 74.00 | -18.13 | 15.66 | 3 | Horizontal | 46 | 1.40 | 40.21 | 39.00 | 10.69 | 34.03 |
| PK | 16.7394G | 58.62 | 68.20 | -9.58 | 18.32 | 3 | Horizontal | 323 | 2.77 | 40.30 | 38.46 | 13.66 | 33.80 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.7036G | 108.71 | Inf | -Inf | 7.16 | 3 | Vertical | 352 | 1.02 | 101.55 | 33.71 | 7.41 | 33.96 |
| PK | 5.7056G | 120.27 | Inf | -Inf | 7.17 | 3 | Vertical | 352 | 1.02 | 113.10 | 33.72 | 7.41 | 33.96 |
| PK | 5.7256G | 66.62 | 68.20 | -1.58 | 7.27 | 3 | Vertical | 352 | 1.02 | 59.35 | 33.80 | 7.43 | 33.96 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.6972G | 108.21 | Inf | -Inf | 7.12 | 3 | Horizontal | 353 | 1.50 | 101.09 | 33.67 | 7.40 | 33.95 |
| PK | 5.7028G | 119.51 | Inf | -Inf | 7.17 | 3 | Horizontal | 353 | 1.50 | 112.34 | 33.71 | 7.41 | 33.95 |
| PK | 5.7252G | 67.10 | 68.20 | -1.10 | 7.27 | 3 | Horizontal | 353 | 1.50 | 59.83 | 33.80 | 7.43 | 33.96 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.3979G | 43.51 | 54.00 | -10.49 | 15.98 | 3 | Vertical | 250 | 1.50 | 27.53 | 39.20 | 10.80 | 34.02 |
| PK | 11.3961G | 55.77 | 74.00 | -18.23 | 15.98 | 3 | Vertical | 250 | 1.50 | 39.79 | 39.20 | 10.80 | 34.02 |
| PK | 17.1066G | 59.00 | 68.20 | -9.20 | 18.71 | 3 | Vertical | 299 | 1.00 | 40.29 | 38.30 | 13.94 | 33.53 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.38614G | 43.43 | 54.00 | -10.57 | 15.96 | 3 | Horizontal | 34 | 1.35 | 27.47 | 39.19 | 10.79 | 34.02 |
| PK | 11.40228G | 56.12 | 74.00 | -17.88 | 15.98 | 3 | Horizontal | 34 | 1.35 | 40.14 | 39.20 | 10.80 | 34.02 |
| PK | 17.10576G | 59.02 | 68.20 | -9.18 | 18.71 | 3 | Horizontal | 6 | 1.50 | 40.31 | 38.30 | 13.94 | 33.53 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4452G | 47.68 | 54.00 | -6.32 | 6.31 | 3 | Vertical | 360 | 1.50 | 41.37 | 33.00 | 7.21 | 33.90 |
| AV | 5.7236G | 111.43 | Inf | -Inf | 7.26 | 3 | Vertical | 360 | 1.50 | 104.17 | 33.79 | 7.43 | 33.96 |
| PK | 5.444G | 59.54 | 74.00 | -14.46 | 6.31 | 3 | Vertical | 360 | 1.50 | 53.23 | 33.00 | 7.21 | 33.90 |
| PK | 5.4656G | 59.07 | 68.20 | -9.13 | 6.33 | 3 | Vertical | 360 | 1.50 | 52.74 | 33.00 | 7.23 | 33.90 |
| PK | 5.726G | 123.12 | Inf | -Inf | 7.27 | 3 | Vertical | 360 | 1.50 | 115.85 | 33.80 | 7.43 | 33.96 |
| PK | 5.9792G | 61.42 | 68.20 | -6.78 | 7.58 | 3 | Vertical | 360 | 1.50 | 53.84 | 34.14 | 7.48 | 34.04 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4524G | 47.55 | 54.00 | -6.45 | 6.32 | 3 | Horizontal | 345 | 1.41 | 41.23 | 33.00 | 7.22 | 33.90 |
| AV | 5.7176G | 109.21 | Inf | -Inf | 7.23 | 3 | Horizontal | 345 | 1.41 | 101.98 | 33.77 | 7.42 | 33.96 |
| PK | 5.4416G | 59.10 | 74.00 | -14.90 | 6.31 | 3 | Horizontal | 345 | 1.41 | 52.79 | 33.00 | 7.21 | 33.90 |
| PK | 5.462G | 59.13 | 68.20 | -9.07 | 6.32 | 3 | Horizontal | 345 | 1.41 | 52.81 | 33.00 | 7.22 | 33.90 |
| PK | 5.7176G | 120.52 | Inf | -Inf | 7.23 | 3 | Horizontal | 345 | 1.41 | 113.29 | 33.77 | 7.42 | 33.96 |
| PK | 5.9108G | 61.84 | 68.20 | -6.36 | 7.83 | 3 | Horizontal | 345 | 1.41 | 54.01 | 34.36 | 7.49 | 34.02 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.4301G | 43.00 | 54.00 | -11.00 | 15.99 | 3 | Vertical | 67 | 2.95 | 27.01 | 39.20 | 10.81 | 34.02 |
| PK | 11.42674G | 55.01 | 74.00 | -18.99 | 15.99 | 3 | Vertical | 67 | 2.95 | 39.02 | 39.20 | 10.81 | 34.02 |
| PK | 17.15286G | 59.02 | 68.20 | -9.18 | 18.76 | 3 | Vertical | 0 | 1.50 | 40.26 | 38.30 | 13.98 | 33.52 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.43202G | 43.15 | 54.00 | -10.85 | 15.99 | 3 | Horizontal | 33 | 1.50 | 27.16 | 39.20 | 10.81 | 34.02 |
| PK | 11.44606G | 54.98 | 74.00 | -19.02 | 16.00 | 3 | Horizontal | 33 | 1.50 | 38.98 | 39.20 | 10.82 | 34.02 |
| PK | 17.15838G | 59.96 | 68.20 | -8.24 | 18.76 | 3 | Horizontal | 338 | 1.61 | 41.20 | 38.30 | 13.98 | 33.52 |



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.2664G | 108.04 | Inf | -Inf | 6.24 | 3 | Vertical | 24 | 1.64 | 101.80 | 33.07 | 7.11 | 33.94 |
| AV | 5.3504G | 53.54 | 54.00 | -0.46 | 6.14 | 3 | Vertical | 24 | 1.64 | 47.40 | 32.90 | 7.16 | 33.92 |
| PK | 5.266G | 119.67 | Inf | -Inf | 6.24 | 3 | Vertical | 24 | 1.64 | 113.43 | 33.07 | 7.11 | 33.94 |
| PK | 5.3516G | 67.25 | 74.00 | -6.75 | 6.14 | 3 | Vertical | 24 | 1.64 | 61.11 | 32.90 | 7.16 | 33.92 |

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.2684G | 107.10 | Inf | -Inf | 6.23 | 3 | Horizontal | 10 | 1.50 | 100.87 | 33.06 | 7.11 | 33.94 |
| AV | 5.35G | 50.06 | 54.00 | -3.94 | 6.14 | 3 | Horizontal | 10 | 1.50 | 43.92 | 32.90 | 7.16 | 33.92 |
| PK | 5.268G | 118.43 | Inf | -Inf | 6.23 | 3 | Horizontal | 10 | 1.50 | 112.20 | 33.06 | 7.11 | 33.94 |
| PK | 5.3512G | 62.43 | 74.00 | -11.57 | 6.14 | 3 | Horizontal | 10 | 1.50 | 56.29 | 32.90 | 7.16 | 33.92 |



5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 15.80916G | 47.12 | 54.00 | -6.88 | 17.60 | 3 | Vertical | 295 | 2.86 | 29.52 | 38.38 | 12.96 | 33.74 |
| PK | 10.54095G | 55.47 | 68.20 | -12.73 | 15.05 | 3 | Vertical | 279 | 1.00 | 40.42 | 39.00 | 10.41 | 34.36 |
| PK | 15.80946G | 59.36 | 74.00 | -14.64 | 17.60 | 3 | Vertical | 295 | 2.86 | 41.76 | 38.38 | 12.96 | 33.74 |

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 15.80906G | 47.30 | 54.00 | -6.70 | 17.60 | 3 | Horizontal | 343 | 1.46 | 29.70 | 38.38 | 12.96 | 33.74 |
| PK | 10.53991G | 55.77 | 68.20 | -12.43 | 15.05 | 3 | Horizontal | 14 | 2.81 | 40.72 | 39.00 | 10.41 | 34.36 |
| PK | 15.80992G | 59.99 | 74.00 | -14.01 | 17.60 | 3 | Horizontal | 343 | 1.46 | 42.39 | 38.38 | 12.96 | 33.74 |



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.3112G | 103.34 | Inf | -Inf | 6.19 | 3 | Vertical | 17 | 2.15 | 97.15 | 32.98 | 7.14 | 33.93 |
| AV | 5.3504G | 53.17 | 54.00 | -0.83 | 6.14 | 3 | Vertical | 17 | 2.15 | 47.03 | 32.90 | 7.16 | 33.92 |
| PK | 5.3012G | 114.85 | Inf | -Inf | 6.20 | 3 | Vertical | 17 | 2.15 | 108.65 | 33.00 | 7.13 | 33.93 |
| PK | 5.3504G | 65.38 | 74.00 | -8.62 | 6.14 | 3 | Vertical | 17 | 2.15 | 59.24 | 32.90 | 7.16 | 33.92 |

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.3184G | 103.66 | Inf | -Inf | 6.17 | 3 | Horizontal | 12 | 1.92 | 97.49 | 32.96 | 7.14 | 33.93 |
| AV | 5.35G | 50.83 | 54.00 | -3.17 | 6.14 | 3 | Horizontal | 12 | 1.92 | 44.69 | 32.90 | 7.16 | 33.92 |
| PK | 5.3184G | 116.26 | Inf | -Inf | 6.17 | 3 | Horizontal | 12 | 1.92 | 110.09 | 32.96 | 7.14 | 33.93 |
| PK | 5.35G | 63.13 | 74.00 | -10.87 | 6.14 | 3 | Horizontal | 12 | 1.92 | 56.99 | 32.90 | 7.16 | 33.92 |



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 10.61918G | 43.17 | 54.00 | -10.83 | 15.20 | 3 | Vertical | 48 | 1.42 | 27.97 | 39.06 | 10.44 | 34.30 |
| AV | 15.92974G | 46.11 | 54.00 | -7.89 | 17.41 | 3 | Vertical | 106 | 2.42 | 28.70 | 38.17 | 13.04 | 33.80 |
| PK | 10.61957G | 55.69 | 74.00 | -18.31 | 15.20 | 3 | Vertical | 48 | 1.42 | 40.49 | 39.06 | 10.44 | 34.30 |
| PK | 15.92902G | 58.95 | 74.00 | -15.05 | 17.41 | 3 | Vertical | 106 | 2.42 | 41.54 | 38.17 | 13.04 | 33.80 |

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 10.61992G | 43.35 | 54.00 | -10.65 | 15.20 | 3 | Horizontal | 141 | 2.17 | 28.15 | 39.06 | 10.44 | 34.30 |
| AV | 15.92949G | 46.11 | 54.00 | -7.89 | 17.41 | 3 | Horizontal | 187 | 2.62 | 28.70 | 38.17 | 13.04 | 33.80 |
| PK | 10.62013G | 55.44 | 74.00 | -18.56 | 15.20 | 3 | Horizontal | 141 | 2.17 | 40.24 | 39.06 | 10.44 | 34.30 |
| PK | 15.93035G | 57.79 | 74.00 | -16.21 | 17.41 | 3 | Horizontal | 187 | 2.62 | 40.38 | 38.17 | 13.04 | 33.80 |



5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4596G | 49.41 | 54.00 | -4.59 | 6.32 | 3 | Vertical | 19 | 1.59 | 43.09 | 33.00 | 7.22 | 33.90 |
| AV | 5.5148G | 105.68 | Inf | -Inf | 6.36 | 3 | Vertical | 19 | 1.59 | 99.32 | 33.00 | 7.25 | 33.89 |
| PK | 5.458G | 65.20 | 74.00 | -8.80 | 6.32 | 3 | Vertical | 19 | 1.59 | 58.88 | 33.00 | 7.22 | 33.90 |
| PK | 5.4648G | 67.95 | 68.20 | -0.25 | 6.33 | 3 | Vertical | 19 | 1.59 | 61.62 | 33.00 | 7.23 | 33.90 |
| PK | 5.5144G | 117.24 | Inf | -Inf | 6.36 | 3 | Vertical | 19 | 1.59 | 110.88 | 33.00 | 7.25 | 33.89 |

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4596G | 49.26 | 54.00 | -4.74 | 6.32 | 3 | Horizontal | 360 | 1.96 | 42.94 | 33.00 | 7.22 | 33.90 |
| AV | 5.5116G | 103.97 | Inf | -Inf | 6.36 | 3 | Horizontal | 360 | 1.96 | 97.61 | 33.00 | 7.25 | 33.89 |
| PK | 5.4528G | 61.45 | 74.00 | -12.55 | 6.32 | 3 | Horizontal | 360 | 1.96 | 55.13 | 33.00 | 7.22 | 33.90 |
| PK | 5.47G | 64.55 | 68.20 | -3.65 | 6.33 | 3 | Horizontal | 360 | 1.96 | 58.22 | 33.00 | 7.23 | 33.90 |
| PK | 5.5108G | 115.64 | Inf | -Inf | 6.36 | 3 | Horizontal | 360 | 1.96 | 109.28 | 33.00 | 7.25 | 33.89 |



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.01988G | 42.96 | 54.00 | -11.04 | 15.59 | 3 | Vertical | 248 | 1.59 | 27.37 | 39.00 | 10.62 | 34.03 |
| PK | 11.01933G | 55.77 | 74.00 | -18.23 | 15.59 | 3 | Vertical | 248 | 1.59 | 40.18 | 39.00 | 10.62 | 34.03 |
| PK | 16.52963G | 58.17 | 68.20 | -10.03 | 17.92 | 3 | Vertical | 281 | 1.34 | 40.25 | 38.44 | 13.49 | 34.01 |

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.0198G | 43.05 | 54.00 | -10.95 | 15.59 | 3 | Horizontal | 287 | 1.46 | 27.46 | 39.00 | 10.62 | 34.03 |
| PK | 11.02011G | 55.92 | 74.00 | -18.08 | 15.59 | 3 | Horizontal | 287 | 1.46 | 40.33 | 39.00 | 10.62 | 34.03 |
| PK | 16.53092G | 58.47 | 68.20 | -9.73 | 17.92 | 3 | Horizontal | 99 | 2.60 | 40.55 | 38.44 | 13.49 | 34.01 |



5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.46G | 50.67 | 54.00 | -3.33 | 6.32 | 3 | Vertical | 16 | 1.49 | 44.35 | 33.00 | 7.22 | 33.90 |
| AV | 5.544G | 109.17 | Inf | -Inf | 6.37 | 3 | Vertical | 16 | 1.49 | 102.80 | 33.00 | 7.27 | 33.90 |
| PK | 5.4584G | 63.47 | 74.00 | -10.53 | 6.32 | 3 | Vertical | 16 | 1.49 | 57.15 | 33.00 | 7.22 | 33.90 |
| PK | 5.4672G | 65.31 | 68.20 | -2.89 | 6.33 | 3 | Vertical | 16 | 1.49 | 58.98 | 33.00 | 7.23 | 33.90 |
| PK | 5.552G | 120.59 | Inf | -Inf | 6.36 | 3 | Vertical | 16 | 1.49 | 114.23 | 33.00 | 7.27 | 33.91 |

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4596G | 48.12 | 54.00 | -5.88 | 6.32 | 3 | Horizontal | 0 | 1.89 | 41.80 | 33.00 | 7.22 | 33.90 |
| AV | 5.5516G | 105.95 | Inf | -Inf | 6.36 | 3 | Horizontal | 0 | 1.89 | 99.59 | 33.00 | 7.27 | 33.91 |
| PK | 5.4572G | 59.44 | 74.00 | -14.56 | 6.32 | 3 | Horizontal | 0 | 1.89 | 53.12 | 33.00 | 7.22 | 33.90 |
| PK | 5.4676G | 59.92 | 68.20 | -8.28 | 6.33 | 3 | Horizontal | 0 | 1.89 | 53.59 | 33.00 | 7.23 | 33.90 |
| PK | 5.552G | 117.84 | Inf | -Inf | 6.36 | 3 | Horizontal | 0 | 1.89 | 111.48 | 33.00 | 7.27 | 33.91 |



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.09967G | 43.35 | 54.00 | -10.65 | 15.63 | 3 | Vertical | 184 | 2.61 | 27.72 | 39.00 | 10.66 | 34.03 |
| PK | 11.10045G | 56.21 | 74.00 | -17.79 | 15.63 | 3 | Vertical | 184 | 2.61 | 40.58 | 39.00 | 10.66 | 34.03 |
| PK | 16.65047G | 58.02 | 68.20 | -10.18 | 18.10 | 3 | Vertical | 235 | 1.26 | 39.92 | 38.40 | 13.59 | 33.89 |

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.09993G | 43.45 | 54.00 | -10.55 | 15.63 | 3 | Horizontal | 340 | 1.54 | 27.82 | 39.00 | 10.66 | 34.03 |
| PK | 11.1009G | 55.30 | 74.00 | -18.70 | 15.63 | 3 | Horizontal | 340 | 1.54 | 39.67 | 39.00 | 10.66 | 34.03 |
| PK | 16.64996G | 58.59 | 68.20 | -9.61 | 18.10 | 3 | Horizontal | 318 | 1.29 | 40.49 | 38.40 | 13.59 | 33.89 |



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.6736G | 105.70 | Inf | -Inf | 6.81 | 3 | Vertical | 0 | 1.19 | 98.89 | 33.38 | 7.38 | 33.95 |
| PK | 5.6718G | 118.08 | Inf | -Inf | 6.80 | 3 | Vertical | 0 | 1.19 | 111.28 | 33.36 | 7.38 | 33.94 |
| PK | 5.727G | 65.56 | 68.20 | -2.64 | 7.28 | 3 | Vertical | 0 | 1.19 | 58.28 | 33.81 | 7.43 | 33.96 |

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.676G | 105.44 | Inf | -Inf | 6.84 | 3 | Horizontal | 352 | 1.36 | 98.60 | 33.41 | 7.38 | 33.95 |
| PK | 5.6772G | 117.12 | Inf | -Inf | 6.86 | 3 | Horizontal | 352 | 1.36 | 110.26 | 33.43 | 7.38 | 33.95 |
| PK | 5.7258G | 66.13 | 68.20 | -2.07 | 7.27 | 3 | Horizontal | 352 | 1.36 | 58.86 | 33.80 | 7.43 | 33.96 |



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.34062G | 43.40 | 54.00 | -10.60 | 15.89 | 3 | Vertical | 257 | 1.50 | 27.51 | 39.14 | 10.77 | 34.02 |
| PK | 11.33917G | 55.27 | 74.00 | -18.73 | 15.89 | 3 | Vertical | 257 | 1.50 | 39.38 | 39.14 | 10.77 | 34.02 |
| PK | 17.00989G | 58.97 | 68.20 | -9.23 | 18.45 | 3 | Vertical | 251 | 1.86 | 40.52 | 38.12 | 13.87 | 33.54 |

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.33908G | 43.40 | 54.00 | -10.60 | 15.89 | 3 | Horizontal | 140 | 2.12 | 27.51 | 39.14 | 10.77 | 34.02 |
| PK | 11.33915G | 55.52 | 74.00 | -18.48 | 15.89 | 3 | Horizontal | 140 | 2.12 | 39.63 | 39.14 | 10.77 | 34.02 |
| PK | 17.01088G | 58.61 | 68.20 | -9.59 | 18.45 | 3 | Horizontal | 124 | 2.01 | 40.16 | 38.12 | 13.87 | 33.54 |



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.46G | 47.78 | 54.00 | -6.22 | 6.32 | 3 | Vertical | 352 | 1.02 | 41.46 | 33.00 | 7.22 | 33.90 |
| AV | 5.704G | 110.72 | Inf | -Inf | 7.17 | 3 | Vertical | 352 | 1.02 | 103.55 | 33.72 | 7.41 | 33.96 |
| PK | 5.4532G | 59.60 | 74.00 | -14.40 | 6.32 | 3 | Vertical | 352 | 1.02 | 53.28 | 33.00 | 7.22 | 33.90 |
| PK | 5.4616G | 59.60 | 68.20 | -8.60 | 6.32 | 3 | Vertical | 352 | 1.02 | 53.28 | 33.00 | 7.22 | 33.90 |
| PK | 5.7052G | 122.19 | Inf | -Inf | 7.17 | 3 | Vertical | 352 | 1.02 | 115.02 | 33.72 | 7.41 | 33.96 |
| PK | 5.8684G | 62.93 | 68.20 | -5.27 | 7.70 | 3 | Vertical | 352 | 1.02 | 55.23 | 34.21 | 7.50 | 34.01 |

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4556G | 47.57 | 54.00 | -6.43 | 6.32 | 3 | Horizontal | 354 | 1.26 | 41.25 | 33.00 | 7.22 | 33.90 |
| AV | 5.7052G | 109.58 | Inf | -Inf | 7.17 | 3 | Horizontal | 354 | 1.26 | 102.41 | 33.72 | 7.41 | 33.96 |
| PK | 5.416G | 59.35 | 74.00 | -14.65 | 6.29 | 3 | Horizontal | 354 | 1.26 | 53.06 | 33.00 | 7.20 | 33.91 |
| PK | 5.4616G | 59.08 | 68.20 | -9.12 | 6.32 | 3 | Horizontal | 354 | 1.26 | 52.76 | 33.00 | 7.22 | 33.90 |
| PK | 5.716G | 120.97 | Inf | -Inf | 7.22 | 3 | Horizontal | 354 | 1.26 | 113.75 | 33.76 | 7.42 | 33.96 |
| PK | 5.9872G | 62.95 | 68.20 | -5.25 | 7.56 | 3 | Horizontal | 354 | 1.26 | 55.39 | 34.13 | 7.48 | 34.05 |



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.40452G | 43.33 | 54.00 | -10.67 | 15.98 | 3 | Vertical | 279 | 1.94 | 27.35 | 39.20 | 10.80 | 34.02 |
| PK | 11.39408G | 55.34 | 74.00 | -18.66 | 15.96 | 3 | Vertical | 279 | 1.94 | 39.38 | 39.19 | 10.79 | 34.02 |
| PK | 17.12556G | 59.19 | 68.20 | -9.01 | 18.74 | 3 | Vertical | 155 | 3.00 | 40.45 | 38.30 | 13.96 | 33.52 |

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.39G | 43.32 | 54.00 | -10.68 | 15.96 | 3 | Horizontal | 71 | 1.50 | 27.36 | 39.19 | 10.79 | 34.02 |
| PK | 11.39012G | 55.18 | 74.00 | -18.82 | 15.96 | 3 | Horizontal | 71 | 1.50 | 39.22 | 39.19 | 10.79 | 34.02 |
| PK | 17.14584G | 59.07 | 68.20 | -9.13 | 18.75 | 3 | Horizontal | 341 | 1.18 | 40.32 | 38.30 | 13.97 | 33.52 |



5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.143G | 48.00 | 54.00 | -6.00 | 6.24 | 3 | Vertical | 22 | 1.61 | 41.76 | 33.19 | 7.01 | 33.96 |
| AV | 5.296G | 99.83 | Inf | -Inf | 6.21 | 3 | Vertical | 22 | 1.61 | 93.62 | 33.01 | 7.13 | 33.93 |
| AV | 5.354G | 53.55 | 54.00 | -0.45 | 6.15 | 3 | Vertical | 22 | 1.61 | 47.40 | 32.91 | 7.16 | 33.92 |
| PK | 5.104G | 59.60 | 74.00 | -14.40 | 6.11 | 3 | Vertical | 22 | 1.61 | 53.49 | 33.11 | 6.97 | 33.97 |
| PK | 5.286G | 111.16 | Inf | -Inf | 6.22 | 3 | Vertical | 22 | 1.61 | 104.94 | 33.03 | 7.12 | 33.93 |
| PK | 5.353G | 65.14 | 74.00 | -8.86 | 6.15 | 3 | Vertical | 22 | 1.61 | 58.99 | 32.91 | 7.16 | 33.92 |
| PK | 5.513G | 59.93 | 68.20 | -8.27 | 6.36 | 3 | Vertical | 22 | 1.61 | 53.57 | 33.00 | 7.25 | 33.89 |

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.15G | 48.14 | 54.00 | -5.86 | 6.26 | 3 | Horizontal | 0 | 1.50 | 41.88 | 33.20 | 7.02 | 33.96 |
| AV | 5.289G | 99.22 | Inf | -Inf | 6.21 | 3 | Horizontal | 0 | 1.50 | 93.01 | 33.02 | 7.12 | 33.93 |
| AV | 5.35G | 52.69 | 54.00 | -1.31 | 6.14 | 3 | Horizontal | 0 | 1.50 | 46.55 | 32.90 | 7.16 | 33.92 |
| PK | 5.135G | 59.46 | 74.00 | -14.54 | 6.22 | 3 | Horizontal | 0 | 1.50 | 53.24 | 33.17 | 7.01 | 33.96 |
| PK | 5.31G | 110.36 | Inf | -Inf | 6.19 | 3 | Horizontal | 0 | 1.50 | 104.17 | 32.98 | 7.14 | 33.93 |
| PK | 5.35G | 64.79 | 74.00 | -9.21 | 6.14 | 3 | Horizontal | 0 | 1.50 | 58.65 | 32.90 | 7.16 | 33.92 |
| PK | 5.52G | 59.41 | 68.20 | -8.79 | 6.36 | 3 | Horizontal | 0 | 1.50 | 53.05 | 33.00 | 7.26 | 33.90 |



5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 15.86994G | 46.51 | 54.00 | -7.49 | 17.49 | 3 | Vertical | 224 | 1.96 | 29.02 | 38.26 | 13.00 | 33.77 |
| PK | 10.57902G | 55.68 | 68.20 | -12.52 | 15.09 | 3 | Vertical | 108 | 1.42 | 40.59 | 39.00 | 10.42 | 34.33 |
| PK | 15.86983G | 58.40 | 74.00 | -15.60 | 17.49 | 3 | Vertical | 224 | 1.96 | 40.91 | 38.26 | 13.00 | 33.77 |

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 15.87G | 46.51 | 54.00 | -7.49 | 17.49 | 3 | Horizontal | 198 | 1.27 | 29.02 | 38.26 | 13.00 | 33.77 |
| PK | 10.57986G | 55.73 | 68.20 | -12.47 | 15.09 | 3 | Horizontal | 203 | 1.37 | 40.64 | 39.00 | 10.42 | 34.33 |
| PK | 15.87092G | 58.89 | 74.00 | -15.11 | 17.49 | 3 | Horizontal | 198 | 1.27 | 41.40 | 38.26 | 13.00 | 33.77 |



5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.35G | 47.43 | 54.00 | -6.57 | 6.14 | 3 | Vertical | 12 | 1.40 | 41.29 | 32.90 | 7.16 | 33.92 |
| AV | 5.46G | 51.17 | 54.00 | -2.83 | 6.32 | 3 | Vertical | 12 | 1.40 | 44.85 | 33.00 | 7.22 | 33.90 |
| AV | 5.532G | 102.73 | Inf | -Inf | 6.36 | 3 | Vertical | 12 | 1.40 | 96.37 | 33.00 | 7.26 | 33.90 |
| PK | 5.307G | 59.07 | 68.20 | -9.13 | 6.19 | 3 | Vertical | 12 | 1.40 | 52.88 | 32.99 | 7.13 | 33.93 |
| PK | 5.452G | 63.97 | 74.00 | -10.03 | 6.32 | 3 | Vertical | 12 | 1.40 | 57.65 | 33.00 | 7.22 | 33.90 |
| PK | 5.469G | 65.86 | 68.20 | -2.34 | 6.33 | 3 | Vertical | 12 | 1.40 | 59.53 | 33.00 | 7.23 | 33.90 |
| PK | 5.544G | 113.84 | Inf | -Inf | 6.37 | 3 | Vertical | 12 | 1.40 | 107.47 | 33.00 | 7.27 | 33.90 |
| PK | 5.765G | 60.89 | 68.20 | -7.31 | 7.46 | 3 | Vertical | 12 | 1.40 | 53.43 | 33.96 | 7.47 | 33.97 |

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.35G | 47.43 | 54.00 | -6.57 | 6.14 | 3 | Horizontal | 0 | 1.86 | 41.29 | 32.90 | 7.16 | 33.92 |
| AV | 5.46G | 50.13 | 54.00 | -3.87 | 6.32 | 3 | Horizontal | 0 | 1.86 | 43.81 | 33.00 | 7.22 | 33.90 |
| AV | 5.531G | 101.44 | Inf | -Inf | 6.36 | 3 | Horizontal | 0 | 1.86 | 95.08 | 33.00 | 7.26 | 33.90 |
| PK | 5.317G | 60.07 | 68.20 | -8.13 | 6.18 | 3 | Horizontal | 0 | 1.86 | 53.89 | 32.97 | 7.14 | 33.93 |
| PK | 5.458G | 62.23 | 74.00 | -11.77 | 6.32 | 3 | Horizontal | 0 | 1.86 | 55.91 | 33.00 | 7.22 | 33.90 |
| PK | 5.47G | 62.07 | 68.20 | -6.13 | 6.33 | 3 | Horizontal | 0 | 1.86 | 55.74 | 33.00 | 7.23 | 33.90 |
| PK | 5.531G | 113.70 | Inf | -Inf | 6.36 | 3 | Horizontal | 0 | 1.86 | 107.34 | 33.00 | 7.26 | 33.90 |
| PK | 5.774G | 61.53 | 68.20 | -6.67 | 7.50 | 3 | Horizontal | 0 | 1.86 | 54.03 | 34.00 | 7.48 | 33.98 |



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.06014G | 43.15 | 54.00 | -10.85 | 15.61 | 3 | Vertical | 180 | 1.10 | 27.54 | 39.00 | 10.64 | 34.03 |
| PK | 11.06068G | 55.27 | 74.00 | -18.73 | 15.61 | 3 | Vertical | 180 | 1.10 | 39.66 | 39.00 | 10.64 | 34.03 |
| PK | 16.59078G | 58.17 | 68.20 | -10.03 | 17.91 | 3 | Vertical | 333 | 1.33 | 40.26 | 38.32 | 13.54 | 33.95 |

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.06023G | 43.15 | 54.00 | -10.85 | 15.61 | 3 | Horizontal | 245 | 1.41 | 27.54 | 39.00 | 10.64 | 34.03 |
| PK | 11.0608G | 55.12 | 74.00 | -18.88 | 15.61 | 3 | Horizontal | 245 | 1.41 | 39.51 | 39.00 | 10.64 | 34.03 |
| PK | 16.58964G | 58.83 | 68.20 | -9.37 | 17.91 | 3 | Horizontal | 247 | 2.55 | 40.92 | 38.32 | 13.54 | 33.95 |



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.46G | 49.11 | 54.00 | -4.89 | 6.32 | 3 | Vertical | 14 | 1.69 | 42.79 | 33.00 | 7.22 | 33.90 |
| AV | 5.614G | 104.25 | Inf | -Inf | 6.48 | 3 | Vertical | 14 | 1.69 | 97.77 | 33.10 | 7.31 | 33.93 |
| PK | 5.456G | 60.94 | 74.00 | -13.06 | 6.32 | 3 | Vertical | 14 | 1.69 | 54.62 | 33.00 | 7.22 | 33.90 |
| PK | 5.461G | 61.72 | 68.20 | -6.48 | 6.32 | 3 | Vertical | 14 | 1.69 | 55.40 | 33.00 | 7.22 | 33.90 |
| PK | 5.633G | 115.55 | Inf | -Inf | 6.50 | 3 | Vertical | 14 | 1.69 | 109.05 | 33.10 | 7.33 | 33.93 |
| PK | 5.725G | 67.50 | 68.20 | -0.70 | 7.27 | 3 | Vertical | 14 | 1.69 | 60.23 | 33.80 | 7.43 | 33.96 |

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.459G | 48.12 | 54.00 | -5.88 | 6.32 | 3 | Horizontal | 0 | 1.50 | 41.80 | 33.00 | 7.22 | 33.90 |
| AV | 5.62G | 101.83 | Inf | -Inf | 6.49 | 3 | Horizontal | 0 | 1.50 | 95.34 | 33.10 | 7.32 | 33.93 |
| PK | 5.449G | 59.44 | 74.00 | -14.56 | 6.32 | 3 | Horizontal | 0 | 1.50 | 53.12 | 33.00 | 7.22 | 33.90 |
| PK | 5.463G | 59.42 | 68.20 | -8.78 | 6.32 | 3 | Horizontal | 0 | 1.50 | 53.10 | 33.00 | 7.22 | 33.90 |
| PK | 5.623G | 112.92 | Inf | -Inf | 6.49 | 3 | Horizontal | 0 | 1.50 | 106.43 | 33.10 | 7.32 | 33.93 |
| PK | 5.731G | 63.60 | 68.20 | -4.60 | 7.30 | 3 | Horizontal | 0 | 1.50 | 56.30 | 33.82 | 7.44 | 33.96 |



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.21935G | 43.47 | 54.00 | -10.53 | 15.70 | 3 | Vertical | 39 | 1.55 | 27.77 | 39.02 | 10.71 | 34.03 |
| PK | 11.21994G | 55.02 | 74.00 | -18.98 | 15.71 | 3 | Vertical | 39 | 1.55 | 39.31 | 39.02 | 10.72 | 34.03 |
| PK | 16.83096G | 59.18 | 68.20 | -9.02 | 18.36 | 3 | Vertical | 109 | 2.07 | 40.82 | 38.34 | 13.73 | 33.71 |

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.21994G | 43.58 | 54.00 | -10.42 | 15.71 | 3 | Horizontal | 94 | 1.74 | 27.87 | 39.02 | 10.72 | 34.03 |
| PK | 11.21976G | 55.46 | 74.00 | -18.54 | 15.70 | 3 | Horizontal | 94 | 1.74 | 39.76 | 39.02 | 10.71 | 34.03 |
| PK | 16.83022G | 58.65 | 68.20 | -9.55 | 18.36 | 3 | Horizontal | 100 | 1.61 | 40.29 | 38.34 | 13.73 | 33.71 |



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4596G | 48.47 | 54.00 | -5.53 | 6.32 | 3 | Vertical | 12 | 1.50 | 42.15 | 33.00 | 7.22 | 33.90 |
| AV | 5.6828G | 105.87 | Inf | -Inf | 6.93 | 3 | Vertical | 12 | 1.50 | 98.94 | 33.49 | 7.39 | 33.95 |
| PK | 5.4548G | 60.06 | 74.00 | -13.94 | 6.32 | 3 | Vertical | 12 | 1.50 | 53.74 | 33.00 | 7.22 | 33.90 |
| PK | 5.4644G | 59.99 | 68.20 | -8.21 | 6.33 | 3 | Vertical | 12 | 1.50 | 53.66 | 33.00 | 7.23 | 33.90 |
| PK | 5.6936G | 117.47 | Inf | -Inf | 7.07 | 3 | Vertical | 12 | 1.50 | 110.40 | 33.62 | 7.40 | 33.95 |
| PK | 5.8628G | 67.16 | 68.20 | -1.04 | 7.67 | 3 | Vertical | 12 | 1.50 | 59.49 | 34.18 | 7.50 | 34.01 |

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4512G | 47.90 | 54.00 | -6.10 | 6.32 | 3 | Horizontal | 352 | 1.32 | 41.58 | 33.00 | 7.22 | 33.90 |
| AV | 5.6972G | 105.74 | Inf | -Inf | 7.12 | 3 | Horizontal | 352 | 1.32 | 98.62 | 33.67 | 7.40 | 33.95 |
| PK | 5.4512G | 59.91 | 74.00 | -14.09 | 6.32 | 3 | Horizontal | 352 | 1.32 | 53.59 | 33.00 | 7.22 | 33.90 |
| PK | 5.4692G | 58.99 | 68.20 | -9.21 | 6.33 | 3 | Horizontal | 352 | 1.32 | 52.66 | 33.00 | 7.23 | 33.90 |
| PK | 5.696G | 116.80 | Inf | -Inf | 7.10 | 3 | Horizontal | 352 | 1.32 | 109.70 | 33.65 | 7.40 | 33.95 |
| PK | 5.8604G | 63.42 | 68.20 | -4.78 | 7.65 | 3 | Horizontal | 352 | 1.32 | 55.77 | 34.16 | 7.50 | 34.01 |



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.344G | 43.59 | 54.00 | -10.41 | 15.89 | 3 | Vertical | 112 | 1.50 | 27.70 | 39.14 | 10.77 | 34.02 |
| PK | 11.37976G | 56.24 | 74.00 | -17.76 | 15.95 | 3 | Vertical | 112 | 1.50 | 40.29 | 39.18 | 10.79 | 34.02 |
| PK | 17.12568G | 59.08 | 68.20 | -9.12 | 18.74 | 3 | Vertical | 324 | 1.50 | 40.34 | 38.30 | 13.96 | 33.52 |

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.33824G | 43.51 | 54.00 | -10.49 | 15.89 | 3 | Horizontal | 360 | 2.02 | 27.62 | 39.14 | 10.77 | 34.02 |
| PK | 11.41744G | 55.67 | 74.00 | -18.33 | 15.98 | 3 | Horizontal | 360 | 2.02 | 39.69 | 39.20 | 10.80 | 34.02 |
| PK | 17.1216G | 59.29 | 68.20 | -8.91 | 18.72 | 3 | Horizontal | 150 | 1.99 | 40.57 | 38.30 | 13.95 | 33.53 |



5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.15G | 52.75 | 54.00 | -1.25 | 6.26 | 3 | Vertical | 360 | 1.38 | 46.49 | 33.20 | 7.02 | 33.96 |
| AV | 5.2656G | 96.15 | Inf | -Inf | 6.24 | 3 | Vertical | 360 | 1.38 | 89.91 | 33.07 | 7.11 | 33.94 |
| AV | 5.3544G | 53.91 | 54.00 | -0.09 | 6.15 | 3 | Vertical | 360 | 1.38 | 47.76 | 32.91 | 7.16 | 33.92 |
| PK | 5.148G | 65.60 | 74.00 | -8.40 | 6.26 | 3 | Vertical | 360 | 1.38 | 59.34 | 33.20 | 7.02 | 33.96 |
| PK | 5.2476G | 108.33 | Inf | -Inf | 6.26 | 3 | Vertical | 360 | 1.38 | 102.07 | 33.10 | 7.10 | 33.94 |
| PK | 5.3652G | 66.38 | 74.00 | -7.62 | 6.18 | 3 | Vertical | 360 | 1.38 | 60.20 | 32.93 | 7.17 | 33.92 |
| PK | 5.466G | 60.84 | 68.20 | -7.36 | 6.33 | 3 | Vertical | 360 | 1.38 | 54.51 | 33.00 | 7.23 | 33.90 |

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.148G | 53.17 | 54.00 | -0.83 | 6.26 | 3 | Horizontal | 6 | 1.19 | 46.91 | 33.20 | 7.02 | 33.96 |
| AV | 5.238G | 96.69 | Inf | -Inf | 6.27 | 3 | Horizontal | 6 | 1.19 | 90.42 | 33.12 | 7.09 | 33.94 |
| AV | 5.3592G | 52.54 | 54.00 | -1.46 | 6.17 | 3 | Horizontal | 6 | 1.19 | 46.37 | 32.92 | 7.17 | 33.92 |
| PK | 5.142G | 66.37 | 74.00 | -7.63 | 6.23 | 3 | Horizontal | 6 | 1.19 | 60.14 | 33.18 | 7.01 | 33.96 |
| PK | 5.2176G | 109.33 | Inf | -Inf | 6.29 | 3 | Horizontal | 6 | 1.19 | 103.04 | 33.16 | 7.08 | 33.95 |
| PK | 5.3628G | 65.77 | 74.00 | -8.23 | 6.18 | 3 | Horizontal | 6 | 1.19 | 59.59 | 32.93 | 7.17 | 33.92 |
| PK | 5.4732G | 59.68 | 68.20 | -8.52 | 6.33 | 3 | Horizontal | 6 | 1.19 | 53.35 | 33.00 | 7.23 | 33.90 |



5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 15.75083G | 46.35 | 54.00 | -7.65 | 17.60 | 3 | Vertical | 1 | 1.81 | 28.75 | 38.40 | 12.92 | 33.72 |
| PK | 10.49944G | 55.23 | 68.20 | -12.97 | 15.00 | 3 | Vertical | 337 | 1.64 | 40.23 | 39.00 | 10.39 | 34.39 |
| PK | 15.74991G | 58.29 | 74.00 | -15.71 | 17.61 | 3 | Vertical | 1 | 1.81 | 40.68 | 38.40 | 12.92 | 33.71 |

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 15.75039G | 46.35 | 54.00 | -7.65 | 17.60 | 3 | Horizontal | 290 | 1.76 | 28.75 | 38.40 | 12.92 | 33.72 |
| PK | 10.499G | 56.06 | 68.20 | -12.14 | 15.00 | 3 | Horizontal | 82 | 2.89 | 41.06 | 39.00 | 10.39 | 34.39 |
| PK | 15.74943G | 58.46 | 74.00 | -15.54 | 17.61 | 3 | Horizontal | 290 | 1.76 | 40.85 | 38.40 | 12.92 | 33.71 |



5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4428G | 51.77 | 54.00 | -2.23 | 6.31 | 3 | Vertical | 16 | 1.49 | 45.46 | 33.00 | 7.21 | 33.90 |
| AV | 5.5436G | 100.55 | Inf | -Inf | 6.37 | 3 | Vertical | 16 | 1.49 | 94.18 | 33.00 | 7.27 | 33.90 |
| PK | 5.336G | 60.08 | 68.20 | -8.12 | 6.16 | 3 | Vertical | 16 | 1.49 | 53.92 | 32.93 | 7.15 | 33.92 |
| PK | 5.4308G | 64.06 | 74.00 | -9.94 | 6.31 | 3 | Vertical | 16 | 1.49 | 57.75 | 33.00 | 7.21 | 33.90 |
| PK | 5.4692G | 64.57 | 68.20 | -3.63 | 6.33 | 3 | Vertical | 16 | 1.49 | 58.24 | 33.00 | 7.23 | 33.90 |
| PK | 5.534G | 112.78 | Inf | -Inf | 6.36 | 3 | Vertical | 16 | 1.49 | 106.42 | 33.00 | 7.26 | 33.90 |
| PK | 5.7296G | 67.11 | 68.20 | -1.09 | 7.30 | 3 | Vertical | 16 | 1.49 | 59.81 | 33.82 | 7.44 | 33.96 |

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4596G | 51.05 | 54.00 | -2.95 | 6.32 | 3 | Horizontal | 0 | 1.75 | 44.73 | 33.00 | 7.22 | 33.90 |
| AV | 5.612G | 99.19 | Inf | -Inf | 6.48 | 3 | Horizontal | 0 | 1.75 | 92.71 | 33.10 | 7.31 | 33.93 |
| PK | 5.3252G | 60.22 | 68.20 | -7.98 | 6.18 | 3 | Horizontal | 0 | 1.75 | 54.04 | 32.95 | 7.15 | 33.92 |
| PK | 5.4524G | 62.27 | 74.00 | -11.73 | 6.32 | 3 | Horizontal | 0 | 1.75 | 55.95 | 33.00 | 7.22 | 33.90 |
| PK | 5.4632G | 65.21 | 68.20 | -2.99 | 6.32 | 3 | Horizontal | 0 | 1.75 | 58.89 | 33.00 | 7.22 | 33.90 |
| PK | 5.6132G | 111.30 | Inf | -Inf | 6.48 | 3 | Horizontal | 0 | 1.75 | 104.82 | 33.10 | 7.31 | 33.93 |
| PK | 5.732G | 64.99 | 68.20 | -3.21 | 7.31 | 3 | Horizontal | 0 | 1.75 | 57.68 | 33.83 | 7.44 | 33.96 |



5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.14021G | 43.40 | 54.00 | -10.60 | 15.65 | 3 | Vertical | 88 | 2.09 | 27.75 | 39.00 | 10.68 | 34.03 |
| PK | 11.14058G | 55.18 | 74.00 | -18.82 | 15.65 | 3 | Vertical | 88 | 2.09 | 39.53 | 39.00 | 10.68 | 34.03 |
| PK | 16.71043G | 59.04 | 68.20 | -9.16 | 18.29 | 3 | Vertical | 188 | 1.28 | 40.75 | 38.49 | 13.63 | 33.83 |

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.14021G | 43.40 | 54.00 | -10.60 | 15.65 | 3 | Horizontal | 107 | 1.85 | 27.75 | 39.00 | 10.68 | 34.03 |
| PK | 11.14024G | 55.09 | 74.00 | -18.91 | 15.65 | 3 | Horizontal | 107 | 1.85 | 39.44 | 39.00 | 10.68 | 34.03 |
| PK | 16.70956G | 58.38 | 68.20 | -9.82 | 18.29 | 3 | Horizontal | 322 | 1.23 | 40.09 | 38.49 | 13.63 | 33.83 |



**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3

Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5.25-5.35GHz | - | - | - | - | - | - | - | - | - | - |
| 802.11a_Nss1,(6Mbps)_2TX | Pass | AV | 5.35G | 53.54 | 54.00 | -0.46 | 3 | Vertical | 30 | 1.71 |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | Pass | AV | 5.3506G | 53.46 | 54.00 | -0.54 | 3 | Vertical | 29 | 1.71 |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | Pass | AV | 5.35G | 53.78 | 54.00 | -0.22 | 3 | Vertical | 32 | 1.71 |
| 802.11ax HEW80_Nss1,(MCS0)_2TX | Pass | AV | 5.35G | 53.94 | 54.00 | -0.06 | 3 | Vertical | 34 | 1.57 |
| 5.47-5.725GHz | - | - | - | - | - | - | - | - | - | - |
| 802.11a_Nss1,(6Mbps)_2TX | Pass | PK | 5.7252G | 68.09 | 68.20 | -0.11 | 3 | Horizontal | 7 | 1.10 |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | Pass | PK | 5.726G | 67.92 | 68.20 | -0.28 | 3 | Horizontal | 7 | 1.18 |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | Pass | PK | 5.7264G | 67.43 | 68.20 | -0.77 | 3 | Horizontal | 8 | 1.30 |
| 802.11ax HEW80_Nss1,(MCS0)_2TX | Pass | PK | 5.467G | 67.03 | 68.20 | -1.17 | 3 | Horizontal | 20 | 1.05 |
| 802.11ax HEW160_Nss1,(MCS0)_2TX | Pass | PK | 5.4668G | 66.74 | 68.20 | -1.46 | 3 | Vertical | 22 | 1.40 |



**RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3

Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 802.11a_Nss1,(6Mbps)_2TX | - | - | - | - | - | - | - | - | - | - |
| 5260MHz | Pass | AV | 5.1154G | 46.50 | 54.00 | -7.50 | 3 | Vertical | 23 | 1.74 |
| 5260MHz | Pass | AV | 5.2636G | 111.32 | Inf | -Inf | 3 | Vertical | 23 | 1.74 |
| 5260MHz | Pass | AV | 5.3506G | 47.35 | 54.00 | -6.65 | 3 | Vertical | 23 | 1.74 |
| 5260MHz | Pass | PK | 5.1166G | 58.55 | 74.00 | -15.45 | 3 | Vertical | 23 | 1.74 |
| 5260MHz | Pass | PK | 5.2636G | 120.13 | Inf | -Inf | 3 | Vertical | 23 | 1.74 |
| 5260MHz | Pass | PK | 5.3638G | 57.97 | 74.00 | -16.03 | 3 | Vertical | 23 | 1.74 |
| 5260MHz | Pass | AV | 5.1478G | 46.97 | 54.00 | -7.03 | 3 | Horizontal | 12 | 1.82 |
| 5260MHz | Pass | AV | 5.257G | 112.31 | Inf | -Inf | 3 | Horizontal | 12 | 1.82 |
| 5260MHz | Pass | AV | 5.3542G | 47.69 | 54.00 | -6.31 | 3 | Horizontal | 12 | 1.82 |
| 5260MHz | Pass | PK | 5.1184G | 58.91 | 74.00 | -15.09 | 3 | Horizontal | 12 | 1.82 |
| 5260MHz | Pass | PK | 5.2618G | 122.56 | Inf | -Inf | 3 | Horizontal | 12 | 1.82 |
| 5260MHz | Pass | PK | 5.3572G | 59.24 | 74.00 | -14.76 | 3 | Horizontal | 12 | 1.82 |
| 5260MHz | Pass | AV | 15.77952G | 49.83 | 54.00 | -4.17 | 3 | Vertical | 352 | 1.81 |
| 5260MHz | Pass | PK | 10.52216G | 54.28 | 68.20 | -13.92 | 3 | Vertical | 31 | 1.76 |
| 5260MHz | Pass | PK | 15.77982G | 63.46 | 74.00 | -10.54 | 3 | Vertical | 352 | 1.81 |
| 5260MHz | Pass | AV | 15.78264G | 47.47 | 54.00 | -6.53 | 3 | Horizontal | 355 | 1.50 |
| 5260MHz | Pass | PK | 10.5125G | 54.37 | 68.20 | -13.83 | 3 | Horizontal | 27 | 1.58 |
| 5260MHz | Pass | PK | 15.77784G | 60.07 | 74.00 | -13.93 | 3 | Horizontal | 355 | 1.50 |
| 5300MHz | Pass | AV | 5.2992G | 112.57 | Inf | -Inf | 3 | Vertical | 29 | 1.93 |
| 5300MHz | Pass | AV | 5.35G | 49.15 | 54.00 | -4.85 | 3 | Vertical | 29 | 1.93 |
| 5300MHz | Pass | PK | 5.3036G | 121.22 | Inf | -Inf | 3 | Vertical | 29 | 1.93 |
| 5300MHz | Pass | PK | 5.3624G | 60.28 | 74.00 | -13.72 | 3 | Vertical | 29 | 1.93 |
| 5300MHz | Pass | AV | 5.2968G | 112.30 | Inf | -Inf | 3 | Horizontal | 18 | 1.83 |
| 5300MHz | Pass | AV | 5.3512G | 48.74 | 54.00 | -5.26 | 3 | Horizontal | 18 | 1.83 |
| 5300MHz | Pass | PK | 5.302G | 121.89 | Inf | -Inf | 3 | Horizontal | 18 | 1.83 |
| 5300MHz | Pass | PK | 5.3512G | 59.84 | 74.00 | -14.16 | 3 | Horizontal | 18 | 1.83 |
| 5300MHz | Pass | AV | 15.90186G | 42.48 | 54.00 | -11.52 | 3 | Vertical | -0 | 1.96 |
| 5300MHz | Pass | PK | 10.59994G | 55.43 | 68.20 | -12.77 | 3 | Vertical | 42 | 1.61 |
| 5300MHz | Pass | PK | 15.89652G | 54.28 | 74.00 | -19.72 | 3 | Vertical | -0 | 1.96 |
| 5300MHz | Pass | AV | 10.60198G | 47.98 | 54.00 | -6.02 | 3 | Horizontal | 37 | 1.49 |
| 5300MHz | Pass | AV | 15.90216G | 41.97 | 54.00 | -12.03 | 3 | Horizontal | 350 | 1.76 |
| 5300MHz | Pass | PK | 10.60174G | 58.60 | 74.00 | -15.40 | 3 | Horizontal | 37 | 1.49 |
| 5300MHz | Pass | PK | 15.89886G | 53.98 | 74.00 | -20.02 | 3 | Horizontal | 350 | 1.76 |
| 5320MHz | Pass | AV | 5.3214G | 110.54 | Inf | -Inf | 3 | Vertical | 30 | 1.71 |
| 5320MHz | Pass | AV | 5.35G | 53.54 | 54.00 | -0.46 | 3 | Vertical | 30 | 1.71 |
| 5320MHz | Pass | PK | 5.317G | 119.87 | Inf | -Inf | 3 | Vertical | 30 | 1.71 |
| 5320MHz | Pass | PK | 5.35G | 65.03 | 74.00 | -8.97 | 3 | Vertical | 30 | 1.71 |
| 5320MHz | Pass | AV | 5.319G | 109.96 | Inf | -Inf | 3 | Horizontal | 19 | 1.62 |
| 5320MHz | Pass | AV | 5.35G | 51.82 | 54.00 | -2.18 | 3 | Horizontal | 19 | 1.62 |
| 5320MHz | Pass | PK | 5.322G | 119.49 | Inf | -Inf | 3 | Horizontal | 19 | 1.62 |
| 5320MHz | Pass | PK | 5.3502G | 63.62 | 74.00 | -10.38 | 3 | Horizontal | 19 | 1.62 |
| 5320MHz | Pass | AV | 10.63988G | 45.10 | 54.00 | -8.90 | 3 | Vertical | 44 | 1.33 |
| 5320MHz | Pass | AV | 15.95688G | 42.06 | 54.00 | -11.94 | 3 | Vertical | -0 | 1.92 |
| 5320MHz | Pass | PK | 10.64606G | 56.01 | 74.00 | -17.99 | 3 | Vertical | 44 | 1.33 |
| 5320MHz | Pass | PK | 15.97362G | 54.19 | 74.00 | -19.81 | 3 | Vertical | -0 | 1.92 |
| 5320MHz | Pass | AV | 10.64216G | 46.91 | 54.00 | -7.09 | 3 | Horizontal | 37 | 1.58 |
| 5320MHz | Pass | AV | 15.95322G | 41.84 | 54.00 | -12.16 | 3 | Horizontal | 177 | 3.00 |
| 5320MHz | Pass | PK | 10.64198G | 58.85 | 74.00 | -15.15 | 3 | Horizontal | 37 | 1.58 |
| 5320MHz | Pass | PK | 15.96312G | 54.42 | 74.00 | -19.58 | 3 | Horizontal | 177 | 3.00 |
| 5500MHz | Pass | AV | 5.458G | 47.92 | 54.00 | -6.08 | 3 | Vertical | 22 | 1.41 |
| 5500MHz | Pass | AV | 5.4968G | 109.84 | Inf | -Inf | 3 | Vertical | 22 | 1.41 |
| 5500MHz | Pass | PK | 5.458G | 61.63 | 74.00 | -12.37 | 3 | Vertical | 22 | 1.41 |
| 5500MHz | Pass | PK | 5.4672G | 66.17 | 68.20 | -2.03 | 3 | Vertical | 22 | 1.41 |
| 5500MHz | Pass | PK | 5.5018G | 119.83 | Inf | -Inf | 3 | Vertical | 22 | 1.41 |
| 5500MHz | Pass | AV | 5.459G | 47.25 | 54.00 | -6.75 | 3 | Horizontal | 352 | 1.42 |
| 5500MHz | Pass | AV | 5.5034G | 108.70 | Inf | -Inf | 3 | Horizontal | 352 | 1.42 |
| 5500MHz | Pass | PK | 5.4578G | 60.66 | 74.00 | -13.34 | 3 | Horizontal | 352 | 1.42 |
| 5500MHz | Pass | PK | 5.4682G | 64.98 | 68.20 | -3.22 | 3 | Horizontal | 352 | 1.42 |
| 5500MHz | Pass | PK | 5.4986G | 117.06 | Inf | -Inf | 3 | Horizontal | 352 | 1.42 |
| 5500MHz | Pass | AV | 11.00006G | 42.40 | 54.00 | -11.60 | 3 | Vertical | 350 | 1.64 |



**RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5500MHz | Pass | PK | 11.00018G | 54.50 | 74.00 | -19.50 | 3 | Vertical | 350 | 1.64 |
| 5500MHz | Pass | PK | 16.4952G | 54.04 | 68.20 | -14.16 | 3 | Vertical | 352 | 1.47 |
| 5500MHz | Pass | AV | 11.00018G | 43.04 | 54.00 | -10.96 | 3 | Horizontal | 12 | 1.52 |
| 5500MHz | Pass | PK | 11.0009G | 54.60 | 74.00 | -19.40 | 3 | Horizontal | 12 | 1.52 |
| 5500MHz | Pass | PK | 16.49964G | 54.61 | 68.20 | -13.59 | 3 | Horizontal | 129 | 1.99 |
| 5580MHz | Pass | AV | 5.454G | 46.11 | 54.00 | -7.89 | 3 | Vertical | 342 | 1.56 |
| 5580MHz | Pass | AV | 5.583G | 112.95 | Inf | -Inf | 3 | Vertical | 342 | 1.56 |
| 5580MHz | Pass | PK | 5.4312G | 57.60 | 74.00 | -16.40 | 3 | Vertical | 342 | 1.56 |
| 5580MHz | Pass | PK | 5.4618G | 58.37 | 68.20 | -9.83 | 3 | Vertical | 342 | 1.56 |
| 5580MHz | Pass | PK | 5.583G | 122.06 | Inf | -Inf | 3 | Vertical | 342 | 1.56 |
| 5580MHz | Pass | PK | 5.7276G | 58.47 | 68.20 | -9.73 | 3 | Vertical | 342 | 1.56 |
| 5580MHz | Pass | AV | 5.4438G | 46.23 | 54.00 | -7.77 | 3 | Horizontal | 24 | 1.26 |
| 5580MHz | Pass | AV | 5.5794G | 114.00 | Inf | -Inf | 3 | Horizontal | 24 | 1.26 |
| 5580MHz | Pass | PK | 5.454G | 58.45 | 74.00 | -15.55 | 3 | Horizontal | 24 | 1.26 |
| 5580MHz | Pass | PK | 5.469G | 58.38 | 68.20 | -9.82 | 3 | Horizontal | 24 | 1.26 |
| 5580MHz | Pass | PK | 5.5836G | 122.52 | Inf | -Inf | 3 | Horizontal | 24 | 1.26 |
| 5580MHz | Pass | PK | 5.727G | 59.06 | 68.20 | -9.14 | 3 | Horizontal | 24 | 1.26 |
| 5580MHz | Pass | AV | 11.16018G | 49.81 | 54.00 | -4.19 | 3 | Vertical | 353 | 1.55 |
| 5580MHz | Pass | PK | 11.1606G | 62.05 | 74.00 | -11.95 | 3 | Vertical | 353 | 1.55 |
| 5580MHz | Pass | PK | 16.73142G | 58.49 | 68.20 | -9.71 | 3 | Vertical | 346 | 1.47 |
| 5580MHz | Pass | AV | 11.16018G | 50.81 | 54.00 | -3.19 | 3 | Horizontal | 15 | 1.54 |
| 5580MHz | Pass | PK | 11.16078G | 62.84 | 74.00 | -11.16 | 3 | Horizontal | 15 | 1.54 |
| 5580MHz | Pass | PK | 16.73484G | 58.06 | 68.20 | -10.14 | 3 | Horizontal | 318 | 1.50 |
| 5700MHz | Pass | AV | 5.6968G | 108.16 | Inf | -Inf | 3 | Vertical | 6 | 1.13 |
| 5700MHz | Pass | PK | 5.6968G | 118.44 | Inf | -Inf | 3 | Vertical | 6 | 1.13 |
| 5700MHz | Pass | PK | 5.7252G | 66.96 | 68.20 | -1.24 | 3 | Vertical | 6 | 1.13 |
| 5700MHz | Pass | AV | 5.6968G | 109.94 | Inf | -Inf | 3 | Horizontal | 7 | 1.10 |
| 5700MHz | Pass | PK | 5.7024G | 118.06 | Inf | -Inf | 3 | Horizontal | 7 | 1.10 |
| 5700MHz | Pass | PK | 5.7252G | 68.09 | 68.20 | -0.11 | 3 | Horizontal | 7 | 1.10 |
| 5700MHz | Pass | AV | 11.4G | 44.18 | 54.00 | -9.82 | 3 | Horizontal | 14 | 1.55 |
| 5700MHz | Pass | PK | 11.3952G | 54.59 | 74.00 | -19.41 | 3 | Horizontal | 14 | 1.55 |
| 5700MHz | Pass | PK | 17.09238G | 53.63 | 68.20 | -14.57 | 3 | Horizontal | 338 | 1.50 |
| 5700MHz | Pass | AV | 11.39988G | 43.02 | 54.00 | -10.98 | 3 | Vertical | 355 | 1.50 |
| 5700MHz | Pass | PK | 11.4009G | 54.67 | 74.00 | -19.33 | 3 | Vertical | 355 | 1.50 |
| 5700MHz | Pass | PK | 17.09166G | 54.20 | 68.20 | -14.00 | 3 | Vertical | 360 | 1.50 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4236G | 45.92 | 54.00 | -8.08 | 3 | Vertical | 6 | 1.34 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7188G | 113.47 | Inf | -Inf | 3 | Vertical | 6 | 1.34 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4572G | 57.52 | 74.00 | -16.48 | 3 | Vertical | 6 | 1.34 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.468G | 57.56 | 68.20 | -10.64 | 3 | Vertical | 6 | 1.34 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7224G | 123.24 | Inf | -Inf | 3 | Vertical | 6 | 1.34 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.9204G | 59.95 | 68.20 | -8.25 | 3 | Vertical | 6 | 1.34 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4428G | 45.83 | 54.00 | -8.17 | 3 | Horizontal | 8 | 1.15 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7164G | 113.81 | Inf | -Inf | 3 | Horizontal | 8 | 1.15 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.45G | 57.25 | 74.00 | -16.75 | 3 | Horizontal | 8 | 1.15 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4668G | 56.71 | 68.20 | -11.49 | 3 | Horizontal | 8 | 1.15 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7164G | 122.53 | Inf | -Inf | 3 | Horizontal | 8 | 1.15 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8916G | 60.49 | 68.20 | -7.71 | 3 | Horizontal | 8 | 1.15 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.43994G | 46.66 | 54.00 | -7.34 | 3 | Horizontal | 13 | 1.51 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.44012G | 57.70 | 74.00 | -16.30 | 3 | Horizontal | 13 | 1.51 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 17.15478G | 55.22 | 68.20 | -12.98 | 3 | Horizontal | 320 | 1.35 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.44168G | 47.17 | 54.00 | -6.83 | 3 | Vertical | 26 | 1.36 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.44084G | 58.23 | 74.00 | -15.77 | 3 | Vertical | 26 | 1.36 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 17.16684G | 54.13 | 68.20 | -14.07 | 3 | Vertical | 39 | 1.50 |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - |
| 5260MHz | Pass | AV | 5.1172G | 46.87 | 54.00 | -7.13 | 3 | Vertical | 29 | 1.82 |
| 5260MHz | Pass | AV | 5.2576G | 112.20 | Inf | -Inf | 3 | Vertical | 29 | 1.82 |
| 5260MHz | Pass | AV | 5.3542G | 48.16 | 54.00 | -5.84 | 3 | Vertical | 29 | 1.82 |
| 5260MHz | Pass | PK | 5.1178G | 58.77 | 74.00 | -15.23 | 3 | Vertical | 29 | 1.82 |
| 5260MHz | Pass | PK | 5.2582G | 123.02 | Inf | -Inf | 3 | Vertical | 29 | 1.82 |
| 5260MHz | Pass | PK | 5.3578G | 59.82 | 74.00 | -14.18 | 3 | Vertical | 29 | 1.82 |
| 5260MHz | Pass | AV | 5.1256G | 47.50 | 54.00 | -6.50 | 3 | Horizontal | 14 | 1.69 |
| 5260MHz | Pass | AV | 5.263G | 112.77 | Inf | -Inf | 3 | Horizontal | 14 | 1.69 |



**RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5260MHz | Pass | AV | 5.35G | 48.30 | 54.00 | -5.70 | 3 | Horizontal | 14 | 1.69 |
| 5260MHz | Pass | PK | 5.1172G | 59.88 | 74.00 | -14.12 | 3 | Horizontal | 14 | 1.69 |
| 5260MHz | Pass | PK | 5.2618G | 123.66 | Inf | -Inf | 3 | Horizontal | 14 | 1.69 |
| 5260MHz | Pass | PK | 5.35G | 60.38 | 74.00 | -13.62 | 3 | Horizontal | 14 | 1.69 |
| 5260MHz | Pass | AV | 15.77514G | 50.24 | 54.00 | -3.76 | 3 | Vertical | -0 | 1.51 |
| 5260MHz | Pass | PK | 10.52186G | 53.10 | 68.20 | -15.10 | 3 | Vertical | 42 | 1.26 |
| 5260MHz | Pass | PK | 15.78306G | 66.02 | 74.00 | -7.98 | 3 | Vertical | -0 | 1.51 |
| 5260MHz | Pass | AV | 15.77934G | 47.25 | 54.00 | -6.75 | 3 | Horizontal | 4 | 1.50 |
| 5260MHz | Pass | PK | 10.51568G | 54.60 | 68.20 | -13.60 | 3 | Horizontal | 35 | 1.71 |
| 5260MHz | Pass | PK | 15.7905G | 61.04 | 74.00 | -12.96 | 3 | Horizontal | 4 | 1.50 |
| 5300MHz | Pass | AV | 5.2976G | 111.05 | Inf | -Inf | 3 | Vertical | 30 | 1.75 |
| 5300MHz | Pass | AV | 5.3504G | 48.88 | 54.00 | -5.12 | 3 | Vertical | 30 | 1.75 |
| 5300MHz | Pass | PK | 5.2984G | 123.28 | Inf | -Inf | 3 | Vertical | 30 | 1.75 |
| 5300MHz | Pass | PK | 5.35G | 61.46 | 74.00 | -12.54 | 3 | Vertical | 30 | 1.75 |
| 5300MHz | Pass | AV | 5.3024G | 111.00 | Inf | -Inf | 3 | Horizontal | 16 | 1.60 |
| 5300MHz | Pass | AV | 5.3512G | 48.60 | 54.00 | -5.40 | 3 | Horizontal | 16 | 1.60 |
| 5300MHz | Pass | PK | 5.3016G | 123.39 | Inf | -Inf | 3 | Horizontal | 16 | 1.60 |
| 5300MHz | Pass | PK | 5.3524G | 59.93 | 74.00 | -14.07 | 3 | Horizontal | 16 | 1.60 |
| 5300MHz | Pass | AV | 10.60012G | 43.38 | 54.00 | -10.62 | 3 | Vertical | 44 | 1.55 |
| 5300MHz | Pass | AV | 15.88908G | 41.65 | 54.00 | -12.35 | 3 | Vertical | 4 | 1.50 |
| 5300MHz | Pass | PK | 10.60186G | 55.11 | 74.00 | -18.89 | 3 | Vertical | 44 | 1.55 |
| 5300MHz | Pass | PK | 15.8982G | 55.37 | 74.00 | -18.63 | 3 | Vertical | 4 | 1.50 |
| 5300MHz | Pass | AV | 10.60378G | 45.57 | 54.00 | -8.43 | 3 | Horizontal | 38 | 1.49 |
| 5300MHz | Pass | AV | 15.88704G | 41.50 | 54.00 | -12.50 | 3 | Horizontal | 192 | 1.50 |
| 5300MHz | Pass | PK | 10.60408G | 57.08 | 74.00 | -16.92 | 3 | Horizontal | 38 | 1.49 |
| 5300MHz | Pass | PK | 15.9102G | 54.20 | 74.00 | -19.80 | 3 | Horizontal | 192 | 1.50 |
| 5320MHz | Pass | AV | 5.3226G | 109.96 | Inf | -Inf | 3 | Vertical | 29 | 1.71 |
| 5320MHz | Pass | AV | 5.3506G | 53.46 | 54.00 | -0.54 | 3 | Vertical | 29 | 1.71 |
| 5320MHz | Pass | PK | 5.3238G | 122.28 | Inf | -Inf | 3 | Vertical | 29 | 1.71 |
| 5320MHz | Pass | PK | 5.3502G | 67.31 | 74.00 | -6.69 | 3 | Vertical | 29 | 1.71 |
| 5320MHz | Pass | AV | 5.3172G | 109.18 | Inf | -Inf | 3 | Horizontal | 10 | 1.91 |
| 5320MHz | Pass | AV | 5.35G | 50.42 | 54.00 | -3.58 | 3 | Horizontal | 10 | 1.91 |
| 5320MHz | Pass | PK | 5.316G | 121.43 | Inf | -Inf | 3 | Horizontal | 10 | 1.91 |
| 5320MHz | Pass | PK | 5.3548G | 63.13 | 74.00 | -10.87 | 3 | Horizontal | 10 | 1.91 |
| 5320MHz | Pass | AV | 10.63994G | 44.44 | 54.00 | -9.56 | 3 | Vertical | 43 | 1.41 |
| 5320MHz | Pass | AV | 15.96366G | 41.78 | 54.00 | -12.22 | 3 | Vertical | 360 | 2.07 |
| 5320MHz | Pass | PK | 10.64174G | 55.60 | 74.00 | -18.40 | 3 | Vertical | 43 | 1.41 |
| 5320MHz | Pass | PK | 15.954G | 55.38 | 74.00 | -18.62 | 3 | Vertical | 360 | 2.07 |
| 5320MHz | Pass | AV | 10.63484G | 45.75 | 54.00 | -8.25 | 3 | Horizontal | 37 | 1.61 |
| 5320MHz | Pass | AV | 15.95394G | 41.30 | 54.00 | -12.70 | 3 | Horizontal | 89 | 1.50 |
| 5320MHz | Pass | PK | 10.63328G | 58.14 | 74.00 | -15.86 | 3 | Horizontal | 37 | 1.61 |
| 5320MHz | Pass | PK | 15.94902G | 54.96 | 74.00 | -19.04 | 3 | Horizontal | 89 | 1.50 |
| 5500MHz | Pass | AV | 5.457G | 46.13 | 54.00 | -7.87 | 3 | Vertical | 28 | 1.40 |
| 5500MHz | Pass | AV | 5.504G | 107.93 | Inf | -Inf | 3 | Vertical | 28 | 1.40 |
| 5500MHz | Pass | PK | 5.46G | 57.69 | 74.00 | -16.31 | 3 | Vertical | 28 | 1.40 |
| 5500MHz | Pass | PK | 5.4654G | 63.20 | 68.20 | -5.00 | 3 | Vertical | 28 | 1.40 |
| 5500MHz | Pass | PK | 5.5046G | 119.85 | Inf | -Inf | 3 | Vertical | 28 | 1.40 |
| 5500MHz | Pass | AV | 5.4596G | 47.08 | 54.00 | -6.92 | 3 | Horizontal | 18 | 1.25 |
| 5500MHz | Pass | AV | 5.499G | 107.85 | Inf | -Inf | 3 | Horizontal | 18 | 1.25 |
| 5500MHz | Pass | PK | 5.46G | 60.80 | 74.00 | -13.20 | 3 | Horizontal | 18 | 1.25 |
| 5500MHz | Pass | PK | 5.47G | 67.25 | 68.20 | -0.95 | 3 | Horizontal | 18 | 1.25 |
| 5500MHz | Pass | PK | 5.5006G | 119.26 | Inf | -Inf | 3 | Horizontal | 18 | 1.25 |
| 5500MHz | Pass | AV | 11.00012G | 41.51 | 54.00 | -12.49 | 3 | Horizontal | 13 | 1.56 |
| 5500MHz | Pass | PK | 11.00102G | 54.69 | 74.00 | -19.31 | 3 | Horizontal | 13 | 1.56 |
| 5500MHz | Pass | PK | 16.49682G | 53.57 | 68.20 | -14.63 | 3 | Horizontal | 322 | 1.44 |
| 5500MHz | Pass | AV | 10.99982G | 41.19 | 54.00 | -12.81 | 3 | Vertical | 0 | 2.36 |
| 5500MHz | Pass | PK | 11.00012G | 53.03 | 74.00 | -20.97 | 3 | Vertical | 0 | 2.36 |
| 5500MHz | Pass | PK | 16.50738G | 54.01 | 68.20 | -14.19 | 3 | Vertical | 342 | 1.50 |
| 5580MHz | Pass | AV | 5.46G | 47.26 | 54.00 | -6.74 | 3 | Vertical | 14 | 1.26 |
| 5580MHz | Pass | AV | 5.5824G | 112.85 | Inf | -Inf | 3 | Vertical | 14 | 1.26 |
| 5580MHz | Pass | PK | 5.46G | 61.90 | 74.00 | -12.10 | 3 | Vertical | 14 | 1.26 |
| 5580MHz | Pass | PK | 5.4696G | 62.90 | 68.20 | -5.30 | 3 | Vertical | 14 | 1.26 |



**RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5580MHz | Pass | PK | 5.5752G | 124.37 | Inf | -Inf | 3 | Vertical | 14 | 1.26 |
| 5580MHz | Pass | PK | 5.7288G | 59.21 | 68.20 | -8.99 | 3 | Vertical | 14 | 1.26 |
| 5580MHz | Pass | AV | 5.4582G | 46.34 | 54.00 | -7.66 | 3 | Horizontal | 24 | 1.26 |
| 5580MHz | Pass | AV | 5.5788G | 113.59 | Inf | -Inf | 3 | Horizontal | 24 | 1.26 |
| 5580MHz | Pass | PK | 5.4588G | 59.76 | 74.00 | -14.24 | 3 | Horizontal | 24 | 1.26 |
| 5580MHz | Pass | PK | 5.469G | 60.56 | 68.20 | -7.64 | 3 | Horizontal | 24 | 1.26 |
| 5580MHz | Pass | PK | 5.5878G | 124.31 | Inf | -Inf | 3 | Horizontal | 24 | 1.26 |
| 5580MHz | Pass | PK | 5.7252G | 58.29 | 68.20 | -9.91 | 3 | Horizontal | 24 | 1.26 |
| 5580MHz | Pass | AV | 11.16012G | 49.56 | 54.00 | -4.44 | 3 | Horizontal | 17 | 1.56 |
| 5580MHz | Pass | PK | 11.16048G | 62.90 | 74.00 | -11.10 | 3 | Horizontal | 17 | 1.56 |
| 5580MHz | Pass | PK | 16.72776G | 57.47 | 68.20 | -10.73 | 3 | Horizontal | 318 | 1.42 |
| 5580MHz | Pass | AV | 11.16036G | 48.92 | 54.00 | -5.08 | 3 | Vertical | 354 | 1.51 |
| 5580MHz | Pass | PK | 11.16096G | 61.25 | 74.00 | -12.75 | 3 | Vertical | 354 | 1.51 |
| 5580MHz | Pass | PK | 16.7427G | 59.43 | 68.20 | -8.77 | 3 | Vertical | 347 | 1.50 |
| 5700MHz | Pass | AV | 5.7028G | 106.33 | Inf | -Inf | 3 | Vertical | 6 | 1.05 |
| 5700MHz | Pass | PK | 5.7016G | 118.67 | Inf | -Inf | 3 | Vertical | 6 | 1.05 |
| 5700MHz | Pass | PK | 5.7264G | 67.75 | 68.20 | -0.45 | 3 | Vertical | 6 | 1.05 |
| 5700MHz | Pass | AV | 5.6944G | 107.75 | Inf | -Inf | 3 | Horizontal | 7 | 1.18 |
| 5700MHz | Pass | PK | 5.6952G | 119.75 | Inf | -Inf | 3 | Horizontal | 7 | 1.18 |
| 5700MHz | Pass | PK | 5.726G | 67.92 | 68.20 | -0.28 | 3 | Horizontal | 7 | 1.18 |
| 5700MHz | Pass | AV | 11.39982G | 41.56 | 54.00 | -12.44 | 3 | Horizontal | 14 | 1.46 |
| 5700MHz | Pass | PK | 11.39958G | 53.72 | 74.00 | -20.28 | 3 | Horizontal | 14 | 1.46 |
| 5700MHz | Pass | PK | 17.11266G | 54.20 | 68.20 | -14.00 | 3 | Horizontal | 130 | 1.50 |
| 5700MHz | Pass | AV | 11.39988G | 41.68 | 54.00 | -12.32 | 3 | Vertical | 356 | 1.54 |
| 5700MHz | Pass | PK | 11.39982G | 53.59 | 74.00 | -20.41 | 3 | Vertical | 356 | 1.54 |
| 5700MHz | Pass | PK | 17.08974G | 53.31 | 68.20 | -14.89 | 3 | Vertical | 177 | 1.50 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4476G | 45.44 | 54.00 | -8.56 | 3 | Vertical | 5 | 1.34 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7188G | 112.90 | Inf | -Inf | 3 | Vertical | 5 | 1.34 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4512G | 57.21 | 74.00 | -16.79 | 3 | Vertical | 5 | 1.34 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4632G | 56.51 | 68.20 | -11.69 | 3 | Vertical | 5 | 1.34 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7164G | 123.78 | Inf | -Inf | 3 | Vertical | 5 | 1.34 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.9012G | 60.18 | 68.20 | -8.02 | 3 | Vertical | 5 | 1.34 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4596G | 45.32 | 54.00 | -8.68 | 3 | Horizontal | 7 | 1.15 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.714G | 113.43 | Inf | -Inf | 3 | Horizontal | 7 | 1.15 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4548G | 57.92 | 74.00 | -16.08 | 3 | Horizontal | 7 | 1.15 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4632G | 56.69 | 68.20 | -11.51 | 3 | Horizontal | 7 | 1.15 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7152G | 125.12 | Inf | -Inf | 3 | Horizontal | 7 | 1.15 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.966G | 60.31 | 68.20 | -7.89 | 3 | Horizontal | 7 | 1.15 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.44006G | 45.38 | 54.00 | -8.62 | 3 | Horizontal | 13 | 1.53 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.43988G | 57.11 | 74.00 | -16.89 | 3 | Horizontal | 13 | 1.53 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 17.16012G | 55.72 | 68.20 | -12.48 | 3 | Horizontal | 320 | 1.35 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.44342G | 46.20 | 54.00 | -7.80 | 3 | Vertical | 26 | 1.38 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.43304G | 58.14 | 74.00 | -15.86 | 3 | Vertical | 26 | 1.38 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 17.1474G | 53.82 | 68.20 | -14.38 | 3 | Vertical | 326 | 1.50 |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - |
| 5270MHz | Pass | AV | 5.2728G | 108.75 | Inf | -Inf | 3 | Vertical | 31 | 1.56 |
| 5270MHz | Pass | AV | 5.352G | 53.46 | 54.00 | -0.54 | 3 | Vertical | 31 | 1.56 |
| 5270MHz | Pass | PK | 5.2628G | 120.83 | Inf | -Inf | 3 | Vertical | 31 | 1.56 |
| 5270MHz | Pass | PK | 5.3552G | 66.35 | 74.00 | -7.65 | 3 | Vertical | 31 | 1.56 |
| 5270MHz | Pass | AV | 5.2672G | 109.83 | Inf | -Inf | 3 | Horizontal | 15 | 1.70 |
| 5270MHz | Pass | AV | 5.35G | 51.62 | 54.00 | -2.38 | 3 | Horizontal | 15 | 1.70 |
| 5270MHz | Pass | PK | 5.2688G | 121.44 | Inf | -Inf | 3 | Horizontal | 15 | 1.70 |
| 5270MHz | Pass | PK | 5.358G | 64.67 | 74.00 | -9.33 | 3 | Horizontal | 15 | 1.70 |
| 5270MHz | Pass | AV | 15.81516G | 47.74 | 54.00 | -6.26 | 3 | Vertical | 360 | 1.74 |
| 5270MHz | Pass | PK | 10.54708G | 52.89 | 68.20 | -15.31 | 3 | Vertical | 44 | 1.42 |
| 5270MHz | Pass | PK | 15.82488G | 61.37 | 74.00 | -12.63 | 3 | Vertical | 360 | 1.74 |
| 5270MHz | Pass | AV | 15.80568G | 44.75 | 54.00 | -9.25 | 3 | Horizontal | 46 | 1.49 |
| 5270MHz | Pass | PK | 10.54588G | 54.26 | 68.20 | -13.94 | 3 | Horizontal | 37 | 1.66 |
| 5270MHz | Pass | PK | 15.82428G | 58.02 | 74.00 | -15.98 | 3 | Horizontal | 46 | 1.49 |
| 5310MHz | Pass | AV | 5.3132G | 104.28 | Inf | -Inf | 3 | Vertical | 32 | 1.71 |
| 5310MHz | Pass | AV | 5.35G | 53.78 | 54.00 | -0.22 | 3 | Vertical | 32 | 1.71 |
| 5310MHz | Pass | PK | 5.312G | 116.38 | Inf | -Inf | 3 | Vertical | 32 | 1.71 |



**RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5310MHz | Pass | PK | 5.3512G | 66.21 | 74.00 | -7.79 | 3 | Vertical | 32 | 1.71 |
| 5310MHz | Pass | AV | 5.3076G | 103.75 | Inf | -Inf | 3 | Horizontal | 13 | 1.80 |
| 5310MHz | Pass | AV | 5.35G | 51.62 | 54.00 | -2.38 | 3 | Horizontal | 13 | 1.80 |
| 5310MHz | Pass | PK | 5.3172G | 116.53 | Inf | -Inf | 3 | Horizontal | 13 | 1.80 |
| 5310MHz | Pass | PK | 5.35G | 65.44 | 74.00 | -8.56 | 3 | Horizontal | 13 | 1.80 |
| 5310MHz | Pass | AV | 10.62G | 42.40 | 54.00 | -11.60 | 3 | Vertical | 353 | 1.50 |
| 5310MHz | Pass | AV | 15.95148G | 41.31 | 54.00 | -12.69 | 3 | Vertical | 360 | 1.50 |
| 5310MHz | Pass | PK | 10.61988G | 53.41 | 74.00 | -20.59 | 3 | Vertical | 353 | 1.50 |
| 5310MHz | Pass | PK | 15.90468G | 53.60 | 74.00 | -20.40 | 3 | Vertical | 360 | 1.50 |
| 5310MHz | Pass | AV | 10.62468G | 42.75 | 54.00 | -11.25 | 3 | Horizontal | 36 | 1.61 |
| 5310MHz | Pass | AV | 15.93936G | 41.35 | 54.00 | -12.65 | 3 | Horizontal | 93 | 1.50 |
| 5310MHz | Pass | PK | 10.6356G | 54.55 | 74.00 | -19.45 | 3 | Horizontal | 36 | 1.61 |
| 5310MHz | Pass | PK | 15.91416G | 53.65 | 74.00 | -20.35 | 3 | Horizontal | 93 | 1.50 |
| 5510MHz | Pass | AV | 5.456G | 46.51 | 54.00 | -7.49 | 3 | Vertical | 29 | 1.40 |
| 5510MHz | Pass | AV | 5.5132G | 103.56 | Inf | -Inf | 3 | Vertical | 29 | 1.40 |
| 5510MHz | Pass | PK | 5.458G | 62.78 | 74.00 | -11.22 | 3 | Vertical | 29 | 1.40 |
| 5510MHz | Pass | PK | 5.4684G | 64.47 | 68.20 | -3.73 | 3 | Vertical | 29 | 1.40 |
| 5510MHz | Pass | PK | 5.5136G | 115.63 | Inf | -Inf | 3 | Vertical | 29 | 1.40 |
| 5510MHz | Pass | AV | 5.4596G | 47.76 | 54.00 | -6.24 | 3 | Horizontal | 15 | 1.50 |
| 5510MHz | Pass | AV | 5.5108G | 103.39 | Inf | -Inf | 3 | Horizontal | 15 | 1.50 |
| 5510MHz | Pass | PK | 5.46G | 64.70 | 74.00 | -9.30 | 3 | Horizontal | 15 | 1.50 |
| 5510MHz | Pass | PK | 5.4696G | 65.43 | 68.20 | -2.77 | 3 | Horizontal | 15 | 1.50 |
| 5510MHz | Pass | PK | 5.5004G | 115.49 | Inf | -Inf | 3 | Horizontal | 15 | 1.50 |
| 5510MHz | Pass | AV | 11.02G | 42.66 | 54.00 | -11.34 | 3 | Horizontal | 24 | 1.32 |
| 5510MHz | Pass | PK | 11.01976G | 52.16 | 74.00 | -21.84 | 3 | Horizontal | 24 | 1.32 |
| 5510MHz | Pass | PK | 16.52712G | 53.61 | 68.20 | -14.59 | 3 | Horizontal | 133 | 1.65 |
| 5510MHz | Pass | AV | 11.01988G | 41.46 | 54.00 | -12.54 | 3 | Vertical | 346 | 1.02 |
| 5510MHz | Pass | PK | 11.01988G | 51.91 | 74.00 | -22.09 | 3 | Vertical | 346 | 1.02 |
| 5510MHz | Pass | PK | 16.51032G | 54.41 | 68.20 | -13.79 | 3 | Vertical | 0 | 1.50 |
| 5550MHz | Pass | AV | 5.4544G | 50.15 | 54.00 | -3.85 | 3 | Vertical | 28 | 1.38 |
| 5550MHz | Pass | AV | 5.5528G | 106.90 | Inf | -Inf | 3 | Vertical | 28 | 1.38 |
| 5550MHz | Pass | PK | 5.4544G | 63.55 | 74.00 | -10.45 | 3 | Vertical | 28 | 1.38 |
| 5550MHz | Pass | PK | 5.4672G | 66.38 | 68.20 | -1.82 | 3 | Vertical | 28 | 1.38 |
| 5550MHz | Pass | PK | 5.5524G | 118.49 | Inf | -Inf | 3 | Vertical | 28 | 1.38 |
| 5550MHz | Pass | AV | 5.4552G | 48.37 | 54.00 | -5.63 | 3 | Horizontal | 356 | 1.27 |
| 5550MHz | Pass | AV | 5.546G | 106.80 | Inf | -Inf | 3 | Horizontal | 356 | 1.27 |
| 5550MHz | Pass | PK | 5.4568G | 62.01 | 74.00 | -11.99 | 3 | Horizontal | 356 | 1.27 |
| 5550MHz | Pass | PK | 5.4656G | 63.50 | 68.20 | -4.70 | 3 | Horizontal | 356 | 1.27 |
| 5550MHz | Pass | PK | 5.5452G | 118.33 | Inf | -Inf | 3 | Horizontal | 356 | 1.27 |
| 5550MHz | Pass | AV | 11.09988G | 43.44 | 54.00 | -10.56 | 3 | Horizontal | 16 | 1.55 |
| 5550MHz | Pass | PK | 11.11056G | 55.65 | 74.00 | -18.35 | 3 | Horizontal | 16 | 1.55 |
| 5550MHz | Pass | PK | 16.66008G | 55.13 | 68.20 | -13.07 | 3 | Horizontal | 24 | 1.36 |
| 5550MHz | Pass | AV | 11.1G | 42.95 | 54.00 | -11.05 | 3 | Vertical | 350 | 1.53 |
| 5550MHz | Pass | PK | 11.10936G | 53.82 | 74.00 | -20.18 | 3 | Vertical | 350 | 1.53 |
| 5550MHz | Pass | PK | 16.64376G | 54.71 | 68.20 | -13.49 | 3 | Vertical | 347 | 1.50 |
| 5670MHz | Pass | AV | 5.673G | 105.12 | Inf | -Inf | 3 | Vertical | 5 | 1.06 |
| 5670MHz | Pass | PK | 5.673G | 116.62 | Inf | -Inf | 3 | Vertical | 5 | 1.06 |
| 5670MHz | Pass | PK | 5.7258G | 65.87 | 68.20 | -2.33 | 3 | Vertical | 5 | 1.06 |
| 5670MHz | Pass | AV | 5.6736G | 106.93 | Inf | -Inf | 3 | Horizontal | 8 | 1.30 |
| 5670MHz | Pass | PK | 5.673G | 117.87 | Inf | -Inf | 3 | Horizontal | 8 | 1.30 |
| 5670MHz | Pass | PK | 5.7264G | 67.43 | 68.20 | -0.77 | 3 | Horizontal | 8 | 1.30 |
| 5670MHz | Pass | AV | 11.33964G | 42.42 | 54.00 | -11.58 | 3 | Horizontal | 14 | 1.55 |
| 5670MHz | Pass | PK | 11.35272G | 53.81 | 74.00 | -20.19 | 3 | Horizontal | 14 | 1.55 |
| 5670MHz | Pass | PK | 17.01156G | 53.57 | 68.20 | -14.63 | 3 | Horizontal | 265 | 1.82 |
| 5670MHz | Pass | AV | 11.33988G | 41.84 | 54.00 | -12.16 | 3 | Vertical | 355 | 1.52 |
| 5670MHz | Pass | PK | 11.34012G | 53.41 | 74.00 | -20.59 | 3 | Vertical | 355 | 1.52 |
| 5670MHz | Pass | PK | 17.00988G | 54.02 | 68.20 | -14.18 | 3 | Vertical | 338 | 1.50 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.46G | 46.15 | 54.00 | -7.85 | 3 | Vertical | 6 | 1.06 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.704G | 110.85 | Inf | -Inf | 3 | Vertical | 6 | 1.06 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4568G | 57.63 | 74.00 | -16.37 | 3 | Vertical | 6 | 1.06 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4616G | 58.88 | 68.20 | -9.32 | 3 | Vertical | 6 | 1.06 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7112G | 122.68 | Inf | -Inf | 3 | Vertical | 6 | 1.06 |



**RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8516G | 63.41 | 68.20 | -4.79 | 3 | Vertical | 6 | 1.06 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.46G | 45.54 | 54.00 | -8.46 | 3 | Horizontal | 8 | 1.21 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.704G | 111.22 | Inf | -Inf | 3 | Horizontal | 8 | 1.21 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4364G | 57.53 | 74.00 | -16.47 | 3 | Horizontal | 8 | 1.21 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4688G | 57.57 | 68.20 | -10.63 | 3 | Horizontal | 8 | 1.21 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.704G | 122.84 | Inf | -Inf | 3 | Horizontal | 8 | 1.21 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8528G | 63.33 | 68.20 | -4.87 | 3 | Horizontal | 8 | 1.21 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 11.42036G | 43.62 | 54.00 | -10.38 | 3 | Horizontal | 14 | 1.49 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 11.42072G | 55.07 | 74.00 | -18.93 | 3 | Horizontal | 14 | 1.49 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 17.136G | 54.21 | 68.20 | -13.99 | 3 | Horizontal | 321 | 1.27 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 11.41988G | 43.06 | 54.00 | -10.94 | 3 | Vertical | 354 | 1.50 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 11.42G | 54.76 | 74.00 | -19.24 | 3 | Vertical | 354 | 1.50 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 17.10804G | 54.23 | 68.20 | -13.97 | 3 | Vertical | 24 | 2.91 |
| 802.11ax HEW80_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - |
| 5290MHz | Pass | AV | 5.088G | 46.94 | 54.00 | -7.06 | 3 | Vertical | 34 | 1.57 |
| 5290MHz | Pass | AV | 5.278G | 100.14 | Inf | -Inf | 3 | Vertical | 34 | 1.57 |
| 5290MHz | Pass | AV | 5.35G | 53.94 | 54.00 | -0.06 | 3 | Vertical | 34 | 1.57 |
| 5290MHz | Pass | PK | 5.058G | 58.91 | 74.00 | -15.09 | 3 | Vertical | 34 | 1.57 |
| 5290MHz | Pass | PK | 5.289G | 112.12 | Inf | -Inf | 3 | Vertical | 34 | 1.57 |
| 5290MHz | Pass | PK | 5.35G | 65.25 | 74.00 | -8.75 | 3 | Vertical | 34 | 1.57 |
| 5290MHz | Pass | PK | 5.505G | 57.86 | 68.20 | -10.34 | 3 | Vertical | 34 | 1.57 |
| 5290MHz | Pass | AV | 5.15G | 47.12 | 54.00 | -6.88 | 3 | Horizontal | 22 | 1.58 |
| 5290MHz | Pass | AV | 5.283G | 100.69 | Inf | -Inf | 3 | Horizontal | 22 | 1.58 |
| 5290MHz | Pass | AV | 5.35G | 53.78 | 54.00 | -0.22 | 3 | Horizontal | 22 | 1.58 |
| 5290MHz | Pass | PK | 5.128G | 59.01 | 74.00 | -14.99 | 3 | Horizontal | 22 | 1.58 |
| 5290MHz | Pass | PK | 5.275G | 112.50 | Inf | -Inf | 3 | Horizontal | 22 | 1.58 |
| 5290MHz | Pass | PK | 5.353G | 65.47 | 74.00 | -8.53 | 3 | Horizontal | 22 | 1.58 |
| 5290MHz | Pass | PK | 5.495G | 57.88 | 68.20 | -10.32 | 3 | Horizontal | 22 | 1.58 |
| 5290MHz | Pass | AV | 15.81264G | 41.73 | 54.00 | -12.27 | 3 | Vertical | 92 | 1.50 |
| 5290MHz | Pass | PK | 10.63208G | 52.69 | 74.00 | -21.31 | 3 | Vertical | 352 | 1.50 |
| 5290MHz | Pass | PK | 15.89136G | 53.99 | 74.00 | -20.01 | 3 | Vertical | 92 | 1.50 |
| 5290MHz | Pass | AV | 15.81528G | 41.72 | 54.00 | -12.28 | 3 | Horizontal | -0 | 1.50 |
| 5290MHz | Pass | PK | 10.63184G | 52.32 | 74.00 | -21.68 | 3 | Horizontal | 38 | 1.66 |
| 5290MHz | Pass | PK | 15.90432G | 54.31 | 74.00 | -19.69 | 3 | Horizontal | -0 | 1.50 |
| 5530MHz | Pass | AV | 5.35G | 44.84 | 54.00 | -9.16 | 3 | Vertical | 20 | 1.32 |
| 5530MHz | Pass | AV | 5.455G | 48.21 | 54.00 | -5.79 | 3 | Vertical | 20 | 1.32 |
| 5530MHz | Pass | AV | 5.524G | 100.45 | Inf | -Inf | 3 | Vertical | 20 | 1.32 |
| 5530MHz | Pass | PK | 5.3G | 57.90 | 68.20 | -10.30 | 3 | Vertical | 20 | 1.32 |
| 5530MHz | Pass | PK | 5.453G | 63.22 | 74.00 | -10.78 | 3 | Vertical | 20 | 1.32 |
| 5530MHz | Pass | PK | 5.467G | 67.02 | 68.20 | -1.18 | 3 | Vertical | 20 | 1.32 |
| 5530MHz | Pass | PK | 5.515G | 112.63 | Inf | -Inf | 3 | Vertical | 20 | 1.32 |
| 5530MHz | Pass | PK | 5.728G | 59.95 | 68.20 | -8.25 | 3 | Vertical | 20 | 1.32 |
| 5530MHz | Pass | AV | 5.35G | 44.84 | 54.00 | -9.16 | 3 | Horizontal | 20 | 1.05 |
| 5530MHz | Pass | AV | 5.458G | 48.84 | 54.00 | -5.16 | 3 | Horizontal | 20 | 1.05 |
| 5530MHz | Pass | AV | 5.519G | 100.31 | Inf | -Inf | 3 | Horizontal | 20 | 1.05 |
| 5530MHz | Pass | PK | 5.308G | 57.57 | 68.20 | -10.63 | 3 | Horizontal | 20 | 1.05 |
| 5530MHz | Pass | PK | 5.46G | 65.93 | 74.00 | -8.07 | 3 | Horizontal | 20 | 1.05 |
| 5530MHz | Pass | PK | 5.467G | 67.03 | 68.20 | -1.17 | 3 | Horizontal | 20 | 1.05 |
| 5530MHz | Pass | PK | 5.528G | 112.09 | Inf | -Inf | 3 | Horizontal | 20 | 1.05 |
| 5530MHz | Pass | PK | 5.774G | 59.81 | 68.20 | -8.39 | 3 | Horizontal | 20 | 1.05 |
| 5530MHz | Pass | AV | 11.06G | 42.86 | 54.00 | -11.14 | 3 | Horizontal | 0 | 1.36 |
| 5530MHz | Pass | PK | 11.10752G | 52.97 | 74.00 | -21.03 | 3 | Horizontal | 0 | 1.36 |
| 5530MHz | Pass | PK | 16.61904G | 53.60 | 68.20 | -14.60 | 3 | Horizontal | 163 | 2.30 |
| 5530MHz | Pass | AV | 11.05976G | 41.41 | 54.00 | -12.59 | 3 | Vertical | 350 | 1.58 |
| 5530MHz | Pass | PK | 11.05952G | 51.77 | 74.00 | -22.23 | 3 | Vertical | 350 | 1.58 |
| 5530MHz | Pass | PK | 16.64496G | 53.61 | 68.20 | -14.59 | 3 | Vertical | 349 | 2.49 |
| 5610MHz | Pass | AV | 5.46G | 47.93 | 54.00 | -6.07 | 3 | Vertical | 358 | 1.37 |
| 5610MHz | Pass | AV | 5.606G | 101.93 | Inf | -Inf | 3 | Vertical | 358 | 1.37 |
| 5610MHz | Pass | PK | 5.459G | 59.80 | 74.00 | -14.20 | 3 | Vertical | 358 | 1.37 |
| 5610MHz | Pass | PK | 5.469G | 63.43 | 68.20 | -4.77 | 3 | Vertical | 358 | 1.37 |
| 5610MHz | Pass | PK | 5.606G | 114.12 | Inf | -Inf | 3 | Vertical | 358 | 1.37 |
| 5610MHz | Pass | PK | 5.727G | 65.32 | 68.20 | -2.88 | 3 | Vertical | 358 | 1.37 |



**RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**


Appendix D.3

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5610MHz | Pass | AV | 5.459G | 49.26 | 54.00 | -4.74 | 3 | Horizontal | 15 | 1.25 |
| 5610MHz | Pass | AV | 5.608G | 103.61 | Inf | -Inf | 3 | Horizontal | 15 | 1.25 |
| 5610MHz | Pass | PK | 5.458G | 61.02 | 74.00 | -12.98 | 3 | Horizontal | 15 | 1.25 |
| 5610MHz | Pass | PK | 5.469G | 65.17 | 68.20 | -3.03 | 3 | Horizontal | 15 | 1.25 |
| 5610MHz | Pass | PK | 5.609G | 114.97 | Inf | -Inf | 3 | Horizontal | 15 | 1.25 |
| 5610MHz | Pass | PK | 5.729G | 66.30 | 68.20 | -1.90 | 3 | Horizontal | 15 | 1.25 |
| 5610MHz | Pass | AV | 11.22024G | 42.16 | 54.00 | -11.84 | 3 | Horizontal | 14 | 1.57 |
| 5610MHz | Pass | PK | 11.19024G | 53.28 | 74.00 | -20.72 | 3 | Horizontal | 14 | 1.57 |
| 5610MHz | Pass | PK | 16.8324G | 54.14 | 68.20 | -14.06 | 3 | Horizontal | 0 | 1.50 |
| 5610MHz | Pass | AV | 11.22G | 41.92 | 54.00 | -12.08 | 3 | Vertical | 355 | 1.49 |
| 5610MHz | Pass | PK | 11.202G | 53.86 | 74.00 | -20.14 | 3 | Vertical | 355 | 1.49 |
| 5610MHz | Pass | PK | 16.77504G | 54.74 | 68.20 | -13.46 | 3 | Vertical | 334 | 1.06 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4584G | 47.92 | 54.00 | -6.08 | 3 | Vertical | 358 | 1.16 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.6828G | 104.25 | Inf | -Inf | 3 | Vertical | 358 | 1.16 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4464G | 60.03 | 74.00 | -13.97 | 3 | Vertical | 358 | 1.16 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.468G | 61.42 | 68.20 | -6.78 | 3 | Vertical | 358 | 1.16 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.6744G | 115.84 | Inf | -Inf | 3 | Vertical | 358 | 1.16 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8508G | 63.36 | 68.20 | -4.84 | 3 | Vertical | 358 | 1.16 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4596G | 49.26 | 54.00 | -4.74 | 3 | Horizontal | 359 | 1.24 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.684G | 107.73 | Inf | -Inf | 3 | Horizontal | 359 | 1.24 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4572G | 61.63 | 74.00 | -12.37 | 3 | Horizontal | 359 | 1.24 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4644G | 63.23 | 68.20 | -4.97 | 3 | Horizontal | 359 | 1.24 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7044G | 118.56 | Inf | -Inf | 3 | Horizontal | 359 | 1.24 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8508G | 66.46 | 68.20 | -1.74 | 3 | Horizontal | 359 | 1.24 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 11.37976G | 42.97 | 54.00 | -11.03 | 3 | Horizontal | 14 | 1.54 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 11.37856G | 55.44 | 74.00 | -18.56 | 3 | Horizontal | 14 | 1.54 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 17.08344G | 53.74 | 68.20 | -14.46 | 3 | Horizontal | 346 | 2.05 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 11.38024G | 42.20 | 54.00 | -11.80 | 3 | Vertical | 356 | 1.52 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 11.37928G | 53.21 | 74.00 | -20.79 | 3 | Vertical | 356 | 1.52 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 17.1036G | 53.63 | 68.20 | -14.57 | 3 | Vertical | 18 | 2.28 |
| 802.11ax HEW160_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - |
| 5570MHz | Pass | AV | 5.4548G | 52.43 | 54.00 | -1.57 | 3 | Vertical | 22 | 1.40 |
| 5570MHz | Pass | AV | 5.5436G | 98.38 | Inf | -Inf | 3 | Vertical | 22 | 1.40 |
| 5570MHz | Pass | PK | 5.3252G | 57.47 | 68.20 | -10.73 | 3 | Vertical | 22 | 1.40 |
| 5570MHz | Pass | PK | 5.4572G | 64.89 | 74.00 | -9.11 | 3 | Vertical | 22 | 1.40 |
| 5570MHz | Pass | PK | 5.4668G | 66.74 | 68.20 | -1.46 | 3 | Vertical | 22 | 1.40 |
| 5570MHz | Pass | PK | 5.5136G | 109.81 | Inf | -Inf | 3 | Vertical | 22 | 1.40 |
| 5570MHz | Pass | PK | 5.7296G | 62.47 | 68.20 | -5.73 | 3 | Vertical | 22 | 1.40 |
| 5570MHz | Pass | AV | 5.4596G | 51.12 | 54.00 | -2.88 | 3 | Horizontal | 23 | 1.50 |
| 5570MHz | Pass | AV | 5.5988G | 98.38 | Inf | -Inf | 3 | Horizontal | 23 | 1.50 |
| 5570MHz | Pass | PK | 5.3072G | 56.67 | 68.20 | -11.53 | 3 | Horizontal | 23 | 1.50 |
| 5570MHz | Pass | PK | 5.4584G | 63.96 | 74.00 | -10.04 | 3 | Horizontal | 23 | 1.50 |
| 5570MHz | Pass | PK | 5.4608G | 64.42 | 68.20 | -3.78 | 3 | Horizontal | 23 | 1.50 |
| 5570MHz | Pass | PK | 5.5784G | 109.85 | Inf | -Inf | 3 | Horizontal | 23 | 1.50 |
| 5570MHz | Pass | PK | 5.7404G | 62.24 | 68.20 | -5.96 | 3 | Horizontal | 23 | 1.50 |
| 5570MHz | Pass | AV | 11.14G | 43.78 | 54.00 | -10.22 | 3 | Horizontal | 0 | 1.34 |
| 5570MHz | Pass | PK | 11.14G | 52.09 | 74.00 | -21.91 | 3 | Horizontal | 0 | 1.34 |
| 5570MHz | Pass | PK | 16.74984G | 53.28 | 68.20 | -14.92 | 3 | Horizontal | 83 | 2.14 |
| 5570MHz | Pass | AV | 11.14G | 42.16 | 54.00 | -11.84 | 3 | Vertical | 352 | 2.02 |
| 5570MHz | Pass | PK | 11.19952G | 52.69 | 74.00 | -21.31 | 3 | Vertical | 352 | 2.02 |
| 5570MHz | Pass | PK | 16.80168G | 53.18 | 68.20 | -15.02 | 3 | Vertical | 89 | 1.50 |



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.1154G | 46.50 | 54.00 | -7.50 | 5.33 | 3 | Vertical | 23 | 1.74 | 41.17 | 33.07 | 6.39 | 34.13 |
| AV | 5.2636G | 111.32 | Inf | -Inf | 5.37 | 3 | Vertical | 23 | 1.74 | 105.95 | 33.03 | 6.49 | 34.15 |
| AV | 5.3506G | 47.35 | 54.00 | -6.65 | 5.40 | 3 | Vertical | 23 | 1.74 | 41.95 | 33.00 | 6.56 | 34.16 |
| PK | 5.1166G | 58.55 | 74.00 | -15.45 | 5.33 | 3 | Vertical | 23 | 1.74 | 53.22 | 33.07 | 6.39 | 34.13 |
| PK | 5.2636G | 120.13 | Inf | -Inf | 5.37 | 3 | Vertical | 23 | 1.74 | 114.76 | 33.03 | 6.49 | 34.15 |
| PK | 5.3638G | 57.97 | 74.00 | -16.03 | 5.40 | 3 | Vertical | 23 | 1.74 | 52.57 | 33.00 | 6.56 | 34.16 |

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.1478G | 46.97 | 54.00 | -7.03 | 5.27 | 3 | Horizontal | 12 | 1.82 | 41.70 | 33.00 | 6.41 | 34.14 |
| AV | 5.257G | 112.31 | Inf | -Inf | 5.35 | 3 | Horizontal | 12 | 1.82 | 106.96 | 33.01 | 6.49 | 34.15 |
| AV | 5.3542G | 47.69 | 54.00 | -6.31 | 5.40 | 3 | Horizontal | 12 | 1.82 | 42.29 | 33.00 | 6.56 | 34.16 |
| PK | 5.1184G | 58.91 | 74.00 | -15.09 | 5.32 | 3 | Horizontal | 12 | 1.82 | 53.59 | 33.06 | 6.39 | 34.13 |
| PK | 5.2618G | 122.56 | Inf | -Inf | 5.36 | 3 | Horizontal | 12 | 1.82 | 117.20 | 33.02 | 6.49 | 34.15 |
| PK | 5.3572G | 59.24 | 74.00 | -14.76 | 5.40 | 3 | Horizontal | 12 | 1.82 | 53.84 | 33.00 | 6.56 | 34.16 |



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 15.77952G | 49.83 | 54.00 | -4.17 | 15.75 | 3 | Vertical | 352 | 1.81 | 34.08 | 37.96 | 12.30 | 34.51 |
| PK | 10.52216G | 54.28 | 68.20 | -13.92 | 15.38 | 3 | Vertical | 31 | 1.76 | 38.90 | 38.80 | 11.07 | 34.49 |
| PK | 15.77982G | 63.46 | 74.00 | -10.54 | 15.75 | 3 | Vertical | 352 | 1.81 | 47.71 | 37.96 | 12.30 | 34.51 |

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 15.78264G | 47.47 | 54.00 | -6.53 | 15.74 | 3 | Horizontal | 355 | 1.50 | 31.73 | 37.94 | 12.31 | 34.51 |
| PK | 10.5125G | 54.37 | 68.20 | -13.83 | 15.37 | 3 | Horizontal | 27 | 1.58 | 39.00 | 38.80 | 11.07 | 34.50 |
| PK | 15.77784G | 60.07 | 74.00 | -13.93 | 15.77 | 3 | Horizontal | 355 | 1.50 | 44.30 | 37.98 | 12.30 | 34.51 |



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.2992G | 112.57 | Inf | -Inf | 5.46 | 3 | Vertical | 29 | 1.93 | 107.11 | 33.10 | 6.52 | 34.16 |
| AV | 5.35G | 49.15 | 54.00 | -4.85 | 5.39 | 3 | Vertical | 29 | 1.93 | 43.76 | 33.00 | 6.55 | 34.16 |
| PK | 5.3036G | 121.22 | Inf | -Inf | 5.45 | 3 | Vertical | 29 | 1.93 | 115.77 | 33.09 | 6.52 | 34.16 |
| PK | 5.3624G | 60.28 | 74.00 | -13.72 | 5.40 | 3 | Vertical | 29 | 1.93 | 54.88 | 33.00 | 6.56 | 34.16 |

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.2968G | 112.30 | Inf | -Inf | 5.45 | 3 | Horizontal | 18 | 1.83 | 106.85 | 33.09 | 6.52 | 34.16 |
| AV | 5.3512G | 48.74 | 54.00 | -5.26 | 5.40 | 3 | Horizontal | 18 | 1.83 | 43.34 | 33.00 | 6.56 | 34.16 |
| PK | 5.302G | 121.89 | Inf | -Inf | 5.46 | 3 | Horizontal | 18 | 1.83 | 116.43 | 33.10 | 6.52 | 34.16 |
| PK | 5.3512G | 59.84 | 74.00 | -14.16 | 5.40 | 3 | Horizontal | 18 | 1.83 | 54.44 | 33.00 | 6.56 | 34.16 |



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 15.90186G | 42.48 | 54.00 | -11.52 | 15.69 | 3 | Vertical | -0 | 1.96 | 26.79 | 37.91 | 12.38 | 34.60 |
| PK | 10.59994G | 55.43 | 68.20 | -12.77 | 15.76 | 3 | Vertical | 42 | 1.61 | 39.67 | 39.10 | 11.10 | 34.44 |
| PK | 15.89652G | 54.28 | 74.00 | -19.72 | 15.67 | 3 | Vertical | -0 | 1.96 | 38.61 | 37.89 | 12.38 | 34.60 |

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 10.60198G | 47.98 | 54.00 | -6.02 | 15.77 | 3 | Horizontal | 37 | 1.49 | 32.21 | 39.11 | 11.10 | 34.44 |
| AV | 15.90216G | 41.97 | 54.00 | -12.03 | 15.69 | 3 | Horizontal | 350 | 1.76 | 26.28 | 37.91 | 12.38 | 34.60 |
| PK | 10.60174G | 58.60 | 74.00 | -15.40 | 15.77 | 3 | Horizontal | 37 | 1.49 | 42.83 | 39.11 | 11.10 | 34.44 |
| PK | 15.89886G | 53.98 | 74.00 | -20.02 | 15.68 | 3 | Horizontal | 350 | 1.76 | 38.30 | 37.90 | 12.38 | 34.60 |



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.3214G | 110.54 | Inf | -Inf | 5.43 | 3 | Vertical | 30 | 1.71 | 105.11 | 33.06 | 6.53 | 34.16 |
| AV | 5.35G | 53.54 | 54.00 | -0.46 | 5.39 | 3 | Vertical | 30 | 1.71 | 48.15 | 33.00 | 6.55 | 34.16 |
| PK | 5.317G | 119.87 | Inf | -Inf | 5.44 | 3 | Vertical | 30 | 1.71 | 114.43 | 33.07 | 6.53 | 34.16 |
| PK | 5.35G | 65.03 | 74.00 | -8.97 | 5.39 | 3 | Vertical | 30 | 1.71 | 59.64 | 33.00 | 6.55 | 34.16 |

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.319G | 109.96 | Inf | -Inf | 5.43 | 3 | Horizontal | 19 | 1.62 | 104.53 | 33.06 | 6.53 | 34.16 |
| AV | 5.35G | 51.82 | 54.00 | -2.18 | 5.39 | 3 | Horizontal | 19 | 1.62 | 46.43 | 33.00 | 6.55 | 34.16 |
| PK | 5.322G | 119.49 | Inf | -Inf | 5.44 | 3 | Horizontal | 19 | 1.62 | 114.05 | 33.06 | 6.54 | 34.16 |
| PK | 5.3502G | 63.62 | 74.00 | -10.38 | 5.40 | 3 | Horizontal | 19 | 1.62 | 58.22 | 33.00 | 6.56 | 34.16 |



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 10.63988G | 45.10 | 54.00 | -8.90 | 15.97 | 3 | Vertical | 44 | 1.33 | 29.13 | 39.26 | 11.12 | 34.41 |
| AV | 15.95688G | 42.06 | 54.00 | -11.94 | 15.87 | 3 | Vertical | -0 | 1.92 | 26.19 | 38.11 | 12.41 | 34.65 |
| PK | 10.64606G | 56.01 | 74.00 | -17.99 | 15.99 | 3 | Vertical | 44 | 1.33 | 40.02 | 39.28 | 11.12 | 34.41 |
| PK | 15.97362G | 54.19 | 74.00 | -19.81 | 15.91 | 3 | Vertical | -0 | 1.92 | 38.28 | 38.15 | 12.42 | 34.66 |

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 10.64216G | 46.91 | 54.00 | -7.09 | 15.98 | 3 | Horizontal | 37 | 1.58 | 30.93 | 39.27 | 11.12 | 34.41 |
| AV | 15.95322G | 41.84 | 54.00 | -12.16 | 15.88 | 3 | Horizontal | 177 | 3.00 | 25.96 | 38.11 | 12.41 | 34.64 |
| PK | 10.64198G | 58.85 | 74.00 | -15.15 | 15.98 | 3 | Horizontal | 37 | 1.58 | 42.87 | 39.27 | 11.12 | 34.41 |
| PK | 15.96312G | 54.42 | 74.00 | -19.58 | 15.90 | 3 | Horizontal | 177 | 3.00 | 38.52 | 38.13 | 12.42 | 34.65 |



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.458G | 47.92 | 54.00 | -6.08 | 5.49 | 3 | Vertical | 22 | 1.41 | 42.43 | 33.02 | 6.64 | 34.17 |
| AV | 5.4968G | 109.84 | Inf | -Inf | 5.59 | 3 | Vertical | 22 | 1.41 | 104.25 | 33.09 | 6.68 | 34.18 |
| PK | 5.458G | 61.63 | 74.00 | -12.37 | 5.49 | 3 | Vertical | 22 | 1.41 | 56.14 | 33.02 | 6.64 | 34.17 |
| PK | 5.4672G | 66.17 | 68.20 | -2.03 | 5.50 | 3 | Vertical | 22 | 1.41 | 60.67 | 33.03 | 6.65 | 34.18 |
| PK | 5.5018G | 119.83 | Inf | -Inf | 5.60 | 3 | Vertical | 22 | 1.41 | 114.23 | 33.10 | 6.68 | 34.18 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.459G | 47.25 | 54.00 | -6.75 | 5.48 | 3 | Horizontal | 352 | 1.42 | 41.77 | 33.02 | 6.64 | 34.18 |
| AV | 5.5034G | 108.70 | Inf | -Inf | 5.59 | 3 | Horizontal | 352 | 1.42 | 103.11 | 33.09 | 6.68 | 34.18 |
| PK | 5.4578G | 60.66 | 74.00 | -13.34 | 5.49 | 3 | Horizontal | 352 | 1.42 | 55.17 | 33.02 | 6.64 | 34.17 |
| PK | 5.4682G | 64.98 | 68.20 | -3.22 | 5.51 | 3 | Horizontal | 352 | 1.42 | 59.47 | 33.04 | 6.65 | 34.18 |
| PK | 5.4986G | 117.06 | Inf | -Inf | 5.60 | 3 | Horizontal | 352 | 1.42 | 111.46 | 33.10 | 6.68 | 34.18 |



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.00006G | 42.40 | 54.00 | -11.60 | 15.79 | 3 | Vertical | 350 | 1.64 | 26.61 | 38.70 | 11.25 | 34.16 |
| PK | 11.00018G | 54.50 | 74.00 | -19.50 | 15.79 | 3 | Vertical | 350 | 1.64 | 38.71 | 38.70 | 11.25 | 34.16 |
| PK | 16.4952G | 54.04 | 68.20 | -14.16 | 16.80 | 3 | Vertical | 352 | 1.47 | 37.24 | 38.33 | 12.67 | 34.20 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.00018G | 43.04 | 54.00 | -10.96 | 15.79 | 3 | Horizontal | 12 | 1.52 | 27.25 | 38.70 | 11.25 | 34.16 |
| PK | 11.0009G | 54.60 | 74.00 | -19.40 | 15.79 | 3 | Horizontal | 12 | 1.52 | 38.81 | 38.70 | 11.25 | 34.16 |
| PK | 16.49964G | 54.61 | 68.20 | -13.59 | 16.77 | 3 | Horizontal | 129 | 1.99 | 37.84 | 38.30 | 12.67 | 34.20 |



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.454G | 46.11 | 54.00 | -7.89 | 5.48 | 3 | Vertical | 342 | 1.56 | 40.63 | 33.01 | 6.64 | 34.17 |
| AV | 5.583G | 112.95 | Inf | -Inf | 5.56 | 3 | Vertical | 342 | 1.56 | 107.39 | 33.00 | 6.75 | 34.19 |
| PK | 5.4312G | 57.60 | 74.00 | -16.40 | 5.45 | 3 | Vertical | 342 | 1.56 | 52.15 | 33.00 | 6.62 | 34.17 |
| PK | 5.4618G | 58.37 | 68.20 | -9.83 | 5.49 | 3 | Vertical | 342 | 1.56 | 52.88 | 33.02 | 6.65 | 34.18 |
| PK | 5.583G | 122.06 | Inf | -Inf | 5.56 | 3 | Vertical | 342 | 1.56 | 116.50 | 33.00 | 6.75 | 34.19 |
| PK | 5.7276G | 58.47 | 68.20 | -9.73 | 6.32 | 3 | Vertical | 342 | 1.56 | 52.15 | 33.67 | 6.85 | 34.20 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4438G | 46.23 | 54.00 | -7.77 | 5.46 | 3 | Horizontal | 24 | 1.26 | 40.77 | 33.00 | 6.63 | 34.17 |
| AV | 5.5794G | 114.00 | Inf | -Inf | 5.56 | 3 | Horizontal | 24 | 1.26 | 108.44 | 33.00 | 6.75 | 34.19 |
| PK | 5.454G | 58.45 | 74.00 | -15.55 | 5.48 | 3 | Horizontal | 24 | 1.26 | 52.97 | 33.01 | 6.64 | 34.17 |
| PK | 5.469G | 58.38 | 68.20 | -9.82 | 5.51 | 3 | Horizontal | 24 | 1.26 | 52.87 | 33.04 | 6.65 | 34.18 |
| PK | 5.5836G | 122.52 | Inf | -Inf | 5.57 | 3 | Horizontal | 24 | 1.26 | 116.95 | 33.00 | 6.76 | 34.19 |
| PK | 5.727G | 59.06 | 68.20 | -9.14 | 6.31 | 3 | Horizontal | 24 | 1.26 | 52.75 | 33.66 | 6.85 | 34.20 |



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.16018G | 49.81 | 54.00 | -4.19 | 16.08 | 3 | Vertical | 353 | 1.55 | 33.73 | 38.90 | 11.31 | 34.13 |
| PK | 11.1606G | 62.05 | 74.00 | -11.95 | 16.08 | 3 | Vertical | 353 | 1.55 | 45.97 | 38.90 | 11.31 | 34.13 |
| PK | 16.73142G | 58.49 | 68.20 | -9.71 | 17.00 | 3 | Vertical | 346 | 1.47 | 41.49 | 37.97 | 12.77 | 33.74 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.16018G | 50.81 | 54.00 | -3.19 | 16.08 | 3 | Horizontal | 15 | 1.54 | 34.73 | 38.90 | 11.31 | 34.13 |
| PK | 11.16078G | 62.84 | 74.00 | -11.16 | 16.08 | 3 | Horizontal | 15 | 1.54 | 46.76 | 38.90 | 11.31 | 34.13 |
| PK | 16.73484G | 58.05 | 68.20 | -10.14 | 16.99 | 3 | Horizontal | 318 | 1.50 | 41.07 | 37.96 | 12.77 | 33.74 |



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.6968G | 108.16 | Inf | -Inf | 6.10 | 3 | Vertical | 6 | 1.13 | 102.06 | 33.47 | 6.83 | 34.20 |
| PK | 5.6968G | 118.44 | Inf | -Inf | 6.10 | 3 | Vertical | 6 | 1.13 | 112.34 | 33.47 | 6.83 | 34.20 |
| PK | 5.7252G | 66.96 | 68.20 | -1.24 | 6.30 | 3 | Vertical | 6 | 1.13 | 60.66 | 33.65 | 6.85 | 34.20 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.6968G | 109.94 | Inf | -Inf | 6.10 | 3 | Horizontal | 7 | 1.10 | 103.84 | 33.47 | 6.83 | 34.20 |
| PK | 5.7024G | 118.06 | Inf | -Inf | 6.15 | 3 | Horizontal | 7 | 1.10 | 111.91 | 33.51 | 6.84 | 34.20 |
| PK | 5.7252G | 68.09 | 68.20 | -0.11 | 6.30 | 3 | Horizontal | 7 | 1.10 | 61.79 | 33.65 | 6.85 | 34.20 |



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.4G | 44.18 | 54.00 | -9.82 | 16.32 | 3 | Horizontal | 14 | 1.55 | 27.86 | 39.00 | 11.40 | 34.08 |
| PK | 11.3952G | 54.59 | 74.00 | -19.41 | 16.32 | 3 | Horizontal | 14 | 1.55 | 38.27 | 39.00 | 11.40 | 34.08 |
| PK | 17.09238G | 53.63 | 68.20 | -14.57 | 17.43 | 3 | Horizontal | 338 | 1.50 | 36.20 | 37.73 | 12.94 | 33.24 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.39988G | 43.02 | 54.00 | -10.98 | 16.32 | 3 | Vertical | 355 | 1.50 | 26.70 | 39.00 | 11.40 | 34.08 |
| PK | 11.4009G | 54.67 | 74.00 | -19.33 | 16.32 | 3 | Vertical | 355 | 1.50 | 38.35 | 39.00 | 11.40 | 34.08 |
| PK | 17.09166G | 54.20 | 68.20 | -14.00 | 17.43 | 3 | Vertical | 360 | 1.50 | 36.77 | 37.73 | 12.94 | 33.24 |



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4236G | 45.92 | 54.00 | -8.08 | 5.44 | 3 | Vertical | 6 | 1.34 | 40.48 | 33.00 | 6.61 | 34.17 |
| AV | 5.7188G | 113.47 | Inf | -Inf | 6.26 | 3 | Vertical | 6 | 1.34 | 107.21 | 33.61 | 6.85 | 34.20 |
| PK | 5.4572G | 57.52 | 74.00 | -16.48 | 5.48 | 3 | Vertical | 6 | 1.34 | 52.04 | 33.01 | 6.64 | 34.17 |
| PK | 5.468G | 57.56 | 68.20 | -10.64 | 5.51 | 3 | Vertical | 6 | 1.34 | 52.05 | 33.04 | 6.65 | 34.18 |
| PK | 5.7224G | 123.24 | Inf | -Inf | 6.28 | 3 | Vertical | 6 | 1.34 | 116.96 | 33.63 | 6.85 | 34.20 |
| PK | 5.9204G | 59.95 | 68.20 | -8.25 | 7.15 | 3 | Vertical | 6 | 1.34 | 52.80 | 34.36 | 7.00 | 34.21 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4428G | 45.83 | 54.00 | -8.17 | 5.46 | 3 | Horizontal | 8 | 1.15 | 40.37 | 33.00 | 6.63 | 34.17 |
| AV | 5.7164G | 113.81 | Inf | -Inf | 6.25 | 3 | Horizontal | 8 | 1.15 | 107.56 | 33.60 | 6.85 | 34.20 |
| PK | 5.45G | 57.25 | 74.00 | -16.75 | 5.46 | 3 | Horizontal | 8 | 1.15 | 51.79 | 33.00 | 6.63 | 34.17 |
| PK | 5.4668G | 56.71 | 68.20 | -11.49 | 5.50 | 3 | Horizontal | 8 | 1.15 | 51.21 | 33.03 | 6.65 | 34.18 |
| PK | 5.7164G | 122.53 | Inf | -Inf | 6.25 | 3 | Horizontal | 8 | 1.15 | 116.28 | 33.60 | 6.85 | 34.20 |
| PK | 5.8916G | 60.49 | 68.20 | -7.71 | 7.14 | 3 | Horizontal | 8 | 1.15 | 53.35 | 34.37 | 6.98 | 34.21 |



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.43994G | 46.66 | 54.00 | -7.34 | 16.26 | 3 | Horizontal | 13 | 1.51 | 30.40 | 38.92 | 11.41 | 34.07 |
| PK | 11.44012G | 57.70 | 74.00 | -16.30 | 16.26 | 3 | Horizontal | 13 | 1.51 | 41.44 | 38.92 | 11.41 | 34.07 |
| PK | 17.15478G | 55.22 | 68.20 | -12.98 | 17.51 | 3 | Horizontal | 320 | 1.35 | 37.71 | 37.80 | 12.97 | 33.26 |

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.44168G | 47.17 | 54.00 | -6.83 | 16.26 | 3 | Vertical | 26 | 1.36 | 30.91 | 38.92 | 11.41 | 34.07 |
| PK | 11.44084G | 58.23 | 74.00 | -15.77 | 16.26 | 3 | Vertical | 26 | 1.36 | 41.97 | 38.92 | 11.41 | 34.07 |
| PK | 17.16684G | 54.13 | 68.20 | -14.07 | 17.51 | 3 | Vertical | 39 | 1.50 | 36.62 | 37.80 | 12.97 | 33.26 |



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.1172G | 46.87 | 54.00 | -7.13 | 5.33 | 3 | Vertical | 29 | 1.82 | 41.54 | 33.07 | 6.39 | 34.13 |
| AV | 5.2576G | 112.20 | Inf | -Inf | 5.36 | 3 | Vertical | 29 | 1.82 | 106.84 | 33.02 | 6.49 | 34.15 |
| AV | 5.3542G | 48.16 | 54.00 | -5.84 | 5.40 | 3 | Vertical | 29 | 1.82 | 42.76 | 33.00 | 6.56 | 34.16 |
| PK | 5.1178G | 58.77 | 74.00 | -15.23 | 5.32 | 3 | Vertical | 29 | 1.82 | 53.45 | 33.06 | 6.39 | 34.13 |
| PK | 5.2582G | 123.02 | Inf | -Inf | 5.36 | 3 | Vertical | 29 | 1.82 | 117.66 | 33.02 | 6.49 | 34.15 |
| PK | 5.3578G | 59.82 | 74.00 | -14.18 | 5.40 | 3 | Vertical | 29 | 1.82 | 54.42 | 33.00 | 6.56 | 34.16 |

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.1256G | 47.50 | 54.00 | -6.50 | 5.30 | 3 | Horizontal | 14 | 1.69 | 42.20 | 33.05 | 6.39 | 34.14 |
| AV | 5.263G | 112.77 | Inf | -Inf | 5.37 | 3 | Horizontal | 14 | 1.69 | 107.40 | 33.03 | 6.49 | 34.15 |
| AV | 5.35G | 48.30 | 54.00 | -5.70 | 5.39 | 3 | Horizontal | 14 | 1.69 | 42.91 | 33.00 | 6.55 | 34.16 |
| PK | 5.1172G | 59.88 | 74.00 | -14.12 | 5.33 | 3 | Horizontal | 14 | 1.69 | 54.55 | 33.07 | 6.39 | 34.13 |
| PK | 5.2618G | 123.66 | Inf | -Inf | 5.36 | 3 | Horizontal | 14 | 1.69 | 118.30 | 33.02 | 6.49 | 34.15 |
| PK | 5.35G | 60.38 | 74.00 | -13.62 | 5.39 | 3 | Horizontal | 14 | 1.69 | 54.99 | 33.00 | 6.55 | 34.16 |



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 15.77514G | 50.24 | 54.00 | -3.76 | 15.80 | 3 | Vertical | -0 | 1.51 | 34.44 | 38.00 | 12.30 | 34.50 |
| PK | 10.52186G | 53.10 | 68.20 | -15.10 | 15.38 | 3 | Vertical | 42 | 1.26 | 37.72 | 38.80 | 11.07 | 34.49 |
| PK | 15.78306G | 66.02 | 74.00 | -7.98 | 15.74 | 3 | Vertical | -0 | 1.51 | 50.28 | 37.94 | 12.31 | 34.51 |

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 15.77934G | 47.25 | 54.00 | -6.75 | 15.76 | 3 | Horizontal | 4 | 1.50 | 31.49 | 37.97 | 12.30 | 34.51 |
| PK | 10.51568G | 54.60 | 68.20 | -13.60 | 15.37 | 3 | Horizontal | 35 | 1.71 | 39.23 | 38.80 | 11.07 | 34.50 |
| PK | 15.7905G | 61.04 | 74.00 | -12.96 | 15.67 | 3 | Horizontal | 4 | 1.50 | 45.37 | 37.88 | 12.31 | 34.52 |



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.2976G | 111.05 | Inf | -Inf | 5.46 | 3 | Vertical | 30 | 1.75 | 105.59 | 33.10 | 6.52 | 34.16 |
| AV | 5.3504G | 48.88 | 54.00 | -5.12 | 5.40 | 3 | Vertical | 30 | 1.75 | 43.48 | 33.00 | 6.56 | 34.16 |
| PK | 5.2984G | 123.28 | Inf | -Inf | 5.46 | 3 | Vertical | 30 | 1.75 | 117.82 | 33.10 | 6.52 | 34.16 |
| PK | 5.35G | 61.46 | 74.00 | -12.54 | 5.39 | 3 | Vertical | 30 | 1.75 | 56.07 | 33.00 | 6.55 | 34.16 |

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.3024G | 111.00 | Inf | -Inf | 5.46 | 3 | Horizontal | 16 | 1.60 | 105.54 | 33.10 | 6.52 | 34.16 |
| AV | 5.3512G | 48.60 | 54.00 | -5.40 | 5.40 | 3 | Horizontal | 16 | 1.60 | 43.20 | 33.00 | 6.56 | 34.16 |
| PK | 5.3016G | 123.39 | Inf | -Inf | 5.46 | 3 | Horizontal | 16 | 1.60 | 117.93 | 33.10 | 6.52 | 34.16 |
| PK | 5.3524G | 59.93 | 74.00 | -14.07 | 5.40 | 3 | Horizontal | 16 | 1.60 | 54.53 | 33.00 | 6.56 | 34.16 |



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 10.60012G | 43.38 | 54.00 | -10.62 | 15.76 | 3 | Vertical | 44 | 1.55 | 27.62 | 39.10 | 11.10 | 34.44 |
| AV | 15.88908G | 41.65 | 54.00 | -12.35 | 15.64 | 3 | Vertical | 4 | 1.50 | 26.01 | 37.86 | 12.37 | 34.59 |
| PK | 10.60186G | 55.11 | 74.00 | -18.89 | 15.77 | 3 | Vertical | 44 | 1.55 | 39.34 | 39.11 | 11.10 | 34.44 |
| PK | 15.8982G | 55.37 | 74.00 | -18.63 | 15.67 | 3 | Vertical | 4 | 1.50 | 39.70 | 37.89 | 12.38 | 34.60 |

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 10.60378G | 45.57 | 54.00 | -8.43 | 15.78 | 3 | Horizontal | 38 | 1.49 | 29.79 | 39.12 | 11.10 | 34.44 |
| AV | 15.88704G | 41.50 | 54.00 | -12.50 | 15.63 | 3 | Horizontal | 192 | 1.50 | 25.87 | 37.85 | 12.37 | 34.59 |
| PK | 10.60408G | 57.08 | 74.00 | -16.92 | 15.78 | 3 | Horizontal | 38 | 1.49 | 41.30 | 39.12 | 11.10 | 34.44 |
| PK | 15.9102G | 54.20 | 74.00 | -19.80 | 15.71 | 3 | Horizontal | 192 | 1.50 | 38.49 | 37.94 | 12.38 | 34.61 |



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.3226G | 109.96 | Inf | -Inf | 5.43 | 3 | Vertical | 29 | 1.71 | 104.53 | 33.05 | 6.54 | 34.16 |
| AV | 5.3506G | 53.46 | 54.00 | -0.54 | 5.40 | 3 | Vertical | 29 | 1.71 | 48.06 | 33.00 | 6.56 | 34.16 |
| PK | 5.3238G | 122.28 | Inf | -Inf | 5.43 | 3 | Vertical | 29 | 1.71 | 116.85 | 33.05 | 6.54 | 34.16 |
| PK | 5.3502G | 67.31 | 74.00 | -6.69 | 5.40 | 3 | Vertical | 29 | 1.71 | 61.91 | 33.00 | 6.56 | 34.16 |

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.3172G | 109.18 | Inf | -Inf | 5.44 | 3 | Horizontal | 10 | 1.91 | 103.74 | 33.07 | 6.53 | 34.16 |
| AV | 5.35G | 50.42 | 54.00 | -3.58 | 5.39 | 3 | Horizontal | 10 | 1.91 | 45.03 | 33.00 | 6.55 | 34.16 |
| PK | 5.316G | 121.43 | Inf | -Inf | 5.44 | 3 | Horizontal | 10 | 1.91 | 115.99 | 33.07 | 6.53 | 34.16 |
| PK | 5.3548G | 63.13 | 74.00 | -10.87 | 5.40 | 3 | Horizontal | 10 | 1.91 | 57.73 | 33.00 | 6.56 | 34.16 |



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 10.63994G | 44.44 | 54.00 | -9.56 | 15.97 | 3 | Vertical | 43 | 1.41 | 28.47 | 39.26 | 11.12 | 34.41 |
| AV | 15.96366G | 41.78 | 54.00 | -12.22 | 15.90 | 3 | Vertical | 360 | 2.07 | 25.88 | 38.13 | 12.42 | 34.65 |
| PK | 10.64174G | 55.60 | 74.00 | -18.40 | 15.98 | 3 | Vertical | 43 | 1.41 | 39.62 | 39.27 | 11.12 | 34.41 |
| PK | 15.954G | 55.38 | 74.00 | -18.62 | 15.88 | 3 | Vertical | 360 | 2.07 | 39.50 | 38.11 | 12.41 | 34.64 |

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 10.63484G | 45.75 | 54.00 | -8.25 | 15.93 | 3 | Horizontal | 37 | 1.61 | 29.82 | 39.24 | 11.11 | 34.42 |
| AV | 15.95394G | 41.30 | 54.00 | -12.70 | 15.88 | 3 | Horizontal | 89 | 1.50 | 25.42 | 38.11 | 12.41 | 34.64 |
| PK | 10.63328G | 58.14 | 74.00 | -15.86 | 15.92 | 3 | Horizontal | 37 | 1.61 | 42.22 | 39.23 | 11.11 | 34.42 |
| PK | 15.94902G | 54.96 | 74.00 | -19.04 | 15.87 | 3 | Horizontal | 89 | 1.50 | 39.09 | 38.10 | 12.41 | 34.64 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.457G | 46.13 | 54.00 | -7.87 | 5.48 | 3 | Vertical | 28 | 1.40 | 40.65 | 33.01 | 6.64 | 34.17 |
| AV | 5.504G | 107.93 | Inf | -Inf | 5.59 | 3 | Vertical | 28 | 1.40 | 102.34 | 33.09 | 6.68 | 34.18 |
| PK | 5.46G | 57.69 | 74.00 | -16.31 | 5.48 | 3 | Vertical | 28 | 1.40 | 52.21 | 33.02 | 6.64 | 34.18 |
| PK | 5.4654G | 63.20 | 68.20 | -5.00 | 5.50 | 3 | Vertical | 28 | 1.40 | 57.70 | 33.03 | 6.65 | 34.18 |
| PK | 5.5046G | 119.85 | Inf | -Inf | 5.59 | 3 | Vertical | 28 | 1.40 | 114.26 | 33.09 | 6.68 | 34.18 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4596G | 47.08 | 54.00 | -6.92 | 5.48 | 3 | Horizontal | 18 | 1.25 | 41.60 | 33.02 | 6.64 | 34.18 |
| AV | 5.499G | 107.85 | Inf | -Inf | 5.60 | 3 | Horizontal | 18 | 1.25 | 102.25 | 33.10 | 6.68 | 34.18 |
| PK | 5.46G | 60.80 | 74.00 | -13.20 | 5.48 | 3 | Horizontal | 18 | 1.25 | 55.32 | 33.02 | 6.64 | 34.18 |
| PK | 5.47G | 67.25 | 68.20 | -0.95 | 5.51 | 3 | Horizontal | 18 | 1.25 | 61.74 | 33.04 | 6.65 | 34.18 |
| PK | 5.5006G | 119.26 | Inf | -Inf | 5.60 | 3 | Horizontal | 18 | 1.25 | 113.66 | 33.10 | 6.68 | 34.18 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.00012G | 41.51 | 54.00 | -12.49 | 15.79 | 3 | Horizontal | 13 | 1.56 | 25.72 | 38.70 | 11.25 | 34.16 |
| PK | 11.00102G | 54.69 | 74.00 | -19.31 | 15.79 | 3 | Horizontal | 13 | 1.56 | 38.90 | 38.70 | 11.25 | 34.16 |
| PK | 16.49682G | 53.57 | 68.20 | -14.63 | 16.79 | 3 | Horizontal | 322 | 1.44 | 36.78 | 38.32 | 12.67 | 34.20 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 10.99982G | 41.19 | 54.00 | -12.81 | 15.79 | 3 | Vertical | 0 | 2.36 | 25.40 | 38.70 | 11.25 | 34.16 |
| PK | 11.00012G | 53.03 | 74.00 | -20.97 | 15.79 | 3 | Vertical | 0 | 2.36 | 37.24 | 38.70 | 11.25 | 34.16 |
| PK | 16.50738G | 54.01 | 68.20 | -14.19 | 16.72 | 3 | Vertical | 342 | 1.50 | 37.29 | 38.24 | 12.67 | 34.19 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.46G | 47.26 | 54.00 | -6.74 | 5.48 | 3 | Vertical | 14 | 1.26 | 41.78 | 33.02 | 6.64 | 34.18 |
| AV | 5.5824G | 112.85 | Inf | -Inf | 5.56 | 3 | Vertical | 14 | 1.26 | 107.29 | 33.00 | 6.75 | 34.19 |
| PK | 5.46G | 61.90 | 74.00 | -12.10 | 5.48 | 3 | Vertical | 14 | 1.26 | 56.42 | 33.02 | 6.64 | 34.18 |
| PK | 5.4696G | 62.90 | 68.20 | -5.30 | 5.51 | 3 | Vertical | 14 | 1.26 | 57.39 | 33.04 | 6.65 | 34.18 |
| PK | 5.5752G | 124.37 | Inf | -Inf | 5.56 | 3 | Vertical | 14 | 1.26 | 118.81 | 33.00 | 6.75 | 34.19 |
| PK | 5.7288G | 59.21 | 68.20 | -8.99 | 6.32 | 3 | Vertical | 14 | 1.26 | 52.89 | 33.67 | 6.85 | 34.20 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4582G | 46.34 | 54.00 | -7.66 | 5.49 | 3 | Horizontal | 24 | 1.26 | 40.85 | 33.02 | 6.64 | 34.17 |
| AV | 5.5788G | 113.59 | Inf | -Inf | 5.56 | 3 | Horizontal | 24 | 1.26 | 108.03 | 33.00 | 6.75 | 34.19 |
| PK | 5.4588G | 59.76 | 74.00 | -14.24 | 5.48 | 3 | Horizontal | 24 | 1.26 | 54.28 | 33.02 | 6.64 | 34.18 |
| PK | 5.469G | 60.56 | 68.20 | -7.64 | 5.51 | 3 | Horizontal | 24 | 1.26 | 55.05 | 33.04 | 6.65 | 34.18 |
| PK | 5.5878G | 124.31 | Inf | -Inf | 5.57 | 3 | Horizontal | 24 | 1.26 | 118.74 | 33.00 | 6.76 | 34.19 |
| PK | 5.7252G | 58.29 | 68.20 | -9.91 | 6.30 | 3 | Horizontal | 24 | 1.26 | 51.99 | 33.65 | 6.85 | 34.20 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.16012G | 49.56 | 54.00 | -4.44 | 16.08 | 3 | Horizontal | 17 | 1.56 | 33.48 | 38.90 | 11.31 | 34.13 |
| PK | 11.16048G | 62.90 | 74.00 | -11.10 | 16.08 | 3 | Horizontal | 17 | 1.56 | 46.82 | 38.90 | 11.31 | 34.13 |
| PK | 16.72776G | 57.47 | 68.20 | -10.73 | 17.01 | 3 | Horizontal | 318 | 1.42 | 40.46 | 37.99 | 12.77 | 33.75 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.16036G | 48.92 | 54.00 | -5.08 | 16.08 | 3 | Vertical | 354 | 1.51 | 32.84 | 38.90 | 11.31 | 34.13 |
| PK | 11.16096G | 61.25 | 74.00 | -12.75 | 16.08 | 3 | Vertical | 354 | 1.51 | 45.17 | 38.90 | 11.31 | 34.13 |
| PK | 16.7427G | 59.43 | 68.20 | -8.77 | 16.99 | 3 | Vertical | 347 | 1.50 | 42.44 | 37.93 | 12.78 | 33.72 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.7028G | 106.33 | Inf | -Inf | 6.16 | 3 | Vertical | 6 | 1.05 | 100.17 | 33.52 | 6.84 | 34.20 |
| PK | 5.7016G | 118.67 | Inf | -Inf | 6.15 | 3 | Vertical | 6 | 1.05 | 112.52 | 33.51 | 6.84 | 34.20 |
| PK | 5.7264G | 67.75 | 68.20 | -0.45 | 6.31 | 3 | Vertical | 6 | 1.05 | 61.44 | 33.66 | 6.85 | 34.20 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.6944G | 107.75 | Inf | -Inf | 6.09 | 3 | Horizontal | 7 | 1.18 | 101.66 | 33.46 | 6.83 | 34.20 |
| PK | 5.6952G | 119.75 | Inf | -Inf | 6.09 | 3 | Horizontal | 7 | 1.18 | 113.66 | 33.46 | 6.83 | 34.20 |
| PK | 5.726G | 67.92 | 68.20 | -0.28 | 6.31 | 3 | Horizontal | 7 | 1.18 | 61.61 | 33.66 | 6.85 | 34.20 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.39982G | 41.56 | 54.00 | -12.44 | 16.32 | 3 | Horizontal | 14 | 1.46 | 25.24 | 39.00 | 11.40 | 34.08 |
| PK | 11.39958G | 53.72 | 74.00 | -20.28 | 16.32 | 3 | Horizontal | 14 | 1.46 | 37.40 | 39.00 | 11.40 | 34.08 |
| PK | 17.11266G | 54.20 | 68.20 | -14.00 | 17.43 | 3 | Horizontal | 130 | 1.50 | 36.77 | 37.73 | 12.95 | 33.25 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.39988G | 41.68 | 54.00 | -12.32 | 16.32 | 3 | Vertical | 356 | 1.54 | 25.36 | 39.00 | 11.40 | 34.08 |
| PK | 11.39982G | 53.59 | 74.00 | -20.41 | 16.32 | 3 | Vertical | 356 | 1.54 | 37.27 | 39.00 | 11.40 | 34.08 |
| PK | 17.08974G | 53.31 | 68.20 | -14.89 | 17.44 | 3 | Vertical | 177 | 1.50 | 35.87 | 37.74 | 12.94 | 33.24 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4476G | 45.44 | 54.00 | -8.56 | 5.46 | 3 | Vertical | 5 | 1.34 | 39.98 | 33.00 | 6.63 | 34.17 |
| AV | 5.7188G | 112.90 | Inf | -Inf | 6.26 | 3 | Vertical | 5 | 1.34 | 106.64 | 33.61 | 6.85 | 34.20 |
| PK | 5.4512G | 57.21 | 74.00 | -16.79 | 5.47 | 3 | Vertical | 5 | 1.34 | 51.74 | 33.00 | 6.64 | 34.17 |
| PK | 5.4632G | 56.51 | 68.20 | -11.69 | 5.50 | 3 | Vertical | 5 | 1.34 | 51.01 | 33.03 | 6.65 | 34.18 |
| PK | 5.7164G | 123.78 | Inf | -Inf | 6.25 | 3 | Vertical | 5 | 1.34 | 117.53 | 33.60 | 6.85 | 34.20 |
| PK | 5.9012G | 60.18 | 68.20 | -8.02 | 7.18 | 3 | Vertical | 5 | 1.34 | 53.00 | 34.40 | 6.99 | 34.21 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4596G | 45.32 | 54.00 | -8.68 | 5.48 | 3 | Horizontal | 7 | 1.15 | 39.84 | 33.02 | 6.64 | 34.18 |
| AV | 5.714G | 113.43 | Inf | -Inf | 6.22 | 3 | Horizontal | 7 | 1.15 | 107.21 | 33.58 | 6.84 | 34.20 |
| PK | 5.4548G | 57.92 | 74.00 | -16.08 | 5.48 | 3 | Horizontal | 7 | 1.15 | 52.44 | 33.01 | 6.64 | 34.17 |
| PK | 5.4632G | 56.69 | 68.20 | -11.51 | 5.50 | 3 | Horizontal | 7 | 1.15 | 51.19 | 33.03 | 6.65 | 34.18 |
| PK | 5.7152G | 125.12 | Inf | -Inf | 6.23 | 3 | Horizontal | 7 | 1.15 | 118.89 | 33.59 | 6.84 | 34.20 |
| PK | 5.966G | 60.31 | 68.20 | -7.89 | 7.06 | 3 | Horizontal | 7 | 1.15 | 53.25 | 34.24 | 7.04 | 34.22 |



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.44006G | 45.38 | 54.00 | -8.62 | 16.26 | 3 | Horizontal | 13 | 1.53 | 29.12 | 38.92 | 11.41 | 34.07 |
| PK | 11.43988G | 57.11 | 74.00 | -16.89 | 16.26 | 3 | Horizontal | 13 | 1.53 | 40.85 | 38.92 | 11.41 | 34.07 |
| PK | 17.16012G | 55.72 | 68.20 | -12.48 | 17.51 | 3 | Horizontal | 320 | 1.35 | 38.21 | 37.80 | 12.97 | 33.26 |

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.44342G | 46.20 | 54.00 | -7.80 | 16.25 | 3 | Vertical | 26 | 1.38 | 29.95 | 38.91 | 11.41 | 34.07 |
| PK | 11.43304G | 58.14 | 74.00 | -15.86 | 16.27 | 3 | Vertical | 26 | 1.38 | 41.87 | 38.93 | 11.41 | 34.07 |
| PK | 17.1474G | 53.82 | 68.20 | -14.38 | 17.49 | 3 | Vertical | 326 | 1.50 | 36.33 | 37.79 | 12.96 | 33.26 |



5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.2728G | 108.75 | Inf | -Inf | 5.40 | 3 | Vertical | 31 | 1.56 | 103.35 | 33.05 | 6.50 | 34.15 |
| AV | 5.352G | 53.46 | 54.00 | -0.54 | 5.40 | 3 | Vertical | 31 | 1.56 | 48.06 | 33.00 | 6.56 | 34.16 |
| PK | 5.2628G | 120.83 | Inf | -Inf | 5.37 | 3 | Vertical | 31 | 1.56 | 115.46 | 33.03 | 6.49 | 34.15 |
| PK | 5.3552G | 66.35 | 74.00 | -7.65 | 5.40 | 3 | Vertical | 31 | 1.56 | 60.95 | 33.00 | 6.56 | 34.16 |

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.2672G | 109.83 | Inf | -Inf | 5.38 | 3 | Horizontal | 15 | 1.70 | 104.45 | 33.03 | 6.50 | 34.15 |
| AV | 5.35G | 51.62 | 54.00 | -2.38 | 5.39 | 3 | Horizontal | 15 | 1.70 | 46.23 | 33.00 | 6.55 | 34.16 |
| PK | 5.2688G | 121.44 | Inf | -Inf | 5.39 | 3 | Horizontal | 15 | 1.70 | 116.05 | 33.04 | 6.50 | 34.15 |
| PK | 5.358G | 64.67 | 74.00 | -9.33 | 5.40 | 3 | Horizontal | 15 | 1.70 | 59.27 | 33.00 | 6.56 | 34.16 |



5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 15.81516G | 47.74 | 54.00 | -6.26 | 15.56 | 3 | Vertical | 360 | 1.74 | 32.18 | 37.77 | 12.33 | 34.54 |
| PK | 10.54708G | 52.89 | 68.20 | -15.31 | 15.40 | 3 | Vertical | 44 | 1.42 | 37.49 | 38.80 | 11.08 | 34.48 |
| PK | 15.82488G | 61.37 | 74.00 | -12.63 | 15.54 | 3 | Vertical | 360 | 1.74 | 45.83 | 37.75 | 12.33 | 34.54 |

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 15.80568G | 44.75 | 54.00 | -9.25 | 15.58 | 3 | Horizontal | 46 | 1.49 | 29.17 | 37.79 | 12.32 | 34.53 |
| PK | 10.54588G | 54.26 | 68.20 | -13.94 | 15.40 | 3 | Horizontal | 37 | 1.66 | 38.86 | 38.80 | 11.08 | 34.48 |
| PK | 15.82428G | 58.02 | 74.00 | -15.98 | 15.54 | 3 | Horizontal | 46 | 1.49 | 42.48 | 37.75 | 12.33 | 34.54 |



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.3132G | 104.28 | Inf | -Inf | 5.44 | 3 | Vertical | 32 | 1.71 | 98.84 | 33.07 | 6.53 | 34.16 |
| AV | 5.35G | 53.78 | 54.00 | -0.22 | 5.39 | 3 | Vertical | 32 | 1.71 | 48.39 | 33.00 | 6.55 | 34.16 |
| PK | 5.312G | 116.38 | Inf | -Inf | 5.45 | 3 | Vertical | 32 | 1.71 | 110.93 | 33.08 | 6.53 | 34.16 |
| PK | 5.3512G | 66.21 | 74.00 | -7.79 | 5.40 | 3 | Vertical | 32 | 1.71 | 60.81 | 33.00 | 6.56 | 34.16 |

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.3076G | 103.75 | Inf | -Inf | 5.45 | 3 | Horizontal | 13 | 1.80 | 98.30 | 33.08 | 6.53 | 34.16 |
| AV | 5.35G | 51.62 | 54.00 | -2.38 | 5.39 | 3 | Horizontal | 13 | 1.80 | 46.23 | 33.00 | 6.55 | 34.16 |
| PK | 5.3172G | 116.53 | Inf | -Inf | 5.44 | 3 | Horizontal | 13 | 1.80 | 111.09 | 33.07 | 6.53 | 34.16 |
| PK | 5.35G | 65.44 | 74.00 | -8.56 | 5.39 | 3 | Horizontal | 13 | 1.80 | 60.05 | 33.00 | 6.55 | 34.16 |



5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 10.62G | 42.40 | 54.00 | -11.60 | 15.86 | 3 | Vertical | 353 | 1.50 | 26.54 | 39.18 | 11.11 | 34.43 |
| AV | 15.95148G | 41.31 | 54.00 | -12.69 | 15.87 | 3 | Vertical | 360 | 1.50 | 25.44 | 38.10 | 12.41 | 34.64 |
| PK | 10.61988G | 53.41 | 74.00 | -20.59 | 15.86 | 3 | Vertical | 353 | 1.50 | 37.55 | 39.18 | 11.11 | 34.43 |
| PK | 15.90468G | 53.60 | 74.00 | -20.40 | 15.69 | 3 | Vertical | 360 | 1.50 | 37.91 | 37.92 | 12.38 | 34.61 |

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 10.62468G | 42.75 | 54.00 | -11.25 | 15.89 | 3 | Horizontal | 36 | 1.61 | 26.86 | 39.20 | 11.11 | 34.42 |
| AV | 15.93936G | 41.35 | 54.00 | -12.65 | 15.83 | 3 | Horizontal | 93 | 1.50 | 25.52 | 38.06 | 12.40 | 34.63 |
| PK | 10.6356G | 54.55 | 74.00 | -19.45 | 15.94 | 3 | Horizontal | 36 | 1.61 | 38.61 | 39.24 | 11.12 | 34.42 |
| PK | 15.91416G | 53.65 | 74.00 | -20.35 | 15.74 | 3 | Horizontal | 93 | 1.50 | 37.91 | 37.96 | 12.39 | 34.61 |



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.456G | 46.51 | 54.00 | -7.49 | 5.48 | 3 | Vertical | 29 | 1.40 | 41.03 | 33.01 | 6.64 | 34.17 |
| AV | 5.5132G | 103.56 | Inf | -Inf | 5.58 | 3 | Vertical | 29 | 1.40 | 97.98 | 33.07 | 6.69 | 34.18 |
| PK | 5.458G | 62.78 | 74.00 | -11.22 | 5.49 | 3 | Vertical | 29 | 1.40 | 57.29 | 33.02 | 6.64 | 34.17 |
| PK | 5.4684G | 64.47 | 68.20 | -3.73 | 5.51 | 3 | Vertical | 29 | 1.40 | 58.96 | 33.04 | 6.65 | 34.18 |
| PK | 5.5136G | 115.63 | Inf | -Inf | 5.58 | 3 | Vertical | 29 | 1.40 | 110.05 | 33.07 | 6.69 | 34.18 |

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4596G | 47.76 | 54.00 | -6.24 | 5.48 | 3 | Horizontal | 15 | 1.50 | 42.28 | 33.02 | 6.64 | 34.18 |
| AV | 5.5108G | 103.39 | Inf | -Inf | 5.59 | 3 | Horizontal | 15 | 1.50 | 97.80 | 33.08 | 6.69 | 34.18 |
| PK | 5.46G | 64.70 | 74.00 | -9.30 | 5.48 | 3 | Horizontal | 15 | 1.50 | 59.22 | 33.02 | 6.64 | 34.18 |
| PK | 5.4696G | 65.43 | 68.20 | -2.77 | 5.51 | 3 | Horizontal | 15 | 1.50 | 59.92 | 33.04 | 6.65 | 34.18 |
| PK | 5.5004G | 115.49 | Inf | -Inf | 5.60 | 3 | Horizontal | 15 | 1.50 | 109.89 | 33.10 | 6.68 | 34.18 |



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.02G | 42.66 | 54.00 | -11.34 | 15.80 | 3 | Horizontal | 24 | 1.32 | 26.86 | 38.70 | 11.26 | 34.16 |
| PK | 11.01976G | 52.16 | 74.00 | -21.84 | 15.80 | 3 | Horizontal | 24 | 1.32 | 36.36 | 38.70 | 11.26 | 34.16 |
| PK | 16.52712G | 53.61 | 68.20 | -14.59 | 16.61 | 3 | Horizontal | 133 | 1.65 | 37.00 | 38.08 | 12.68 | 34.15 |

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.01988G | 41.46 | 54.00 | -12.54 | 15.80 | 3 | Vertical | 346 | 1.02 | 25.66 | 38.70 | 11.26 | 34.16 |
| PK | 11.01988G | 51.91 | 74.00 | -22.09 | 15.80 | 3 | Vertical | 346 | 1.02 | 36.11 | 38.70 | 11.26 | 34.16 |
| PK | 16.51032G | 54.41 | 68.20 | -13.79 | 16.71 | 3 | Vertical | 0 | 1.50 | 37.70 | 38.22 | 12.67 | 34.18 |



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4544G | 50.15 | 54.00 | -3.85 | 5.48 | 3 | Vertical | 28 | 1.38 | 44.67 | 33.01 | 6.64 | 34.17 |
| AV | 5.5528G | 106.90 | Inf | -Inf | 5.55 | 3 | Vertical | 28 | 1.38 | 101.35 | 33.00 | 6.73 | 34.18 |
| PK | 5.4544G | 63.55 | 74.00 | -10.45 | 5.48 | 3 | Vertical | 28 | 1.38 | 58.07 | 33.01 | 6.64 | 34.17 |
| PK | 5.4672G | 66.38 | 68.20 | -1.82 | 5.50 | 3 | Vertical | 28 | 1.38 | 60.88 | 33.03 | 6.65 | 34.18 |
| PK | 5.5524G | 118.49 | Inf | -Inf | 5.55 | 3 | Vertical | 28 | 1.38 | 112.94 | 33.00 | 6.73 | 34.18 |

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4552G | 48.37 | 54.00 | -5.63 | 5.48 | 3 | Horizontal | 356 | 1.27 | 42.89 | 33.01 | 6.64 | 34.17 |
| AV | 5.546G | 106.80 | Inf | -Inf | 5.55 | 3 | Horizontal | 356 | 1.27 | 101.25 | 33.01 | 6.72 | 34.18 |
| PK | 5.4568G | 62.01 | 74.00 | -11.99 | 5.48 | 3 | Horizontal | 356 | 1.27 | 56.53 | 33.01 | 6.64 | 34.17 |
| PK | 5.4656G | 63.50 | 68.20 | -4.70 | 5.50 | 3 | Horizontal | 356 | 1.27 | 58.00 | 33.03 | 6.65 | 34.18 |
| PK | 5.5452G | 118.33 | Inf | -Inf | 5.55 | 3 | Horizontal | 356 | 1.27 | 112.78 | 33.01 | 6.72 | 34.18 |



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.09988G | 43.44 | 54.00 | -10.56 | 15.95 | 3 | Horizontal | 16 | 1.55 | 27.49 | 38.80 | 11.29 | 34.14 |
| PK | 11.11056G | 55.65 | 74.00 | -18.35 | 15.97 | 3 | Horizontal | 16 | 1.55 | 39.68 | 38.82 | 11.29 | 34.14 |
| PK | 16.66008G | 55.13 | 68.20 | -13.07 | 16.96 | 3 | Horizontal | 24 | 1.36 | 38.17 | 38.10 | 12.74 | 33.88 |

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.1G | 42.95 | 54.00 | -11.05 | 15.95 | 3 | Vertical | 350 | 1.53 | 27.00 | 38.80 | 11.29 | 34.14 |
| PK | 11.10936G | 53.82 | 74.00 | -20.18 | 15.97 | 3 | Vertical | 350 | 1.53 | 37.85 | 38.82 | 11.29 | 34.14 |
| PK | 16.64376G | 54.71 | 68.20 | -13.49 | 16.86 | 3 | Vertical | 347 | 1.50 | 37.85 | 38.05 | 12.73 | 33.92 |



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.673G | 105.12 | Inf | -Inf | 5.91 | 3 | Vertical | 5 | 1.06 | 99.21 | 33.28 | 6.82 | 34.19 |
| PK | 5.673G | 116.62 | Inf | -Inf | 5.91 | 3 | Vertical | 5 | 1.06 | 110.71 | 33.28 | 6.82 | 34.19 |
| PK | 5.7258G | 65.87 | 68.20 | -2.33 | 6.30 | 3 | Vertical | 5 | 1.06 | 59.57 | 33.65 | 6.85 | 34.20 |

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.6736G | 106.93 | Inf | -Inf | 5.92 | 3 | Horizontal | 8 | 1.30 | 101.01 | 33.29 | 6.82 | 34.19 |
| PK | 5.673G | 117.87 | Inf | -Inf | 5.91 | 3 | Horizontal | 8 | 1.30 | 111.96 | 33.28 | 6.82 | 34.19 |
| PK | 5.7264G | 67.43 | 68.20 | -0.77 | 6.31 | 3 | Horizontal | 8 | 1.30 | 61.12 | 33.66 | 6.85 | 34.20 |



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.33964G | 42.42 | 54.00 | -11.58 | 16.29 | 3 | Horizontal | 14 | 1.55 | 26.13 | 39.00 | 11.38 | 34.09 |
| PK | 11.35272G | 53.81 | 74.00 | -20.19 | 16.29 | 3 | Horizontal | 14 | 1.55 | 37.52 | 39.00 | 11.38 | 34.09 |
| PK | 17.01156G | 53.57 | 68.20 | -14.63 | 17.28 | 3 | Horizontal | 265 | 1.82 | 36.29 | 37.59 | 12.90 | 33.21 |

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.33988G | 41.84 | 54.00 | -12.16 | 16.29 | 3 | Vertical | 355 | 1.52 | 25.55 | 39.00 | 11.38 | 34.09 |
| PK | 11.34012G | 53.41 | 74.00 | -20.59 | 16.29 | 3 | Vertical | 355 | 1.52 | 37.12 | 39.00 | 11.38 | 34.09 |
| PK | 17.00988G | 54.02 | 68.20 | -14.18 | 17.27 | 3 | Vertical | 338 | 1.50 | 36.75 | 37.58 | 12.90 | 33.21 |



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.46G | 46.15 | 54.00 | -7.85 | 5.48 | 3 | Vertical | 6 | 1.06 | 40.67 | 33.02 | 6.64 | 34.18 |
| AV | 5.704G | 110.85 | Inf | -Inf | 6.16 | 3 | Vertical | 6 | 1.06 | 104.69 | 33.52 | 6.84 | 34.20 |
| PK | 5.4568G | 57.63 | 74.00 | -16.37 | 5.48 | 3 | Vertical | 6 | 1.06 | 52.15 | 33.01 | 6.64 | 34.17 |
| PK | 5.4616G | 58.88 | 68.20 | -9.32 | 5.49 | 3 | Vertical | 6 | 1.06 | 53.39 | 33.02 | 6.65 | 34.18 |
| PK | 5.7112G | 122.68 | Inf | -Inf | 6.21 | 3 | Vertical | 6 | 1.06 | 116.47 | 33.57 | 6.84 | 34.20 |
| PK | 5.8516G | 63.41 | 68.20 | -4.79 | 6.94 | 3 | Vertical | 6 | 1.06 | 56.47 | 34.21 | 6.94 | 34.21 |

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.46G | 45.54 | 54.00 | -8.46 | 5.48 | 3 | Horizontal | 8 | 1.21 | 40.06 | 33.02 | 6.64 | 34.18 |
| AV | 5.704G | 111.22 | Inf | -Inf | 6.16 | 3 | Horizontal | 8 | 1.21 | 105.06 | 33.52 | 6.84 | 34.20 |
| PK | 5.4364G | 57.53 | 74.00 | -16.47 | 5.45 | 3 | Horizontal | 8 | 1.21 | 52.08 | 33.00 | 6.62 | 34.17 |
| PK | 5.4688G | 57.57 | 68.20 | -10.63 | 5.51 | 3 | Horizontal | 8 | 1.21 | 52.06 | 33.04 | 6.65 | 34.18 |
| PK | 5.704G | 122.84 | Inf | -Inf | 6.16 | 3 | Horizontal | 8 | 1.21 | 116.68 | 33.52 | 6.84 | 34.20 |
| PK | 5.8528G | 63.33 | 68.20 | -4.87 | 6.94 | 3 | Horizontal | 8 | 1.21 | 56.39 | 34.21 | 6.94 | 34.21 |



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.42036G | 43.62 | 54.00 | -10.38 | 16.29 | 3 | Horizontal | 14 | 1.49 | 27.33 | 38.96 | 11.41 | 34.08 |
| PK | 11.42072G | 55.07 | 74.00 | -18.93 | 16.29 | 3 | Horizontal | 14 | 1.49 | 38.78 | 38.96 | 11.41 | 34.08 |
| PK | 17.136G | 54.21 | 68.20 | -13.99 | 17.48 | 3 | Horizontal | 321 | 1.27 | 36.73 | 37.77 | 12.96 | 33.25 |

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.41988G | 43.06 | 54.00 | -10.94 | 16.29 | 3 | Vertical | 354 | 1.50 | 26.77 | 38.96 | 11.41 | 34.08 |
| PK | 11.42G | 54.76 | 74.00 | -19.24 | 16.29 | 3 | Vertical | 354 | 1.50 | 38.47 | 38.96 | 11.41 | 34.08 |
| PK | 17.10804G | 54.23 | 68.20 | -13.97 | 17.42 | 3 | Vertical | 24 | 2.91 | 36.81 | 37.72 | 12.94 | 33.24 |



5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.088G | 46.94 | 54.00 | -7.06 | 5.36 | 3 | Vertical | 34 | 1.57 | 41.58 | 33.12 | 6.37 | 34.13 |
| AV | 5.278G | 100.14 | Inf | -Inf | 5.41 | 3 | Vertical | 34 | 1.57 | 94.73 | 33.06 | 6.50 | 34.15 |
| AV | 5.35G | 53.94 | 54.00 | -0.06 | 5.39 | 3 | Vertical | 34 | 1.57 | 48.55 | 33.00 | 6.55 | 34.16 |
| PK | 5.058G | 58.91 | 74.00 | -15.09 | 5.39 | 3 | Vertical | 34 | 1.57 | 53.52 | 33.18 | 6.34 | 34.13 |
| PK | 5.289G | 112.12 | Inf | -Inf | 5.44 | 3 | Vertical | 34 | 1.57 | 106.68 | 33.08 | 6.51 | 34.15 |
| PK | 5.35G | 65.25 | 74.00 | -8.75 | 5.39 | 3 | Vertical | 34 | 1.57 | 59.86 | 33.00 | 6.55 | 34.16 |
| PK | 5.505G | 57.86 | 68.20 | -10.34 | 5.59 | 3 | Vertical | 34 | 1.57 | 52.27 | 33.09 | 6.68 | 34.18 |

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.15G | 47.12 | 54.00 | -6.88 | 5.27 | 3 | Horizontal | 22 | 1.58 | 41.85 | 33.00 | 6.41 | 34.14 |
| AV | 5.283G | 100.69 | Inf | -Inf | 5.43 | 3 | Horizontal | 22 | 1.58 | 95.26 | 33.07 | 6.51 | 34.15 |
| AV | 5.35G | 53.78 | 54.00 | -0.22 | 5.39 | 3 | Horizontal | 22 | 1.58 | 48.39 | 33.00 | 6.55 | 34.16 |
| PK | 5.128G | 59.01 | 74.00 | -14.99 | 5.30 | 3 | Horizontal | 22 | 1.58 | 53.71 | 33.04 | 6.40 | 34.14 |
| PK | 5.275G | 112.50 | Inf | -Inf | 5.40 | 3 | Horizontal | 22 | 1.58 | 107.10 | 33.05 | 6.50 | 34.15 |
| PK | 5.353G | 65.47 | 74.00 | -8.53 | 5.40 | 3 | Horizontal | 22 | 1.58 | 60.07 | 33.00 | 6.56 | 34.16 |
| PK | 5.495G | 57.88 | 68.20 | -10.32 | 5.59 | 3 | Horizontal | 22 | 1.58 | 52.29 | 33.09 | 6.68 | 34.18 |



5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 15.81264G | 41.73 | 54.00 | -12.27 | 15.56 | 3 | Vertical | 92 | 1.50 | 26.17 | 37.77 | 12.32 | 34.53 |
| PK | 10.63208G | 52.69 | 74.00 | -21.31 | 15.92 | 3 | Vertical | 352 | 1.50 | 36.77 | 39.23 | 11.11 | 34.42 |
| PK | 15.89136G | 53.99 | 74.00 | -20.01 | 15.64 | 3 | Vertical | 92 | 1.50 | 38.35 | 37.87 | 12.37 | 34.60 |

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 15.81528G | 41.72 | 54.00 | -12.28 | 15.56 | 3 | Horizontal | -0 | 1.50 | 26.16 | 37.77 | 12.33 | 34.54 |
| PK | 10.63184G | 52.32 | 74.00 | -21.68 | 15.92 | 3 | Horizontal | 38 | 1.66 | 36.40 | 39.23 | 11.11 | 34.42 |
| PK | 15.90432G | 54.31 | 74.00 | -19.69 | 15.69 | 3 | Horizontal | -0 | 1.50 | 38.62 | 37.92 | 12.38 | 34.61 |



5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.35G | 44.84 | 54.00 | -9.16 | 5.39 | 3 | Vertical | 20 | 1.32 | 39.45 | 33.00 | 6.55 | 34.16 |
| AV | 5.455G | 48.21 | 54.00 | -5.79 | 5.48 | 3 | Vertical | 20 | 1.32 | 42.73 | 33.01 | 6.64 | 34.17 |
| AV | 5.524G | 100.45 | Inf | -Inf | 5.57 | 3 | Vertical | 20 | 1.32 | 94.88 | 33.05 | 6.70 | 34.18 |
| PK | 5.3G | 57.90 | 68.20 | -10.30 | 5.46 | 3 | Vertical | 20 | 1.32 | 52.44 | 33.10 | 6.52 | 34.16 |
| PK | 5.453G | 63.22 | 74.00 | -10.78 | 5.48 | 3 | Vertical | 20 | 1.32 | 57.74 | 33.01 | 6.64 | 34.17 |
| PK | 5.467G | 67.02 | 68.20 | -1.18 | 5.50 | 3 | Vertical | 20 | 1.32 | 61.52 | 33.03 | 6.65 | 34.18 |
| PK | 5.515G | 112.63 | Inf | -Inf | 5.58 | 3 | Vertical | 20 | 1.32 | 107.05 | 33.07 | 6.69 | 34.18 |
| PK | 5.728G | 59.95 | 68.20 | -8.25 | 6.32 | 3 | Vertical | 20 | 1.32 | 53.63 | 33.67 | 6.85 | 34.20 |

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.35G | 44.84 | 54.00 | -9.16 | 5.39 | 3 | Horizontal | 20 | 1.05 | 39.45 | 33.00 | 6.55 | 34.16 |
| AV | 5.458G | 48.84 | 54.00 | -5.16 | 5.49 | 3 | Horizontal | 20 | 1.05 | 43.35 | 33.02 | 6.64 | 34.17 |
| AV | 5.519G | 100.31 | Inf | -Inf | 5.58 | 3 | Horizontal | 20 | 1.05 | 94.73 | 33.06 | 6.70 | 34.18 |
| PK | 5.308G | 57.57 | 68.20 | -10.63 | 5.45 | 3 | Horizontal | 20 | 1.05 | 52.12 | 33.08 | 6.53 | 34.16 |
| PK | 5.46G | 65.93 | 74.00 | -8.07 | 5.48 | 3 | Horizontal | 20 | 1.05 | 60.45 | 33.02 | 6.64 | 34.18 |
| PK | 5.467G | 67.03 | 68.20 | -1.17 | 5.50 | 3 | Horizontal | 20 | 1.05 | 61.53 | 33.03 | 6.65 | 34.18 |
| PK | 5.528G | 112.09 | Inf | -Inf | 5.57 | 3 | Horizontal | 20 | 1.05 | 106.52 | 33.04 | 6.71 | 34.18 |
| PK | 5.774G | 59.81 | 68.20 | -8.39 | 6.62 | 3 | Horizontal | 20 | 1.05 | 53.19 | 33.94 | 6.88 | 34.20 |



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.06G | 42.86 | 54.00 | -11.14 | 15.84 | 3 | Horizontal | 0 | 1.36 | 27.02 | 38.72 | 11.27 | 34.15 |
| PK | 11.10752G | 52.97 | 74.00 | -21.03 | 15.97 | 3 | Horizontal | 0 | 1.36 | 37.00 | 38.82 | 11.29 | 34.14 |
| PK | 16.61904G | 53.60 | 68.20 | -14.60 | 16.61 | 3 | Horizontal | 163 | 2.30 | 36.99 | 37.85 | 12.72 | 33.96 |

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.05976G | 41.41 | 54.00 | -12.59 | 15.84 | 3 | Vertical | 350 | 1.58 | 25.57 | 38.72 | 11.27 | 34.15 |
| PK | 11.05952G | 51.77 | 74.00 | -22.23 | 15.84 | 3 | Vertical | 350 | 1.58 | 35.93 | 38.72 | 11.27 | 34.15 |
| PK | 16.64496G | 53.61 | 68.20 | -14.59 | 16.88 | 3 | Vertical | 349 | 2.49 | 36.73 | 38.06 | 12.73 | 33.91 |



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.46G | 47.93 | 54.00 | -6.07 | 5.48 | 3 | Vertical | 358 | 1.37 | 42.45 | 33.02 | 6.64 | 34.18 |
| AV | 5.606G | 101.93 | Inf | -Inf | 5.59 | 3 | Vertical | 358 | 1.37 | 96.34 | 33.01 | 6.77 | 34.19 |
| PK | 5.459G | 59.80 | 74.00 | -14.20 | 5.48 | 3 | Vertical | 358 | 1.37 | 54.32 | 33.02 | 6.64 | 34.18 |
| PK | 5.469G | 63.43 | 68.20 | -4.77 | 5.51 | 3 | Vertical | 358 | 1.37 | 57.92 | 33.04 | 6.65 | 34.18 |
| PK | 5.606G | 114.12 | Inf | -Inf | 5.59 | 3 | Vertical | 358 | 1.37 | 108.53 | 33.01 | 6.77 | 34.19 |
| PK | 5.727G | 65.32 | 68.20 | -2.88 | 6.31 | 3 | Vertical | 358 | 1.37 | 59.01 | 33.66 | 6.85 | 34.20 |

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.459G | 49.26 | 54.00 | -4.74 | 5.48 | 3 | Horizontal | 15 | 1.25 | 43.78 | 33.02 | 6.64 | 34.18 |
| AV | 5.608G | 103.61 | Inf | -Inf | 5.61 | 3 | Horizontal | 15 | 1.25 | 98.00 | 33.02 | 6.78 | 34.19 |
| PK | 5.458G | 61.02 | 74.00 | -12.98 | 5.49 | 3 | Horizontal | 15 | 1.25 | 55.53 | 33.02 | 6.64 | 34.17 |
| PK | 5.469G | 65.17 | 68.20 | -3.03 | 5.51 | 3 | Horizontal | 15 | 1.25 | 59.66 | 33.04 | 6.65 | 34.18 |
| PK | 5.609G | 114.97 | Inf | -Inf | 5.61 | 3 | Horizontal | 15 | 1.25 | 109.36 | 33.02 | 6.78 | 34.19 |
| PK | 5.729G | 66.30 | 68.20 | -1.90 | 6.32 | 3 | Horizontal | 15 | 1.25 | 59.98 | 33.67 | 6.85 | 34.20 |



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.22024G | 42.16 | 54.00 | -11.84 | 16.15 | 3 | Horizontal | 14 | 1.57 | 26.01 | 38.94 | 11.33 | 34.12 |
| PK | 11.19024G | 53.28 | 74.00 | -20.72 | 16.10 | 3 | Horizontal | 14 | 1.57 | 37.18 | 38.90 | 11.32 | 34.12 |
| PK | 16.8324G | 54.14 | 68.20 | -14.06 | 16.92 | 3 | Horizontal | 0 | 1.50 | 37.22 | 37.64 | 12.82 | 33.54 |

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.22G | 41.92 | 54.00 | -12.08 | 16.15 | 3 | Vertical | 355 | 1.49 | 25.77 | 38.94 | 11.33 | 34.12 |
| PK | 11.202G | 53.86 | 74.00 | -20.14 | 16.10 | 3 | Vertical | 355 | 1.49 | 37.76 | 38.90 | 11.32 | 34.12 |
| PK | 16.77504G | 54.74 | 68.20 | -13.46 | 16.93 | 3 | Vertical | 334 | 1.06 | 37.81 | 37.80 | 12.79 | 33.66 |



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4584G | 47.92 | 54.00 | -6.08 | 5.48 | 3 | Vertical | 358 | 1.16 | 42.44 | 33.02 | 6.64 | 34.18 |
| AV | 5.6828G | 104.25 | Inf | -Inf | 5.99 | 3 | Vertical | 358 | 1.16 | 98.26 | 33.36 | 6.82 | 34.19 |
| PK | 5.4464G | 60.03 | 74.00 | -13.97 | 5.46 | 3 | Vertical | 358 | 1.16 | 54.57 | 33.00 | 6.63 | 34.17 |
| PK | 5.468G | 61.42 | 68.20 | -6.78 | 5.51 | 3 | Vertical | 358 | 1.16 | 55.91 | 33.04 | 6.65 | 34.18 |
| PK | 5.6744G | 115.84 | Inf | -Inf | 5.93 | 3 | Vertical | 358 | 1.16 | 109.91 | 33.30 | 6.82 | 34.19 |
| PK | 5.8508G | 63.36 | 68.20 | -4.84 | 6.93 | 3 | Vertical | 358 | 1.16 | 56.43 | 34.20 | 6.94 | 34.21 |

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4596G | 49.26 | 54.00 | -4.74 | 5.48 | 3 | Horizontal | 359 | 1.24 | 43.78 | 33.02 | 6.64 | 34.18 |
| AV | 5.684G | 107.73 | Inf | -Inf | 6.00 | 3 | Horizontal | 359 | 1.24 | 101.73 | 33.37 | 6.82 | 34.19 |
| PK | 5.4572G | 61.63 | 74.00 | -12.37 | 5.48 | 3 | Horizontal | 359 | 1.24 | 56.15 | 33.01 | 6.64 | 34.17 |
| PK | 5.4644G | 63.23 | 68.20 | -4.97 | 5.50 | 3 | Horizontal | 359 | 1.24 | 57.73 | 33.03 | 6.65 | 34.18 |
| PK | 5.7044G | 118.56 | Inf | -Inf | 6.17 | 3 | Horizontal | 359 | 1.24 | 112.39 | 33.53 | 6.84 | 34.20 |
| PK | 5.8508G | 66.46 | 68.20 | -1.74 | 6.93 | 3 | Horizontal | 359 | 1.24 | 59.53 | 34.20 | 6.94 | 34.21 |



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.37976G | 42.97 | 54.00 | -11.03 | 16.31 | 3 | Horizontal | 14 | 1.54 | 26.66 | 39.00 | 11.39 | 34.08 |
| PK | 11.37856G | 55.44 | 74.00 | -18.56 | 16.31 | 3 | Horizontal | 14 | 1.54 | 39.13 | 39.00 | 11.39 | 34.08 |
| PK | 17.08344G | 53.74 | 68.20 | -14.46 | 17.46 | 3 | Horizontal | 346 | 2.05 | 36.28 | 37.77 | 12.93 | 33.24 |

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.38024G | 42.20 | 54.00 | -11.80 | 16.31 | 3 | Vertical | 356 | 1.52 | 25.89 | 39.00 | 11.39 | 34.08 |
| PK | 11.37928G | 53.21 | 74.00 | -20.79 | 16.31 | 3 | Vertical | 356 | 1.52 | 36.90 | 39.00 | 11.39 | 34.08 |
| PK | 17.1036G | 53.63 | 68.20 | -14.57 | 17.41 | 3 | Vertical | 18 | 2.28 | 36.22 | 37.71 | 12.94 | 33.24 |




RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4548G | 52.43 | 54.00 | -1.57 | 5.48 | 3 | Vertical | 22 | 1.40 | 46.95 | 33.01 | 6.64 | 34.17 |
| AV | 5.5436G | 98.38 | Inf | -Inf | 5.55 | 3 | Vertical | 22 | 1.40 | 92.83 | 33.01 | 6.72 | 34.18 |
| PK | 5.3252G | 57.47 | 68.20 | -10.73 | 5.43 | 3 | Vertical | 22 | 1.40 | 52.04 | 33.05 | 6.54 | 34.16 |
| PK | 5.4572G | 64.89 | 74.00 | -9.11 | 5.48 | 3 | Vertical | 22 | 1.40 | 59.41 | 33.01 | 6.64 | 34.17 |
| PK | 5.4668G | 66.74 | 68.20 | -1.46 | 5.50 | 3 | Vertical | 22 | 1.40 | 61.24 | 33.03 | 6.65 | 34.18 |
| PK | 5.5136G | 109.81 | Inf | -Inf | 5.58 | 3 | Vertical | 22 | 1.40 | 104.23 | 33.07 | 6.69 | 34.18 |
| PK | 5.7296G | 62.47 | 68.20 | -5.73 | 6.33 | 3 | Vertical | 22 | 1.40 | 56.14 | 33.68 | 6.85 | 34.20 |

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.4596G | 51.12 | 54.00 | -2.88 | 5.48 | 3 | Horizontal | 23 | 1.50 | 45.64 | 33.02 | 6.64 | 34.18 |
| AV | 5.5988G | 98.38 | Inf | -Inf | 5.58 | 3 | Horizontal | 23 | 1.50 | 92.80 | 33.00 | 6.77 | 34.19 |
| PK | 5.3072G | 56.67 | 68.20 | -11.53 | 5.46 | 3 | Horizontal | 23 | 1.50 | 51.21 | 33.09 | 6.53 | 34.16 |
| PK | 5.4584G | 63.96 | 74.00 | -10.04 | 5.48 | 3 | Horizontal | 23 | 1.50 | 58.48 | 33.02 | 6.64 | 34.18 |
| PK | 5.4608G | 64.42 | 68.20 | -3.78 | 5.48 | 3 | Horizontal | 23 | 1.50 | 58.94 | 33.02 | 6.64 | 34.18 |
| PK | 5.5784G | 109.85 | Inf | -Inf | 5.56 | 3 | Horizontal | 23 | 1.50 | 104.29 | 33.00 | 6.75 | 34.19 |
| PK | 5.7404G | 62.24 | 68.20 | -5.96 | 6.40 | 3 | Horizontal | 23 | 1.50 | 55.84 | 33.74 | 6.86 | 34.20 |



5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.14G | 43.78 | 54.00 | -10.22 | 16.05 | 3 | Horizontal | 0 | 1.34 | 27.73 | 38.88 | 11.30 | 34.13 |
| PK | 11.14G | 52.09 | 74.00 | -21.91 | 16.05 | 3 | Horizontal | 0 | 1.34 | 36.04 | 38.88 | 11.30 | 34.13 |
| PK | 16.74984G | 53.28 | 68.20 | -14.92 | 16.97 | 3 | Horizontal | 83 | 2.14 | 36.31 | 37.90 | 12.78 | 33.71 |

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.14G | 42.16 | 54.00 | -11.84 | 16.05 | 3 | Vertical | 352 | 2.02 | 26.11 | 38.88 | 11.30 | 34.13 |
| PK | 11.19952G | 52.69 | 74.00 | -21.31 | 16.10 | 3 | Vertical | 352 | 2.02 | 36.59 | 38.90 | 11.32 | 34.12 |
| PK | 16.80168G | 53.18 | 68.20 | -15.02 | 16.90 | 3 | Vertical | 89 | 1.50 | 36.28 | 37.70 | 12.80 | 33.60 |