




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5825MHz	Pass	PK	30M	34.12	40.00	-5.88	3	Vertical	360	1.00
5825MHz	Pass	PK	309.36M	36.39	46.00	-9.61	3	Vertical	360	1.00
5825MHz	Pass	PK	171.62M	31.55	43.50	-11.95	3	Vertical	360	1.00
5825MHz	Pass	PK	392.78M	31.15	46.00	-14.85	3	Vertical	360	1.00
5825MHz	Pass	PK	53.28M	28.16	40.00	-11.84	3	Vertical	360	1.00
5825MHz	Pass	PK	95.96M	26.27	43.50	-17.23	3	Vertical	360	1.00
5825MHz	Pass	PK	30M	28.30	40.00	-11.70	3	Horizontal	0	1.00
5825MHz	Pass	PK	84.32M	28.07	40.00	-11.93	3	Horizontal	0	1.00
5825MHz	Pass	PK	171.62M	37.48	43.50	-6.02	3	Horizontal	0	1.00
5825MHz	Pass	PK	303.54M	41.79	46.00	-4.21	3	Horizontal	0	1.00
5825MHz	Pass	PK	439.34M	29.99	46.00	-16.01	3	Horizontal	0	1.00
5825MHz	Pass	PK	501.42M	30.69	46.00	-15.31	3	Horizontal	0	1.00

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5825MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	34.12	40.00	-5.88	-3.19	3	Vertical	360	1.00	37.31	22.98	1.23	27.40
PK	309.36M	36.39	46.00	-9.61	-5.08	3	Vertical	360	1.00	41.47	18.56	3.70	27.34
PK	171.62M	31.55	43.50	-11.95	-10.17	3	Vertical	360	1.00	41.72	14.81	2.63	27.61
PK	392.78M	31.15	46.00	-14.85	-3.12	3	Vertical	360	1.00	34.27	20.57	4.18	27.87
PK	53.28M	28.16	40.00	-11.84	-13.06	3	Vertical	360	1.00	41.22	12.42	1.59	27.07
PK	95.96M	26.27	43.50	-17.23	-10.58	3	Vertical	360	1.00	36.85	15.29	1.96	27.83

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	28.30	40.00	-11.70	-3.19	3	Horizontal	0	1.00	31.49	22.98	1.23	27.40
PK	84.32M	28.07	40.00	-11.93	-13.17	3	Horizontal	0	1.00	41.24	12.82	1.81	27.80
PK	171.62M	37.48	43.50	-6.02	-10.17	3	Horizontal	0	1.00	47.65	14.81	2.63	27.61
PK	303.54M	41.79	46.00	-4.21	-5.23	3	Horizontal	0	1.00	47.02	18.40	3.67	27.30
PK	439.34M	29.99	46.00	-16.01	-1.98	3	Horizontal	0	1.00	31.97	21.75	4.51	28.24
PK	501.42M	30.69	46.00	-15.31	-0.99	3	Horizontal	0	1.00	31.68	22.54	4.89	28.42



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.6466G	67.11	68.20	-1.09	3	Vertical	338	1.37
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.6494G	67.46	68.20	-0.74	3	Vertical	354	1.53
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.6486G	66.83	68.20	-1.37	3	Vertical	352	1.47
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.6526G	67.55	70.12	-2.57	3	Vertical	11	1.24



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	AV	5.4498G	44.62	54.00	-9.38	3	Vertical	338	1.37
5745MHz	Pass	AV	5.7378G	119.24	Inf	-Inf	3	Vertical	338	1.37
5745MHz	Pass	PK	5.6466G	67.11	68.20	-1.09	3	Vertical	338	1.37
5745MHz	Pass	PK	5.7378G	129.07	Inf	-Inf	3	Vertical	338	1.37
5745MHz	Pass	PK	5.9946G	59.58	68.20	-8.62	3	Vertical	338	1.37
5745MHz	Pass	AV	11.49252G	51.38	54.00	-2.62	3	Vertical	352	2.56
5745MHz	Pass	PK	11.49168G	64.02	74.00	-9.98	3	Vertical	352	2.56
5745MHz	Pass	PK	17.23512G	61.41	68.20	-6.79	3	Vertical	325	1.65
5745MHz	Pass	AV	11.48976G	52.55	54.00	-1.45	3	Horizontal	335	2.23
5745MHz	Pass	PK	11.4906G	65.16	74.00	-8.84	3	Horizontal	335	2.23
5745MHz	Pass	PK	17.23554G	60.25	68.20	-7.95	3	Horizontal	297	1.14
5785MHz	Pass	AV	5.77766G	117.92	Inf	-Inf	3	Vertical	328	1.29
5785MHz	Pass	PK	5.64577G	64.40	68.20	-3.80	3	Vertical	328	1.29
5785MHz	Pass	PK	5.77887G	127.94	Inf	-Inf	3	Vertical	328	1.29
5785MHz	Pass	PK	5.99183G	56.34	68.20	-11.86	3	Vertical	328	1.29
5785MHz	Pass	AV	11.56838G	52.80	54.00	-1.20	3	Vertical	282	1.60
5785MHz	Pass	PK	11.56814G	65.25	74.00	-8.75	3	Vertical	282	1.60
5785MHz	Pass	PK	17.35908G	59.30	68.20	-8.90	3	Vertical	282	1.50
5785MHz	Pass	AV	11.56376G	52.49	54.00	-1.51	3	Horizontal	290	1.50
5785MHz	Pass	PK	11.56442G	66.14	74.00	-7.86	3	Horizontal	290	1.50
5785MHz	Pass	PK	17.34654G	60.25	68.20	-7.95	3	Horizontal	308	1.91
5825MHz	Pass	AV	5.8178G	116.38	Inf	-Inf	3	Vertical	338	1.41
5825MHz	Pass	PK	5.6378G	60.49	68.20	-7.71	3	Vertical	338	1.41
5825MHz	Pass	PK	5.8178G	126.96	Inf	-Inf	3	Vertical	338	1.41
5825MHz	Pass	PK	5.8574G	98.64	110.13	-11.49	3	Vertical	338	1.41
5825MHz	Pass	AV	11.65012G	49.54	54.00	-4.46	3	Vertical	306	1.41
5825MHz	Pass	PK	11.65072G	62.22	74.00	-11.78	3	Vertical	306	1.41
5825MHz	Pass	PK	17.4801G	57.13	68.20	-11.07	3	Vertical	0	1.50
5825MHz	Pass	AV	11.66428G	37.33	54.00	-16.67	3	Horizontal	250	1.66
5825MHz	Pass	PK	11.65048G	50.30	74.00	-23.70	3	Horizontal	250	1.66
5825MHz	Pass	PK	17.46396G	56.71	68.20	-11.49	3	Horizontal	126	1.50
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	AV	5.4534G	42.27	54.00	-11.73	3	Vertical	356	1.54
5745MHz	Pass	AV	5.7366G	116.81	Inf	-Inf	3	Vertical	356	1.54
5745MHz	Pass	PK	5.6562G	68.30	72.79	-4.49	3	Vertical	356	1.54
5745MHz	Pass	PK	5.7366G	128.79	Inf	-Inf	3	Vertical	356	1.54
5745MHz	Pass	PK	5.9634G	55.69	68.20	-12.51	3	Vertical	356	1.54
5745MHz	Pass	AV	11.4894G	52.35	54.00	-1.65	3	Vertical	287	1.62
5745MHz	Pass	PK	11.48964G	65.94	74.00	-8.06	3	Vertical	287	1.62
5745MHz	Pass	PK	17.22678G	61.66	68.20	-6.54	3	Vertical	303	2.82
5745MHz	Pass	AV	11.48898G	49.56	54.00	-4.44	3	Horizontal	307	2.40
5745MHz	Pass	PK	11.48718G	63.16	74.00	-10.84	3	Horizontal	307	2.40
5745MHz	Pass	PK	17.23872G	59.34	68.20	-8.86	3	Horizontal	341	1.50
5785MHz	Pass	AV	5.77766G	116.56	Inf	-Inf	3	Vertical	354	1.53
5785MHz	Pass	PK	5.6494G	67.46	68.20	-0.74	3	Vertical	354	1.53
5785MHz	Pass	PK	5.77766G	128.66	Inf	-Inf	3	Vertical	354	1.53
5785MHz	Pass	PK	6.05354G	56.68	68.20	-11.52	3	Vertical	354	1.53
5785MHz	Pass	AV	11.56898G	51.45	54.00	-2.55	3	Vertical	270	1.57
5785MHz	Pass	PK	11.56916G	64.38	74.00	-9.62	3	Vertical	270	1.57
5785MHz	Pass	PK	17.35638G	58.37	68.20	-9.83	3	Vertical	334	1.50
5785MHz	Pass	AV	11.56868G	49.44	54.00	-4.56	3	Horizontal	276	1.87
5785MHz	Pass	PK	11.5694G	62.85	74.00	-11.15	3	Horizontal	276	1.87
5785MHz	Pass	PK	17.36052G	58.47	68.20	-9.73	3	Horizontal	329	1.50
5825MHz	Pass	AV	5.8238G	112.58	Inf	-Inf	3	Vertical	22	1.38
5825MHz	Pass	PK	5.651G	65.00	68.94	-3.94	3	Vertical	22	1.38
5825MHz	Pass	PK	5.8238G	124.55	Inf	-Inf	3	Vertical	22	1.38
5825MHz	Pass	PK	5.9666G	56.19	68.20	-12.01	3	Vertical	22	1.38
5825MHz	Pass	AV	11.65012G	49.63	54.00	-4.37	3	Vertical	295	1.34
5825MHz	Pass	PK	11.65018G	62.79	74.00	-11.21	3	Vertical	295	1.34
5825MHz	Pass	PK	17.4753G	64.80	68.20	-3.40	3	Vertical	260	1.26



RSE TX above 1GHz_Non-Beamforming_Radio 3(High Band)


Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz	Pass	AV	11.64898G	52.63	54.00	-1.37	3	Horizontal	241	1.66
5825MHz	Pass	PK	11.65012G	64.97	74.00	-9.03	3	Horizontal	241	1.66
5825MHz	Pass	PK	17.47542G	66.99	68.20	-1.21	3	Horizontal	260	1.18
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	AV	5.4598G	44.12	54.00	-9.88	3	Vertical	18	1.50
5755MHz	Pass	AV	5.7538G	112.19	Inf	-Inf	3	Vertical	18	1.50
5755MHz	Pass	PK	5.6494G	66.38	68.20	-1.82	3	Vertical	18	1.50
5755MHz	Pass	PK	5.7538G	124.36	Inf	-Inf	3	Vertical	18	1.50
5755MHz	Pass	PK	6.055G	59.98	68.20	-8.22	3	Vertical	18	1.50
5755MHz	Pass	AV	11.51036G	47.28	54.00	-6.72	3	Vertical	2	1.58
5755MHz	Pass	PK	11.51048G	60.99	74.00	-13.01	3	Vertical	2	1.58
5755MHz	Pass	PK	17.27532G	57.88	68.20	-10.32	3	Vertical	360	2.71
5755MHz	Pass	AV	11.516G	46.17	54.00	-7.83	3	Horizontal	337	1.60
5755MHz	Pass	PK	11.49608G	59.24	74.00	-14.76	3	Horizontal	337	1.60
5755MHz	Pass	PK	17.26788G	58.40	68.20	-9.80	3	Horizontal	256	1.50
5795MHz	Pass	AV	5.7878G	112.18	Inf	-Inf	3	Vertical	352	1.47
5795MHz	Pass	PK	5.6486G	66.83	68.20	-1.37	3	Vertical	352	1.47
5795MHz	Pass	PK	5.7866G	125.00	Inf	-Inf	3	Vertical	352	1.47
5795MHz	Pass	PK	6.0554G	55.60	68.20	-12.60	3	Vertical	352	1.47
5795MHz	Pass	AV	11.58868G	47.60	54.00	-6.40	3	Vertical	261	1.52
5795MHz	Pass	PK	11.58952G	60.82	74.00	-13.18	3	Vertical	261	1.52
5795MHz	Pass	PK	17.39148G	57.28	68.20	-10.92	3	Vertical	253	1.42
5795MHz	Pass	AV	11.58592G	46.99	54.00	-7.01	3	Horizontal	264	1.62
5795MHz	Pass	PK	11.58652G	59.97	74.00	-14.03	3	Horizontal	264	1.62
5795MHz	Pass	PK	17.4054G	57.35	68.20	-10.85	3	Horizontal	323	1.50
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.7942G	106.06	Inf	-Inf	3	Vertical	11	1.24
5775MHz	Pass	PK	5.6526G	67.55	70.12	-2.57	3	Vertical	11	1.24
5775MHz	Pass	PK	5.7942G	117.70	Inf	-Inf	3	Vertical	11	1.24
5775MHz	Pass	PK	5.9646G	56.18	68.20	-12.02	3	Vertical	11	1.24
5775MHz	Pass	AV	11.5488G	39.34	54.00	-14.66	3	Vertical	331	1.50
5775MHz	Pass	PK	11.56872G	51.76	74.00	-22.24	3	Vertical	331	1.50
5775MHz	Pass	PK	17.27412G	58.60	68.20	-9.60	3	Vertical	76	1.50
5775MHz	Pass	AV	11.54904G	39.89	54.00	-14.11	3	Horizontal	328	1.84
5775MHz	Pass	PK	11.54856G	53.46	74.00	-20.54	3	Horizontal	328	1.84
5775MHz	Pass	PK	17.3526G	58.72	68.20	-9.48	3	Horizontal	71	1.50



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4498G	44.62	54.00	-9.38	4.50	3	Vertical	338	1.37	40.12	32.60	6.63	34.73
AV	5.7378G	119.24	Inf	-Inf	5.64	3	Vertical	338	1.37	113.60	33.55	6.86	34.77
PK	5.6466G	67.11	68.20	-1.09	5.04	3	Vertical	338	1.37	62.07	32.99	6.80	34.75
PK	5.7378G	129.07	Inf	-Inf	5.64	3	Vertical	338	1.37	123.43	33.55	6.86	34.77
PK	5.9946G	59.58	68.20	-8.62	6.16	3	Vertical	338	1.37	53.42	33.91	7.07	34.82

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49252G	51.38	54.00	-2.62	15.87	3	Vertical	352	2.56	35.51	38.89	11.43	34.45
PK	11.49168G	64.02	74.00	-9.98	15.86	3	Vertical	352	2.56	48.16	38.88	11.43	34.45
PK	17.23512G	61.41	68.20	-6.79	17.79	3	Vertical	325	1.65	43.62	38.07	13.00	33.28

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48976G	52.55	54.00	-1.45	15.86	3	Horizontal	335	2.23	36.69	38.88	11.43	34.45
PK	11.4906G	65.16	74.00	-8.84	15.86	3	Horizontal	335	2.23	49.30	38.88	11.43	34.45
PK	17.23554G	60.25	68.20	-7.95	17.79	3	Horizontal	297	1.14	42.46	38.07	13.00	33.28

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.77766G	116.56	Inf	-Inf	5.88	3	Vertical	354	1.53	110.68	33.77	6.89	34.78
PK	5.6494G	67.46	68.20	-0.74	5.05	3	Vertical	354	1.53	62.41	33.00	6.80	34.75
PK	5.77766G	128.66	Inf	-Inf	5.88	3	Vertical	354	1.53	122.78	33.77	6.89	34.78
PK	6.05354G	56.68	68.20	-11.52	6.18	3	Vertical	354	1.53	50.50	33.89	7.10	34.81

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56898G	51.45	54.00	-2.55	15.57	3	Vertical	270	1.57	35.88	38.59	11.46	34.48
PK	11.56916G	64.38	74.00	-9.62	15.57	3	Vertical	270	1.57	48.81	38.59	11.46	34.48
PK	17.35638G	58.37	68.20	-9.83	17.85	3	Vertical	334	1.50	40.52	38.13	13.06	33.34

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56868G	49.44	54.00	-4.56	15.57	3	Horizontal	276	1.87	33.87	38.59	11.46	34.48
PK	11.5694G	62.85	74.00	-11.15	15.56	3	Horizontal	276	1.87	47.29	38.58	11.46	34.48
PK	17.36052G	58.47	68.20	-9.73	17.86	3	Horizontal	329	1.50	40.61	38.14	13.06	33.34

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7878G	112.18	Inf	-Inf	5.94	3	Vertical	352	1.47	106.24	33.83	6.89	34.78
PK	5.6486G	66.83	68.20	-1.37	5.04	3	Vertical	352	1.47	61.79	32.99	6.80	34.75
PK	5.7866G	125.00	Inf	-Inf	5.93	3	Vertical	352	1.47	119.07	33.82	6.89	34.78
PK	6.0554G	55.60	68.20	-12.60	6.18	3	Vertical	352	1.47	49.42	33.89	7.10	34.81

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58868G	47.60	54.00	-6.40	15.45	3	Vertical	261	1.52	32.15	38.47	11.47	34.49
PK	11.58952G	60.82	74.00	-13.18	15.44	3	Vertical	261	1.52	45.38	38.46	11.47	34.49
PK	17.39148G	57.28	68.20	-10.92	17.99	3	Vertical	253	1.42	39.29	38.27	13.07	33.35

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58592G	46.99	54.00	-7.01	15.46	3	Horizontal	264	1.62	31.53	38.48	11.47	34.49
PK	11.58652G	59.97	74.00	-14.03	15.46	3	Horizontal	264	1.62	44.51	38.48	11.47	34.49
PK	17.4054G	57.35	68.20	-10.85	18.02	3	Horizontal	323	1.50	39.33	38.30	13.08	33.36

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7942G	106.06	Inf	-Inf	5.99	3	Vertical	11	1.24	100.07	33.87	6.90	34.78
PK	5.6526G	67.55	70.12	-2.57	5.07	3	Vertical	11	1.24	62.48	33.02	6.80	34.75
PK	5.7942G	117.70	Inf	-Inf	5.99	3	Vertical	11	1.24	111.71	33.87	6.90	34.78
PK	5.9646G	56.18	68.20	-12.02	6.20	3	Vertical	11	1.24	49.98	33.97	7.04	34.81

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5488G	39.34	54.00	-14.66	15.68	3	Vertical	331	1.50	23.66	38.70	11.45	34.47
PK	11.56872G	51.76	74.00	-22.24	15.57	3	Vertical	331	1.50	36.19	38.59	11.46	34.48
PK	17.27412G	58.60	68.20	-9.60	17.82	3	Vertical	76	1.50	40.78	38.10	13.02	33.30

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54904G	39.89	54.00	-14.11	15.68	3	Horizontal	328	1.84	24.21	38.70	11.45	34.47
PK	11.54856G	53.46	74.00	-20.54	15.69	3	Horizontal	328	1.84	37.77	38.71	11.45	34.47
PK	17.3526G	58.72	68.20	-9.48	17.83	3	Horizontal	71	1.50	40.89	38.11	13.06	33.34



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1494G	53.62	54.00	-0.38	3	Vertical	0	2.25
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.11	54.00	-0.89	3	Vertical	118	1.97
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.22	54.00	-0.78	3	Vertical	186	2.07
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.445G	49.73	54.00	-4.27	3	Vertical	15	2.13
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6446G	65.64	68.20	-2.56	3	Vertical	188	2.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6466G	66.63	68.20	-1.57	3	Vertical	0	2.27



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	PK	5.1468G	65.53	74.00	-8.47	3	Vertical	0	2.25
5180MHz	Pass	AV	5.1494G	53.62	54.00	-0.38	3	Vertical	0	2.25
5180MHz	Pass	PK	5.1806G	124.09	Inf	-Inf	3	Vertical	0	2.25
5180MHz	Pass	AV	5.1768G	112.26	Inf	-Inf	3	Vertical	0	2.25
5180MHz	Pass	AV	15.54222G	41.83	54.00	-12.17	3	Vertical	293	1.79
5180MHz	Pass	PK	10.36002G	49.83	68.20	-18.37	3	Vertical	330	2.44
5180MHz	Pass	PK	15.54074G	54.96	74.00	-19.04	3	Vertical	293	1.79
5180MHz	Pass	AV	15.5418G	41.83	54.00	-12.17	3	Horizontal	41	1.90
5180MHz	Pass	PK	10.36026G	49.83	68.20	-18.37	3	Horizontal	6	1.38
5180MHz	Pass	PK	15.54354G	54.13	74.00	-19.87	3	Horizontal	41	1.90
5200MHz	Pass	AV	5.1496G	52.12	54.00	-1.88	3	Vertical	178	2.06
5200MHz	Pass	AV	5.1972G	113.06	Inf	-Inf	3	Vertical	178	2.06
5200MHz	Pass	PK	5.1496G	65.03	74.00	-8.97	3	Vertical	178	2.06
5200MHz	Pass	PK	5.1964G	125.97	Inf	-Inf	3	Vertical	178	2.06
5200MHz	Pass	AV	15.59642G	42.40	54.00	-11.60	3	Vertical	302	1.91
5200MHz	Pass	PK	10.39776G	51.58	68.20	-16.62	3	Vertical	3	1.30
5200MHz	Pass	PK	15.60176G	56.37	74.00	-17.63	3	Vertical	302	1.91
5200MHz	Pass	AV	15.59674G	42.44	54.00	-11.56	3	Horizontal	304	1.01
5200MHz	Pass	PK	10.3998G	49.48	68.20	-18.72	3	Horizontal	3	1.46
5200MHz	Pass	PK	15.59752G	55.93	74.00	-18.07	3	Horizontal	304	1.01
5240MHz	Pass	AV	5.1452G	51.15	54.00	-2.85	3	Vertical	178	2.00
5240MHz	Pass	AV	5.2388G	112.44	Inf	-Inf	3	Vertical	178	2.00
5240MHz	Pass	AV	5.3528G	50.54	54.00	-3.46	3	Vertical	178	2.00
5240MHz	Pass	PK	5.1362G	64.47	74.00	-9.53	3	Vertical	178	2.00
5240MHz	Pass	PK	5.2376G	125.46	Inf	-Inf	3	Vertical	178	2.00
5240MHz	Pass	PK	5.366G	63.76	74.00	-10.24	3	Vertical	178	2.00
5240MHz	Pass	AV	15.72014G	41.77	54.00	-12.23	3	Vertical	166	1.19
5240MHz	Pass	PK	10.4763G	52.74	68.20	-15.46	3	Vertical	343	1.65
5240MHz	Pass	PK	15.71628G	55.01	74.00	-18.99	3	Vertical	166	1.19
5240MHz	Pass	AV	15.71798G	41.71	54.00	-12.29	3	Horizontal	238	2.99
5240MHz	Pass	PK	10.48012G	49.92	68.20	-18.28	3	Horizontal	0	1.48
5240MHz	Pass	PK	15.72086G	55.47	74.00	-18.53	3	Horizontal	238	2.99
5745MHz	Pass	AV	5.445G	49.73	54.00	-4.27	3	Vertical	15	2.13
5745MHz	Pass	AV	5.7402G	110.45	Inf	-Inf	3	Vertical	15	2.13
5745MHz	Pass	PK	5.6442G	63.70	68.20	-4.50	3	Vertical	15	2.13
5745MHz	Pass	PK	5.7498G	123.53	Inf	-Inf	3	Vertical	15	2.13
5745MHz	Pass	PK	5.9454G	63.40	68.20	-4.80	3	Vertical	15	2.13
5745MHz	Pass	AV	11.49038G	41.91	54.00	-12.09	3	Vertical	357	1.40
5745MHz	Pass	PK	11.48932G	56.83	74.00	-17.17	3	Vertical	357	1.40
5745MHz	Pass	PK	17.23112G	57.91	68.20	-10.29	3	Vertical	32	2.54
5745MHz	Pass	AV	11.49G	47.80	54.00	-6.20	3	Horizontal	327	1.50
5745MHz	Pass	PK	11.48984G	59.02	74.00	-14.98	3	Horizontal	327	1.50
5745MHz	Pass	PK	17.23328G	57.12	68.20	-11.08	3	Horizontal	119	1.38
5785MHz	Pass	AV	5.7826G	110.89	Inf	-Inf	3	Vertical	120	1.90
5785MHz	Pass	PK	5.5918G	62.96	68.20	-5.24	3	Vertical	120	1.90
5785MHz	Pass	PK	5.779G	122.98	Inf	-Inf	3	Vertical	120	1.90
5785MHz	Pass	PK	6.037G	63.49	68.20	-4.71	3	Vertical	120	1.90
5785MHz	Pass	AV	11.57G	45.85	54.00	-8.15	3	Vertical	3	1.50
5785MHz	Pass	PK	11.57004G	51.58	74.00	-22.42	3	Vertical	3	1.50
5785MHz	Pass	PK	17.35724G	57.25	68.20	-10.95	3	Vertical	68	2.52
5785MHz	Pass	AV	11.56996G	46.74	54.00	-7.26	3	Horizontal	324	1.50
5785MHz	Pass	PK	11.57916G	53.19	74.00	-20.81	3	Horizontal	324	1.50
5785MHz	Pass	PK	17.34608G	56.53	68.20	-11.67	3	Horizontal	127	2.79
5825MHz	Pass	AV	5.8238G	110.22	Inf	-Inf	3	Vertical	131	1.94
5825MHz	Pass	PK	5.6078G	63.15	68.20	-5.05	3	Vertical	131	1.94
5825MHz	Pass	PK	5.8286G	121.60	Inf	-Inf	3	Vertical	131	1.94
5825MHz	Pass	PK	6.005G	63.25	68.20	-4.95	3	Vertical	131	1.94
5825MHz	Pass	AV	11.64996G	44.38	54.00	-9.62	3	Vertical	359	1.50
5825MHz	Pass	PK	11.65012G	52.49	74.00	-21.51	3	Vertical	359	1.50
5825MHz	Pass	PK	17.46972G	56.24	68.20	-11.96	3	Vertical	272	1.81



RSE TX above 1GHz_Beamforming_Radio 2

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz	Pass	AV	11.65G	44.88	54.00	-9.12	3	Horizontal	324	1.50
5825MHz	Pass	PK	11.64992G	54.11	74.00	-19.89	3	Horizontal	324	1.50
5825MHz	Pass	PK	17.47596G	56.35	68.20	-11.85	3	Horizontal	116	2.63
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.11	54.00	-0.89	3	Vertical	118	1.97
5190MHz	Pass	AV	5.1876G	101.65	Inf	-Inf	3	Vertical	118	1.97
5190MHz	Pass	PK	5.1484G	65.44	74.00	-8.56	3	Vertical	118	1.97
5190MHz	Pass	PK	5.1832G	113.82	Inf	-Inf	3	Vertical	118	1.97
5190MHz	Pass	AV	15.5658G	42.81	54.00	-11.19	3	Vertical	22	1.90
5190MHz	Pass	PK	10.3806G	48.38	68.20	-19.82	3	Vertical	317	1.40
5190MHz	Pass	PK	15.5675G	56.63	74.00	-17.37	3	Vertical	22	1.90
5190MHz	Pass	AV	15.56828G	42.82	54.00	-11.18	3	Horizontal	180	2.27
5190MHz	Pass	PK	10.37992G	49.10	68.20	-19.10	3	Horizontal	346	1.32
5190MHz	Pass	PK	15.56884G	55.80	74.00	-18.20	3	Horizontal	180	2.27
5230MHz	Pass	AV	5.15G	52.85	54.00	-1.15	3	Vertical	162	2.04
5230MHz	Pass	AV	5.2288G	109.91	Inf	-Inf	3	Vertical	162	2.04
5230MHz	Pass	PK	5.1452G	67.68	74.00	-6.32	3	Vertical	162	2.04
5230MHz	Pass	PK	5.238G	122.45	Inf	-Inf	3	Vertical	162	2.04
5230MHz	Pass	AV	15.68974G	41.91	54.00	-12.09	3	Vertical	80	2.27
5230MHz	Pass	PK	10.45658G	50.08	68.20	-18.12	3	Vertical	351	1.48
5230MHz	Pass	PK	15.6948G	55.63	74.00	-18.37	3	Vertical	80	2.27
5230MHz	Pass	AV	15.6872G	41.81	54.00	-12.19	3	Horizontal	179	1.17
5230MHz	Pass	PK	10.4599G	50.37	68.20	-17.83	3	Horizontal	9	1.49
5230MHz	Pass	PK	15.691G	55.36	74.00	-18.64	3	Horizontal	179	1.17
5755MHz	Pass	AV	5.4598G	49.73	54.00	-4.27	3	Vertical	188	2.00
5755MHz	Pass	AV	5.7526G	108.43	Inf	-Inf	3	Vertical	188	2.00
5755MHz	Pass	PK	5.6446G	65.64	68.20	-2.56	3	Vertical	188	2.00
5755MHz	Pass	PK	5.749G	119.89	Inf	-Inf	3	Vertical	188	2.00
5755MHz	Pass	PK	5.9806G	63.73	68.20	-4.47	3	Vertical	188	2.00
5755MHz	Pass	AV	11.50996G	43.36	54.00	-10.64	3	Vertical	37	1.47
5755MHz	Pass	PK	11.50986G	52.16	74.00	-21.84	3	Vertical	37	1.47
5755MHz	Pass	PK	17.26286G	56.85	68.20	-11.35	3	Vertical	340	2.30
5755MHz	Pass	AV	11.50993G	46.07	54.00	-7.93	3	Horizontal	357	1.50
5755MHz	Pass	PK	11.50997G	55.57	74.00	-18.43	3	Horizontal	357	1.50
5755MHz	Pass	PK	17.26443G	57.55	68.20	-10.65	3	Horizontal	274	1.11
5795MHz	Pass	AV	5.7914G	108.41	Inf	-Inf	3	Vertical	113	1.86
5795MHz	Pass	PK	5.5658G	63.57	68.20	-4.63	3	Vertical	113	1.86
5795MHz	Pass	PK	5.7806G	119.75	Inf	-Inf	3	Vertical	113	1.86
5795MHz	Pass	PK	5.9906G	63.82	68.20	-4.38	3	Vertical	113	1.86
5795MHz	Pass	AV	11.58998G	45.04	54.00	-8.96	3	Vertical	34	1.50
5795MHz	Pass	PK	11.59014G	51.36	74.00	-22.64	3	Vertical	34	1.50
5795MHz	Pass	PK	17.38884G	57.23	68.20	-10.97	3	Vertical	65	1.74
5795MHz	Pass	AV	11.58998G	45.49	54.00	-8.51	3	Horizontal	357	1.50
5795MHz	Pass	PK	11.58998G	52.32	74.00	-21.68	3	Horizontal	357	1.50
5795MHz	Pass	PK	17.38362G	56.60	68.20	-11.60	3	Horizontal	253	2.40
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.22	54.00	-0.78	3	Vertical	186	2.07
5210MHz	Pass	AV	5.203G	99.07	Inf	-Inf	3	Vertical	186	2.07
5210MHz	Pass	AV	5.376G	42.92	54.00	-11.08	3	Vertical	186	2.07
5210MHz	Pass	PK	5.15G	65.61	74.00	-8.39	3	Vertical	186	2.07
5210MHz	Pass	PK	5.205G	111.58	Inf	-Inf	3	Vertical	186	2.07
5210MHz	Pass	PK	5.351G	55.51	74.00	-18.49	3	Vertical	186	2.07
5210MHz	Pass	AV	15.62768G	41.89	54.00	-12.11	3	Vertical	22	1.65
5210MHz	Pass	PK	10.41744G	47.19	68.20	-21.01	3	Vertical	353	1.50
5210MHz	Pass	PK	15.63066G	55.32	74.00	-18.68	3	Vertical	22	1.65
5210MHz	Pass	AV	15.62502G	41.86	54.00	-12.14	3	Horizontal	9	2.83
5210MHz	Pass	PK	10.41995G	48.42	68.20	-19.78	3	Horizontal	6	1.37
5210MHz	Pass	PK	15.63482G	56.33	74.00	-17.67	3	Horizontal	9	2.83
5775MHz	Pass	AV	5.7738G	105.65	Inf	-Inf	3	Vertical	0	2.27
5775MHz	Pass	PK	5.6466G	66.63	68.20	-1.57	3	Vertical	0	2.27
5775MHz	Pass	PK	5.7894G	116.98	Inf	-Inf	3	Vertical	0	2.27
5775MHz	Pass	PK	6.0054G	64.16	68.20	-4.04	3	Vertical	0	2.27




RSE TX above 1GHz_Beamforming_Radio 2

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5775MHz	Pass	AV	11.54996G	43.96	54.00	-10.04	3	Vertical	33	1.50
5775MHz	Pass	PK	11.55002G	51.29	74.00	-22.71	3	Vertical	33	1.50
5775MHz	Pass	PK	17.32283G	56.39	68.20	-11.81	3	Vertical	281	2.42
5775MHz	Pass	AV	11.54997G	45.70	54.00	-8.30	3	Horizontal	353	1.50
5775MHz	Pass	PK	11.5498G	52.25	74.00	-21.75	3	Horizontal	353	1.50
5775MHz	Pass	PK	17.32746G	57.52	68.20	-10.68	3	Horizontal	183	1.90

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	65.53	74.00	-8.47	5.09	3	Vertical	0	2.25	60.44	33.08	6.77	34.76
AV	5.1494G	53.62	54.00	-0.38	5.11	3	Vertical	0	2.25	48.51	33.10	6.77	34.76
PK	5.1806G	124.09	Inf	-Inf	5.01	3	Vertical	0	2.25	119.08	32.98	6.78	34.75
AV	5.1768G	112.26	Inf	-Inf	5.02	3	Vertical	0	2.25	107.24	32.99	6.78	34.75

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54222G	41.83	54.00	-12.17	16.80	3	Vertical	293	1.79	25.03	38.12	13.01	34.33
PK	10.36002G	49.83	68.20	-18.37	13.97	3	Vertical	330	2.44	35.86	38.60	10.33	34.96
PK	15.54074G	54.96	74.00	-19.04	16.80	3	Vertical	293	1.79	38.16	38.12	13.01	34.33

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5418G	41.83	54.00	-12.17	16.80	3	Horizontal	41	1.90	25.03	38.12	13.01	34.33
PK	10.36026G	49.83	68.20	-18.37	13.97	3	Horizontal	6	1.38	35.86	38.60	10.33	34.96
PK	15.54354G	54.13	74.00	-19.87	16.79	3	Horizontal	41	1.90	37.34	38.11	13.01	34.33

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.11	54.00	-0.89	5.11	3	Vertical	118	1.97	48.00	33.10	6.77	34.76
AV	5.1876G	101.65	Inf	-Inf	4.99	3	Vertical	118	1.97	96.66	32.95	6.79	34.75
PK	5.1484G	65.44	74.00	-8.56	5.10	3	Vertical	118	1.97	60.34	33.09	6.77	34.76
PK	5.1832G	113.82	Inf	-Inf	5.00	3	Vertical	118	1.97	108.82	32.97	6.78	34.75

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5658G	42.81	54.00	-11.19	16.75	3	Vertical	22	1.90	26.06	38.07	13.03	34.35
PK	10.3806G	48.38	68.20	-19.82	14.00	3	Vertical	317	1.40	34.38	38.60	10.34	34.94
PK	15.5675G	56.63	74.00	-17.37	16.74	3	Vertical	22	1.90	39.89	38.06	13.03	34.35

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56828G	42.82	54.00	-11.18	16.74	3	Horizontal	180	2.27	26.08	38.06	13.03	34.35
PK	10.37992G	49.10	68.20	-19.10	14.00	3	Horizontal	346	1.32	35.10	38.60	10.34	34.94
PK	15.56884G	55.80	74.00	-18.20	16.73	3	Horizontal	180	2.27	39.07	38.06	13.03	34.36

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.22	54.00	-0.78	5.11	3	Vertical	186	2.07	48.11	33.10	6.77	34.76
AV	5.203G	99.07	Inf	-Inf	4.93	3	Vertical	186	2.07	94.14	32.89	6.79	34.75
AV	5.376G	42.92	54.00	-11.08	4.97	3	Vertical	186	2.07	37.95	32.65	7.05	34.73
PK	5.15G	65.61	74.00	-8.39	5.11	3	Vertical	186	2.07	60.50	33.10	6.77	34.76
PK	5.205G	111.58	Inf	-Inf	4.94	3	Vertical	186	2.07	106.64	32.89	6.80	34.75
PK	5.351G	55.51	74.00	-18.49	4.99	3	Vertical	186	2.07	50.52	32.70	7.02	34.73

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62768G	41.89	54.00	-12.11	16.56	3	Vertical	22	1.65	25.33	37.89	13.07	34.40
PK	10.41744G	47.19	68.20	-21.01	14.03	3	Vertical	353	1.50	33.16	38.60	10.35	34.92
PK	15.63066G	55.32	74.00	-18.68	16.55	3	Vertical	22	1.65	38.77	37.88	13.07	34.40

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62502G	41.86	54.00	-12.14	16.57	3	Horizontal	9	2.83	25.29	37.90	13.07	34.40
PK	10.41995G	48.42	68.20	-19.78	14.03	3	Horizontal	6	1.37	34.39	38.60	10.35	34.92
PK	15.63482G	56.33	74.00	-17.67	16.53	3	Horizontal	9	2.83	39.80	37.86	13.08	34.41

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	49.73	54.00	-4.27	4.98	3	Vertical	15	2.13	44.75	32.60	7.11	34.73
AV	5.7402G	110.45	Inf	-Inf	6.00	3	Vertical	15	2.13	104.45	33.56	7.21	34.77
PK	5.6442G	63.70	68.20	-4.50	5.41	3	Vertical	15	2.13	58.29	32.98	7.18	34.75
PK	5.7498G	123.53	Inf	-Inf	6.04	3	Vertical	15	2.13	117.49	33.60	7.21	34.77
PK	5.9454G	63.40	68.20	-4.80	6.51	3	Vertical	15	2.13	56.89	34.01	7.31	34.81

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49038G	41.91	54.00	-12.09	15.02	3	Vertical	357	1.40	26.89	38.88	10.59	34.45
PK	11.48932G	56.83	74.00	-17.17	15.02	3	Vertical	357	1.40	41.81	38.88	10.59	34.45
PK	17.23112G	57.91	68.20	-10.29	18.56	3	Vertical	32	2.54	39.35	38.06	13.78	33.28

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49G	47.80	54.00	-6.20	15.02	3	Horizontal	327	1.50	32.78	38.88	10.59	34.45
PK	11.48984G	59.02	74.00	-14.98	15.02	3	Horizontal	327	1.50	44.00	38.88	10.59	34.45
PK	17.23328G	57.12	68.20	-11.08	18.57	3	Horizontal	119	1.38	38.55	38.07	13.78	33.28

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	49.73	54.00	-4.27	5.01	3	Vertical	188	2.00	44.72	32.62	7.11	34.72
AV	5.7526G	108.43	Inf	-Inf	6.06	3	Vertical	188	2.00	102.37	33.62	7.21	34.77
PK	5.6446G	65.64	68.20	-2.56	5.41	3	Vertical	188	2.00	60.23	32.98	7.18	34.75
PK	5.749G	119.89	Inf	-Inf	6.04	3	Vertical	188	2.00	113.85	33.60	7.21	34.77
PK	5.9806G	63.73	68.20	-4.47	6.45	3	Vertical	188	2.00	57.28	33.94	7.33	34.82

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50996G	43.36	54.00	-10.64	15.01	3	Vertical	37	1.47	28.35	38.86	10.60	34.45
PK	11.50986G	52.16	74.00	-21.84	15.01	3	Vertical	37	1.47	37.15	38.86	10.60	34.45
PK	17.26286G	56.85	68.20	-11.35	18.59	3	Vertical	340	2.30	38.26	38.10	13.79	33.30

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50993G	46.07	54.00	-7.93	15.01	3	Horizontal	357	1.50	31.06	38.86	10.60	34.45
PK	11.50997G	55.57	74.00	-18.43	15.01	3	Horizontal	357	1.50	40.56	38.86	10.60	34.45
PK	17.26443G	57.55	68.20	-10.65	18.59	3	Horizontal	274	1.11	38.96	38.10	13.79	33.30

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7738G	105.65	Inf	-Inf	6.19	3	Vertical	0	2.27	99.46	33.74	7.22	34.77
PK	5.6466G	66.63	68.20	-1.57	5.42	3	Vertical	0	2.27	61.21	32.99	7.18	34.75
PK	5.7894G	116.98	Inf	-Inf	6.29	3	Vertical	0	2.27	110.69	33.84	7.23	34.78
PK	6.0054G	64.16	68.20	-4.04	6.42	3	Vertical	0	2.27	57.74	33.90	7.34	34.82

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54996G	43.96	54.00	-10.04	14.84	3	Vertical	33	1.50	29.12	38.70	10.61	34.47
PK	11.55002G	51.29	74.00	-22.71	14.84	3	Vertical	33	1.50	36.45	38.70	10.61	34.47
PK	17.32283G	56.39	68.20	-11.81	18.59	3	Vertical	281	2.42	37.80	38.10	13.81	33.32

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54997G	45.70	54.00	-8.30	14.84	3	Horizontal	353	1.50	30.86	38.70	10.61	34.47
PK	11.5498G	52.25	74.00	-21.75	14.84	3	Horizontal	353	1.50	37.41	38.70	10.61	34.47
PK	17.32746G	57.52	68.20	-10.68	18.59	3	Horizontal	183	1.90	38.93	38.10	13.81	33.32



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.54	54.00	-0.46	3	Vertical	183	1.99
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.44	54.00	-0.56	3	Vertical	181	2.01
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.149G	53.38	54.00	-0.62	3	Vertical	184	2.19



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	53.54	54.00	-0.46	3	Vertical	183	1.99
5180MHz	Pass	AV	5.1774G	109.78	Inf	-Inf	3	Vertical	183	1.99
5180MHz	Pass	PK	5.1474G	66.65	74.00	-7.35	3	Vertical	183	1.99
5180MHz	Pass	PK	5.181G	124.22	Inf	-Inf	3	Vertical	183	1.99
5180MHz	Pass	AV	15.53908G	43.56	54.00	-10.44	3	Vertical	287	2.83
5180MHz	Pass	PK	10.35989G	51.31	68.20	-16.89	3	Vertical	14	1.34
5180MHz	Pass	PK	15.53766G	56.91	74.00	-17.09	3	Vertical	287	2.83
5180MHz	Pass	AV	15.54049G	43.48	54.00	-10.52	3	Horizontal	61	2.43
5180MHz	Pass	PK	10.35971G	49.42	68.20	-18.78	3	Horizontal	9	1.50
5180MHz	Pass	PK	15.5419G	56.19	74.00	-17.81	3	Horizontal	61	2.43
5200MHz	Pass	AV	5.1496G	51.56	54.00	-2.44	3	Vertical	183	1.99
5200MHz	Pass	AV	5.1948G	112.14	Inf	-Inf	3	Vertical	183	1.99
5200MHz	Pass	PK	5.14G	63.88	74.00	-10.12	3	Vertical	183	1.99
5200MHz	Pass	PK	5.2024G	124.96	Inf	-Inf	3	Vertical	183	1.99
5200MHz	Pass	AV	15.60018G	42.46	54.00	-11.54	3	Vertical	268	1.24
5200MHz	Pass	PK	10.40005G	50.65	68.20	-17.55	3	Vertical	15	2.59
5200MHz	Pass	PK	15.60157G	55.45	74.00	-18.55	3	Vertical	268	1.24
5200MHz	Pass	AV	15.59762G	42.46	54.00	-11.54	3	Horizontal	70	2.74
5200MHz	Pass	PK	10.40005G	51.64	68.20	-16.56	3	Horizontal	15	1.39
5200MHz	Pass	PK	15.59913G	55.81	74.00	-18.19	3	Horizontal	70	2.74
5240MHz	Pass	AV	5.1464G	50.45	54.00	-3.55	3	Vertical	142	2.03
5240MHz	Pass	AV	5.2436G	111.28	Inf	-Inf	3	Vertical	142	2.03
5240MHz	Pass	AV	5.3516G	50.04	54.00	-3.96	3	Vertical	142	2.03
5240MHz	Pass	PK	5.141G	64.67	74.00	-9.33	3	Vertical	142	2.03
5240MHz	Pass	PK	5.2424G	123.94	Inf	-Inf	3	Vertical	142	2.03
5240MHz	Pass	PK	5.3666G	62.56	74.00	-11.44	3	Vertical	142	2.03
5240MHz	Pass	AV	15.71866G	43.61	54.00	-10.39	3	Vertical	171	1.02
5240MHz	Pass	PK	10.47996G	51.87	68.20	-16.33	3	Vertical	355	1.69
5240MHz	Pass	PK	15.71957G	58.34	74.00	-15.66	3	Vertical	171	1.02
5240MHz	Pass	AV	15.71874G	43.56	54.00	-10.44	3	Horizontal	268	1.42
5240MHz	Pass	PK	10.47976G	51.73	68.20	-16.47	3	Horizontal	6	1.36
5240MHz	Pass	PK	15.71871G	57.78	74.00	-16.22	3	Horizontal	268	1.42
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.44	54.00	-0.56	3	Vertical	181	2.01
5190MHz	Pass	AV	5.1912G	102.24	Inf	-Inf	3	Vertical	181	2.01
5190MHz	Pass	PK	5.1496G	66.54	74.00	-7.46	3	Vertical	181	2.01
5190MHz	Pass	PK	5.1928G	115.63	Inf	-Inf	3	Vertical	181	2.01
5190MHz	Pass	AV	15.56192G	43.27	54.00	-10.73	3	Vertical	17	2.24
5190MHz	Pass	PK	10.37876G	49.42	68.20	-18.78	3	Vertical	0	1.00
5190MHz	Pass	PK	15.57712G	55.46	74.00	-18.54	3	Vertical	17	2.24
5190MHz	Pass	AV	15.56196G	43.26	54.00	-10.74	3	Horizontal	324	1.57
5190MHz	Pass	PK	10.38019G	49.86	68.20	-18.34	3	Horizontal	7	1.78
5190MHz	Pass	PK	15.56312G	55.84	74.00	-18.16	3	Horizontal	324	1.57
5230MHz	Pass	AV	5.1492G	50.94	54.00	-3.06	3	Vertical	236	2.03
5230MHz	Pass	AV	5.2328G	107.26	Inf	-Inf	3	Vertical	236	2.03
5230MHz	Pass	PK	5.1396G	63.56	74.00	-10.44	3	Vertical	236	2.03
5230MHz	Pass	PK	5.2388G	119.81	Inf	-Inf	3	Vertical	236	2.03
5230MHz	Pass	AV	15.68834G	42.04	54.00	-11.96	3	Vertical	271	1.88
5230MHz	Pass	PK	10.4599G	50.20	68.20	-18.00	3	Vertical	354	1.72
5230MHz	Pass	PK	15.68985G	55.66	74.00	-18.34	3	Vertical	271	1.88
5230MHz	Pass	AV	15.69091G	42.04	54.00	-11.96	3	Horizontal	282	1.37
5230MHz	Pass	PK	10.4598G	50.47	68.20	-17.73	3	Horizontal	13	1.50
5230MHz	Pass	PK	15.6923G	55.52	74.00	-18.48	3	Horizontal	282	1.37
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	53.38	54.00	-0.62	3	Vertical	184	2.19
5210MHz	Pass	AV	5.197G	98.93	Inf	-Inf	3	Vertical	184	2.19
5210MHz	Pass	AV	5.355G	49.95	54.00	-4.05	3	Vertical	184	2.19
5210MHz	Pass	PK	5.14G	65.51	74.00	-8.49	3	Vertical	184	2.19
5210MHz	Pass	PK	5.202G	111.31	Inf	-Inf	3	Vertical	184	2.19
5210MHz	Pass	PK	5.353G	62.62	74.00	-11.38	3	Vertical	184	2.19



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	AV	15.62856G	42.33	54.00	-11.67	3	Vertical	6	2.00
5210MHz	Pass	PK	10.42002G	48.85	68.20	-19.35	3	Vertical	22	1.67
5210MHz	Pass	PK	15.62928G	55.38	74.00	-18.62	3	Vertical	6	2.00
5210MHz	Pass	AV	15.62824G	42.02	54.00	-11.98	3	Horizontal	335	1.98
5210MHz	Pass	PK	10.42014G	48.62	68.20	-19.58	3	Horizontal	12	1.30
5210MHz	Pass	PK	15.63142G	56.45	74.00	-17.55	3	Horizontal	335	1.98

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.54	54.00	-0.46	5.11	3	Vertical	183	1.99	48.43	33.10	6.77	34.76
AV	5.1774G	109.78	Inf	-Inf	5.02	3	Vertical	183	1.99	104.76	32.99	6.78	34.75
PK	5.1474G	66.65	74.00	-7.35	5.09	3	Vertical	183	1.99	61.56	33.08	6.77	34.76
PK	5.181G	124.22	Inf	-Inf	5.01	3	Vertical	183	1.99	119.21	32.98	6.78	34.75

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53908G	43.56	54.00	-10.44	16.80	3	Vertical	287	2.83	26.76	38.12	13.01	34.33
PK	10.35989G	51.31	68.20	-16.89	13.97	3	Vertical	14	1.34	37.34	38.60	10.33	34.96
PK	15.53766G	56.91	74.00	-17.09	16.79	3	Vertical	287	2.83	40.12	38.12	13.00	34.33

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54049G	43.48	54.00	-10.52	16.80	3	Horizontal	61	2.43	26.68	38.12	13.01	34.33
PK	10.35971G	49.42	68.20	-18.78	13.97	3	Horizontal	9	1.50	35.45	38.60	10.33	34.96
PK	15.5419G	56.19	74.00	-17.81	16.80	3	Horizontal	61	2.43	39.39	38.12	13.01	34.33

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.44	54.00	-0.56	5.11	3	Vertical	181	2.01	48.33	33.10	6.77	34.76
AV	5.1912G	102.24	Inf	-Inf	4.98	3	Vertical	181	2.01	97.26	32.94	6.79	34.75
PK	5.1496G	66.54	74.00	-7.46	5.11	3	Vertical	181	2.01	61.43	33.10	6.77	34.76
PK	5.1928G	115.63	Inf	-Inf	4.97	3	Vertical	181	2.01	110.66	32.93	6.79	34.75

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56192G	43.27	54.00	-10.73	16.75	3	Vertical	17	2.24	26.52	38.08	13.02	34.35
PK	10.37876G	49.42	68.20	-18.78	14.00	3	Vertical	0	1.00	35.42	38.60	10.34	34.94
PK	15.57712G	55.46	74.00	-18.54	16.72	3	Vertical	17	2.24	38.74	38.05	13.03	34.36

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56196G	43.26	54.00	-10.74	16.75	3	Horizontal	324	1.57	26.51	38.08	13.02	34.35
PK	10.38019G	49.86	68.20	-18.34	14.00	3	Horizontal	7	1.78	35.86	38.60	10.34	34.94
PK	15.56312G	55.84	74.00	-18.16	16.74	3	Horizontal	324	1.57	39.10	38.07	13.02	34.35

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.38	54.00	-0.62	5.10	3	Vertical	184	2.19	48.28	33.09	6.77	34.76
AV	5.197G	98.93	Inf	-Inf	4.95	3	Vertical	184	2.19	93.98	32.91	6.79	34.75
AV	5.355G	49.95	54.00	-4.05	4.98	3	Vertical	184	2.19	44.97	32.69	7.02	34.73
PK	5.14G	65.51	74.00	-8.49	5.05	3	Vertical	184	2.19	60.46	33.04	6.77	34.76
PK	5.202G	111.31	Inf	-Inf	4.94	3	Vertical	184	2.19	106.37	32.90	6.79	34.75
PK	5.353G	62.62	74.00	-11.38	4.98	3	Vertical	184	2.19	57.64	32.69	7.02	34.73

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62856G	42.33	54.00	-11.67	16.56	3	Vertical	6	2.00	25.77	37.89	13.07	34.40
PK	10.42002G	48.85	68.20	-19.35	14.03	3	Vertical	22	1.67	34.82	38.60	10.35	34.92
PK	15.62928G	55.38	74.00	-18.62	16.55	3	Vertical	6	2.00	38.83	37.88	13.07	34.40



5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62824G	42.02	54.00	-11.98	16.56	3	Horizontal	335	1.98	25.46	37.89	13.07	34.40
PK	10.42014G	48.62	68.20	-19.58	14.03	3	Horizontal	12	1.30	34.59	38.60	10.35	34.92
PK	15.63142G	56.45	74.00	-17.55	16.53	3	Horizontal	335	1.98	39.92	37.87	13.07	34.41



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6478G	65.73	68.20	-2.47	3	Vertical	42	1.44
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6498G	67.78	68.20	-0.42	3	Vertical	53	1.50
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.649G	67.11	68.20	-1.09	3	Vertical	41	1.50



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	AV	5.4582G	49.44	54.00	-4.56	3	Vertical	42	1.44
5745MHz	Pass	AV	5.7378G	115.95	Inf	-Inf	3	Vertical	42	1.44
5745MHz	Pass	PK	5.6478G	65.73	68.20	-2.47	3	Vertical	42	1.44
5745MHz	Pass	PK	5.7402G	126.72	Inf	-Inf	3	Vertical	42	1.44
5745MHz	Pass	PK	5.9454G	63.37	68.20	-4.83	3	Vertical	42	1.44
5745MHz	Pass	AV	11.48984G	51.13	54.00	-2.87	3	Vertical	2	1.50
5745MHz	Pass	PK	11.484G	64.91	74.00	-9.09	3	Vertical	2	1.50
5745MHz	Pass	PK	17.2418G	58.24	68.20	-9.96	3	Vertical	44	2.04
5745MHz	Pass	AV	11.48936G	49.48	54.00	-4.52	3	Horizontal	345	1.71
5745MHz	Pass	PK	11.48392G	62.85	74.00	-11.15	3	Horizontal	345	1.71
5745MHz	Pass	PK	17.22444G	58.86	68.20	-9.34	3	Horizontal	17	2.04
5785MHz	Pass	AV	5.7766G	115.95	Inf	-Inf	3	Vertical	56	1.50
5785MHz	Pass	PK	5.6374G	62.86	68.20	-5.34	3	Vertical	56	1.50
5785MHz	Pass	PK	5.7838G	126.25	Inf	-Inf	3	Vertical	56	1.50
5785MHz	Pass	PK	6.0478G	63.77	68.20	-4.43	3	Vertical	56	1.50
5785MHz	Pass	AV	11.57016G	50.60	54.00	-3.40	3	Vertical	22	1.46
5785MHz	Pass	PK	11.57184G	65.26	74.00	-8.74	3	Vertical	22	1.46
5785MHz	Pass	PK	17.3527G	57.46	68.20	-10.74	3	Vertical	199	2.65
5785MHz	Pass	AV	11.57024G	45.84	54.00	-8.16	3	Horizontal	19	1.45
5785MHz	Pass	PK	11.56844G	58.62	74.00	-15.38	3	Horizontal	19	1.45
5785MHz	Pass	PK	17.35526G	56.97	68.20	-11.23	3	Horizontal	128	2.98
5825MHz	Pass	AV	5.8166G	115.06	Inf	-Inf	3	Vertical	55	1.54
5825MHz	Pass	PK	5.6282G	62.49	68.20	-5.71	3	Vertical	55	1.54
5825MHz	Pass	PK	5.8166G	126.52	Inf	-Inf	3	Vertical	55	1.54
5825MHz	Pass	PK	6.0086G	63.33	68.20	-4.87	3	Vertical	55	1.54
5825MHz	Pass	AV	11.64952G	45.24	54.00	-8.76	3	Vertical	106	1.33
5825MHz	Pass	PK	11.65184G	59.28	74.00	-14.72	3	Vertical	106	1.33
5825MHz	Pass	PK	17.46712G	58.78	68.20	-9.42	3	Vertical	57	2.88
5825MHz	Pass	AV	11.6512G	44.40	54.00	-9.60	3	Horizontal	22	1.46
5825MHz	Pass	PK	11.65124G	58.91	74.00	-15.09	3	Horizontal	22	1.46
5825MHz	Pass	PK	17.47772G	59.59	68.20	-8.61	3	Horizontal	182	2.77
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	AV	5.455G	49.44	54.00	-4.56	3	Vertical	42	1.50
5755MHz	Pass	AV	5.7562G	111.92	Inf	-Inf	3	Vertical	42	1.50
5755MHz	Pass	PK	5.6482G	67.52	68.20	-0.68	3	Vertical	42	1.50
5755MHz	Pass	PK	5.7454G	123.37	Inf	-Inf	3	Vertical	42	1.50
5755MHz	Pass	PK	6.0262G	64.55	68.20	-3.65	3	Vertical	42	1.50
5755MHz	Pass	AV	11.49256G	43.57	54.00	-10.43	3	Vertical	5	1.58
5755MHz	Pass	PK	11.4932G	59.30	74.00	-14.70	3	Vertical	5	1.58
5755MHz	Pass	PK	17.25172G	57.20	68.20	-11.00	3	Vertical	254	2.42
5755MHz	Pass	AV	11.5132G	41.80	54.00	-12.20	3	Horizontal	9	1.46
5755MHz	Pass	PK	11.4924G	56.26	74.00	-17.74	3	Horizontal	9	1.46
5755MHz	Pass	PK	17.2594G	57.42	68.20	-10.78	3	Horizontal	310	2.91
5795MHz	Pass	AV	5.789G	112.48	Inf	-Inf	3	Vertical	53	1.50
5795MHz	Pass	PK	5.6498G	67.78	68.20	-0.42	3	Vertical	53	1.50
5795MHz	Pass	PK	5.7854G	124.73	Inf	-Inf	3	Vertical	53	1.50
5795MHz	Pass	PK	6.0218G	64.14	68.20	-4.06	3	Vertical	53	1.50
5795MHz	Pass	AV	11.58872G	47.00	54.00	-7.00	3	Vertical	15	1.48
5795MHz	Pass	PK	11.58808G	61.01	74.00	-12.99	3	Vertical	15	1.48
5795MHz	Pass	PK	17.3562G	57.48	68.20	-10.72	3	Vertical	35	1.50
5795MHz	Pass	AV	11.56456G	37.33	54.00	-16.67	3	Horizontal	316	2.42
5795MHz	Pass	PK	11.56648G	53.44	74.00	-20.56	3	Horizontal	316	2.42
5795MHz	Pass	PK	17.34724G	57.39	68.20	-10.81	3	Horizontal	317	1.42
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.7726G	105.40	Inf	-Inf	3	Vertical	41	1.50
5775MHz	Pass	PK	5.649G	67.11	68.20	-1.09	3	Vertical	41	1.50
5775MHz	Pass	PK	5.739G	119.83	Inf	-Inf	3	Vertical	41	1.50
5775MHz	Pass	PK	6.033G	63.92	68.20	-4.28	3	Vertical	41	1.50
5775MHz	Pass	AV	11.55496G	39.37	54.00	-14.63	3	Vertical	15	1.50
5775MHz	Pass	PK	11.55688G	52.46	74.00	-21.54	3	Vertical	15	1.50




RSE TX above 1GHz_Beamforming_Radio 3(High Band)

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5775MHz	Pass	PK	17.31684G	57.64	68.20	-10.56	3	Vertical	7	1.18
5775MHz	Pass	AV	11.54808G	36.90	54.00	-17.10	3	Horizontal	13	1.44
5775MHz	Pass	PK	11.54536G	50.28	74.00	-23.72	3	Horizontal	13	1.44
5775MHz	Pass	PK	17.3306G	57.07	68.20	-11.13	3	Horizontal	317	2.88

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	49.44	54.00	-4.56	5.01	3	Vertical	42	1.44	44.43	32.62	7.11	34.72
AV	5.7378G	115.95	Inf	-Inf	5.99	3	Vertical	42	1.44	109.96	33.55	7.21	34.77
PK	5.6478G	65.73	68.20	-2.47	5.42	3	Vertical	42	1.44	60.31	32.99	7.18	34.75
PK	5.7402G	126.72	Inf	-Inf	6.00	3	Vertical	42	1.44	120.72	33.56	7.21	34.77
PK	5.9454G	63.37	68.20	-4.83	6.51	3	Vertical	42	1.44	56.86	34.01	7.31	34.81

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48984G	51.13	54.00	-2.87	15.02	3	Vertical	2	1.50	36.11	38.88	10.59	34.45
PK	11.484G	64.91	74.00	-9.09	15.01	3	Vertical	2	1.50	49.90	38.87	10.59	34.45
PK	17.2418G	58.24	68.20	-9.96	18.57	3	Vertical	44	2.04	39.67	38.08	13.78	33.29

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48936G	49.48	54.00	-4.52	15.02	3	Horizontal	345	1.71	34.46	38.88	10.59	34.45
PK	11.48392G	62.85	74.00	-11.15	15.01	3	Horizontal	345	1.71	47.84	38.87	10.59	34.45
PK	17.22444G	58.86	68.20	-9.34	18.54	3	Horizontal	17	2.04	40.32	38.05	13.77	33.28

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	112.48	Inf	-Inf	6.28	3	Vertical	53	1.50	106.20	33.83	7.23	34.78
PK	5.6498G	67.78	68.20	-0.42	5.43	3	Vertical	53	1.50	62.35	33.00	7.18	34.75
PK	5.7854G	124.73	Inf	-Inf	6.25	3	Vertical	53	1.50	118.48	33.81	7.22	34.78
PK	6.0218G	64.14	68.20	-4.06	6.43	3	Vertical	53	1.50	57.71	33.90	7.35	34.82

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58872G	47.00	54.00	-7.00	14.60	3	Vertical	15	1.48	32.40	38.47	10.62	34.49
PK	11.58808G	61.01	74.00	-12.99	14.60	3	Vertical	15	1.48	46.41	38.47	10.62	34.49
PK	17.3562G	57.48	68.20	-10.72	18.60	3	Vertical	35	1.50	38.88	38.12	13.82	33.34

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56456G	37.33	54.00	-16.67	14.74	3	Horizontal	316	2.42	22.59	38.61	10.61	34.48
PK	11.56648G	53.44	74.00	-20.56	14.73	3	Horizontal	316	2.42	38.71	38.60	10.61	34.48
PK	17.34724G	57.39	68.20	-10.81	18.59	3	Horizontal	317	1.42	38.80	38.10	13.82	33.33

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7726G	105.40	Inf	-Inf	6.19	3	Vertical	41	1.50	99.21	33.74	7.22	34.77
PK	5.649G	67.11	68.20	-1.09	5.43	3	Vertical	41	1.50	61.68	33.00	7.18	34.75
PK	5.739G	119.83	Inf	-Inf	6.00	3	Vertical	41	1.50	113.83	33.56	7.21	34.77
PK	6.033G	63.92	68.20	-4.28	6.45	3	Vertical	41	1.50	57.47	33.90	7.36	34.81

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55496G	39.37	54.00	-14.63	14.81	3	Vertical	15	1.50	24.56	38.67	10.61	34.47
PK	11.55688G	52.46	74.00	-21.54	14.79	3	Vertical	15	1.50	37.67	38.66	10.61	34.48
PK	17.31684G	57.64	68.20	-10.56	18.59	3	Vertical	7	1.18	39.05	38.10	13.81	33.32

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54808G	36.90	54.00	-17.10	14.85	3	Horizontal	13	1.44	22.05	38.71	10.61	34.47
PK	11.54536G	50.28	74.00	-23.72	14.86	3	Horizontal	13	1.44	35.42	38.72	10.61	34.47
PK	17.3306G	57.07	68.20	-11.13	18.58	3	Horizontal	317	2.88	38.49	38.10	13.81	33.33



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.87394G	41.82	54.00	-12.18	Vertical
Mode 2	Pass	AV	4.874G	42.01	54.00	-11.99	Vertical
Mode 3	Pass	AV	7.31014G	42.93	54.00	-11.07	Vertical
Mode 4	Pass	AV	4.87397G	43.09	54.00	-10.91	Vertical



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	1.41266G	26.31	54.00	-27.69	3	Vertical	95	2.64
Mode 1	Pass	AV	3.53248G	30.86	68.20	-37.34	3	Vertical	358	2.00
Mode 1	Pass	AV	4.87394G	41.82	54.00	-12.18	3	Vertical	0	2.17
Mode 1	Pass	PK	1.41422G	37.45	74.00	-36.55	3	Vertical	95	2.64
Mode 1	Pass	PK	3.53281G	42.94	68.20	-25.26	3	Vertical	358	2.00
Mode 1	Pass	PK	4.874G	56.99	74.00	-17.01	3	Vertical	0	2.17
Mode 1	Pass	AV	1.32744G	25.99	54.00	-28.01	3	Horizontal	15	1.10
Mode 1	Pass	AV	3.09788G	30.81	68.20	-37.39	3	Horizontal	14	2.35
Mode 1	Pass	AV	4.61682G	33.16	54.00	-20.84	3	Horizontal	180	2.81
Mode 1	Pass	PK	1.3327G	38.45	74.00	-35.55	3	Horizontal	15	1.10
Mode 1	Pass	PK	3.0972G	42.77	68.20	-25.43	3	Horizontal	14	2.35
Mode 1	Pass	PK	4.6167G	45.09	74.00	-28.91	3	Horizontal	180	2.81
Mode 2	Pass	AV	1.24004G	26.17	68.20	-42.03	3	Vertical	201	2.19
Mode 2	Pass	AV	2.75358G	30.47	54.00	-23.53	3	Vertical	54	1.46
Mode 2	Pass	AV	4.874G	42.01	54.00	-11.99	3	Vertical	359	2.17
Mode 2	Pass	PK	1.24211G	37.86	68.20	-30.34	3	Vertical	201	2.19
Mode 2	Pass	PK	2.76174G	42.14	74.00	-31.86	3	Vertical	54	1.46
Mode 2	Pass	PK	4.874G	57.43	74.00	-16.57	3	Vertical	359	2.17
Mode 2	Pass	AV	1.32693G	25.99	54.00	-28.01	3	Horizontal	223	2.88
Mode 2	Pass	AV	3.21567G	30.74	68.20	-37.46	3	Horizontal	320	1.21
Mode 2	Pass	AV	4.99585G	35.36	54.00	-18.64	3	Horizontal	71	2.10
Mode 2	Pass	PK	1.3324G	38.60	74.00	-35.40	3	Horizontal	223	2.88
Mode 2	Pass	PK	3.22681G	42.15	68.20	-26.05	3	Horizontal	320	1.21
Mode 2	Pass	PK	5.00032G	46.78	74.00	-27.22	3	Horizontal	71	2.10
Mode 3	Pass	AV	1.59743G	26.59	54.00	-27.41	3	Vertical	36	2.86
Mode 3	Pass	AV	4.87388G	41.63	54.00	-12.37	3	Vertical	159	2.05
Mode 3	Pass	AV	7.31014G	42.93	54.00	-11.07	3	Vertical	312	1.60
Mode 3	Pass	PK	1.59767G	48.54	74.00	-25.46	3	Vertical	36	2.86
Mode 3	Pass	PK	4.874G	54.82	74.00	-19.18	3	Vertical	159	2.05
Mode 3	Pass	PK	7.30972G	58.51	74.00	-15.49	3	Vertical	312	1.60
Mode 3	Pass	AV	1.59469G	26.14	54.00	-27.86	3	Horizontal	168	2.59
Mode 3	Pass	AV	4.9392G	34.94	54.00	-19.06	3	Horizontal	54	1.07
Mode 3	Pass	AV	7.30913G	41.62	54.00	-12.38	3	Horizontal	14	1.48
Mode 3	Pass	PK	1.59673G	46.14	74.00	-27.86	3	Horizontal	168	2.59
Mode 3	Pass	PK	4.94097G	46.78	74.00	-27.22	3	Horizontal	54	1.07
Mode 3	Pass	PK	7.31134G	57.38	74.00	-16.62	3	Horizontal	14	1.48
Mode 4	Pass	AV	1.1981G	25.50	54.00	-28.50	3	Vertical	72	2.18
Mode 4	Pass	AV	3.59547G	30.43	68.20	-37.77	3	Vertical	305	1.50
Mode 4	Pass	AV	4.87397G	43.09	54.00	-10.91	3	Vertical	0	2.06
Mode 4	Pass	PK	1.19827G	39.22	74.00	-34.78	3	Vertical	72	2.18
Mode 4	Pass	PK	3.59459G	43.19	68.20	-25.01	3	Vertical	305	1.50
Mode 4	Pass	PK	4.87405G	58.46	74.00	-15.54	3	Vertical	0	2.06
Mode 4	Pass	AV	1.03488G	26.98	54.00	-27.02	3	Horizontal	48	1.50
Mode 4	Pass	AV	2.11151G	26.94	68.20	-41.26	3	Horizontal	222	1.50
Mode 4	Pass	AV	4.87407G	34.78	54.00	-19.22	3	Horizontal	308	1.36
Mode 4	Pass	PK	1.04446G	40.54	74.00	-33.46	3	Horizontal	48	1.50
Mode 4	Pass	PK	2.11147G	39.70	68.20	-28.50	3	Horizontal	222	1.50
Mode 4	Pass	PK	4.87423G	47.55	74.00	-26.45	3	Horizontal	308	1.36

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.41266G	26.31	54.00	-27.69	-5.88	3	Vertical	95	2.64	32.19	25.80	3.43	35.11
AV	3.53248G	30.86	68.20	-37.34	-0.01	3	Vertical	358	2.00	30.87	29.30	5.67	34.98
AV	4.87394G	41.82	54.00	-12.18	4.28	3	Vertical	0	2.17	37.54	32.50	6.59	34.81
PK	1.41422G	37.45	74.00	-36.55	-5.88	3	Vertical	95	2.64	43.33	25.80	3.43	35.11
PK	3.53281G	42.94	68.20	-25.26	-0.01	3	Vertical	358	2.00	42.95	29.30	5.67	34.98
PK	4.874G	56.99	74.00	-17.01	4.28	3	Vertical	0	2.17	52.71	32.50	6.59	34.81

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.32744G	25.99	54.00	-28.01	-6.11	3	Horizontal	15	1.10	32.10	25.83	3.32	35.26
AV	3.09788G	30.81	68.20	-37.39	-0.28	3	Horizontal	14	2.35	31.09	29.50	5.25	35.03
AV	4.61682G	33.16	54.00	-20.84	3.04	3	Horizontal	180	2.81	30.12	31.53	6.39	34.88
PK	1.3327G	38.45	74.00	-35.55	-6.16	3	Horizontal	15	1.10	44.61	25.77	3.32	35.25
PK	3.0972G	42.77	68.20	-25.43	-0.29	3	Horizontal	14	2.35	43.06	29.49	5.25	35.03
PK	4.6167G	45.09	74.00	-28.91	3.07	3	Horizontal	180	2.81	42.02	31.55	6.40	34.88

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.24004G	26.17	68.20	-42.03	-6.60	3	Vertical	201	2.19	32.77	25.60	3.20	35.40
AV	2.75358G	30.47	54.00	-23.53	-1.84	3	Vertical	54	1.46	32.31	28.24	4.93	35.01
AV	4.874G	42.01	54.00	-11.99	4.28	3	Vertical	359	2.17	37.73	32.50	6.59	34.81
PK	1.24211G	37.86	68.20	-30.34	-6.60	3	Vertical	201	2.19	44.46	25.60	3.20	35.40
PK	2.76174G	42.14	74.00	-31.86	-1.77	3	Vertical	54	1.46	43.91	28.30	4.94	35.01
PK	4.874G	57.43	74.00	-16.57	4.28	3	Vertical	359	2.17	53.15	32.50	6.59	34.81

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.32693G	25.99	54.00	-28.01	-6.11	3	Horizontal	223	2.88	32.10	25.83	3.32	35.26
AV	3.21567G	30.74	68.20	-37.46	-0.03	3	Horizontal	320	1.21	30.77	29.64	5.35	35.02
AV	4.99585G	35.36	54.00	-18.64	5.03	3	Horizontal	71	2.10	30.33	33.08	6.72	34.77
PK	1.3324G	38.60	74.00	-35.40	-6.15	3	Horizontal	223	2.88	44.75	25.78	3.32	35.25
PK	3.22681G	42.15	68.20	-26.05	-0.07	3	Horizontal	320	1.21	42.22	29.59	5.36	35.02
PK	5.00032G	46.78	74.00	-27.22	5.05	3	Horizontal	71	2.10	41.73	33.10	6.72	34.77

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59743G	26.59	54.00	-27.41	-5.94	3	Vertical	36	2.86	32.53	25.33	3.67	34.94
AV	4.87388G	41.63	54.00	-12.37	4.28	3	Vertical	159	2.05	37.35	32.50	6.59	34.81
AV	7.31014G	42.93	54.00	-11.07	10.03	3	Vertical	312	1.60	32.90	36.66	8.29	34.92
PK	1.59767G	48.54	74.00	-25.46	-5.95	3	Vertical	36	2.86	54.49	25.32	3.67	34.94
PK	4.874G	54.82	74.00	-19.18	4.28	3	Vertical	159	2.05	50.54	32.50	6.59	34.81
PK	7.30972G	58.51	74.00	-15.49	10.03	3	Vertical	312	1.60	48.48	36.66	8.29	34.92

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59469G	26.14	54.00	-27.86	-5.93	3	Horizontal	168	2.59	32.07	25.35	3.66	34.94
AV	4.9392G	34.94	54.00	-19.06	4.71	3	Horizontal	54	1.07	30.23	32.84	6.66	34.79
AV	7.30913G	41.62	54.00	-12.38	10.03	3	Horizontal	14	1.48	31.59	36.66	8.29	34.92
PK	1.59673G	46.14	74.00	-27.86	-5.94	3	Horizontal	168	2.59	52.08	25.33	3.67	34.94
PK	4.94097G	46.78	74.00	-27.22	4.72	3	Horizontal	54	1.07	42.06	32.85	6.66	34.79
PK	7.31134G	57.38	74.00	-16.62	10.02	3	Horizontal	14	1.48	47.36	36.65	8.29	34.92

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.1981G	25.50	54.00	-28.50	-6.48	3	Vertical	72	2.18	31.98	25.84	3.15	35.47
AV	3.59547G	30.43	68.20	-37.77	0.24	3	Vertical	305	1.50	30.19	29.48	5.72	34.96
AV	4.87397G	43.09	54.00	-10.91	4.28	3	Vertical	0	2.06	38.81	32.50	6.59	34.81
PK	1.19827G	39.22	74.00	-34.78	-6.49	3	Vertical	72	2.18	45.71	25.83	3.15	35.47
PK	3.59459G	43.19	68.20	-25.01	0.24	3	Vertical	305	1.50	42.95	29.48	5.72	34.96
PK	4.87405G	58.46	74.00	-15.54	4.28	3	Vertical	0	2.06	54.18	32.50	6.59	34.81

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.03488G	26.98	54.00	-27.02	-7.97	3	Horizontal	48	1.50	34.95	24.85	2.92	35.74
AV	2.11151G	26.94	68.20	-41.26	-3.20	3	Horizontal	222	1.50	30.14	27.42	4.24	34.86
AV	4.87407G	34.78	54.00	-19.22	4.28	3	Horizontal	308	1.36	30.50	32.50	6.59	34.81
PK	1.04446G	40.54	74.00	-33.46	-8.04	3	Horizontal	48	1.50	48.58	24.76	2.93	35.73
PK	2.11147G	39.70	68.20	-28.50	-3.21	3	Horizontal	222	1.50	42.91	27.41	4.24	34.86
PK	4.87423G	47.55	74.00	-26.45	4.28	3	Horizontal	308	1.36	43.27	32.50	6.59	34.81