


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60012G	40.75	54.00	-13.25	15.23	3	Horizontal	352	1.32	25.52	38.90	11.10	34.77
AV	15.8994G	51.83	54.00	-2.17	15.66	3	Horizontal	47	1.03	36.17	37.90	12.38	34.62
PK	10.59748G	53.12	68.20	-15.08	15.21	3	Horizontal	352	1.32	37.91	38.88	11.10	34.77
PK	15.89652G	65.27	74.00	-8.73	15.66	3	Horizontal	47	1.03	49.61	37.90	12.38	34.62

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2912G	115.94	Inf	-Inf	4.49	3	Vertical	161	1.87	111.45	32.72	6.51	34.74
AV	5.35G	53.20	54.00	-0.80	4.52	3	Vertical	161	1.87	48.68	32.70	6.55	34.73
PK	5.292G	127.61	Inf	-Inf	4.49	3	Vertical	161	1.87	123.12	32.72	6.51	34.74
PK	5.356G	68.94	74.00	-5.06	4.52	3	Vertical	161	1.87	64.42	32.69	6.56	34.73

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89676G	48.45	54.00	-5.55	15.66	3	Vertical	9	2.16	32.79	37.90	12.38	34.62
PK	10.59892G	54.83	68.20	-13.37	15.22	3	Vertical	307	1.50	39.61	38.89	11.10	34.77
PK	15.89874G	65.00	74.00	-9.00	15.66	3	Vertical	9	2.16	49.34	37.90	12.38	34.62

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90672G	49.26	54.00	-4.74	15.62	3	Horizontal	301	1.50	33.64	37.87	12.38	34.63
PK	10.59544G	55.49	68.20	-12.71	15.19	3	Horizontal	328	1.37	40.30	38.86	11.10	34.77
PK	15.90702G	66.41	74.00	-7.59	15.62	3	Horizontal	301	1.50	50.79	37.87	12.38	34.63

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3176G	106.84	Inf	-Inf	4.49	3	Vertical	185	2.10	102.35	32.70	6.53	34.74
AV	5.3572G	53.16	54.00	-0.84	4.52	3	Vertical	185	2.10	48.64	32.69	6.56	34.73
PK	5.3184G	119.40	Inf	-Inf	4.49	3	Vertical	185	2.10	114.91	32.70	6.53	34.74
PK	5.356G	68.83	74.00	-5.17	4.52	3	Vertical	185	2.10	64.31	32.69	6.56	34.73

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62G	42.67	54.00	-11.33	15.30	3	Vertical	301	1.50	27.37	38.94	11.11	34.75
AV	15.94548G	42.76	54.00	-11.24	15.47	3	Vertical	308	1.49	27.29	37.72	12.41	34.66
PK	10.62G	51.70	74.00	-22.30	15.30	3	Vertical	301	1.50	36.40	38.94	11.11	34.75
PK	15.93396G	55.82	74.00	-18.18	15.51	3	Vertical	308	1.49	40.31	37.76	12.40	34.65

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62G	40.40	54.00	-13.60	15.30	3	Horizontal	355	2.90	25.10	38.94	11.11	34.75
AV	15.95772G	42.72	54.00	-11.28	15.42	3	Horizontal	92	1.50	27.30	37.68	12.41	34.67
PK	10.63428G	50.67	74.00	-23.33	15.34	3	Horizontal	355	2.90	35.33	38.97	11.11	34.74
PK	15.94656G	56.16	74.00	-17.84	15.46	3	Horizontal	92	1.50	40.70	37.71	12.41	34.66

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.134G	45.51	54.00	-8.49	4.64	3	Vertical	186	2.28	40.87	33.00	6.40	34.76
AV	5.294G	100.17	Inf	-Inf	4.49	3	Vertical	186	2.28	95.68	32.71	6.52	34.74
AV	5.355G	53.85	54.00	-0.15	4.52	3	Vertical	186	2.28	49.33	32.69	6.56	34.73
PK	5.132G	57.46	74.00	-16.54	4.63	3	Vertical	186	2.28	52.83	32.99	6.40	34.76
PK	5.294G	112.37	Inf	-Inf	4.49	3	Vertical	186	2.28	107.88	32.71	6.52	34.74
PK	5.353G	65.66	74.00	-8.34	4.52	3	Vertical	186	2.28	61.14	32.69	6.56	34.73
PK	5.493G	55.38	68.20	-12.82	4.64	3	Vertical	186	2.28	50.74	32.69	6.67	34.72

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.9024G	42.63	54.00	-11.37	15.65	3	Vertical	360	1.50	26.98	37.89	12.38	34.62
PK	10.6076G	50.18	74.00	-23.82	15.26	3	Vertical	299	1.49	34.92	38.92	11.10	34.76
PK	15.90096G	57.00	74.00	-17.00	15.66	3	Vertical	360	1.50	41.34	37.90	12.38	34.62

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90024G	42.53	54.00	-11.47	15.66	3	Horizontal	164	1.54	26.87	37.90	12.38	34.62
PK	10.63208G	50.54	74.00	-23.46	15.33	3	Horizontal	24	1.23	35.21	38.96	11.11	34.74
PK	15.9048G	56.33	74.00	-17.67	15.64	3	Horizontal	164	1.54	40.69	37.88	12.38	34.62

5.25-5.35GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5210MHz,#5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.13G	51.31	54.00	-2.69	4.99	3	Vertical	183	1.97	46.32	32.98	6.77	34.76
AV	5.22G	97.72	Inf	-Inf	4.93	3	Vertical	183	1.97	92.79	32.86	6.82	34.75
AV	5.37G	53.34	54.00	-0.66	4.97	3	Vertical	183	1.97	48.37	32.66	7.04	34.73
PK	5.1336G	65.09	74.00	-8.91	5.01	3	Vertical	183	1.97	60.08	33.00	6.77	34.76
PK	5.2212G	111.25	Inf	-Inf	4.93	3	Vertical	183	1.97	106.32	32.86	6.82	34.75
PK	5.352G	66.11	74.00	-7.89	4.99	3	Vertical	183	1.97	61.12	32.70	7.02	34.73
PK	5.4636G	58.10	68.20	-10.10	5.02	3	Vertical	183	1.97	53.08	32.63	7.11	34.72

5.25-5.35GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5210MHz,#5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63286G	44.03	54.00	-9.97	16.53	3	Vertical	268	1.28	27.50	37.87	13.07	34.41
AV	15.86936G	42.74	54.00	-11.26	16.55	3	Vertical	254	2.39	26.19	37.90	13.25	34.60
PK	10.42028G	49.45	68.20	-18.75	14.03	3	Vertical	48	1.50	35.42	38.60	10.35	34.92
PK	10.57994G	50.17	68.20	-18.03	14.33	3	Vertical	61	2.50	35.84	38.74	10.38	34.79
PK	15.6253G	57.87	74.00	-16.13	16.57	3	Vertical	268	1.28	41.30	37.90	13.07	34.40
PK	15.86852G	55.94	74.00	-18.06	16.55	3	Vertical	254	2.39	39.39	37.90	13.24	34.59

5.25-5.35GHz_802.11ax_HEW80+80_Nss1,(MCS0)_4TX


#5210MHz,#5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6266G	43.95	54.00	-10.05	16.56	3	Horizontal	136	1.57	27.39	37.89	13.07	34.40
AV	15.8731G	42.89	54.00	-11.11	16.55	3	Horizontal	196	1.47	26.34	37.90	13.25	34.60
PK	10.41986G	49.78	68.20	-18.42	14.03	3	Horizontal	98	1.50	35.75	38.60	10.35	34.92
PK	10.57986G	49.14	68.20	-19.06	14.33	3	Horizontal	33	1.50	34.81	38.74	10.38	34.79
PK	15.62972G	57.58	74.00	-16.42	16.55	3	Horizontal	136	1.57	41.03	37.88	13.07	34.40
PK	15.86536G	56.35	74.00	-17.65	16.55	3	Horizontal	196	1.47	39.80	37.90	13.24	34.59

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6928G	110.57	Inf	-Inf	5.41	3	Vertical	158	1.85	105.16	33.34	6.83	34.76
PK	5.6932G	119.79	Inf	-Inf	5.42	3	Vertical	158	1.85	114.37	33.35	6.83	34.76
PK	5.7276G	66.62	68.20	-1.58	5.59	3	Vertical	158	1.85	61.03	33.51	6.85	34.77

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4G	43.58	54.00	-10.42	15.86	3	Vertical	335	1.50	27.72	38.90	11.40	34.44
PK	11.39988G	54.15	74.00	-19.85	15.86	3	Vertical	335	1.50	38.29	38.90	11.40	34.44
PK	17.0943G	58.48	68.20	-9.72	17.72	3	Vertical	72	1.50	40.76	38.00	12.94	33.22

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4G	43.66	54.00	-10.34	15.86	3	Horizontal	356	2.23	27.80	38.90	11.40	34.44
PK	11.40132G	56.57	74.00	-17.43	15.86	3	Horizontal	356	2.23	40.71	38.90	11.40	34.44
PK	17.0937G	60.00	68.20	-8.20	17.72	3	Horizontal	162	1.50	42.28	38.00	12.94	33.22

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4558G	49.13	54.00	-4.87	4.53	3	Vertical	153	1.99	44.60	32.61	6.64	34.72
AV	5.4954G	112.68	Inf	-Inf	4.65	3	Vertical	153	1.99	108.03	32.69	6.68	34.72
PK	5.4552G	62.78	74.00	-11.22	4.53	3	Vertical	153	1.99	58.25	32.61	6.64	34.72
PK	5.4678G	67.51	68.20	-0.69	4.57	3	Vertical	153	1.99	62.94	32.64	6.65	34.72
PK	5.4948G	125.60	Inf	-Inf	4.65	3	Vertical	153	1.99	120.95	32.69	6.68	34.72

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00354G	44.30	54.00	-9.70	15.43	3	Vertical	318	1.50	28.87	38.59	11.25	34.41
PK	11.00456G	58.07	74.00	-15.93	15.43	3	Vertical	318	1.50	42.64	38.59	11.25	34.41
PK	16.50138G	58.59	68.20	-9.61	16.76	3	Vertical	356	2.06	41.83	38.29	12.67	34.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00306G	41.24	54.00	-12.76	15.43	3	Horizontal	264	1.60	25.81	38.59	11.25	34.41
PK	11.00432G	54.78	74.00	-19.22	15.43	3	Horizontal	264	1.60	39.35	38.59	11.25	34.41
PK	16.4922G	58.72	68.20	-9.48	16.72	3	Horizontal	323	1.49	42.00	38.27	12.66	34.21

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	47.65	54.00	-6.35	4.50	3	Vertical	212	2.03	43.15	32.60	6.63	34.73
AV	5.5092G	106.26	Inf	-Inf	4.67	3	Vertical	212	2.03	101.59	32.70	6.69	34.72
PK	5.4496G	59.83	74.00	-14.17	4.50	3	Vertical	212	2.03	55.33	32.60	6.63	34.73
PK	5.4692G	68.05	68.20	-0.15	4.57	3	Vertical	212	2.03	63.48	32.64	6.65	34.72
PK	5.5084G	116.92	Inf	-Inf	4.67	3	Vertical	212	2.03	112.25	32.70	6.69	34.72

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02G	41.95	54.00	-12.05	15.41	3	Vertical	357	1.40	26.54	38.56	11.26	34.41
PK	11.02G	51.41	74.00	-22.59	15.41	3	Vertical	357	1.40	36.00	38.56	11.26	34.41
PK	16.55436G	58.00	68.20	-10.20	16.58	3	Vertical	358	1.50	41.42	37.98	12.69	34.09

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02G	41.52	54.00	-12.48	15.41	3	Horizontal	60	1.64	26.11	38.56	11.26	34.41
PK	11.02G	51.02	74.00	-22.98	15.41	3	Horizontal	60	1.64	35.61	38.56	11.26	34.41
PK	16.53804G	58.00	68.20	-10.20	16.63	3	Horizontal	0	2.95	41.37	38.07	12.68	34.12

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.88	54.00	-9.12	4.52	3	Vertical	186	2.09	40.36	32.70	6.55	34.73
AV	5.449G	52.83	54.00	-1.17	4.50	3	Vertical	186	2.09	48.33	32.60	6.63	34.73
AV	5.524G	102.87	Inf	-Inf	4.68	3	Vertical	186	2.09	98.19	32.70	6.70	34.72
PK	5.344G	57.29	68.20	-10.91	4.51	3	Vertical	186	2.09	52.78	32.70	6.55	34.74
PK	5.444G	66.55	74.00	-7.45	4.50	3	Vertical	186	2.09	62.05	32.60	6.63	34.73
PK	5.463G	67.83	68.20	-0.37	4.56	3	Vertical	186	2.09	63.27	32.63	6.65	34.72
PK	5.524G	114.40	Inf	-Inf	4.68	3	Vertical	186	2.09	109.72	32.70	6.70	34.72
PK	5.739G	56.97	68.20	-11.23	5.65	3	Vertical	186	2.09	51.32	33.56	6.86	34.77

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06G	40.94	54.00	-13.06	15.38	3	Vertical	0	2.78	25.56	38.52	11.27	34.41
PK	11.06024G	50.79	74.00	-23.21	15.38	3	Vertical	0	2.78	35.41	38.52	11.27	34.41
PK	16.57344G	57.34	68.20	-10.86	16.56	3	Vertical	38	1.50	40.78	37.91	12.70	34.05

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06G	40.84	54.00	-13.16	15.38	3	Horizontal	62	2.00	25.46	38.52	11.27	34.41
PK	11.05976G	50.55	74.00	-23.45	15.38	3	Horizontal	62	2.00	35.17	38.52	11.27	34.41
PK	16.5516G	57.66	68.20	-10.54	16.59	3	Horizontal	190	2.99	41.07	37.99	12.69	34.09

5.47-5.725GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5530MHz,#5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3696G	51.95	54.00	-2.05	4.97	3	Vertical	182	1.89	46.98	32.66	7.04	34.73
AV	5.6012G	98.00	Inf	-Inf	5.22	3	Vertical	182	1.89	92.78	32.80	7.16	34.74
PK	5.3384G	56.89	68.20	-11.31	4.96	3	Vertical	182	1.89	51.93	32.70	7.00	34.74
PK	5.45G	61.90	74.00	-12.10	4.98	3	Vertical	182	1.89	56.92	32.60	7.11	34.73
PK	5.468G	62.37	68.20	-5.83	5.03	3	Vertical	182	1.89	57.34	32.64	7.11	34.72
PK	5.6024G	109.71	Inf	-Inf	5.23	3	Vertical	182	1.89	104.48	32.81	7.16	34.74
PK	5.7392G	60.26	68.20	-7.94	6.00	3	Vertical	182	1.89	54.26	33.56	7.21	34.77

5.47-5.725GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5530MHz,#5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05999G	39.89	54.00	-14.11	14.60	3	Vertical	32	1.58	25.29	38.52	10.49	34.41
AV	11.21992G	42.68	54.00	-11.32	14.84	3	Vertical	34	2.52	27.84	38.74	10.53	34.43
PK	11.05999G	49.90	74.00	-24.10	14.60	3	Vertical	32	1.58	35.30	38.52	10.49	34.41
PK	11.21974G	51.00	74.00	-23.00	14.84	3	Vertical	34	2.52	36.16	38.74	10.53	34.43
PK	16.59476G	58.41	68.20	-9.79	17.36	3	Vertical	230	2.84	41.05	37.82	13.55	34.01
PK	16.82668G	56.58	68.20	-11.62	18.35	3	Vertical	200	1.72	38.23	38.25	13.63	33.53

5.47-5.725GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

#5530MHz,#5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05986G	40.17	54.00	-13.83	14.60	3	Horizontal	43	1.68	25.57	38.52	10.49	34.41
AV	11.21992G	40.01	54.00	-13.99	14.84	3	Horizontal	60	2.49	25.17	38.74	10.53	34.43
PK	11.05996G	50.01	74.00	-23.99	14.60	3	Horizontal	43	1.68	35.41	38.52	10.49	34.41
PK	11.22012G	50.66	74.00	-23.34	14.84	3	Horizontal	60	2.49	35.82	38.74	10.53	34.43
PK	16.58522G	58.62	68.20	-9.58	17.38	3	Horizontal	45	1.63	41.24	37.86	13.55	34.03
PK	16.82566G	57.01	68.20	-11.19	18.34	3	Horizontal	16	1.65	38.67	38.25	13.63	33.54



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.35G	53.59	54.00	-0.41	3	Vertical	178	2.12
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	5.3612G	53.82	54.00	-0.18	3	Vertical	177	2.11
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.73	54.00	-0.27	3	Vertical	174	2.12
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.66	54.00	-0.34	3	Vertical	172	2.06
802.11ax HEW80+80_Nss1,(MCS0)_4TX	Pass	AV	5.13G	53.83	54.00	-0.17	3	Vertical	183	2.06



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1496G	48.31	54.00	-5.69	3	Vertical	164	2.05
5260MHz	Pass	AV	5.2528G	117.32	Inf	-Inf	3	Vertical	164	2.05
5260MHz	Pass	AV	5.3512G	48.10	54.00	-5.90	3	Vertical	164	2.05
5260MHz	Pass	PK	5.1388G	62.11	74.00	-11.89	3	Vertical	164	2.05
5260MHz	Pass	PK	5.2534G	126.42	Inf	-Inf	3	Vertical	164	2.05
5260MHz	Pass	PK	5.3806G	60.55	74.00	-13.45	3	Vertical	164	2.05
5260MHz	Pass	AV	15.78138G	52.46	54.00	-1.54	3	Vertical	26	2.30
5260MHz	Pass	PK	10.52186G	55.29	68.20	-12.91	3	Vertical	354	1.50
5260MHz	Pass	PK	15.78048G	65.70	74.00	-8.30	3	Vertical	26	2.30
5260MHz	Pass	AV	15.78216G	49.05	54.00	-4.95	3	Horizontal	330	2.24
5260MHz	Pass	PK	10.52138G	53.85	68.20	-14.35	3	Horizontal	4	1.18
5260MHz	Pass	PK	15.78156G	62.04	74.00	-11.96	3	Horizontal	330	2.24
5300MHz	Pass	AV	5.3012G	118.33	Inf	-Inf	3	Vertical	181	2.11
5300MHz	Pass	AV	5.35G	51.83	54.00	-2.17	3	Vertical	181	2.11
5300MHz	Pass	PK	5.3016G	127.50	Inf	-Inf	3	Vertical	181	2.11
5300MHz	Pass	PK	5.36G	67.09	74.00	-6.91	3	Vertical	181	2.11
5300MHz	Pass	AV	10.60222G	42.97	54.00	-11.03	3	Vertical	320	2.22
5300MHz	Pass	AV	15.9075G	52.91	54.00	-1.09	3	Vertical	328	2.35
5300MHz	Pass	PK	10.60306G	56.49	74.00	-17.51	3	Vertical	320	2.22
5300MHz	Pass	PK	15.90594G	67.84	74.00	-6.16	3	Vertical	328	2.35
5300MHz	Pass	AV	10.60234G	40.75	54.00	-13.25	3	Horizontal	10	1.36
5300MHz	Pass	AV	15.90408G	49.15	54.00	-4.85	3	Horizontal	313	1.54
5300MHz	Pass	PK	10.60132G	53.87	74.00	-20.13	3	Horizontal	10	1.36
5300MHz	Pass	PK	15.90618G	63.39	74.00	-10.61	3	Horizontal	313	1.54
5320MHz	Pass	AV	5.129G	51.31	54.00	-2.69	3	Vertical	178	2.12
5320MHz	Pass	AV	5.321G	115.32	Inf	-Inf	3	Vertical	178	2.12
5320MHz	Pass	AV	5.35G	53.59	54.00	-0.41	3	Vertical	178	2.12
5320MHz	Pass	PK	5.129G	62.11	74.00	-11.89	3	Vertical	178	2.12
5320MHz	Pass	PK	5.321G	124.44	Inf	-Inf	3	Vertical	178	2.12
5320MHz	Pass	PK	5.35G	67.70	74.00	-6.30	3	Vertical	178	2.12
5320MHz	Pass	PK	5.567G	58.56	68.20	-9.64	3	Vertical	178	2.12
5320MHz	Pass	AV	10.6316G	42.00	54.00	-12.00	3	Vertical	19	1.38
5320MHz	Pass	AV	15.96144G	43.62	54.00	-10.38	3	Vertical	31	1.69
5320MHz	Pass	PK	10.63256G	54.32	74.00	-19.68	3	Vertical	19	1.38
5320MHz	Pass	PK	15.96048G	55.87	74.00	-18.13	3	Vertical	31	1.69
5320MHz	Pass	AV	10.64G	42.61	54.00	-11.39	3	Horizontal	9	2.31
5320MHz	Pass	AV	15.95736G	42.64	54.00	-11.36	3	Horizontal	16	1.50
5320MHz	Pass	PK	10.64168G	53.93	74.00	-20.07	3	Horizontal	9	2.31
5320MHz	Pass	PK	15.95424G	55.97	74.00	-18.03	3	Horizontal	16	1.50
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.15G	45.29	54.00	-8.71	3	Vertical	11	2.45
5260MHz	Pass	AV	5.2564G	115.38	Inf	-Inf	3	Vertical	11	2.45
5260MHz	Pass	AV	5.3554G	45.82	54.00	-8.18	3	Vertical	11	2.45
5260MHz	Pass	PK	5.14G	58.58	74.00	-15.42	3	Vertical	11	2.45
5260MHz	Pass	PK	5.2552G	127.00	Inf	-Inf	3	Vertical	11	2.45
5260MHz	Pass	PK	5.3812G	59.43	74.00	-14.57	3	Vertical	11	2.45
5260MHz	Pass	AV	15.78132G	52.19	54.00	-1.81	3	Vertical	20	2.66
5260MHz	Pass	PK	10.51934G	54.91	68.20	-13.29	3	Vertical	350	1.50
5260MHz	Pass	PK	15.78258G	67.86	74.00	-6.14	3	Vertical	20	2.66
5260MHz	Pass	AV	15.7812G	50.00	54.00	-4.00	3	Horizontal	324	2.21
5260MHz	Pass	PK	10.52186G	52.72	68.20	-15.48	3	Horizontal	359	1.21
5260MHz	Pass	PK	15.78324G	64.33	74.00	-9.67	3	Horizontal	324	2.21
5300MHz	Pass	AV	5.3008G	117.67	Inf	-Inf	3	Vertical	177	2.11
5300MHz	Pass	AV	5.3612G	53.82	54.00	-0.18	3	Vertical	177	2.11
5300MHz	Pass	PK	5.3028G	127.76	Inf	-Inf	3	Vertical	177	2.11
5300MHz	Pass	PK	5.36G	69.07	74.00	-4.93	3	Vertical	177	2.11
5300MHz	Pass	AV	10.60636G	41.02	54.00	-12.98	3	Vertical	357	2.01
5300MHz	Pass	AV	15.90036G	48.48	54.00	-5.52	3	Vertical	349	1.50
5300MHz	Pass	PK	10.60672G	53.63	74.00	-20.37	3	Vertical	357	2.01
5300MHz	Pass	PK	15.89934G	63.17	74.00	-10.83	3	Vertical	349	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 2(Low Band)

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5300MHz	Pass	AV	10.60438G	38.35	54.00	-15.65	3	Horizontal	16	1.50
5300MHz	Pass	AV	15.90102G	46.39	54.00	-7.61	3	Horizontal	355	1.50
5300MHz	Pass	PK	10.60414G	52.18	74.00	-21.82	3	Horizontal	16	1.50
5300MHz	Pass	PK	15.90048G	61.16	74.00	-12.84	3	Horizontal	355	1.50
5320MHz	Pass	AV	5.125G	47.49	54.00	-6.51	3	Vertical	220	2.01
5320MHz	Pass	AV	5.318G	112.51	Inf	-Inf	3	Vertical	220	2.01
5320MHz	Pass	AV	5.35G	53.71	54.00	-0.29	3	Vertical	220	2.01
5320MHz	Pass	PK	5.127G	59.59	74.00	-14.41	3	Vertical	220	2.01
5320MHz	Pass	PK	5.318G	125.19	Inf	-Inf	3	Vertical	220	2.01
5320MHz	Pass	PK	5.35G	68.12	74.00	-5.88	3	Vertical	220	2.01
5320MHz	Pass	PK	5.544G	54.48	68.20	-13.72	3	Vertical	220	2.01
5320MHz	Pass	AV	10.63028G	39.52	54.00	-14.48	3	Vertical	354	1.50
5320MHz	Pass	AV	15.96528G	44.89	54.00	-9.11	3	Vertical	5	2.27
5320MHz	Pass	PK	10.62914G	52.43	74.00	-21.57	3	Vertical	354	1.50
5320MHz	Pass	PK	15.96276G	61.13	74.00	-12.87	3	Vertical	5	2.27
5320MHz	Pass	AV	10.64504G	38.03	54.00	-15.97	3	Horizontal	15	1.87
5320MHz	Pass	AV	15.96654G	43.09	54.00	-10.91	3	Horizontal	349	1.61
5320MHz	Pass	PK	10.64324G	51.26	74.00	-22.74	3	Horizontal	15	1.87
5320MHz	Pass	PK	15.966G	57.64	74.00	-16.36	3	Horizontal	349	1.61
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2684G	112.74	Inf	-Inf	3	Vertical	171	1.90
5270MHz	Pass	AV	5.35G	53.71	54.00	-0.29	3	Vertical	171	1.90
5270MHz	Pass	PK	5.2676G	124.69	Inf	-Inf	3	Vertical	171	1.90
5270MHz	Pass	PK	5.3512G	66.85	74.00	-7.15	3	Vertical	171	1.90
5270MHz	Pass	AV	15.80184G	44.57	54.00	-9.43	3	Vertical	358	2.30
5270MHz	Pass	PK	10.53868G	51.16	68.20	-17.04	3	Vertical	338	1.50
5270MHz	Pass	PK	15.80148G	58.53	74.00	-15.47	3	Vertical	358	2.30
5270MHz	Pass	AV	15.81516G	42.90	54.00	-11.10	3	Horizontal	311	1.57
5270MHz	Pass	PK	10.52152G	49.96	68.20	-18.24	3	Horizontal	349	1.46
5270MHz	Pass	PK	15.81312G	56.98	74.00	-17.02	3	Horizontal	311	1.57
5310MHz	Pass	AV	5.308G	105.55	Inf	-Inf	3	Vertical	174	2.12
5310MHz	Pass	AV	5.35G	53.73	54.00	-0.27	3	Vertical	174	2.12
5310MHz	Pass	PK	5.3084G	117.99	Inf	-Inf	3	Vertical	174	2.12
5310MHz	Pass	PK	5.35G	68.38	74.00	-5.62	3	Vertical	174	2.12
5310MHz	Pass	AV	10.62G	39.20	54.00	-14.80	3	Vertical	2	1.50
5310MHz	Pass	AV	15.88776G	37.55	54.00	-16.45	3	Vertical	279	2.63
5310MHz	Pass	PK	10.60392G	50.93	74.00	-23.07	3	Vertical	2	1.50
5310MHz	Pass	PK	15.9636G	50.02	74.00	-23.98	3	Vertical	279	2.63
5310MHz	Pass	AV	10.62G	38.72	54.00	-15.28	3	Horizontal	0	1.01
5310MHz	Pass	AV	15.90024G	37.49	54.00	-16.51	3	Horizontal	152	1.63
5310MHz	Pass	PK	10.62048G	49.89	74.00	-24.11	3	Horizontal	0	1.01
5310MHz	Pass	PK	15.8712G	49.70	74.00	-24.30	3	Horizontal	152	1.63
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.149G	46.80	54.00	-7.20	3	Vertical	172	2.06
5290MHz	Pass	AV	5.268G	101.49	Inf	-Inf	3	Vertical	172	2.06
5290MHz	Pass	AV	5.35G	53.66	54.00	-0.34	3	Vertical	172	2.06
5290MHz	Pass	PK	5.149G	59.21	74.00	-14.79	3	Vertical	172	2.06
5290MHz	Pass	PK	5.288G	113.83	Inf	-Inf	3	Vertical	172	2.06
5290MHz	Pass	PK	5.368G	66.11	74.00	-7.89	3	Vertical	172	2.06
5290MHz	Pass	PK	5.506G	58.61	68.20	-9.59	3	Vertical	172	2.06
5290MHz	Pass	PK	10.60304G	50.80	74.00	-23.20	3	Vertical	0	1.50
5290MHz	Pass	PK	15.90888G	49.49	74.00	-24.51	3	Vertical	291	1.88
5290MHz	Pass	AV	15.89208G	37.56	54.00	-16.44	3	Vertical	291	1.88
5290MHz	Pass	AV	15.8808G	37.52	54.00	-16.48	3	Horizontal	127	1.39
5290MHz	Pass	PK	10.61024G	48.70	74.00	-25.30	3	Horizontal	222	2.79
5290MHz	Pass	PK	15.8964G	49.36	74.00	-24.64	3	Horizontal	127	1.39
802.11ax HEW80+80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
#5210MHz,#5290MHz	Pass	AV	5.13G	53.83	54.00	-0.17	3	Vertical	183	2.06
#5210MHz,#5290MHz	Pass	AV	5.1984G	99.01	Inf	-Inf	3	Vertical	183	2.06
#5210MHz,#5290MHz	Pass	AV	5.35G	53.43	54.00	-0.57	3	Vertical	183	2.06
#5210MHz,#5290MHz	Pass	PK	5.1372G	64.24	74.00	-9.76	3	Vertical	183	2.06
#5210MHz,#5290MHz	Pass	PK	5.1972G	111.05	Inf	-Inf	3	Vertical	183	2.06




RSE TX above 1GHz_Non-Beamforming_Radio 2(Low Band)

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
#5210MHz,#5290MHz	Pass	PK	5.35G	64.57	74.00	-9.43	3	Vertical	183	2.06
#5210MHz,#5290MHz	Pass	PK	5.5368G	55.08	68.20	-13.12	3	Vertical	183	2.06
#5210MHz,#5290MHz	Pass	AV	15.61614G	44.35	54.00	-9.65	3	Vertical	41	1.50
#5210MHz,#5290MHz	Pass	AV	15.87402G	42.96	54.00	-11.04	3	Vertical	30	1.50
#5210MHz,#5290MHz	Pass	PK	10.4199G	50.22	68.20	-17.98	3	Vertical	46	1.24
#5210MHz,#5290MHz	Pass	PK	10.58G	49.89	68.20	-18.31	3	Vertical	41	1.27
#5210MHz,#5290MHz	Pass	PK	15.63498G	57.86	74.00	-16.14	3	Vertical	41	1.50
#5210MHz,#5290MHz	Pass	PK	15.88248G	57.02	74.00	-16.98	3	Vertical	30	1.50
#5210MHz,#5290MHz	Pass	AV	15.61572G	44.30	54.00	-9.70	3	Horizontal	132	1.50
#5210MHz,#5290MHz	Pass	AV	15.87462G	43.00	54.00	-11.00	3	Horizontal	30	1.50
#5210MHz,#5290MHz	Pass	PK	10.42006G	50.91	68.20	-17.29	3	Horizontal	32	2.58
#5210MHz,#5290MHz	Pass	PK	10.57994G	50.55	68.20	-17.65	3	Horizontal	76	1.27
#5210MHz,#5290MHz	Pass	PK	15.6348G	57.49	74.00	-16.51	3	Horizontal	132	1.50
#5210MHz,#5290MHz	Pass	PK	15.8721G	56.61	74.00	-17.39	3	Horizontal	30	1.50

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.129G	51.31	54.00	-2.69	4.61	3	Vertical	178	2.12	46.70	32.97	6.40	34.76
AV	5.321G	115.32	Inf	-Inf	4.49	3	Vertical	178	2.12	110.83	32.70	6.53	34.74
AV	5.35G	53.59	54.00	-0.41	4.53	3	Vertical	178	2.12	49.06	32.70	6.56	34.73
PK	5.129G	62.11	74.00	-11.89	4.61	3	Vertical	178	2.12	57.50	32.97	6.40	34.76
PK	5.321G	124.44	Inf	-Inf	4.49	3	Vertical	178	2.12	119.95	32.70	6.53	34.74
PK	5.35G	67.70	74.00	-6.30	4.53	3	Vertical	178	2.12	63.17	32.70	6.56	34.73
PK	5.567G	58.56	68.20	-9.64	4.74	3	Vertical	178	2.12	53.82	32.73	6.74	34.73

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6316G	42.00	54.00	-12.00	15.33	3	Vertical	19	1.38	26.67	38.96	11.11	34.74
AV	15.96144G	43.62	54.00	-10.38	15.43	3	Vertical	31	1.69	28.19	37.68	12.42	34.67
PK	10.63256G	54.32	74.00	-19.68	15.34	3	Vertical	19	1.38	38.98	38.97	11.11	34.74
PK	15.96048G	55.87	74.00	-18.13	15.43	3	Vertical	31	1.69	40.44	37.68	12.42	34.67

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64G	42.61	54.00	-11.39	15.37	3	Horizontal	9	2.31	27.24	38.98	11.12	34.73
AV	15.95736G	42.64	54.00	-11.36	15.43	3	Horizontal	16	1.50	27.21	37.69	12.41	34.67
PK	10.64168G	53.93	74.00	-20.07	15.37	3	Horizontal	9	2.31	38.56	38.98	11.12	34.73
PK	15.95424G	55.97	74.00	-18.03	15.44	3	Horizontal	16	1.50	40.53	37.69	12.41	34.66

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3008G	117.67	Inf	-Inf	4.48	3	Vertical	177	2.11	113.19	32.70	6.52	34.74
AV	5.3612G	53.82	54.00	-0.18	4.51	3	Vertical	177	2.11	49.31	32.68	6.56	34.73
PK	5.3028G	127.76	Inf	-Inf	4.48	3	Vertical	177	2.11	123.28	32.70	6.52	34.74
PK	5.36G	69.07	74.00	-4.93	4.51	3	Vertical	177	2.11	64.56	32.68	6.56	34.73



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




24/12/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60636G	41.02	54.00	-12.98	15.25	3	Vertical	357	2.01	25.77	38.91	11.10	34.76
AV	15.90036G	48.48	54.00	-5.52	15.66	3	Vertical	349	1.50	32.82	37.90	12.38	34.62
PK	10.60672G	53.63	74.00	-20.37	15.25	3	Vertical	357	2.01	38.38	38.91	11.10	34.76
PK	15.89934G	63.17	74.00	-10.83	15.66	3	Vertical	349	1.50	47.51	37.90	12.38	34.62

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




24/12/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60438G	38.35	54.00	-15.65	15.24	3	Horizontal	16	1.50	23.11	38.91	11.10	34.77
AV	15.90102G	46.39	54.00	-7.61	15.66	3	Horizontal	355	1.50	30.73	37.90	12.38	34.62
PK	10.60414G	52.18	74.00	-21.82	15.24	3	Horizontal	16	1.50	36.94	38.91	11.10	34.77
PK	15.90048G	61.16	74.00	-12.84	15.66	3	Horizontal	355	1.50	45.50	37.90	12.38	34.62



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.308G	105.55	Inf	-Inf	4.49	3	Vertical	174	2.12	101.06	32.70	6.53	34.74
AV	5.35G	53.73	54.00	-0.27	4.53	3	Vertical	174	2.12	49.20	32.70	6.56	34.73
PK	5.3084G	117.99	Inf	-Inf	4.49	3	Vertical	174	2.12	113.50	32.70	6.53	34.74
PK	5.35G	68.38	74.00	-5.62	4.53	3	Vertical	174	2.12	63.85	32.70	6.56	34.73

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62G	39.20	54.00	-14.80	15.30	3	Vertical	2	1.50	23.90	38.94	11.11	34.75
AV	15.88776G	37.55	54.00	-16.45	15.66	3	Vertical	279	2.63	21.89	37.90	12.37	34.61
PK	10.60392G	50.93	74.00	-23.07	15.24	3	Vertical	2	1.50	35.69	38.91	11.10	34.77
PK	15.9636G	50.02	74.00	-23.98	15.42	3	Vertical	279	2.63	34.60	37.67	12.42	34.67



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62G	38.72	54.00	-15.28	15.30	3	Horizontal	0	1.01	23.42	38.94	11.11	34.75
AV	15.90024G	37.49	54.00	-16.51	15.66	3	Horizontal	152	1.63	21.83	37.90	12.38	34.62
PK	10.62048G	49.89	74.00	-24.11	15.30	3	Horizontal	0	1.01	34.59	38.94	11.11	34.75
PK	15.8712G	49.70	74.00	-24.30	15.66	3	Horizontal	152	1.63	34.04	37.90	12.36	34.60

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	46.80	54.00	-7.20	4.74	3	Vertical	172	2.06	42.06	33.09	6.41	34.76
AV	5.268G	101.49	Inf	-Inf	4.52	3	Vertical	172	2.06	96.97	32.76	6.50	34.74
AV	5.35G	53.66	54.00	-0.34	4.53	3	Vertical	172	2.06	49.13	32.70	6.56	34.73
PK	5.149G	59.21	74.00	-14.79	4.74	3	Vertical	172	2.06	54.47	33.09	6.41	34.76
PK	5.288G	113.83	Inf	-Inf	4.49	3	Vertical	172	2.06	109.34	32.72	6.51	34.74
PK	5.368G	66.11	74.00	-7.89	4.50	3	Vertical	172	2.06	61.61	32.66	6.57	34.73
PK	5.506G	58.61	68.20	-9.59	4.67	3	Vertical	172	2.06	53.94	32.70	6.69	34.72



5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.60304G	50.80	74.00	-23.20	15.24	3	Vertical	0	1.50	35.56	38.91	11.10	34.77
PK	15.90888G	49.49	74.00	-24.51	15.61	3	Vertical	291	1.88	33.88	37.86	12.38	34.63
AV	15.89208G	37.56	54.00	-16.44	15.66	3	Vertical	291	1.88	21.90	37.90	12.37	34.61

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8808G	37.52	54.00	-16.48	15.67	3	Horizontal	127	1.39	21.85	37.90	12.37	34.60
PK	10.61024G	48.70	74.00	-25.30	15.27	3	Horizontal	222	2.79	33.43	38.92	11.11	34.76
PK	15.8964G	49.36	74.00	-24.64	15.66	3	Horizontal	127	1.39	33.70	37.90	12.38	34.62



5.25-5.35GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5210MHz,#5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.13G	53.83	54.00	-0.17	4.99	3	Vertical	183	2.06	48.84	32.98	6.77	34.76
AV	5.1984G	99.01	Inf	-Inf	4.95	3	Vertical	183	2.06	94.06	32.91	6.79	34.75
AV	5.35G	53.43	54.00	-0.57	4.98	3	Vertical	183	2.06	48.45	32.70	7.01	34.73
PK	5.1372G	64.24	74.00	-9.76	5.03	3	Vertical	183	2.06	59.21	33.02	6.77	34.76
PK	5.1972G	111.05	Inf	-Inf	4.95	3	Vertical	183	2.06	106.10	32.91	6.79	34.75
PK	5.35G	64.57	74.00	-9.43	4.98	3	Vertical	183	2.06	59.59	32.70	7.01	34.73
PK	5.5368G	55.08	68.20	-13.12	5.11	3	Vertical	183	2.06	49.97	32.70	7.14	34.73

5.25-5.35GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

#5210MHz,#5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61614G	44.35	54.00	-9.65	16.61	3	Vertical	41	1.50	27.74	37.94	13.06	34.39
AV	15.87402G	42.96	54.00	-11.04	16.55	3	Vertical	30	1.50	26.41	37.90	13.25	34.60
PK	10.4199G	50.22	68.20	-17.98	14.03	3	Vertical	46	1.24	36.19	38.60	10.35	34.92
PK	10.58G	49.89	68.20	-18.31	14.33	3	Vertical	41	1.27	35.56	38.74	10.38	34.79
PK	15.63498G	57.86	74.00	-16.14	16.53	3	Vertical	41	1.50	41.33	37.86	13.08	34.41
PK	15.88248G	57.02	74.00	-16.98	16.54	3	Vertical	30	1.50	40.48	37.90	13.25	34.61



5.25-5.35GHz_802.11ax_HEW80+80_Nss1,(MCS0)_4TX

#5210MHz,#5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61572G	44.30	54.00	-9.70	16.61	3	Horizontal	132	1.50	27.69	37.94	13.06	34.39
AV	15.87462G	43.00	54.00	-11.00	16.55	3	Horizontal	30	1.50	26.45	37.90	13.25	34.60
PK	10.42006G	50.91	68.20	-17.29	14.03	3	Horizontal	32	2.58	36.88	38.60	10.35	34.92
PK	10.57994G	50.55	68.20	-17.65	14.33	3	Horizontal	76	1.27	36.22	38.74	10.38	34.79
PK	15.6348G	57.49	74.00	-16.51	16.53	3	Horizontal	132	1.50	40.96	37.86	13.08	34.41
PK	15.8721G	56.61	74.00	-17.39	16.55	3	Horizontal	30	1.50	40.06	37.90	13.25	34.60



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	17.1663G	66.91	68.20	-1.29	3	Horizontal	16	1.76
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	17.17344G	67.51	68.20	-0.69	3	Vertical	340	1.83
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.854G	67.41	68.20	-0.79	3	Vertical	352	1.38
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.725G	67.86	68.20	-0.34	3	Vertical	349	1.29
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	PK	5.4644G	67.64	68.20	-0.56	3	Vertical	344	1.25



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	AV	5.46G	46.73	54.00	-7.27	3	Vertical	344	1.34
5500MHz	Pass	AV	5.5074G	111.49	Inf	-Inf	3	Vertical	344	1.34
5500MHz	Pass	PK	5.4596G	59.83	74.00	-14.17	3	Vertical	344	1.34
5500MHz	Pass	PK	5.4686G	65.08	68.20	-3.12	3	Vertical	344	1.34
5500MHz	Pass	PK	5.5072G	120.64	Inf	-Inf	3	Vertical	344	1.34
5500MHz	Pass	AV	10.99022G	45.13	54.00	-8.87	3	Vertical	4	2.91
5500MHz	Pass	PK	10.9904G	59.18	74.00	-14.82	3	Vertical	4	2.91
5500MHz	Pass	PK	16.50822G	51.21	68.20	-16.99	3	Vertical	55	1.50
5500MHz	Pass	AV	10.9862G	38.87	54.00	-15.13	3	Horizontal	307	1.50
5500MHz	Pass	PK	10.9886G	50.07	74.00	-23.93	3	Horizontal	307	1.50
5500MHz	Pass	PK	16.48728G	50.52	68.20	-17.68	3	Horizontal	322	1.50
5580MHz	Pass	AV	5.4414G	43.47	54.00	-10.53	3	Vertical	342	1.15
5580MHz	Pass	AV	5.5872G	114.42	Inf	-Inf	3	Vertical	342	1.15
5580MHz	Pass	PK	5.445G	56.43	74.00	-17.57	3	Vertical	342	1.15
5580MHz	Pass	PK	5.4636G	55.27	68.20	-12.93	3	Vertical	342	1.15
5580MHz	Pass	PK	5.5872G	123.65	Inf	-Inf	3	Vertical	342	1.15
5580MHz	Pass	PK	5.7264G	57.64	68.20	-10.56	3	Vertical	342	1.15
5580MHz	Pass	AV	11.16018G	52.64	54.00	-1.36	3	Vertical	339	1.50
5580MHz	Pass	PK	11.1606G	65.33	74.00	-8.67	3	Vertical	339	1.50
5580MHz	Pass	PK	16.74186G	57.58	68.20	-10.62	3	Vertical	358	1.50
5580MHz	Pass	AV	11.16012G	48.65	54.00	-5.35	3	Horizontal	33	1.58
5580MHz	Pass	PK	11.16048G	60.73	74.00	-13.27	3	Horizontal	33	1.58
5580MHz	Pass	PK	16.75458G	57.26	68.20	-10.94	3	Horizontal	322	1.50
5700MHz	Pass	AV	5.6928G	113.30	Inf	-Inf	3	Vertical	338	1.37
5700MHz	Pass	PK	5.6932G	122.84	Inf	-Inf	3	Vertical	338	1.37
5700MHz	Pass	PK	5.7328G	64.87	68.20	-3.33	3	Vertical	338	1.37
5700MHz	Pass	AV	11.40018G	44.92	54.00	-9.08	3	Vertical	360	1.57
5700MHz	Pass	PK	11.40066G	57.63	74.00	-16.37	3	Vertical	360	1.57
5700MHz	Pass	PK	17.10372G	58.29	68.20	-9.91	3	Vertical	232	1.50
5700MHz	Pass	AV	11.4G	41.13	54.00	-12.87	3	Horizontal	333	1.50
5700MHz	Pass	PK	11.40114G	53.35	74.00	-20.65	3	Horizontal	333	1.50
5700MHz	Pass	PK	17.11056G	58.33	68.20	-9.87	3	Horizontal	187	1.66
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4404G	42.64	54.00	-11.36	3	Vertical	326	1.32
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	118.29	Inf	-Inf	3	Vertical	326	1.32
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4416G	54.59	74.00	-19.41	3	Vertical	326	1.32
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	54.03	68.20	-14.17	3	Vertical	326	1.32
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	128.33	Inf	-Inf	3	Vertical	326	1.32
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	61.76	68.20	-6.44	3	Vertical	326	1.32
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4403G	52.04	54.00	-1.96	3	Vertical	1	2.66
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44054G	64.16	74.00	-9.84	3	Vertical	1	2.66
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1633G	66.79	68.20	-1.41	3	Vertical	22	1.54
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43832G	51.75	54.00	-2.25	3	Horizontal	317	1.82
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43802G	63.84	74.00	-10.16	3	Horizontal	317	1.82
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1663G	66.91	68.20	-1.29	3	Horizontal	16	1.76
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	AV	5.4556G	44.60	54.00	-9.40	3	Vertical	27	1.45
5500MHz	Pass	AV	5.5086G	110.69	Inf	-Inf	3	Vertical	27	1.45
5500MHz	Pass	PK	5.4548G	60.65	74.00	-13.35	3	Vertical	27	1.45
5500MHz	Pass	PK	5.4696G	65.96	68.20	-2.24	3	Vertical	27	1.45
5500MHz	Pass	PK	5.5082G	123.18	Inf	-Inf	3	Vertical	27	1.45
5500MHz	Pass	AV	10.99946G	45.62	54.00	-8.38	3	Vertical	340	2.95
5500MHz	Pass	PK	11.00036G	60.08	74.00	-13.92	3	Vertical	340	2.95
5500MHz	Pass	PK	16.50336G	58.97	68.20	-9.23	3	Vertical	26	1.50
5500MHz	Pass	AV	11.00018G	41.08	54.00	-12.92	3	Horizontal	3	2.89
5500MHz	Pass	PK	11.00216G	54.14	74.00	-19.86	3	Horizontal	3	2.89
5500MHz	Pass	PK	16.51362G	58.33	68.20	-9.87	3	Horizontal	219	2.64
5580MHz	Pass	AV	5.448G	43.07	54.00	-10.93	3	Vertical	347	1.33
5580MHz	Pass	AV	5.5722G	113.09	Inf	-Inf	3	Vertical	347	1.33
5580MHz	Pass	PK	5.4366G	55.89	74.00	-18.11	3	Vertical	347	1.33
5580MHz	Pass	PK	5.4636G	54.48	68.20	-13.72	3	Vertical	347	1.33



RSE TX above 1GHz_Non-Beamforming_Radio 3(High Band)

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	5.5716G	124.46	Inf	-Inf	3	Vertical	347	1.33
5580MHz	Pass	PK	5.7258G	58.34	68.20	-9.86	3	Vertical	347	1.33
5580MHz	Pass	AV	11.15982G	52.38	54.00	-1.62	3	Vertical	323	1.49
5580MHz	Pass	PK	11.16012G	66.45	74.00	-7.55	3	Vertical	323	1.49
5580MHz	Pass	PK	16.74822G	57.23	68.20	-10.97	3	Vertical	26	3.00
5580MHz	Pass	AV	11.1621G	47.27	54.00	-6.73	3	Horizontal	14	2.82
5580MHz	Pass	PK	11.16204G	60.86	74.00	-13.14	3	Horizontal	14	2.82
5580MHz	Pass	PK	16.74G	58.08	68.20	-10.12	3	Horizontal	164	1.50
5700MHz	Pass	AV	5.692G	111.22	Inf	-Inf	3	Vertical	358	1.37
5700MHz	Pass	PK	5.6916G	122.80	Inf	-Inf	3	Vertical	358	1.37
5700MHz	Pass	PK	5.7256G	66.59	68.20	-1.61	3	Vertical	358	1.37
5700MHz	Pass	AV	11.39856G	42.41	54.00	-11.59	3	Vertical	343	1.56
5700MHz	Pass	PK	11.39724G	57.20	74.00	-16.80	3	Vertical	343	1.56
5700MHz	Pass	PK	17.11434G	58.59	68.20	-9.61	3	Vertical	163	1.91
5700MHz	Pass	AV	11.40018G	39.67	54.00	-14.33	3	Horizontal	316	1.50
5700MHz	Pass	PK	11.39382G	53.26	74.00	-20.74	3	Horizontal	316	1.50
5700MHz	Pass	PK	17.11398G	58.34	68.20	-9.86	3	Horizontal	84	2.84
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	42.23	54.00	-11.77	3	Vertical	355	1.34
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7116G	117.43	Inf	-Inf	3	Vertical	355	1.34
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.438G	54.23	74.00	-19.77	3	Vertical	355	1.34
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	54.68	68.20	-13.52	3	Vertical	355	1.34
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	128.69	Inf	-Inf	3	Vertical	355	1.34
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8652G	63.36	68.20	-4.84	3	Vertical	355	1.34
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4388G	51.80	54.00	-2.20	3	Vertical	332	1.66
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43904G	64.73	74.00	-9.27	3	Vertical	332	1.66
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.17344G	67.51	68.20	-0.69	3	Vertical	340	1.83
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43994G	50.66	54.00	-3.34	3	Horizontal	344	1.49
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44012G	63.13	74.00	-10.87	3	Horizontal	344	1.49
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16258G	65.16	68.20	-3.04	3	Horizontal	16	1.63
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	AV	5.46G	46.79	54.00	-7.21	3	Vertical	183	1.20
5510MHz	Pass	AV	5.508G	105.90	Inf	-Inf	3	Vertical	183	1.20
5510MHz	Pass	PK	5.4596G	61.91	74.00	-12.09	3	Vertical	183	1.20
5510MHz	Pass	PK	5.4628G	64.35	68.20	-3.85	3	Vertical	183	1.20
5510MHz	Pass	PK	5.508G	118.63	Inf	-Inf	3	Vertical	183	1.20
5510MHz	Pass	AV	11.01904G	40.40	54.00	-13.60	3	Vertical	356	1.60
5510MHz	Pass	PK	11.01952G	53.06	74.00	-20.94	3	Vertical	356	1.60
5510MHz	Pass	PK	16.53372G	51.59	68.20	-16.61	3	Vertical	194	1.50
5510MHz	Pass	AV	11.0092G	38.24	54.00	-15.76	3	Horizontal	352	1.50
5510MHz	Pass	PK	11.03176G	50.46	74.00	-23.54	3	Horizontal	352	1.50
5510MHz	Pass	PK	16.50432G	50.86	68.20	-17.34	3	Horizontal	336	2.77
5550MHz	Pass	AV	5.4572G	46.90	54.00	-7.10	3	Vertical	343	1.20
5550MHz	Pass	AV	5.5452G	110.40	Inf	-Inf	3	Vertical	343	1.20
5550MHz	Pass	PK	5.458G	61.35	74.00	-12.65	3	Vertical	343	1.20
5550MHz	Pass	PK	5.4684G	66.17	68.20	-2.03	3	Vertical	343	1.20
5550MHz	Pass	PK	5.5448G	122.51	Inf	-Inf	3	Vertical	343	1.20
5550MHz	Pass	AV	11.09928G	46.19	54.00	-7.81	3	Vertical	328	1.50
5550MHz	Pass	PK	11.10048G	59.19	74.00	-14.81	3	Vertical	328	1.50
5550MHz	Pass	PK	16.63752G	57.81	68.20	-10.39	3	Vertical	308	1.50
5550MHz	Pass	AV	11.10912G	46.65	54.00	-7.35	3	Horizontal	310	1.41
5550MHz	Pass	PK	11.11032G	60.43	74.00	-13.57	3	Horizontal	310	1.41
5550MHz	Pass	PK	16.65948G	57.35	68.20	-10.85	3	Horizontal	344	1.48
5670MHz	Pass	AV	5.6748G	108.57	Inf	-Inf	3	Vertical	334	1.50
5670MHz	Pass	PK	5.6754G	121.03	Inf	-Inf	3	Vertical	334	1.50
5670MHz	Pass	PK	5.7348G	66.02	68.20	-2.18	3	Vertical	334	1.50
5670MHz	Pass	AV	11.3334G	42.64	54.00	-11.36	3	Vertical	328	3.00
5670MHz	Pass	PK	11.34252G	56.64	74.00	-17.36	3	Vertical	328	3.00
5670MHz	Pass	PK	17.01768G	58.59	68.20	-9.61	3	Vertical	164	2.00
5670MHz	Pass	AV	11.33412G	40.98	54.00	-13.02	3	Horizontal	334	1.40
5670MHz	Pass	PK	11.334G	53.25	74.00	-20.75	3	Horizontal	334	1.40
5670MHz	Pass	PK	17.00184G	58.65	68.20	-9.55	3	Horizontal	7	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4484G	43.81	54.00	-10.19	3	Vertical	352	1.38



RSE TX above 1GHz_Non-Beamforming_Radio 3(High Band)

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7016G	114.17	Inf	-Inf	3	Vertical	352	1.38
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4592G	58.40	74.00	-15.60	3	Vertical	352	1.38
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	60.32	68.20	-7.88	3	Vertical	352	1.38
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7016G	126.34	Inf	-Inf	3	Vertical	352	1.38
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.854G	67.41	68.20	-0.79	3	Vertical	352	1.38
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41868G	49.54	54.00	-4.46	3	Vertical	328	1.62
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41868G	62.30	74.00	-11.70	3	Vertical	328	1.62
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1234G	64.46	68.20	-3.74	3	Vertical	328	1.83
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42024G	49.42	54.00	-4.58	3	Horizontal	333	1.47
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41952G	63.45	74.00	-10.55	3	Horizontal	333	1.47
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.11356G	63.49	68.20	-4.71	3	Horizontal	4	1.65
802.11ax HEW80_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	43.48	54.00	-10.52	3	Vertical	181	1.30
5530MHz	Pass	AV	5.46G	48.26	54.00	-5.74	3	Vertical	181	1.30
5530MHz	Pass	AV	5.528G	102.19	Inf	-Inf	3	Vertical	181	1.30
5530MHz	Pass	PK	5.337G	57.25	68.20	-10.95	3	Vertical	181	1.30
5530MHz	Pass	PK	5.46G	62.20	74.00	-11.80	3	Vertical	181	1.30
5530MHz	Pass	PK	5.466G	63.90	68.20	-4.30	3	Vertical	181	1.30
5530MHz	Pass	PK	5.528G	115.70	Inf	-Inf	3	Vertical	181	1.30
5530MHz	Pass	PK	5.759G	59.26	68.20	-8.94	3	Vertical	181	1.30
5530MHz	Pass	AV	11.054G	37.93	54.00	-16.07	3	Vertical	359	3.00
5530MHz	Pass	PK	11.05664G	50.47	74.00	-23.53	3	Vertical	359	3.00
5530MHz	Pass	PK	16.62192G	51.47	68.20	-16.73	3	Vertical	184	2.47
5530MHz	Pass	AV	11.08856G	38.29	54.00	-15.71	3	Horizontal	338	1.50
5530MHz	Pass	PK	11.10752G	50.84	74.00	-23.16	3	Horizontal	338	1.50
5530MHz	Pass	PK	16.57128G	50.92	68.20	-17.28	3	Horizontal	142	1.50
5610MHz	Pass	AV	5.46G	45.26	54.00	-8.74	3	Vertical	349	1.29
5610MHz	Pass	AV	5.623G	106.34	Inf	-Inf	3	Vertical	349	1.29
5610MHz	Pass	PK	5.46G	57.93	74.00	-16.07	3	Vertical	349	1.29
5610MHz	Pass	PK	5.463G	60.84	68.20	-7.36	3	Vertical	349	1.29
5610MHz	Pass	PK	5.603G	117.64	Inf	-Inf	3	Vertical	349	1.29
5610MHz	Pass	PK	5.725G	67.86	68.20	-0.34	3	Vertical	349	1.29
5610MHz	Pass	AV	11.20032G	43.49	54.00	-10.51	3	Vertical	304	1.58
5610MHz	Pass	PK	11.20056G	56.17	74.00	-17.83	3	Vertical	304	1.58
5610MHz	Pass	PK	16.84704G	57.45	68.20	-10.75	3	Vertical	284	2.05
5610MHz	Pass	AV	11.21208G	41.41	54.00	-12.59	3	Horizontal	299	1.50
5610MHz	Pass	PK	11.21232G	53.61	74.00	-20.39	3	Horizontal	299	1.50
5610MHz	Pass	PK	16.83624G	57.12	68.20	-11.08	3	Horizontal	272	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	43.42	54.00	-10.58	3	Vertical	15	1.53
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6888G	109.24	Inf	-Inf	3	Vertical	15	1.53
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4536G	55.14	74.00	-18.86	3	Vertical	15	1.53
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	55.19	68.20	-13.01	3	Vertical	15	1.53
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6888G	120.73	Inf	-Inf	3	Vertical	15	1.53
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	65.24	68.20	-2.96	3	Vertical	15	1.53
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37712G	44.43	54.00	-9.57	3	Vertical	317	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3764G	57.06	74.00	-16.94	3	Vertical	317	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05344G	58.70	68.20	-9.50	3	Vertical	214	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37376G	41.38	54.00	-12.62	3	Horizontal	298	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39296G	53.86	74.00	-20.14	3	Horizontal	298	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0508G	58.92	68.20	-9.28	3	Horizontal	125	1.50
802.11ax HEW160_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.444G	51.24	54.00	-2.76	3	Vertical	344	1.25
5570MHz	Pass	AV	5.5448G	99.32	Inf	-Inf	3	Vertical	344	1.25
5570MHz	Pass	PK	5.3252G	57.38	68.20	-10.82	3	Vertical	344	1.25
5570MHz	Pass	PK	5.4452G	65.54	74.00	-8.46	3	Vertical	344	1.25
5570MHz	Pass	PK	5.4644G	67.64	68.20	-0.56	3	Vertical	344	1.25
5570MHz	Pass	PK	5.5436G	111.85	Inf	-Inf	3	Vertical	344	1.25
5570MHz	Pass	PK	5.726G	66.38	68.20	-1.82	3	Vertical	344	1.25
5570MHz	Pass	AV	11.1664G	38.51	54.00	-15.49	3	Vertical	14	1.60
5570MHz	Pass	PK	11.18704G	50.68	74.00	-23.32	3	Vertical	14	1.60
5570MHz	Pass	PK	16.7652G	51.64	68.20	-16.56	3	Vertical	360	1.50
5570MHz	Pass	AV	11.12944G	38.96	54.00	-15.04	3	Horizontal	345	1.51




RSE TX above 1GHz_Non-Beamforming_Radio 3(High Band)

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	11.10832G	50.54	74.00	-23.46	3	Horizontal	345	1.51
5570MHz	Pass	PK	16.74312G	52.01	68.20	-16.19	3	Horizontal	109	2.05

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4404G	42.64	54.00	-11.36	4.50	3	Vertical	326	1.32	38.14	32.60	6.63	34.73
AV	5.7128G	118.29	Inf	-Inf	5.53	3	Vertical	326	1.32	112.76	33.45	6.84	34.76
PK	5.4416G	54.59	74.00	-19.41	4.50	3	Vertical	326	1.32	50.09	32.60	6.63	34.73
PK	5.4692G	54.03	68.20	-14.17	4.57	3	Vertical	326	1.32	49.46	32.64	6.65	34.72
PK	5.7128G	128.33	Inf	-Inf	5.53	3	Vertical	326	1.32	122.80	33.45	6.84	34.76
PK	5.8544G	61.76	68.20	-6.44	6.08	3	Vertical	326	1.32	55.68	33.92	6.95	34.79

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4403G	52.04	54.00	-1.96	15.78	3	Vertical	1	2.66	36.26	38.82	11.41	34.45
PK	11.44054G	64.16	74.00	-9.84	15.78	3	Vertical	1	2.66	48.38	38.82	11.41	34.45
PK	17.1633G	66.79	68.20	-1.41	17.72	3	Vertical	22	1.54	49.07	38.00	12.97	33.25



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43832G	51.75	54.00	-2.25	15.78	3	Horizontal	317	1.82	35.97	38.82	11.41	34.45
PK	11.43802G	63.84	74.00	-10.16	15.78	3	Horizontal	317	1.82	48.06	38.82	11.41	34.45
PK	17.1663G	66.91	68.20	-1.29	17.72	3	Horizontal	16	1.76	49.19	38.00	12.97	33.25

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4392G	42.23	54.00	-11.77	4.50	3	Vertical	355	1.34	37.73	32.60	6.63	34.73
AV	5.7116G	117.43	Inf	-Inf	5.53	3	Vertical	355	1.34	111.90	33.45	6.84	34.76
PK	5.438G	54.23	74.00	-19.77	4.49	3	Vertical	355	1.34	49.74	32.60	6.62	34.73
PK	5.4644G	54.68	68.20	-13.52	4.56	3	Vertical	355	1.34	50.12	32.63	6.65	34.72
PK	5.7128G	128.69	Inf	-Inf	5.53	3	Vertical	355	1.34	123.16	33.45	6.84	34.76
PK	5.8652G	63.36	68.20	-4.84	6.13	3	Vertical	355	1.34	57.23	33.96	6.96	34.79



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4388G	51.80	54.00	-2.20	15.78	3	Vertical	332	1.66	36.02	38.82	11.41	34.45
PK	11.43904G	64.73	74.00	-9.27	15.78	3	Vertical	332	1.66	48.95	38.82	11.41	34.45
PK	17.17344G	67.51	68.20	-0.69	17.71	3	Vertical	340	1.83	49.80	38.00	12.97	33.26

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43994G	50.66	54.00	-3.34	15.78	3	Horizontal	344	1.49	34.88	38.82	11.41	34.45
PK	11.44012G	63.13	74.00	-10.87	15.78	3	Horizontal	344	1.49	47.35	38.82	11.41	34.45
PK	17.16258G	65.16	68.20	-3.04	17.72	3	Horizontal	16	1.63	47.44	38.00	12.97	33.25



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4484G	43.81	54.00	-10.19	4.50	3	Vertical	352	1.38	39.31	32.60	6.63	34.73
AV	5.7016G	114.17	Inf	-Inf	5.49	3	Vertical	352	1.38	108.68	33.41	6.84	34.76
PK	5.4592G	58.40	74.00	-15.60	4.54	3	Vertical	352	1.38	53.86	32.62	6.64	34.72
PK	5.47G	60.32	68.20	-7.88	4.57	3	Vertical	352	1.38	55.75	32.64	6.65	34.72
PK	5.7016G	126.34	Inf	-Inf	5.49	3	Vertical	352	1.38	120.85	33.41	6.84	34.76
PK	5.854G	67.41	68.20	-0.79	6.08	3	Vertical	352	1.38	61.33	33.92	6.95	34.79

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41868G	49.54	54.00	-4.46	15.82	3	Vertical	328	1.62	33.72	38.86	11.40	34.44
PK	11.41868G	62.30	74.00	-11.70	15.82	3	Vertical	328	1.62	46.48	38.86	11.40	34.44
PK	17.1234G	64.46	68.20	-3.74	17.72	3	Vertical	328	1.83	46.74	38.00	12.95	33.23



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42024G	49.42	54.00	-4.58	15.83	3	Horizontal	333	1.47	33.59	38.86	11.41	34.44
PK	11.41952G	63.45	74.00	-10.55	15.83	3	Horizontal	333	1.47	47.62	38.86	11.41	34.44
PK	17.11356G	63.49	68.20	-4.71	17.72	3	Horizontal	4	1.65	45.77	38.00	12.95	33.23

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.26	54.00	-8.74	4.54	3	Vertical	349	1.29	40.72	32.62	6.64	34.72
AV	5.623G	106.34	Inf	-Inf	4.93	3	Vertical	349	1.29	101.41	32.89	6.78	34.74
PK	5.46G	57.93	74.00	-16.07	4.54	3	Vertical	349	1.29	53.39	32.62	6.64	34.72
PK	5.463G	60.84	68.20	-7.36	4.56	3	Vertical	349	1.29	56.28	32.63	6.65	34.72
PK	5.603G	117.64	Inf	-Inf	4.84	3	Vertical	349	1.29	112.80	32.81	6.77	34.74
PK	5.725G	67.86	68.20	-0.34	5.58	3	Vertical	349	1.29	62.28	33.50	6.85	34.77



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20032G	43.49	54.00	-10.51	15.59	3	Vertical	304	1.58	27.90	38.70	11.32	34.43
PK	11.20056G	56.17	74.00	-17.83	15.59	3	Vertical	304	1.58	40.58	38.70	11.32	34.43
PK	16.84704G	57.45	68.20	-10.75	17.63	3	Vertical	284	2.05	39.82	38.29	12.83	33.49

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21208G	41.41	54.00	-12.59	15.62	3	Horizontal	299	1.50	25.79	38.72	11.33	34.43
PK	11.21232G	53.61	74.00	-20.39	15.62	3	Horizontal	299	1.50	37.99	38.72	11.33	34.43
PK	16.83624G	57.12	68.20	-11.08	17.58	3	Horizontal	272	1.50	39.54	38.27	12.82	33.51

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.444G	51.24	54.00	-2.76	4.50	3	Vertical	344	1.25	46.74	32.60	6.63	34.73
AV	5.5448G	99.32	Inf	-Inf	4.69	3	Vertical	344	1.25	94.63	32.70	6.72	34.73
PK	5.3252G	57.38	68.20	-10.82	4.50	3	Vertical	344	1.25	52.88	32.70	6.54	34.74
PK	5.4452G	65.54	74.00	-8.46	4.50	3	Vertical	344	1.25	61.04	32.60	6.63	34.73
PK	5.4644G	67.64	68.20	-0.56	4.56	3	Vertical	344	1.25	63.08	32.63	6.65	34.72
PK	5.5436G	111.85	Inf	-Inf	4.69	3	Vertical	344	1.25	107.16	32.70	6.72	34.73
PK	5.726G	66.38	68.20	-1.82	5.58	3	Vertical	344	1.25	60.80	33.50	6.85	34.77

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1664G	38.51	54.00	-15.49	15.59	3	Vertical	14	1.60	22.92	38.70	11.31	34.42
PK	11.18704G	50.68	74.00	-23.32	15.60	3	Vertical	14	1.60	35.08	38.70	11.32	34.42
PK	16.7652G	51.64	68.20	-16.56	17.33	3	Vertical	360	1.50	34.31	38.20	12.79	33.66



5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.12944G	38.96	54.00	-15.04	15.54	3	Horizontal	345	1.51	23.42	38.66	11.30	34.42
PK	11.10832G	50.54	74.00	-23.46	15.49	3	Horizontal	345	1.51	35.05	38.62	11.29	34.42
PK	16.74312G	52.01	68.20	-16.19	17.27	3	Horizontal	109	2.05	34.74	38.19	12.78	33.70



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	52.71	54.00	-1.29	3	Vertical	144	1.99
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.36G	52.29	54.00	-1.71	3	Vertical	156	2.15
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	52.08	54.00	-1.92	3	Vertical	186	2.02
802.11ax HEW80+80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.13G	52.68	54.00	-1.32	3	Vertical	185	1.99
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4688G	66.95	68.20	-1.25	3	Vertical	122	2.11
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.47G	67.56	68.20	-0.64	3	Vertical	116	2.09
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.729G	67.62	68.20	-0.58	3	Vertical	54	2.16
802.11ax HEW80+80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3696G	53.89	54.00	-0.11	3	Vertical	360	2.22



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.149G	50.43	54.00	-3.57	3	Vertical	130	1.82
5260MHz	Pass	AV	5.2636G	108.58	Inf	-Inf	3	Vertical	130	1.82
5260MHz	Pass	AV	5.3512G	50.46	54.00	-3.54	3	Vertical	130	1.82
5260MHz	Pass	PK	5.1496G	62.96	74.00	-11.04	3	Vertical	130	1.82
5260MHz	Pass	PK	5.2618G	121.13	Inf	-Inf	3	Vertical	130	1.82
5260MHz	Pass	PK	5.3566G	62.80	74.00	-11.20	3	Vertical	130	1.82
5260MHz	Pass	AV	15.78362G	41.59	54.00	-12.41	3	Vertical	356	2.33
5260MHz	Pass	PK	10.52008G	49.56	68.20	-18.64	3	Vertical	338	1.50
5260MHz	Pass	PK	15.78128G	55.47	74.00	-18.53	3	Vertical	356	2.33
5260MHz	Pass	AV	15.7758G	41.49	54.00	-12.51	3	Horizontal	109	2.23
5260MHz	Pass	PK	10.51572G	49.51	68.20	-18.69	3	Horizontal	350	1.37
5260MHz	Pass	PK	15.78044G	54.61	74.00	-19.39	3	Horizontal	109	2.23
5300MHz	Pass	AV	5.302G	109.25	Inf	-Inf	3	Vertical	138	2.18
5300MHz	Pass	AV	5.3516G	50.66	54.00	-3.34	3	Vertical	138	2.18
5300MHz	Pass	PK	5.3024G	121.81	Inf	-Inf	3	Vertical	138	2.18
5300MHz	Pass	PK	5.3748G	63.36	74.00	-10.64	3	Vertical	138	2.18
5300MHz	Pass	AV	15.9009G	41.92	54.00	-12.08	3	Vertical	340	1.50
5300MHz	Pass	PK	10.59988G	50.99	68.20	-17.21	3	Vertical	338	1.58
5300MHz	Pass	PK	15.90434G	55.59	74.00	-18.41	3	Vertical	340	1.50
5300MHz	Pass	AV	15.89528G	41.75	54.00	-12.25	3	Horizontal	129	1.41
5300MHz	Pass	PK	10.59984G	49.65	68.20	-18.55	3	Horizontal	294	1.36
5300MHz	Pass	PK	15.90446G	54.95	74.00	-19.05	3	Horizontal	129	1.41
5320MHz	Pass	AV	5.323G	109.02	Inf	-Inf	3	Vertical	144	1.99
5320MHz	Pass	AV	5.35G	52.71	54.00	-1.29	3	Vertical	144	1.99
5320MHz	Pass	PK	5.3208G	121.74	Inf	-Inf	3	Vertical	144	1.99
5320MHz	Pass	PK	5.3538G	65.05	74.00	-8.95	3	Vertical	144	1.99
5320MHz	Pass	AV	10.64002G	42.95	54.00	-11.05	3	Vertical	338	1.65
5320MHz	Pass	AV	15.96086G	41.95	54.00	-12.05	3	Vertical	246	2.10
5320MHz	Pass	PK	10.63996G	51.75	74.00	-22.25	3	Vertical	338	1.65
5320MHz	Pass	PK	15.95574G	55.24	74.00	-18.76	3	Vertical	246	2.10
5320MHz	Pass	AV	10.63996G	37.94	54.00	-16.06	3	Horizontal	289	1.34
5320MHz	Pass	AV	15.96114G	42.09	54.00	-11.91	3	Horizontal	78	1.16
5320MHz	Pass	PK	10.64072G	49.19	74.00	-24.81	3	Horizontal	289	1.34
5320MHz	Pass	PK	15.96366G	55.32	74.00	-18.68	3	Horizontal	78	1.16
5500MHz	Pass	AV	5.4596G	50.66	54.00	-3.34	3	Vertical	122	2.11
5500MHz	Pass	AV	5.498G	109.75	Inf	-Inf	3	Vertical	122	2.11
5500MHz	Pass	PK	5.4502G	63.28	74.00	-10.72	3	Vertical	122	2.11
5500MHz	Pass	PK	5.4688G	66.95	68.20	-1.25	3	Vertical	122	2.11
5500MHz	Pass	PK	5.4972G	122.34	Inf	-Inf	3	Vertical	122	2.11
5500MHz	Pass	AV	10.99996G	40.34	54.00	-13.66	3	Vertical	357	1.43
5500MHz	Pass	PK	11.0002G	49.81	74.00	-24.19	3	Vertical	357	1.43
5500MHz	Pass	PK	16.5041G	58.28	68.20	-9.92	3	Vertical	230	1.53
5500MHz	Pass	AV	11G	40.29	54.00	-13.71	3	Horizontal	25	1.54
5500MHz	Pass	PK	10.99992G	49.49	74.00	-24.51	3	Horizontal	25	1.54
5500MHz	Pass	PK	16.49734G	57.44	68.20	-10.76	3	Horizontal	112	1.84
5580MHz	Pass	AV	5.4396G	49.83	54.00	-4.17	3	Vertical	124	1.90
5580MHz	Pass	AV	5.577G	109.26	Inf	-Inf	3	Vertical	124	1.90
5580MHz	Pass	PK	5.4438G	62.50	74.00	-11.50	3	Vertical	124	1.90
5580MHz	Pass	PK	5.4606G	61.58	68.20	-6.62	3	Vertical	124	1.90
5580MHz	Pass	PK	5.5782G	121.62	Inf	-Inf	3	Vertical	124	1.90
5580MHz	Pass	PK	5.7264G	63.47	68.20	-4.73	3	Vertical	124	1.90
5580MHz	Pass	AV	11.16004G	39.01	54.00	-14.99	3	Vertical	353	1.50
5580MHz	Pass	PK	11.1636G	51.01	74.00	-22.99	3	Vertical	353	1.50
5580MHz	Pass	PK	16.74592G	57.76	68.20	-10.44	3	Vertical	127	2.76
5580MHz	Pass	AV	11.15998G	41.78	54.00	-12.22	3	Horizontal	22	1.50
5580MHz	Pass	PK	11.15996G	50.38	74.00	-23.62	3	Horizontal	22	1.50
5580MHz	Pass	PK	16.74396G	57.52	68.20	-10.68	3	Horizontal	189	1.83
5700MHz	Pass	AV	5.7032G	104.82	Inf	-Inf	3	Vertical	204	1.91
5700MHz	Pass	PK	5.6968G	117.94	Inf	-Inf	3	Vertical	204	1.91
5700MHz	Pass	PK	5.7252G	65.73	68.20	-2.47	3	Vertical	204	1.91



RSE TX above 1GHz_Beamforming_Radio 2

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5700MHz	Pass	AV	11.39994G	40.84	54.00	-13.16	3	Vertical	306	2.18
5700MHz	Pass	PK	11.39992G	50.27	74.00	-23.73	3	Vertical	306	2.18
5700MHz	Pass	PK	17.09728G	58.82	68.20	-9.38	3	Vertical	96	1.66
5700MHz	Pass	AV	11.39998G	43.27	54.00	-10.73	3	Horizontal	26	1.42
5700MHz	Pass	PK	11.40012G	51.34	74.00	-22.66	3	Horizontal	26	1.42
5700MHz	Pass	PK	17.09602G	58.97	68.20	-9.23	3	Horizontal	253	1.29
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4308G	49.69	54.00	-4.31	3	Vertical	79	2.13
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	112.58	Inf	-Inf	3	Vertical	79	2.13
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4212G	61.56	74.00	-12.44	3	Vertical	79	2.13
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	62.12	68.20	-6.08	3	Vertical	79	2.13
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	124.56	Inf	-Inf	3	Vertical	79	2.13
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	63.98	68.20	-4.22	3	Vertical	79	2.13
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43752G	43.08	54.00	-10.92	3	Vertical	324	1.47
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43744G	55.83	74.00	-18.17	3	Vertical	324	1.47
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1608G	58.63	68.20	-9.57	3	Vertical	355	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43992G	44.22	54.00	-9.78	3	Horizontal	327	1.46
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43552G	55.33	74.00	-18.67	3	Horizontal	327	1.46
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16312G	57.76	68.20	-10.44	3	Horizontal	156	1.06
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2648G	107.75	Inf	-Inf	3	Vertical	124	1.83
5270MHz	Pass	AV	5.35G	52.28	54.00	-1.72	3	Vertical	124	1.83
5270MHz	Pass	PK	5.2584G	120.43	Inf	-Inf	3	Vertical	124	1.83
5270MHz	Pass	PK	5.3536G	65.52	74.00	-8.48	3	Vertical	124	1.83
5270MHz	Pass	AV	15.80622G	41.50	54.00	-12.50	3	Vertical	227	2.89
5270MHz	Pass	PK	10.53984G	50.23	68.20	-17.97	3	Vertical	350	1.73
5270MHz	Pass	PK	15.80806G	55.31	74.00	-18.69	3	Vertical	227	2.89
5270MHz	Pass	AV	15.8112G	41.46	54.00	-12.54	3	Horizontal	122	1.92
5270MHz	Pass	PK	10.5397G	48.92	68.20	-19.28	3	Horizontal	360	1.41
5270MHz	Pass	PK	15.80912G	54.66	74.00	-19.34	3	Horizontal	122	1.92
5310MHz	Pass	AV	5.304G	101.87	Inf	-Inf	3	Vertical	156	2.15
5310MHz	Pass	AV	5.35G	52.29	54.00	-1.71	3	Vertical	156	2.15
5310MHz	Pass	PK	5.3108G	115.19	Inf	-Inf	3	Vertical	156	2.15
5310MHz	Pass	PK	5.35G	65.58	74.00	-8.42	3	Vertical	156	2.15
5310MHz	Pass	AV	10.61998G	40.72	54.00	-13.28	3	Vertical	344	1.50
5310MHz	Pass	AV	15.93362G	41.95	54.00	-12.05	3	Vertical	98	2.82
5310MHz	Pass	PK	10.6199G	50.09	74.00	-23.91	3	Vertical	344	1.50
5310MHz	Pass	PK	15.93496G	55.85	74.00	-18.15	3	Vertical	98	2.82
5310MHz	Pass	AV	10.62G	37.74	54.00	-16.26	3	Horizontal	302	1.42
5310MHz	Pass	AV	15.92906G	41.97	54.00	-12.03	3	Horizontal	3	1.09
5310MHz	Pass	PK	10.61974G	49.94	74.00	-24.06	3	Horizontal	302	1.42
5310MHz	Pass	PK	15.93006G	54.96	74.00	-19.04	3	Horizontal	3	1.09
5510MHz	Pass	AV	5.46G	45.54	54.00	-8.46	3	Vertical	116	2.09
5510MHz	Pass	AV	5.5136G	102.53	Inf	-Inf	3	Vertical	116	2.09
5510MHz	Pass	PK	5.4592G	61.04	74.00	-12.96	3	Vertical	116	2.09
5510MHz	Pass	PK	5.47G	67.56	68.20	-0.64	3	Vertical	116	2.09
5510MHz	Pass	PK	5.518G	115.70	Inf	-Inf	3	Vertical	116	2.09
5510MHz	Pass	AV	11.01994G	40.35	54.00	-13.65	3	Vertical	8	1.44
5510MHz	Pass	PK	11.0198G	49.39	74.00	-24.61	3	Vertical	8	1.44
5510MHz	Pass	PK	16.5294G	58.23	68.20	-9.97	3	Vertical	183	1.53
5510MHz	Pass	AV	11.01997G	40.59	54.00	-13.41	3	Horizontal	36	1.56
5510MHz	Pass	PK	11.02G	49.73	74.00	-24.27	3	Horizontal	36	1.56
5510MHz	Pass	PK	16.52888G	58.18	68.20	-10.02	3	Horizontal	114	2.87
5550MHz	Pass	AV	5.4516G	50.05	54.00	-3.95	3	Vertical	73	2.12
5550MHz	Pass	AV	5.5576G	108.86	Inf	-Inf	3	Vertical	73	2.12
5550MHz	Pass	PK	5.458G	62.17	74.00	-11.83	3	Vertical	73	2.12
5550MHz	Pass	PK	5.4644G	62.06	68.20	-6.14	3	Vertical	73	2.12
5550MHz	Pass	PK	5.562G	121.58	Inf	-Inf	3	Vertical	73	2.12
5550MHz	Pass	AV	11.09995G	43.08	54.00	-10.92	3	Vertical	347	1.12
5550MHz	Pass	PK	11.09988G	54.71	74.00	-19.29	3	Vertical	347	1.12
5550MHz	Pass	PK	16.65094G	58.18	68.20	-10.02	3	Vertical	19	2.13
5550MHz	Pass	AV	11.09996G	40.81	54.00	-13.19	3	Horizontal	37	2.27
5550MHz	Pass	PK	11.0027G	49.59	74.00	-24.41	3	Horizontal	37	2.27



RSE TX above 1GHz_Beamforming_Radio 2

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5550MHz	Pass	PK	16.64864G	57.54	68.20	-10.66	3	Horizontal	4	1.86
5670MHz	Pass	AV	5.6742G	106.26	Inf	-Inf	3	Vertical	190	1.87
5670MHz	Pass	PK	5.6742G	118.95	Inf	-Inf	3	Vertical	190	1.87
5670MHz	Pass	PK	5.7288G	66.24	68.20	-1.96	3	Vertical	190	1.87
5670MHz	Pass	AV	11.33996G	40.26	54.00	-13.74	3	Vertical	330	1.50
5670MHz	Pass	PK	11.3444G	53.01	74.00	-20.99	3	Vertical	330	1.50
5670MHz	Pass	PK	17.0143G	58.44	68.20	-9.76	3	Vertical	173	2.83
5670MHz	Pass	AV	11.34G	42.09	54.00	-11.91	3	Horizontal	55	1.40
5670MHz	Pass	PK	11.3399G	51.48	74.00	-22.52	3	Horizontal	55	1.40
5670MHz	Pass	PK	17.00892G	58.38	68.20	-9.82	3	Horizontal	55	1.67
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4364G	49.90	54.00	-4.10	3	Vertical	196	1.88
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7088G	108.73	Inf	-Inf	3	Vertical	196	1.88
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4148G	62.81	74.00	-11.19	3	Vertical	196	1.88
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	61.47	68.20	-6.73	3	Vertical	196	1.88
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	120.92	Inf	-Inf	3	Vertical	196	1.88
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8588G	64.59	68.20	-3.61	3	Vertical	196	1.88
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41995G	40.04	54.00	-13.96	3	Vertical	330	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41983G	52.67	74.00	-21.33	3	Vertical	330	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12942G	59.00	68.20	-9.20	3	Vertical	68	2.28
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41996G	43.68	54.00	-10.32	3	Horizontal	357	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4176G	55.06	74.00	-18.94	3	Horizontal	357	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12936G	60.03	68.20	-8.17	3	Horizontal	66	1.74
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.15G	43.07	54.00	-10.93	3	Vertical	186	2.02
5290MHz	Pass	AV	5.285G	98.21	Inf	-Inf	3	Vertical	186	2.02
5290MHz	Pass	AV	5.35G	52.08	54.00	-1.92	3	Vertical	186	2.02
5290MHz	Pass	PK	5.116G	54.62	74.00	-19.38	3	Vertical	186	2.02
5290MHz	Pass	PK	5.295G	110.40	Inf	-Inf	3	Vertical	186	2.02
5290MHz	Pass	PK	5.352G	64.67	74.00	-9.33	3	Vertical	186	2.02
5290MHz	Pass	PK	5.479G	55.24	68.20	-12.96	3	Vertical	186	2.02
5290MHz	Pass	AV	15.87236G	41.70	54.00	-12.30	3	Vertical	293	1.96
5290MHz	Pass	PK	10.58001G	50.68	68.20	-17.52	3	Vertical	357	1.65
5290MHz	Pass	PK	15.86949G	54.86	74.00	-19.14	3	Vertical	293	1.96
5290MHz	Pass	AV	15.8722G	41.66	54.00	-12.34	3	Horizontal	281	1.84
5290MHz	Pass	PK	10.57986G	48.79	68.20	-19.41	3	Horizontal	347	1.36
5290MHz	Pass	PK	15.86909G	54.94	74.00	-19.06	3	Horizontal	281	1.84
5530MHz	Pass	AV	5.35G	43.17	54.00	-10.83	3	Vertical	318	2.27
5530MHz	Pass	AV	5.46G	52.85	54.00	-1.15	3	Vertical	318	2.27
5530MHz	Pass	AV	5.527G	99.29	Inf	-Inf	3	Vertical	318	2.27
5530MHz	Pass	PK	5.333G	55.37	68.20	-12.83	3	Vertical	318	2.27
5530MHz	Pass	PK	5.455G	66.76	74.00	-7.24	3	Vertical	318	2.27
5530MHz	Pass	PK	5.463G	67.56	68.20	-0.64	3	Vertical	318	2.27
5530MHz	Pass	PK	5.526G	111.06	Inf	-Inf	3	Vertical	318	2.27
5530MHz	Pass	PK	5.728G	55.98	68.20	-12.22	3	Vertical	318	2.27
5530MHz	Pass	AV	11.05998G	40.82	54.00	-13.18	3	Vertical	18	1.50
5530MHz	Pass	PK	11.05991G	49.21	74.00	-24.79	3	Vertical	18	1.50
5530MHz	Pass	PK	16.59095G	56.87	68.20	-11.33	3	Vertical	62	1.46
5530MHz	Pass	AV	11.05996G	39.81	54.00	-14.19	3	Horizontal	45	1.50
5530MHz	Pass	PK	11.06013G	49.23	74.00	-24.77	3	Horizontal	45	1.50
5530MHz	Pass	PK	16.59182G	57.33	68.20	-10.87	3	Horizontal	26	1.04
5610MHz	Pass	AV	5.36G	50.42	54.00	-3.58	3	Vertical	54	2.16
5610MHz	Pass	AV	5.612G	106.45	Inf	-Inf	3	Vertical	54	2.16
5610MHz	Pass	PK	5.414G	62.50	74.00	-11.50	3	Vertical	54	2.16
5610MHz	Pass	PK	5.461G	61.79	68.20	-6.41	3	Vertical	54	2.16
5610MHz	Pass	PK	5.612G	118.85	Inf	-Inf	3	Vertical	54	2.16
5610MHz	Pass	PK	5.729G	67.62	68.20	-0.58	3	Vertical	54	2.16
5610MHz	Pass	AV	11.22G	39.71	54.00	-14.29	3	Vertical	60	1.42
5610MHz	Pass	PK	11.21988G	50.81	74.00	-23.19	3	Vertical	60	1.42
5610MHz	Pass	PK	16.83178G	56.80	68.20	-11.40	3	Vertical	305	2.14
5610MHz	Pass	AV	11.22001G	38.70	54.00	-15.30	3	Horizontal	39	1.50
5610MHz	Pass	PK	11.22015G	49.49	74.00	-24.51	3	Horizontal	39	1.50
5610MHz	Pass	PK	16.83004G	56.67	68.20	-11.53	3	Horizontal	76	1.63




RSE TX above 1GHz_Beamforming_Radio 2

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.3936G	49.91	54.00	-4.09	3	Vertical	64	2.20
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6732G	106.34	Inf	-Inf	3	Vertical	64	2.20
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4392G	62.05	74.00	-11.95	3	Vertical	64	2.20
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	62.32	68.20	-5.88	3	Vertical	64	2.20
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6672G	118.20	Inf	-Inf	3	Vertical	64	2.20
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8928G	63.95	68.20	-4.25	3	Vertical	64	2.20
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38002G	39.78	54.00	-14.22	3	Vertical	327	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37968G	52.96	74.00	-21.04	3	Vertical	327	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07189G	59.87	68.20	-8.33	3	Vertical	11	2.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37993G	43.40	54.00	-10.60	3	Horizontal	52	1.41
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37984G	51.65	74.00	-22.35	3	Horizontal	52	1.41
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06819G	59.34	68.20	-8.86	3	Horizontal	118	1.76
802.11ax HEW80+80-BF_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
#5210MHz.#5290MHz	Pass	AV	5.13G	52.68	54.00	-1.32	3	Vertical	185	1.99
#5210MHz.#5290MHz	Pass	AV	5.2116G	96.77	Inf	-Inf	3	Vertical	185	1.99
#5210MHz.#5290MHz	Pass	AV	5.3508G	51.40	54.00	-2.60	3	Vertical	185	1.99
#5210MHz.#5290MHz	Pass	PK	5.148G	69.69	74.00	-4.31	3	Vertical	185	1.99
#5210MHz.#5290MHz	Pass	PK	5.2212G	109.63	Inf	-Inf	3	Vertical	185	1.99
#5210MHz.#5290MHz	Pass	PK	5.376G	65.52	74.00	-8.48	3	Vertical	185	1.99
#5210MHz.#5290MHz	Pass	PK	5.4864G	56.48	68.20	-11.72	3	Vertical	185	1.99
#5210MHz.#5290MHz	Pass	AV	15.62284G	44.92	54.00	-9.08	3	Vertical	217	2.16
#5210MHz.#5290MHz	Pass	AV	15.862G	44.49	54.00	-9.51	3	Vertical	136	2.14
#5210MHz.#5290MHz	Pass	PK	10.42324G	51.35	68.20	-16.85	3	Vertical	168	2.33
#5210MHz.#5290MHz	Pass	PK	10.58168G	50.45	68.20	-17.75	3	Vertical	351	1.25
#5210MHz.#5290MHz	Pass	PK	15.62288G	58.06	74.00	-15.94	3	Vertical	217	2.16
#5210MHz.#5290MHz	Pass	PK	15.86544G	57.72	74.00	-16.28	3	Vertical	136	2.14
#5210MHz.#5290MHz	Pass	AV	15.62048G	44.83	54.00	-9.17	3	Horizontal	76	1.12
#5210MHz.#5290MHz	Pass	AV	15.86752G	44.55	54.00	-9.45	3	Horizontal	348	2.95
#5210MHz.#5290MHz	Pass	PK	10.41748G	50.89	68.20	-17.31	3	Horizontal	136	1.01
#5210MHz.#5290MHz	Pass	PK	10.57928G	51.18	68.20	-17.02	3	Horizontal	130	2.01
#5210MHz.#5290MHz	Pass	PK	15.62528G	58.68	74.00	-15.32	3	Horizontal	76	1.12
#5210MHz.#5290MHz	Pass	PK	15.87248G	57.70	74.00	-16.30	3	Horizontal	348	2.95
#5530MHz.#5610MHz	Pass	AV	5.3696G	53.89	54.00	-0.11	3	Vertical	360	2.22
#5530MHz.#5610MHz	Pass	AV	5.624G	98.44	Inf	-Inf	3	Vertical	360	2.22
#5530MHz.#5610MHz	Pass	PK	5.35G	59.06	74.00	-14.94	3	Vertical	360	2.22
#5530MHz.#5610MHz	Pass	PK	5.4596G	64.13	74.00	-9.87	3	Vertical	360	2.22
#5530MHz.#5610MHz	Pass	PK	5.4644G	63.01	68.20	-5.19	3	Vertical	360	2.22
#5530MHz.#5610MHz	Pass	PK	5.6228G	110.35	Inf	-Inf	3	Vertical	360	2.22
#5530MHz.#5610MHz	Pass	PK	5.7308G	62.49	68.20	-5.71	3	Vertical	360	2.22
#5530MHz.#5610MHz	Pass	AV	11.05992G	39.64	54.00	-14.36	3	Vertical	1	1.57
#5530MHz.#5610MHz	Pass	AV	11.21996G	38.74	54.00	-15.26	3	Vertical	274	2.10
#5530MHz.#5610MHz	Pass	PK	11.05376G	51.84	74.00	-22.16	3	Vertical	1	1.57
#5530MHz.#5610MHz	Pass	PK	11.22312G	50.90	74.00	-23.10	3	Vertical	274	2.10
#5530MHz.#5610MHz	Pass	PK	16.59828G	59.01	68.20	-9.19	3	Vertical	228	2.87
#5530MHz.#5610MHz	Pass	PK	16.83368G	61.02	68.20	-7.18	3	Vertical	144	1.80
#5530MHz.#5610MHz	Pass	AV	11.06G	40.18	54.00	-13.82	3	Horizontal	1	2.09
#5530MHz.#5610MHz	Pass	AV	11.22G	38.15	54.00	-15.85	3	Horizontal	303	1.63
#5530MHz.#5610MHz	Pass	PK	11.06G	52.30	74.00	-21.70	3	Horizontal	1	2.09
#5530MHz.#5610MHz	Pass	PK	11.22452G	50.97	74.00	-23.03	3	Horizontal	303	1.63
#5530MHz.#5610MHz	Pass	PK	16.58008G	59.17	68.20	-9.03	3	Horizontal	105	1.33
#5530MHz.#5610MHz	Pass	PK	16.82116G	60.85	68.20	-7.35	3	Horizontal	152	1.30

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.323G	109.02	Inf	-Inf	4.93	3	Vertical	144	1.99	104.09	32.70	6.97	34.74
AV	5.35G	52.71	54.00	-1.29	4.98	3	Vertical	144	1.99	47.73	32.70	7.01	34.73
PK	5.3208G	121.74	Inf	-Inf	4.93	3	Vertical	144	1.99	116.81	32.70	6.97	34.74
PK	5.3538G	65.05	74.00	-8.95	4.98	3	Vertical	144	1.99	60.07	32.69	7.02	34.73

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64002G	42.95	54.00	-11.05	14.65	3	Vertical	338	1.65	28.30	38.98	10.40	34.73
AV	15.96086G	41.95	54.00	-12.05	16.32	3	Vertical	246	2.10	25.63	37.68	13.31	34.67
PK	10.63996G	51.75	74.00	-22.25	14.65	3	Vertical	338	1.65	37.10	38.98	10.40	34.73
PK	15.95574G	55.24	74.00	-18.76	16.34	3	Vertical	246	2.10	38.90	37.69	13.31	34.66

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63996G	37.94	54.00	-16.06	14.65	3	Horizontal	289	1.34	23.29	38.98	10.40	34.73
AV	15.96114G	42.09	54.00	-11.91	16.32	3	Horizontal	78	1.16	25.77	37.68	13.31	34.67
PK	10.64072G	49.19	74.00	-24.81	14.65	3	Horizontal	289	1.34	34.54	38.98	10.40	34.73
PK	15.96366G	55.32	74.00	-18.68	16.31	3	Horizontal	78	1.16	39.01	37.67	13.31	34.67

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.304G	101.87	Inf	-Inf	4.91	3	Vertical	156	2.15	96.96	32.70	6.95	34.74
AV	5.35G	52.29	54.00	-1.71	4.98	3	Vertical	156	2.15	47.31	32.70	7.01	34.73
PK	5.3108G	115.19	Inf	-Inf	4.92	3	Vertical	156	2.15	110.27	32.70	6.96	34.74
PK	5.35G	65.58	74.00	-8.42	4.98	3	Vertical	156	2.15	60.60	32.70	7.01	34.73

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61998G	40.72	54.00	-13.28	14.58	3	Vertical	344	1.50	26.14	38.94	10.39	34.75
AV	15.93362G	41.95	54.00	-12.05	16.41	3	Vertical	98	2.82	25.54	37.77	13.29	34.65
PK	10.6199G	50.09	74.00	-23.91	14.58	3	Vertical	344	1.50	35.51	38.94	10.39	34.75
PK	15.93496G	55.85	74.00	-18.15	16.40	3	Vertical	98	2.82	39.45	37.76	13.29	34.65

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62G	37.74	54.00	-16.26	14.58	3	Horizontal	302	1.42	23.16	38.94	10.39	34.75
AV	15.92906G	41.97	54.00	-12.03	16.43	3	Horizontal	3	1.09	25.54	37.78	13.29	34.64
PK	10.61974G	49.94	74.00	-24.06	14.58	3	Horizontal	302	1.42	35.36	38.94	10.39	34.75
PK	15.93006G	54.96	74.00	-19.04	16.43	3	Horizontal	3	1.09	38.53	37.78	13.29	34.64

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.07	54.00	-10.93	5.11	3	Vertical	186	2.02	37.96	33.10	6.77	34.76
AV	5.285G	98.21	Inf	-Inf	4.91	3	Vertical	186	2.02	93.30	32.73	6.92	34.74
AV	5.35G	52.08	54.00	-1.92	4.98	3	Vertical	186	2.02	47.10	32.70	7.01	34.73
PK	5.116G	54.62	74.00	-19.38	4.90	3	Vertical	186	2.02	49.72	32.90	6.76	34.76
PK	5.295G	110.40	Inf	-Inf	4.90	3	Vertical	186	2.02	105.50	32.71	6.93	34.74
PK	5.352G	64.67	74.00	-9.33	4.99	3	Vertical	186	2.02	59.68	32.70	7.02	34.73
PK	5.479G	55.24	68.20	-12.96	5.06	3	Vertical	186	2.02	50.18	32.66	7.12	34.72

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87236G	41.70	54.00	-12.30	16.55	3	Vertical	293	1.96	25.15	37.90	13.25	34.60
PK	10.58001G	50.68	68.20	-17.52	14.33	3	Vertical	357	1.65	36.35	38.74	10.38	34.79
PK	15.86949G	54.86	74.00	-19.14	16.55	3	Vertical	293	1.96	38.31	37.90	13.25	34.60

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8722G	41.66	54.00	-12.34	16.55	3	Horizontal	281	1.84	25.11	37.90	13.25	34.60
PK	10.57986G	48.79	68.20	-19.41	14.33	3	Horizontal	347	1.36	34.46	38.74	10.38	34.79
PK	15.86909G	54.94	74.00	-19.06	16.55	3	Horizontal	281	1.84	38.39	37.90	13.25	34.60

5.25-5.35GHz_802.11ax HEW80+80-BF_Nss1,(MCS0)_4TX


#5210MHz,#5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.13G	52.68	54.00	-1.32	4.99	3	Vertical	185	1.99	47.69	32.98	6.77	34.76
AV	5.2116G	96.77	Inf	-Inf	4.94	3	Vertical	185	1.99	91.83	32.88	6.81	34.75
AV	5.3508G	51.40	54.00	-2.60	4.99	3	Vertical	185	1.99	46.41	32.70	7.02	34.73
PK	5.148G	69.69	74.00	-4.31	5.10	3	Vertical	185	1.99	64.59	33.09	6.77	34.76
PK	5.2212G	109.63	Inf	-Inf	4.93	3	Vertical	185	1.99	104.70	32.86	6.82	34.75
PK	5.376G	65.52	74.00	-8.48	4.97	3	Vertical	185	1.99	60.55	32.65	7.05	34.73
PK	5.4864G	56.48	68.20	-11.72	5.07	3	Vertical	185	1.99	51.41	32.67	7.12	34.72

5.25-5.35GHz_802.11ax HEW80+80-BF_Nss1,(MCS0)_4TX


#5210MHz,#5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62284G	44.92	54.00	-9.08	16.58	3	Vertical	217	2.16	28.34	37.91	13.07	34.40
AV	15.862G	44.49	54.00	-9.51	16.55	3	Vertical	136	2.14	27.94	37.90	13.24	34.59
PK	10.42324G	51.35	68.20	-16.85	14.04	3	Vertical	168	2.33	37.31	38.60	10.35	34.91
PK	10.58168G	50.45	68.20	-17.75	14.34	3	Vertical	351	1.25	36.11	38.75	10.38	34.79
PK	15.62288G	58.06	74.00	-15.94	16.58	3	Vertical	217	2.16	41.48	37.91	13.07	34.40
PK	15.86544G	57.72	74.00	-16.28	16.55	3	Vertical	136	2.14	41.17	37.90	13.24	34.59

5.25-5.35GHz_802.11ax HEW80+80-BF_Nss1,(MCS0)_4TX


#5210MHz,#5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62048G	44.83	54.00	-9.17	16.58	3	Horizontal	76	1.12	28.25	37.92	13.06	34.40
AV	15.86752G	44.55	54.00	-9.45	16.55	3	Horizontal	348	2.95	28.00	37.90	13.24	34.59
PK	10.41748G	50.89	68.20	-17.31	14.03	3	Horizontal	136	1.01	36.86	38.60	10.35	34.92
PK	10.57928G	51.18	68.20	-17.02	14.32	3	Horizontal	130	2.01	36.86	38.73	10.38	34.79
PK	15.62528G	58.68	74.00	-15.32	16.57	3	Horizontal	76	1.12	42.11	37.90	13.07	34.40
PK	15.87248G	57.70	74.00	-16.30	16.55	3	Horizontal	348	2.95	41.15	37.90	13.25	34.60

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	50.66	54.00	-3.34	5.01	3	Vertical	122	2.11	45.65	32.62	7.11	34.72
AV	5.498G	109.75	Inf	-Inf	5.10	3	Vertical	122	2.11	104.65	32.70	7.12	34.72
PK	5.4502G	63.28	74.00	-10.72	4.99	3	Vertical	122	2.11	58.29	32.60	7.11	34.72
PK	5.4688G	66.95	68.20	-1.25	5.03	3	Vertical	122	2.11	61.92	32.64	7.11	34.72
PK	5.4972G	122.34	Inf	-Inf	5.09	3	Vertical	122	2.11	117.25	32.69	7.12	34.72

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99996G	40.34	54.00	-13.66	14.67	3	Vertical	357	1.43	25.67	38.60	10.48	34.41
PK	11.0002G	49.81	74.00	-24.19	14.67	3	Vertical	357	1.43	35.14	38.60	10.48	34.41
PK	16.5041G	58.28	68.20	-9.92	17.61	3	Vertical	230	1.53	40.67	38.28	13.52	34.19

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11G	40.29	54.00	-13.71	14.67	3	Horizontal	25	1.54	25.62	38.60	10.48	34.41
PK	10.99992G	49.49	74.00	-24.51	14.67	3	Horizontal	25	1.54	34.82	38.60	10.48	34.41
PK	16.49734G	57.44	68.20	-10.76	17.61	3	Horizontal	112	1.84	39.83	38.29	13.52	34.20

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.54	54.00	-8.46	5.01	3	Vertical	116	2.09	40.53	32.62	7.11	34.72
AV	5.5136G	102.53	Inf	-Inf	5.11	3	Vertical	116	2.09	97.42	32.70	7.13	34.72
PK	5.4592G	61.04	74.00	-12.96	5.01	3	Vertical	116	2.09	56.03	32.62	7.11	34.72
PK	5.47G	67.56	68.20	-0.64	5.03	3	Vertical	116	2.09	62.53	32.64	7.11	34.72
PK	5.518G	115.70	Inf	-Inf	5.11	3	Vertical	116	2.09	110.59	32.70	7.13	34.72

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01994G	40.35	54.00	-13.65	14.63	3	Vertical	8	1.44	25.72	38.56	10.48	34.41
PK	11.0198G	49.39	74.00	-24.61	14.63	3	Vertical	8	1.44	34.76	38.56	10.48	34.41
PK	16.5294G	58.23	68.20	-9.97	17.51	3	Vertical	183	1.53	40.72	38.12	13.53	34.14

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01997G	40.59	54.00	-13.41	14.63	3	Horizontal	36	1.56	25.96	38.56	10.48	34.41
PK	11.02G	49.73	74.00	-24.27	14.63	3	Horizontal	36	1.56	35.10	38.56	10.48	34.41
PK	16.52888G	58.18	68.20	-10.02	17.52	3	Horizontal	114	2.87	40.66	38.13	13.53	34.14

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.36G	50.42	54.00	-3.58	4.98	3	Vertical	54	2.16	45.44	32.68	7.03	34.73
AV	5.612G	106.45	Inf	-Inf	5.27	3	Vertical	54	2.16	101.18	32.85	7.16	34.74
PK	5.414G	62.50	74.00	-11.50	4.96	3	Vertical	54	2.16	57.54	32.60	7.09	34.73
PK	5.461G	61.79	68.20	-6.41	5.01	3	Vertical	54	2.16	56.78	32.62	7.11	34.72
PK	5.612G	118.85	Inf	-Inf	5.27	3	Vertical	54	2.16	113.58	32.85	7.16	34.74
PK	5.729G	67.62	68.20	-0.58	5.96	3	Vertical	54	2.16	61.66	33.52	7.21	34.77

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22G	39.71	54.00	-14.29	14.84	3	Vertical	60	1.42	24.87	38.74	10.53	34.43
PK	11.21988G	50.81	74.00	-23.19	14.84	3	Vertical	60	1.42	35.97	38.74	10.53	34.43
PK	16.83178G	56.80	68.20	-11.40	18.38	3	Vertical	305	2.14	38.42	38.26	13.64	33.52

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22001G	38.70	54.00	-15.30	14.84	3	Horizontal	39	1.50	23.86	38.74	10.53	34.43
PK	11.22015G	49.49	74.00	-24.51	14.84	3	Horizontal	39	1.50	34.65	38.74	10.53	34.43
PK	16.83004G	56.67	68.20	-11.53	18.36	3	Horizontal	76	1.63	38.31	38.26	13.63	33.53

5.47-5.725GHz_802.11ax HEW80+80-BF_Nss1,(MCS0)_4TX


#5530MHz,#5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3696G	53.89	54.00	-0.11	4.97	3	Vertical	360	2.22	48.92	32.66	7.04	34.73
AV	5.624G	98.44	Inf	-Inf	5.33	3	Vertical	360	2.22	93.11	32.90	7.17	34.74
PK	5.35G	59.06	74.00	-14.94	4.98	3	Vertical	360	2.22	54.08	32.70	7.01	34.73
PK	5.4596G	64.13	74.00	-9.87	5.01	3	Vertical	360	2.22	59.12	32.62	7.11	34.72
PK	5.4644G	63.01	68.20	-5.19	5.02	3	Vertical	360	2.22	57.99	32.63	7.11	34.72
PK	5.6228G	110.35	Inf	-Inf	5.32	3	Vertical	360	2.22	105.03	32.89	7.17	34.74
PK	5.7308G	62.49	68.20	-5.71	5.96	3	Vertical	360	2.22	56.53	33.52	7.21	34.77

5.47-5.725GHz_802.11ax HEW80+80-BF_Nss1,(MCS0)_4TX


#5530MHz,#5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05992G	39.64	54.00	-14.36	14.60	3	Vertical	1	1.57	25.04	38.52	10.49	34.41
AV	11.21996G	38.74	54.00	-15.26	14.84	3	Vertical	274	2.10	23.90	38.74	10.53	34.43
PK	11.05376G	51.84	74.00	-22.16	14.59	3	Vertical	1	1.57	37.25	38.51	10.49	34.41
PK	11.22312G	50.90	74.00	-23.10	14.85	3	Vertical	274	2.10	36.05	38.75	10.53	34.43
PK	16.59828G	59.01	68.20	-9.19	17.36	3	Vertical	228	2.87	41.65	37.81	13.55	34.00
PK	16.83368G	61.02	68.20	-7.18	18.39	3	Vertical	144	1.80	42.63	38.27	13.64	33.52

5.47-5.725GHz_802.11ax HEW80+80-BF_Nss1,(MCS0)_4TX

#5530MHz,#5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06G	40.18	54.00	-13.82	14.60	3	Horizontal	1	2.09	25.58	38.52	10.49	34.41
AV	11.22G	38.15	54.00	-15.85	14.84	3	Horizontal	303	1.63	23.31	38.74	10.53	34.43
PK	11.06G	52.30	74.00	-21.70	14.60	3	Horizontal	1	2.09	37.70	38.52	10.49	34.41
PK	11.22452G	50.97	74.00	-23.03	14.85	3	Horizontal	303	1.63	36.12	38.75	10.53	34.43
PK	16.58008G	59.17	68.20	-9.03	17.39	3	Horizontal	105	1.33	41.78	37.88	13.55	34.04
PK	16.82116G	60.85	68.20	-7.35	18.33	3	Horizontal	152	1.30	42.52	38.24	13.63	33.54



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.02	54.00	-0.98	3	Vertical	229	2.06
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3504G	53.78	54.00	-0.22	3	Vertical	225	2.14
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.29	54.00	-0.71	3	Vertical	180	2.12
802.11ax HEW80+80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.352G	52.71	54.00	-1.29	3	Vertical	336	2.04



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1496G	50.08	54.00	-3.92	3	Vertical	278	2.11
5260MHz	Pass	AV	5.2564G	108.89	Inf	-Inf	3	Vertical	278	2.11
5260MHz	Pass	AV	5.3512G	49.99	54.00	-4.01	3	Vertical	278	2.11
5260MHz	Pass	PK	5.149G	62.34	74.00	-11.66	3	Vertical	278	2.11
5260MHz	Pass	PK	5.263G	121.16	Inf	-Inf	3	Vertical	278	2.11
5260MHz	Pass	PK	5.3554G	63.50	74.00	-10.50	3	Vertical	278	2.11
5260MHz	Pass	AV	15.7796G	41.38	54.00	-12.62	3	Vertical	233	1.99
5260MHz	Pass	PK	10.51982G	50.08	68.20	-18.12	3	Vertical	355	1.68
5260MHz	Pass	PK	15.78157G	54.62	74.00	-19.38	3	Vertical	233	1.99
5260MHz	Pass	AV	15.77757G	41.40	54.00	-12.60	3	Horizontal	125	2.13
5260MHz	Pass	PK	10.52009G	50.66	68.20	-17.54	3	Horizontal	5	1.41
5260MHz	Pass	PK	15.78238G	54.77	74.00	-19.23	3	Horizontal	125	2.13
5300MHz	Pass	AV	5.3024G	107.30	Inf	-Inf	3	Vertical	237	2.14
5300MHz	Pass	AV	5.3504G	50.03	54.00	-3.97	3	Vertical	237	2.14
5300MHz	Pass	PK	5.3076G	121.64	Inf	-Inf	3	Vertical	237	2.14
5300MHz	Pass	PK	5.3968G	62.61	74.00	-11.39	3	Vertical	237	2.14
5300MHz	Pass	AV	15.89901G	42.13	54.00	-11.87	3	Vertical	150	2.47
5300MHz	Pass	PK	10.59983G	51.74	68.20	-16.46	3	Vertical	358	1.68
5300MHz	Pass	PK	15.89834G	55.99	74.00	-18.01	3	Vertical	150	2.47
5300MHz	Pass	AV	15.89933G	42.38	54.00	-11.62	3	Horizontal	100	1.21
5300MHz	Pass	PK	10.59994G	49.64	68.20	-18.56	3	Horizontal	310	1.44
5300MHz	Pass	PK	15.8984G	56.07	74.00	-17.93	3	Horizontal	100	1.21
5320MHz	Pass	AV	5.323G	109.96	Inf	-Inf	3	Vertical	229	2.06
5320MHz	Pass	AV	5.35G	53.02	54.00	-0.98	3	Vertical	229	2.06
5320MHz	Pass	PK	5.3194G	122.82	Inf	-Inf	3	Vertical	229	2.06
5320MHz	Pass	PK	5.3506G	66.71	74.00	-7.29	3	Vertical	229	2.06
5320MHz	Pass	AV	10.63998G	41.94	54.00	-12.06	3	Vertical	353	1.52
5320MHz	Pass	AV	15.96022G	42.27	54.00	-11.73	3	Vertical	357	1.30
5320MHz	Pass	PK	10.64011G	51.11	74.00	-22.89	3	Vertical	353	1.52
5320MHz	Pass	PK	15.95944G	55.49	74.00	-18.51	3	Vertical	357	1.30
5320MHz	Pass	AV	10.64004G	38.18	54.00	-15.82	3	Horizontal	63	1.50
5320MHz	Pass	AV	15.9575G	42.30	54.00	-11.70	3	Horizontal	10	2.47
5320MHz	Pass	PK	10.64027G	50.53	74.00	-23.47	3	Horizontal	63	1.50
5320MHz	Pass	PK	15.95865G	55.36	74.00	-18.64	3	Horizontal	10	2.47
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2688G	106.07	Inf	-Inf	3	Vertical	227	2.04
5270MHz	Pass	AV	5.35G	50.42	54.00	-3.58	3	Vertical	227	2.04
5270MHz	Pass	PK	5.2688G	120.33	Inf	-Inf	3	Vertical	227	2.04
5270MHz	Pass	PK	5.354G	62.64	74.00	-11.36	3	Vertical	227	2.04
5270MHz	Pass	AV	15.80781G	41.71	54.00	-12.29	3	Vertical	62	2.52
5270MHz	Pass	PK	10.54008G	50.13	68.20	-18.07	3	Vertical	352	1.65
5270MHz	Pass	PK	15.80767G	55.14	74.00	-18.86	3	Vertical	62	2.52
5270MHz	Pass	AV	15.81141G	41.59	54.00	-12.41	3	Horizontal	182	1.73
5270MHz	Pass	PK	10.53997G	49.07	68.20	-19.13	3	Horizontal	12	1.91
5270MHz	Pass	PK	15.80756G	54.97	74.00	-19.03	3	Horizontal	182	1.73
5310MHz	Pass	AV	5.3116G	101.49	Inf	-Inf	3	Vertical	225	2.14
5310MHz	Pass	AV	5.3504G	53.78	54.00	-0.22	3	Vertical	225	2.14
5310MHz	Pass	PK	5.306G	114.14	Inf	-Inf	3	Vertical	225	2.14
5310MHz	Pass	PK	5.35G	67.06	74.00	-6.94	3	Vertical	225	2.14
5310MHz	Pass	AV	10.62G	42.50	54.00	-11.50	3	Vertical	355	1.63
5310MHz	Pass	AV	15.93141G	42.22	54.00	-11.78	3	Vertical	31	1.49
5310MHz	Pass	PK	10.61988G	51.61	74.00	-22.39	3	Vertical	355	1.63
5310MHz	Pass	PK	15.92758G	55.74	74.00	-18.26	3	Vertical	31	1.49
5310MHz	Pass	AV	10.62004G	38.13	54.00	-15.87	3	Horizontal	310	1.50
5310MHz	Pass	AV	15.92823G	42.51	54.00	-11.49	3	Horizontal	64	2.52
5310MHz	Pass	PK	10.61988G	49.69	74.00	-24.31	3	Horizontal	310	1.50
5310MHz	Pass	PK	15.92905G	55.75	74.00	-18.25	3	Horizontal	64	2.52
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.142G	50.21	54.00	-3.79	3	Vertical	180	2.12
5290MHz	Pass	AV	5.274G	97.35	Inf	-Inf	3	Vertical	180	2.12




RSE TX above 1GHz_Beamforming_Radio 2(Low Band)

Appendix D.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	AV	5.35G	53.29	54.00	-0.71	3	Vertical	180	2.12
5290MHz	Pass	PK	5.056G	62.37	74.00	-11.63	3	Vertical	180	2.12
5290MHz	Pass	PK	5.256G	111.00	Inf	-Inf	3	Vertical	180	2.12
5290MHz	Pass	PK	5.352G	65.22	74.00	-8.78	3	Vertical	180	2.12
5290MHz	Pass	PK	5.502G	62.69	68.20	-5.51	3	Vertical	180	2.12
5290MHz	Pass	AV	15.87177G	42.10	54.00	-11.90	3	Vertical	215	1.58
5290MHz	Pass	PK	10.58G	50.65	68.20	-17.55	3	Vertical	348	1.49
5290MHz	Pass	PK	15.87023G	56.44	74.00	-17.56	3	Vertical	215	1.58
5290MHz	Pass	AV	15.87173G	41.94	54.00	-12.06	3	Horizontal	231	2.54
5290MHz	Pass	PK	10.58006G	49.89	68.20	-18.31	3	Horizontal	341	2.13
5290MHz	Pass	PK	15.86818G	55.25	74.00	-18.75	3	Horizontal	231	2.54
802.11ax HEW80+80-BF_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
#5210MHz,#5290MHz	Pass	AV	5.13G	51.47	54.00	-2.53	3	Vertical	336	2.04
#5210MHz,#5290MHz	Pass	AV	5.286G	96.54	Inf	-Inf	3	Vertical	336	2.04
#5210MHz,#5290MHz	Pass	AV	5.352G	52.71	54.00	-1.29	3	Vertical	336	2.04
#5210MHz,#5290MHz	Pass	PK	5.1312G	61.62	74.00	-12.38	3	Vertical	336	2.04
#5210MHz,#5290MHz	Pass	PK	5.316G	108.38	Inf	-Inf	3	Vertical	336	2.04
#5210MHz,#5290MHz	Pass	PK	5.3508G	66.64	74.00	-7.36	3	Vertical	336	2.04
#5210MHz,#5290MHz	Pass	PK	5.5488G	56.32	68.20	-11.88	3	Vertical	336	2.04
#5210MHz,#5290MHz	Pass	AV	15.6258G	44.82	54.00	-9.18	3	Vertical	350	2.41
#5210MHz,#5290MHz	Pass	AV	15.8604G	44.38	54.00	-9.62	3	Vertical	59	2.43
#5210MHz,#5290MHz	Pass	PK	10.42392G	51.30	68.20	-16.90	3	Vertical	132	1.39
#5210MHz,#5290MHz	Pass	PK	10.58152G	50.68	68.20	-17.52	3	Vertical	356	2.65
#5210MHz,#5290MHz	Pass	PK	15.63724G	58.46	74.00	-15.54	3	Vertical	350	2.41
#5210MHz,#5290MHz	Pass	PK	15.87576G	57.47	74.00	-16.53	3	Vertical	59	2.43
#5210MHz,#5290MHz	Pass	AV	15.6224G	44.81	54.00	-9.19	3	Horizontal	346	1.06
#5210MHz,#5290MHz	Pass	AV	15.86012G	44.51	54.00	-9.49	3	Horizontal	246	1.47
#5210MHz,#5290MHz	Pass	PK	10.42344G	51.24	68.20	-16.96	3	Horizontal	9	1.97
#5210MHz,#5290MHz	Pass	PK	10.58944G	50.83	68.20	-17.37	3	Horizontal	156	1.21
#5210MHz,#5290MHz	Pass	PK	15.62272G	58.28	74.00	-15.72	3	Horizontal	346	1.06
#5210MHz,#5290MHz	Pass	PK	15.86548G	58.09	74.00	-15.91	3	Horizontal	246	1.47

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.323G	109.96	Inf	-Inf	4.93	3	Vertical	229	2.06	105.03	32.70	6.97	34.74
AV	5.35G	53.02	54.00	-0.98	4.99	3	Vertical	229	2.06	48.03	32.70	7.02	34.73
PK	5.3194G	122.82	Inf	-Inf	4.93	3	Vertical	229	2.06	117.89	32.70	6.97	34.74
PK	5.3506G	66.71	74.00	-7.29	4.99	3	Vertical	229	2.06	61.72	32.70	7.02	34.73

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63998G	41.94	54.00	-12.06	14.65	3	Vertical	353	1.52	27.29	38.98	10.40	34.73
AV	15.96022G	42.27	54.00	-11.73	16.32	3	Vertical	357	1.30	25.95	37.68	13.31	34.67
PK	10.64011G	51.11	74.00	-22.89	14.65	3	Vertical	353	1.52	36.46	38.98	10.40	34.73
PK	15.95944G	55.49	74.00	-18.51	16.32	3	Vertical	357	1.30	39.17	37.68	13.31	34.67



5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64004G	38.18	54.00	-15.82	14.65	3	Horizontal	63	1.50	23.53	38.98	10.40	34.73
AV	15.9575G	42.30	54.00	-11.70	16.33	3	Horizontal	10	2.47	25.97	37.69	13.31	34.67
PK	10.64027G	50.53	74.00	-23.47	14.65	3	Horizontal	63	1.50	35.88	38.98	10.40	34.73
PK	15.95865G	55.36	74.00	-18.64	16.32	3	Horizontal	10	2.47	39.04	37.68	13.31	34.67

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3116G	101.49	Inf	-Inf	4.92	3	Vertical	225	2.14	96.57	32.70	6.96	34.74
AV	5.3504G	53.78	54.00	-0.22	4.99	3	Vertical	225	2.14	48.79	32.70	7.02	34.73
PK	5.306G	114.14	Inf	-Inf	4.91	3	Vertical	225	2.14	109.23	32.70	6.95	34.74
PK	5.35G	67.06	74.00	-6.94	4.99	3	Vertical	225	2.14	62.07	32.70	7.02	34.73

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62G	42.50	54.00	-11.50	14.58	3	Vertical	355	1.63	27.92	38.94	10.39	34.75
AV	15.93141G	42.22	54.00	-11.78	16.41	3	Vertical	31	1.49	25.81	37.77	13.29	34.65
PK	10.61988G	51.61	74.00	-22.39	14.58	3	Vertical	355	1.63	37.03	38.94	10.39	34.75
PK	15.92758G	55.74	74.00	-18.26	16.44	3	Vertical	31	1.49	39.30	37.79	13.29	34.64

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62004G	38.13	54.00	-15.87	14.58	3	Horizontal	310	1.50	23.55	38.94	10.39	34.75
AV	15.92823G	42.51	54.00	-11.49	16.44	3	Horizontal	64	2.52	26.07	37.79	13.29	34.64
PK	10.61988G	49.69	74.00	-24.31	14.58	3	Horizontal	310	1.50	35.11	38.94	10.39	34.75
PK	15.92905G	55.75	74.00	-18.25	16.43	3	Horizontal	64	2.52	39.32	37.78	13.29	34.64

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	50.21	54.00	-3.79	5.06	3	Vertical	180	2.12	45.15	33.05	6.77	34.76
AV	5.274G	97.35	Inf	-Inf	4.91	3	Vertical	180	2.12	92.44	32.75	6.90	34.74
AV	5.35G	53.29	54.00	-0.71	4.99	3	Vertical	180	2.12	48.30	32.70	7.02	34.73
PK	5.056G	62.37	74.00	-11.63	4.87	3	Vertical	180	2.12	57.50	32.89	6.74	34.76
PK	5.256G	111.00	Inf	-Inf	4.92	3	Vertical	180	2.12	106.08	32.79	6.87	34.74
PK	5.352G	65.22	74.00	-8.78	4.99	3	Vertical	180	2.12	60.23	32.70	7.02	34.73
PK	5.502G	62.69	68.20	-5.51	5.11	3	Vertical	180	2.12	57.58	32.70	7.13	34.72

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87177G	42.10	54.00	-11.90	16.55	3	Vertical	215	1.58	25.55	37.90	13.25	34.60
PK	10.58G	50.65	68.20	-17.55	14.33	3	Vertical	348	1.49	36.32	38.74	10.38	34.79
PK	15.87023G	56.44	74.00	-17.56	16.55	3	Vertical	215	1.58	39.89	37.90	13.25	34.60

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87173G	41.94	54.00	-12.06	16.55	3	Horizontal	231	2.54	25.39	37.90	13.25	34.60
PK	10.58006G	49.89	68.20	-18.31	14.33	3	Horizontal	341	2.13	35.56	38.74	10.38	34.79
PK	15.86818G	55.25	74.00	-18.75	16.55	3	Horizontal	231	2.54	38.70	37.90	13.24	34.59

5.25-5.35GHz_802.11ax HEW80+80-BF_Nss1,(MCS0)_4TX


#5210MHz,#5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.13G	51.47	54.00	-2.53	4.99	3	Vertical	336	2.04	46.48	32.98	6.77	34.76
AV	5.286G	96.54	Inf	-Inf	4.91	3	Vertical	336	2.04	91.63	32.73	6.92	34.74
AV	5.352G	52.71	54.00	-1.29	4.99	3	Vertical	336	2.04	47.72	32.70	7.02	34.73
PK	5.1312G	61.62	74.00	-12.38	5.00	3	Vertical	336	2.04	56.62	32.99	6.77	34.76
PK	5.316G	108.38	Inf	-Inf	4.92	3	Vertical	336	2.04	103.46	32.70	6.96	34.74
PK	5.3508G	66.64	74.00	-7.36	4.99	3	Vertical	336	2.04	61.65	32.70	7.02	34.73
PK	5.5488G	56.32	68.20	-11.88	5.11	3	Vertical	336	2.04	51.21	32.70	7.14	34.73

5.25-5.35GHz_802.11ax HEW80+80-BF_Nss1,(MCS0)_4TX


#5210MHz,#5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6258G	44.82	54.00	-9.18	16.57	3	Vertical	350	2.41	28.25	37.90	13.07	34.40
AV	15.8604G	44.38	54.00	-9.62	16.55	3	Vertical	59	2.43	27.83	37.90	13.24	34.59
PK	10.42392G	51.30	68.20	-16.90	14.04	3	Vertical	132	1.39	37.26	38.60	10.35	34.91
PK	10.58152G	50.68	68.20	-17.52	14.34	3	Vertical	356	2.65	36.34	38.75	10.38	34.79
PK	15.63724G	58.46	74.00	-15.54	16.52	3	Vertical	350	2.41	41.94	37.85	13.08	34.41
PK	15.87576G	57.47	74.00	-16.53	16.55	3	Vertical	59	2.43	40.92	37.90	13.25	34.60

5.25-5.35GHz_802.11ax HEW80+80-BF_Nss1,(MCS0)_4TX

#5210MHz,#5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6224G	44.81	54.00	-9.19	16.58	3	Horizontal	346	1.06	28.23	37.91	13.07	34.40
AV	15.86012G	44.51	54.00	-9.49	16.55	3	Horizontal	246	1.47	27.96	37.90	13.24	34.59
PK	10.42344G	51.24	68.20	-16.96	14.04	3	Horizontal	9	1.97	37.20	38.60	10.35	34.91
PK	10.58944G	50.83	68.20	-17.37	14.43	3	Horizontal	156	1.21	36.40	38.82	10.39	34.78
PK	15.62272G	58.28	74.00	-15.72	16.58	3	Horizontal	346	1.06	41.70	37.91	13.07	34.40
PK	15.86548G	58.09	74.00	-15.91	16.55	3	Horizontal	246	1.47	41.54	37.90	13.24	34.59



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.7264G	67.52	68.20	-0.68	3	Vertical	54	1.38
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.468G	67.21	68.20	-0.99	3	Vertical	274	1.05
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.46G	53.10	54.00	-0.90	3	Vertical	276	1.01
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	5.4596G	53.08	54.00	-0.92	3	Vertical	271	1.08



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	AV	5.4596G	50.97	54.00	-3.03	3	Vertical	279	1.04
5500MHz	Pass	AV	5.5086G	112.34	Inf	-Inf	3	Vertical	279	1.04
5500MHz	Pass	PK	5.4598G	63.76	74.00	-10.24	3	Vertical	279	1.04
5500MHz	Pass	PK	5.4686G	67.13	68.20	-1.07	3	Vertical	279	1.04
5500MHz	Pass	PK	5.5074G	124.76	Inf	-Inf	3	Vertical	279	1.04
5500MHz	Pass	AV	10.99984G	41.79	54.00	-12.21	3	Vertical	342	1.59
5500MHz	Pass	PK	11.00196G	56.94	74.00	-17.06	3	Vertical	342	1.59
5500MHz	Pass	PK	16.50656G	59.34	68.20	-8.86	3	Vertical	61	1.50
5500MHz	Pass	AV	10.99932G	39.25	54.00	-14.75	3	Horizontal	324	1.50
5500MHz	Pass	PK	11.0016G	53.03	74.00	-20.97	3	Horizontal	324	1.50
5500MHz	Pass	PK	16.49744G	58.64	68.20	-9.56	3	Horizontal	54	2.85
5580MHz	Pass	AV	5.457G	49.44	54.00	-4.56	3	Vertical	277	1.11
5580MHz	Pass	AV	5.5884G	111.57	Inf	-Inf	3	Vertical	277	1.11
5580MHz	Pass	PK	5.442G	61.93	74.00	-12.07	3	Vertical	277	1.11
5580MHz	Pass	PK	5.4678G	62.32	68.20	-5.88	3	Vertical	277	1.11
5580MHz	Pass	PK	5.571G	123.70	Inf	-Inf	3	Vertical	277	1.11
5580MHz	Pass	PK	5.7282G	63.58	68.20	-4.62	3	Vertical	277	1.11
5580MHz	Pass	AV	11.16048G	44.48	54.00	-9.52	3	Vertical	36	1.50
5580MHz	Pass	PK	11.16144G	59.74	74.00	-14.26	3	Vertical	36	1.50
5580MHz	Pass	PK	16.73404G	57.01	68.20	-11.19	3	Vertical	155	2.88
5580MHz	Pass	AV	11.16G	46.69	54.00	-7.31	3	Horizontal	66	1.62
5580MHz	Pass	PK	11.16168G	61.63	74.00	-12.37	3	Horizontal	66	1.62
5580MHz	Pass	PK	16.74092G	57.45	68.20	-10.75	3	Horizontal	6	2.27
5700MHz	Pass	AV	5.6916G	107.55	Inf	-Inf	3	Vertical	54	1.38
5700MHz	Pass	PK	5.6968G	119.85	Inf	-Inf	3	Vertical	54	1.38
5700MHz	Pass	PK	5.7264G	67.52	68.20	-0.68	3	Vertical	54	1.38
5700MHz	Pass	AV	11.40004G	37.95	54.00	-16.05	3	Vertical	6	1.43
5700MHz	Pass	PK	11.40004G	50.82	74.00	-23.18	3	Vertical	6	1.43
5700MHz	Pass	PK	17.1034G	59.66	68.20	-8.54	3	Vertical	55	1.32
5700MHz	Pass	AV	11.39994G	36.40	54.00	-17.60	3	Horizontal	352	1.80
5700MHz	Pass	PK	11.401G	49.15	74.00	-24.85	3	Horizontal	352	1.80
5700MHz	Pass	PK	17.10102G	59.08	68.20	-9.12	3	Horizontal	110	2.01
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4212G	49.41	54.00	-4.59	3	Vertical	29	1.66
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7116G	111.31	Inf	-Inf	3	Vertical	29	1.66
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4488G	61.55	74.00	-12.45	3	Vertical	29	1.66
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	61.38	68.20	-6.82	3	Vertical	29	1.66
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	124.10	Inf	-Inf	3	Vertical	29	1.66
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.93G	64.10	68.20	-4.10	3	Vertical	29	1.66
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44044G	42.68	54.00	-11.32	3	Vertical	0	1.53
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44242G	56.92	74.00	-17.08	3	Vertical	0	1.53
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16128G	58.14	68.20	-10.06	3	Vertical	265	2.77
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44084G	36.00	54.00	-18.00	3	Horizontal	283	2.49
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43682G	49.81	74.00	-24.19	3	Horizontal	283	2.49
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1621G	58.74	68.20	-9.46	3	Horizontal	300	1.54
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	AV	5.46G	50.80	54.00	-3.20	3	Vertical	274	1.05
5510MHz	Pass	AV	5.5144G	104.30	Inf	-Inf	3	Vertical	274	1.05
5510MHz	Pass	PK	5.46G	64.04	74.00	-9.96	3	Vertical	274	1.05
5510MHz	Pass	PK	5.468G	67.21	68.20	-0.99	3	Vertical	274	1.05
5510MHz	Pass	PK	5.52G	117.01	Inf	-Inf	3	Vertical	274	1.05
5510MHz	Pass	AV	11.02144G	35.26	54.00	-18.74	3	Vertical	341	1.68
5510MHz	Pass	PK	11.03048G	48.02	74.00	-25.98	3	Vertical	341	1.68
5510MHz	Pass	PK	16.5456G	57.88	68.20	-10.32	3	Vertical	360	1.50
5510MHz	Pass	AV	11.01528G	34.64	54.00	-19.36	3	Horizontal	243	1.50
5510MHz	Pass	PK	11.01G	47.80	74.00	-26.20	3	Horizontal	243	1.50
5510MHz	Pass	PK	16.51896G	57.12	68.20	-11.08	3	Horizontal	205	2.38
5550MHz	Pass	AV	5.4582G	49.73	54.00	-4.27	3	Vertical	276	1.02
5550MHz	Pass	AV	5.544G	108.79	Inf	-Inf	3	Vertical	276	1.02
5550MHz	Pass	PK	5.4312G	61.75	74.00	-12.25	3	Vertical	276	1.02
5550MHz	Pass	PK	5.4618G	61.76	68.20	-6.44	3	Vertical	276	1.02



RSE TX above 1GHz_Beamforming_Radio 3(High Band)

Appendix D.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5550MHz	Pass	PK	5.5452G	120.61	Inf	-Inf	3	Vertical	276	1.02
5550MHz	Pass	AV	11.1068G	42.36	54.00	-11.64	3	Vertical	349	1.50
5550MHz	Pass	PK	11.11656G	55.86	74.00	-18.14	3	Vertical	349	1.50
5550MHz	Pass	PK	16.66464G	56.11	68.20	-12.09	3	Vertical	355	1.23
5550MHz	Pass	AV	11.11104G	39.11	54.00	-14.89	3	Horizontal	330	1.32
5550MHz	Pass	PK	11.10872G	52.12	74.00	-21.88	3	Horizontal	330	1.32
5550MHz	Pass	PK	16.66984G	56.83	68.20	-11.37	3	Horizontal	297	1.70
5670MHz	Pass	AV	5.6736G	108.52	Inf	-Inf	3	Vertical	41	1.55
5670MHz	Pass	PK	5.6646G	120.23	Inf	-Inf	3	Vertical	41	1.55
5670MHz	Pass	PK	5.7258G	66.40	68.20	-1.80	3	Vertical	41	1.55
5670MHz	Pass	AV	11.33384G	40.96	54.00	-13.04	3	Vertical	335	1.45
5670MHz	Pass	PK	11.3408G	55.19	74.00	-18.81	3	Vertical	335	1.45
5670MHz	Pass	PK	17.02672G	57.90	68.20	-10.30	3	Vertical	282	2.71
5670MHz	Pass	AV	11.33632G	39.29	54.00	-14.71	3	Horizontal	59	1.60
5670MHz	Pass	PK	11.33648G	52.63	74.00	-21.37	3	Horizontal	59	1.60
5670MHz	Pass	PK	16.99792G	58.59	68.20	-9.61	3	Horizontal	148	1.81
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.41G	49.53	54.00	-4.47	3	Vertical	23	1.45
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7112G	108.34	Inf	-Inf	3	Vertical	23	1.45
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4292G	61.82	74.00	-12.18	3	Vertical	23	1.45
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	60.56	68.20	-7.64	3	Vertical	23	1.45
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7208G	119.64	Inf	-Inf	3	Vertical	23	1.45
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9332G	63.48	68.20	-4.72	3	Vertical	23	1.45
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41984G	42.69	54.00	-11.31	3	Vertical	356	1.44
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42928G	56.70	74.00	-17.30	3	Vertical	356	1.44
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12032G	58.21	68.20	-9.99	3	Vertical	303	2.69
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4144G	37.76	54.00	-16.24	3	Horizontal	51	1.32
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40952G	51.46	74.00	-22.54	3	Horizontal	51	1.32
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13552G	57.89	68.20	-10.31	3	Horizontal	317	3.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	49.99	54.00	-4.01	3	Vertical	276	1.01
5530MHz	Pass	AV	5.46G	53.10	54.00	-0.90	3	Vertical	276	1.01
5530MHz	Pass	AV	5.516G	100.60	Inf	-Inf	3	Vertical	276	1.01
5530MHz	Pass	PK	5.28G	63.93	68.20	-4.27	3	Vertical	276	1.01
5530MHz	Pass	PK	5.46G	66.11	74.00	-7.89	3	Vertical	276	1.01
5530MHz	Pass	PK	5.465G	66.76	68.20	-1.44	3	Vertical	276	1.01
5530MHz	Pass	PK	5.519G	113.73	Inf	-Inf	3	Vertical	276	1.01
5530MHz	Pass	PK	5.756G	62.98	68.20	-5.22	3	Vertical	276	1.01
5530MHz	Pass	AV	11.08656G	35.42	54.00	-18.58	3	Vertical	351	1.49
5530MHz	Pass	PK	11.06784G	48.73	74.00	-25.27	3	Vertical	351	1.49
5530MHz	Pass	PK	16.56744G	57.19	68.20	-11.01	3	Vertical	348	2.97
5530MHz	Pass	AV	11.08848G	34.82	54.00	-19.18	3	Horizontal	11	1.48
5530MHz	Pass	PK	11.03296G	48.80	74.00	-25.20	3	Horizontal	11	1.48
5530MHz	Pass	PK	16.56856G	56.86	68.20	-11.34	3	Horizontal	237	2.73
5610MHz	Pass	AV	5.46G	50.34	54.00	-3.66	3	Vertical	38	1.40
5610MHz	Pass	AV	5.626G	105.12	Inf	-Inf	3	Vertical	38	1.40
5610MHz	Pass	PK	5.455G	62.09	74.00	-11.91	3	Vertical	38	1.40
5610MHz	Pass	PK	5.47G	63.16	68.20	-5.04	3	Vertical	38	1.40
5610MHz	Pass	PK	5.625G	118.18	Inf	-Inf	3	Vertical	38	1.40
5610MHz	Pass	PK	5.727G	67.09	68.20	-1.11	3	Vertical	38	1.40
5610MHz	Pass	AV	11.20624G	41.46	54.00	-12.54	3	Vertical	355	1.44
5610MHz	Pass	PK	11.20016G	55.00	74.00	-19.00	3	Vertical	355	1.44
5610MHz	Pass	PK	16.79656G	57.14	68.20	-11.06	3	Vertical	139	2.70
5610MHz	Pass	AV	11.23456G	38.95	54.00	-15.05	3	Horizontal	346	2.98
5610MHz	Pass	PK	11.23776G	52.24	74.00	-21.76	3	Horizontal	346	2.98
5610MHz	Pass	PK	16.80264G	57.26	68.20	-10.94	3	Horizontal	57	1.26
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.402G	49.68	54.00	-4.32	3	Vertical	20	1.33
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6924G	104.82	Inf	-Inf	3	Vertical	20	1.33
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.3912G	61.62	74.00	-12.38	3	Vertical	20	1.33
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	61.25	68.20	-6.95	3	Vertical	20	1.33
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6876G	116.97	Inf	-Inf	3	Vertical	20	1.33
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	64.27	68.20	-3.93	3	Vertical	20	1.33
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37984G	39.26	54.00	-14.74	3	Vertical	0	1.50




RSE TX above 1GHz_Beamforming_Radio 3(High Band)

Appendix D.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3888G	53.01	74.00	-20.99	3	Vertical	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05528G	58.33	68.20	-9.87	3	Vertical	248	1.73
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37424G	37.27	54.00	-16.73	3	Horizontal	62	1.58
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38288G	50.07	74.00	-23.93	3	Horizontal	62	1.58
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05848G	58.52	68.20	-9.68	3	Horizontal	45	2.80
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4596G	53.08	54.00	-0.92	3	Vertical	271	1.08
5570MHz	Pass	AV	5.5328G	98.12	Inf	-Inf	3	Vertical	271	1.08
5570MHz	Pass	PK	5.3336G	62.52	68.20	-5.68	3	Vertical	271	1.08
5570MHz	Pass	PK	5.4512G	65.15	74.00	-8.85	3	Vertical	271	1.08
5570MHz	Pass	PK	5.4644G	64.67	68.20	-3.53	3	Vertical	271	1.08
5570MHz	Pass	PK	5.5388G	110.03	Inf	-Inf	3	Vertical	271	1.08
5570MHz	Pass	PK	5.822G	64.54	68.20	-3.66	3	Vertical	271	1.08
5570MHz	Pass	AV	11.21296G	36.05	54.00	-17.95	3	Vertical	229	1.50
5570MHz	Pass	PK	11.21584G	48.52	74.00	-25.48	3	Vertical	229	1.50
5570MHz	Pass	PK	16.63704G	57.05	68.20	-11.15	3	Vertical	282	1.09
5570MHz	Pass	AV	11.20688G	35.94	54.00	-18.06	3	Horizontal	198	1.26
5570MHz	Pass	PK	11.20336G	50.00	74.00	-24.00	3	Horizontal	198	1.26
5570MHz	Pass	PK	16.68248G	56.36	68.20	-11.84	3	Horizontal	238	1.16

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6916G	107.55	Inf	-Inf	5.76	3	Vertical	54	1.38	101.79	33.33	7.19	34.76
PK	5.6968G	119.85	Inf	-Inf	5.80	3	Vertical	54	1.38	114.05	33.37	7.19	34.76
PK	5.7264G	67.52	68.20	-0.68	5.94	3	Vertical	54	1.38	61.58	33.51	7.20	34.77

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40004G	37.95	54.00	-16.05	15.03	3	Vertical	6	1.43	22.92	38.90	10.57	34.44
PK	11.40004G	50.82	74.00	-23.18	15.03	3	Vertical	6	1.43	35.79	38.90	10.57	34.44
PK	17.1034G	59.66	68.20	-8.54	18.50	3	Vertical	55	1.32	41.16	38.00	13.73	33.23

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39994G	36.40	54.00	-17.60	15.03	3	Horizontal	352	1.80	21.37	38.90	10.57	34.44
PK	11.401G	49.15	74.00	-24.85	15.03	3	Horizontal	352	1.80	34.12	38.90	10.57	34.44
PK	17.10102G	59.08	68.20	-9.12	18.51	3	Horizontal	110	2.01	40.57	38.00	13.73	33.22

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.80	54.00	-3.20	5.01	3	Vertical	274	1.05	45.79	32.62	7.11	34.72
AV	5.5144G	104.30	Inf	-Inf	5.11	3	Vertical	274	1.05	99.19	32.70	7.13	34.72
PK	5.46G	64.04	74.00	-9.96	5.01	3	Vertical	274	1.05	59.03	32.62	7.11	34.72
PK	5.468G	67.21	68.20	-0.99	5.03	3	Vertical	274	1.05	62.18	32.64	7.11	34.72
PK	5.52G	117.01	Inf	-Inf	5.11	3	Vertical	274	1.05	111.90	32.70	7.13	34.72

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02144G	35.26	54.00	-18.74	14.63	3	Vertical	341	1.68	20.63	38.56	10.48	34.41
PK	11.03048G	48.02	74.00	-25.98	14.62	3	Vertical	341	1.68	33.40	38.54	10.49	34.41
PK	16.5456G	57.88	68.20	-10.32	17.45	3	Vertical	360	1.50	40.43	38.03	13.53	34.11

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01528G	34.64	54.00	-19.36	14.64	3	Horizontal	243	1.50	20.00	38.57	10.48	34.41
PK	11.01G	47.80	74.00	-26.20	14.65	3	Horizontal	243	1.50	33.15	38.58	10.48	34.41
PK	16.51896G	57.12	68.20	-11.08	17.55	3	Horizontal	205	2.38	39.57	38.19	13.52	34.16

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	49.99	54.00	-4.01	4.98	3	Vertical	276	1.01	45.01	32.70	7.01	34.73
AV	5.46G	53.10	54.00	-0.90	5.01	3	Vertical	276	1.01	48.09	32.62	7.11	34.72
AV	5.516G	100.60	Inf	-Inf	5.11	3	Vertical	276	1.01	95.49	32.70	7.13	34.72
PK	5.28G	63.93	68.20	-4.27	4.91	3	Vertical	276	1.01	59.02	32.74	6.91	34.74
PK	5.46G	66.11	74.00	-7.89	5.01	3	Vertical	276	1.01	61.10	32.62	7.11	34.72
PK	5.465G	66.76	68.20	-1.44	5.02	3	Vertical	276	1.01	61.74	32.63	7.11	34.72
PK	5.519G	113.73	Inf	-Inf	5.11	3	Vertical	276	1.01	108.62	32.70	7.13	34.72
PK	5.756G	62.98	68.20	-5.22	6.08	3	Vertical	276	1.01	56.90	33.64	7.21	34.77

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08656G	35.42	54.00	-18.58	14.65	3	Vertical	351	1.49	20.77	38.57	10.50	34.42
PK	11.06784G	48.73	74.00	-25.27	14.62	3	Vertical	351	1.49	34.11	38.54	10.50	34.42
PK	16.56744G	57.19	68.20	-11.01	17.41	3	Vertical	348	2.97	39.78	37.93	13.54	34.06

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08848G	34.82	54.00	-19.18	14.66	3	Horizontal	11	1.48	20.16	38.58	10.50	34.42
PK	11.03296G	48.80	74.00	-25.20	14.61	3	Horizontal	11	1.48	34.19	38.53	10.49	34.41
PK	16.56856G	56.86	68.20	-11.34	17.41	3	Horizontal	237	2.73	39.45	37.93	13.54	34.06

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	53.08	54.00	-0.92	5.01	3	Vertical	271	1.08	48.07	32.62	7.11	34.72
AV	5.5328G	98.12	Inf	-Inf	5.11	3	Vertical	271	1.08	93.01	32.70	7.14	34.73
PK	5.3336G	62.52	68.20	-5.68	4.95	3	Vertical	271	1.08	57.57	32.70	6.99	34.74
PK	5.4512G	65.15	74.00	-8.85	4.99	3	Vertical	271	1.08	60.16	32.60	7.11	34.72
PK	5.4644G	64.67	68.20	-3.53	5.02	3	Vertical	271	1.08	59.65	32.63	7.11	34.72
PK	5.5388G	110.03	Inf	-Inf	5.11	3	Vertical	271	1.08	104.92	32.70	7.14	34.73
PK	5.822G	64.54	68.20	-3.66	6.36	3	Vertical	271	1.08	58.18	33.90	7.24	34.78

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21296G	36.05	54.00	-17.95	14.83	3	Vertical	229	1.50	21.22	38.73	10.53	34.43
PK	11.21584G	48.52	74.00	-25.48	14.83	3	Vertical	229	1.50	33.69	38.73	10.53	34.43
PK	16.63704G	57.05	68.20	-11.15	17.60	3	Vertical	282	1.09	39.45	37.95	13.57	33.92

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20688G	35.94	54.00	-18.06	14.81	3	Horizontal	198	1.26	21.13	38.71	10.53	34.43
PK	11.20336G	50.00	74.00	-24.00	14.81	3	Horizontal	198	1.26	35.19	38.71	10.53	34.43
PK	16.68248G	56.36	68.20	-11.84	17.81	3	Horizontal	238	1.16	38.55	38.06	13.58	33.83