



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	12.37569G	40.30	54.00	-13.70	3	Horizontal	178	1.50
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	12.42083G	39.88	54.00	-14.12	3	Horizontal	96	1.50
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	12.44139G	40.20	54.00	-13.80	3	Horizontal	90	1.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	12.0788G	40.17	54.00	-13.83	3	Vertical	118	1.50
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	5.9245G	61.06	68.20	-7.14	3	Vertical	50	1.85
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	12.8784G	41.81	68.20	-26.39	3	Horizontal	294.9	1.17
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	12.90113G	41.46	68.20	-26.74	3	Horizontal	330	1.92
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	12.92115G	41.48	68.20	-26.72	3	Horizontal	191	1.50
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	12.97032G	40.72	68.20	-27.48	3	Vertical	345	1.50
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	13.17336G	41.37	68.20	-26.83	3	Vertical	244	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	13.37749G	42.13	54.00	-11.87	3	Vertical	163	1.75
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	13.35767G	41.72	54.00	-12.28	3	Horizontal	263	1.50
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	13.39659G	41.56	54.00	-12.44	3	Horizontal	151.9	1.50
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	13.35232G	41.78	54.00	-12.22	3	Horizontal	216	1.08
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	7.2995G	52.41	54.00	-1.59	3	Horizontal	16	2.35
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	7.1255G	68.12	68.20	-0.08	3	Vertical	292	1.73
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	7.1339G	59.44	68.20	-8.76	3	Vertical	318	1.40
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	12.0788G	40.17	54.00	-13.83	3	Vertical	118	1.50
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	PK	7.1345G	78.79	88.20	-9.41	3	Vertical	315.9	1.78



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9142G	48.56	68.20	-19.64	3	Vertical	306	1.62
5955MHz	Pass	AV	5.9613G	99.23	Inf	-Inf	3	Vertical	306	1.62
5955MHz	Pass	PK	5.8935G	59.40	88.20	-28.80	3	Vertical	306	1.62
5955MHz	Pass	PK	5.9541G	110.27	Inf	-Inf	3	Vertical	306	1.62
5955MHz	Pass	AV	5.9199G	47.96	68.20	-20.24	3	Horizontal	26	1.00
5955MHz	Pass	AV	5.9463G	90.87	Inf	-Inf	3	Horizontal	26	1.00
5955MHz	Pass	PK	5.9073G	59.24	88.20	-28.96	3	Horizontal	26	1.00
5955MHz	Pass	PK	5.949G	101.75	Inf	-Inf	3	Horizontal	26	1.00
5955MHz	Pass	AV	11.89749G	39.83	54.00	-14.17	3	Vertical	312	1.08
5955MHz	Pass	PK	11.89854G	51.70	74.00	-22.30	3	Vertical	312	1.08
5955MHz	Pass	AV	11.91744G	39.90	54.00	-14.10	3	Horizontal	149	1.50
5955MHz	Pass	PK	11.89779G	51.22	74.00	-22.78	3	Horizontal	149	1.50
6195MHz	Pass	PK	12.39801G	52.26	74.00	-21.74	3	Vertical	247	1.50
6195MHz	Pass	AV	12.3801G	40.18	54.00	-13.82	3	Vertical	247	1.50
6195MHz	Pass	PK	12.4017G	52.26	74.00	-21.74	3	Horizontal	178	1.50
6195MHz	Pass	AV	12.37569G	40.30	54.00	-13.70	3	Horizontal	178	1.50
6415MHz	Pass	PK	12.84167G	52.85	88.20	-35.35	3	Vertical	143	1.50
6415MHz	Pass	AV	12.84089G	41.66	68.20	-26.54	3	Vertical	143	1.50
6415MHz	Pass	PK	12.82961G	52.92	88.20	-35.28	3	Horizontal	328	2.37
6415MHz	Pass	AV	12.82892G	41.76	68.20	-26.44	3	Horizontal	328	2.37
6435MHz	Pass	AV	12.88383G	41.69	68.20	-26.51	3	Vertical	346	1.48
6435MHz	Pass	PK	12.86424G	52.58	88.20	-35.62	3	Vertical	346	1.48
6435MHz	Pass	AV	12.8784G	41.81	68.20	-26.39	3	Horizontal	294.9	1.17
6435MHz	Pass	PK	12.8784G	52.76	88.20	-35.44	3	Horizontal	294.9	1.17
6475MHz	Pass	PK	12.95144G	53.78	88.20	-34.42	3	Vertical	66	1.50
6475MHz	Pass	AV	12.94844G	41.58	68.20	-26.62	3	Vertical	66	1.50
6475MHz	Pass	PK	12.93665G	52.99	88.20	-35.21	3	Horizontal	47	1.50
6475MHz	Pass	AV	12.95024G	41.57	68.20	-26.63	3	Horizontal	47	1.50
6515MHz	Pass	PK	13.01947G	54.03	88.20	-34.17	3	Vertical	84	1.50
6515MHz	Pass	AV	13.02049G	41.07	68.20	-27.13	3	Vertical	84	1.50
6515MHz	Pass	PK	13.04395G	52.45	88.20	-35.75	3	Horizontal	345	1.50
6515MHz	Pass	AV	13.01875G	40.95	68.20	-27.25	3	Horizontal	345	1.50
6535MHz	Pass	PK	13.07279G	52.77	88.20	-35.43	3	Vertical	106	1.50
6535MHz	Pass	AV	13.06793G	41.07	68.20	-27.13	3	Vertical	106	1.50
6535MHz	Pass	PK	13.05716G	53.14	88.20	-35.06	3	Horizontal	185	1.50
6535MHz	Pass	AV	13.07999G	40.96	68.20	-27.24	3	Horizontal	185	1.50
6695MHz	Pass	PK	13.38736G	54.26	74.00	-19.74	3	Vertical	163	1.75
6695MHz	Pass	AV	13.37749G	42.13	54.00	-11.87	3	Vertical	163	1.75
6695MHz	Pass	PK	13.37884G	53.41	74.00	-20.59	3	Horizontal	303	1.00
6695MHz	Pass	AV	13.37833G	41.98	54.00	-12.02	3	Horizontal	303	1.00
6875MHz	Pass	PK	13.71552G	53.67	88.20	-34.53	3	Vertical	14	1.82
6875MHz	Pass	AV	13.78832G	42.04	68.20	-26.16	3	Vertical	14	1.82
6875MHz	Pass	PK	13.75528G	53.36	88.20	-34.84	3	Horizontal	57	1.50
6875MHz	Pass	AV	13.78752G	42.03	68.20	-26.17	3	Horizontal	57	1.50
6895MHz	Pass	PK	13.78391G	53.67	88.20	-34.53	3	Vertical	140	1.50
6895MHz	Pass	AV	13.78796G	42.32	68.20	-25.88	3	Vertical	140	1.50
6895MHz	Pass	PK	13.79165G	53.97	88.20	-34.23	3	Horizontal	167	1.27
6895MHz	Pass	AV	13.80092G	42.18	68.20	-26.02	3	Horizontal	167	1.27
6995MHz	Pass	PK	13.99825G	53.76	88.20	-34.44	3	Vertical	17	1.50
6995MHz	Pass	AV	13.99315G	42.32	68.20	-25.88	3	Vertical	17	1.50
6995MHz	Pass	PK	13.98727G	54.04	88.20	-34.16	3	Horizontal	94	1.50
6995MHz	Pass	AV	13.99999G	42.29	68.20	-25.91	3	Horizontal	94	1.50
7095MHz	Pass	PK	14.17959G	54.32	88.20	-33.88	3	Vertical	0	1.50
7095MHz	Pass	AV	14.19876G	42.33	68.20	-25.87	3	Vertical	0	1.50
7095MHz	Pass	PK	14.19G	53.97	88.20	-34.23	3	Horizontal	224	1.73
7095MHz	Pass	AV	14.17752G	42.38	68.20	-25.82	3	Horizontal	224	1.73
7115MHz	Pass	AV	7.1065G	97.85	Inf	-Inf	3	Vertical	292	1.73
7115MHz	Pass	AV	7.1255G	68.12	68.20	-0.08	3	Vertical	292	1.73
7115MHz	Pass	PK	7.1115G	103.70	Inf	-Inf	3	Vertical	292	1.73
7115MHz	Pass	PK	7.1255G	78.33	88.20	-9.87	3	Vertical	292	1.73



RSE TX above 1GHz_Beamforming_Radio 3

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	7.1065G	89.65	Inf	-Inf	3	Horizontal	359	1.69
7115MHz	Pass	AV	7.1255G	61.15	68.20	-7.05	3	Horizontal	359	1.69
7115MHz	Pass	PK	7.1065G	95.78	Inf	-Inf	3	Horizontal	359	1.69
7115MHz	Pass	PK	7.1255G	71.95	88.20	-16.25	3	Horizontal	359	1.69
7115MHz	Pass	PK	14.24449G	54.54	88.20	-33.66	3	Vertical	24	1.50
7115MHz	Pass	AV	14.22799G	42.13	68.20	-26.07	3	Vertical	24	1.50
7115MHz	Pass	PK	14.21755G	53.70	88.20	-34.50	3	Horizontal	288	1.50
7115MHz	Pass	AV	14.22868G	42.13	68.20	-26.07	3	Horizontal	288	1.50
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9236G	48.40	68.20	-19.80	3	Vertical	67	1.79
5965MHz	Pass	AV	5.9833G	99.09	Inf	-Inf	3	Vertical	67	1.79
5965MHz	Pass	PK	5.9161G	60.22	88.20	-27.98	3	Vertical	67	1.79
5965MHz	Pass	PK	5.9512G	110.11	Inf	-Inf	3	Vertical	67	1.79
5965MHz	Pass	AV	5.9248G	47.54	68.20	-20.66	3	Horizontal	354	2.58
5965MHz	Pass	AV	5.9551G	90.95	Inf	-Inf	3	Horizontal	354	2.58
5965MHz	Pass	PK	5.9119G	59.66	88.20	-28.54	3	Horizontal	354	2.58
5965MHz	Pass	PK	5.9572G	102.39	Inf	-Inf	3	Horizontal	354	2.58
5965MHz	Pass	PK	11.93747G	51.83	74.00	-22.17	3	Vertical	252	1.50
5965MHz	Pass	AV	11.94092G	39.55	54.00	-14.45	3	Vertical	252	1.50
5965MHz	Pass	PK	11.94146G	51.82	74.00	-22.18	3	Horizontal	202	1.50
5965MHz	Pass	AV	11.9429G	39.54	54.00	-14.46	3	Horizontal	202	1.50
6205MHz	Pass	PK	12.41705G	52.65	74.00	-21.35	3	Vertical	360	1.50
6205MHz	Pass	AV	12.41591G	39.80	54.00	-14.20	3	Vertical	360	1.50
6205MHz	Pass	PK	12.41126G	52.34	74.00	-21.66	3	Horizontal	96	1.50
6205MHz	Pass	AV	12.42083G	39.88	54.00	-14.12	3	Horizontal	96	1.50
6405MHz	Pass	PK	12.80118G	53.26	88.20	-34.94	3	Vertical	73	1.50
6405MHz	Pass	AV	12.82299G	41.01	68.20	-27.19	3	Vertical	73	1.50
6405MHz	Pass	PK	12.80832G	53.69	88.20	-34.51	3	Horizontal	17	1.50
6405MHz	Pass	AV	12.8232G	41.01	68.20	-27.19	3	Horizontal	17	1.50
6445MHz	Pass	PK	12.89066G	54.25	88.20	-33.95	3	Vertical	91	1.50
6445MHz	Pass	AV	12.89513G	41.45	68.20	-26.75	3	Vertical	91	1.50
6445MHz	Pass	PK	12.89978G	54.26	88.20	-33.94	3	Horizontal	330	1.92
6445MHz	Pass	AV	12.90113G	41.46	68.20	-26.74	3	Horizontal	330	1.92
6485MHz	Pass	PK	12.97561G	52.96	88.20	-35.24	3	Vertical	330	2.13
6485MHz	Pass	AV	12.95854G	41.07	68.20	-27.13	3	Vertical	330	2.13
6485MHz	Pass	PK	12.95527G	53.51	88.20	-34.69	3	Horizontal	63	1.50
6485MHz	Pass	AV	12.95545G	41.10	68.20	-27.10	3	Horizontal	63	1.50
6525MHz	Pass	PK	13.05375G	52.97	88.20	-35.23	3	Vertical	288	1.50
6525MHz	Pass	AV	13.05585G	40.51	68.20	-27.69	3	Vertical	288	1.50
6525MHz	Pass	PK	13.0611G	52.95	88.20	-35.25	3	Horizontal	156	1.50
6525MHz	Pass	AV	13.03587G	40.49	68.20	-27.71	3	Horizontal	156	1.50
6565MHz	Pass	PK	13.11548G	53.57	88.20	-34.63	3	Vertical	286	1.50
6565MHz	Pass	AV	13.14182G	41.13	68.20	-27.07	3	Vertical	286	1.50
6565MHz	Pass	PK	13.13705G	53.15	88.20	-35.05	3	Horizontal	16	1.50
6565MHz	Pass	AV	13.14473G	41.18	68.20	-27.02	3	Horizontal	16	1.50
6685MHz	Pass	PK	13.36151G	54.30	74.00	-19.70	3	Vertical	284	1.50
6685MHz	Pass	AV	13.36022G	41.71	54.00	-12.29	3	Vertical	284	1.50
6685MHz	Pass	PK	13.37396G	53.53	74.00	-20.47	3	Horizontal	263	1.50
6685MHz	Pass	AV	13.35767G	41.72	54.00	-12.28	3	Horizontal	263	1.50
6885MHz	Pass	PK	13.7829G	53.55	88.20	-34.65	3	Vertical	124	1.50
6885MHz	Pass	AV	13.78458G	41.71	68.20	-26.49	3	Vertical	124	1.50
6885MHz	Pass	PK	13.77459G	54.05	88.20	-34.15	3	Horizontal	190	1.50
6885MHz	Pass	AV	13.7655G	41.66	68.20	-26.54	3	Horizontal	190	1.50
6925MHz	Pass	AV	13.86338G	42.11	68.20	-26.09	3	Vertical	1	1.50
6925MHz	Pass	PK	13.86368G	53.88	88.20	-34.32	3	Vertical	1	1.50
6925MHz	Pass	AV	13.86305G	42.11	68.20	-26.09	3	Horizontal	99	1.50
6925MHz	Pass	PK	13.8572G	54.06	88.20	-34.14	3	Horizontal	99	1.50
7005MHz	Pass	PK	14.00286G	53.94	88.20	-34.26	3	Vertical	12	1.50
7005MHz	Pass	AV	13.99971G	41.72	68.20	-26.48	3	Vertical	12	1.50
7005MHz	Pass	PK	14.02365G	54.58	88.20	-33.62	3	Horizontal	282	1.50
7005MHz	Pass	AV	14.00316G	41.72	68.20	-26.48	3	Horizontal	282	1.50
7085MHz	Pass	AV	7.0679G	99.50	Inf	-Inf	3	Vertical	318	1.40



RSE TX above 1GHz_Beamforming_Radio 3

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7085MHz	Pass	AV	7.1339G	59.44	68.20	-8.76	3	Vertical	318	1.40
7085MHz	Pass	PK	7.073G	110.41	Inf	-Inf	3	Vertical	318	1.40
7085MHz	Pass	PK	7.1255G	74.94	88.20	-13.26	3	Vertical	318	1.40
7085MHz	Pass	AV	7.0715G	95.85	Inf	-Inf	3	Horizontal	336	2.86
7085MHz	Pass	AV	7.1321G	57.90	68.20	-10.30	3	Horizontal	336	2.86
7085MHz	Pass	PK	7.0679G	106.38	Inf	-Inf	3	Horizontal	336	2.86
7085MHz	Pass	PK	7.1342G	72.42	88.20	-15.78	3	Horizontal	336	2.86
7085MHz	Pass	PK	14.18347G	53.66	88.20	-34.54	3	Vertical	1	1.50
7085MHz	Pass	AV	14.17711G	41.94	68.20	-26.26	3	Vertical	1	1.50
7085MHz	Pass	PK	14.17669G	54.31	88.20	-33.89	3	Horizontal	347	1.50
7085MHz	Pass	AV	14.1724G	41.92	68.20	-26.28	3	Horizontal	347	1.50
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	50.66	68.20	-17.54	3	Vertical	65	1.78
5985MHz	Pass	AV	6.0055G	98.33	Inf	-Inf	3	Vertical	65	1.78
5985MHz	Pass	PK	5.922G	64.77	88.20	-23.43	3	Vertical	65	1.78
5985MHz	Pass	PK	6.0035G	110.48	Inf	-Inf	3	Vertical	65	1.78
5985MHz	Pass	AV	5.924G	47.60	68.20	-20.60	3	Horizontal	356	2.65
5985MHz	Pass	AV	5.998G	90.77	Inf	-Inf	3	Horizontal	356	2.65
5985MHz	Pass	PK	5.9235G	59.24	88.20	-28.96	3	Horizontal	356	2.65
5985MHz	Pass	PK	6.004G	102.57	Inf	-Inf	3	Horizontal	356	2.65
5985MHz	Pass	PK	11.9805G	51.72	74.00	-22.28	3	Vertical	334	1.50
5985MHz	Pass	AV	11.95884G	39.64	54.00	-14.36	3	Vertical	334	1.50
5985MHz	Pass	PK	11.98017G	51.79	74.00	-22.21	3	Horizontal	312	1.27
5985MHz	Pass	AV	11.98116G	39.75	54.00	-14.25	3	Horizontal	312	1.27
6225MHz	Pass	PK	12.45693G	52.15	74.00	-21.85	3	Vertical	112	2.11
6225MHz	Pass	AV	12.44364G	40.10	54.00	-13.90	3	Vertical	112	2.11
6225MHz	Pass	PK	12.44328G	52.20	74.00	-21.80	3	Horizontal	90	1.00
6225MHz	Pass	AV	12.44139G	40.20	54.00	-13.80	3	Horizontal	90	1.00
6385MHz	Pass	PK	12.7733G	53.15	88.20	-35.05	3	Vertical	129.9	1.50
6385MHz	Pass	AV	12.77114G	40.75	68.20	-27.45	3	Vertical	129.9	1.50
6385MHz	Pass	PK	12.76007G	53.28	88.20	-34.92	3	Horizontal	127	1.50
6385MHz	Pass	AV	12.77939G	41.00	68.20	-27.20	3	Horizontal	127	1.50
6465MHz	Pass	PK	12.92085G	53.56	88.20	-34.64	3	Vertical	121	1.50
6465MHz	Pass	AV	12.91974G	41.34	68.20	-26.86	3	Vertical	121	1.50
6465MHz	Pass	PK	12.92058G	53.85	88.20	-34.35	3	Horizontal	191	1.50
6465MHz	Pass	AV	12.92115G	41.48	68.20	-26.72	3	Horizontal	191	1.50
6545MHz	Pass	PK	13.09852G	53.56	88.20	-34.64	3	Vertical	273	1.50
6545MHz	Pass	AV	13.10413G	40.76	68.20	-27.44	3	Vertical	273	1.50
6545MHz	Pass	PK	13.07644G	52.88	88.20	-35.32	3	Horizontal	59	2.95
6545MHz	Pass	AV	13.10185G	40.71	68.20	-27.49	3	Horizontal	59	2.95
6625MHz	Pass	PK	13.25438G	54.21	74.00	-19.79	3	Vertical	198	2.44
6625MHz	Pass	AV	13.2587G	41.27	54.00	-12.73	3	Vertical	198	2.44
6625MHz	Pass	PK	13.2512G	53.58	74.00	-20.42	3	Horizontal	130	1.50
6625MHz	Pass	AV	13.24763G	41.20	68.20	-27.00	3	Horizontal	130	1.50
6705MHz	Pass	PK	13.41936G	54.18	88.20	-34.02	3	Vertical	137	1.50
6705MHz	Pass	AV	13.40928G	41.45	68.20	-26.75	3	Vertical	137	1.50
6705MHz	Pass	PK	13.40985G	54.73	88.20	-33.47	3	Horizontal	151.9	1.50
6705MHz	Pass	AV	13.39659G	41.56	54.00	-12.44	3	Horizontal	151.9	1.50
6785MHz	Pass	PK	13.60904G	54.08	88.20	-34.12	3	Vertical	347.9	1.50
6785MHz	Pass	AV	13.54328G	41.98	68.20	-26.22	3	Vertical	347.9	1.50
6785MHz	Pass	PK	13.5744G	54.17	88.20	-34.03	3	Horizontal	21	1.50
6785MHz	Pass	AV	13.5468G	41.98	68.20	-26.22	3	Horizontal	21	1.50
6865MHz	Pass	PK	13.75672G	53.67	88.20	-34.53	3	Vertical	261	1.50
6865MHz	Pass	AV	13.75816G	41.43	68.20	-26.77	3	Vertical	261	1.50
6865MHz	Pass	PK	13.72648G	53.38	88.20	-34.82	3	Horizontal	100	1.50
6865MHz	Pass	AV	13.75272G	41.51	68.20	-26.69	3	Horizontal	100	1.50
6945MHz	Pass	AV	13.9008G	42.43	68.20	-25.77	3	Vertical	318	1.50
6945MHz	Pass	PK	13.91496G	54.06	88.20	-34.14	3	Vertical	318	1.50
6945MHz	Pass	AV	13.90032G	42.58	68.20	-25.62	3	Horizontal	360	1.50
6945MHz	Pass	PK	13.87664G	54.23	88.20	-33.97	3	Horizontal	360	1.50
7025MHz	Pass	AV	5.9245G	52.66	68.20	-15.54	3	Vertical	56	2.29
7025MHz	Pass	AV	6.0735G	98.35	Inf	-Inf	3	Vertical	56	2.29



RSE TX above 1GHz_Beamforming_Radio 3

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7025MHz	Pass	PK	5.8965G	62.86	88.20	-25.34	3	Vertical	56	2.29
7025MHz	Pass	PK	6.0715G	108.03	Inf	-Inf	3	Vertical	56	2.29
7025MHz	Pass	AV	5.891G	48.52	68.20	-19.68	3	Horizontal	54	1.05
7025MHz	Pass	AV	6.001G	86.21	Inf	-Inf	3	Horizontal	54	1.05
7025MHz	Pass	PK	5.89G	61.47	88.20	-26.73	3	Horizontal	54	1.05
7025MHz	Pass	PK	6.0475G	96.60	Inf	-Inf	3	Horizontal	54	1.05
7025MHz	Pass	AV	12.0788G	40.17	54.00	-13.83	3	Vertical	118	1.50
7025MHz	Pass	PK	12.03744G	52.25	74.00	-21.75	3	Vertical	118	1.50
7025MHz	Pass	AV	12.07688G	40.15	54.00	-13.85	3	Horizontal	45	1.50
7025MHz	Pass	PK	12.04792G	53.23	74.00	-20.77	3	Horizontal	45	1.50
802.11be EHT160-BF_Nss1.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	52.66	68.20	-15.54	3	Vertical	56	2.29
6025MHz	Pass	AV	6.0735G	98.35	Inf	-Inf	3	Vertical	56	2.29
6025MHz	Pass	PK	5.8965G	62.86	88.20	-25.34	3	Vertical	56	2.29
6025MHz	Pass	PK	6.0715G	108.03	Inf	-Inf	3	Vertical	56	2.29
6025MHz	Pass	AV	5.891G	48.52	68.20	-19.68	3	Horizontal	54	1.05
6025MHz	Pass	AV	6.001G	86.21	Inf	-Inf	3	Horizontal	54	1.05
6025MHz	Pass	PK	5.89G	61.47	88.20	-26.73	3	Horizontal	54	1.05
6025MHz	Pass	PK	6.0475G	96.60	Inf	-Inf	3	Horizontal	54	1.05
6025MHz	Pass	PK	12.03744G	52.25	74.00	-21.75	3	Vertical	118	1.50
6025MHz	Pass	AV	12.0788G	40.17	54.00	-13.83	3	Vertical	118	1.50
6025MHz	Pass	PK	12.04792G	53.23	74.00	-20.77	3	Horizontal	45	1.50
6025MHz	Pass	AV	12.07688G	40.15	54.00	-13.85	3	Horizontal	45	1.50
6185MHz	Pass	PK	12.34352G	52.19	74.00	-21.81	3	Vertical	248	1.50
6185MHz	Pass	AV	12.3716G	39.79	54.00	-14.21	3	Vertical	248	1.50
6185MHz	Pass	PK	12.33848G	51.87	74.00	-22.13	3	Horizontal	43	2.35
6185MHz	Pass	AV	12.34984G	39.90	54.00	-14.10	3	Horizontal	43	2.35
6345MHz	Pass	PK	12.67128G	53.04	74.00	-20.96	3	Vertical	5	1.50
6345MHz	Pass	AV	12.708G	40.95	68.20	-27.25	3	Vertical	5	1.50
6345MHz	Pass	PK	12.72504G	53.55	88.20	-34.65	3	Horizontal	187	1.50
6345MHz	Pass	AV	12.71224G	40.84	68.20	-27.36	3	Horizontal	187	1.50
6505MHz	Pass	PK	12.97152G	53.28	88.20	-34.92	3	Vertical	345	1.50
6505MHz	Pass	AV	12.97032G	40.72	68.20	-27.48	3	Vertical	345	1.50
6505MHz	Pass	PK	13.03888G	52.48	88.20	-35.72	3	Horizontal	12	1.50
6505MHz	Pass	AV	12.97216G	40.70	68.20	-27.50	3	Horizontal	12	1.50
6665MHz	Pass	PK	13.3556G	53.54	74.00	-20.46	3	Vertical	187	1.50
6665MHz	Pass	AV	13.3528G	41.77	54.00	-12.23	3	Vertical	187	1.50
6665MHz	Pass	PK	13.35104G	53.50	74.00	-20.50	3	Horizontal	216	1.08
6665MHz	Pass	AV	13.35232G	41.78	54.00	-12.22	3	Horizontal	216	1.08
6825MHz	Pass	PK	13.67168G	53.34	88.20	-34.86	3	Vertical	348	3.00
6825MHz	Pass	AV	13.61176G	41.40	68.20	-26.80	3	Vertical	348	3.00
6825MHz	Pass	PK	13.65248G	53.26	88.20	-34.94	3	Horizontal	40	1.50
6825MHz	Pass	AV	13.61136G	41.40	68.20	-26.80	3	Horizontal	40	1.50
6985MHz	Pass	AV	6.9595G	99.59	Inf	-Inf	3	Vertical	315.9	1.78
6985MHz	Pass	AV	7.1405G	55.72	68.20	-12.48	3	Vertical	315.9	1.78
6985MHz	Pass	PK	6.9525G	107.04	Inf	-Inf	3	Vertical	315.9	1.78
6985MHz	Pass	PK	7.1345G	78.79	88.20	-9.41	3	Vertical	315.9	1.78
6985MHz	Pass	AV	6.9125G	92.56	Inf	-Inf	3	Horizontal	27	2.39
6985MHz	Pass	AV	7.1405G	52.94	68.20	-15.26	3	Horizontal	27	2.39
6985MHz	Pass	PK	6.9125G	100.02	Inf	-Inf	3	Horizontal	27	2.39
6985MHz	Pass	PK	7.1345G	73.00	88.20	-15.20	3	Horizontal	27	2.39
6985MHz	Pass	PK	13.95088G	53.59	88.20	-34.61	3	Vertical	142	2.29
6985MHz	Pass	AV	13.93784G	41.96	68.20	-26.24	3	Vertical	142	2.29
6985MHz	Pass	PK	13.99168G	53.70	88.20	-34.50	3	Horizontal	269	1.45
6985MHz	Pass	AV	13.93752G	41.97	68.20	-26.23	3	Horizontal	269	1.45
802.11be EHT320-BF_Nss1.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.9245G	61.06	68.20	-7.14	3	Vertical	50	1.85
6105MHz	Pass	AV	6.03275G	101.33	Inf	-Inf	3	Vertical	50	1.85
6105MHz	Pass	PK	5.9235G	75.04	88.20	-13.16	3	Vertical	50	1.85
6105MHz	Pass	PK	6.03775G	109.27	Inf	-Inf	3	Vertical	50	1.85
6105MHz	Pass	AV	5.9225G	51.22	68.20	-16.98	3	Horizontal	341.9	2.85
6105MHz	Pass	AV	6.00775G	93.52	Inf	-Inf	3	Horizontal	341.9	2.85




RSE TX above 1GHz_Beamforming_Radio 3

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	PK	5.9225G	70.13	88.20	-18.07	3	Horizontal	341.9	2.85
6105MHz	Pass	PK	6.00975G	101.79	Inf	-Inf	3	Horizontal	341.9	2.85
6105MHz	Pass	PK	12.24136G	53.34	74.00	-20.66	3	Vertical	91	1.50
6105MHz	Pass	AV	12.17072G	40.22	54.00	-13.78	3	Vertical	91	1.50
6105MHz	Pass	PK	12.23232G	52.67	74.00	-21.33	3	Horizontal	285	1.50
6105MHz	Pass	AV	12.1704G	40.22	54.00	-13.78	3	Horizontal	285	1.50
6265MHz	Pass	PK	12.54208G	52.97	74.00	-21.03	3	Vertical	263	1.50
6265MHz	Pass	AV	12.51576G	40.31	54.00	-13.69	3	Vertical	263	1.50
6265MHz	Pass	PK	12.51168G	52.75	74.00	-21.25	3	Horizontal	13	1.50
6265MHz	Pass	AV	12.53064G	40.41	54.00	-13.59	3	Horizontal	13	1.50
6425MHz	Pass	PK	12.88632G	53.44	88.20	-34.76	3	Vertical	209	1.50
6425MHz	Pass	AV	12.88632G	41.26	68.20	-26.94	3	Vertical	209	1.50
6425MHz	Pass	PK	12.82064G	52.61	88.20	-35.59	3	Horizontal	160	2.00
6425MHz	Pass	AV	12.888G	41.41	68.20	-26.79	3	Horizontal	160	2.00
6585MHz	Pass	PK	13.1856G	53.25	88.20	-34.95	3	Vertical	244	1.50
6585MHz	Pass	AV	13.17336G	41.37	68.20	-26.83	3	Vertical	244	1.50
6585MHz	Pass	PK	13.1908G	53.28	88.20	-34.92	3	Horizontal	298	2.68
6585MHz	Pass	AV	13.19536G	41.35	68.20	-26.85	3	Horizontal	298	2.68
6745MHz	Pass	AV	13.50344G	42.20	68.20	-26.00	3	Vertical	194	1.78
6745MHz	Pass	PK	13.50076G	54.08	88.20	-34.12	3	Vertical	194	1.78
6745MHz	Pass	AV	13.50472G	42.20	68.20	-26.00	3	Horizontal	23	1.50
6745MHz	Pass	PK	13.49396G	54.29	88.20	-33.91	3	Horizontal	23	1.50
6905MHz	Pass	AV	6.8795G	99.25	Inf	-Inf	3	Vertical	302	1.67
6905MHz	Pass	AV	7.1875G	54.80	68.20	-13.40	3	Vertical	302	1.67
6905MHz	Pass	PK	6.8815G	107.26	Inf	-Inf	3	Vertical	302	1.67
6905MHz	Pass	PK	7.1895G	76.89	88.20	-11.31	3	Vertical	302	1.67
6905MHz	Pass	AV	6.8235G	92.66	Inf	-Inf	3	Horizontal	16	2.35
6905MHz	Pass	AV	7.2995G	52.41	54.00	-1.59	3	Horizontal	16	2.35
6905MHz	Pass	PK	6.8215G	100.70	Inf	-Inf	3	Horizontal	16	2.35
6905MHz	Pass	PK	7.2145G	70.46	88.20	-17.74	3	Horizontal	16	2.35
6905MHz	Pass	PK	13.78432G	53.79	88.20	-34.41	3	Vertical	134	1.50
6905MHz	Pass	AV	13.84688G	42.06	68.20	-26.14	3	Vertical	134	1.50
6905MHz	Pass	PK	13.77224G	53.99	88.20	-34.21	3	Horizontal	264	1.50
6905MHz	Pass	AV	13.84928G	41.93	68.20	-26.27	3	Horizontal	264	1.50

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9142G	48.56	68.20	-19.64	6.86	3	Vertical	306	1.62	41.70	34.07	7.00	34.21
AV	5.9613G	99.23	Inf	-Inf	6.80	3	Vertical	306	1.62	92.43	33.98	7.04	34.22
PK	5.8935G	59.40	88.20	-28.80	6.84	3	Vertical	306	1.62	52.56	34.07	6.98	34.21
PK	5.9541G	110.27	Inf	-Inf	6.80	3	Vertical	306	1.62	103.47	33.99	7.03	34.22

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9199G	47.96	68.20	-20.24	6.85	3	Horizontal	26	1.00	41.11	34.06	7.00	34.21
AV	5.9463G	90.87	Inf	-Inf	6.81	3	Horizontal	26	1.00	84.06	34.01	7.02	34.22
PK	5.9073G	59.24	88.20	-28.96	6.87	3	Horizontal	26	1.00	52.37	34.09	6.99	34.21
PK	5.949G	101.75	Inf	-Inf	6.81	3	Horizontal	26	1.00	94.94	34.00	7.03	34.22

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.89749G	39.83	54.00	-14.17	15.86	3	Vertical	312	1.08	23.97	38.59	11.58	34.31
PK	11.89854G	51.70	74.00	-22.30	15.86	3	Vertical	312	1.08	35.84	38.59	11.58	34.31

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91744G	39.90	54.00	-14.10	15.87	3	Horizontal	149	1.50	24.03	38.60	11.59	34.32
PK	11.89779G	51.22	74.00	-22.78	15.86	3	Horizontal	149	1.50	35.36	38.59	11.58	34.31

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3801G	40.18	54.00	-13.82	16.22	3	Vertical	247	1.50	23.96	38.84	11.54	34.16
PK	12.39801G	52.26	74.00	-21.74	16.19	3	Vertical	247	1.50	36.07	38.80	11.54	34.15

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37569G	40.30	54.00	-13.70	16.23	3	Horizontal	178	1.50	24.07	38.85	11.54	34.16
PK	12.4017G	52.26	74.00	-21.74	16.19	3	Horizontal	178	1.50	36.07	38.80	11.54	34.15

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.84089G	41.66	68.20	-26.54	17.55	3	Vertical	143	1.50	24.11	39.50	11.44	33.39
PK	12.84167G	52.85	88.20	-35.35	17.55	3	Vertical	143	1.50	35.30	39.50	11.44	33.39

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82892G	41.76	68.20	-26.44	17.53	3	Horizontal	328	2.37	24.23	39.50	11.45	33.42
PK	12.82961G	52.92	88.20	-35.28	17.53	3	Horizontal	328	2.37	35.39	39.50	11.45	33.42

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88383G	41.69	68.20	-26.51	17.76	3	Vertical	346	1.48	23.93	39.64	11.43	33.31
PK	12.86424G	52.58	88.20	-35.62	17.65	3	Vertical	346	1.48	34.93	39.56	11.44	33.35

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8784G	41.81	68.20	-26.39	17.73	3	Horizontal	294.9	1.17	24.08	39.61	11.44	33.32
PK	12.8784G	52.76	88.20	-35.44	17.73	3	Horizontal	294.9	1.17	35.03	39.61	11.44	33.32

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94844G	41.58	68.20	-26.62	18.04	3	Vertical	66	1.50	23.54	39.80	11.42	33.18
PK	12.95144G	53.78	88.20	-34.42	18.05	3	Vertical	66	1.50	35.73	39.80	11.42	33.17

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95024G	41.57	68.20	-26.63	18.05	3	Horizontal	47	1.50	23.52	39.80	11.42	33.17
PK	12.93665G	52.99	88.20	-35.21	17.99	3	Horizontal	47	1.50	35.00	39.77	11.42	33.20

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02049G	41.07	68.20	-27.13	17.99	3	Vertical	84	1.50	23.08	39.62	11.41	33.04
PK	13.01947G	54.03	88.20	-34.17	17.99	3	Vertical	84	1.50	36.04	39.62	11.41	33.04

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01875G	40.95	68.20	-27.25	17.99	3	Horizontal	345	1.50	22.96	39.62	11.41	33.04
PK	13.04395G	52.45	88.20	-35.75	17.91	3	Horizontal	345	1.50	34.54	39.52	11.40	33.01

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06793G	41.07	68.20	-27.13	17.93	3	Vertical	106	1.50	23.14	39.50	11.40	32.97
PK	13.07279G	52.77	88.20	-35.43	17.93	3	Vertical	106	1.50	34.84	39.50	11.39	32.96

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07999G	40.96	68.20	-27.24	17.94	3	Horizontal	185	1.50	23.02	39.50	11.39	32.95
PK	13.05716G	53.14	88.20	-35.06	17.91	3	Horizontal	185	1.50	35.23	39.50	11.40	32.99

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37749G	42.13	54.00	-11.87	18.66	3	Vertical	163	1.75	23.47	39.85	11.33	32.52
PK	13.38736G	54.26	74.00	-19.74	18.66	3	Vertical	163	1.75	35.60	39.83	11.33	32.50

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37833G	41.98	54.00	-12.02	18.65	3	Horizontal	303	1.00	23.33	39.84	11.33	32.52
PK	13.37884G	53.41	74.00	-20.59	18.65	3	Horizontal	303	1.00	34.76	39.84	11.33	32.52

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78832G	42.04	68.20	-26.16	18.34	3	Vertical	14	1.82	23.70	39.50	11.24	32.40
PK	13.71552G	53.67	88.20	-34.53	18.45	3	Vertical	14	1.82	35.22	39.57	11.26	32.38

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78752G	42.03	68.20	-26.17	18.34	3	Horizontal	57	1.50	23.69	39.50	11.24	32.40
PK	13.75528G	53.36	88.20	-34.84	18.36	3	Horizontal	57	1.50	35.00	39.50	11.25	32.39

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78796G	42.32	68.20	-25.88	18.34	3	Vertical	140	1.50	23.98	39.50	11.24	32.40
PK	13.78391G	53.67	88.20	-34.53	18.35	3	Vertical	140	1.50	35.32	39.50	11.25	32.40

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80092G	42.18	68.20	-26.02	18.34	3	Horizontal	167	1.27	23.84	39.50	11.24	32.40
PK	13.79165G	53.97	88.20	-34.23	18.34	3	Horizontal	167	1.27	35.63	39.50	11.24	32.40

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99315G	42.32	68.20	-25.88	18.55	3	Vertical	17	1.50	23.77	39.79	11.20	32.44
PK	13.99825G	53.76	88.20	-34.44	18.56	3	Vertical	17	1.50	35.20	39.80	11.20	32.44

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99999G	42.29	68.20	-25.91	18.56	3	Horizontal	94	1.50	23.73	39.80	11.20	32.44
PK	13.98727G	54.04	88.20	-34.16	18.53	3	Horizontal	94	1.50	35.51	39.77	11.20	32.44

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19876G	42.33	68.20	-25.87	18.51	3	Vertical	0	1.50	23.82	39.90	11.32	32.71
PK	14.17959G	54.32	88.20	-33.88	18.53	3	Vertical	0	1.50	35.79	39.90	11.31	32.68

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17752G	42.38	68.20	-25.82	18.53	3	Horizontal	224	1.73	23.85	39.90	11.31	32.68
PK	14.19G	53.97	88.20	-34.23	18.52	3	Horizontal	224	1.73	35.45	39.90	11.32	32.70

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1065G	97.85	Inf	-Inf	9.42	3	Vertical	292	1.73	88.43	36.23	7.66	34.47
AV	7.1255G	68.12	68.20	-0.08	9.50	3	Vertical	292	1.73	58.62	36.30	7.68	34.48
PK	7.1115G	103.70	Inf	-Inf	9.45	3	Vertical	292	1.73	94.25	36.25	7.67	34.47
PK	7.1255G	78.33	88.20	-9.87	9.50	3	Vertical	292	1.73	68.83	36.30	7.68	34.48

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1065G	89.65	Inf	-Inf	9.42	3	Horizontal	359	1.69	80.23	36.23	7.66	34.47
AV	7.1255G	61.15	68.20	-7.05	9.50	3	Horizontal	359	1.69	51.65	36.30	7.68	34.48
PK	7.1065G	95.78	Inf	-Inf	9.42	3	Horizontal	359	1.69	86.36	36.23	7.66	34.47
PK	7.1255G	71.95	88.20	-16.25	9.50	3	Horizontal	359	1.69	62.45	36.30	7.68	34.48

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22799G	42.13	68.20	-26.07	18.43	3	Vertical	24	1.50	23.70	39.84	11.34	32.75
PK	14.24449G	54.54	88.20	-33.66	18.39	3	Vertical	24	1.50	36.15	39.81	11.35	32.77

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22868G	42.13	68.20	-26.07	18.43	3	Horizontal	288	1.50	23.70	39.84	11.34	32.75
PK	14.21755G	53.70	88.20	-34.50	18.45	3	Horizontal	288	1.50	35.25	39.86	11.33	32.74

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	48.17	68.20	-20.03	6.85	3	Vertical	60	1.79	41.32	34.05	7.01	34.21
AV	5.9827G	98.61	Inf	-Inf	6.77	3	Vertical	60	1.79	91.84	33.93	7.06	34.22
PK	5.884G	58.26	88.20	-29.94	6.80	3	Vertical	60	1.79	51.46	34.04	6.97	34.21
PK	5.9731G	110.15	Inf	-Inf	6.78	3	Vertical	60	1.79	103.37	33.95	7.05	34.22

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	47.30	68.20	-20.90	6.85	3	Horizontal	357	2.49	40.45	34.05	7.01	34.21
AV	5.9545G	92.04	Inf	-Inf	6.80	3	Horizontal	357	2.49	85.24	33.99	7.03	34.22
PK	5.8498G	59.20	88.20	-29.00	6.63	3	Horizontal	357	2.49	52.57	33.90	6.94	34.21
PK	5.9551G	103.49	Inf	-Inf	6.80	3	Horizontal	357	2.49	96.69	33.99	7.03	34.22

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.94092G	39.55	54.00	-14.45	15.87	3	Vertical	252	1.50	23.68	38.60	11.60	34.33
PK	11.93747G	51.83	74.00	-22.17	15.87	3	Vertical	252	1.50	35.96	38.60	11.60	34.33

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9429G	39.54	54.00	-14.46	15.87	3	Horizontal	202	1.50	23.67	38.60	11.60	34.33
PK	11.94146G	51.82	74.00	-22.18	15.87	3	Horizontal	202	1.50	35.95	38.60	11.60	34.33

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.41591G	39.80	54.00	-14.20	16.19	3	Vertical	360	1.50	23.61	38.80	11.53	34.14
PK	12.41705G	52.65	74.00	-21.35	16.19	3	Vertical	360	1.50	36.46	38.80	11.53	34.14

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.42083G	39.88	54.00	-14.12	16.20	3	Horizontal	96	1.50	23.68	38.80	11.53	34.13
PK	12.41126G	52.34	74.00	-21.66	16.19	3	Horizontal	96	1.50	36.15	38.80	11.53	34.14

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82299G	41.01	68.20	-27.19	17.52	3	Vertical	73	1.50	23.49	39.50	11.45	33.43
PK	12.80118G	53.26	88.20	-34.94	17.47	3	Vertical	73	1.50	35.79	39.50	11.45	33.48

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8232G	41.01	68.20	-27.19	17.52	3	Horizontal	17	1.50	23.49	39.50	11.45	33.43
PK	12.80832G	53.69	88.20	-34.51	17.49	3	Horizontal	17	1.50	36.20	39.50	11.45	33.46

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89513G	41.45	68.20	-26.75	17.83	3	Vertical	91	1.50	23.62	39.68	11.43	33.28
PK	12.89066G	54.25	88.20	-33.95	17.80	3	Vertical	91	1.50	36.45	39.66	11.43	33.29

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.90113G	41.46	68.20	-26.74	17.86	3	Horizontal	330	1.92	23.60	39.70	11.43	33.27
PK	12.89978G	54.26	88.20	-33.94	17.86	3	Horizontal	330	1.92	36.40	39.70	11.43	33.27

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95854G	41.07	68.20	-27.13	18.05	3	Vertical	330	2.13	23.02	39.78	11.42	33.15
PK	12.97561G	52.96	88.20	-35.24	18.05	3	Vertical	330	2.13	34.91	39.75	11.42	33.12

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95545G	41.10	68.20	-27.10	18.05	3	Horizontal	63	1.50	23.05	39.79	11.42	33.16
PK	12.95527G	53.51	88.20	-34.69	18.05	3	Horizontal	63	1.50	35.46	39.79	11.42	33.16

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6525MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.05585G	40.51	68.20	-27.69	17.91	3	Vertical	288	1.50	22.60	39.50	11.40	32.99
PK	13.05375G	52.97	88.20	-35.23	17.91	3	Vertical	288	1.50	35.06	39.50	11.40	32.99

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6525MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03587G	40.49	68.20	-27.71	17.94	3	Horizontal	156	1.50	22.55	39.56	11.40	33.02
PK	13.0611G	52.95	88.20	-35.25	17.92	3	Horizontal	156	1.50	35.03	39.50	11.40	32.98

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.14182G	41.13	68.20	-27.07	18.10	3	Vertical	286	1.50	23.03	39.58	11.38	32.86
PK	13.11548G	53.57	88.20	-34.63	18.02	3	Vertical	286	1.50	35.55	39.53	11.39	32.90

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.14473G	41.18	68.20	-27.02	18.11	3	Horizontal	16	1.50	23.07	39.59	11.38	32.86
PK	13.13705G	53.15	88.20	-35.05	18.08	3	Horizontal	16	1.50	35.07	39.57	11.38	32.87

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.36022G	41.71	54.00	-12.29	18.67	3	Vertical	284	1.50	23.04	39.88	11.33	32.54
PK	13.36151G	54.30	74.00	-19.70	18.67	3	Vertical	284	1.50	35.63	39.88	11.33	32.54

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.35767G	41.72	54.00	-12.28	18.66	3	Horizontal	263	1.50	23.06	39.88	11.33	32.55
PK	13.37396G	53.53	74.00	-20.47	18.66	3	Horizontal	263	1.50	34.87	39.85	11.33	32.52

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6885MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78458G	41.71	68.20	-26.49	18.35	3	Vertical	124	1.50	23.36	39.50	11.25	32.40
PK	13.7829G	53.55	88.20	-34.65	18.35	3	Vertical	124	1.50	35.20	39.50	11.25	32.40

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6885MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7655G	41.66	68.20	-26.54	18.36	3	Horizontal	190	1.50	23.30	39.50	11.25	32.39
PK	13.77459G	54.05	88.20	-34.15	18.36	3	Horizontal	190	1.50	35.69	39.50	11.25	32.39

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.86338G	42.11	68.20	-26.09	18.35	3	Vertical	1	1.50	23.76	39.53	11.23	32.41
PK	13.86368G	53.88	88.20	-34.32	18.35	3	Vertical	1	1.50	35.53	39.53	11.23	32.41

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.86305G	42.11	68.20	-26.09	18.35	3	Horizontal	99	1.50	23.76	39.53	11.23	32.41
PK	13.8572G	54.06	88.20	-34.14	18.33	3	Horizontal	99	1.50	35.73	39.51	11.23	32.41

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99971G	41.72	68.20	-26.48	18.56	3	Vertical	12	1.50	23.16	39.80	11.20	32.44
PK	14.00286G	53.94	88.20	-34.26	18.57	3	Vertical	12	1.50	35.37	39.81	11.20	32.44

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00316G	41.72	68.20	-26.48	18.57	3	Horizontal	282	1.50	23.15	39.81	11.20	32.44
PK	14.02365G	54.58	88.20	-33.62	18.59	3	Horizontal	282	1.50	35.99	39.85	11.21	32.47

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0679G	99.50	Inf	-Inf	9.18	3	Vertical	318	1.40	90.32	36.01	7.64	34.47
AV	7.1339G	59.44	68.20	-8.76	9.54	3	Vertical	318	1.40	49.90	36.34	7.68	34.48
PK	7.073G	110.41	Inf	-Inf	9.21	3	Vertical	318	1.40	101.20	36.04	7.64	34.47
PK	7.1255G	74.94	88.20	-13.26	9.50	3	Vertical	318	1.40	65.44	36.30	7.68	34.48

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0715G	95.85	Inf	-Inf	9.20	3	Horizontal	336	2.86	86.65	36.03	7.64	34.47
AV	7.1321G	57.90	68.20	-10.30	9.53	3	Horizontal	336	2.86	48.37	36.33	7.68	34.48
PK	7.0679G	106.38	Inf	-Inf	9.18	3	Horizontal	336	2.86	97.20	36.01	7.64	34.47
PK	7.1342G	72.42	88.20	-15.78	9.54	3	Horizontal	336	2.86	62.88	36.34	7.68	34.48

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17711G	41.94	68.20	-26.26	18.53	3	Vertical	1	1.50	23.41	39.90	11.31	32.68
PK	14.18347G	53.66	88.20	-34.54	18.52	3	Vertical	1	1.50	35.14	39.90	11.31	32.69

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.1724G	41.92	68.20	-26.28	18.54	3	Horizontal	347	1.50	23.38	39.90	11.31	32.67
PK	14.17669G	54.31	88.20	-33.89	18.53	3	Horizontal	347	1.50	35.78	39.90	11.31	32.68

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	50.66	68.20	-17.54	6.85	3	Vertical	65	1.78	43.81	34.05	7.01	34.21
AV	6.0055G	98.33	Inf	-Inf	6.75	3	Vertical	65	1.78	91.58	33.90	7.07	34.22
PK	5.922G	64.77	88.20	-23.43	6.85	3	Vertical	65	1.78	57.92	34.06	7.00	34.21
PK	6.0035G	110.48	Inf	-Inf	6.75	3	Vertical	65	1.78	103.73	33.90	7.07	34.22

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	47.60	68.20	-20.60	6.85	3	Horizontal	356	2.65	40.75	34.05	7.01	34.21
AV	5.998G	90.77	Inf	-Inf	6.75	3	Horizontal	356	2.65	84.02	33.90	7.07	34.22
PK	5.9235G	59.24	88.20	-28.96	6.84	3	Horizontal	356	2.65	52.40	34.05	7.00	34.21
PK	6.004G	102.57	Inf	-Inf	6.75	3	Horizontal	356	2.65	95.82	33.90	7.07	34.22

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.95884G	39.64	54.00	-14.36	15.90	3	Vertical	334	1.50	23.74	38.64	11.60	34.34
PK	11.9805G	51.72	74.00	-22.28	15.97	3	Vertical	334	1.50	35.75	38.72	11.61	34.36

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.98116G	39.75	54.00	-14.25	15.97	3	Horizontal	312	1.27	23.78	38.72	11.61	34.36
PK	11.98017G	51.79	74.00	-22.21	15.97	3	Horizontal	312	1.27	35.82	38.72	11.61	34.36

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.44364G	40.10	54.00	-13.90	16.21	3	Vertical	112	2.11	23.89	38.80	11.53	34.12
PK	12.45693G	52.15	74.00	-21.85	16.21	3	Vertical	112	2.11	35.94	38.80	11.52	34.11

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.44139G	40.20	54.00	-13.80	16.21	3	Horizontal	90	1.00	23.99	38.80	11.53	34.12
PK	12.44328G	52.20	74.00	-21.80	16.21	3	Horizontal	90	1.00	35.99	38.80	11.53	34.12

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77114G	40.75	68.20	-27.45	17.30	3	Vertical	129.9	1.50	23.45	39.38	11.46	33.54
PK	12.7733G	53.15	88.20	-35.05	17.32	3	Vertical	129.9	1.50	35.83	39.39	11.46	33.53

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77939G	41.00	68.20	-27.20	17.36	3	Horizontal	127	1.50	23.64	39.42	11.46	33.52
PK	12.76007G	53.28	88.20	-34.92	17.24	3	Horizontal	127	1.50	36.04	39.34	11.46	33.56

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.91974G	41.34	68.20	-26.86	17.94	3	Vertical	121	1.50	23.40	39.74	11.43	33.23
PK	12.92085G	53.56	88.20	-34.64	17.94	3	Vertical	121	1.50	35.62	39.74	11.43	33.23

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92115G	41.48	68.20	-26.72	17.94	3	Horizontal	191	1.50	23.54	39.74	11.43	33.23
PK	12.92058G	53.85	88.20	-34.35	17.94	3	Horizontal	191	1.50	35.91	39.74	11.43	33.23

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6545MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.10413G	40.76	68.20	-27.44	17.98	3	Vertical	273	1.50	22.78	39.51	11.39	32.92
PK	13.09852G	53.56	88.20	-34.64	17.96	3	Vertical	273	1.50	35.60	39.50	11.39	32.93

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6545MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.10185G	40.71	68.20	-27.49	17.97	3	Horizontal	59	2.95	22.74	39.50	11.39	32.92
PK	13.07644G	52.88	88.20	-35.32	17.93	3	Horizontal	59	2.95	34.95	39.50	11.39	32.96

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.2587G	41.27	54.00	-12.73	18.29	3	Vertical	198	2.44	22.98	39.62	11.36	32.69
PK	13.25438G	54.21	74.00	-19.79	18.27	3	Vertical	198	2.44	35.94	39.61	11.36	32.70

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.24763G	41.20	68.20	-27.00	18.25	3	Horizontal	130	1.50	22.95	39.60	11.36	32.71
PK	13.2512G	53.58	74.00	-20.42	18.26	3	Horizontal	130	1.50	35.32	39.60	11.36	32.70

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40928G	41.45	68.20	-26.75	18.69	3	Vertical	137	1.50	22.76	39.84	11.32	32.47
PK	13.41936G	54.18	88.20	-34.02	18.74	3	Vertical	137	1.50	35.44	39.88	11.32	32.46

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39659G	41.56	54.00	-12.44	18.65	3	Horizontal	151.9	1.50	22.91	39.81	11.33	32.49
PK	13.40985G	54.73	88.20	-33.47	18.69	3	Horizontal	151.9	1.50	36.04	39.84	11.32	32.47

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.54328G	41.98	68.20	-26.22	19.04	3	Vertical	347.9	1.50	22.94	40.09	11.30	32.35
PK	13.60904G	54.08	88.20	-34.12	18.78	3	Vertical	347.9	1.50	35.30	39.86	11.28	32.36

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.5468G	41.98	68.20	-26.22	19.04	3	Horizontal	21	1.50	22.94	40.09	11.30	32.35
PK	13.5744G	54.17	88.20	-34.03	18.94	3	Horizontal	21	1.50	35.23	40.00	11.29	32.35

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6865MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75816G	41.43	68.20	-26.77	18.36	3	Vertical	261	1.50	23.07	39.50	11.25	32.39
PK	13.75672G	53.67	88.20	-34.53	18.36	3	Vertical	261	1.50	35.31	39.50	11.25	32.39

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6865MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75272G	41.51	68.20	-26.69	18.36	3	Horizontal	100	1.50	23.15	39.50	11.25	32.39
PK	13.72648G	53.38	88.20	-34.82	18.42	3	Horizontal	100	1.50	34.96	39.55	11.26	32.39

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.9008G	42.43	68.20	-25.77	18.40	3	Vertical	318	1.50	24.03	39.60	11.22	32.42
PK	13.91496G	54.06	88.20	-34.14	18.43	3	Vertical	318	1.50	35.63	39.63	11.22	32.42

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.90032G	42.58	68.20	-25.62	18.40	3	Horizontal	360	1.50	24.18	39.60	11.22	32.42
PK	13.87664G	54.23	88.20	-33.97	18.36	3	Horizontal	360	1.50	35.87	39.55	11.23	32.42

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9917G	98.61	Inf	-Inf	8.73	3	Vertical	323	1.55	89.88	35.60	7.59	34.46
AV	7.1456G	49.24	68.20	-18.96	9.59	3	Vertical	323	1.55	39.65	36.38	7.69	34.48
PK	6.9866G	109.03	Inf	-Inf	8.72	3	Vertical	323	1.55	100.31	35.60	7.58	34.46
PK	7.1549G	59.46	88.20	-28.74	9.63	3	Vertical	323	1.55	49.83	36.41	7.70	34.48

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9869G	90.15	Inf	-Inf	8.72	3	Horizontal	33	1.40	81.43	35.60	7.58	34.46
AV	7.1705G	48.90	68.20	-19.30	9.67	3	Horizontal	33	1.40	39.23	36.44	7.71	34.48
PK	6.9893G	100.08	Inf	-Inf	8.72	3	Horizontal	33	1.40	91.36	35.60	7.58	34.46
PK	7.1672G	61.22	88.20	-26.98	9.66	3	Horizontal	33	1.40	51.56	36.43	7.71	34.48

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.08768G	41.56	68.20	-26.64	18.67	3	Vertical	60	1.50	22.89	39.98	11.25	32.56
PK	14.08512G	54.00	88.20	-34.20	18.66	3	Vertical	60	1.50	35.34	39.97	11.25	32.56

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01312G	41.71	68.20	-26.49	18.58	3	Horizontal	130	2.33	23.13	39.83	11.21	32.46
PK	14.01728G	53.70	88.20	-34.50	18.58	3	Horizontal	130	2.33	35.12	39.83	11.21	32.46

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	52.66	68.20	-15.54	6.85	3	Vertical	56	2.29	45.81	34.05	7.01	34.21
AV	6.0735G	98.35	Inf	-Inf	6.72	3	Vertical	56	2.29	91.63	33.85	7.11	34.24
PK	5.8965G	62.86	88.20	-25.34	6.86	3	Vertical	56	2.29	56.00	34.09	6.98	34.21
PK	6.0715G	108.03	Inf	-Inf	6.73	3	Vertical	56	2.29	101.30	33.86	7.11	34.24

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.891G	48.52	68.20	-19.68	6.83	3	Horizontal	54	1.05	41.69	34.06	6.98	34.21
AV	6.001G	86.21	Inf	-Inf	6.75	3	Horizontal	54	1.05	79.46	33.90	7.07	34.22
PK	5.89G	61.47	88.20	-26.73	6.83	3	Horizontal	54	1.05	54.64	34.06	6.98	34.21
PK	6.0475G	96.60	Inf	-Inf	6.76	3	Horizontal	54	1.05	89.84	33.90	7.09	34.23

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0788G	40.17	54.00	-13.83	16.23	3	Vertical	118	1.50	23.94	38.96	11.60	34.33
PK	12.03744G	52.25	74.00	-21.75	16.13	3	Vertical	118	1.50	36.12	38.87	11.61	34.35

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.07688G	40.15	54.00	-13.85	16.22	3	Horizontal	45	1.50	23.93	38.95	11.60	34.33
PK	12.04792G	53.23	74.00	-20.77	16.17	3	Horizontal	45	1.50	37.06	38.90	11.61	34.34

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3716G	39.79	54.00	-14.21	16.24	3	Vertical	248	1.50	23.55	38.86	11.54	34.16
PK	12.34352G	52.19	74.00	-21.81	16.26	3	Vertical	248	1.50	35.93	38.89	11.55	34.18

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34984G	39.90	54.00	-14.10	16.28	3	Horizontal	43	2.35	23.62	38.90	11.55	34.17
PK	12.33848G	51.87	74.00	-22.13	16.25	3	Horizontal	43	2.35	35.62	38.88	11.55	34.18

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.708G	40.95	68.20	-27.25	17.10	3	Vertical	5	1.50	23.85	39.30	11.47	33.67
PK	12.67128G	53.04	74.00	-20.96	17.04	3	Vertical	5	1.50	36.00	39.30	11.48	33.74

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.71224G	40.84	68.20	-27.36	17.11	3	Horizontal	187	1.50	23.73	39.30	11.47	33.66
PK	12.72504G	53.55	88.20	-34.65	17.14	3	Horizontal	187	1.50	36.41	39.30	11.47	33.63

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6505MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.97032G	40.72	68.20	-27.48	18.05	3	Vertical	345	1.50	22.67	39.76	11.42	33.13
PK	12.97152G	53.28	88.20	-34.92	18.05	3	Vertical	345	1.50	35.23	39.76	11.42	33.13

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6505MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.97216G	40.70	68.20	-27.50	18.05	3	Horizontal	12	1.50	22.65	39.76	11.42	33.13
PK	13.03888G	52.48	88.20	-35.72	17.93	3	Horizontal	12	1.50	34.55	39.54	11.40	33.01

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3528G	41.77	54.00	-12.23	18.68	3	Vertical	187	1.50	23.09	39.89	11.34	32.55
PK	13.3556G	53.54	74.00	-20.46	18.68	3	Vertical	187	1.50	34.86	39.89	11.34	32.55

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.35232G	41.78	54.00	-12.22	18.68	3	Horizontal	216	1.08	23.10	39.90	11.34	32.56
PK	13.35104G	53.50	74.00	-20.50	18.68	3	Horizontal	216	1.08	34.82	39.90	11.34	32.56

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.61176G	41.40	68.20	-26.80	18.77	3	Vertical	348	3.00	22.63	39.85	11.28	32.36
PK	13.67168G	53.34	88.20	-34.86	18.56	3	Vertical	348	3.00	34.78	39.66	11.27	32.37

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.61136G	41.40	68.20	-26.80	18.77	3	Horizontal	40	1.50	22.63	39.85	11.28	32.36
PK	13.65248G	53.26	88.20	-34.94	18.60	3	Horizontal	40	1.50	34.66	39.70	11.27	32.37

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	6.9425G	108.45	Inf	-Inf	8.71	3	Vertical	324	1.67	99.74	35.60	7.56	34.45
AV	6.9295G	101.74	Inf	-Inf	8.71	3	Vertical	324	1.67	93.03	35.60	7.55	34.44
PK	7.1365G	68.05	88.20	-20.15	9.56	3	Vertical	324	1.67	58.49	36.35	7.69	34.48
AV	7.1365G	53.50	68.20	-14.70	9.56	3	Vertical	324	1.67	43.94	36.35	7.69	34.48

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	6.9355G	100.49	Inf	-Inf	8.71	3	Horizontal	33	1.33	91.78	35.60	7.55	34.44
AV	6.9355G	94.30	Inf	-Inf	8.71	3	Horizontal	33	1.33	85.59	35.60	7.55	34.44
PK	7.2065G	59.60	88.20	-28.60	9.76	3	Horizontal	33	1.33	49.84	36.51	7.73	34.48
AV	7.1365G	51.81	68.20	-16.39	9.56	3	Horizontal	33	1.33	42.25	36.35	7.69	34.48

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.93784G	41.96	68.20	-26.24	18.46	3	Vertical	142	2.29	23.50	39.68	11.21	32.43
PK	13.95088G	53.59	88.20	-34.61	18.48	3	Vertical	142	2.29	35.11	39.70	11.21	32.43

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.93752G	41.97	68.20	-26.23	18.46	3	Horizontal	269	1.45	23.51	39.68	11.21	32.43
PK	13.99168G	53.70	88.20	-34.50	18.54	3	Horizontal	269	1.45	35.16	39.78	11.20	32.44

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.8995G	71.49	88.20	-16.71	6.87	3	Vertical	63	1.79	64.62	34.10	6.98	34.21
AV	5.9245G	61.53	68.20	-6.67	6.85	3	Vertical	63	1.79	54.68	34.05	7.01	34.21
PK	6.00975G	108.13	Inf	-Inf	6.75	3	Vertical	63	1.79	101.38	33.90	7.07	34.22
AV	6.00375G	100.71	Inf	-Inf	6.75	3	Vertical	63	1.79	93.96	33.90	7.07	34.22

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.9215G	62.57	88.20	-25.63	6.85	3	Horizontal	351.1	2.65	55.72	34.06	7.00	34.21
AV	5.9215G	50.65	68.20	-17.55	6.85	3	Horizontal	351.1	2.65	43.80	34.06	7.00	34.21
PK	5.99675G	100.96	Inf	-Inf	6.76	3	Horizontal	351.1	2.65	94.20	33.91	7.07	34.22
AV	5.99875G	94.00	Inf	-Inf	6.75	3	Horizontal	351.1	2.65	87.25	33.90	7.07	34.22

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.17072G	40.22	54.00	-13.78	16.27	3	Vertical	91	1.50	23.95	38.96	11.58	34.27
PK	12.24136G	53.34	74.00	-20.66	16.24	3	Vertical	91	1.50	37.10	38.90	11.57	34.23

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.1704G	40.22	54.00	-13.78	16.27	3	Horizontal	285	1.50	23.95	38.96	11.58	34.27
PK	12.23232G	52.67	74.00	-21.33	16.23	3	Horizontal	285	1.50	36.44	38.90	11.57	34.24

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.51576G	40.31	54.00	-13.69	16.28	3	Vertical	263	1.50	24.03	38.83	11.51	34.06
PK	12.54208G	52.97	74.00	-21.03	16.39	3	Vertical	263	1.50	36.58	38.88	11.51	34.00

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.53064G	40.41	54.00	-13.59	16.34	3	Horizontal	13	1.50	24.07	38.86	11.51	34.03
PK	12.51168G	52.75	74.00	-21.25	16.26	3	Horizontal	13	1.50	36.49	38.82	11.51	34.07

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6425MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88632G	41.26	68.20	-26.94	17.78	3	Vertical	209	1.50	23.48	39.65	11.43	33.30
PK	12.85632G	53.44	88.20	-34.76	17.61	3	Vertical	209	1.50	35.83	39.53	11.44	33.36

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6425MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.888G	41.41	68.20	-26.79	17.78	3	Horizontal	160	2.00	23.63	39.65	11.43	33.30
PK	12.82064G	52.61	88.20	-35.59	17.51	3	Horizontal	160	2.00	35.10	39.50	11.45	33.44

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6585MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.17336G	41.37	68.20	-26.83	18.15	3	Vertical	244	1.50	23.22	39.60	11.37	32.82
PK	13.1856G	53.25	88.20	-34.95	18.17	3	Vertical	244	1.50	35.08	39.60	11.37	32.80

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6585MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.19536G	41.35	68.20	-26.85	18.19	3	Horizontal	298	2.68	23.16	39.60	11.37	32.78
PK	13.1908G	53.28	88.20	-34.92	18.18	3	Horizontal	298	2.68	35.10	39.60	11.37	32.79

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.50344G	42.20	68.20	-26.00	18.97	3	Vertical	194	1.78	23.23	40.01	11.30	32.34
PK	13.50076G	54.08	88.20	-34.12	18.96	3	Vertical	194	1.78	35.12	40.00	11.30	32.34

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.50472G	42.20	68.20	-26.00	18.97	3	Horizontal	23	1.50	23.23	40.01	11.30	32.34
PK	13.49396G	54.29	88.20	-33.91	18.96	3	Horizontal	23	1.50	35.33	40.00	11.31	32.35

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	6.7995G	108.17	Inf	-Inf	8.77	3	Vertical	309	1.72	99.40	35.70	7.48	34.41
AV	6.7495G	100.69	Inf	-Inf	8.76	3	Vertical	309	1.72	91.93	35.70	7.45	34.39
PK	7.2165G	75.32	88.20	-12.88	9.78	3	Vertical	309	1.72	65.54	36.53	7.74	34.49
AV	7.1575G	55.97	68.20	-12.23	9.63	3	Vertical	309	1.72	46.34	36.41	7.70	34.48

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	6.8825G	99.66	Inf	-Inf	8.70	3	Horizontal	24	2.25	90.96	35.60	7.53	34.43
AV	6.8835G	92.89	Inf	-Inf	8.70	3	Horizontal	24	2.25	84.19	35.60	7.53	34.43
PK	7.1715G	68.05	88.20	-20.15	9.67	3	Horizontal	24	2.25	58.38	36.44	7.71	34.48
AV	7.1875G	52.69	68.20	-15.51	9.72	3	Horizontal	24	2.25	42.97	36.48	7.72	34.48

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84688G	42.06	68.20	-26.14	18.32	3	Vertical	134	1.50	23.74	39.50	11.23	32.41
PK	13.78432G	53.79	88.20	-34.41	18.35	3	Vertical	134	1.50	35.44	39.50	11.25	32.40

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84928G	41.93	68.20	-26.27	18.32	3	Horizontal	264	1.50	23.61	39.50	11.23	32.41
PK	13.77224G	53.99	88.20	-34.21	18.36	3	Horizontal	264	1.50	35.63	39.50	11.25	32.39



Antenna Gain(dBi)			
UNII5	UNII6	UNII7	UNII8
4.26	4.26	4.26	4.26

Contention Based protocol (802.11ax HEW20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intefrence frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-70.26	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-72.26	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-74.26	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-76.26	OFF	10	100	90	Pass

Contention Based protocol (802.11ax HEW320)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intefrence frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-76.26	OFF	10	100	90	Pass
				Center	6105	-62.26	OFF	10	100	90	Pass
				High edge	6260	-73.26	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-74.26	OFF	10	100	90	Pass
				Center	6425	-63.26	OFF	10	100	90	Pass
				High edge	6580	-70.26	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6430	-82.26	OFF	10	100	90	Pass
				Center	6585	-72.26	OFF	10	100	90	Pass
				High edge	6740	-80.26	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6750	-79.26	OFF	10	100	90	Pass
				Center	6905	-75.26	OFF	10	100	90	Pass
				High edge	7060	-75.26	OFF	10	100	90	Pass




Contention Based Protocol Threshold Level (802.11ax HEW20)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Inteference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-66.00	4.26	-70.26	≤ -62
						Minimal	-68.00	4.26	-72.26	≤ -62
						ON	-69.00	4.26	-73.26	≤ -62
6	101	20	6455	Center	6455	OFF	-68.00	4.26	-72.26	≤ -62
						Minimal	-71.00	4.26	-75.26	≤ -62
						ON	-72.00	4.26	-76.26	≤ -62
7	149	20	6695	Center	6695	OFF	-70.00	4.26	-74.26	≤ -62
						Minimal	-73.00	4.26	-77.26	≤ -62
						ON	-74.00	4.26	-78.26	≤ -62
8	213	20	7015	Center	7015	OFF	-72.00	4.26	-76.26	≤ -62
						Minimal	-73.00	4.26	-77.26	≤ -62
						ON	-73.00	4.26	-77.26	≤ -62

Contention Based Protocol Threshold Level (802.11ax HEW320)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-72.00	4.26	-76.26	≤ -62
						Minimal	-73.00	4.26	-77.26	
						ON	-73.00	4.26	-77.26	
				Center	6105	OFF	-58.00	4.26	-62.26	≤ -62
						Minimal	-61.00	4.26	-65.26	
						ON	-62.00	4.26	-66.26	
				High edge	6260	OFF	-69.00	4.26	-73.26	≤ -62
						Minimal	-70.00	4.26	-74.26	
						ON	-71.00	4.26	-75.26	
5,6,7	95	320	6425	Low edge	6270	OFF	-70.00	4.26	-74.26	≤ -62
						Minimal	-71.00	4.26	-75.26	
						ON	-71.00	4.26	-75.26	
				Center	6425	OFF	-59.00	4.26	-63.26	≤ -62
						Minimal	-61.00	4.26	-65.26	
						ON	-62.00	4.26	-66.26	
				High edge	6580	OFF	-66.00	4.26	-70.26	≤ -62
						Minimal	-68.00	4.26	-72.26	
						ON	-69.00	4.26	-73.26	
6,7	127	320	6585	Low edge	6430	OFF	-78.00	4.26	-82.26	≤ -62
						Minimal	-79.00	4.26	-83.26	
						ON	-79.00	4.26	-83.26	
				Center	6585	OFF	-68.00	4.26	-72.26	≤ -62
						Minimal	-69.00	4.26	-73.26	
						ON	-70.00	4.26	-74.26	
				High edge	6740	OFF	-76.00	4.26	-80.26	≤ -62
						Minimal	-77.00	4.26	-81.26	
						ON	-77.00	4.26	-81.26	
7,8	191	320	6905	Low edge	6750	OFF	-75.00	4.26	-79.26	≤ -62
						Minimal	-76.00	4.26	-80.26	
						ON	-76.00	4.26	-80.26	
				Center	6905	OFF	-71.00	4.26	-75.26	≤ -62
						Minimal	-72.00	4.26	-76.26	
						ON	-73.00	4.26	-77.26	
				High edge	7060	OFF	-71.00	4.26	-75.26	≤ -62
						Minimal	-72.00	4.26	-76.26	
						ON	-72.00	4.26	-76.26	

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

96.4375ms

All TX Sample

7715

Duty Cycle

0.964254

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

94.975ms

All TX Sample

7598

Duty Cycle

0.949631

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

92.575ms

All TX Sample

7406

Duty Cycle

0.925634

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

94.8625ms

All TX Sample

7589

Duty Cycle

0.948506

T1[s] T2[s]


NaNs NaNs

T3[s] T4[s]


NaNs NaNs



Bandwidth 320MHz: Traffic Loading Plot - 5950MHz




Bandwidth 320MHz: Traffic Loading Plot - 6105MHz



Bandwidth 320MHz: Traffic Loading Plot - 6260MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

94.625ms

All TX Sample

7570

Duty Cycle

0.946132

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6270MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

95.075ms

All TX Sample

7606

Duty Cycle

0.950631


T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs


Bandwidth 320MHz: Traffic Loading Plot - 6425MHz




Bandwidth 320MHz: Traffic Loading Plot - 6430MHz




Bandwidth 320MHz: Traffic Loading Plot - 6580MHz




Bandwidth 320MHz: Traffic Loading Plot - 6585MHz




Bandwidth 320MHz: Traffic Loading Plot - 6740MHz




Bandwidth 320MHz: Traffic Loading Plot - 6750MHz




Bandwidth 320MHz: Traffic Loading Plot - 6905MHz




Bandwidth 320MHz: Traffic Loading Plot - 7060MHz




1. Incumbent signal (AWGN) Plot





802.11ax HEW320


Frequency (MHz): 5950 MHz



Date: 27.SEP.2023 19:00:58


AWGN Bandwidth: 10MHz


Frequency (MHz): 6105 MHz





Date: 27.SEP.2023 19:02:22


AWGN Bandwidth: 10MHz













2. Contention-Based Protocol Plot




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6260 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 7060 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

3. Contention Based Protocol Threshold Level Verify Plot



Frequency (MHz): 6215 MHz (Threshold Level: -69 dBm)

Time Analysis




Sample Time	1us
All TX Time	955.259ms
All TX Sample	955259
Duty Cycle	0.955258
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth (MHz): 320

Frequency (MHz): 5950 MHz (Threshold Level: -72dBm)


Time Analysis



Sample Time	1us
All TX Time	939.912ms
All TX Sample	939912
Duty Cycle	0.939911
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 5950 MHz (Threshold Level: -73dBm)


Time Analysis



Sample Time	1us
All TX Time	941.784ms
All TX Sample	941784
Duty Cycle	0.941783
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6105 MHz (Threshold Level: -58dBm)


Time Analysis



Sample Time	1us
All TX Time	927.244ms
All TX Sample	927244
Duty Cycle	0.927243
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6105 MHz (Threshold Level: -61dBm)


Time Analysis



Sample Time	1us
All TX Time	940.815ms
All TX Sample	940815
Duty Cycle	0.940814
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6105 MHz (Threshold Level: -62dBm)


Time Analysis



Sample Time	1us
All TX Time	877.116ms
All TX Sample	877116
Duty Cycle	0.877115
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6260 MHz (Threshold Level: -69 dBm)


Time Analysis



Sample Time	1us
All TX Time	943.142ms
All TX Sample	943142
Duty Cycle	0.943141
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6260 MHz (Threshold Level: -70dBm)


Time Analysis



Sample Time	1us
All TX Time	939.634ms
All TX Sample	939634
Duty Cycle	0.939633
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6260 MHz (Threshold Level: -71dBm)

Time Analysis



Sample Time	
1us	
All TX Time	
939.737ms	
All TX Sample	
939737	
Duty Cycle	
0.939736	
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	7.31775G	62.50	74.00	-11.50	Vertical
Mode 2	Pass	AV	11.49282G	41.85	54.00	-12.15	Horizontal

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.80849G	33.21	54.00	-20.79	3	Vertical	0	1.50	-
Mode 1	Pass	AV	4.87352G	40.96	54.00	-13.04	3	Vertical	300	1.88	-
Mode 1	Pass	AV	7.3168G	41.23	54.00	-12.77	3	Vertical	40	2.18	-
Mode 1	Pass	AV	11.4897G	40.31	54.00	-13.69	3	Vertical	356	1.50	-
Mode 1	Pass	AV	12.84735G	38.49	68.20	-29.71	3	Vertical	79	1.55	-
Mode 1	Pass	AV	17.2222G	37.90	68.20	-30.30	3	Vertical	116	1.90	-
Mode 1	Pass	PK	4.81095G	44.43	74.00	-29.57	3	Vertical	0	1.50	-
Mode 1	Pass	PK	4.87872G	55.78	74.00	-18.22	3	Vertical	300	1.88	-
Mode 1	Pass	PK	7.31775G	62.50	74.00	-11.50	3	Vertical	40	2.18	-
Mode 1	Pass	PK	11.4888G	54.05	74.00	-19.95	3	Vertical	356	1.50	-
Mode 1	Pass	PK	12.847G	52.60	88.20	-35.60	3	Vertical	79	1.55	-
Mode 1	Pass	PK	17.2157G	52.49	88.20	-35.71	3	Vertical	116	1.90	-
Mode 1	Pass	AV	4.80864G	35.21	54.00	-18.79	3	Horizontal	60	1.50	-
Mode 1	Pass	AV	4.87904G	41.85	54.00	-12.15	3	Horizontal	312	1.96	-
Mode 1	Pass	AV	7.31739G	41.66	54.00	-12.34	3	Horizontal	287	1.79	-
Mode 1	Pass	AV	11.49275G	41.20	54.00	-12.80	3	Horizontal	317	1.56	-
Mode 1	Pass	AV	12.8502G	38.48	68.20	-29.72	3	Horizontal	279	1.60	-
Mode 1	Pass	AV	17.2308G	37.85	68.20	-30.35	3	Horizontal	310	1.70	-
Mode 1	Pass	PK	4.80956G	46.57	74.00	-27.43	3	Horizontal	60	1.50	-
Mode 1	Pass	PK	4.87844G	56.96	74.00	-17.04	3	Horizontal	312	1.96	-
Mode 1	Pass	PK	7.31779G	61.73	74.00	-12.27	3	Horizontal	287	1.79	-
Mode 1	Pass	PK	11.4927G	54.63	74.00	-19.37	3	Horizontal	317	1.56	-
Mode 1	Pass	PK	12.82535G	52.24	88.20	-35.96	3	Horizontal	279	1.60	-
Mode 1	Pass	PK	17.22765G	52.68	88.20	-35.52	3	Horizontal	310	1.70	-
Mode 2	Pass	AV	4.81036G	33.79	54.00	-20.21	3	Vertical	11	1.50	-
Mode 2	Pass	AV	4.87744G	28.82	54.00	-25.18	3	Vertical	351	1.73	-
Mode 2	Pass	AV	7.30016G	35.52	54.00	-18.48	3	Vertical	70	2.58	-
Mode 2	Pass	AV	11.4906G	38.93	54.00	-15.07	3	Vertical	341	1.72	-
Mode 2	Pass	AV	12.84988G	38.92	68.20	-29.28	3	Vertical	229	1.15	-
Mode 2	Pass	AV	17.23075G	38.08	68.20	-30.12	3	Vertical	187	2.39	-
Mode 2	Pass	PK	4.81077G	44.54	74.00	-29.46	3	Vertical	11	1.50	-
Mode 2	Pass	PK	4.87464G	42.62	74.00	-31.38	3	Vertical	351	1.73	-
Mode 2	Pass	PK	7.29828G	50.02	74.00	-23.98	3	Vertical	70	2.58	-
Mode 2	Pass	PK	11.4915G	52.17	74.00	-21.83	3	Vertical	341	1.72	-
Mode 2	Pass	PK	12.85026G	52.27	88.20	-35.93	3	Vertical	229	1.15	-
Mode 2	Pass	PK	17.23109G	52.14	88.20	-36.06	3	Vertical	187	2.39	-
Mode 2	Pass	AV	4.80985G	34.67	54.00	-19.33	3	Horizontal	113	1.44	-
Mode 2	Pass	AV	4.86456G	29.19	54.00	-24.81	3	Horizontal	352	1.34	-
Mode 2	Pass	AV	7.31308G	33.76	54.00	-20.24	3	Horizontal	349	1.33	-
Mode 2	Pass	AV	11.49282G	41.85	54.00	-12.15	3	Horizontal	319	1.50	-
Mode 2	Pass	AV	12.8504G	38.95	68.20	-29.25	3	Horizontal	144	2.75	-
Mode 2	Pass	AV	17.23334G	38.12	68.20	-30.08	3	Horizontal	296	1.19	-
Mode 2	Pass	PK	4.81065G	44.62	74.00	-29.38	3	Horizontal	113	1.44	-
Mode 2	Pass	PK	4.86556G	42.50	74.00	-31.50	3	Horizontal	352	1.34	-
Mode 2	Pass	PK	7.2964G	47.95	74.00	-26.05	3	Horizontal	349	1.33	-
Mode 2	Pass	PK	11.49168G	55.50	74.00	-18.50	3	Horizontal	319	1.50	-
Mode 2	Pass	PK	12.84591G	52.37	88.20	-35.83	3	Horizontal	144	2.75	-
Mode 2	Pass	PK	17.23286G	51.73	88.20	-36.47	3	Horizontal	296	1.19	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80849G	33.21	54.00	-20.79	-6.41	3	Vertical	0	1.50	39.62	32.63	4.98	44.02
AV	4.87352G	40.96	54.00	-13.04	-6.12	3	Vertical	300	1.88	47.08	32.89	5.02	44.03
AV	7.3168G	41.23	54.00	-12.77	-0.54	3	Vertical	40	2.18	41.77	37.13	6.23	43.90
AV	11.4897G	40.31	54.00	-13.69	5.58	3	Vertical	356	1.50	34.73	39.10	8.41	41.93
AV	12.84735G	38.49	68.20	-29.71	6.71	3	Vertical	79	1.55	31.78	39.98	8.84	42.11
AV	17.2222G	37.90	68.20	-30.30	5.22	3	Vertical	116	1.90	32.68	37.54	10.82	43.14
PK	4.81095G	44.43	74.00	-29.57	-6.40	3	Vertical	0	1.50	50.83	32.64	4.98	44.02
PK	4.87872G	55.78	74.00	-18.22	-6.10	3	Vertical	300	1.88	61.88	32.91	5.02	44.03
PK	7.31775G	62.50	74.00	-11.50	-0.54	3	Vertical	40	2.18	63.04	37.13	6.23	43.90
PK	11.4888G	54.05	74.00	-19.95	5.58	3	Vertical	356	1.50	48.47	39.10	8.41	41.93
PK	12.847G	52.60	88.20	-35.60	6.71	3	Vertical	79	1.55	45.89	39.98	8.84	42.11
PK	17.2157G	52.49	88.20	-35.71	5.22	3	Vertical	116	1.90	47.27	37.53	10.83	43.14

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80864G	35.21	54.00	-18.79	-6.41	3	Horizontal	60	1.50	41.62	32.63	4.98	44.02
AV	4.87904G	41.85	54.00	-12.15	-6.09	3	Horizontal	312	1.96	47.94	32.92	5.02	44.03
AV	7.31739G	41.66	54.00	-12.34	-0.54	3	Horizontal	287	1.79	42.20	37.13	6.23	43.90
AV	11.49275G	41.20	54.00	-12.80	5.60	3	Horizontal	317	1.56	35.60	39.10	8.42	41.92
AV	12.8502G	38.48	68.20	-29.72	6.73	3	Horizontal	279	1.60	31.75	40.00	8.84	42.11
AV	17.2308G	37.85	68.20	-30.35	5.25	3	Horizontal	310	1.70	32.60	37.56	10.82	43.13
PK	4.80956G	46.57	74.00	-27.43	-6.40	3	Horizontal	60	1.50	52.97	32.64	4.98	44.02
PK	4.87844G	56.96	74.00	-17.04	-6.10	3	Horizontal	312	1.96	63.06	32.91	5.02	44.03
PK	7.31779G	61.73	74.00	-12.27	-0.54	3	Horizontal	287	1.79	62.27	37.13	6.23	43.90
PK	11.4927G	54.63	74.00	-19.37	5.60	3	Horizontal	317	1.56	49.03	39.10	8.42	41.92
PK	12.82535G	52.24	88.20	-35.96	6.58	3	Horizontal	279	1.60	45.66	39.85	8.83	42.10
PK	17.22765G	52.68	88.20	-35.52	5.24	3	Horizontal	310	1.70	47.44	37.56	10.82	43.14

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81036G	33.79	54.00	-20.21	-6.40	3	Vertical	11	1.50	40.19	32.64	4.98	44.02
AV	4.87744G	28.82	54.00	-25.18	-6.10	3	Vertical	351	1.73	34.92	32.91	5.02	44.03
AV	7.30016G	35.52	54.00	-18.48	-0.49	3	Vertical	70	2.58	36.01	37.20	6.22	43.91
AV	11.4906G	38.93	54.00	-15.07	5.59	3	Vertical	341	1.72	33.34	39.10	8.41	41.92
AV	12.84988G	38.92	68.20	-29.28	6.73	3	Vertical	229	1.15	32.19	40.00	8.84	42.11
AV	17.23075G	38.08	68.20	-30.12	5.25	3	Vertical	187	2.39	32.83	37.56	10.82	43.13
PK	4.81077G	44.54	74.00	-29.46	-6.40	3	Vertical	11	1.50	50.94	32.64	4.98	44.02
PK	4.87464G	42.62	74.00	-31.38	-6.11	3	Vertical	351	1.73	48.73	32.90	5.02	44.03
PK	7.29828G	50.02	74.00	-23.98	-0.50	3	Vertical	70	2.58	50.52	37.20	6.21	43.91
PK	11.4915G	52.17	74.00	-21.83	5.59	3	Vertical	341	1.72	46.58	39.10	8.41	41.92
PK	12.85026G	52.27	88.20	-35.93	6.73	3	Vertical	229	1.15	45.54	40.00	8.84	42.11
PK	17.23109G	52.14	88.20	-36.06	5.25	3	Vertical	187	2.39	46.89	37.56	10.82	43.13

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80985G	34.67	54.00	-19.33	-6.40	3	Horizontal	113	1.44	41.07	32.64	4.98	44.02
AV	4.86456G	29.19	54.00	-24.81	-6.16	3	Horizontal	352	1.34	35.35	32.86	5.01	44.03
AV	7.31308G	33.76	54.00	-20.24	-0.53	3	Horizontal	349	1.33	34.29	37.15	6.22	43.90
AV	11.49282G	41.85	54.00	-12.15	5.60	3	Horizontal	319	1.50	36.25	39.10	8.42	41.92
AV	12.8504G	38.95	68.20	-29.25	6.73	3	Horizontal	144	2.75	32.22	40.00	8.84	42.11
AV	17.23334G	38.12	68.20	-30.08	5.26	3	Horizontal	296	1.19	32.86	37.57	10.82	43.13
PK	4.81065G	44.62	74.00	-29.38	-6.40	3	Horizontal	113	1.44	51.02	32.64	4.98	44.02
PK	4.86556G	42.50	74.00	-31.50	-6.16	3	Horizontal	352	1.34	48.66	32.86	5.01	44.03
PK	7.2964G	47.95	74.00	-26.05	-0.49	3	Horizontal	349	1.33	48.44	37.21	6.21	43.91
PK	11.49168G	55.50	74.00	-18.50	5.59	3	Horizontal	319	1.50	49.91	39.10	8.41	41.92
PK	12.84591G	52.37	88.20	-35.83	6.71	3	Horizontal	144	2.75	45.66	39.98	8.84	42.11
PK	17.23286G	51.73	88.20	-36.47	5.26	3	Horizontal	296	1.19	46.47	37.57	10.82	43.13