


802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	102.03	Inf	-Inf	9.63	3	Vertical	339	2.94	-	92.40	32.00	6.99	29.36
PK	5.587G	57.31	68.20	-10.89	9.39	3	Vertical	339	2.94	-	47.92	31.87	6.89	29.37
PK	5.7814G	113.54	Inf	-Inf	9.63	3	Vertical	339	2.94	-	103.91	32.00	6.99	29.36
PK	6.0178G	57.87	68.20	-10.33	10.15	3	Vertical	339	2.94	-	47.72	32.41	7.11	29.37

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	101.94	Inf	-Inf	9.63	3	Horizontal	17	1.66	-	92.31	32.00	6.99	29.36
PK	5.635G	56.85	68.20	-11.35	9.32	3	Horizontal	17	1.66	-	47.53	31.76	6.92	29.36
PK	5.7886G	113.29	Inf	-Inf	9.63	3	Horizontal	17	1.66	-	103.66	32.00	6.99	29.36
PK	6.0106G	57.94	68.20	-10.26	10.11	3	Horizontal	17	1.66	-	47.83	32.36	7.11	29.36

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56892G	47.66	54.00	-6.34	18.66	3	Vertical	360	1.81	-	29.00	39.93	9.51	30.78
PK	11.5716G	59.54	74.00	-14.46	18.66	3	Vertical	360	1.81	-	40.88	39.93	9.51	30.78

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5686G	48.76	54.00	-5.24	18.66	3	Horizontal	115	2.00	-	30.10	39.93	9.51	30.78
PK	11.57164G	60.56	74.00	-13.44	18.66	3	Horizontal	115	2.00	-	41.90	39.93	9.51	30.78

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	101.33	Inf	-Inf	9.69	3	Vertical	345	2.63	-	91.64	32.04	7.01	29.36
PK	5.6318G	56.84	68.20	-11.36	9.33	3	Vertical	345	2.63	-	47.51	31.77	6.92	29.36
PK	5.8226G	113.19	Inf	-Inf	9.70	3	Vertical	345	2.63	-	103.49	32.05	7.01	29.36
PK	5.933G	59.07	68.20	-9.13	10.05	3	Vertical	345	2.63	-	49.02	32.33	7.07	29.35

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	102.49	Inf	-Inf	9.69	3	Horizontal	314	1.74	-	92.80	32.04	7.01	29.36
PK	5.5994G	56.94	68.20	-11.26	9.43	3	Horizontal	314	1.74	-	47.51	31.90	6.90	29.37
PK	5.8214G	114.31	Inf	-Inf	9.69	3	Horizontal	314	1.74	-	104.62	32.04	7.01	29.36
PK	5.9294G	58.02	68.20	-10.18	10.03	3	Horizontal	314	1.74	-	47.99	32.32	7.06	29.35

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5825MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.6494G	48.60	54.00	-5.40	18.35	3	Vertical	360	1.68	-	30.25	39.60	9.54	30.79
PK	11.6494G	60.19	74.00	-13.81	18.35	3	Vertical	360	1.68	-	41.84	39.60	9.54	30.79

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5825MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64984G	49.48	54.00	-4.52	18.35	3	Horizontal	37	1.80	-	31.13	39.60	9.54	30.79
PK	11.64984G	61.00	74.00	-13.00	18.35	3	Horizontal	37	1.80	-	42.65	39.60	9.54	30.79

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.01	54.00	-3.99	9.44	3	Vertical	317	1.76	-	40.57	32.00	6.78	29.34
AV	5.183G	99.02	Inf	-Inf	9.32	3	Vertical	317	1.76	-	89.70	31.87	6.79	29.34
PK	5.1438G	68.83	74.00	-5.17	9.43	3	Vertical	317	1.76	-	59.40	31.99	6.77	29.33
PK	5.1844G	110.58	Inf	-Inf	9.31	3	Vertical	317	1.76	-	101.27	31.86	6.79	29.34

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.59	54.00	-1.41	9.44	3	Horizontal	360	1.72	-	43.15	32.00	6.78	29.34
AV	5.1814G	101.10	Inf	-Inf	9.32	3	Horizontal	360	1.72	-	91.78	31.87	6.79	29.34
PK	5.1498G	71.66	74.00	-2.34	9.44	3	Horizontal	360	1.72	-	62.22	32.00	6.77	29.33
PK	5.1846G	113.33	Inf	-Inf	9.31	3	Horizontal	360	1.72	-	104.02	31.86	6.79	29.34

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5180MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.3636G	56.21	68.20	-11.99	17.88	3	Vertical	146	1.66	-	38.33	39.45	8.96	30.53

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.361G	57.99	68.20	-10.21	17.88	3	Horizontal	360	1.54	-	40.11	39.44	8.96	30.52

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	49.58	54.00	-4.42	9.44	3	Vertical	319	1.68	-	40.14	32.00	6.77	29.33
AV	5.2056G	100.48	Inf	-Inf	9.22	3	Vertical	319	1.68	-	91.26	31.76	6.80	29.34
PK	5.1496G	66.05	74.00	-7.95	9.44	3	Vertical	319	1.68	-	56.61	32.00	6.77	29.33
PK	5.2008G	112.04	Inf	-Inf	9.25	3	Vertical	319	1.68	-	102.79	31.79	6.80	29.34

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.28	54.00	-1.72	9.44	3	Horizontal	360	1.70	-	42.84	32.00	6.77	29.33
AV	5.204G	103.07	Inf	-Inf	9.23	3	Horizontal	360	1.70	-	93.84	31.77	6.80	29.34
PK	5.1472G	70.21	74.00	-3.79	9.43	3	Horizontal	360	1.70	-	60.78	31.99	6.77	29.33
PK	5.2044G	114.88	Inf	-Inf	9.22	3	Horizontal	360	1.70	-	105.66	31.76	6.80	29.34

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39872G	56.87	68.20	-11.33	18.03	3	Vertical	215	1.50	-	38.84	39.59	8.98	30.54

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3964G	59.53	68.20	-8.67	18.03	3	Horizontal	176	2.40	-	41.50	39.59	8.98	30.54

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1458G	46.52	54.00	-7.48	9.43	3	Vertical	319	1.79	-	37.09	31.99	6.77	29.33
AV	5.2334G	100.73	Inf	-Inf	8.99	3	Vertical	319	1.79	-	91.74	31.53	6.80	29.34
AV	5.35G	44.48	54.00	-9.52	8.54	3	Vertical	319	1.79	-	35.94	31.10	6.80	29.36
PK	5.1476G	59.55	74.00	-14.45	9.44	3	Vertical	319	1.79	-	50.11	32.00	6.77	29.33
PK	5.2442G	112.17	Inf	-Inf	8.91	3	Vertical	319	1.79	-	103.26	31.45	6.80	29.34
PK	5.35G	55.82	74.00	-18.18	8.54	3	Vertical	319	1.79	-	47.28	31.10	6.80	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1422G	47.70	54.00	-6.30	9.42	3	Horizontal	3	1.82	-	38.28	31.98	6.77	29.33
AV	5.2442G	102.53	Inf	-Inf	8.91	3	Horizontal	3	1.82	-	93.62	31.45	6.80	29.34
AV	5.35G	45.00	54.00	-9.00	8.54	3	Horizontal	3	1.82	-	36.46	31.10	6.80	29.36
PK	5.147G	60.18	74.00	-13.82	9.43	3	Horizontal	3	1.82	-	50.75	31.99	6.77	29.33
PK	5.2424G	114.85	Inf	-Inf	8.92	3	Horizontal	3	1.82	-	105.93	31.46	6.80	29.34
PK	5.3792G	55.48	74.00	-18.52	8.77	3	Horizontal	3	1.82	-	46.71	31.33	6.80	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47172G	56.61	68.20	-11.59	18.11	3	Vertical	212	1.36	-	38.50	39.67	9.01	30.57

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48426G	60.07	68.20	-8.13	18.13	3	Horizontal	150	1.66	-	41.94	39.68	9.02	30.57

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	92.30	Inf	-Inf	9.60	3	Vertical	310	1.67	-	82.70	31.99	6.97	29.36
PK	5.5266G	54.92	68.20	-13.28	9.29	3	Vertical	310	1.67	-	45.63	31.80	6.86	29.37
PK	5.7414G	104.53	Inf	-Inf	9.59	3	Vertical	310	1.67	-	94.94	31.98	6.97	29.36
PK	5.9394G	55.37	68.20	-12.83	10.08	3	Vertical	310	1.67	-	45.29	32.36	7.07	29.35

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	96.56	Inf	-Inf	9.59	3	Horizontal	293	1.81	-	86.97	31.98	6.97	29.36
PK	5.6406G	56.27	68.20	-11.93	9.30	3	Horizontal	293	1.81	-	46.97	31.74	6.92	29.36
PK	5.7426G	109.22	Inf	-Inf	9.60	3	Horizontal	293	1.81	-	99.62	31.99	6.97	29.36
PK	5.931G	55.43	68.20	-12.77	10.04	3	Horizontal	293	1.81	-	45.39	32.32	7.07	29.35

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2020

5745MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48888G	45.57	54.00	-8.43	18.69	3	Vertical	199	1.49	-	26.88	39.99	9.47	30.77
PK	11.48176G	58.80	74.00	-15.20	18.67	3	Vertical	199	1.49	-	40.13	39.98	9.47	30.78

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2020

5745MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48888G	45.62	54.00	-8.38	18.69	3	Horizontal	152	1.65	-	26.93	39.99	9.47	30.77
PK	11.49152G	59.23	74.00	-14.77	18.69	3	Horizontal	152	1.65	-	40.54	39.99	9.47	30.77

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	98.31	Inf	-Inf	9.63	3	Vertical	334	2.94	-	88.68	32.00	6.99	29.36
PK	5.5018G	56.00	68.20	-12.20	9.28	3	Vertical	334	2.94	-	46.72	31.80	6.85	29.37
PK	5.7826G	111.40	Inf	-Inf	9.63	3	Vertical	334	2.94	-	101.77	32.00	6.99	29.36
PK	5.9326G	56.34	68.20	-11.86	10.05	3	Vertical	334	2.94	-	46.29	32.33	7.07	29.35

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	96.91	Inf	-Inf	9.63	3	Horizontal	339	1.49	-	87.28	32.00	6.99	29.36
PK	5.5918G	55.96	68.20	-12.24	9.41	3	Horizontal	339	1.49	-	46.55	31.88	6.90	29.37
PK	5.7862G	109.14	Inf	-Inf	9.63	3	Horizontal	339	1.49	-	99.51	32.00	6.99	29.36
PK	5.9878G	56.25	68.20	-11.95	10.06	3	Horizontal	339	1.49	-	46.19	32.32	7.09	29.35

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56872G	45.53	54.00	-8.47	18.66	3	Vertical	200	1.50	-	26.87	39.93	9.51	30.78
PK	11.56896G	58.62	74.00	-15.38	18.66	3	Vertical	200	1.50	-	39.96	39.93	9.51	30.78

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2020

5785MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56904G	45.64	54.00	-8.36	18.66	3	Horizontal	153	1.51	-	26.98	39.93	9.51	30.78
PK	11.56364G	58.48	74.00	-15.52	18.66	3	Horizontal	153	1.51	-	39.82	39.94	9.50	30.78

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	98.86	Inf	-Inf	9.69	3	Vertical	334	2.88	-	89.17	32.04	7.01	29.36
PK	5.621G	55.41	68.20	-12.79	9.36	3	Vertical	334	2.88	-	46.05	31.82	6.91	29.37
PK	5.8298G	111.10	Inf	-Inf	9.71	3	Vertical	334	2.88	-	101.39	32.06	7.01	29.36
PK	5.9282G	57.00	68.20	-11.20	10.02	3	Vertical	334	2.88	-	46.98	32.31	7.06	29.35

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	98.50	Inf	-Inf	9.70	3	Horizontal	341	1.48	-	88.80	32.05	7.01	29.36
PK	5.6318G	55.45	68.20	-12.75	9.33	3	Horizontal	341	1.48	-	46.12	31.77	6.92	29.36
PK	5.8298G	111.49	Inf	-Inf	9.71	3	Horizontal	341	1.48	-	101.78	32.06	7.01	29.36
PK	5.9342G	57.60	68.20	-10.60	10.06	3	Horizontal	341	1.48	-	47.54	32.34	7.07	29.35

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64864G	46.16	54.00	-7.84	18.36	3	Vertical	3	2.41	-	27.80	39.61	9.54	30.79
PK	11.65128G	59.60	74.00	-14.40	18.34	3	Vertical	3	2.41	-	41.26	39.59	9.54	30.79

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65004G	45.14	54.00	-8.86	18.35	3	Horizontal	329	1.70	-	26.79	39.60	9.54	30.79
PK	11.65524G	58.75	74.00	-15.25	18.32	3	Horizontal	329	1.70	-	40.43	39.57	9.54	30.79

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	49.88	54.00	-4.12	9.44	3	Vertical	312	1.88	-	40.44	32.00	6.77	29.33
AV	5.1956G	93.41	Inf	-Inf	9.28	3	Vertical	312	1.88	-	84.13	31.82	6.80	29.34
PK	5.1496G	66.27	74.00	-7.73	9.44	3	Vertical	312	1.88	-	56.83	32.00	6.77	29.33
PK	5.1956G	105.74	Inf	-Inf	9.28	3	Vertical	312	1.88	-	96.46	31.82	6.80	29.34

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	52.70	54.00	-1.30	9.44	3	Horizontal	0	1.81	-	43.26	32.00	6.77	29.33
AV	5.1956G	96.24	Inf	-Inf	9.28	3	Horizontal	0	1.81	-	86.96	31.82	6.80	29.34
PK	5.1476G	70.52	74.00	-3.48	9.44	3	Horizontal	0	1.81	-	61.08	32.00	6.77	29.33
PK	5.1956G	109.38	Inf	-Inf	9.28	3	Horizontal	0	1.81	-	100.10	31.82	6.80	29.34

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37112G	55.14	68.20	-13.06	17.92	3	Vertical	347	2.09	-	37.22	39.48	8.97	30.53

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5190MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.38396G	54.98	68.20	-13.22	17.98	3	Horizontal	125	2.16	-	37.00	39.54	8.97	30.53

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	48.33	54.00	-5.67	9.44	3	Vertical	303	1.76	-	38.89	32.00	6.77	29.33
AV	5.2248G	93.78	Inf	-Inf	9.06	3	Vertical	303	1.76	-	84.72	31.60	6.80	29.34
PK	5.1484G	60.87	74.00	-13.13	9.44	3	Vertical	303	1.76	-	51.43	32.00	6.77	29.33
PK	5.2268G	106.57	Inf	-Inf	9.05	3	Vertical	303	1.76	-	97.52	31.59	6.80	29.34

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	51.89	54.00	-2.11	9.44	3	Horizontal	5	1.64	-	42.45	32.00	6.77	29.33
AV	5.2248G	97.26	Inf	-Inf	9.06	3	Horizontal	5	1.64	-	88.20	31.60	6.80	29.34
PK	5.1488G	64.88	74.00	-9.12	9.44	3	Horizontal	5	1.64	-	55.44	32.00	6.77	29.33
PK	5.2268G	109.98	Inf	-Inf	9.05	3	Horizontal	5	1.64	-	100.93	31.59	6.80	29.34

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5230MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.45452G	55.40	68.20	-12.80	18.09	3	Vertical	53	1.50	-	37.31	39.65	9.00	30.56

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5230MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.46612G	56.38	68.20	-11.82	18.11	3	Horizontal	133	1.81	-	38.27	39.67	9.01	30.57

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	96.16	Inf	-Inf	9.62	3	Vertical	331	2.92	-	86.54	32.00	6.98	29.36
PK	5.6422G	56.60	68.20	-11.60	9.29	3	Vertical	331	2.92	-	47.31	31.73	6.92	29.36
PK	5.761G	108.26	Inf	-Inf	9.62	3	Vertical	331	2.92	-	98.64	32.00	6.98	29.36
PK	5.9482G	56.11	68.20	-12.09	10.11	3	Vertical	331	2.92	-	46.00	32.39	7.07	29.35

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	95.39	Inf	-Inf	9.62	3	Horizontal	309	1.90	-	85.77	32.00	6.98	29.36
PK	5.6338G	56.80	68.20	-11.40	9.32	3	Horizontal	309	1.90	-	47.48	31.76	6.92	29.36
PK	5.761G	107.76	Inf	-Inf	9.62	3	Horizontal	309	1.90	-	98.14	32.00	6.98	29.36
PK	5.9974G	55.42	68.20	-12.78	10.06	3	Horizontal	309	1.90	-	45.36	32.31	7.10	29.35

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51424G	43.95	54.00	-10.05	18.70	3	Vertical	325	1.09	-	25.25	39.99	9.48	30.77
PK	11.5162G	55.84	74.00	-18.16	18.69	3	Vertical	325	1.09	-	37.15	39.98	9.48	30.77

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51592G	43.62	54.00	-10.38	18.69	3	Horizontal	301	1.31	-	24.93	39.98	9.48	30.77
PK	11.51228G	55.81	74.00	-18.19	18.70	3	Horizontal	301	1.31	-	37.11	39.99	9.48	30.77

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	96.63	Inf	-Inf	9.64	3	Vertical	334	3.00	-	86.99	32.00	7.00	29.36
PK	5.6378G	55.39	68.20	-12.81	9.31	3	Vertical	334	3.00	-	46.08	31.75	6.92	29.36
PK	5.7806G	108.66	Inf	-Inf	9.63	3	Vertical	334	3.00	-	99.03	32.00	6.99	29.36
PK	6.0386G	56.12	68.20	-12.08	10.27	3	Vertical	334	3.00	-	45.85	32.53	7.12	29.38

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	96.79	Inf	-Inf	9.64	3	Horizontal	307	1.87	-	87.15	32.00	7.00	29.36
PK	5.603G	56.65	68.20	-11.55	9.42	3	Horizontal	307	1.87	-	47.23	31.89	6.90	29.37
PK	5.7998G	108.51	Inf	-Inf	9.64	3	Horizontal	307	1.87	-	98.87	32.00	7.00	29.36
PK	6.0878G	57.18	68.20	-11.02	10.23	3	Horizontal	307	1.87	-	46.95	32.52	7.14	29.43

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59112G	43.50	54.00	-10.50	18.65	3	Vertical	140	1.95	-	24.85	39.91	9.52	30.78
PK	11.58492G	56.14	74.00	-17.86	18.65	3	Vertical	140	1.95	-	37.49	39.92	9.51	30.78

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59844G	43.45	54.00	-10.55	18.64	3	Horizontal	229	1.83	-	24.81	39.90	9.52	30.78
PK	11.59192G	55.88	74.00	-18.12	18.65	3	Horizontal	229	1.83	-	37.23	39.91	9.52	30.78

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	49.76	54.00	-4.24	9.44	3	Vertical	316	1.75	-	40.32	32.00	6.77	29.33
AV	5.221G	90.62	Inf	-Inf	9.09	3	Vertical	316	1.75	-	81.53	31.63	6.80	29.34
AV	5.352G	44.24	54.00	-9.76	8.56	3	Vertical	316	1.75	-	35.68	31.12	6.80	29.36
PK	5.15G	64.88	74.00	-9.12	9.44	3	Vertical	316	1.75	-	55.44	32.00	6.77	29.33
PK	5.221G	104.02	Inf	-Inf	9.09	3	Vertical	316	1.75	-	94.93	31.63	6.80	29.34
PK	5.351G	56.45	74.00	-17.55	8.55	3	Vertical	316	1.75	-	47.90	31.11	6.80	29.36

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.64	54.00	-1.36	9.44	3	Horizontal	9	1.68	-	43.20	32.00	6.77	29.33
AV	5.2G	93.64	Inf	-Inf	9.26	3	Horizontal	9	1.68	-	84.38	31.80	6.80	29.34
AV	5.362G	44.46	54.00	-9.54	8.64	3	Horizontal	9	1.68	-	35.82	31.20	6.80	29.36
PK	5.149G	70.07	74.00	-3.93	9.44	3	Horizontal	9	1.68	-	60.63	32.00	6.77	29.33
PK	5.221G	106.36	Inf	-Inf	9.09	3	Horizontal	9	1.68	-	97.27	31.63	6.80	29.34
PK	5.38G	57.07	74.00	-16.93	8.78	3	Horizontal	9	1.68	-	48.29	31.34	6.80	29.36

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41408G	55.88	68.20	-12.32	18.05	3	Vertical	341	1.13	-	37.83	39.61	8.99	30.55

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41312G	55.63	68.20	-12.57	18.05	3	Horizontal	334	1.03	-	37.58	39.61	8.99	30.55

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7606G	92.09	Inf	-Inf	9.62	3	Vertical	335	2.93	-	82.47	32.00	6.98	29.36
PK	5.6442G	59.16	68.20	-9.04	9.28	3	Vertical	335	2.93	-	49.88	31.72	6.92	29.36
PK	5.757G	104.09	Inf	-Inf	9.62	3	Vertical	335	2.93	-	94.47	32.00	6.98	29.36
PK	5.9382G	58.15	68.20	-10.05	10.07	3	Vertical	335	2.93	-	48.08	32.35	7.07	29.35

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7642G	92.22	Inf	-Inf	9.62	3	Horizontal	307	1.91	-	82.60	32.00	6.98	29.36
PK	5.649G	60.55	68.20	-7.65	9.26	3	Horizontal	307	1.91	-	51.29	31.70	6.92	29.36
PK	5.7858G	104.69	Inf	-Inf	9.63	3	Horizontal	307	1.91	-	95.06	32.00	6.99	29.36
PK	5.925G	56.44	68.20	-11.76	10.01	3	Horizontal	307	1.91	-	46.43	32.30	7.06	29.35

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5775MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.54G	43.84	54.00	-10.16	18.68	3	Vertical	60	2.07	-	25.16	39.96	9.49	30.77
PK	11.54208G	55.86	74.00	-18.14	18.67	3	Vertical	60	2.07	-	37.19	39.96	9.49	30.78

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.54704G	43.73	54.00	-10.27	18.67	3	Horizontal	129	1.55	-	25.06	39.95	9.50	30.78
PK	11.54972G	56.23	74.00	-17.77	18.67	3	Horizontal	129	1.55	-	37.56	39.95	9.50	30.78