



**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.94
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.94
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.71
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.85
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.41
6.425-6.525GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.94
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.94
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.69
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.31
802.11be EHT320-BF_Nss1,(MCS0)_4TX	3.39
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.80
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.90
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.93
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.67
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.07
6.875-7.125GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.48
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.26
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.63
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.94

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;







Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.94	5.00
6195MHz	Pass	4.07	5.00
6415MHz	Pass	3.92	5.00
6435MHz	Pass	4.61	5.00
6475MHz	Pass	4.65	5.00
6515MHz	Pass	4.52	5.00
6535MHz	Pass	4.80	5.00
6695MHz	Pass	4.03	5.00
6875MHz	Pass	4.15	5.00
6895MHz	Pass	4.19	5.00
6995MHz	Pass	4.41	5.00
7095MHz	Pass	4.48	5.00
7115MHz	Pass	1.93	5.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.46	5.00
6205MHz	Pass	4.26	5.00
6405MHz	Pass	4.94	5.00
6445MHz	Pass	4.94	5.00
6485MHz	Pass	4.30	5.00
6525MHz	Pass	4.39	5.00
6565MHz	Pass	4.90	5.00
6685MHz	Pass	4.51	5.00
6885MHz	Pass	4.25	5.00
6925MHz	Pass	4.26	5.00
7005MHz	Pass	4.91	5.00
7085MHz	Pass	4.62	5.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.11	5.00
6225MHz	Pass	4.43	5.00
6385MHz	Pass	4.71	5.00
6465MHz	Pass	4.69	5.00
6545MHz	Pass	4.02	5.00
6625MHz	Pass	4.42	5.00
6705MHz	Pass	4.71	5.00
6785MHz	Pass	4.67	5.00
6865MHz	Pass	4.93	5.00
6945MHz	Pass	4.38	5.00
7025MHz	Pass	4.63	5.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.12	5.00
6185MHz	Pass	4.85	5.00
6345MHz	Pass	4.42	5.00
6505MHz	Pass	4.31	5.00
6665MHz	Pass	4.67	5.00
6825MHz	Pass	4.13	5.00
6985MHz	Pass	4.94	5.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	4.41	5.00
6265MHz	Pass	4.34	5.00
6425MHz	Pass	4.28	5.00
6585MHz	Pass	3.39	5.00
6745MHz	Pass	4.04	5.00
6905MHz	Pass	4.07	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;






































































































Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.406352G	-12.65	6.46465G	-60.63	-52.65	-7.98	4
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.400451G	-6.82	6.42685G	-35.92	-26.82	-9.10	1
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	5.9879G	-5.05	6.0289G	-32.82	-25.05	-7.77	2
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.37379G	-1.35	6.4274G	-30.83	-21.35	-9.48	2
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.29863G	4.73	5.9942G	-34.72	-29.79	-4.93	3
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.523823G	-11.13	6.503125G	-42.53	-31.16	-11.37	3
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.467304G	-6.06	6.5068G	-34.60	-26.13	-8.47	1
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.4713G	-3.21	6.5083G	-30.71	-23.22	-7.49	2
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.44881G	-1.34	6.5896G	-33.86	-21.36	-12.50	3
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.702073G	-10.14	6.683225G	-41.49	-30.04	-11.45	3
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.901546G	-7.81	6.8634G	-36.60	-27.82	-8.78	1
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.6262G	-3.47	6.6676G	-29.49	-23.47	-6.02	2
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.76002G	-1.48	6.4314G	-53.05	-41.48	-11.57	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.53421G	6.48	6.045G	-39.84	-33.52	-6.32	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.889576G	-11.69	6.9069G	-43.80	-31.70	-12.10	3
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	7.077802G	-8.04	7.06265G	-37.96	-28.04	-9.92	3
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.999426G	-3.15	6.980538G	-31.74	-23.22	-8.52	2
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.95301G	-1.36	6.5904G	-53.00	-41.36	-11.64	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.80423G	7.96	6.3474G	-36.03	-32.04	-3.99	3



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.964223G	-12.21	5.967275G	-47.17	-31.11	-16.06	1
5955MHz	Pass	5.961623G	-10.98	5.96715G	-44.69	-31.04	-13.65	2
5955MHz	Pass	5.962548G	-10.89	5.9673G	-45.34	-30.93	-14.41	3
5955MHz	Pass	5.962573G	-11.41	5.967225G	-44.95	-31.41	-13.54	4
6195MHz	Pass	6.204098G	-12.42	6.20705G	-45.23	-32.46	-12.77	1
6195MHz	Pass	6.200899G	-12.41	6.20675G	-44.38	-32.41	-11.97	2
6195MHz	Pass	6.1965G	-12.92	6.182975G	-46.39	-32.92	-13.47	3
6195MHz	Pass	6.189576G	-12.93	6.207G	-45.38	-33.06	-12.32	4
6415MHz	Pass	6.408777G	-12.19	6.454475G	-60.67	-52.19	-8.48	1
6415MHz	Pass	6.408327G	-12.34	6.4553G	-60.74	-52.34	-8.40	2
6415MHz	Pass	6.418499G	-11.35	6.45135G	-60.62	-51.35	-9.27	3
6415MHz	Pass	6.406352G	-12.65	6.46465G	-60.63	-52.65	-7.98	4
6435MHz	Pass	6.441998G	-10.57	6.446625G	-41.74	-30.17	-11.57	1
6435MHz	Pass	6.441473G	-10.59	6.446875G	-43.46	-29.69	-13.77	2
6435MHz	Pass	6.440524G	-10.89	6.447275G	-46.16	-30.91	-15.25	3
6435MHz	Pass	6.426477G	-11.06	6.44705G	-43.11	-31.19	-11.92	4
6475MHz	Pass	6.483848G	-10.52	6.463325G	-41.94	-30.52	-11.42	1
6475MHz	Pass	6.484048G	-10.82	6.462725G	-45.38	-30.95	-14.43	2
6475MHz	Pass	6.465927G	-10.83	6.463175G	-44.13	-30.85	-13.28	3
6475MHz	Pass	6.465777G	-11.09	6.487175G	-46.15	-31.10	-15.05	4
6515MHz	Pass	6.523773G	-10.09	6.5028G	-44.40	-30.12	-14.28	1
6515MHz	Pass	6.523923G	-10.72	6.526925G	-42.66	-30.79	-11.87	2
6515MHz	Pass	6.523823G	-11.13	6.503125G	-42.53	-31.16	-11.37	3
6515MHz	Pass	6.519874G	-10.89	6.476475G	-68.91	-50.89	-18.02	4
6535MHz	Pass	6.526352G	-10.13	6.522675G	-45.38	-30.15	-15.23	1
6535MHz	Pass	6.543348G	-10.61	6.52275G	-45.51	-29.51	-16.00	2
6535MHz	Pass	6.526177G	-10.89	6.522525G	-46.39	-30.90	-15.49	3
6535MHz	Pass	6.542323G	-10.89	6.522925G	-44.29	-30.79	-13.50	4
6695MHz	Pass	6.686177G	-10.53	6.707025G	-44.33	-30.53	-13.80	1
6695MHz	Pass	6.690176G	-10.28	6.682875G	-43.84	-30.34	-13.50	2
6695MHz	Pass	6.702073G	-10.14	6.683225G	-41.49	-30.04	-11.45	3
6695MHz	Pass	6.686852G	-10.20	6.70675G	-41.83	-29.60	-12.23	4
6875MHz	Pass	6.865877G	-13.17	6.863G	-47.27	-33.21	-14.06	1
6875MHz	Pass	6.868252G	-11.96	6.886925G	-45.18	-31.96	-13.22	2
6875MHz	Pass	6.870526G	-11.71	6.863G	-45.37	-31.71	-13.66	3
6875MHz	Pass	6.867502G	-12.13	6.8869G	-43.58	-30.13	-13.45	4
6895MHz	Pass	6.889951G	-12.91	6.906975G	-46.73	-32.41	-14.32	1
6895MHz	Pass	6.887827G	-12.61	6.9072G	-46.57	-32.61	-13.96	2
6895MHz	Pass	6.889576G	-11.69	6.9069G	-43.80	-31.70	-12.10	3
6895MHz	Pass	6.887427G	-12.02	6.941325G	-68.32	-52.02	-16.30	4
6995MHz	Pass	6.991276G	-10.91	6.982825G	-45.54	-30.92	-14.62	1
6995MHz	Pass	6.989576G	-9.89	6.983225G	-42.12	-29.98	-12.14	2
6995MHz	Pass	6.990901G	-10.15	7.00685G	-42.36	-30.25	-12.11	3
6995MHz	Pass	6.985827G	-10.53	6.983025G	-43.54	-30.03	-13.51	4
7095MHz	Pass	7.088702G	-12.82	7.04835G	-69.88	-52.82	-17.06	1
7095MHz	Pass	7.087577G	-12.05	7.08275G	-45.61	-32.16	-13.45	2
7095MHz	Pass	7.088027G	-12.76	7.107G	-46.37	-32.76	-13.61	3
7095MHz	Pass	7.087852G	-12.29	7.0546G	-69.24	-52.29	-16.95	4
7115MHz	Pass	7.106677G	-16.75	7.065625G	-69.82	-56.75	-13.07	1
7115MHz	Pass	7.107752G	-15.83	7.102925G	-49.93	-35.85	-14.08	2
7115MHz	Pass	7.107602G	-16.62	7.065575G	-69.58	-56.62	-12.96	3
7115MHz	Pass	7.123398G	-16.10	7.127025G	-49.23	-36.10	-13.13	4
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.977397G	-10.11	5.9875G	-41.12	-28.91	-12.21	1



**Mask\_Non-Beamforming\_Radio 3**

**Appendix E.1**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.981796G	-8.57	5.98735G	-38.83	-28.64	-10.19	2
5965MHz	Pass	5.972748G	-8.58	5.9876G	-40.31	-28.60	-11.71	3
5965MHz	Pass	5.976547G	-9.52	5.98725G	-40.14	-28.82	-11.32	4
6205MHz	Pass	6.188604G	-8.30	6.1826G	-40.18	-28.32	-11.86	1
6205MHz	Pass	6.221596G	-7.97	6.1827G	-39.33	-27.98	-11.35	2
6205MHz	Pass	6.186855G	-8.66	6.22825G	-41.95	-28.73	-13.22	3
6205MHz	Pass	6.193903G	-8.97	6.2274G	-39.21	-29.13	-10.08	4
6405MHz	Pass	6.400451G	-6.82	6.42685G	-35.92	-26.82	-9.10	1
6405MHz	Pass	6.392103G	-6.94	6.42815G	-40.04	-27.19	-12.85	2
6405MHz	Pass	6.387904G	-6.68	6.4278G	-39.82	-26.80	-13.02	3
6405MHz	Pass	6.387004G	-7.63	6.42745G	-38.91	-27.67	-11.24	4
6445MHz	Pass	6.441751G	-6.67	6.42235G	-39.97	-26.68	-13.29	1
6445MHz	Pass	6.448549G	-6.73	6.46705G	-37.38	-26.75	-10.63	2
6445MHz	Pass	6.448699G	-7.37	6.4677G	-39.74	-27.42	-12.32	3
6445MHz	Pass	6.447949G	-7.82	6.4678G	-40.08	-27.89	-12.19	4
6485MHz	Pass	6.467304G	-6.06	6.5068G	-34.60	-26.13	-8.47	1
6485MHz	Pass	6.467004G	-5.91	6.46305G	-36.17	-25.93	-10.24	2
6485MHz	Pass	6.467454G	-6.55	6.5073G	-37.78	-26.62	-11.16	3
6485MHz	Pass	6.469554G	-6.38	6.5077G	-39.28	-25.88	-13.40	4
6525MHz	Pass	6.522101G	-5.82	6.50245G	-38.71	-25.84	-12.87	1
6525MHz	Pass	6.512603G	-5.87	6.54755G	-36.75	-25.97	-10.78	2
6525MHz	Pass	6.506705G	-6.40	6.54865G	-42.48	-26.46	-16.02	3
6525MHz	Pass	6.511353G	-6.58	6.54725G	-37.97	-26.61	-11.36	4
6565MHz	Pass	6.583345G	-6.67	6.5421G	-39.31	-26.74	-12.57	1
6565MHz	Pass	6.552753G	-6.50	6.5431G	-36.88	-26.50	-10.38	2
6565MHz	Pass	6.549954G	-7.42	6.5874G	-37.85	-27.49	-10.36	3
6565MHz	Pass	6.557452G	-7.46	6.58695G	-36.98	-27.55	-9.43	4
6685MHz	Pass	6.677702G	-6.85	6.70715G	-37.59	-26.91	-10.68	1
6685MHz	Pass	6.68595G	-6.44	6.7076G	-37.57	-26.59	-10.98	2
6685MHz	Pass	6.6832G	-6.71	6.7077G	-39.34	-26.79	-12.55	3
6685MHz	Pass	6.676202G	-7.15	6.7073G	-38.22	-26.35	-11.87	4
6885MHz	Pass	6.901546G	-7.81	6.8634G	-36.60	-27.82	-8.78	1
6885MHz	Pass	6.867754G	-6.96	6.86285G	-37.97	-26.97	-11.00	2
6885MHz	Pass	6.872953G	-7.22	6.8626G	-39.05	-27.22	-11.83	3
6885MHz	Pass	6.872653G	-7.41	6.9079G	-41.02	-27.50	-13.52	4
6925MHz	Pass	6.939146G	-7.20	6.9019G	-41.30	-27.28	-14.02	1
6925MHz	Pass	6.922901G	-6.29	6.94845G	-41.55	-26.40	-15.15	2
6925MHz	Pass	6.940046G	-6.42	6.94775G	-39.47	-25.82	-13.65	3
6925MHz	Pass	6.933598G	-6.66	6.9023G	-39.91	-26.69	-13.22	4
7005MHz	Pass	6.999701G	-7.08	7.02745G	-38.51	-27.12	-11.39	1
7005MHz	Pass	6.998902G	-6.40	6.98245G	-38.88	-26.42	-12.46	2
7005MHz	Pass	6.988504G	-6.65	6.9828G	-38.55	-26.66	-11.89	3
7005MHz	Pass	6.990654G	-6.77	7.02725G	-37.73	-26.87	-10.86	4
7085MHz	Pass	7.080701G	-8.07	7.0625G	-39.30	-28.20	-11.10	1
7085MHz	Pass	7.097347G	-7.83	7.0622G	-40.80	-27.86	-12.94	2
7085MHz	Pass	7.077802G	-8.04	7.06265G	-37.96	-28.04	-9.92	3
7085MHz	Pass	7.072303G	-7.64	7.10815G	-42.32	-27.68	-14.64	4
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9816G	-6.05	6.0293G	-34.57	-26.11	-8.46	1
5985MHz	Pass	5.9879G	-5.05	6.0289G	-32.82	-25.05	-7.77	2
5985MHz	Pass	5.9989G	-5.53	6.0295G	-34.43	-25.56	-8.87	3
5985MHz	Pass	6.02159G	-5.81	6.0296G	-34.98	-25.84	-9.14	4
6225MHz	Pass	6.18901G	-4.72	6.2702G	-34.85	-24.76	-10.09	1
6225MHz	Pass	6.26219G	-4.53	6.1802G	-34.31	-24.53	-9.78	2
6225MHz	Pass	6.19841G	-5.22	6.2724G	-37.42	-25.35	-12.07	3
6225MHz	Pass	6.2156G	-5.01	6.2703G	-35.30	-25.13	-10.17	4



**Mask\_Non-Beamforming\_Radio 3**

**Appendix E.1**



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6385MHz	Pass	6.3939G	-3.10	6.4309G	-34.36	-23.16	-11.20	1
6385MHz	Pass	6.3767G	-3.14	6.4309G	-33.27	-23.25	-10.02	2
6385MHz	Pass	6.3864G	-3.18	6.43G	-32.79	-23.24	-9.55	3
6385MHz	Pass	6.3874G	-3.64	6.4298G	-32.76	-23.71	-9.05	4
6465MHz	Pass	6.4743G	-3.48	6.5101G	-33.46	-23.52	-9.94	1
6465MHz	Pass	6.4713G	-3.21	6.5083G	-30.71	-23.22	-7.49	2
6465MHz	Pass	6.449G	-3.75	6.5087G	-31.78	-23.78	-8.00	3
6465MHz	Pass	6.4685G	-4.27	6.4214G	-31.90	-24.30	-7.60	4
6545MHz	Pass	6.51331G	-3.29	6.5905G	-33.90	-23.30	-10.60	1
6545MHz	Pass	6.51241G	-3.11	6.5896G	-32.75	-23.14	-9.61	2
6545MHz	Pass	6.50711G	-3.89	6.5891G	-32.48	-23.97	-8.51	3
6545MHz	Pass	6.51531G	-3.90	6.5896G	-33.61	-23.93	-9.68	4
6625MHz	Pass	6.6169G	-3.35	6.5812G	-31.53	-23.39	-8.14	1
6625MHz	Pass	6.6262G	-3.47	6.6676G	-29.49	-23.47	-6.02	2
6625MHz	Pass	6.6125G	-3.65	6.6688G	-32.30	-23.65	-8.65	3
6625MHz	Pass	6.6118G	-4.33	6.5799G	-34.36	-24.37	-9.99	4
6705MHz	Pass	6.7087G	-3.46	6.658G	-35.52	-23.56	-11.96	1
6705MHz	Pass	6.68391G	-3.48	6.659G	-34.57	-23.54	-11.03	2
6705MHz	Pass	6.713G	-3.72	6.7492G	-32.37	-23.76	-8.61	3
6705MHz	Pass	6.67241G	-3.94	6.6591G	-34.78	-24.05	-10.73	4
6785MHz	Pass	6.81989G	-3.68	6.83G	-33.56	-23.70	-9.86	1
6785MHz	Pass	6.804G	-3.30	6.8302G	-33.38	-23.32	-10.06	2
6785MHz	Pass	6.7987G	-3.63	6.8297G	-33.54	-23.64	-9.90	3
6785MHz	Pass	6.7996G	-4.00	6.8312G	-35.17	-24.06	-11.11	4
6865MHz	Pass	6.83751G	-3.83	6.8187G	-35.96	-23.85	-12.11	1
6865MHz	Pass	6.8575G	-3.30	6.8204G	-32.20	-23.35	-8.85	2
6865MHz	Pass	6.83531G	-3.32	6.8194G	-33.91	-23.33	-10.58	3
6865MHz	Pass	6.83311G	-3.86	6.8205G	-32.82	-23.93	-8.89	4
6945MHz	Pass	6.9419G	-3.35	6.8982G	-35.67	-23.38	-12.29	1
6945MHz	Pass	6.9404G	-2.75	6.8997G	-33.48	-22.76	-10.72	2
6945MHz	Pass	6.9383G	-3.51	6.9001G	-33.18	-23.57	-9.61	3
6945MHz	Pass	6.9546G	-3.31	6.9003G	-32.29	-23.34	-8.95	4
7025MHz	Pass	6.988139G	-3.59	6.979775G	-33.94	-23.59	-10.35	1
7025MHz	Pass	6.999426G	-3.15	6.980538G	-31.74	-23.22	-8.52	2
7025MHz	Pass	6.999176G	-3.50	6.979938G	-32.76	-23.53	-9.23	3
7025MHz	Pass	6.992326G	-3.15	6.980175G	-32.59	-23.26	-9.33	4
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06199G	-2.56	6.3122G	-54.79	-42.56	-12.23	1
6025MHz	Pass	6.08399G	-1.76	6.3414G	-53.88	-41.76	-12.12	2
6025MHz	Pass	6.0396G	-2.91	6.287G	-55.34	-42.91	-12.43	3
6025MHz	Pass	6.05719G	-2.41	6.2878G	-54.55	-42.41	-12.14	4
6185MHz	Pass	6.2028G	-2.14	6.4912G	-54.56	-42.14	-12.42	1
6185MHz	Pass	6.25538G	-1.93	6.4632G	-54.44	-41.93	-12.51	2
6185MHz	Pass	6.12162G	-2.49	6.4492G	-55.59	-42.49	-13.10	3
6185MHz	Pass	6.1744G	-3.05	6.4544G	-54.71	-43.05	-11.66	4
6345MHz	Pass	6.28881G	-1.46	6.6376G	-54.49	-41.46	-13.03	1
6345MHz	Pass	6.37379G	-1.35	6.4274G	-30.83	-21.35	-9.48	2
6345MHz	Pass	6.36559G	-1.73	6.6054G	-55.23	-41.73	-13.50	3
6345MHz	Pass	6.29741G	-2.18	6.597G	-55.34	-42.16	-13.18	4
6505MHz	Pass	6.52859G	-0.70	6.822G	-53.25	-40.70	-12.55	1
6505MHz	Pass	6.5134G	-0.41	6.7838G	-53.94	-40.41	-13.53	2
6505MHz	Pass	6.44881G	-1.34	6.5896G	-33.86	-21.36	-12.50	3
6505MHz	Pass	6.5158G	-1.39	6.1098G	-53.94	-41.39	-12.55	4
6665MHz	Pass	6.64021G	-1.69	6.948G	-54.20	-41.69	-12.51	1
6665MHz	Pass	6.6468G	-1.35	6.38G	-54.67	-41.35	-13.32	2
6665MHz	Pass	6.61061G	-1.67	6.2792G	-54.29	-41.67	-12.62	3





**Mask\_Non-Beamforming\_Radio 3**



**Appendix E.1**



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6665MHz	Pass	6.59482G	-1.88	6.2672G	-53.47	-41.88	-11.59	4
6825MHz	Pass	6.821G	-1.57	6.5136G	-54.47	-41.57	-12.90	1
6825MHz	Pass	6.80381G	-1.22	6.5052G	-54.30	-41.22	-13.08	2
6825MHz	Pass	6.8208G	-1.15	6.4422G	-54.14	-41.15	-12.99	3
6825MHz	Pass	6.76002G	-1.48	6.4314G	-53.05	-41.48	-11.57	4
6985MHz	Pass	6.94301G	-1.74	6.7166G	-54.69	-41.74	-12.95	1
6985MHz	Pass	6.92142G	-1.10	6.7306G	-53.63	-41.10	-12.53	2
6985MHz	Pass	6.93861G	-1.12	6.6G	-53.47	-41.12	-12.35	3
6985MHz	Pass	6.95301G	-1.36	6.5904G	-53.00	-41.36	-11.64	4
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.20178G	5.60	6.621G	-42.64	-34.30	-8.34	1
6105MHz	Pass	6.21697G	5.32	6.6502G	-40.64	-34.68	-5.96	2
6105MHz	Pass	6.25136G	4.52	6.275G	-25.46	-15.50	-9.96	3
6105MHz	Pass	6.07061G	3.83	6.6238G	-46.21	-36.17	-10.04	4
6265MHz	Pass	6.17062G	3.79	6.8146G	-47.19	-36.21	-10.98	1
6265MHz	Pass	6.29779G	2.18	6.5722G	-33.53	-23.91	-9.62	2
6265MHz	Pass	6.29259G	2.61	6.787G	-48.75	-36.38	-12.37	3
6265MHz	Pass	6.21341G	2.61	6.8394G	-49.08	-37.39	-11.69	4
6425MHz	Pass	6.45139G	5.67	6.9794G	-39.47	-34.33	-5.14	1
6425MHz	Pass	6.4146G	4.42	6.9426G	-42.56	-35.58	-6.98	2
6425MHz	Pass	6.29863G	4.73	5.9942G	-34.72	-29.79	-4.93	3
6425MHz	Pass	6.31823G	4.17	6.9306G	-41.65	-35.73	-5.92	4
6585MHz	Pass	6.44863G	6.75	6.0902G	-40.36	-31.85	-8.51	1
6585MHz	Pass	6.53421G	6.48	6.045G	-39.84	-33.52	-6.32	2
6585MHz	Pass	6.62099G	7.43	6.7558G	-20.16	-12.61	-7.55	3
6585MHz	Pass	6.47463G	7.38	6.0814G	-40.44	-32.62	-7.82	4
6745MHz	Pass	6.751G	5.87	6.2238G	-41.79	-34.13	-7.66	1
6745MHz	Pass	6.77819G	7.19	6.2334G	-42.29	-32.81	-9.48	2
6745MHz	Pass	6.7354G	7.03	6.3078G	-36.29	-28.02	-8.27	3
6745MHz	Pass	6.58864G	6.46	6.2398G	-41.44	-33.54	-7.90	4
6905MHz	Pass	6.79143G	6.52	6.3802G	-42.78	-33.48	-9.30	1
6905MHz	Pass	6.77383G	7.08	6.393G	-41.07	-32.92	-8.15	2
6905MHz	Pass	6.80423G	7.96	6.3474G	-36.03	-32.04	-3.99	3
6905MHz	Pass	6.76583G	8.03	6.3574G	-36.43	-31.97	-4.46	4


































































































Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	PK	37.76M	36.65	40.00	-3.35	3	Vertical	360	1.00






Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	PK	37.76M	36.65	40.00	-3.35	3	Vertical	360	1.00
6905MHz	Pass	PK	171.62M	33.71	43.50	-9.79	3	Vertical	360	1.00
6905MHz	Pass	PK	255.04M	26.87	46.00	-19.13	3	Vertical	360	1.00
6905MHz	Pass	PK	350.1M	23.86	46.00	-22.14	3	Vertical	360	1.00
6905MHz	Pass	PK	460.68M	26.43	46.00	-19.57	3	Vertical	360	1.00
6905MHz	Pass	PK	513.06M	26.65	46.00	-19.35	3	Vertical	360	1.00
6905MHz	Pass	PK	31.94M	25.90	40.00	-14.10	3	Horizontal	0	1.00
6905MHz	Pass	PK	125.06M	29.78	43.50	-13.72	3	Horizontal	0	1.00
6905MHz	Pass	PK	169.68M	35.12	43.50	-8.38	3	Horizontal	0	1.00
6905MHz	Pass	PK	256.98M	29.92	46.00	-16.08	3	Horizontal	0	1.00
6905MHz	Pass	PK	328.76M	28.86	46.00	-17.14	3	Horizontal	0	1.00
6905MHz	Pass	PK	466.5M	29.06	46.00	-16.94	3	Horizontal	0	1.00

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6905MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	36.65	40.00	-3.35	-7.40	3	Vertical	360	1.00	44.05	19.54	0.46	27.40
PK	171.62M	33.71	43.50	-9.79	-11.27	3	Vertical	360	1.00	44.98	14.82	0.96	27.05
PK	255.04M	26.87	46.00	-19.13	-7.46	3	Vertical	360	1.00	34.33	18.08	1.17	26.71
PK	350.1M	23.86	46.00	-22.14	-6.25	3	Vertical	360	1.00	30.11	19.43	1.38	27.06
PK	460.68M	26.43	46.00	-19.57	-4.31	3	Vertical	360	1.00	30.74	22.14	1.59	28.04
PK	513.06M	26.65	46.00	-19.35	-4.02	3	Vertical	360	1.00	30.67	22.53	1.67	28.22

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	25.90	40.00	-14.10	-4.38	3	Horizontal	0	1.00	30.28	22.61	0.43	27.42
PK	125.06M	29.78	43.50	-13.72	-9.27	3	Horizontal	0	1.00	39.05	17.11	0.84	27.22
PK	169.68M	35.12	43.50	-8.38	-11.22	3	Horizontal	0	1.00	46.34	14.88	0.96	27.06
PK	256.98M	29.92	46.00	-16.08	-7.20	3	Horizontal	0	1.00	37.12	18.34	1.18	26.72
PK	328.76M	28.86	46.00	-17.14	-6.74	3	Horizontal	0	1.00	35.60	18.85	1.34	26.93
PK	466.5M	29.06	46.00	-16.94	-4.30	3	Horizontal	0	1.00	33.36	22.16	1.60	28.06



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	11.90841G	38.73	54.00	-15.27	3	Horizontal	187	1.50
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	11.94488G	38.69	54.00	-15.31	3	Horizontal	38	1.50
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	12.44896G	38.91	54.00	-15.09	3	Horizontal	29	1.50
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	12.67707G	39.32	54.00	-14.68	3	Horizontal	332	1.50
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	12.50722G	38.68	54.00	-15.32	3	Horizontal	54	1.50
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	12.8844G	39.51	68.20	-28.69	3	Vertical	325	1.50
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	12.89552G	39.77	68.20	-28.43	3	Horizontal	244	1.50
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	12.93253G	39.90	68.20	-28.30	3	Vertical	337	1.50
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	13.37992G	39.93	54.00	-14.07	3	Horizontal	85	2.16
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	13.16213G	39.99	68.20	-28.21	3	Vertical	124	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	13.39001G	40.05	54.00	-13.95	3	Horizontal	160	1.96
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	13.36084G	40.02	54.00	-13.98	3	Horizontal	51	1.50
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	13.25483G	39.89	54.00	-14.11	3	Horizontal	53	1.50
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	13.34002G	40.35	54.00	-13.65	3	Vertical	0	1.50
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	7.2606G	53.17	54.00	-0.83	3	Vertical	41	1.49
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	7.1255G	68.16	68.20	-0.04	3	Horizontal	14	2.57
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	7.2218G	47.55	68.20	-20.65	3	Vertical	38	2.20
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	7.1648G	47.03	68.20	-21.17	3	Vertical	39	1.34
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	7.1395G	50.97	68.20	-17.23	3	Vertical	317	1.92



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	43.17	68.20	-25.03	3	Vertical	52	2.32
5955MHz	Pass	AV	5.9631G	97.43	Inf	-Inf	3	Vertical	52	2.32
5955MHz	Pass	PK	5.8584G	56.45	88.20	-31.75	3	Vertical	52	2.32
5955MHz	Pass	PK	5.9634G	108.75	Inf	-Inf	3	Vertical	52	2.32
5955MHz	Pass	AV	5.9193G	43.05	68.20	-25.15	3	Horizontal	348	2.71
5955MHz	Pass	AV	5.961G	94.47	Inf	-Inf	3	Horizontal	348	2.71
5955MHz	Pass	PK	5.8362G	57.07	88.20	-31.13	3	Horizontal	348	2.71
5955MHz	Pass	PK	5.961G	107.85	Inf	-Inf	3	Horizontal	348	2.71
5955MHz	Pass	AV	11.91921G	38.64	54.00	-15.36	3	Vertical	336	1.50
5955MHz	Pass	PK	11.9205G	51.16	74.00	-22.84	3	Vertical	336	1.50
5955MHz	Pass	AV	11.90841G	38.73	54.00	-15.27	3	Horizontal	187	1.50
5955MHz	Pass	PK	11.9094G	51.68	74.00	-22.32	3	Horizontal	187	1.50
6195MHz	Pass	AV	5.9058G	43.00	68.20	-25.20	3	Vertical	52	2.90
6195MHz	Pass	AV	6.1962G	97.20	Inf	-Inf	3	Vertical	52	2.90
6195MHz	Pass	PK	5.9046G	55.83	88.20	-32.37	3	Vertical	52	2.90
6195MHz	Pass	PK	6.1956G	107.95	Inf	-Inf	3	Vertical	52	2.90
6195MHz	Pass	AV	5.8992G	43.02	68.20	-25.18	3	Horizontal	14	2.91
6195MHz	Pass	AV	6.204G	89.10	Inf	-Inf	3	Horizontal	14	2.91
6195MHz	Pass	PK	5.9208G	55.70	88.20	-32.50	3	Horizontal	14	2.91
6195MHz	Pass	PK	6.2034G	100.91	Inf	-Inf	3	Horizontal	14	2.91
6195MHz	Pass	AV	12.39999G	38.68	54.00	-15.32	3	Vertical	254	1.50
6195MHz	Pass	PK	12.39045G	51.40	74.00	-22.60	3	Vertical	254	1.50
6195MHz	Pass	AV	12.40053G	38.64	54.00	-15.36	3	Horizontal	27	1.50
6195MHz	Pass	PK	12.38682G	51.24	74.00	-22.76	3	Horizontal	27	1.50
6415MHz	Pass	AV	12.83996G	39.42	68.20	-28.78	3	Vertical	163	1.10
6415MHz	Pass	PK	12.84485G	52.40	88.20	-35.80	3	Vertical	163	1.10
6415MHz	Pass	AV	12.83531G	39.42	68.20	-28.78	3	Horizontal	75	2.50
6415MHz	Pass	PK	12.8372G	52.25	88.20	-35.95	3	Horizontal	75	2.50
6435MHz	Pass	AV	12.8844G	39.51	68.20	-28.69	3	Vertical	325	1.50
6435MHz	Pass	PK	12.87165G	51.48	88.20	-36.72	3	Vertical	325	1.50
6435MHz	Pass	AV	12.88293G	39.50	68.20	-28.70	3	Horizontal	347	2.47
6435MHz	Pass	PK	12.88314G	52.80	88.20	-35.40	3	Horizontal	347	2.47
6475MHz	Pass	AV	12.94139G	39.40	68.20	-28.80	3	Vertical	360	1.15
6475MHz	Pass	PK	12.94886G	52.04	88.20	-36.16	3	Vertical	360	1.15
6475MHz	Pass	AV	12.94217G	39.40	68.20	-28.80	3	Horizontal	350	1.50
6475MHz	Pass	PK	12.95099G	51.94	88.20	-36.26	3	Horizontal	350	1.50
6515MHz	Pass	AV	13.02643G	38.91	68.20	-29.29	3	Vertical	188	1.10
6515MHz	Pass	PK	13.03687G	51.93	88.20	-36.27	3	Vertical	188	1.10
6515MHz	Pass	AV	13.02184G	38.95	68.20	-29.25	3	Horizontal	318	1.50
6515MHz	Pass	PK	13.03465G	51.81	88.20	-36.39	3	Horizontal	318	1.50
6535MHz	Pass	AV	13.06367G	39.04	68.20	-29.16	3	Vertical	218	1.50
6535MHz	Pass	PK	13.07552G	51.72	88.20	-36.48	3	Vertical	218	1.50
6535MHz	Pass	AV	13.05578G	39.00	68.20	-29.20	3	Horizontal	360	2.56
6535MHz	Pass	PK	13.05827G	51.91	88.20	-36.29	3	Horizontal	360	2.56
6695MHz	Pass	AV	13.38945G	40.01	54.00	-13.99	3	Vertical	139	1.50
6695MHz	Pass	PK	13.38833G	52.33	74.00	-21.67	3	Vertical	139	1.50
6695MHz	Pass	AV	13.39001G	40.05	54.00	-13.95	3	Horizontal	160	1.96
6695MHz	Pass	PK	13.39033G	52.92	74.00	-21.08	3	Horizontal	160	1.96
6875MHz	Pass	AV	13.75657G	40.21	68.20	-27.99	3	Vertical	195	1.50
6875MHz	Pass	PK	13.74226G	52.15	88.20	-36.05	3	Vertical	195	1.50
6875MHz	Pass	AV	13.75231G	40.26	68.20	-27.94	3	Horizontal	0	2.91
6875MHz	Pass	PK	13.74352G	53.89	88.20	-34.31	3	Horizontal	0	2.91
6895MHz	Pass	AV	13.80191G	40.11	68.20	-28.09	3	Vertical	81	1.28
6895MHz	Pass	PK	13.79648G	52.09	88.20	-36.11	3	Vertical	81	1.28
6895MHz	Pass	AV	13.79384G	40.14	68.20	-28.06	3	Horizontal	171	1.50
6895MHz	Pass	PK	13.79414G	52.73	88.20	-35.47	3	Horizontal	171	1.50
6995MHz	Pass	AV	13.99588G	40.41	68.20	-27.79	3	Vertical	296	1.93
6995MHz	Pass	PK	13.9942G	53.83	88.20	-34.37	3	Vertical	296	1.93
6995MHz	Pass	AV	13.97764G	40.51	68.20	-27.69	3	Horizontal	101	2.14
6995MHz	Pass	PK	13.98829G	53.17	88.20	-35.03	3	Horizontal	101	2.14



RSE TX above 1GHz\_Non-Beamforming\_Radio 3

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.18802G	41.31	68.20	-26.89	3	Vertical	355	2.61
7095MHz	Pass	PK	14.18148G	53.29	88.20	-34.91	3	Vertical	355	2.61
7095MHz	Pass	AV	14.18997G	41.24	68.20	-26.96	3	Horizontal	9	2.67
7095MHz	Pass	PK	14.1816G	53.61	88.20	-34.59	3	Horizontal	9	2.67
7115MHz	Pass	AV	7.1185G	95.16	Inf	-Inf	3	Vertical	40	2.71
7115MHz	Pass	AV	7.1255G	66.45	68.20	-1.75	3	Vertical	40	2.71
7115MHz	Pass	PK	7.1185G	101.98	Inf	-Inf	3	Vertical	40	2.71
7115MHz	Pass	PK	7.1255G	76.29	88.20	-11.91	3	Vertical	40	2.71
7115MHz	Pass	AV	7.1065G	93.15	Inf	-Inf	3	Horizontal	14	2.57
7115MHz	Pass	AV	7.1255G	68.16	68.20	-0.04	3	Horizontal	14	2.57
7115MHz	Pass	PK	7.1065G	99.71	Inf	-Inf	3	Horizontal	14	2.57
7115MHz	Pass	PK	7.1255G	79.62	88.20	-8.58	3	Horizontal	14	2.57
7115MHz	Pass	AV	14.23424G	41.16	68.20	-27.04	3	Vertical	257	2.85
7115MHz	Pass	PK	14.23692G	55.49	88.20	-32.71	3	Vertical	257	2.85
7115MHz	Pass	AV	14.2329G	41.18	68.20	-27.02	3	Horizontal	192	1.48
7115MHz	Pass	PK	14.2381G	54.51	88.20	-33.69	3	Horizontal	192	1.48
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9179G	43.43	68.20	-24.77	3	Vertical	55	1.75
5965MHz	Pass	AV	5.9725G	97.30	Inf	-Inf	3	Vertical	55	1.75
5965MHz	Pass	PK	5.9044G	57.15	88.20	-31.05	3	Vertical	55	1.75
5965MHz	Pass	PK	5.9728G	109.98	Inf	-Inf	3	Vertical	55	1.75
5965MHz	Pass	AV	5.9221G	43.05	68.20	-25.15	3	Horizontal	350	2.67
5965MHz	Pass	AV	5.971G	93.17	Inf	-Inf	3	Horizontal	350	2.67
5965MHz	Pass	PK	5.9089G	56.73	88.20	-31.47	3	Horizontal	350	2.67
5965MHz	Pass	PK	5.971G	105.63	Inf	-Inf	3	Horizontal	350	2.67
5965MHz	Pass	AV	11.94248G	38.68	54.00	-15.32	3	Vertical	309	1.16
5965MHz	Pass	PK	11.91832G	51.63	74.00	-22.37	3	Vertical	309	1.16
5965MHz	Pass	AV	11.94488G	38.69	54.00	-15.31	3	Horizontal	38	1.50
5965MHz	Pass	PK	11.9394G	52.20	74.00	-21.80	3	Horizontal	38	1.50
6205MHz	Pass	AV	5.8956G	43.14	68.20	-25.06	3	Vertical	50	2.64
6205MHz	Pass	AV	6.2036G	96.85	Inf	-Inf	3	Vertical	50	2.64
6205MHz	Pass	PK	5.9138G	55.92	88.20	-32.28	3	Vertical	50	2.64
6205MHz	Pass	PK	6.2036G	108.29	Inf	-Inf	3	Vertical	50	2.64
6205MHz	Pass	AV	5.876G	43.04	68.20	-25.16	3	Horizontal	8	2.86
6205MHz	Pass	AV	6.1924G	89.70	Inf	-Inf	3	Horizontal	8	2.86
6205MHz	Pass	PK	5.8718G	56.74	88.20	-31.46	3	Horizontal	8	2.86
6205MHz	Pass	PK	6.1938G	100.40	Inf	-Inf	3	Horizontal	8	2.86
6205MHz	Pass	AV	12.40206G	38.30	54.00	-15.70	3	Vertical	321	1.50
6205MHz	Pass	PK	12.41296G	51.57	74.00	-22.43	3	Vertical	321	1.50
6205MHz	Pass	AV	12.40036G	38.39	54.00	-15.61	3	Horizontal	360	1.85
6205MHz	Pass	PK	12.40496G	51.03	74.00	-22.97	3	Horizontal	360	1.85
6405MHz	Pass	AV	5.8878G	42.98	68.20	-25.22	3	Vertical	309	1.50
6405MHz	Pass	AV	6.4158G	96.83	Inf	-Inf	3	Vertical	309	1.50
6405MHz	Pass	PK	5.8734G	55.85	88.20	-32.35	3	Vertical	309	1.50
6405MHz	Pass	PK	6.3942G	109.14	Inf	-Inf	3	Vertical	309	1.50
6405MHz	Pass	AV	5.9142G	42.98	68.20	-25.22	3	Horizontal	346	2.95
6405MHz	Pass	AV	6.4014G	94.91	Inf	-Inf	3	Horizontal	346	2.95
6405MHz	Pass	PK	5.8746G	56.34	88.20	-31.86	3	Horizontal	346	2.95
6405MHz	Pass	PK	6.4026G	106.97	Inf	-Inf	3	Horizontal	346	2.95
6405MHz	Pass	AV	12.81704G	39.25	68.20	-28.95	3	Vertical	321	1.50
6405MHz	Pass	PK	12.81136G	51.80	88.20	-36.40	3	Vertical	321	1.50
6405MHz	Pass	AV	12.82G	39.19	68.20	-29.01	3	Horizontal	154	1.50
6405MHz	Pass	PK	12.81958G	52.56	88.20	-35.64	3	Horizontal	154	1.50
6445MHz	Pass	AV	12.89578G	39.74	68.20	-28.46	3	Vertical	192	2.70
6445MHz	Pass	PK	12.88512G	52.23	88.20	-35.97	3	Vertical	192	2.70
6445MHz	Pass	AV	12.89552G	39.77	68.20	-28.43	3	Horizontal	244	1.50
6445MHz	Pass	PK	12.89472G	52.42	88.20	-35.78	3	Horizontal	244	1.50
6485MHz	Pass	AV	12.97582G	39.16	68.20	-29.04	3	Vertical	223	1.50
6485MHz	Pass	PK	12.96904G	51.88	88.20	-36.32	3	Vertical	223	1.50
6485MHz	Pass	AV	12.96022G	39.19	68.20	-29.01	3	Horizontal	176	1.49
6485MHz	Pass	PK	12.96886G	51.36	88.20	-36.84	3	Horizontal	176	1.49
6525MHz	Pass	AV	13.05956G	39.06	68.20	-29.14	3	Vertical	236	1.50



RSE TX above 1GHz\_Non-Beamforming\_Radio 3

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6525MHz	Pass	PK	13.0587G	51.91	88.20	-36.29	3	Vertical	236	1.50
6525MHz	Pass	AV	13.0583G	39.16	68.20	-29.04	3	Horizontal	318	1.82
6525MHz	Pass	PK	13.05668G	52.00	88.20	-36.20	3	Horizontal	318	1.82
6565MHz	Pass	AV	13.12064G	39.55	68.20	-28.65	3	Vertical	103	1.00
6565MHz	Pass	PK	13.13562G	52.42	88.20	-35.78	3	Vertical	103	1.00
6565MHz	Pass	AV	13.12074G	39.44	68.20	-28.76	3	Horizontal	112	1.50
6565MHz	Pass	PK	13.13498G	52.48	88.20	-35.72	3	Horizontal	112	1.50
6685MHz	Pass	AV	13.36114G	39.89	54.00	-14.11	3	Vertical	205	1.50
6685MHz	Pass	PK	13.3602G	52.84	74.00	-21.16	3	Vertical	205	1.50
6685MHz	Pass	AV	13.36084G	40.02	54.00	-13.98	3	Horizontal	51	1.50
6685MHz	Pass	PK	13.37896G	53.05	74.00	-20.95	3	Horizontal	51	1.50
6885MHz	Pass	AV	13.76012G	39.95	68.20	-28.25	3	Vertical	55	1.50
6885MHz	Pass	PK	13.77532G	52.39	88.20	-35.81	3	Vertical	55	1.50
6885MHz	Pass	AV	13.76028G	40.16	68.20	-28.04	3	Horizontal	350	1.50
6885MHz	Pass	PK	13.76394G	52.54	88.20	-35.66	3	Horizontal	350	1.50
6925MHz	Pass	AV	13.85088G	40.35	68.20	-27.85	3	Vertical	310	1.50
6925MHz	Pass	PK	13.85578G	53.67	88.20	-34.53	3	Vertical	310	1.50
6925MHz	Pass	AV	13.8472G	40.36	68.20	-27.84	3	Horizontal	256	1.50
6925MHz	Pass	PK	13.84588G	53.09	88.20	-35.11	3	Horizontal	256	1.50
7005MHz	Pass	AV	14.00986G	40.92	68.20	-27.28	3	Vertical	64	1.50
7005MHz	Pass	PK	14.0105G	53.65	88.20	-34.55	3	Vertical	64	1.50
7005MHz	Pass	AV	14.00922G	40.94	68.20	-27.26	3	Horizontal	360	1.50
7005MHz	Pass	PK	14.01464G	53.67	88.20	-34.53	3	Horizontal	360	1.50
7085MHz	Pass	AV	7.0676G	98.00	Inf	-Inf	3	Vertical	38	2.20
7085MHz	Pass	AV	7.2218G	47.55	68.20	-20.65	3	Vertical	38	2.20
7085MHz	Pass	PK	7.0679G	110.76	Inf	-Inf	3	Vertical	38	2.20
7085MHz	Pass	PK	7.1987G	60.95	88.20	-27.25	3	Vertical	38	2.20
7085MHz	Pass	AV	7.0775G	95.44	Inf	-Inf	3	Horizontal	14	2.62
7085MHz	Pass	AV	7.2245G	47.55	68.20	-20.65	3	Horizontal	14	2.62
7085MHz	Pass	PK	7.0973G	107.90	Inf	-Inf	3	Horizontal	14	2.62
7085MHz	Pass	PK	7.2047G	61.27	88.20	-26.93	3	Horizontal	14	2.62
7085MHz	Pass	AV	14.17046G	41.48	68.20	-26.72	3	Vertical	93	1.50
7085MHz	Pass	PK	14.17428G	53.86	88.20	-34.34	3	Vertical	93	1.50
7085MHz	Pass	AV	14.16894G	41.64	68.20	-26.56	3	Horizontal	360	2.20
7085MHz	Pass	PK	14.1639G	54.72	88.20	-33.48	3	Horizontal	360	2.20
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9135G	44.86	68.20	-23.34	3	Vertical	59	1.88
5985MHz	Pass	AV	6.0135G	96.93	Inf	-Inf	3	Vertical	59	1.88
5985MHz	Pass	PK	5.914G	57.80	88.20	-30.40	3	Vertical	59	1.88
5985MHz	Pass	PK	6.014G	109.25	Inf	-Inf	3	Vertical	59	1.88
5985MHz	Pass	AV	5.9115G	43.55	68.20	-24.65	3	Horizontal	351	2.76
5985MHz	Pass	AV	5.991G	91.98	Inf	-Inf	3	Horizontal	351	2.76
5985MHz	Pass	PK	5.8585G	56.88	88.20	-31.32	3	Horizontal	351	2.76
5985MHz	Pass	PK	5.99G	105.02	Inf	-Inf	3	Horizontal	351	2.76
5985MHz	Pass	AV	11.96982G	38.90	54.00	-15.10	3	Vertical	196	1.98
5985MHz	Pass	PK	11.96715G	51.74	74.00	-22.26	3	Vertical	196	1.98
5985MHz	Pass	AV	11.97011G	38.89	54.00	-15.11	3	Horizontal	351	1.33
5985MHz	Pass	PK	11.96302G	52.34	74.00	-21.66	3	Horizontal	351	1.33
6225MHz	Pass	AV	12.45048G	38.78	54.00	-15.22	3	Vertical	326	1.27
6225MHz	Pass	PK	12.4425G	50.97	74.00	-23.03	3	Vertical	326	1.27
6225MHz	Pass	AV	12.44896G	38.91	54.00	-15.09	3	Horizontal	29	1.50
6225MHz	Pass	PK	12.45059G	51.82	74.00	-22.18	3	Horizontal	29	1.50
6385MHz	Pass	AV	12.77262G	39.52	68.20	-28.68	3	Vertical	360	1.50
6385MHz	Pass	PK	12.7777G	51.92	88.20	-36.28	3	Vertical	360	1.50
6385MHz	Pass	AV	12.76995G	39.49	68.20	-28.71	3	Horizontal	248	1.50
6385MHz	Pass	PK	12.76211G	51.41	88.20	-36.79	3	Horizontal	248	1.50
6465MHz	Pass	AV	12.93253G	39.90	68.20	-28.30	3	Vertical	337	1.50
6465MHz	Pass	PK	12.92386G	52.20	88.20	-36.00	3	Vertical	337	1.50
6465MHz	Pass	AV	12.93046G	39.82	68.20	-28.38	3	Horizontal	134	2.27
6465MHz	Pass	PK	12.92774G	52.08	88.20	-36.12	3	Horizontal	134	2.27
6545MHz	Pass	AV	13.08803G	39.30	68.20	-28.90	3	Vertical	343	1.00
6545MHz	Pass	PK	13.08376G	51.52	88.20	-36.68	3	Vertical	343	1.00



RSE TX above 1GHz\_Non-Beamforming\_Radio 3

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6545MHz	Pass	AV	13.09696G	39.29	68.20	-28.91	3	Horizontal	126	1.50
6545MHz	Pass	PK	13.08622G	51.99	88.20	-36.21	3	Horizontal	126	1.50
6625MHz	Pass	AV	13.25666G	39.87	54.00	-14.13	3	Vertical	293	1.50
6625MHz	Pass	PK	13.25109G	52.41	74.00	-21.59	3	Vertical	293	1.50
6625MHz	Pass	AV	13.25483G	39.89	54.00	-14.11	3	Horizontal	53	1.50
6625MHz	Pass	PK	13.25733G	52.71	74.00	-21.29	3	Horizontal	53	1.50
6705MHz	Pass	AV	13.40509G	40.13	68.20	-28.07	3	Vertical	184	1.79
6705MHz	Pass	PK	13.40333G	52.75	88.20	-35.45	3	Vertical	184	1.79
6705MHz	Pass	AV	13.40707G	40.15	68.20	-28.05	3	Horizontal	262	1.50
6705MHz	Pass	PK	13.40901G	52.68	88.20	-35.52	3	Horizontal	262	1.50
6785MHz	Pass	AV	13.57613G	40.74	68.20	-27.46	3	Vertical	262	1.50
6785MHz	Pass	PK	13.56665G	53.70	88.20	-34.50	3	Vertical	262	1.50
6785MHz	Pass	AV	13.57077G	40.81	68.20	-27.39	3	Horizontal	265	1.50
6785MHz	Pass	PK	13.56499G	53.49	88.20	-34.71	3	Horizontal	265	1.50
6865MHz	Pass	AV	13.72522G	40.34	68.20	-27.86	3	Vertical	38	1.50
6865MHz	Pass	PK	13.72885G	52.89	88.20	-35.31	3	Vertical	38	1.50
6865MHz	Pass	AV	13.7272G	40.30	68.20	-27.90	3	Horizontal	135	1.50
6865MHz	Pass	PK	13.72752G	52.80	88.20	-35.40	3	Horizontal	135	1.50
6945MHz	Pass	AV	13.89496G	40.88	68.20	-27.32	3	Vertical	348	2.34
6945MHz	Pass	PK	13.8953G	53.52	88.20	-34.68	3	Vertical	348	2.34
6945MHz	Pass	AV	13.89619G	40.84	68.20	-27.36	3	Horizontal	360	1.49
6945MHz	Pass	PK	13.89414G	53.29	88.20	-34.91	3	Horizontal	360	1.49
7025MHz	Pass	AV	6.9941G	96.73	Inf	-Inf	3	Vertical	39	1.34
7025MHz	Pass	AV	7.1648G	47.03	68.20	-21.17	3	Vertical	39	1.34
7025MHz	Pass	PK	7.0346G	109.41	Inf	-Inf	3	Vertical	39	1.34
7025MHz	Pass	PK	7.1462G	59.70	88.20	-28.50	3	Vertical	39	1.34
7025MHz	Pass	AV	7.0169G	94.30	Inf	-Inf	3	Horizontal	15	2.64
7025MHz	Pass	AV	7.1702G	46.95	68.20	-21.25	3	Horizontal	15	2.64
7025MHz	Pass	PK	7.0178G	106.39	Inf	-Inf	3	Horizontal	15	2.64
7025MHz	Pass	PK	7.1714G	59.82	88.20	-28.38	3	Horizontal	15	2.64
7025MHz	Pass	AV	14.05411G	41.04	68.20	-27.16	3	Vertical	139	1.50
7025MHz	Pass	PK	14.05005G	53.34	88.20	-34.86	3	Vertical	139	1.50
7025MHz	Pass	AV	14.05784G	41.10	68.20	-27.10	3	Horizontal	160	1.96
7025MHz	Pass	PK	14.05528G	53.95	88.20	-34.25	3	Horizontal	160	1.96
802.11be EHT160_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	47.32	68.20	-20.88	3	Vertical	56	3.00
6025MHz	Pass	AV	6.086G	97.50	Inf	-Inf	3	Vertical	56	3.00
6025MHz	Pass	PK	5.924G	59.70	88.20	-28.50	3	Vertical	56	3.00
6025MHz	Pass	PK	6.085G	110.14	Inf	-Inf	3	Vertical	56	3.00
6025MHz	Pass	AV	5.91G	44.21	68.20	-23.99	3	Horizontal	350	2.66
6025MHz	Pass	AV	5.9905G	92.81	Inf	-Inf	3	Horizontal	350	2.66
6025MHz	Pass	PK	5.899G	56.85	88.20	-31.35	3	Horizontal	350	2.66
6025MHz	Pass	PK	6.051G	105.60	Inf	-Inf	3	Horizontal	350	2.66
6025MHz	Pass	AV	12.03666G	38.67	54.00	-15.33	3	Vertical	281	1.95
6025MHz	Pass	PK	12.05778G	51.91	74.00	-22.09	3	Vertical	281	1.95
6025MHz	Pass	AV	12.03877G	38.76	54.00	-15.24	3	Horizontal	144	1.50
6025MHz	Pass	PK	12.04232G	51.79	74.00	-22.21	3	Horizontal	144	1.50
6185MHz	Pass	AV	12.37123G	38.86	54.00	-15.14	3	Vertical	163	1.10
6185MHz	Pass	PK	12.37011G	51.82	74.00	-22.18	3	Vertical	163	1.10
6185MHz	Pass	AV	12.37023G	38.87	54.00	-15.13	3	Horizontal	75	2.50
6185MHz	Pass	PK	12.37049G	51.70	74.00	-22.30	3	Horizontal	75	2.50
6345MHz	Pass	AV	12.67742G	39.25	54.00	-14.75	3	Vertical	28	2.86
6345MHz	Pass	PK	12.69864G	51.69	74.00	-22.31	3	Vertical	28	2.86
6345MHz	Pass	AV	12.67707G	39.32	54.00	-14.68	3	Horizontal	332	1.50
6345MHz	Pass	PK	12.70091G	51.84	88.20	-36.36	3	Horizontal	332	1.50
6505MHz	Pass	AV	13.38424G	39.89	54.00	-14.11	3	Vertical	127	1.50
6505MHz	Pass	PK	13.39513G	52.53	74.00	-21.47	3	Vertical	127	1.50
6505MHz	Pass	AV	13.37992G	39.93	54.00	-14.07	3	Horizontal	85	2.16
6505MHz	Pass	PK	13.38928G	52.99	74.00	-21.01	3	Horizontal	85	2.16
6665MHz	Pass	AV	13.34002G	40.35	54.00	-13.65	3	Vertical	0	1.50
6665MHz	Pass	PK	13.32091G	53.43	74.00	-20.57	3	Vertical	0	1.50
6665MHz	Pass	AV	13.31995G	40.30	54.00	-13.70	3	Horizontal	263	1.21



RSE TX above 1GHz\_Non-Beamforming\_Radio 3


Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.32334G	52.86	74.00	-21.14	3	Horizontal	263	1.21
6825MHz	Pass	AV	13.6452G	40.71	68.20	-27.49	3	Vertical	241	1.77
6825MHz	Pass	PK	13.66453G	54.42	88.20	-33.78	3	Vertical	241	1.77
6825MHz	Pass	AV	13.65449G	40.71	68.20	-27.49	3	Horizontal	162	1.00
6825MHz	Pass	PK	13.65426G	53.43	88.20	-34.77	3	Horizontal	162	1.00
6985MHz	Pass	AV	6.9405G	97.70	Inf	-Inf	3	Vertical	317	1.92
6985MHz	Pass	AV	7.1395G	50.97	68.20	-17.23	3	Vertical	317	1.92
6985MHz	Pass	PK	6.959G	109.97	Inf	-Inf	3	Vertical	317	1.92
6985MHz	Pass	PK	7.141G	64.41	88.20	-23.79	3	Vertical	317	1.92
6985MHz	Pass	AV	6.932G	93.72	Inf	-Inf	3	Horizontal	18	2.47
6985MHz	Pass	AV	7.137G	49.24	68.20	-18.96	3	Horizontal	18	2.47
6985MHz	Pass	PK	6.9315G	107.03	Inf	-Inf	3	Horizontal	18	2.47
6985MHz	Pass	PK	7.136G	62.53	88.20	-25.67	3	Horizontal	18	2.47
6985MHz	Pass	AV	13.96222G	40.87	68.20	-27.33	3	Vertical	183	1.26
6985MHz	Pass	PK	13.96626G	53.77	88.20	-34.43	3	Vertical	183	1.26
6985MHz	Pass	AV	13.96245G	40.85	68.20	-27.35	3	Horizontal	332	1.50
6985MHz	Pass	PK	13.9803G	52.96	88.20	-35.24	3	Horizontal	332	1.50
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	50.02	68.20	-18.18	3	Vertical	54	3.00
6105MHz	Pass	AV	6.165G	97.58	Inf	-Inf	3	Vertical	54	3.00
6105MHz	Pass	PK	5.925G	64.85	88.20	-23.35	3	Vertical	54	3.00
6105MHz	Pass	PK	6.1062G	110.65	Inf	-Inf	3	Vertical	54	3.00
6105MHz	Pass	AV	5.9106G	45.66	68.20	-22.54	3	Horizontal	351	2.65
6105MHz	Pass	AV	6.0306G	92.90	Inf	-Inf	3	Horizontal	351	2.65
6105MHz	Pass	PK	5.913G	57.10	88.20	-31.10	3	Horizontal	351	2.65
6105MHz	Pass	PK	6.0894G	104.49	Inf	-Inf	3	Horizontal	351	2.65
6105MHz	Pass	AV	12.19208G	38.48	54.00	-15.52	3	Vertical	325	1.07
6105MHz	Pass	PK	12.18872G	51.56	74.00	-22.44	3	Vertical	325	1.07
6105MHz	Pass	AV	12.24488G	38.58	54.00	-15.42	3	Horizontal	268	2.72
6105MHz	Pass	PK	12.34088G	50.90	74.00	-23.10	3	Horizontal	268	2.72
6265MHz	Pass	AV	12.50899G	38.53	54.00	-15.47	3	Vertical	157	1.50
6265MHz	Pass	PK	12.50005G	51.49	74.00	-22.51	3	Vertical	157	1.50
6265MHz	Pass	AV	12.50722G	38.68	54.00	-15.32	3	Horizontal	54	1.50
6265MHz	Pass	PK	12.50094G	51.03	74.00	-22.97	3	Horizontal	54	1.50
6425MHz	Pass	AV	13.00558G	39.40	68.20	-28.80	3	Vertical	33	2.63
6425MHz	Pass	PK	12.99531G	52.09	88.20	-36.11	3	Vertical	33	2.63
6425MHz	Pass	AV	13.00418G	39.39	68.20	-28.81	3	Horizontal	326	1.50
6425MHz	Pass	PK	13.01589G	52.20	88.20	-36.00	3	Horizontal	326	1.50
6585MHz	Pass	AV	13.16213G	39.99	68.20	-28.21	3	Vertical	124	1.50
6585MHz	Pass	PK	13.18856G	52.44	88.20	-35.76	3	Vertical	124	1.50
6585MHz	Pass	AV	13.15842G	39.97	68.20	-28.23	3	Horizontal	180	2.60
6585MHz	Pass	PK	13.16136G	52.72	88.20	-35.48	3	Horizontal	180	2.60
6745MHz	Pass	AV	13.48187G	40.48	68.20	-27.72	3	Vertical	34	1.79
6745MHz	Pass	PK	13.4811G	53.50	88.20	-34.70	3	Vertical	34	1.79
6745MHz	Pass	AV	13.48123G	40.47	68.20	-27.73	3	Horizontal	275	3.00
6745MHz	Pass	PK	13.50312G	52.86	88.20	-35.34	3	Horizontal	275	3.00
6905MHz	Pass	AV	6.8616G	97.43	Inf	-Inf	3	Vertical	41	1.49
6905MHz	Pass	AV	7.2606G	53.17	54.00	-0.83	3	Vertical	41	1.49
6905MHz	Pass	PK	6.8602G	110.31	Inf	-Inf	3	Vertical	41	1.49
6905MHz	Pass	PK	7.3012G	65.97	74.00	-8.03	3	Vertical	41	1.49
6905MHz	Pass	AV	6.807G	93.14	Inf	-Inf	3	Horizontal	344	2.96
6905MHz	Pass	AV	7.2676G	48.71	54.00	-5.29	3	Horizontal	344	2.96
6905MHz	Pass	PK	6.7678G	105.13	Inf	-Inf	3	Horizontal	344	2.96
6905MHz	Pass	PK	7.2886G	62.39	74.00	-11.61	3	Horizontal	344	2.96
6905MHz	Pass	AV	13.84072G	40.37	68.20	-27.83	3	Vertical	331	1.50
6905MHz	Pass	PK	13.82997G	53.09	88.20	-35.11	3	Vertical	331	1.50
6905MHz	Pass	AV	13.84194G	40.34	68.20	-27.86	3	Horizontal	47	2.56
6905MHz	Pass	PK	13.79624G	52.78	88.20	-35.42	3	Horizontal	47	2.56



5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9244G	43.17	68.20	-25.03	3.35	3	Vertical	52	2.32	39.82	34.50	5.88	37.03
AV	5.9631G	97.43	Inf	-Inf	3.40	3	Vertical	52	2.32	94.03	34.50	5.90	37.00
PK	5.8584G	56.45	88.20	-31.75	3.10	3	Vertical	52	2.32	53.35	34.33	5.84	37.07
PK	5.9634G	108.75	Inf	-Inf	3.40	3	Vertical	52	2.32	105.35	34.50	5.90	37.00

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9193G	43.05	68.20	-25.15	3.35	3	Horizontal	348	2.71	39.70	34.50	5.88	37.03
AV	5.961G	94.47	Inf	-Inf	3.40	3	Horizontal	348	2.71	91.07	34.50	5.90	37.00
PK	5.8362G	57.07	88.20	-31.13	3.04	3	Horizontal	348	2.71	54.03	34.30	5.83	37.09
PK	5.961G	107.85	Inf	-Inf	3.40	3	Horizontal	348	2.71	104.45	34.50	5.90	37.00

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91921G	38.64	54.00	-15.36	10.07	3	Vertical	336	1.50	28.57	39.24	8.77	37.94
PK	11.9205G	51.16	74.00	-22.84	10.07	3	Vertical	336	1.50	41.09	39.24	8.77	37.94

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90841G	38.73	54.00	-15.27	10.05	3	Horizontal	187	1.50	28.68	39.22	8.77	37.94
PK	11.9094G	51.68	74.00	-22.32	10.05	3	Horizontal	187	1.50	41.63	39.22	8.77	37.94

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6195MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.39999G	38.68	54.00	-15.32	9.79	3	Vertical	254	1.50	28.89	39.00	8.94	38.15
PK	12.39045G	51.40	74.00	-22.60	9.83	3	Vertical	254	1.50	41.57	39.04	8.93	38.14

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6195MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.40053G	38.64	54.00	-15.36	9.79	3	Horizontal	27	1.50	28.85	39.00	8.94	38.15
PK	12.38682G	51.24	74.00	-22.76	9.84	3	Horizontal	27	1.50	41.40	39.05	8.93	38.14

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83996G	39.42	68.20	-28.78	10.48	3	Vertical	163	1.10	28.94	39.86	9.08	38.46
PK	12.84485G	52.40	88.20	-35.80	10.50	3	Vertical	163	1.10	41.90	39.88	9.08	38.46

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83531G	39.42	68.20	-28.78	10.47	3	Horizontal	75	2.50	28.95	39.84	9.08	38.45
PK	12.8372G	52.25	88.20	-35.95	10.47	3	Horizontal	75	2.50	41.78	39.85	9.08	38.46


6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6435MHz\_TX




6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6435MHz\_TX



6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94139G	39.40	68.20	-28.80	10.49	3	Vertical	360	1.15	28.91	39.92	9.11	38.54
PK	12.94886G	52.04	88.20	-36.16	10.47	3	Vertical	360	1.15	41.57	39.90	9.11	38.54

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94217G	39.40	68.20	-28.80	10.49	3	Horizontal	350	1.50	28.91	39.92	9.11	38.54
PK	12.95099G	51.94	88.20	-36.26	10.47	3	Horizontal	350	1.50	41.47	39.90	9.11	38.54

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02643G	38.91	68.20	-29.29	10.21	3	Vertical	188	1.10	28.70	39.65	9.14	38.58
PK	13.03687G	51.93	88.20	-36.27	10.20	3	Vertical	188	1.10	41.73	39.63	9.14	38.57

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02184G	38.95	68.20	-29.25	10.22	3	Horizontal	318	1.50	28.73	39.66	9.14	38.58
PK	13.03465G	51.81	88.20	-36.39	10.19	3	Horizontal	318	1.50	41.62	39.63	9.14	38.58

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06367G	39.04	68.20	-29.16	10.21	3	Vertical	218	1.50	28.83	39.63	9.15	38.57
PK	13.07552G	51.72	88.20	-36.48	10.23	3	Vertical	218	1.50	41.49	39.65	9.15	38.57

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6535MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.05578G	39.00	68.20	-29.20	10.19	3	Horizontal	360	2.56	28.81	39.61	9.15	38.57
PK	13.05827G	51.91	88.20	-36.29	10.20	3	Horizontal	360	2.56	41.71	39.62	9.15	38.57



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38945G	40.01	54.00	-13.99	10.90	3	Vertical	139	1.50	29.11	40.18	9.25	38.53
PK	13.38833G	52.33	74.00	-21.67	10.90	3	Vertical	139	1.50	41.43	40.18	9.25	38.53

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39001G	40.05	54.00	-13.95	10.90	3	Horizontal	160	1.96	29.15	40.18	9.25	38.53
PK	13.39033G	52.92	74.00	-21.08	10.90	3	Horizontal	160	1.96	42.02	40.18	9.25	38.53

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75657G	40.21	68.20	-27.99	11.22	3	Vertical	195	1.50	28.99	40.19	9.37	38.34
PK	13.74226G	52.15	88.20	-36.05	11.24	3	Vertical	195	1.50	40.91	40.22	9.37	38.35

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75231G	40.26	68.20	-27.94	11.23	3	Horizontal	0	2.91	29.03	40.20	9.37	38.34
PK	13.74352G	53.89	88.20	-34.31	11.24	3	Horizontal	0	2.91	42.65	40.21	9.37	38.34

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80191G	40.11	68.20	-28.09	11.19	3	Vertical	81	1.28	28.92	40.10	9.39	38.30
PK	13.79648G	52.09	88.20	-36.11	11.18	3	Vertical	81	1.28	40.91	40.11	9.38	38.31

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79384G	40.14	68.20	-28.06	11.18	3	Horizontal	171	1.50	28.96	40.11	9.38	38.31
PK	13.79414G	52.73	88.20	-35.47	11.18	3	Horizontal	171	1.50	41.55	40.11	9.38	38.31

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99588G	40.41	68.20	-27.79	11.77	3	Vertical	296	1.93	28.64	40.49	9.45	38.17
PK	13.9942G	53.83	88.20	-34.37	11.77	3	Vertical	296	1.93	42.06	40.49	9.45	38.17

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97764G	40.51	68.20	-27.69	11.71	3	Horizontal	101	2.14	28.80	40.46	9.44	38.19
PK	13.98829G	53.17	88.20	-35.03	11.75	3	Horizontal	101	2.14	41.42	40.48	9.45	38.18

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0902G	97.43	Inf	-Inf	6.54	3	Vertical	317	1.82	90.89	36.66	6.48	36.60
AV	7.2408G	47.56	68.20	-20.64	7.25	3	Vertical	317	1.82	40.31	37.26	6.55	36.56
PK	7.0902G	109.75	Inf	-Inf	6.54	3	Vertical	317	1.82	103.21	36.66	6.48	36.60
PK	7.1748G	61.09	88.20	-27.11	6.99	3	Vertical	317	1.82	54.10	37.05	6.52	36.58

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0869G	95.71	Inf	-Inf	6.51	3	Horizontal	14	2.58	89.20	36.65	6.47	36.61
AV	7.2138G	47.45	68.20	-20.75	7.13	3	Horizontal	14	2.58	40.32	37.16	6.54	36.57
PK	7.0878G	107.96	Inf	-Inf	6.51	3	Horizontal	14	2.58	101.45	36.65	6.47	36.61
PK	7.2147G	61.07	88.20	-27.13	7.13	3	Horizontal	14	2.58	53.94	37.16	6.54	36.57

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18802G	41.31	68.20	-26.89	12.15	3	Vertical	355	2.61	29.16	40.75	9.52	38.12
PK	14.18148G	53.29	88.20	-34.91	12.17	3	Vertical	355	2.61	41.12	40.77	9.52	38.12

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18997G	41.24	68.20	-26.96	12.14	3	Horizontal	9	2.67	29.10	40.74	9.52	38.12
PK	14.1816G	53.61	88.20	-34.59	12.17	3	Horizontal	9	2.67	41.44	40.77	9.52	38.12

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1185G	95.16	Inf	-Inf	6.70	3	Vertical	40	2.71	88.46	36.81	6.49	36.60
AV	7.1255G	66.45	68.20	-1.75	6.75	3	Vertical	40	2.71	59.70	36.85	6.49	36.59
PK	7.1185G	101.98	Inf	-Inf	6.70	3	Vertical	40	2.71	95.28	36.81	6.49	36.60
PK	7.1255G	76.29	88.20	-11.91	6.75	3	Vertical	40	2.71	69.54	36.85	6.49	36.59

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1065G	93.15	Inf	-Inf	6.62	3	Horizontal	14	2.57	86.53	36.74	6.48	36.60
AV	7.1255G	68.16	68.20	-0.04	6.75	3	Horizontal	14	2.57	61.41	36.85	6.49	36.59
PK	7.1065G	99.71	Inf	-Inf	6.62	3	Horizontal	14	2.57	93.09	36.74	6.48	36.60
PK	7.1255G	79.62	88.20	-8.58	6.75	3	Horizontal	14	2.57	72.87	36.85	6.49	36.59

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.23424G	41.16	68.20	-27.04	11.99	3	Vertical	257	2.85	29.17	40.56	9.54	38.11
PK	14.23692G	55.49	88.20	-32.71	11.98	3	Vertical	257	2.85	43.51	40.55	9.54	38.11

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2329G	41.18	68.20	-27.02	12.00	3	Horizontal	192	1.48	29.18	40.57	9.54	38.11
PK	14.2381G	54.51	88.20	-33.69	11.98	3	Horizontal	192	1.48	42.53	40.55	9.54	38.11



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9179G	43.43	68.20	-24.77	3.34	3	Vertical	55	1.75	40.09	34.50	5.87	37.03
AV	5.9725G	97.30	Inf	-Inf	3.41	3	Vertical	55	1.75	93.89	34.50	5.90	36.99
PK	5.9044G	57.15	88.20	-31.05	3.33	3	Vertical	55	1.75	53.82	34.50	5.87	37.04
PK	5.9728G	109.98	Inf	-Inf	3.42	3	Vertical	55	1.75	106.56	34.50	5.91	36.99

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9221G	43.05	68.20	-25.15	3.35	3	Horizontal	350	2.67	39.70	34.50	5.88	37.03
AV	5.971G	93.17	Inf	-Inf	3.41	3	Horizontal	350	2.67	89.76	34.50	5.90	36.99
PK	5.9089G	56.73	88.20	-31.47	3.33	3	Horizontal	350	2.67	53.40	34.50	5.87	37.04
PK	5.971G	105.63	Inf	-Inf	3.41	3	Horizontal	350	2.67	102.22	34.50	5.90	36.99

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.94248G	38.68	54.00	-15.32	10.12	3	Vertical	309	1.16	28.56	39.28	8.78	37.94
PK	11.91832G	51.63	74.00	-22.37	10.07	3	Vertical	309	1.16	41.56	39.24	8.77	37.94

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.94488G	38.69	54.00	-15.31	10.13	3	Horizontal	38	1.50	28.56	39.29	8.78	37.94
PK	11.9394G	52.20	74.00	-21.80	10.12	3	Horizontal	38	1.50	42.08	39.28	8.78	37.94

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6205MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.40206G	38.30	54.00	-15.70	9.79	3	Vertical	321	1.50	28.51	39.00	8.94	38.15
PK	12.41296G	51.57	74.00	-22.43	9.82	3	Vertical	321	1.50	41.75	39.03	8.94	38.15

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6205MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.40036G	38.39	54.00	-15.61	9.79	3	Horizontal	360	1.85	28.60	39.00	8.94	38.15
PK	12.40496G	51.03	74.00	-22.97	9.80	3	Horizontal	360	1.85	41.23	39.01	8.94	38.15

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81704G	39.25	68.20	-28.95	10.40	3	Vertical	321	1.50	28.85	39.77	9.07	38.44
PK	12.81136G	51.80	88.20	-36.40	10.38	3	Vertical	321	1.50	41.42	39.75	9.07	38.44

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82G	39.19	68.20	-29.01	10.41	3	Horizontal	154	1.50	28.78	39.78	9.07	38.44
PK	12.81958G	52.56	88.20	-35.64	10.41	3	Horizontal	154	1.50	42.15	39.78	9.07	38.44

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89578G	39.74	68.20	-28.46	10.59	3	Vertical	192	2.70	29.15	39.99	9.10	38.50
PK	12.88512G	52.23	88.20	-35.97	10.57	3	Vertical	192	2.70	41.66	39.97	9.09	38.49

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89552G	39.77	68.20	-28.43	10.59	3	Horizontal	244	1.50	29.18	39.99	9.10	38.50
PK	12.89472G	52.42	88.20	-35.78	10.59	3	Horizontal	244	1.50	41.83	39.99	9.10	38.50

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6485MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.97582G	39.16	68.20	-29.04	10.36	3	Vertical	223	1.50	28.80	39.80	9.12	38.56
PK	12.96904G	51.88	88.20	-36.32	10.38	3	Vertical	223	1.50	41.50	39.82	9.12	38.56

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6485MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96022G	39.19	68.20	-29.01	10.43	3	Horizontal	176	1.49	28.76	39.86	9.12	38.55
PK	12.96886G	51.36	88.20	-36.84	10.38	3	Horizontal	176	1.49	40.98	39.82	9.12	38.56

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6525MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.05956G	39.06	68.20	-29.14	10.20	3	Vertical	236	1.50	28.86	39.62	9.15	38.57
PK	13.0587G	51.91	88.20	-36.29	10.20	3	Vertical	236	1.50	41.71	39.62	9.15	38.57

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6525MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0583G	39.16	68.20	-29.04	10.20	3	Horizontal	318	1.82	28.96	39.62	9.15	38.57
PK	13.05668G	52.00	88.20	-36.20	10.19	3	Horizontal	318	1.82	41.81	39.61	9.15	38.57

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12064G	39.55	68.20	-28.65	10.39	3	Vertical	103	1.00	29.16	39.78	9.17	38.56
PK	13.13562G	52.42	88.20	-35.78	10.45	3	Vertical	103	1.00	41.97	39.84	9.17	38.56

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12074G	39.44	68.20	-28.76	10.39	3	Horizontal	112	1.50	29.05	39.78	9.17	38.56
PK	13.13498G	52.48	88.20	-35.72	10.45	3	Horizontal	112	1.50	42.03	39.84	9.17	38.56



6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6685MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.36114G	39.89	54.00	-14.11	10.84	3	Vertical	205	1.50	29.05	40.12	9.25	38.53
PK	13.3602G	52.84	74.00	-21.16	10.84	3	Vertical	205	1.50	42.00	40.12	9.25	38.53

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6685MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.36084G	40.02	54.00	-13.98	10.84	3	Horizontal	51	1.50	29.18	40.12	9.25	38.53
PK	13.37896G	53.05	74.00	-20.95	10.88	3	Horizontal	51	1.50	42.17	40.16	9.25	38.53

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76012G	39.95	68.20	-28.25	10.98	3	Vertical	55	1.50	28.97	39.94	9.37	38.33
PK	13.77532G	52.39	88.20	-35.81	10.98	3	Vertical	55	1.50	41.41	39.92	9.38	38.32

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76028G	40.16	68.20	-28.04	11.22	3	Horizontal	350	1.50	28.94	40.18	9.37	38.33
PK	13.76394G	52.54	88.20	-35.66	11.21	3	Horizontal	350	1.50	41.33	40.17	9.37	38.33

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6925MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85088G	40.35	68.20	-27.85	11.33	3	Vertical	310	1.50	29.02	40.20	9.40	38.27
PK	13.85578G	53.67	88.20	-34.53	11.35	3	Vertical	310	1.50	42.32	40.22	9.40	38.27

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6925MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.8472G	40.36	68.20	-27.84	11.32	3	Horizontal	256	1.50	29.04	40.19	9.40	38.27
PK	13.84588G	53.09	88.20	-35.11	11.32	3	Horizontal	256	1.50	41.77	40.19	9.40	38.27

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7005MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00986G	40.92	68.20	-27.28	11.80	3	Vertical	64	1.50	29.12	40.52	9.45	38.17
PK	14.0105G	53.65	88.20	-34.55	11.80	3	Vertical	64	1.50	41.85	40.52	9.45	38.17

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7005MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00922G	40.94	68.20	-27.26	11.80	3	Horizontal	360	1.50	29.14	40.52	9.45	38.17
PK	14.01464G	53.67	88.20	-34.53	11.82	3	Horizontal	360	1.50	41.85	40.53	9.46	38.17

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0676G	98.00	Inf	-Inf	6.42	3	Vertical	38	2.20	91.58	36.57	6.46	36.61
AV	7.2218G	47.55	68.20	-20.65	7.16	3	Vertical	38	2.20	40.39	37.19	6.54	36.57
PK	7.0679G	110.76	Inf	-Inf	6.42	3	Vertical	38	2.20	104.34	36.57	6.46	36.61
PK	7.1987G	60.95	88.20	-27.25	7.06	3	Vertical	38	2.20	53.89	37.10	6.53	36.57

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0775G	95.44	Inf	-Inf	6.47	3	Horizontal	14	2.62	88.97	36.61	6.47	36.61
AV	7.2245G	47.55	68.20	-20.65	7.17	3	Horizontal	14	2.62	40.38	37.20	6.54	36.57
PK	7.0973G	107.90	Inf	-Inf	6.57	3	Horizontal	14	2.62	101.33	36.69	6.48	36.60
PK	7.2047G	61.27	88.20	-26.93	7.08	3	Horizontal	14	2.62	54.19	37.12	6.53	36.57

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17046G	41.48	68.20	-26.72	12.05	3	Vertical	93	1.50	29.43	40.67	9.51	38.13
PK	14.17428G	53.86	88.20	-34.34	12.07	3	Vertical	93	1.50	41.79	40.67	9.52	38.12

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16894G	41.64	68.20	-26.56	12.20	3	Horizontal	360	2.20	29.44	40.82	9.51	38.13
PK	14.1639G	54.72	88.20	-33.48	12.22	3	Horizontal	360	2.20	42.50	40.84	9.51	38.13

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9135G	44.86	68.20	-23.34	3.34	3	Vertical	59	1.88	41.52	34.50	5.87	37.03
AV	6.0135G	96.93	Inf	-Inf	3.47	3	Vertical	59	1.88	93.46	34.50	5.93	36.96
PK	5.914G	57.80	88.20	-30.40	3.34	3	Vertical	59	1.88	54.46	34.50	5.87	37.03
PK	6.014G	109.25	Inf	-Inf	3.47	3	Vertical	59	1.88	105.78	34.50	5.93	36.96

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9115G	43.55	68.20	-24.65	3.33	3	Horizontal	351	2.76	40.22	34.50	5.87	37.04
AV	5.991G	91.98	Inf	-Inf	3.44	3	Horizontal	351	2.76	88.54	34.50	5.92	36.98
PK	5.8585G	56.88	88.20	-31.32	3.10	3	Horizontal	351	2.76	53.78	34.33	5.84	37.07
PK	5.99G	105.02	Inf	-Inf	3.43	3	Horizontal	351	2.76	101.59	34.50	5.91	36.98


5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5985MHz\_TX



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5985MHz\_TX





5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6225MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.45048G	38.78	54.00	-15.22	9.88	3	Vertical	326	1.27	28.90	39.10	8.95	38.17
PK	12.4425G	50.97	74.00	-23.03	9.87	3	Vertical	326	1.27	41.10	39.09	8.95	38.17

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6225MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.44896G	38.91	54.00	-15.09	9.88	3	Horizontal	29	1.50	29.03	39.10	8.95	38.17
PK	12.45059G	51.82	74.00	-22.18	9.88	3	Horizontal	29	1.50	41.94	39.10	8.95	38.17

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6385MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77262G	39.52	68.20	-28.68	10.24	3	Vertical	360	1.50	29.28	39.59	9.06	38.41
PK	12.7777G	51.92	88.20	-36.28	10.26	3	Vertical	360	1.50	41.66	39.61	9.06	38.41

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6385MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.76995G	39.49	68.20	-28.71	10.23	3	Horizontal	248	1.50	29.26	39.58	9.06	38.41
PK	12.76211G	51.41	88.20	-36.79	10.20	3	Horizontal	248	1.50	41.21	39.55	9.05	38.40

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93253G	39.90	68.20	-28.30	10.51	3	Vertical	337	1.50	29.39	39.93	9.11	38.53
PK	12.92386G	52.20	88.20	-36.00	10.54	3	Vertical	337	1.50	41.66	39.95	9.11	38.52

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93046G	39.82	68.20	-28.38	10.52	3	Horizontal	134	2.27	29.30	39.94	9.11	38.53
PK	12.92774G	52.08	88.20	-36.12	10.52	3	Horizontal	134	2.27	41.56	39.94	9.11	38.53

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6545MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08803G	39.30	68.20	-28.90	10.27	3	Vertical	343	1.00	29.03	39.68	9.16	38.57
PK	13.08376G	51.52	88.20	-36.68	10.26	3	Vertical	343	1.00	41.26	39.67	9.16	38.57

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6545MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09696G	39.29	68.20	-28.91	10.28	3	Horizontal	126	1.50	29.01	39.69	9.16	38.57
PK	13.08622G	51.99	88.20	-36.21	10.26	3	Horizontal	126	1.50	41.73	39.67	9.16	38.57

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6625MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25666G	39.87	54.00	-14.13	10.58	3	Vertical	293	1.50	29.29	39.91	9.21	38.54
PK	13.25109G	52.41	74.00	-21.59	10.57	3	Vertical	293	1.50	41.84	39.90	9.21	38.54

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6625MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25483G	39.89	54.00	-14.11	10.58	3	Horizontal	53	1.50	29.31	39.91	9.21	38.54
PK	13.25733G	52.71	74.00	-21.29	10.58	3	Horizontal	53	1.50	42.13	39.91	9.21	38.54

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6705MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40509G	40.13	68.20	-28.07	10.96	3	Vertical	184	1.79	29.17	40.22	9.26	38.52
PK	13.40333G	52.75	88.20	-35.45	10.95	3	Vertical	184	1.79	41.80	40.21	9.26	38.52

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6705MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40707G	40.15	68.20	-28.05	10.97	3	Horizontal	262	1.50	29.18	40.23	9.26	38.52
PK	13.40901G	52.68	88.20	-35.52	10.98	3	Horizontal	262	1.50	41.70	40.24	9.26	38.52

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.57613G	40.74	68.20	-27.46	11.25	3	Vertical	262	1.50	29.49	40.40	9.31	38.46
PK	13.56565G	53.70	88.20	-34.50	11.28	3	Vertical	262	1.50	42.42	40.44	9.31	38.47

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.57077G	40.81	68.20	-27.39	11.27	3	Horizontal	265	1.50	29.54	40.42	9.31	38.46
PK	13.56499G	53.49	88.20	-34.71	11.28	3	Horizontal	265	1.50	42.21	40.44	9.31	38.47

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72522G	40.34	68.20	-27.86	11.25	3	Vertical	38	1.50	29.09	40.25	9.36	38.36
PK	13.72885G	52.89	88.20	-35.31	11.25	3	Vertical	38	1.50	41.64	40.24	9.36	38.35

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6865MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7272G	40.30	68.20	-27.90	11.25	3	Horizontal	135	1.50	29.05	40.25	9.36	38.36
PK	13.72752G	52.80	88.20	-35.40	11.24	3	Horizontal	135	1.50	41.56	40.24	9.36	38.36



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6945MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89496G	40.88	68.20	-27.32	11.56	3	Vertical	348	2.34	29.32	40.38	9.42	38.24
PK	13.8953G	53.52	88.20	-34.68	11.56	3	Vertical	348	2.34	41.96	40.38	9.42	38.24

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6945MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89619G	40.84	68.20	-27.36	11.56	3	Horizontal	360	1.49	29.28	40.38	9.42	38.24
PK	13.89414G	53.29	88.20	-34.91	11.56	3	Horizontal	360	1.49	41.73	40.38	9.42	38.24

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9941G	96.73	Inf	-Inf	5.99	3	Vertical	39	1.34	90.74	36.19	6.43	36.63
AV	7.1648G	47.03	68.20	-21.17	6.96	3	Vertical	39	1.34	40.07	37.03	6.51	36.58
PK	7.0346G	109.41	Inf	-Inf	6.24	3	Vertical	39	1.34	103.17	36.41	6.45	36.62
PK	7.1462G	59.70	88.20	-28.50	6.89	3	Vertical	39	1.34	52.81	36.98	6.50	36.59

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0169G	94.30	Inf	-Inf	6.11	3	Horizontal	15	2.64	88.19	36.30	6.44	36.63
AV	7.1702G	46.95	68.20	-21.25	6.98	3	Horizontal	15	2.64	39.97	37.04	6.52	36.58
PK	7.0178G	106.39	Inf	-Inf	6.12	3	Horizontal	15	2.64	100.27	36.31	6.44	36.63
PK	7.1714G	59.82	88.20	-28.38	6.98	3	Horizontal	15	2.64	52.84	37.04	6.52	36.58

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05411G	41.04	68.20	-27.16	11.93	3	Vertical	139	1.50	29.11	40.62	9.47	38.16
PK	14.05005G	53.34	88.20	-34.86	11.91	3	Vertical	139	1.50	41.43	40.60	9.47	38.16

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05784G	41.10	68.20	-27.10	11.95	3	Horizontal	160	1.96	29.15	40.63	9.47	38.15
PK	14.05528G	53.95	88.20	-34.25	11.93	3	Horizontal	160	1.96	42.02	40.62	9.47	38.16

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	47.32	68.20	-20.88	3.35	3	Vertical	56	3.00	43.97	34.50	5.88	37.03
AV	6.086G	97.50	Inf	-Inf	3.45	3	Vertical	56	3.00	94.05	34.43	5.96	36.94
PK	5.924G	59.70	88.20	-28.50	3.35	3	Vertical	56	3.00	56.35	34.50	5.88	37.03
PK	6.085G	110.14	Inf	-Inf	3.45	3	Vertical	56	3.00	106.69	34.43	5.96	36.94

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.91G	44.21	68.20	-23.99	3.33	3	Horizontal	350	2.66	40.88	34.50	5.87	37.04
AV	5.9905G	92.81	Inf	-Inf	3.43	3	Horizontal	350	2.66	89.38	34.50	5.91	36.98
PK	5.899G	56.85	88.20	-31.35	3.32	3	Horizontal	350	2.66	53.53	34.50	5.86	37.04
PK	6.051G	105.60	Inf	-Inf	3.49	3	Horizontal	350	2.66	102.11	34.50	5.94	36.95

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.03666G	38.67	54.00	-15.33	10.16	3	Vertical	281	1.95	28.51	39.30	8.82	37.96
PK	12.05778G	51.91	74.00	-22.09	10.16	3	Vertical	281	1.95	41.75	39.30	8.83	37.97

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.03877G	38.76	54.00	-15.24	10.16	3	Horizontal	144	1.50	28.60	39.30	8.82	37.96
PK	12.04232G	51.79	74.00	-22.21	10.16	3	Horizontal	144	1.50	41.63	39.30	8.82	37.96

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6185MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37123G	38.86	54.00	-15.14	9.92	3	Vertical	163	1.10	28.94	39.12	8.93	38.13
PK	12.37011G	51.82	74.00	-22.18	9.92	3	Vertical	163	1.10	41.90	39.12	8.93	38.13

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6185MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37023G	38.87	54.00	-15.13	9.92	3	Horizontal	75	2.50	28.95	39.12	8.93	38.13
PK	12.37049G	51.70	74.00	-22.30	9.92	3	Horizontal	75	2.50	41.78	39.12	8.93	38.13

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6345MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.67742G	39.25	54.00	-14.75	10.10	3	Vertical	28	2.86	29.15	39.40	9.03	38.33
PK	12.69864G	51.69	74.00	-22.31	10.08	3	Vertical	28	2.86	41.61	39.40	9.03	38.35

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6345MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.67707G	39.32	54.00	-14.68	10.10	3	Horizontal	332	1.50	29.22	39.40	9.03	38.33
PK	12.70091G	51.84	88.20	-36.36	10.08	3	Horizontal	332	1.50	41.76	39.40	9.03	38.35

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6505MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38424G	39.89	54.00	-14.11	10.89	3	Vertical	127	1.50	29.00	40.17	9.25	38.53
PK	13.39513G	52.53	74.00	-21.47	10.93	3	Vertical	127	1.50	41.60	40.19	9.26	38.52

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6505MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37992G	39.93	54.00	-14.07	10.88	3	Horizontal	85	2.16	29.05	40.16	9.25	38.53
PK	13.38928G	52.99	74.00	-21.01	10.90	3	Horizontal	85	2.16	42.09	40.18	9.25	38.53



6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6665MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.34002G	40.35	54.00	-13.65	10.79	3	Vertical	0	1.50	29.56	40.08	9.24	38.53
PK	13.32091G	53.43	74.00	-20.57	10.73	3	Vertical	0	1.50	42.70	40.04	9.23	38.54

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6665MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.31995G	40.30	54.00	-13.70	10.73	3	Horizontal	263	1.21	29.57	40.04	9.23	38.54
PK	13.32334G	52.86	74.00	-21.14	10.75	3	Horizontal	263	1.21	42.11	40.05	9.23	38.53

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.6452G	40.71	68.20	-27.49	11.23	3	Vertical	241	1.77	29.48	40.30	9.34	38.41
PK	13.66453G	54.42	88.20	-33.78	11.24	3	Vertical	241	1.77	43.18	40.30	9.34	38.40

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.64549G	40.71	68.20	-27.49	11.23	3	Horizontal	162	1.00	29.48	40.30	9.34	38.41
PK	13.65426G	53.43	88.20	-34.77	11.23	3	Horizontal	162	1.00	42.20	40.30	9.34	38.41

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9405G	97.70	Inf	-Inf	5.88	3	Vertical	317	1.92	91.82	36.12	6.41	36.65
AV	7.1395G	50.97	68.20	-17.23	6.85	3	Vertical	317	1.92	44.12	36.94	6.50	36.59
PK	6.959G	109.97	Inf	-Inf	5.89	3	Vertical	317	1.92	104.08	36.12	6.41	36.64
PK	7.141G	64.41	88.20	-23.79	6.86	3	Vertical	317	1.92	57.55	36.95	6.50	36.59

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.932G	93.72	Inf	-Inf	5.89	3	Horizontal	18	2.47	87.83	36.14	6.40	36.65
AV	7.137G	49.24	68.20	-18.96	6.83	3	Horizontal	18	2.47	42.41	36.92	6.50	36.59
PK	6.9315G	107.03	Inf	-Inf	5.89	3	Horizontal	18	2.47	101.14	36.14	6.40	36.65
PK	7.136G	62.53	88.20	-25.67	6.83	3	Horizontal	18	2.47	55.70	36.92	6.50	36.59

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96222G	40.87	68.20	-27.33	11.66	3	Vertical	183	1.26	29.21	40.42	9.44	38.20
PK	13.96626G	53.77	88.20	-34.43	11.68	3	Vertical	183	1.26	42.09	40.43	9.44	38.19

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96245G	40.85	68.20	-27.35	11.66	3	Horizontal	332	1.50	29.19	40.42	9.44	38.20
PK	13.9803G	52.96	88.20	-35.24	11.72	3	Horizontal	332	1.50	41.24	40.46	9.44	38.18

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6105MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	50.02	68.20	-18.18	3.35	3	Vertical	54	3.00	46.67	34.50	5.88	37.03
AV	6.165G	97.58	Inf	-Inf	3.49	3	Vertical	54	3.00	94.09	34.40	5.99	36.90
PK	5.925G	64.85	88.20	-23.35	3.35	3	Vertical	54	3.00	61.50	34.50	5.88	37.03
PK	6.1062G	110.65	Inf	-Inf	3.44	3	Vertical	54	3.00	107.21	34.40	5.97	36.93

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6105MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9106G	45.66	68.20	-22.54	3.33	3	Horizontal	351	2.65	42.33	34.50	5.87	37.04
AV	6.0306G	92.90	Inf	-Inf	3.47	3	Horizontal	351	2.65	89.43	34.50	5.93	36.96
PK	5.913G	57.10	88.20	-31.10	3.34	3	Horizontal	351	2.65	53.76	34.50	5.87	37.03
PK	6.0894G	104.49	Inf	-Inf	3.45	3	Horizontal	351	2.65	101.04	34.42	5.96	36.93

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6105MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.19208G	38.48	54.00	-15.52	10.21	3	Vertical	325	1.07	28.27	39.38	8.87	38.04
PK	12.18872G	51.56	74.00	-22.44	10.21	3	Vertical	325	1.07	41.35	39.38	8.87	38.04

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6105MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.24488G	38.58	54.00	-15.42	10.13	3	Horizontal	268	2.72	28.45	39.31	8.89	38.07
PK	12.34088G	50.90	74.00	-23.10	10.00	3	Horizontal	268	2.72	40.90	39.20	8.92	38.12

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6265MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.50899G	38.53	54.00	-15.47	9.98	3	Vertical	157	1.50	28.55	39.22	8.97	38.21
PK	12.50005G	51.49	74.00	-22.51	9.97	3	Vertical	157	1.50	41.52	39.20	8.97	38.20

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6265MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.50722G	38.68	54.00	-15.32	9.97	3	Horizontal	54	1.50	28.71	39.21	8.97	38.21
PK	12.50094G	51.03	74.00	-22.97	9.97	3	Horizontal	54	1.50	41.06	39.20	8.97	38.20

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6425MHz Straddle 5.925-6.425GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00558G	39.40	68.20	-28.80	10.24	3	Vertical	33	2.63	29.16	39.69	9.13	38.58
PK	12.99531G	52.09	88.20	-36.11	10.27	3	Vertical	33	2.63	41.82	39.72	9.13	38.58

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6425MHz Straddle 5.925-6.425GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00418G	39.39	68.20	-28.81	10.24	3	Horizontal	326	1.50	29.15	39.69	9.13	38.58
PK	13.01589G	52.20	88.20	-36.00	10.23	3	Horizontal	326	1.50	41.97	39.67	9.14	38.58



6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6585MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.16213G	39.99	68.20	-28.21	10.50	3	Vertical	124	1.50	29.49	39.88	9.18	38.56
PK	13.18856G	52.44	88.20	-35.76	10.46	3	Vertical	124	1.50	41.98	39.82	9.19	38.55

6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6585MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.15842G	39.97	68.20	-28.23	10.50	3	Horizontal	180	2.60	29.47	39.88	9.18	38.56
PK	13.16136G	52.72	88.20	-35.48	10.50	3	Horizontal	180	2.60	42.22	39.88	9.18	38.56

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.48187G	40.48	68.20	-27.72	11.17	3	Vertical	34	1.79	29.31	40.40	9.28	38.51
PK	13.4811G	53.50	88.20	-34.70	11.17	3	Vertical	34	1.79	42.33	40.40	9.28	38.51

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.48123G	40.47	68.20	-27.73	11.17	3	Horizontal	275	3.00	29.30	40.40	9.28	38.51
PK	13.50312G	52.86	88.20	-35.34	11.19	3	Horizontal	275	3.00	41.67	40.41	9.29	38.51

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6905MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8616G	97.43	Inf	-Inf	5.90	3	Vertical	41	1.49	91.53	36.20	6.37	36.67
AV	7.2606G	53.17	54.00	-0.83	7.30	3	Vertical	41	1.49	45.87	37.30	6.56	36.56
PK	6.8602G	110.31	Inf	-Inf	5.90	3	Vertical	41	1.49	104.41	36.20	6.37	36.67
PK	7.3012G	65.97	74.00	-8.03	7.34	3	Vertical	41	1.49	58.63	37.30	6.59	36.55

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6905MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.807G	93.14	Inf	-Inf	6.04	3	Horizontal	344	2.96	87.10	36.37	6.35	36.68
AV	7.2676G	48.71	54.00	-5.29	7.31	3	Horizontal	344	2.96	41.40	37.30	6.57	36.56
PK	6.7678G	105.13	Inf	-Inf	5.97	3	Horizontal	344	2.96	99.16	36.34	6.33	36.70
PK	7.2886G	62.39	74.00	-11.61	7.33	3	Horizontal	344	2.96	55.06	37.30	6.58	36.55

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6905MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84072G	40.37	68.20	-27.83	11.30	3	Vertical	331	1.50	29.07	40.18	9.40	38.28
PK	13.82997G	53.09	88.20	-35.11	11.27	3	Vertical	331	1.50	41.82	40.16	9.40	38.29

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84194G	40.34	68.20	-27.86	11.30	3	Horizontal	47	2.56	29.04	40.18	9.40	38.28
PK	13.79624G	52.78	88.20	-35.42	11.18	3	Horizontal	47	2.56	41.60	40.11	9.38	38.31



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.199699G	-14.58	6.2296G	-61.35	-54.58	-6.77	4
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	5.981296G	-10.65	6.02865G	-56.81	-50.65	-6.16	2
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.0032G	-10.17	6.1268G	-54.57	-50.17	-4.40	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.23099G	-6.70	6.4216G	-47.63	-44.84	-2.79	1
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.35742G	2.22	5.9986G	-27.03	-20.40	-6.63	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.443173G	-12.81	6.401425G	-59.75	-52.81	-6.94	2
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.492448G	-8.92	6.41905G	-56.38	-48.92	-7.46	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.51971G	-8.32	6.4054G	-52.66	-48.32	-4.34	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.57778G	-7.03	6.742G	-48.71	-45.69	-3.02	1
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.44144G	2.18	7.2006G	-38.86	-35.76	-3.10	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.69545G	-14.84	6.726675G	-59.96	-54.84	-5.12	2
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.868704G	-9.84	6.9699G	-56.17	-49.84	-6.33	3
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.67861G	-7.74	6.8357G	-52.62	-47.74	-4.88	2
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.77941G	-11.39	6.427G	-52.34	-51.39	-0.95	4
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.60264G	3.11	6.0938G	-40.86	-36.89	-3.97	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.904398G	-14.52	6.926775G	-60.68	-54.52	-6.16	2
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.999501G	-12.35	6.9052G	-57.29	-52.35	-4.94	1
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.99771G	-8.12	6.8896G	-52.86	-48.12	-4.74	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.95301G	-4.50	6.7814G	-42.52	-38.11	-4.41	1



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.958099G	-13.79	5.994275G	-61.70	-53.79	-7.91	1
5955MHz	Pass	5.963723G	-12.43	5.987875G	-61.98	-52.43	-9.55	2
5955MHz	Pass	5.961823G	-13.04	5.987675G	-61.75	-53.04	-8.71	3
5955MHz	Pass	5.963098G	-13.50	5.98805G	-62.03	-53.50	-8.53	4
6195MHz	Pass	6.186552G	-13.80	6.244525G	-61.98	-53.80	-8.18	1
6195MHz	Pass	6.186302G	-13.58	6.23485G	-61.47	-53.58	-7.89	2
6195MHz	Pass	6.191851G	-14.05	6.228375G	-61.74	-54.05	-7.69	3
6195MHz	Pass	6.199699G	-14.58	6.2296G	-61.35	-54.58	-6.77	4
6415MHz	Pass	6.424248G	-13.64	6.45465G	-61.86	-53.64	-8.22	1
6415MHz	Pass	6.422823G	-12.96	6.446325G	-59.69	-52.74	-6.95	2
6415MHz	Pass	6.407502G	-12.45	6.44735G	-60.41	-52.45	-7.96	3
6415MHz	Pass	6.4141G	-12.67	6.3824G	-60.94	-52.67	-8.27	4
6435MHz	Pass	6.441773G	-13.54	6.402425G	-61.68	-53.54	-8.14	1
6435MHz	Pass	6.443173G	-12.81	6.401425G	-59.75	-52.81	-6.94	2
6435MHz	Pass	6.429951G	-13.23	6.386975G	-61.46	-53.23	-8.23	3
6435MHz	Pass	6.427852G	-13.82	6.4018G	-61.43	-53.82	-7.61	4
6475MHz	Pass	6.467927G	-10.33	6.425975G	-61.48	-50.33	-11.15	1
6475MHz	Pass	6.483148G	-10.48	6.439325G	-59.69	-50.48	-9.21	2
6475MHz	Pass	6.466427G	-11.66	6.443075G	-60.67	-51.65	-9.02	3
6475MHz	Pass	6.469551G	-11.68	6.438575G	-60.25	-51.68	-8.57	4
6515MHz	Pass	6.507727G	-13.28	6.481G	-62.13	-53.28	-8.85	1
6515MHz	Pass	6.518099G	-13.78	6.481825G	-62.20	-53.78	-8.42	2
6515MHz	Pass	6.524223G	-14.66	6.48345G	-61.81	-54.66	-7.15	3
6515MHz	Pass	6.508602G	-13.27	6.477925G	-61.82	-53.27	-8.55	4
6535MHz	Pass	6.527677G	-13.46	6.497825G	-62.31	-53.46	-8.85	1
6535MHz	Pass	6.528277G	-14.26	6.499575G	-62.11	-54.26	-7.85	2
6535MHz	Pass	6.544123G	-14.42	6.498125G	-62.37	-54.42	-7.95	3
6535MHz	Pass	6.527777G	-14.20	6.50145G	-61.50	-54.20	-7.30	4
6695MHz	Pass	6.704048G	-11.51	6.652925G	-61.84	-51.51	-10.33	1
6695MHz	Pass	6.69545G	-14.84	6.726675G	-59.96	-54.84	-5.12	2
6695MHz	Pass	6.687227G	-13.69	6.7281G	-61.19	-53.69	-7.50	3
6695MHz	Pass	6.700824G	-13.76	6.661275G	-61.60	-53.76	-7.84	4
6875MHz	Pass	6.878799G	-13.72	6.91465G	-61.34	-53.72	-7.62	1
6875MHz	Pass	6.880974G	-13.99	6.843525G	-59.31	-53.99	-5.32	2
6875MHz	Pass	6.866602G	-14.04	6.91075G	-59.61	-54.04	-5.57	3
6875MHz	Pass	6.878024G	-13.96	6.9189G	-59.90	-53.96	-5.94	4
6895MHz	Pass	6.891576G	-14.41	6.94255G	-61.50	-54.41	-7.09	1
6895MHz	Pass	6.904398G	-14.52	6.926775G	-60.68	-54.52	-6.16	2
6895MHz	Pass	6.885752G	-14.03	6.9375G	-60.78	-54.03	-6.75	3
6895MHz	Pass	6.887252G	-13.93	6.862175G	-60.22	-53.93	-6.29	4
6995MHz	Pass	6.986927G	-13.91	6.9582G	-60.95	-53.91	-7.04	1
6995MHz	Pass	6.999049G	-13.06	6.96105G	-60.70	-53.06	-7.64	2
6995MHz	Pass	6.992401G	-13.10	6.961075G	-60.61	-53.10	-7.51	3
6995MHz	Pass	6.990251G	-13.89	6.9595G	-60.46	-53.89	-6.57	4
7095MHz	Pass	7.093825G	-13.65	7.045725G	-64.67	-53.65	-11.02	1
7095MHz	Pass	7.086152G	-12.52	7.062675G	-61.99	-52.52	-9.47	2
7095MHz	Pass	7.103098G	-13.35	7.058G	-62.24	-53.35	-8.89	3
7095MHz	Pass	7.086902G	-12.96	7.061425G	-62.23	-52.96	-9.27	4
7115MHz	Pass	7.110201G	-16.09	7.0764G	-66.30	-56.09	-10.21	1
7115MHz	Pass	7.107202G	-15.13	7.0725G	-65.19	-55.13	-10.06	2
7115MHz	Pass	7.107602G	-15.18	7.08015G	-65.59	-55.18	-10.41	3
7115MHz	Pass	7.121723G	-15.68	7.082775G	-64.79	-55.68	-9.11	4
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.975497G	-11.70	6.0645G	-59.46	-51.70	-7.76	1



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.981296G	-10.65	6.02865G	-56.81	-50.65	-6.16	2
5965MHz	Pass	5.979096G	-9.91	6.03125G	-58.45	-49.91	-8.54	3
5965MHz	Pass	5.983045G	-11.10	6.0299G	-57.50	-50.95	-6.55	4
6205MHz	Pass	6.213748G	-9.56	6.27465G	-57.70	-49.56	-8.14	1
6205MHz	Pass	6.221096G	-9.59	6.27175G	-56.37	-49.59	-6.78	2
6205MHz	Pass	6.221196G	-10.45	6.2695G	-57.14	-50.45	-6.69	3
6205MHz	Pass	6.220196G	-10.44	6.2752G	-56.96	-50.44	-6.52	4
6405MHz	Pass	6.393353G	-9.68	6.4822G	-57.48	-49.68	-7.80	1
6405MHz	Pass	6.413998G	-9.30	6.47095G	-56.72	-49.30	-7.42	2
6405MHz	Pass	6.420546G	-8.39	6.30535G	-57.63	-48.39	-9.24	3
6405MHz	Pass	6.411998G	-10.24	6.3371G	-57.01	-50.24	-6.77	4
6445MHz	Pass	6.461046G	-7.92	6.3776G	-57.46	-47.92	-9.54	1
6445MHz	Pass	6.434853G	-7.65	6.37745G	-56.90	-47.65	-9.25	2
6445MHz	Pass	6.432453G	-8.41	6.3792G	-57.45	-48.41	-9.04	3
6445MHz	Pass	6.460596G	-8.50	6.3802G	-56.77	-48.48	-8.29	4
6485MHz	Pass	6.470054G	-7.57	6.40255G	-57.33	-47.57	-9.76	1
6485MHz	Pass	6.479951G	-7.69	6.4025G	-56.93	-47.69	-9.24	2
6485MHz	Pass	6.466655G	-8.36	6.4013G	-57.10	-48.36	-8.74	3
6485MHz	Pass	6.492448G	-8.92	6.41905G	-56.38	-48.92	-7.46	4
6525MHz	Pass	6.542396G	-8.49	6.43455G	-57.52	-48.49	-9.03	1
6525MHz	Pass	6.520651G	-8.28	6.44405G	-56.86	-48.28	-8.58	2
6525MHz	Pass	6.541196G	-8.55	6.4458G	-56.99	-48.55	-8.44	3
6525MHz	Pass	6.507604G	-8.09	6.4541G	-56.68	-48.09	-8.59	4
6565MHz	Pass	6.573148G	-8.58	6.47625G	-58.02	-48.58	-9.44	1
6565MHz	Pass	6.578147G	-8.13	6.48805G	-56.98	-48.13	-8.85	2
6565MHz	Pass	6.573348G	-8.83	6.47295G	-57.40	-48.83	-8.57	3
6565MHz	Pass	6.582196G	-8.25	6.49585G	-56.95	-48.25	-8.70	4
6685MHz	Pass	6.671903G	-9.51	6.7834G	-57.58	-49.51	-8.07	1
6685MHz	Pass	6.673803G	-9.39	6.75205G	-56.84	-49.39	-7.45	2
6685MHz	Pass	6.668004G	-9.85	6.7707G	-57.38	-49.85	-7.53	3
6685MHz	Pass	6.680651G	-9.55	6.61945G	-56.88	-49.55	-7.33	4
6885MHz	Pass	6.872003G	-9.94	6.97135G	-56.94	-49.94	-7.00	1
6885MHz	Pass	6.902046G	-9.85	6.8216G	-56.11	-49.69	-6.42	2
6885MHz	Pass	6.868704G	-9.84	6.9699G	-56.17	-49.84	-6.33	3
6885MHz	Pass	6.870304G	-9.05	6.8086G	-56.18	-49.05	-7.13	4
6925MHz	Pass	6.914753G	-10.05	6.99735G	-56.71	-50.05	-6.66	1
6925MHz	Pass	6.909504G	-10.00	6.9888G	-56.23	-49.88	-6.35	2
6925MHz	Pass	6.936147G	-9.64	6.9887G	-55.83	-49.19	-6.64	3
6925MHz	Pass	6.908804G	-9.90	6.99255G	-56.24	-49.90	-6.34	4
7005MHz	Pass	6.999501G	-12.35	6.9052G	-57.29	-52.35	-4.94	1
7005MHz	Pass	6.996052G	-10.65	6.93665G	-57.17	-50.65	-6.52	2
7005MHz	Pass	6.989454G	-11.36	6.9352G	-56.54	-51.36	-5.18	3
7005MHz	Pass	6.992253G	-11.64	6.9409G	-56.91	-51.64	-5.27	4
7085MHz	Pass	7.102146G	-13.18	6.9864G	-61.99	-53.18	-8.81	1
7085MHz	Pass	7.093948G	-12.20	7.0196G	-59.80	-52.20	-7.60	2
7085MHz	Pass	7.069104G	-12.55	6.9889G	-61.79	-52.55	-9.24	3
7085MHz	Pass	7.069604G	-12.18	7.0224G	-59.94	-52.18	-7.76	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01989G	-10.18	6.0958G	-50.46	-45.82	-4.64	1
5985MHz	Pass	6.01959G	-9.15	6.1422G	-54.76	-49.15	-5.61	2
5985MHz	Pass	6.01799G	-8.79	6.1223G	-54.42	-48.79	-5.63	3
5985MHz	Pass	6.0032G	-10.17	6.1268G	-54.57	-50.17	-4.40	4
6225MHz	Pass	6.19801G	-7.14	6.3916G	-54.49	-47.14	-7.35	1
6225MHz	Pass	6.2432G	-7.71	6.3728G	-53.86	-47.71	-6.15	2
6225MHz	Pass	6.19381G	-8.04	6.4097G	-53.79	-48.04	-5.75	3
6225MHz	Pass	6.2056G	-8.50	6.4033G	-53.68	-48.50	-5.18	4



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6385MHz	Pass	6.3679G	-7.54	6.2165G	-53.77	-47.54	-6.23	1
6385MHz	Pass	6.35401G	-7.60	6.2263G	-53.31	-47.60	-5.71	2
6385MHz	Pass	6.35361G	-7.01	6.2533G	-53.37	-47.01	-6.36	3
6385MHz	Pass	6.3854G	-7.46	6.227G	-53.18	-47.46	-5.72	4
6465MHz	Pass	6.4575G	-5.35	6.2801G	-53.85	-45.35	-8.50	1
6465MHz	Pass	6.4773G	-5.47	6.5964G	-53.43	-45.47	-7.96	2
6465MHz	Pass	6.42871G	-6.36	6.2874G	-53.24	-46.36	-6.88	3
6465MHz	Pass	6.4653G	-6.85	6.3316G	-53.13	-46.85	-6.28	4
6545MHz	Pass	6.51141G	-7.22	6.4213G	-53.58	-47.11	-6.47	1
6545MHz	Pass	6.50711G	-7.52	6.4091G	-53.08	-47.52	-5.56	2
6545MHz	Pass	6.57319G	-7.98	6.41G	-53.35	-47.98	-5.37	3
6545MHz	Pass	6.51971G	-8.32	6.4054G	-52.66	-48.32	-4.34	4
6625MHz	Pass	6.65009G	-5.94	6.7922G	-53.48	-45.94	-7.54	1
6625MHz	Pass	6.6275G	-5.97	6.7745G	-52.96	-45.97	-6.99	2
6625MHz	Pass	6.66229G	-6.19	6.7763G	-53.06	-46.19	-6.87	3
6625MHz	Pass	6.59661G	-6.58	6.4754G	-53.10	-46.58	-6.52	4
6705MHz	Pass	6.7207G	-7.26	6.8801G	-53.89	-47.26	-6.63	1
6705MHz	Pass	6.67861G	-7.74	6.8357G	-52.62	-47.74	-4.88	2
6705MHz	Pass	6.6852G	-7.63	6.8355G	-52.81	-47.63	-5.18	3
6705MHz	Pass	6.72909G	-7.38	6.8356G	-53.06	-47.38	-5.68	4
6785MHz	Pass	6.81739G	-7.35	6.977G	-53.14	-47.35	-5.79	1
6785MHz	Pass	6.7899G	-6.77	6.9134G	-52.90	-46.77	-6.13	2
6785MHz	Pass	6.7998G	-6.96	6.9364G	-52.76	-46.96	-5.80	3
6785MHz	Pass	6.76331G	-7.09	6.9525G	-52.85	-47.09	-5.76	4
6865MHz	Pass	6.83201G	-6.49	6.9918G	-53.31	-46.49	-6.82	1
6865MHz	Pass	6.83791G	-6.17	6.9997G	-52.97	-46.17	-6.80	2
6865MHz	Pass	6.82751G	-6.24	6.9935G	-52.28	-46.09	-6.19	3
6865MHz	Pass	6.8693G	-7.10	6.9954G	-52.56	-47.10	-5.46	4
6945MHz	Pass	6.97719G	-8.31	6.8017G	-53.97	-48.31	-5.66	1
6945MHz	Pass	6.96989G	-7.65	6.8032G	-52.77	-47.65	-5.12	2
6945MHz	Pass	6.932G	-7.60	6.8122G	-52.73	-47.60	-5.13	3
6945MHz	Pass	6.97209G	-7.42	6.8057G	-53.03	-47.42	-5.61	4
7025MHz	Pass	6.99891G	-8.10	6.8991G	-53.81	-48.10	-5.71	1
7025MHz	Pass	6.99671G	-6.39	6.8332G	-53.73	-46.39	-7.34	2
7025MHz	Pass	6.99211G	-7.29	6.885G	-52.79	-47.29	-5.50	3
7025MHz	Pass	6.99771G	-8.12	6.8896G	-52.86	-48.12	-4.74	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0206G	-6.94	6.2828G	-51.93	-46.94	-4.99	1
6025MHz	Pass	5.98781G	-8.65	6.4104G	-51.63	-48.65	-2.98	2
6025MHz	Pass	6.0216G	-8.46	6.2826G	-51.96	-48.46	-3.50	3
6025MHz	Pass	6.06739G	-8.23	6.2938G	-51.75	-48.23	-3.52	4
6185MHz	Pass	6.23099G	-6.70	6.4216G	-47.63	-44.84	-2.79	1
6185MHz	Pass	6.24219G	-7.58	6.4418G	-51.81	-47.58	-4.23	2
6185MHz	Pass	6.176G	-7.50	6.434G	-52.14	-47.50	-4.64	3
6185MHz	Pass	6.21819G	-7.75	6.4342G	-51.77	-47.75	-4.02	4
6345MHz	Pass	6.3492G	-7.74	6.5788G	-49.69	-45.48	-4.21	1
6345MHz	Pass	6.41978G	-8.06	6.6088G	-51.94	-48.06	-3.88	2
6345MHz	Pass	6.3544G	-8.37	6.622G	-52.60	-48.37	-4.23	3
6345MHz	Pass	6.28881G	-8.43	6.5938G	-52.05	-48.43	-3.62	4
6505MHz	Pass	6.57778G	-7.03	6.742G	-48.71	-45.69	-3.02	1
6505MHz	Pass	6.45661G	-6.66	6.8062G	-51.46	-46.66	-4.80	2
6505MHz	Pass	6.46261G	-7.01	6.7968G	-51.56	-47.01	-4.55	3
6505MHz	Pass	6.46941G	-6.38	6.7986G	-51.34	-46.38	-4.96	4
6665MHz	Pass	6.659G	-2.71	6.9348G	-50.58	-42.71	-7.87	1
6665MHz	Pass	6.6726G	-3.04	6.9796G	-50.39	-43.04	-7.35	2
6665MHz	Pass	6.59062G	-3.77	6.941G	-50.61	-43.77	-6.84	3





Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6665MHz	Pass	6.60821G	-2.92	6.4146G	-50.35	-42.92	-7.43	4
6825MHz	Pass	6.79621G	-10.12	6.5612G	-52.26	-50.12	-2.14	1
6825MHz	Pass	6.78961G	-10.99	6.434G	-52.39	-50.99	-1.40	2
6825MHz	Pass	6.85439G	-11.09	6.4348G	-52.63	-51.09	-1.54	3
6825MHz	Pass	6.77941G	-11.39	6.427G	-52.34	-51.39	-0.95	4
6985MHz	Pass	6.95301G	-4.50	6.7814G	-42.52	-38.11	-4.41	1
6985MHz	Pass	6.96181G	-3.69	6.7212G	-49.67	-43.69	-5.98	2
6985MHz	Pass	6.94901G	-3.58	6.7322G	-49.85	-43.58	-6.27	3
6985MHz	Pass	6.991G	-5.11	6.719G	-50.23	-45.11	-5.12	4
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	5.95144G	3.92	6.479G	-31.39	-20.19	-11.20	1
6105MHz	Pass	6.24816G	2.91	6.2754G	-24.08	-17.09	-6.99	2
6105MHz	Pass	6.1094G	1.81	6.2774G	-27.53	-18.29	-9.24	3
6105MHz	Pass	6.22537G	1.34	6.623G	-46.87	-38.66	-8.21	4
6265MHz	Pass	6.2462G	2.21	5.889G	-33.14	-22.14	-11.00	1
6265MHz	Pass	6.31179G	5.06	6.7906G	-48.49	-34.94	-13.55	2
6265MHz	Pass	6.31019G	3.69	6.7994G	-48.43	-36.31	-12.12	3
6265MHz	Pass	6.32219G	3.33	6.8014G	-48.61	-36.67	-11.94	4
6425MHz	Pass	6.35742G	2.22	5.9986G	-27.03	-20.40	-6.63	1
6425MHz	Pass	6.45539G	3.80	6.955G	-48.86	-36.20	-12.66	2
6425MHz	Pass	6.56976G	2.41	6.5942G	-26.69	-17.64	-9.05	3
6425MHz	Pass	6.4398G	2.90	6.2574G	-26.70	-17.09	-9.61	4
6585MHz	Pass	6.44144G	2.18	7.2006G	-38.86	-35.76	-3.10	1
6585MHz	Pass	6.62699G	4.03	6.753G	-28.70	-16.00	-12.70	2
6585MHz	Pass	6.5826G	2.56	6.7534G	-26.54	-17.47	-9.07	3
6585MHz	Pass	6.69697G	2.54	6.0818G	-47.96	-37.46	-10.50	4
6745MHz	Pass	6.60264G	3.11	6.0938G	-40.86	-36.89	-3.97	1
6745MHz	Pass	6.60424G	4.10	6.2246G	-48.91	-35.90	-13.01	2
6745MHz	Pass	6.749G	4.87	6.1966G	-48.54	-35.13	-13.41	3
6745MHz	Pass	6.79179G	2.93	6.1842G	-47.86	-37.07	-10.79	4
6905MHz	Pass	6.85061G	5.57	6.1114G	-49.37	-26.39	-22.98	1
6905MHz	Pass	6.77143G	7.64	6.4202G	-41.73	-31.34	-10.39	2
6905MHz	Pass	6.79183G	4.28	6.401G	-45.20	-35.72	-9.48	3
6905MHz	Pass	6.76863G	5.93	6.4214G	-43.32	-32.69	-10.63	4

