


5.725-5.85GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5556G	37.35	54.00	-16.65	15.66	3	Horizontal	0	2.44	21.69	38.67	11.46	34.47
PK	11.56496G	50.31	74.00	-23.69	15.59	3	Horizontal	0	2.44	34.72	38.61	11.46	34.48

5.725-5.85GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	114.12	Inf	-Inf	6.04	3	Vertical	12	1.61	108.08	33.90	6.92	34.78
PK	5.6354G	59.58	68.20	-8.62	4.98	3	Vertical	12	1.61	54.60	32.94	6.79	34.75
PK	5.819G	126.40	Inf	-Inf	6.04	3	Vertical	12	1.61	120.36	33.90	6.92	34.78
PK	6.0446G	60.12	68.20	-8.08	6.18	3	Vertical	12	1.61	53.94	33.90	7.09	34.81

5.725-5.85GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65156G	38.29	54.00	-15.71	15.28	3	Vertical	74	1.94	23.01	38.31	11.49	34.52
PK	11.6521G	51.17	74.00	-22.83	15.28	3	Vertical	74	1.94	35.89	38.31	11.49	34.52

5.725-5.85GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64964G	37.34	54.00	-16.66	15.27	3	Horizontal	326	1.96	22.07	38.30	11.49	34.52
PK	11.64034G	50.49	74.00	-23.51	15.30	3	Horizontal	326	1.96	35.19	38.32	11.49	34.51

5.15-5.25GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	53.85	54.00	-0.15	4.74	3	Vertical	334	1.92	49.11	33.09	6.41	34.76
AV	5.2076G	106.25	Inf	-Inf	4.59	3	Vertical	334	1.92	101.66	32.88	6.46	34.75
PK	5.148G	67.62	74.00	-6.38	4.74	3	Vertical	334	1.92	62.88	33.09	6.41	34.76
PK	5.2076G	118.50	Inf	-Inf	4.59	3	Vertical	334	1.92	113.91	32.88	6.46	34.75

5.15-5.25GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35312G	49.14	68.20	-19.06	14.65	3	Vertical	254	1.50	34.49	38.60	11.01	34.96

5.15-5.25GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39176G	50.55	68.20	-17.65	14.68	3	Horizontal	60	1.50	35.87	38.60	11.02	34.94

5.15-5.25GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.37	54.00	-1.63	4.75	3	Vertical	339	1.15	47.62	33.10	6.41	34.76
AV	5.232G	110.13	Inf	-Inf	4.56	3	Vertical	339	1.15	105.57	32.84	6.47	34.75
PK	5.1496G	68.15	74.00	-5.85	4.75	3	Vertical	339	1.15	63.40	33.10	6.41	34.76
PK	5.2332G	122.19	Inf	-Inf	4.55	3	Vertical	339	1.15	117.64	32.83	6.47	34.75

5.15-5.25GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.44452G	48.94	68.20	-19.26	14.74	3	Vertical	174	1.50	34.20	38.60	11.04	34.90

5.15-5.25GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4504G	48.70	68.20	-19.50	14.76	3	Horizontal	336	1.50	33.94	38.60	11.05	34.89

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2788G	110.52	Inf	-Inf	4.51	3	Vertical	19	1.50	106.01	32.74	6.51	34.74
AV	5.35G	53.58	54.00	-0.42	4.52	3	Vertical	19	1.50	49.06	32.70	6.55	34.73
PK	5.2584G	123.45	Inf	-Inf	4.53	3	Vertical	19	1.50	118.92	32.78	6.49	34.74
PK	5.3572G	69.44	74.00	-4.56	4.52	3	Vertical	19	1.50	64.92	32.69	6.56	34.73

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.56652G	48.54	68.20	-19.66	14.92	3	Vertical	345	2.23	33.62	38.63	11.09	34.80

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5496G	48.90	68.20	-19.30	14.76	3	Horizontal	321	1.50	34.14	38.50	11.08	34.82

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3192G	107.03	Inf	-Inf	4.49	3	Vertical	18	1.50	102.54	32.70	6.53	34.74
AV	5.3508G	52.97	54.00	-1.03	4.53	3	Vertical	18	1.50	48.44	32.70	6.56	34.73
PK	5.2984G	119.59	Inf	-Inf	4.48	3	Vertical	18	1.50	115.11	32.70	6.52	34.74
PK	5.3532G	67.10	74.00	-6.90	4.52	3	Vertical	18	1.50	62.58	32.69	6.56	34.73

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6416G	37.00	54.00	-17.00	15.37	3	Vertical	175	2.19	21.63	38.98	11.12	34.73
PK	10.63668G	49.62	74.00	-24.38	15.35	3	Vertical	175	2.19	34.27	38.97	11.12	34.74

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63752G	37.02	54.00	-16.98	15.36	3	Horizontal	176	1.50	21.66	38.98	11.12	34.74
PK	10.6428G	49.97	74.00	-24.03	15.38	3	Horizontal	176	1.50	34.59	38.99	11.12	34.73



5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	49.66	54.00	-4.34	4.54	3	Vertical	126	1.58	45.12	32.62	6.64	34.72
AV	5.5172G	106.68	Inf	-Inf	4.68	3	Vertical	126	1.58	102.00	32.70	6.70	34.72
PK	5.4576G	64.45	74.00	-9.55	4.54	3	Vertical	126	1.58	59.91	32.62	6.64	34.72
PK	5.468G	65.29	68.20	-2.91	4.57	3	Vertical	126	1.58	60.72	32.64	6.65	34.72
PK	5.5168G	119.47	Inf	-Inf	4.68	3	Vertical	126	1.58	114.79	32.70	6.70	34.72

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99468G	36.88	54.00	-17.12	15.46	3	Vertical	351	1.50	21.42	38.62	11.25	34.41
PK	10.99516G	50.58	74.00	-23.42	15.46	3	Vertical	351	1.50	35.12	38.62	11.25	34.41

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99312G	36.89	54.00	-17.11	15.46	3	Horizontal	200	1.50	21.43	38.63	11.25	34.42
PK	11.03548G	51.21	74.00	-22.79	15.38	3	Horizontal	200	1.50	35.83	38.53	11.26	34.41

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	48.37	54.00	-5.63	4.53	3	Vertical	334	1.84	43.84	32.61	6.64	34.72
AV	5.5624G	109.95	Inf	-Inf	4.73	3	Vertical	334	1.84	105.22	32.72	6.74	34.73
PK	5.4564G	62.26	74.00	-11.74	4.53	3	Vertical	334	1.84	57.73	32.61	6.64	34.72
PK	5.4688G	62.96	68.20	-5.24	4.57	3	Vertical	334	1.84	58.39	32.64	6.65	34.72
PK	5.5616G	122.37	Inf	-Inf	4.73	3	Vertical	334	1.84	117.64	32.72	6.74	34.73

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.11632G	36.71	54.00	-17.29	15.50	3	Vertical	125	3.00	21.21	38.63	11.29	34.42
PK	11.07432G	49.80	74.00	-24.20	15.41	3	Vertical	125	3.00	34.39	38.55	11.28	34.42

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0988G	36.78	54.00	-17.22	15.47	3	Horizontal	305	1.50	21.31	38.60	11.29	34.42
PK	11.07492G	49.91	74.00	-24.09	15.41	3	Horizontal	305	1.50	34.50	38.55	11.28	34.42

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6784G	107.70	Inf	-Inf	5.29	3	Vertical	14	1.64	102.41	33.23	6.82	34.76
PK	5.6784G	120.91	Inf	-Inf	5.29	3	Vertical	14	1.64	115.62	33.23	6.82	34.76
PK	5.7282G	65.24	68.20	-2.96	5.59	3	Vertical	14	1.64	59.65	33.51	6.85	34.77

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3646G	37.41	54.00	-16.59	15.84	3	Vertical	34	1.50	21.57	38.90	11.38	34.44
PK	11.31024G	50.10	74.00	-23.90	15.83	3	Vertical	34	1.50	34.27	38.90	11.36	34.43

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34924G	37.38	54.00	-16.62	15.84	3	Horizontal	286	1.50	21.54	38.90	11.38	34.44
PK	11.31636G	50.62	74.00	-23.38	15.83	3	Horizontal	286	1.50	34.79	38.90	11.37	34.44

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4256G	50.55	54.00	-3.45	4.48	3	Vertical	357	1.46	46.07	32.60	6.61	34.73
AV	5.7136G	111.37	Inf	-Inf	5.53	3	Vertical	357	1.46	105.84	33.45	6.84	34.76
PK	5.4232G	64.83	74.00	-9.17	4.48	3	Vertical	357	1.46	60.35	32.60	6.61	34.73
PK	5.4664G	57.95	68.20	-10.25	4.56	3	Vertical	357	1.46	53.39	32.63	6.65	34.72
PK	5.692G	124.20	Inf	-Inf	5.41	3	Vertical	357	1.46	118.79	33.34	6.83	34.76
PK	5.8924G	61.52	68.20	-6.68	6.25	3	Vertical	357	1.46	55.27	34.07	6.98	34.80

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4044G	37.31	54.00	-16.69	15.85	3	Vertical	146	1.50	21.46	38.89	11.40	34.44
PK	11.42912G	49.73	74.00	-24.27	15.81	3	Vertical	146	1.50	33.92	38.84	11.41	34.44

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41112G	37.25	54.00	-16.75	15.84	3	Horizontal	122	1.50	21.41	38.88	11.40	34.44
PK	11.40608G	50.76	74.00	-23.24	15.85	3	Horizontal	122	1.50	34.91	38.89	11.40	34.44

5.725-5.85GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4574G	50.54	54.00	-3.46	4.53	3	Vertical	356	1.76	46.01	32.61	6.64	34.72
AV	5.743G	111.38	Inf	-Inf	5.66	3	Vertical	356	1.76	105.72	33.57	6.86	34.77
PK	5.4778G	66.11	68.20	-2.09	4.60	3	Vertical	356	1.76	61.51	32.66	6.66	34.72
PK	5.743G	125.55	Inf	-Inf	5.66	3	Vertical	356	1.76	119.89	33.57	6.86	34.77
PK	5.9386G	60.86	68.20	-7.34	6.23	3	Vertical	356	1.76	54.63	34.02	7.02	34.81

5.725-5.85GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5094G	37.57	54.00	-16.43	15.85	3	Vertical	0	3.00	21.72	38.86	11.44	34.45
PK	11.50688G	50.89	74.00	-23.11	15.86	3	Vertical	0	3.00	35.03	38.87	11.44	34.45

5.725-5.85GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52896G	37.56	54.00	-16.44	15.77	3	Horizontal	290	1.50	21.79	38.78	11.45	34.46
PK	11.5172G	50.81	74.00	-23.19	15.81	3	Horizontal	290	1.50	35.00	38.83	11.44	34.46

5.725-5.85GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	111.20	Inf	-Inf	5.94	3	Vertical	10	1.49	105.26	33.83	6.89	34.78
PK	5.5082G	65.26	68.20	-2.94	4.67	3	Vertical	10	1.49	60.59	32.70	6.69	34.72
PK	5.789G	124.38	Inf	-Inf	5.94	3	Vertical	10	1.49	118.44	33.83	6.89	34.78
PK	5.933G	60.80	68.20	-7.40	6.23	3	Vertical	10	1.49	54.57	34.03	7.01	34.81



5.725-5.85GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59024G	37.37	54.00	-16.63	15.44	3	Vertical	222	1.50	21.93	38.46	11.47	34.49
PK	11.57032G	50.60	74.00	-23.40	15.56	3	Vertical	222	1.50	35.04	38.58	11.46	34.48

5.725-5.85GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56036G	37.22	54.00	-16.78	15.62	3	Horizontal	118	1.50	21.60	38.64	11.46	34.48
PK	11.56456G	50.81	74.00	-23.19	15.59	3	Horizontal	118	1.50	35.22	38.61	11.46	34.48

5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14G	52.23	54.00	-1.77	4.69	3	Vertical	33	1.16	47.54	33.04	6.41	34.76
AV	5.24G	103.70	Inf	-Inf	4.55	3	Vertical	33	1.16	99.15	32.82	6.48	34.75
AV	5.392G	45.46	54.00	-8.54	4.47	3	Vertical	33	1.16	40.99	32.62	6.58	34.73
PK	5.14G	63.49	74.00	-10.51	4.69	3	Vertical	33	1.16	58.80	33.04	6.41	34.76
PK	5.24G	114.58	Inf	-Inf	4.55	3	Vertical	33	1.16	110.03	32.82	6.48	34.75
PK	5.372G	58.91	74.00	-15.09	4.50	3	Vertical	33	1.16	54.41	32.66	6.57	34.73

5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37344G	51.33	68.20	-16.87	14.67	3	Vertical	156	1.50	36.66	38.60	11.02	34.95

5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38424G	50.99	68.20	-17.21	14.68	3	Horizontal	67	1.50	36.31	38.60	11.02	34.94

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14G	44.97	54.00	-9.03	4.69	3	Vertical	338	1.50	40.28	33.04	6.41	34.76
AV	5.299G	104.03	Inf	-Inf	4.48	3	Vertical	338	1.50	99.55	32.70	6.52	34.74
AV	5.359G	53.22	54.00	-0.78	4.51	3	Vertical	338	1.50	48.71	32.68	6.56	34.73
PK	5.135G	56.27	74.00	-17.73	4.65	3	Vertical	338	1.50	51.62	33.01	6.40	34.76
PK	5.26G	116.08	Inf	-Inf	4.53	3	Vertical	338	1.50	111.55	32.78	6.49	34.74
PK	5.359G	67.10	74.00	-6.90	4.51	3	Vertical	338	1.50	62.59	32.68	6.56	34.73
PK	5.532G	57.21	68.20	-10.99	4.68	3	Vertical	338	1.50	52.53	32.70	6.71	34.73

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6388G	38.29	54.00	-15.71	15.36	3	Vertical	360	1.50	22.93	38.98	11.12	34.74
PK	10.62104G	50.87	74.00	-23.13	15.30	3	Vertical	360	1.50	35.57	38.94	11.11	34.75

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63616G	38.28	54.00	-15.72	15.35	3	Horizontal	45	1.50	22.93	38.97	11.12	34.74
PK	10.54784G	50.88	68.20	-17.32	14.76	3	Horizontal	45	1.50	36.12	38.50	11.08	34.82

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.19	54.00	-7.81	4.52	3	Vertical	149	1.74	41.67	32.70	6.55	34.73
AV	5.456G	53.04	54.00	-0.96	4.53	3	Vertical	149	1.74	48.51	32.61	6.64	34.72
AV	5.517G	104.15	Inf	-Inf	4.68	3	Vertical	149	1.74	99.47	32.70	6.70	34.72
PK	5.343G	58.29	68.20	-9.91	4.51	3	Vertical	149	1.74	53.78	32.70	6.55	34.74
PK	5.456G	63.79	74.00	-10.21	4.53	3	Vertical	149	1.74	59.26	32.61	6.64	34.72
PK	5.464G	62.45	68.20	-5.75	4.56	3	Vertical	149	1.74	57.89	32.63	6.65	34.72
PK	5.516G	114.40	Inf	-Inf	4.67	3	Vertical	149	1.74	109.73	32.70	6.69	34.72
PK	5.755G	58.62	68.20	-9.58	5.73	3	Vertical	149	1.74	52.89	33.63	6.87	34.77

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.11592G	38.36	54.00	-15.64	15.50	3	Vertical	0	1.50	22.86	38.63	11.29	34.42
PK	11.1104G	51.21	74.00	-22.79	15.49	3	Vertical	0	1.50	35.72	38.62	11.29	34.42

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.114G	38.39	54.00	-15.61	15.50	3	Horizontal	268	1.50	22.89	38.63	11.29	34.42
PK	11.04632G	51.08	74.00	-22.92	15.37	3	Horizontal	268	1.50	35.71	38.51	11.27	34.41

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	51.35	54.00	-2.65	4.53	3	Vertical	148	1.79	46.82	32.61	6.64	34.72
AV	5.596G	107.63	Inf	-Inf	4.82	3	Vertical	148	1.79	102.81	32.79	6.77	34.74
PK	5.456G	64.45	74.00	-9.55	4.53	3	Vertical	148	1.79	59.92	32.61	6.64	34.72
PK	5.462G	62.03	68.20	-6.17	4.55	3	Vertical	148	1.79	57.48	32.62	6.65	34.72
PK	5.637G	118.49	Inf	-Inf	4.99	3	Vertical	148	1.79	113.50	32.95	6.79	34.75
PK	5.737G	67.45	68.20	-0.75	5.64	3	Vertical	148	1.79	61.81	33.55	6.86	34.77

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.202G	38.42	54.00	-15.58	15.59	3	Vertical	277	1.50	22.83	38.70	11.32	34.43
PK	11.17944G	51.54	74.00	-22.46	15.60	3	Vertical	277	1.50	35.94	38.70	11.32	34.42

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16624G	38.37	54.00	-15.63	15.59	3	Horizontal	71	1.50	22.78	38.70	11.31	34.42
PK	11.23008G	51.28	74.00	-22.72	15.67	3	Horizontal	71	1.50	35.61	38.76	11.34	34.43

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4308G	47.59	54.00	-6.41	4.49	3	Vertical	337	1.50	43.10	32.60	6.62	34.73
AV	5.6636G	106.98	Inf	-Inf	5.17	3	Vertical	337	1.50	101.81	33.11	6.81	34.75
PK	5.4308G	59.73	74.00	-14.27	4.49	3	Vertical	337	1.50	55.24	32.60	6.62	34.73
PK	5.4608G	59.08	68.20	-9.12	4.54	3	Vertical	337	1.50	54.54	32.62	6.64	34.72
PK	5.684G	118.10	Inf	-Inf	5.33	3	Vertical	337	1.50	112.77	33.27	6.82	34.76
PK	5.8532G	64.23	68.20	-3.97	6.07	3	Vertical	337	1.50	58.16	33.91	6.95	34.79

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39536G	38.55	54.00	-15.45	15.86	3	Vertical	110	2.83	22.69	38.90	11.40	34.44
PK	11.37352G	51.39	74.00	-22.61	15.85	3	Vertical	110	2.83	35.54	38.90	11.39	34.44



5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4316G	38.65	54.00	-15.35	15.81	3	Horizontal	4	1.50	22.84	38.84	11.41	34.44
PK	11.3608G	51.73	74.00	-22.27	15.84	3	Horizontal	4	1.50	35.89	38.90	11.38	34.44

5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.769G	107.52	Inf	-Inf	5.82	3	Vertical	6	1.50	101.70	33.71	6.88	34.77
PK	5.649G	66.06	68.20	-2.14	5.05	3	Vertical	6	1.50	61.01	33.00	6.80	34.75
PK	5.7702G	120.04	Inf	-Inf	5.83	3	Vertical	6	1.50	114.21	33.72	6.88	34.77
PK	5.9274G	59.27	68.20	-8.93	6.25	3	Vertical	6	1.50	53.02	34.05	7.01	34.81

5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50824G	38.57	54.00	-15.43	15.86	3	Vertical	162	1.50	22.71	38.87	11.44	34.45
PK	11.50656G	51.32	74.00	-22.68	15.86	3	Vertical	162	1.50	35.46	38.87	11.44	34.45

5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50512G	38.54	54.00	-15.46	15.87	3	Horizontal	77	1.00	22.67	38.88	11.44	34.45
PK	11.57856G	51.58	74.00	-22.42	15.51	3	Horizontal	77	1.00	36.07	38.53	11.46	34.48

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1408G	51.06	54.00	-2.94	4.69	3	Vertical	32	1.15	46.37	33.04	6.41	34.76
AV	5.2392G	100.61	Inf	-Inf	4.55	3	Vertical	32	1.15	96.06	32.82	6.48	34.75
AV	5.3592G	53.84	54.00	-0.16	4.51	3	Vertical	32	1.15	49.33	32.68	6.56	34.73
PK	5.1396G	64.29	74.00	-9.71	4.68	3	Vertical	32	1.15	59.61	33.04	6.40	34.76
PK	5.2584G	112.26	Inf	-Inf	4.53	3	Vertical	32	1.15	107.73	32.78	6.49	34.74
PK	5.3508G	64.90	74.00	-9.10	4.53	3	Vertical	32	1.15	60.37	32.70	6.56	34.73
PK	5.514G	57.64	68.20	-10.56	4.67	3	Vertical	32	1.15	52.97	32.70	6.69	34.72

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6152G	38.14	54.00	-15.86	15.28	3	Vertical	8	2.21	22.86	38.93	11.11	34.76
PK	10.6128G	50.83	74.00	-23.17	15.28	3	Vertical	8	2.21	35.55	38.93	11.11	34.76

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61472G	38.16	54.00	-15.84	15.28	3	Horizontal	260	1.50	22.88	38.93	11.11	34.76
PK	10.61184G	50.95	74.00	-23.05	15.27	3	Horizontal	260	1.50	35.68	38.92	11.11	34.76

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4488G	53.38	54.00	-0.62	4.50	3	Vertical	212	1.72	48.88	32.60	6.63	34.73
AV	5.5088G	99.86	Inf	-Inf	4.67	3	Vertical	212	1.72	95.19	32.70	6.69	34.72
PK	5.3096G	57.73	68.20	-10.47	4.49	3	Vertical	212	1.72	53.24	32.70	6.53	34.74
PK	5.4488G	65.52	74.00	-8.48	4.50	3	Vertical	212	1.72	61.02	32.60	6.63	34.73
PK	5.468G	65.85	68.20	-2.35	4.57	3	Vertical	212	1.72	61.28	32.64	6.65	34.72
PK	5.5916G	112.06	Inf	-Inf	4.80	3	Vertical	212	1.72	107.26	32.78	6.76	34.74
PK	5.756G	63.31	68.20	-4.89	5.74	3	Vertical	212	1.72	57.57	33.64	6.87	34.77

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.17072G	38.32	54.00	-15.68	15.59	3	Vertical	234	2.40	22.73	38.70	11.31	34.42
PK	11.2312G	51.38	74.00	-22.62	15.67	3	Vertical	234	2.40	35.71	38.76	11.34	34.43

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14528G	38.31	54.00	-15.69	15.57	3	Horizontal	91	1.50	22.74	38.69	11.30	34.42
PK	11.22256G	51.15	74.00	-22.85	15.65	3	Horizontal	91	1.50	35.50	38.75	11.33	34.43



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	5.11722G	67.41	74.00	-6.59	Horizontal
Mode 2	Pass	AV	4.91877G	42.08	54.00	-11.92	Horizontal



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	2.35024G	24.88	54.00	-29.12	3	Vertical	218	1.45
Mode 1	Pass	AV	4.91393G	33.92	54.00	-20.08	3	Vertical	11	2.46
Mode 1	Pass	AV	5.09623G	31.72	54.00	-22.28	3	Vertical	121	1.17
Mode 1	Pass	PK	2.34736G	39.05	74.00	-34.95	3	Vertical	218	1.45
Mode 1	Pass	PK	4.91401G	52.48	74.00	-21.52	3	Vertical	11	2.46
Mode 1	Pass	PK	5.10952G	47.36	74.00	-26.64	3	Vertical	121	1.17
Mode 1	Pass	AV	2.34923G	25.27	54.00	-28.73	3	Horizontal	341	1.24
Mode 1	Pass	AV	4.91402G	35.66	54.00	-18.34	3	Horizontal	93	1.00
Mode 1	Pass	AV	5.1293G	31.98	54.00	-22.02	3	Horizontal	259	1.74
Mode 1	Pass	PK	2.34468G	42.12	74.00	-31.88	3	Horizontal	341	1.24
Mode 1	Pass	PK	4.91395G	60.89	74.00	-13.11	3	Horizontal	93	1.00
Mode 1	Pass	PK	5.11722G	67.41	74.00	-6.59	3	Horizontal	259	1.74
Mode 2	Pass	AV	2.46062G	28.29	68.20	-39.91	3	Vertical	189	1.50
Mode 2	Pass	AV	4.91404G	34.55	54.00	-19.45	3	Vertical	0	2.47
Mode 2	Pass	AV	5.21878G	32.30	68.20	-35.90	3	Vertical	123	1.50
Mode 2	Pass	PK	2.46034G	44.83	88.20	-43.37	3	Vertical	189	1.50
Mode 2	Pass	PK	4.9139G	52.79	74.00	-21.21	3	Vertical	0	2.47
Mode 2	Pass	PK	5.2176G	53.38	88.20	-34.82	3	Vertical	123	1.50
Mode 2	Pass	AV	2.3463G	38.74	54.00	-15.26	3	Horizontal	72	2.15
Mode 2	Pass	AV	4.91877G	42.08	54.00	-11.92	3	Horizontal	92	1.00
Mode 2	Pass	AV	5.21412G	47.64	68.20	-20.56	3	Horizontal	273	2.11
Mode 2	Pass	PK	2.34478G	57.02	74.00	-16.98	3	Horizontal	72	2.15
Mode 2	Pass	PK	4.91398G	61.68	74.00	-12.32	3	Horizontal	92	1.00
Mode 2	Pass	PK	5.21568G	65.62	88.20	-22.58	3	Horizontal	273	2.11

Radiated Emissions above 1GHz\_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.35024G	24.88	54.00	-29.12	-3.62	3	Vertical	218	1.45	28.50	27.10	4.22	34.94
AV	4.91393G	33.92	54.00	-20.08	4.12	3	Vertical	11	2.46	29.80	32.68	6.24	34.80
AV	5.09623G	31.72	54.00	-22.28	4.42	3	Vertical	121	1.17	27.30	32.81	6.37	34.76
PK	2.34736G	39.05	74.00	-34.95	-3.64	3	Vertical	218	1.45	42.69	27.07	4.22	34.93
PK	4.91401G	52.48	74.00	-21.52	4.12	3	Vertical	11	2.46	48.36	32.68	6.24	34.80
PK	5.10952G	47.36	74.00	-26.64	4.48	3	Vertical	121	1.17	42.88	32.86	6.38	34.76


Radiated Emissions above 1GHz\_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.34923G	25.27	54.00	-28.73	-3.62	3	Horizontal	341	1.24	28.89	27.09	4.22	34.93
AV	4.91402G	35.66	54.00	-18.34	4.12	3	Horizontal	93	1.00	31.54	32.68	6.24	34.80
AV	5.1293G	31.98	54.00	-22.02	4.62	3	Horizontal	259	1.74	27.36	32.98	6.40	34.76
PK	2.34468G	42.12	74.00	-31.88	-3.67	3	Horizontal	341	1.24	45.79	27.05	4.21	34.93
PK	4.91395G	60.89	74.00	-13.11	4.12	3	Horizontal	93	1.00	56.77	32.68	6.24	34.80
PK	5.11722G	67.41	74.00	-6.59	4.53	3	Horizontal	259	1.74	62.88	32.90	6.39	34.76




Radiated Emissions above 1GHz\_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.46062G	28.29	68.20	-39.91	-3.27	3	Vertical	189	1.50	31.56	27.40	4.30	34.97
AV	4.91404G	34.55	54.00	-19.45	4.12	3	Vertical	0	2.47	30.43	32.68	6.24	34.80
AV	5.21878G	32.30	68.20	-35.90	4.57	3	Vertical	123	1.50	27.73	32.86	6.46	34.75
PK	2.46034G	44.83	88.20	-43.37	-3.27	3	Vertical	189	1.50	48.10	27.40	4.30	34.97
PK	4.9139G	52.79	74.00	-21.21	4.12	3	Vertical	0	2.47	48.67	32.68	6.24	34.80
PK	5.2176G	53.38	88.20	-34.82	4.57	3	Vertical	123	1.50	48.81	32.86	6.46	34.75

Radiated Emissions above 1GHz\_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.3463G	38.74	54.00	-15.26	-3.66	3	Horizontal	72	2.15	42.40	27.06	4.21	34.93
AV	4.91877G	42.08	54.00	-11.92	4.16	3	Horizontal	92	1.00	37.92	32.71	6.24	34.79
AV	5.21412G	47.64	68.20	-20.56	4.58	3	Horizontal	273	2.11	43.06	32.87	6.46	34.75
PK	2.34478G	57.02	74.00	-16.98	-3.67	3	Horizontal	72	2.15	60.69	27.05	4.21	34.93
PK	4.91398G	61.68	74.00	-12.32	4.12	3	Horizontal	92	1.00	57.56	32.68	6.24	34.80
PK	5.21568G	65.62	88.20	-22.58	4.58	3	Horizontal	273	2.11	61.04	32.87	6.46	34.75