

# Regulatory WLAN Antenna Information

(English Language Required for Intel Regulatory Review / Approval)

<b>Platform</b>	
Platform Owner	
Brand Name	
Model Name	UW3
ODM	Quanta Computer Inc.
Target Launch Date	(YYYY/ MM/ DD)
<b>Antenna</b>	
Brand Name	Quanta Antenna Design Center
Part Number	<input checked="" type="checkbox"/> Tx1 Antenna: QADC AS-070-D
	<input checked="" type="checkbox"/> Tx2 Antenna: QADC AS-070-E
<b>Module</b>	
With WLAN Module	<input checked="" type="checkbox"/> WLAN Realtek RTL8188CE
(Check Box)	<input checked="" type="checkbox"/> WLAN Ralink RT3090BC4

## Antenna Sample / Antenna Data Requirements for worldwide regulatory approval

Section	Description of Required OEM / ODM Antenna Information	US / IC	EU	Japan	Taiwan	S.Korea
1A	Part Number for Antenna only	Required	Required	Required	Required	Required
1B	Antenna Manufacturer Name	Required	Required	Required	Required	Required
1C	Description of Antenna Type	Required	N/A	N/A	N/A	N/A
1D	Part number of Antenna Assembly / cable impedance, length & diameter.	Required	Desired	Desired	Desired	Desired
1E	Tx1, Tx2 & Tx3 antenna (Peak Gain W/ cable loss) *	Required	Required	Required	Required	Required
	1E OR 1F, 1G, 1H					
1F	Tx1, Tx2 & Tx3 antenna (Peak Gain only) *	Required	Required	Required	Required	Required
1G	VSWR of cable including connector	Required	Required	Required	Required	Required
1H	Tx1, Tx2 & Tx3 antenna (Cable loss W/ connector) *	Required	Required	Required	Required	Required
2	Dimensioned Photographs and Drawings of Tx1, Tx2, and Tx3 (or Rx3) antennas	Required	Required	Required	Required	Required
3	Radiation patterns of antennas loaded in the host platform.	Required	Desired	Required	N/A	Required
4	Platform model name / number - correlated to antenna manufacturer and antenna part number	Required	Required	Desired	Required	Desired
5	Photograph(s) or Drawings showing location of antennas in platform. (S. Korea requires photographs of antennas for approval submission). Taiwan requires pictures of each antenna type shown in the system.	Required	Required	Desired	Required (Photos)	Required (Photos)
6	Mech. drawings / photos with dimensions of antenna locations and distance from end-user (For evaluation of SAR testing requirement).	Required	N/A	N/A	N/A	N/A
7	Photograph(s) or Drawings showing the location of all antennas (WLAN, other) and distance between those transmitting antennas. Information will be used to evaluate whether co-location testing is required.	Required	N/A	N/A	N/A	N/A
8	Local representative contact information for LMA/ PARS process.	Required	N/A	N/A	N/A	N/A

**NOTE:**

(\*) if 3<sup>rd</sup> antenna is Rx only (e.g. receive only for 4965AGN) then peak gain and cable loss not required

# Antenna Information

## Section 1. Antenna Assembly Specifications

### Antenna Assembly Summary:

1A Antenna Part Number	1B Manufacture	1C Antenna Type	1D Cable Assembly Part Number and Information	1E *Peak Gain W/ Cable loss (dBi)	1F Peak Gain w/o Cable Loss (dBi)	1G VSWR	1H Cable Loss (dBi)
(P/N: <b>QADC AS-070-D</b> ) Tx1 antenna	Quanta	PIFA	(P/N: 20278-111R-13) 50 ohm Coaxial. length:259mm diameter: 1.13mm Connector: IPEX	2400-2500MHz -1.7 dBi (peak)	2400-2500MHz -1.02 dBi (peak)	2400-2500MHz 2 max	2400-2500MHz -0.68 dBi (peak)
(P/N: <b>QADC AS-070-E</b> ) Tx2 (or Rx2 for 512 family) antenna	Quanta	PIFA	(P/N: 20278-111R-13) 50 ohm Coaxial. length:450mm diameter: 1.13mm Connector: IPEX	2400-2500MHz -4.3 dBi (peak)	2400-2500MHz -3.09 dBi (peak)	2400-2500MHz 2 max	2400-2500MHz -1.21 dBi (peak)

#### NOTE:

(\*) If **Rx2** only (2<sup>nd</sup> antenna receives only, e.g. for **512 family** & 4965AGN) then the information marked with \* is not required

### Antenna Peak Gain Table:


Frequency (MHz)	Tx1 antenna		Tx2 (or Rx2) Antenna	
	Horizontal (dBi)	Vertical (dBi)	Horizontal (dBi)	Vertical (dBi)
2400	-3.1	-4.4	-4.3	-5.0
2450	-1.7	-3.9	-4.4	-5.3
2500	-3.5	-4.3	-4.3	-5.8

- Antenna Peak Gain required being test in system basis.
- 1E frame contend absolutely peak antenna gain include H/V
- If **Rx2** only (2<sup>nd</sup> antenna receives only, e.g. for **512 family**) then the information is not required for Rx2.

## Section 2. Dimensioned Photos or Drawings of Antennas

Include a dimensioned photo and dimensioned drawing of Tx1 antenna here.

### Tx1 Antenna Dimensioned Drawing:




### Tx1 Antenna Photo:




Include a dimensioned photo and dimensioned drawing of Tx2 (or Rx2) antenna here.

**Tx2 (or Rx2) Antenna Dimensioned Drawing:**



**Tx2 Antenna**

**Tx2 (or Rx2) Antenna Photo:**



**Include front view photo of all 4 antennas here.**

Antenna Manufacturer: Quanta

Antenna Part Number: QADC AS-070-D (Tx1), QADC AS-070-E (Tx2 or Rx2)



**Include back view photo of all 4 antennas here.**

Antenna Manufacturer: Quanta


Antenna Part Number: QADC AS-070-D (Main), QADC AS-070-E (Aux)



## Section 3. Radiation characteristics of antennae Loaded in Host Platform


### 2400-2500MHz radiation characteristic

#### Tx1 antenna: 2400 MHz



Center Frequency	<b>2400 MHz</b>
Horizontal (dBi) peak	<b>-3.1</b>
Vertical (dBi) peak	<b>-4.4</b>


**Tx1 antenna: 2450 MHz**



Center Frequency	<b>2450 MHz</b>
Horizontal (dBi) peak	<b>-1.7</b>
Vertical (dBi) peak	<b>-3.9</b>




**Tx1 antenna: 2500 MHz**




Center Frequency	<b>2500 MHz</b>
Horizontal (dBi) peak	<b>-3.5</b>
Vertical (dBi) peak	<b>-4.3</b>

**Tx2 (or Rx2) antenna: 2400 MHz (Plot is not required if 2<sup>nd</sup> Antenna is receive only e.g. Rx2 for 512 family)**




Center Frequency	<b>2400 MHz</b>
Horizontal (dBi) peak	<b>-4.3</b>
Vertical (dBi) peak	<b>-5.0</b>

**Tx2 (or Rx2) antenna: 2450 MHz (Plot is not required if 2<sup>nd</sup> Antenna is receive only e.g. Rx2 for 512 family)**



Center Frequency	<b>2450 MHz</b>
Horizontal (dBi) peak	<b>-4.4</b>
Vertical (dBi) peak	<b>-5.3</b>

**Tx2 (or Rx2) antenna: 2500 MHz (Plot is not required if 2<sup>nd</sup> Antenna is receive only e.g. Rx2 for 512 family)**



Center Frequency	<b>2500 MHz</b>
Horizontal (dBi) peak	<b>-4.3</b>
Vertical (dBi) peak	<b>-5.8</b>


## Section 4. Host Platform Information

OEM / ODM Host platform: (XXXXXXX) platform correlated to antenna data

Rating Label Photo:


## Section 5. Antenna Host Platform Location Information

Include a **dimensioned photo or dimensioned drawing** of Tx 1 and Tx2 antenna placements (measurements are not required for receive-only antenna). Any antenna that transmits must show dimensions to bottom of laptop.



## Section 6. Antenna dimensional information for SAR evaluation


Include a **dimensioned photo or dimensioned drawing** showing the distance (mm) between the transmit antennas and the user (excluding hands, wrist, feet, lap/ thigh, and ankle)



## Section 7. Diagram Example of Co-Location Antenna Separation

Include a **dimensioned photo or dimensioned drawing** showing the distance (mm) between all WLAN transmit antennas and other co-located radiator transmit antenna such as Bluetooth, WWAN,...

(Note: Due to the evolving rules regarding co-location, each platform will need to be reviewed on a case by case basis)





## Section 8. Local representative contact information

Local representative contact information is required for regulatory support for target countries below.

	Local company name	Contact name	Phone number	FAX Number	e-Mail Address	Notes
Argentina						
Brazil						
Indonesia						
Israel						
Malaysia						
Mexico						
Singapore						Telecommunication Equipment Dealer License Required
South Africa						
USA, Canada						