


802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX

20/03/2018



EUT_Z_1TX(ANT 1)
 Setting 34
 01-C-4
 FSP
 Diversity Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3846G	43.05	54.00	-10.95	30.98	3	Vertical	278	1.18	-
AV	2.4362G	97.40	Inf	-Inf	31.03	3	Vertical	278	1.18	-
AV	2.499998G	43.72	54.00	-10.28	31.22	3	Vertical	278	1.18	-
PK	2.3646G	55.50	74.00	-18.50	31.04	3	Vertical	278	1.18	-
PK	2.4378G	101.34	Inf	-Inf	31.04	3	Vertical	278	1.18	-
PK	2.4942G	55.06	74.00	-18.94	31.20	3	Vertical	278	1.18	-



802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX

20/03/2018



EUT_Z_1TX(ANT 1)
 Setting 34
 01-C-4
 FSP
 Diversity Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.873988G	49.38	54.00	-4.62	4.20	3	Vertical	43	2.43	-
PK	4.87391G	52.84	74.00	-21.16	4.20	3	Vertical	43	2.43	-



802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 34
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.873994G	49.06	54.00	-4.94	4.20	3	Horizontal	81	1.04	-
PK	4.873904G	52.44	74.00	-21.56	4.20	3	Horizontal	81	1.04	-

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 34
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.4612G	94.08	Inf	-Inf	31.11	3	Vertical	253	2.65	-
AV	2.4978G	43.48	54.00	-10.52	31.21	3	Vertical	253	2.65	-
PK	2.461G	97.90	Inf	-Inf	31.11	3	Vertical	253	2.65	-
PK	2.4856G	55.75	74.00	-18.25	31.18	3	Vertical	253	2.65	-

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX

20/03/2018



EUT_Z_1TX(ANT 1)
 Setting 34
 01-C-4
 FSP
 Diversity Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.923982G	47.92	54.00	-6.08	4.40	3	Vertical	29	1.27	-
PK	4.924084G	52.06	74.00	-21.94	4.40	3	Vertical	29	1.27	-



802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 34
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.923982G	47.84	54.00	-6.16	4.40	3	Horizontal	83	1.14	-
PK	4.924036G	52.04	74.00	-21.96	4.40	3	Horizontal	83	1.14	-

802.11b_Nss1,(1Mbps)_1TX

2467MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 34
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.4662G	99.35	Inf	-Inf	31.12	3	Vertical	276	1.41	-
AV	2.4842G	51.18	54.00	-2.82	31.17	3	Vertical	276	1.41	-
PK	2.466G	103.14	Inf	-Inf	31.12	3	Vertical	276	1.41	-
PK	2.4836G	60.05	74.00	-13.95	31.17	3	Vertical	276	1.41	-

802.11b_Nss1,(1Mbps)_1TX

2467MHz_TX

20/03/2018



EUT_Z_1TX(ANT 1)
 Setting 34
 01-C-4
 FSP
 Diversity Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.933994G	48.81	54.00	-5.19	4.44	3	Vertical	35	2.65	-
PK	4.93397G	52.52	74.00	-21.48	4.44	3	Vertical	35	2.65	-



802.11b_Nss1,(1Mbps)_1TX

2467MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 34
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.933994G	47.56	54.00	-6.44	4.44	3	Horizontal	85	2.55	-
PK	4.933988G	52.20	74.00	-21.80	4.44	3	Horizontal	85	2.55	-

802.11b_Nss1,(1Mbps)_1TX

2472MHz_TX

20/03/2018



EUT_Z_1TX(ANT 1)
 Setting 20
 01-J-6
 FSP
 Diversity Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.4712G	94.43	Inf	-Inf	31.14	3	Vertical	327	1.05	-
AV	2.4838G	50.28	54.00	-3.72	31.17	3	Vertical	327	1.05	-
PK	2.473G	98.38	Inf	-Inf	31.14	3	Vertical	327	1.05	-
PK	2.484G	59.03	74.00	-14.97	31.17	3	Vertical	327	1.05	-



802.11b_Nss1,(1Mbps)_1TX

2472MHz_TX

20/03/2018



EUT_Z_1TX(ANT 1)
 Setting 20
 01-J-6
 FSP
 Diversity Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.944G	45.75	54.00	-8.25	4.48	3	Vertical	28	2.92	-
PK	4.94396G	50.92	74.00	-23.08	4.48	3	Vertical	28	2.92	-



802.11b_Nss1,(1Mbps)_1TX

2472MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 20
 01-J-6
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.94403G	43.75	54.00	-10.25	4.48	3	Horizontal	81	2.75	-
PK	4.94404G	49.31	74.00	-24.69	4.48	3	Horizontal	81	2.75	-

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 41
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	44.89	54.00	-9.11	30.96	3	Vertical	291	2.74	-
AV	2.4094G	92.43	Inf	-Inf	30.96	3	Vertical	291	2.74	-
PK	2.3892G	63.10	74.00	-10.90	30.96	3	Vertical	291	2.74	-
PK	2.4134G	101.88	Inf	-Inf	30.97	3	Vertical	291	2.74	-

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 41
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.823982G	45.54	54.00	-8.46	4.00	3	Vertical	47	1.20	-
PK	4.823922G	53.04	74.00	-20.96	4.00	3	Vertical	47	1.20	-

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 41
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.823982G	45.28	54.00	-8.72	4.00	3	Horizontal	83	1.20	-
PK	4.824024G	53.11	74.00	-20.89	4.00	3	Horizontal	83	1.20	-

802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX

14/04/2018




EUT_Z_1TX(ANT 1)
 Setting 44
 03-W-3
 FSP(100019)
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3894G	44.64	54.00	-9.36	32.13	3	Vertical	309	1.01	-
AV	2.419G	91.66	Inf	-Inf	32.22	3	Vertical	309	1.01	-
PK	2.3898G	60.67	74.00	-13.33	32.13	3	Vertical	309	1.01	-
PK	2.4184G	101.17	Inf	-Inf	32.22	3	Vertical	309	1.01	-

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX

20/03/2018



EUT_Z_1TX(ANT 1)
 Setting 44
 01-C-4
 FSP
 Diversity Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389G	43.30	54.00	-10.70	30.96	3	Vertical	291	1.24	-
AV	2.4346G	94.90	Inf	-Inf	31.03	3	Vertical	291	1.24	-
AV	2.485G	44.04	54.00	-9.96	31.18	3	Vertical	291	1.24	-
PK	2.3442G	54.97	74.00	-19.03	31.10	3	Vertical	291	1.24	-
PK	2.4386G	104.40	Inf	-Inf	31.04	3	Vertical	291	1.24	-
PK	2.4842G	56.98	74.00	-17.02	31.17	3	Vertical	291	1.24	-



802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 44
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.873994G	44.99	54.00	-9.01	4.20	3	Vertical	51	1.02	-
PK	4.873874G	54.34	74.00	-19.66	4.20	3	Vertical	51	1.02	-

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 44
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.873982G	44.53	54.00	-9.47	4.20	3	Horizontal	82	1.23	-
PK	4.874102G	53.71	74.00	-20.29	4.20	3	Horizontal	82	1.23	-

802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX

14/04/2018




EUT_Z_1TX(ANT 1)
 Setting 44
 03-W-3
 FSP(100019)
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.4592G	94.96	Inf	-Inf	32.34	3	Vertical	69	1.10	-
AV	2.483502G	47.36	54.00	-6.64	32.41	3	Vertical	69	1.10	-
PK	2.4604G	104.53	Inf	-Inf	32.34	3	Vertical	69	1.10	-
PK	2.483502G	65.37	74.00	-8.63	32.41	3	Vertical	69	1.10	-

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX

20/03/2018



EUT_Z_1TX(ANT 1)
 Setting 39
 01-C-4
 FSP
 Diversity Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.464G	94.27	Inf	-Inf	31.12	3	Vertical	290	1.05	-
AV	2.483502G	48.48	54.00	-5.52	31.17	3	Vertical	290	1.05	-
PK	2.4634G	103.90	Inf	-Inf	31.11	3	Vertical	290	1.05	-
PK	2.4836G	66.80	74.00	-7.20	31.17	3	Vertical	290	1.05	-



802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 39
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92397G	42.31	54.00	-11.69	4.40	3	Vertical	41	1.18	-
PK	4.923892G	51.67	74.00	-22.33	4.40	3	Vertical	41	1.18	-

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 39
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.923976G	42.20	54.00	-11.80	4.40	3	Horizontal	85	1.15	-
PK	4.923784G	51.53	74.00	-22.47	4.40	3	Horizontal	85	1.15	-

802.11g_Nss1,(6Mbps)_1TX

2467MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 38
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.4644G	92.41	Inf	-Inf	31.12	3	Vertical	278	1.40	-
AV	2.483502G	53.00	54.00	-1.00	31.17	3	Vertical	278	1.40	-
PK	2.4684G	101.85	Inf	-Inf	31.13	3	Vertical	278	1.40	-
PK	2.4842G	69.33	74.00	-4.67	31.17	3	Vertical	278	1.40	-

802.11g_Nss1,(6Mbps)_1TX

2467MHz_TX

20/03/2018



EUT_Z_1TX(ANT 1)
 Setting 38
 01-C-4
 FSP
 Diversity Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.934006G	41.87	54.00	-12.13	4.44	3	Vertical	42	1.19	-
PK	4.934006G	51.26	74.00	-22.74	4.44	3	Vertical	42	1.19	-



802.11g_Nss1,(6Mbps)_1TX

2467MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 38
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.933982G	42.17	54.00	-11.83	4.44	3	Horizontal	83	1.18	-
PK	4.934102G	51.49	74.00	-22.51	4.44	3	Horizontal	83	1.18	-

802.11g_Nss1,(6Mbps)_1TX

2472MHz_TX

20/03/2018



EUT_Z_1TX(ANT 1)
 Setting 27
 01-C-4
 FSP
 Diversity Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.474G	86.87	Inf	-Inf	31.14	3	Vertical	276	1.01	-
AV	2.483502G	49.40	54.00	-4.60	31.17	3	Vertical	276	1.01	-
PK	2.4734G	96.55	Inf	-Inf	31.14	3	Vertical	276	1.01	-
PK	2.483502G	67.61	74.00	-6.39	31.17	3	Vertical	276	1.01	-



802.11g_Nss1,(6Mbps)_1TX

2472MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 27
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.943976G	36.59	54.00	-17.41	4.48	3	Vertical	45	1.13	-
PK	4.944144G	47.29	74.00	-26.71	4.48	3	Vertical	45	1.13	-

802.11g_Nss1,(6Mbps)_1TX

2472MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 27
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.943982G	36.67	54.00	-17.33	4.48	3	Horizontal	82	1.13	-
PK	4.943964G	47.16	74.00	-26.84	4.48	3	Horizontal	82	1.13	-

802.11n HT20_Nss1,(MCS0)_1TX

2412MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 39
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	44.94	54.00	-9.06	30.96	3	Vertical	293	2.75	-
AV	2.4096G	92.32	Inf	-Inf	30.96	3	Vertical	293	2.75	-
PK	2.3898G	58.86	74.00	-15.14	30.96	3	Vertical	293	2.75	-
PK	2.4088G	102.81	Inf	-Inf	30.96	3	Vertical	293	2.75	-

802.11n HT20_Nss1,(MCS0)_1TX

2412MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 39
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.823988G	43.91	54.00	-10.09	4.00	3	Vertical	50	1.18	-
PK	4.82391G	52.76	74.00	-21.24	4.00	3	Vertical	50	1.18	-

802.11n HT20_Nss1,(MCS0)_1TX

2412MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 39
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.823982G	43.83	54.00	-10.17	4.00	3	Horizontal	83	1.19	-
PK	4.823826G	52.45	74.00	-21.55	4.00	3	Horizontal	83	1.19	-

802.11n HT20_Nss1,(MCS0)_1TX

2417MHz_TX

14/04/2018




EUT_Z_1TX(ANT 1)
 Setting 45
 03-W-3
 FSP(100019)
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.39G	44.95	54.00	-9.05	32.13	3	Vertical	68	1.01	-
AV	2.42G	94.01	Inf	-Inf	32.22	3	Vertical	68	1.01	-
PK	2.39G	60.80	74.00	-13.20	32.13	3	Vertical	68	1.01	-
PK	2.414G	103.93	Inf	-Inf	32.20	3	Vertical	68	1.01	-

802.11n HT20_Nss1,(MCS0)_1TX

2437MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 45
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3886G	43.38	54.00	-10.62	30.96	3	Vertical	289	1.12	-
AV	2.4402G	94.72	Inf	-Inf	31.05	3	Vertical	289	1.12	-
AV	2.483502G	44.12	54.00	-9.88	31.17	3	Vertical	289	1.12	-
PK	2.373G	55.19	74.00	-18.81	31.01	3	Vertical	289	1.12	-
PK	2.4402G	104.51	Inf	-Inf	31.05	3	Vertical	289	1.12	-
PK	2.483502G	57.52	74.00	-16.48	31.17	3	Vertical	289	1.12	-

802.11n HT20_Nss1,(MCS0)_1TX

2437MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 45
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.873976G	45.06	54.00	-8.94	4.20	3	Vertical	50	1.03	-
PK	4.87385G	54.57	74.00	-19.43	4.20	3	Vertical	50	1.03	-

802.11n HT20_Nss1,(MCS0)_1TX

2437MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 45
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.873988G	45.23	54.00	-8.77	4.20	3	Horizontal	85	1.01	-
PK	4.873724G	54.39	74.00	-19.61	4.20	3	Horizontal	85	1.01	-

802.11n HT20_Nss1,(MCS0)_1TX

2457MHz_TX

14/04/2018




EUT_Z_1TX(ANT 1)
 Setting 45
 03-W-3
 FSP(100019)
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.46G	95.20	Inf	-Inf	32.34	3	Vertical	67	1.11	-
AV	2.483502G	48.55	54.00	-5.45	32.41	3	Vertical	67	1.11	-
PK	2.46G	104.85	Inf	-Inf	32.34	3	Vertical	67	1.11	-
PK	2.4836G	66.51	74.00	-7.49	32.41	3	Vertical	67	1.11	-

802.11n HT20_Nss1,(MCS0)_1TX

2462MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 38
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.465G	93.65	Inf	-Inf	31.12	3	Vertical	292	1.06	-
AV	2.483502G	48.83	54.00	-5.17	31.17	3	Vertical	292	1.06	-
PK	2.459G	103.90	Inf	-Inf	31.10	3	Vertical	292	1.06	-
PK	2.483502G	66.00	74.00	-8.00	31.17	3	Vertical	292	1.06	-

802.11n HT20_Nss1,(MCS0)_1TX

2462MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 38
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.923994G	42.23	54.00	-11.77	4.40	3	Vertical	41	1.25	-
PK	4.92385G	51.33	74.00	-22.67	4.40	3	Vertical	41	1.25	-

802.11n HT20_Nss1,(MCS0)_1TX

2462MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 38
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.923964G	42.60	54.00	-11.40	4.40	3	Horizontal	81	1.16	-
PK	4.923586G	51.39	74.00	-22.61	4.40	3	Horizontal	81	1.16	-

802.11n HT20_Nss1,(MCS0)_1TX

2467MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 37
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.4638G	90.60	Inf	-Inf	31.12	3	Vertical	276	1.59	-
AV	2.483502G	51.14	54.00	-2.86	31.17	3	Vertical	276	1.59	-
PK	2.464G	101.28	Inf	-Inf	31.12	3	Vertical	276	1.59	-
PK	2.4848G	68.26	74.00	-5.74	31.18	3	Vertical	276	1.59	-

802.11n HT20_Nss1,(MCS0)_1TX

2467MHz_TX

20/03/2018



EUT_Z_1TX(ANT 1)
 Setting 37
 01-C-4
 FSP
 Diversity Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.933994G	41.70	54.00	-12.30	4.44	3	Vertical	36	1.20	-
PK	4.933946G	50.74	74.00	-23.26	4.44	3	Vertical	36	1.20	-



802.11n HT20_Nss1,(MCS0)_1TX

2467MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 37
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.93397G	42.30	54.00	-11.70	4.44	3	Horizontal	83	1.18	-
PK	4.933754G	50.83	74.00	-23.17	4.44	3	Horizontal	83	1.18	-

802.11n HT20_Nss1,(MCS0)_1TX

2472MHz_TX

20/03/2018



EUT_Z_1TX(ANT 1)
 Setting 26
 01-C-4
 FSP
 Diversity Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.475G	85.96	Inf	-Inf	31.15	3	Vertical	276	1.34	-
AV	2.483502G	49.29	54.00	-4.71	31.17	3	Vertical	276	1.34	-
PK	2.469G	95.78	Inf	-Inf	31.13	3	Vertical	276	1.34	-
PK	2.483502G	68.85	74.00	-5.15	31.17	3	Vertical	276	1.34	-



802.11n HT20_Nss1,(MCS0)_1TX

2472MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 26
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.943982G	36.82	54.00	-17.18	4.48	3	Vertical	43	1.13	-
PK	4.943916G	47.76	74.00	-26.24	4.48	3	Vertical	43	1.13	-

802.11n HT20_Nss1,(MCS0)_1TX

2472MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 26
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.944006G	37.22	54.00	-16.78	4.48	3	Horizontal	81	1.01	-
PK	4.94379G	46.96	74.00	-27.04	4.48	3	Horizontal	81	1.01	-

802.11n HT40_Nss1,(MCS0)_1TX

2422MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 39
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	49.07	54.00	-4.93	30.96	3	Vertical	292	1.01	-
AV	2.4236G	89.76	Inf	-Inf	31.00	3	Vertical	292	1.01	-
AV	2.4844G	44.04	54.00	-9.96	31.17	3	Vertical	292	1.01	-
PK	2.3888G	63.72	74.00	-10.28	30.96	3	Vertical	292	1.01	-
PK	2.4288G	99.98	Inf	-Inf	31.01	3	Vertical	292	1.01	-
PK	2.4876G	56.81	74.00	-17.19	31.18	3	Vertical	292	1.01	-

802.11n HT40_Nss1,(MCS0)_1TX

2422MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 39
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.843982G	43.79	54.00	-10.21	4.08	3	Vertical	51	1.14	-
PK	4.844096G	51.08	74.00	-22.92	4.08	3	Vertical	51	1.14	-

802.11n HT40_Nss1,(MCS0)_1TX

2422MHz_TX

20/03/2018




EUT_Z_1TX(ANT 1)
 Setting 39
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.843988G	43.47	54.00	-10.53	4.08	3	Horizontal	80	1.16	-
PK	4.844234G	50.58	74.00	-23.42	4.08	3	Horizontal	80	1.16	-

802.11n HT40_Nss1,(MCS0)_1TX

2437MHz_TX

21/03/2018




EUT_Z_1TX(ANT 1)
 Setting 38
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3898G	44.15	54.00	-9.85	30.96	3	Vertical	291	1.25	-
AV	2.435G	89.01	Inf	-Inf	31.03	3	Vertical	291	1.25	-
AV	2.483502G	47.60	54.00	-6.40	31.17	3	Vertical	291	1.25	-
PK	2.3898G	56.44	74.00	-17.56	30.96	3	Vertical	291	1.25	-
PK	2.4302G	99.47	Inf	-Inf	31.02	3	Vertical	291	1.25	-
PK	2.4846G	61.46	74.00	-12.54	31.18	3	Vertical	291	1.25	-

802.11n HT40_Nss1,(MCS0)_1TX

2437MHz_TX

21/03/2018




EUT_Z_1TX(ANT 1)
 Setting 38
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87397G	43.24	54.00	-10.76	4.20	3	Vertical	49	1.17	-
PK	4.874042G	50.81	74.00	-23.19	4.20	3	Vertical	49	1.17	-

802.11n HT40_Nss1,(MCS0)_1TX

2437MHz_TX

21/03/2018




EUT_Z_1TX(ANT 1)
 Setting 38
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.873994G	43.44	54.00	-10.56	4.20	3	Horizontal	85	1.15	-
PK	4.873838G	50.97	74.00	-23.03	4.20	3	Horizontal	85	1.15	-

802.11n HT40_Nss1,(MCS0)_1TX

2452MHz_TX

25/04/2018




EUT_Z_1TX(ANT 1)
 Setting 37
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3856G	55.16	74.00	-18.84	30.97	3	Vertical	128	1.11	-
AV	2.389998G	43.48	54.00	-10.52	30.96	3	Vertical	128	1.11	-
PK	2.4452G	100.27	Inf	-Inf	31.06	3	Vertical	128	1.11	-
AV	2.4464G	89.53	Inf	-Inf	31.06	3	Vertical	128	1.11	-
PK	2.488G	62.97	74.00	-11.03	31.19	3	Vertical	128	1.11	-
AV	2.483502G	48.81	54.00	-5.19	31.17	3	Vertical	128	1.11	-

802.11n HT40_Nss1,(MCS0)_1TX

2452MHz_TX

21/03/2018




EUT_Z_1TX(ANT 1)
 Setting 37
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.903988G	43.19	54.00	-10.81	4.33	3	Vertical	54	1.11	-
PK	4.90403G	50.62	74.00	-23.38	4.33	3	Vertical	54	1.11	-

802.11n HT40_Nss1,(MCS0)_1TX

2452MHz_TX

21/03/2018




EUT_Z_1TX(ANT 1)
 Setting 37
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.903994G	43.27	54.00	-10.73	4.33	3	Horizontal	85	1.12	-
PK	4.90403G	50.93	74.00	-23.07	4.33	3	Horizontal	85	1.12	-

802.11n HT40_Nss1,(MCS0)_1TX

2457MHz_TX

21/03/2018



EUT_Z_1TX(ANT 1)
 Setting 36
 01-C-4
 FSP
 Diversity Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3874G	43.25	54.00	-10.75	30.97	3	Vertical	277	1.02	-
AV	2.4626G	88.21	Inf	-Inf	31.11	3	Vertical	277	1.02	-
AV	2.483502G	52.64	54.00	-1.36	31.17	3	Vertical	277	1.02	-
PK	2.3894G	54.87	74.00	-19.13	30.96	3	Vertical	277	1.02	-
PK	2.4638G	98.78	Inf	-Inf	31.12	3	Vertical	277	1.02	-
PK	2.4842G	66.94	74.00	-7.06	31.17	3	Vertical	277	1.02	-



802.11n HT40_Nss1,(MCS0)_1TX

2457MHz_TX

21/03/2018




EUT_Z_1TX(ANT 1)
 Setting 36
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.913994G	43.37	54.00	-10.63	4.36	3	Vertical	45	1.12	-
PK	4.913934G	50.75	74.00	-23.25	4.36	3	Vertical	45	1.12	-

802.11n HT40_Nss1,(MCS0)_1TX

2457MHz_TX

21/03/2018




EUT_Z_1TX(ANT 1)
 Setting 36
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.913982G	43.13	54.00	-10.87	4.36	3	Horizontal	79	1.07	-
PK	4.914024G	50.80	74.00	-23.20	4.36	3	Horizontal	79	1.07	-

802.11n HT40_Nss1,(MCS0)_1TX

2462MHz_TX

21/03/2018




EUT_Z_1TX(ANT 1)
 Setting 35
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.388G	43.24	54.00	-10.76	30.97	3	Vertical	279	1.01	-
AV	2.46G	87.85	Inf	-Inf	31.10	3	Vertical	279	1.01	-
AV	2.4844G	52.47	54.00	-1.53	31.17	3	Vertical	279	1.01	-
PK	2.3856G	55.07	74.00	-18.93	30.97	3	Vertical	279	1.01	-
PK	2.4688G	98.25	Inf	-Inf	31.13	3	Vertical	279	1.01	-
PK	2.4844G	66.77	74.00	-7.23	31.17	3	Vertical	279	1.01	-

802.11n HT40_Nss1,(MCS0)_1TX

2462MHz_TX

21/03/2018




EUT_Z_1TX(ANT 1)
 Setting 35
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.923994G	42.63	54.00	-11.37	4.40	3	Vertical	40	1.26	-
PK	4.924084G	50.19	74.00	-23.81	4.40	3	Vertical	40	1.26	-

802.11n HT40_Nss1,(MCS0)_1TX

2462MHz_TX

21/03/2018



EUT_Z_1TX(ANT 1)
 Setting 35
 01-C-4
 FSP
 Diversity Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.923994G	43.00	54.00	-11.00	4.40	3	Horizontal	83	1.16	-
PK	4.923808G	50.54	74.00	-23.46	4.40	3	Horizontal	83	1.16	-



RSE TX above 1GHz Result

Appendix B.2


Test Mode: Mode 5 Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1,(6Mbps)_1TX	Pass	AV	2.483502G	53.08	54.00	-0.92	32.42	3	Vertical	296	1.10	-

802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX

20/03/2018



EUT_Z_1TX(ANT1)
 Setting 34
 06-C-4
 FSP
 Fixed ANT1 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.3868G	44.56	54.00	-9.44	32.11	3	Vertical	326	2.99
AV	2.4112G	99.88	Inf	-Inf	32.19	3	Vertical	326	2.99
PK	2.387G	57.03	74.00	-16.97	32.11	3	Vertical	326	2.99
PK	2.413G	103.83	Inf	-Inf	32.19	3	Vertical	326	2.99



802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX

20/03/2018



EUT_Z_1TX(ANT1)
 Setting 34
 06-C-4
 FSP
 Fixed ANT1 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.823976G	49.91	54.00	-4.09	6.70	3	Vertical	51	1.05
PK	4.824012G	53.64	74.00	-20.36	6.70	3	Vertical	51	1.05



802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 34
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.823964G	49.70	54.00	-4.30	6.70	3	Horizontal	50	1.02
PK	4.824024G	53.38	74.00	-20.62	6.70	3	Horizontal	50	1.02

802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX

20/03/2018



EUT_Z_1TX(ANT1)
 Setting 33
 06-C-4
 FSP
 Fixed ANT1 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.389998G	43.83	54.00	-10.17	32.12	3	Vertical	274	2.95
AV	2.4362G	98.73	Inf	-Inf	32.27	3	Vertical	274	2.95
AV	2.4902G	44.18	54.00	-9.82	32.44	3	Vertical	274	2.95
PK	2.359G	55.77	74.00	-18.23	32.02	3	Vertical	274	2.95
PK	2.4378G	102.67	Inf	-Inf	32.27	3	Vertical	274	2.95
PK	2.4938G	55.80	74.00	-18.20	32.45	3	Vertical	274	2.95



802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 33
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.87397G	50.00	54.00	-4.00	6.84	3	Vertical	45	1.04
PK	4.874018G	54.21	74.00	-19.79	6.84	3	Vertical	45	1.04

802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 33
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.873964G	51.26	54.00	-2.74	6.84	3	Horizontal	54	1.04
PK	4.873946G	55.20	74.00	-18.80	6.84	3	Horizontal	54	1.04

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX

20/03/2018



EUT_Z_1TX(ANT1)
 Setting 32
 06-C-4
 FSP
 Fixed ANT1 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.4612G	99.44	Inf	-Inf	32.35	3	Vertical	294	1.11
AV	2.4878G	44.99	54.00	-9.01	32.44	3	Vertical	294	1.11
PK	2.463G	103.34	Inf	-Inf	32.35	3	Vertical	294	1.11
PK	2.4926G	56.98	74.00	-17.02	32.45	3	Vertical	294	1.11



802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 32
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.923982G	48.62	54.00	-5.38	6.98	3	Vertical	37	2.88
PK	4.923922G	53.14	74.00	-20.86	6.98	3	Vertical	37	2.88

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 32
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.92397G	49.42	54.00	-4.58	6.98	3	Horizontal	53	1.09
PK	4.923958G	54.11	74.00	-19.89	6.98	3	Horizontal	53	1.09

802.11b_Nss1,(1Mbps)_1TX

2467MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 32
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.4662G	99.22	Inf	-Inf	32.37	3	Vertical	295	1.11
AV	2.4842G	51.19	54.00	-2.81	32.42	3	Vertical	295	1.11
PK	2.468G	103.11	Inf	-Inf	32.37	3	Vertical	295	1.11
PK	2.485G	60.35	74.00	-13.65	32.43	3	Vertical	295	1.11

802.11b_Nss1,(1Mbps)_1TX

2467MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 32
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.933976G	48.83	54.00	-5.17	7.01	3	Vertical	4	2.88
PK	4.933916G	53.27	74.00	-20.73	7.00	3	Vertical	4	2.88

802.11b_Nss1,(1Mbps)_1TX

2467MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 32
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.933976G	49.31	54.00	-4.69	7.01	3	Horizontal	54	1.02
PK	4.933928G	53.87	74.00	-20.13	7.00	3	Horizontal	54	1.02

802.11b_Nss1,(1Mbps)_1TX

2472MHz_TX

20/03/2018



EUT_Z_1TX(ANT1)
 Setting 20
 06-C-4
 FSP
 Fixed ANT1 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.4712G	93.30	Inf	-Inf	32.38	3	Vertical	294	1.11
AV	2.4842G	48.81	54.00	-5.19	32.42	3	Vertical	294	1.11
PK	2.471G	97.09	Inf	-Inf	32.38	3	Vertical	294	1.11
PK	2.4836G	58.52	74.00	-15.48	32.42	3	Vertical	294	1.11



802.11b_Nss1,(1Mbps)_1TX

2472MHz_TX

20/03/2018



EUT_Z_1TX(ANT1)
 Setting 20
 06-C-4
 FSP
 Fixed ANT1 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.94398G	46.20	54.00	-7.80	7.03	3	Vertical	47	1.03
PK	4.94402G	52.27	74.00	-21.73	7.03	3	Vertical	47	1.03



802.11b_Nss1,(1Mbps)_1TX

2472MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 20
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.94394G	45.79	54.00	-8.21	7.03	3	Horizontal	66	1.17
PK	4.94406G	51.82	74.00	-22.18	7.03	3	Horizontal	66	1.17

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 40
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.39G	46.09	54.00	-7.91	32.12	3	Vertical	326	2.99
AV	2.414G	93.33	Inf	-Inf	32.20	3	Vertical	326	2.99
PK	2.3896G	62.54	74.00	-11.46	32.12	3	Vertical	326	2.99
PK	2.4134G	102.90	Inf	-Inf	32.19	3	Vertical	326	2.99

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX

20/03/2018



EUT_Z_1TX(ANT1)
 Setting 40
 06-C-4
 FSP
 Fixed ANT1 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.824006G	41.65	54.00	-12.35	6.70	3	Vertical	0	1.05
PK	4.824024G	51.73	74.00	-22.27	6.70	3	Vertical	0	1.05



802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 40
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.823994G	43.68	54.00	-10.32	6.70	3	Horizontal	51	1.02
PK	4.82418G	52.41	74.00	-21.59	6.70	3	Horizontal	51	1.02

802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX

14/04/2018




EUT_Z_1TX(ANT1)
 Setting 43
 03-W-3
 FSP(100019)
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.39G	45.01	54.00	-8.99	32.13	3	Vertical	307	1.01
AV	2.4192G	92.52	Inf	-Inf	32.22	3	Vertical	307	1.01
PK	2.3898G	59.70	74.00	-14.30	32.13	3	Vertical	307	1.01
PK	2.4204G	102.00	Inf	-Inf	32.22	3	Vertical	307	1.01

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX

20/03/2018



EUT_Z_1TX(ANT1)
 Setting 43
 06-C-4
 FSP
 Fixed ANT1 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.389998G	43.84	54.00	-10.16	32.12	3	Vertical	273	2.96
AV	2.439G	91.92	Inf	-Inf	32.28	3	Vertical	273	2.96
AV	2.4966G	44.20	54.00	-9.80	32.46	3	Vertical	273	2.96
PK	2.3774G	56.33	74.00	-17.67	32.08	3	Vertical	273	2.96
PK	2.4406G	101.45	Inf	-Inf	32.28	3	Vertical	273	2.96
PK	2.4954G	55.70	74.00	-18.30	32.46	3	Vertical	273	2.96



802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX

20/03/2018



EUT_Z_1TX(ANT1)
 Setting 43
 06-C-4
 FSP
 Fixed ANT1 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.874024G	42.58	54.00	-11.42	6.84	3	Vertical	1	1.00
PK	4.874036G	53.34	74.00	-20.66	6.84	3	Vertical	1	1.00



802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 43
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.87397G	44.67	54.00	-9.33	6.84	3	Horizontal	52	1.03
PK	4.87388G	54.97	74.00	-19.03	6.84	3	Horizontal	52	1.03

802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX

14/04/2018




EUT_Z_1TX(ANT1)
 Setting 43
 03-W-3
 FSP(100019)
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.4592G	94.72	Inf	-Inf	32.34	3	Vertical	66	1.12
AV	2.483502G	46.07	54.00	-7.93	32.41	3	Vertical	66	1.12
PK	2.4604G	104.30	Inf	-Inf	32.34	3	Vertical	66	1.12
PK	2.4836G	62.43	74.00	-11.57	32.41	3	Vertical	66	1.12

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX

20/03/2018



EUT_Z_1TX(ANT1)
 Setting 38
 06-C-4
 FSP
 Fixed ANT1 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.464G	92.79	Inf	-Inf	32.36	3	Vertical	296	1.11
AV	2.483502G	48.23	54.00	-5.77	32.42	3	Vertical	296	1.11
PK	2.4638G	102.32	Inf	-Inf	32.36	3	Vertical	296	1.11
PK	2.4836G	63.66	74.00	-10.34	32.42	3	Vertical	296	1.11



802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX

20/03/2018



EUT_Z_1TX(ANT1)
 Setting 38
 06-C-4
 FSP
 Fixed ANT1 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.923982G	39.83	54.00	-14.17	6.98	3	Vertical	7	2.45
PK	4.924G	51.46	74.00	-22.54	6.98	3	Vertical	7	2.45



802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 38
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.92397G	42.55	54.00	-11.45	6.98	3	Horizontal	51	1.01
PK	4.924636G	52.47	74.00	-21.53	6.98	3	Horizontal	51	1.01

802.11g_Nss1,(6Mbps)_1TX

2467MHz_TX

21/03/2018




EUT_Z_1TX(ANT1)
 Setting 37
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.4644G	92.30	Inf	-Inf	32.36	3	Vertical	296	1.10
AV	2.483502G	53.08	54.00	-0.92	32.42	3	Vertical	296	1.10
PK	2.463G	101.74	Inf	-Inf	32.35	3	Vertical	296	1.10
PK	2.4836G	68.43	74.00	-5.57	32.42	3	Vertical	296	1.10

802.11g_Nss1,(6Mbps)_1TX

2467MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 37
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.933982G	39.96	54.00	-14.04	7.01	3	Vertical	6	1.01
PK	4.933838G	51.00	74.00	-23.00	7.00	3	Vertical	6	1.01

802.11g_Nss1,(6Mbps)_1TX

2467MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 37
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.933982G	42.19	54.00	-11.81	7.01	3	Horizontal	51	1.03
PK	4.934114G	52.00	74.00	-22.00	7.01	3	Horizontal	51	1.03

802.11g_Nss1,(6Mbps)_1TX

2472MHz_TX

20/03/2018



EUT_Z_1TX(ANT1)
 Setting 26
 06-C-4
 FSP
 Fixed ANT1 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.476G	86.00	Inf	-Inf	32.40	3	Vertical	287	1.29
AV	2.483502G	49.58	54.00	-4.42	32.42	3	Vertical	287	1.29
PK	2.4754G	95.60	Inf	-Inf	32.40	3	Vertical	287	1.29
PK	2.483502G	67.33	74.00	-6.67	32.42	3	Vertical	287	1.29



802.11g_Nss1,(6Mbps)_1TX

2472MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 26
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.94396G	36.45	54.00	-17.55	7.03	3	Vertical	3	1.00
PK	4.94388G	49.08	74.00	-24.92	7.03	3	Vertical	3	1.00

802.11g_Nss1,(6Mbps)_1TX

2472MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 26
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.94394G	37.41	54.00	-16.59	7.03	3	Horizontal	54	1.06
PK	4.9438G	49.33	74.00	-24.67	7.03	3	Horizontal	54	1.06

802.11n HT20_Nss1,(MCS0)_1TX

2412MHz_TX

20/03/2018



EUT_Z_1TX(ANT1)
 Setting 38
 06-C-4
 FSP
 Fixed ANT1 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.39G	44.75	54.00	-9.25	32.12	3	Vertical	323	1.14
AV	2.4096G	89.77	Inf	-Inf	32.18	3	Vertical	323	1.14
PK	2.39G	58.47	74.00	-15.53	32.12	3	Vertical	323	1.14
PK	2.409G	100.52	Inf	-Inf	32.18	3	Vertical	323	1.14



802.11n HT20_Nss1,(MCS0)_1TX

2412MHz_TX

20/03/2018



EUT_Z_1TX(ANT1)
 Setting 38
 06-C-4
 FSP
 Fixed ANT1 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.823976G	39.97	54.00	-14.03	6.70	3	Vertical	0	1.08
PK	4.824084G	50.44	74.00	-23.56	6.70	3	Vertical	0	1.08



802.11n HT20_Nss1,(MCS0)_1TX

2412MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 38
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.823952G	42.22	54.00	-11.78	6.70	3	Horizontal	48	1.00
PK	4.823862G	51.64	74.00	-22.36	6.70	3	Horizontal	48	1.00

802.11n HT20_Nss1,(MCS0)_1TX

2417MHz_TX

14/04/2018




EUT_Z_1TX(ANT1)
 Setting 44
 03-W-3
 FSP(100019)
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.39G	45.28	54.00	-8.72	32.13	3	Vertical	65	1.00
AV	2.42G	94.00	Inf	-Inf	32.22	3	Vertical	65	1.00
PK	2.3896G	61.93	74.00	-12.07	32.13	3	Vertical	65	1.00
PK	2.414G	104.03	Inf	-Inf	32.20	3	Vertical	65	1.00

802.11n HT20_Nss1,(MCS0)_1TX

2437MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 44
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.389998G	43.83	54.00	-10.17	32.12	3	Vertical	174	1.01
AV	2.4402G	94.03	Inf	-Inf	32.28	3	Vertical	174	1.01
AV	2.4838G	44.43	54.00	-9.57	32.42	3	Vertical	174	1.01
PK	2.3446G	56.63	74.00	-17.37	31.97	3	Vertical	174	1.01
PK	2.4342G	104.36	Inf	-Inf	32.26	3	Vertical	174	1.01
PK	2.499998G	55.98	74.00	-18.02	32.47	3	Vertical	174	1.01

802.11n HT20_Nss1,(MCS0)_1TX

2437MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 44
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.873952G	41.50	54.00	-12.50	6.84	3	Vertical	44	1.02
PK	4.873118G	53.11	74.00	-20.89	6.83	3	Vertical	44	1.02

802.11n HT20_Nss1,(MCS0)_1TX

2437MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 44
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.873964G	44.50	54.00	-9.50	6.84	3	Horizontal	50	1.02
PK	4.873802G	54.94	74.00	-19.06	6.84	3	Horizontal	50	1.02

802.11n HT20_Nss1,(MCS0)_1TX

2457MHz_TX

14/04/2018




EUT_Z_1TX(ANT1)
 Setting 44
 03-W-3
 FSP(100019)
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.46G	94.66	Inf	-Inf	32.34	3	Vertical	23	1.09
AV	2.4836G	47.40	54.00	-6.60	32.41	3	Vertical	23	1.09
PK	2.454G	104.72	Inf	-Inf	32.32	3	Vertical	23	1.09
PK	2.484G	64.99	74.00	-9.01	32.41	3	Vertical	23	1.09

802.11n HT20_Nss1,(MCS0)_1TX

2462MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 37
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.465G	92.46	Inf	-Inf	32.36	3	Vertical	295	1.10
AV	2.483502G	49.42	54.00	-4.58	32.42	3	Vertical	295	1.10
PK	2.459G	102.88	Inf	-Inf	32.34	3	Vertical	295	1.10
PK	2.4838G	67.12	74.00	-6.88	32.42	3	Vertical	295	1.10

802.11n HT20_Nss1,(MCS0)_1TX

2462MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 37
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.923994G	39.61	54.00	-14.39	6.98	3	Vertical	10	2.43
PK	4.923808G	50.73	74.00	-23.27	6.98	3	Vertical	10	2.43

802.11n HT20_Nss1,(MCS0)_1TX

2462MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 37
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.923964G	42.00	54.00	-12.00	6.98	3	Horizontal	48	1.00
PK	4.923898G	51.85	74.00	-22.15	6.98	3	Horizontal	48	1.00

802.11n HT20_Nss1,(MCS0)_1TX

2467MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 36
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.47G	91.04	Inf	-Inf	32.38	3	Vertical	294	1.10
AV	2.483502G	51.43	54.00	-2.57	32.42	3	Vertical	294	1.10
PK	2.464G	101.77	Inf	-Inf	32.36	3	Vertical	294	1.10
PK	2.4848G	66.88	74.00	-7.12	32.43	3	Vertical	294	1.10

802.11n HT20_Nss1,(MCS0)_1TX

2467MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 36
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.933988G	39.10	54.00	-14.90	7.01	3	Vertical	6	2.42
PK	4.93484G	50.51	74.00	-23.49	7.01	3	Vertical	6	2.42

802.11n HT20_Nss1,(MCS0)_1TX

2467MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 36
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.933976G	41.66	54.00	-12.34	7.01	3	Horizontal	50	1.01
PK	4.933706G	51.10	74.00	-22.90	7.00	3	Horizontal	50	1.01

802.11n HT20_Nss1,(MCS0)_1TX

2472MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 25
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.4688G	86.02	Inf	-Inf	32.37	3	Vertical	290	1.12
AV	2.483502G	49.86	54.00	-4.14	32.42	3	Vertical	290	1.12
PK	2.469G	96.74	Inf	-Inf	32.37	3	Vertical	290	1.12
PK	2.483502G	69.50	74.00	-4.50	32.42	3	Vertical	290	1.12

802.11n HT20_Nss1,(MCS0)_1TX

2472MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 25
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.944006G	36.46	54.00	-17.54	7.03	3	Vertical	7	1.01
PK	4.94385G	49.21	74.00	-24.79	7.03	3	Vertical	7	1.01

802.11n HT20_Nss1,(MCS0)_1TX

2472MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 25
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.944006G	37.99	54.00	-16.01	7.03	3	Horizontal	50	1.01
PK	4.9437G	49.73	74.00	-24.27	7.03	3	Horizontal	50	1.01

802.11n HT40_Nss1,(MCS0)_1TX

2422MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 38
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.39G	50.14	54.00	-3.86	32.12	3	Vertical	306	2.99
AV	2.4176G	88.68	Inf	-Inf	32.21	3	Vertical	306	2.99
AV	2.4968G	44.19	54.00	-9.81	32.46	3	Vertical	306	2.99
PK	2.3888G	63.98	74.00	-10.02	32.11	3	Vertical	306	2.99
PK	2.4152G	99.24	Inf	-Inf	32.20	3	Vertical	306	2.99
PK	2.494G	56.09	74.00	-17.91	32.46	3	Vertical	306	2.99

802.11n HT40_Nss1,(MCS0)_1TX

2422MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 38
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.843972G	39.40	54.00	-14.60	6.75	3	Vertical	48	1.05
PK	4.843932G	49.45	74.00	-24.55	6.75	3	Vertical	48	1.05

802.11n HT40_Nss1,(MCS0)_1TX

2422MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 38
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.843984G	42.29	54.00	-11.71	6.75	3	Horizontal	48	1.01
PK	4.84406G	51.16	74.00	-22.84	6.75	3	Horizontal	48	1.01

802.11n HT40_Nss1,(MCS0)_1TX

2437MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 37
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.389998G	44.82	54.00	-9.18	32.12	3	Vertical	273	2.96
AV	2.4426G	88.02	Inf	-Inf	32.29	3	Vertical	273	2.96
AV	2.4838G	45.29	54.00	-8.71	32.42	3	Vertical	273	2.96
PK	2.389G	56.48	74.00	-17.52	32.11	3	Vertical	273	2.96
PK	2.4438G	98.43	Inf	-Inf	32.29	3	Vertical	273	2.96
PK	2.4846G	57.39	74.00	-16.61	32.42	3	Vertical	273	2.96

802.11n HT40_Nss1,(MCS0)_1TX

2437MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 37
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.873972G	40.88	54.00	-13.12	6.84	3	Vertical	0	1.01
PK	4.873976G	51.47	74.00	-22.53	6.84	3	Vertical	0	1.01

802.11n HT40_Nss1,(MCS0)_1TX

2437MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 37
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.87396G	42.64	54.00	-11.36	6.84	3	Horizontal	49	1.04
PK	4.874008G	51.68	74.00	-22.32	6.84	3	Horizontal	49	1.04

802.11n HT40_Nss1,(MCS0)_1TX

2452MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 36
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.3892G	43.91	54.00	-10.09	32.12	3	Vertical	177	1.00
AV	2.4588G	88.55	Inf	-Inf	32.34	3	Vertical	177	1.00
AV	2.4836G	51.20	54.00	-2.80	32.42	3	Vertical	177	1.00
PK	2.3804G	55.74	74.00	-18.26	32.09	3	Vertical	177	1.00
PK	2.4588G	99.11	Inf	-Inf	32.34	3	Vertical	177	1.00
PK	2.488G	65.85	74.00	-8.15	32.44	3	Vertical	177	1.00

802.11n HT40_Nss1,(MCS0)_1TX

2452MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 36
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.903964G	39.91	54.00	-14.09	6.92	3	Vertical	7	1.00
PK	4.904078G	50.40	74.00	-23.60	6.92	3	Vertical	7	1.00

802.11n HT40_Nss1,(MCS0)_1TX

2452MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 36
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.903964G	42.47	54.00	-11.53	6.92	3	Horizontal	50	1.00
PK	4.903904G	51.43	74.00	-22.57	6.92	3	Horizontal	50	1.00

802.11n HT40_Nss1,(MCS0)_1TX

2457MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 35
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.3878G	43.83	54.00	-10.17	32.11	3	Vertical	294	1.12
AV	2.4622G	88.32	Inf	-Inf	32.35	3	Vertical	294	1.12
AV	2.483502G	52.98	54.00	-1.02	32.42	3	Vertical	294	1.12
PK	2.3862G	55.82	74.00	-18.18	32.11	3	Vertical	294	1.12
PK	2.4638G	98.42	Inf	-Inf	32.36	3	Vertical	294	1.12
PK	2.493G	66.74	74.00	-7.26	32.45	3	Vertical	294	1.12

802.11n HT40_Nss1,(MCS0)_1TX

2457MHz_TX

20/03/2018



EUT_Z_1TX(ANT1)
 Setting 35
 06-C-4
 FSP
 Fixed ANT1 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.913982G	40.23	54.00	-13.77	6.95	3	Vertical	6	1.01
PK	4.913904G	50.32	74.00	-23.68	6.95	3	Vertical	6	1.01



802.11n HT40_Nss1,(MCS0)_1TX

2457MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 35
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.913982G	42.11	54.00	-11.89	6.95	3	Horizontal	46	1.02
PK	4.914012G	51.12	74.00	-22.88	6.95	3	Horizontal	46	1.02

802.11n HT40_Nss1,(MCS0)_1TX

2462MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 33
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	2.3888G	43.85	54.00	-10.15	32.11	3	Vertical	294	1.10
AV	2.4636G	87.08	Inf	-Inf	32.36	3	Vertical	294	1.10
AV	2.488G	51.85	54.00	-2.15	32.44	3	Vertical	294	1.10
PK	2.376G	55.82	74.00	-18.18	32.07	3	Vertical	294	1.10
PK	2.4688G	97.47	Inf	-Inf	32.37	3	Vertical	294	1.10
PK	2.4884G	65.60	74.00	-8.40	32.44	3	Vertical	294	1.10

802.11n HT40_Nss1,(MCS0)_1TX

2462MHz_TX

20/03/2018




EUT_Z_1TX(ANT1)
 Setting 33
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.924G	35.88	54.00	-18.12	6.98	3	Vertical	5	1.04
PK	4.923612G	48.75	74.00	-25.25	6.98	3	Vertical	5	1.04

802.11n HT40_Nss1,(MCS0)_1TX

2462MHz_TX

20/03/2018



EUT_Z_1TX(ANT1)
 Setting 33
 06-C-4
 FSP
 Fixed ANT1 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	4.923972G	37.37	54.00	-16.63	6.98	3	Horizontal	51	1.01
PK	4.924216G	49.59	74.00	-24.41	6.98	3	Horizontal	51	1.01



RSE TX above 1GHz Result

Appendix B.2


Test Mode: Mode 6 Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	AV	2.4838G	53.12	54.00	-0.88	31.17	3	Vertical	280	1.01	-

802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 33
 01-L-3
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	43.19	54.00	-10.81	30.96	3	Vertical	170	1.04	-
AV	2.4112G	100.66	Inf	-Inf	30.96	3	Vertical	170	1.04	-
PK	2.383G	55.41	74.00	-18.59	30.98	3	Vertical	170	1.04	-
PK	2.411G	104.53	Inf	-Inf	30.96	3	Vertical	170	1.04	-



802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 33
 01-L-3
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.823984G	40.37	54.00	-13.63	4.00	3	Vertical	168	1.01	-
PK	4.823796G	48.01	74.00	-25.99	4.00	3	Vertical	168	1.01	-



802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 33
 01-L-3
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.823956G	32.33	54.00	-21.67	4.00	3	Horizontal	168	2.97	-
PK	4.82392G	45.45	74.00	-28.55	4.00	3	Horizontal	168	2.97	-

802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 33
 01-L-3
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3894G	42.81	54.00	-11.19	30.96	3	Vertical	96	1.01	-
AV	2.4362G	100.08	Inf	-Inf	31.03	3	Vertical	96	1.01	-
AV	2.489G	43.20	54.00	-10.80	31.19	3	Vertical	96	1.01	-
PK	2.3482G	54.40	74.00	-19.60	31.09	3	Vertical	96	1.01	-
PK	2.4378G	103.96	Inf	-Inf	31.04	3	Vertical	96	1.01	-
PK	2.4922G	55.21	74.00	-18.79	31.20	3	Vertical	96	1.01	-



802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 33
 01-L-3
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87397G	40.02	54.00	-13.98	4.20	3	Vertical	167	1.24	-
PK	4.87362G	47.48	74.00	-26.52	4.20	3	Vertical	167	1.24	-



802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX

21/03/2018



Legend:

- Lim.PK (Red dashed line)
- PK (Blue line)
- Lim.AV (Magenta dashed line)
- AV (Green dashed line)


EUT_Z_1TX(ANT 2)
 Setting 33
 01-L-3
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87399G	35.52	54.00	-18.48	4.20	3	Horizontal	87	1.04	-
PK	4.87405G	45.56	74.00	-28.44	4.20	3	Horizontal	87	1.04	-

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 33
 01-L-3
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.4612G	101.48	Inf	-Inf	31.11	3	Vertical	281	1.02	-
AV	2.4846G	43.79	54.00	-10.21	31.18	3	Vertical	281	1.02	-
PK	2.463G	105.38	Inf	-Inf	31.11	3	Vertical	281	1.02	-
PK	2.4916G	55.40	74.00	-18.60	31.20	3	Vertical	281	1.02	-



802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 33
 01-L-3
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92399G	40.21	54.00	-13.79	4.40	3	Vertical	212	1.31	-
PK	4.92388G	47.87	74.00	-26.13	4.40	3	Vertical	212	1.31	-



802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 33
 01-L-3
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92402G	34.67	54.00	-19.33	4.40	3	Horizontal	136	1.01	-
PK	4.92382G	46.64	74.00	-27.36	4.40	3	Horizontal	136	1.01	-

802.11b_Nss1,(1Mbps)_1TX

2467MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 33
 01-L-3
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.4662G	101.33	Inf	-Inf	31.12	3	Vertical	280	1.01	-
AV	2.4842G	53.11	54.00	-0.89	31.17	3	Vertical	280	1.01	-
PK	2.468G	105.29	Inf	-Inf	31.13	3	Vertical	280	1.01	-
PK	2.483502G	62.85	74.00	-11.15	31.17	3	Vertical	280	1.01	-



802.11b_Nss1,(1Mbps)_1TX

2467MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 33
 01-L-3
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.93398G	39.55	54.00	-14.45	4.44	3	Vertical	211	1.34	-
PK	4.93395G	47.36	74.00	-26.64	4.44	3	Vertical	211	1.34	-



802.11b_Nss1,(1Mbps)_1TX

2467MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 33
 01-L-3
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.93395G	35.18	54.00	-18.82	4.44	3	Horizontal	139	1.06	-
PK	4.93406G	46.31	74.00	-27.69	4.44	3	Horizontal	139	1.06	-

802.11b_Nss1,(1Mbps)_1TX

2472MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 18
 01-C-4
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.4712G	94.74	Inf	-Inf	31.14	3	Vertical	280	1.01	-
AV	2.4838G	53.12	54.00	-0.88	31.17	3	Vertical	280	1.01	-
PK	2.473G	98.55	Inf	-Inf	31.14	3	Vertical	280	1.01	-
PK	2.4838G	61.01	74.00	-12.99	31.17	3	Vertical	280	1.01	-



802.11b_Nss1,(1Mbps)_1TX

2472MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 18
 01-L-3
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.94398G	36.77	54.00	-17.23	4.48	3	Vertical	195	1.16	-
PK	4.94414G	46.39	74.00	-27.61	4.48	3	Vertical	195	1.16	-



802.11b_Nss1,(1Mbps)_1TX

2472MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 18
 01-L-3
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.94397G	35.29	54.00	-18.71	4.48	3	Horizontal	68	1.01	-
PK	4.94415G	45.85	74.00	-28.15	4.48	3	Horizontal	68	1.01	-

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 38
 01-L-3
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.38998G	45.97	54.00	-8.03	30.96	3	Vertical	169	1.03	-
AV	2.4094G	93.77	Inf	-Inf	30.96	3	Vertical	169	1.03	-
PK	2.38998G	63.88	74.00	-10.12	30.96	3	Vertical	169	1.03	-
PK	2.408G	103.11	Inf	-Inf	30.95	3	Vertical	169	1.03	-



802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 38
 01-L-3
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82398G	33.49	54.00	-20.51	4.00	3	Vertical	170	1.29	-
PK	4.82379G	45.66	74.00	-28.34	4.00	3	Vertical	170	1.29	-



802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 38
 01-L-3
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82397G	31.11	54.00	-22.89	4.00	3	Horizontal	317	1.12	-
PK	4.82392G	45.23	74.00	-28.77	4.00	3	Horizontal	317	1.12	-

802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX

14/04/2018




EUT_Z_1TX(ANT 2)
 Setting 42
 03-J-1
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.39G	46.68	54.00	-7.32	32.13	3	Vertical	327	1.07	-
AV	2.419G	94.63	Inf	-Inf	32.22	3	Vertical	327	1.07	-
PK	2.39G	63.64	74.00	-10.36	32.13	3	Vertical	327	1.07	-
PK	2.4196G	104.15	Inf	-Inf	32.22	3	Vertical	327	1.07	-

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 42
 01-L-3
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3898G	42.98	54.00	-11.02	30.96	3	Vertical	281	1.02	-
AV	2.439G	94.83	Inf	-Inf	31.04	3	Vertical	281	1.02	-
AV	2.485G	43.71	54.00	-10.29	31.18	3	Vertical	281	1.02	-
PK	2.3866G	54.74	74.00	-19.26	30.97	3	Vertical	281	1.02	-
PK	2.4382G	104.36	Inf	-Inf	31.04	3	Vertical	281	1.02	-
PK	2.4838G	56.06	74.00	-17.94	31.17	3	Vertical	281	1.02	-



802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX

21/03/2018



Legend:

- Lim.PK
- PK
- Lim.AV
- AV

EUT_Z_1TX(ANT 2)
 Setting 42
 01-L-3
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.874G	34.45	54.00	-19.55	4.20	3	Vertical	170	1.23	-
PK	4.87397G	46.49	74.00	-27.51	4.20	3	Vertical	170	1.23	-



802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 42
 01-L-3
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87395G	31.25	54.00	-22.75	4.20	3	Horizontal	123	1.01	-
PK	4.87483G	44.89	74.00	-29.11	4.21	3	Horizontal	123	1.01	-

802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX

14/04/2018



EUT_Z_1TX(ANT 2)
 Setting 42
 03-J-1
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.4544G	95.59	Inf	-Inf	32.32	3	Vertical	326	1.11	-
AV	2.483502G	46.20	54.00	-7.80	32.41	3	Vertical	326	1.11	-
PK	2.4604G	105.07	Inf	-Inf	32.34	3	Vertical	326	1.11	-
PK	2.485G	62.74	74.00	-11.26	32.41	3	Vertical	326	1.11	-



802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 38
 01-L-3
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.464G	93.95	Inf	-Inf	31.12	3	Vertical	170	1.05	-
AV	2.483502G	46.51	54.00	-7.49	31.17	3	Vertical	170	1.05	-
PK	2.4646G	103.41	Inf	-Inf	31.12	3	Vertical	170	1.05	-
PK	2.483502G	62.36	74.00	-11.64	31.17	3	Vertical	170	1.05	-

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 38
 01-L-3
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.924G	33.20	54.00	-20.80	4.40	3	Vertical	169	1.18	-
PK	4.92399G	46.21	74.00	-27.79	4.40	3	Vertical	169	1.18	-



802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 38
 01-L-3
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92398G	31.41	54.00	-22.59	4.40	3	Horizontal	138	1.01	-
PK	4.92372G	45.81	74.00	-28.19	4.40	3	Horizontal	138	1.01	-

802.11g_Nss1,(6Mbps)_1TX

2467MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 37
 01-C-4
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.4644G	93.94	Inf	-Inf	31.12	3	Vertical	282	1.02	-
AV	2.483502G	52.53	54.00	-1.47	31.17	3	Vertical	282	1.02	-
PK	2.463G	103.45	Inf	-Inf	31.11	3	Vertical	282	1.02	-
PK	2.483502G	68.61	74.00	-5.39	31.17	3	Vertical	282	1.02	-



802.11g_Nss1,(6Mbps)_1TX

2467MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 37
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.933988G	32.37	54.00	-21.63	4.44	3	Vertical	212	1.17	-
PK	4.934018G	45.80	74.00	-28.20	4.44	3	Vertical	212	1.17	-

802.11g_Nss1,(6Mbps)_1TX

2467MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 37
 01-C-4
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.933976G	31.53	54.00	-22.47	4.44	3	Horizontal	86	1.06	-
PK	4.93418G	45.28	74.00	-28.72	4.44	3	Horizontal	86	1.06	-



802.11g_Nss1,(6Mbps)_1TX

2472MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 27
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.474G	88.72	Inf	-Inf	31.14	3	Vertical	282	1.01	-
AV	2.483502G	51.18	54.00	-2.82	31.17	3	Vertical	282	1.01	-
PK	2.4734G	98.18	Inf	-Inf	31.14	3	Vertical	282	1.01	-
PK	2.483502G	70.65	74.00	-3.35	31.17	3	Vertical	282	1.01	-

802.11g_Nss1,(6Mbps)_1TX

2472MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 27
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.944024G	30.65	54.00	-23.35	4.48	3	Vertical	32	2.57	-
PK	4.943694G	44.56	74.00	-29.44	4.48	3	Vertical	32	2.57	-

802.11g_Nss1,(6Mbps)_1TX

2472MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 27
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.9478G	30.61	54.00	-23.39	4.50	3	Horizontal	170	1.12	-
PK	4.94326G	44.47	74.00	-29.53	4.48	3	Horizontal	170	1.12	-

802.11n HT20_Nss1,(MCS0)_1TX

2412MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 37
 01-C-4
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	45.07	54.00	-8.93	30.96	3	Vertical	169	1.04	-
AV	2.4096G	92.94	Inf	-Inf	30.96	3	Vertical	169	1.04	-
PK	2.389998G	62.45	74.00	-11.55	30.96	3	Vertical	169	1.04	-
PK	2.409G	103.58	Inf	-Inf	30.96	3	Vertical	169	1.04	-



802.11n HT20_Nss1,(MCS0)_1TX

2412MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 37
 01-C-4
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82402G	33.17	54.00	-20.83	4.00	3	Vertical	169	1.27	-
PK	4.82528G	45.26	74.00	-28.74	4.00	3	Vertical	169	1.27	-



802.11n HT20_Nss1,(MCS0)_1TX

2412MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 37
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82398G	30.96	54.00	-23.04	4.00	3	Horizontal	314	1.01	-
PK	4.82476G	44.89	74.00	-29.11	4.00	3	Horizontal	314	1.01	-

**802.11n HT20_Nss1,(MCS0)_1TX
2417MHz_TX**

14/04/2018




EUT_Z_1TX(ANT 2)
Setting 43
03-J-1
FSP
Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.39G	47.75	54.00	-6.25	32.13	3	Vertical	328	1.07	-
AV	2.42G	94.85	Inf	-Inf	32.22	3	Vertical	328	1.07	-
PK	2.3884G	64.34	74.00	-9.66	32.12	3	Vertical	328	1.07	-
PK	2.414G	104.58	Inf	-Inf	32.20	3	Vertical	328	1.07	-

802.11n HT20_Nss1,(MCS0)_1TX

2437MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 43
 01-C-4
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389G	42.98	54.00	-11.02	30.96	3	Vertical	281	1.17	-
AV	2.4402G	94.39	Inf	-Inf	31.05	3	Vertical	281	1.17	-
AV	2.4982G	43.65	54.00	-10.35	31.21	3	Vertical	281	1.17	-
PK	2.3898G	54.94	74.00	-19.06	30.96	3	Vertical	281	1.17	-
PK	2.4398G	104.04	Inf	-Inf	31.05	3	Vertical	281	1.17	-
PK	2.4942G	56.17	74.00	-17.83	31.20	3	Vertical	281	1.17	-



802.11n HT20_Nss1,(MCS0)_1TX

2437MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 43
 01-C-4
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.873982G	34.43	54.00	-19.57	4.20	3	Vertical	169	1.23	-
PK	4.874102G	46.88	74.00	-27.12	4.20	3	Vertical	169	1.23	-



802.11n HT20_Nss1,(MCS0)_1TX

2437MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 43
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87394G	31.32	54.00	-22.68	4.20	3	Horizontal	139	1.03	-
PK	4.874144G	45.39	74.00	-28.61	4.20	3	Horizontal	139	1.03	-

**802.11n HT20_Nss1,(MCS0)_1TX
2457MHz_TX**

14/04/2018




EUT_Z_1TX(ANT 2)
Setting 43
03-J-1
FSP
Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.46G	95.45	Inf	-Inf	32.34	3	Vertical	49	1.12	-
AV	2.483502G	47.13	54.00	-6.87	32.41	3	Vertical	49	1.12	-
PK	2.454G	105.44	Inf	-Inf	32.32	3	Vertical	49	1.12	-
PK	2.4842G	64.27	74.00	-9.73	32.41	3	Vertical	49	1.12	-

802.11n HT20_Nss1,(MCS0)_1TX

2462MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 36
 01-C-4
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.4594G	93.16	Inf	-Inf	31.10	3	Vertical	281	1.01	-
AV	2.483502G	46.04	54.00	-7.96	31.17	3	Vertical	281	1.01	-
PK	2.459G	103.82	Inf	-Inf	31.10	3	Vertical	281	1.01	-
PK	2.4836G	63.21	74.00	-10.79	31.17	3	Vertical	281	1.01	-



802.11n HT20_Nss1,(MCS0)_1TX

2462MHz_TX

21/03/2018



Legend:

- Lim.PK (Red dashed line)
- PK (Blue line)
- Lim.AV (Pink dashed line)
- AV (Green line)


EUT_Z_1TX(ANT 2)
 Setting 36
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.924018G	33.13	54.00	-20.87	4.40	3	Vertical	169	1.33	-
PK	4.924048G	46.40	74.00	-27.60	4.40	3	Vertical	169	1.33	-

802.11n HT20_Nss1,(MCS0)_1TX

2462MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 36
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.923952G	31.66	54.00	-22.34	4.40	3	Horizontal	94	1.06	-
PK	4.92352G	45.20	74.00	-28.80	4.40	3	Horizontal	94	1.06	-

802.11n HT20_Nss1,(MCS0)_1TX

2467MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 36
 01-C-4
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.47G	93.16	Inf	-Inf	31.13	3	Vertical	281	1.02	-
AV	2.483502G	50.51	54.00	-3.49	31.17	3	Vertical	281	1.02	-
PK	2.464G	103.70	Inf	-Inf	31.12	3	Vertical	281	1.02	-
PK	2.483502G	67.20	74.00	-6.80	31.17	3	Vertical	281	1.02	-



802.11n HT20_Nss1,(MCS0)_1TX

2467MHz_TX

21/03/2018



Legend:

- Lim.PK (Red dashed line)
- PK (Blue solid line)
- Lim.AV (Pink dashed line)
- AV (Green solid line)


EUT_Z_1TX(ANT 2)
 Setting 36
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.934G	32.19	54.00	-21.81	4.44	3	Vertical	207	1.37	-
PK	4.9778G	44.90	74.00	-29.10	4.61	3	Vertical	207	1.37	-

802.11n HT20_Nss1,(MCS0)_1TX

2467MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 36
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.934006G	31.32	54.00	-22.68	4.44	3	Horizontal	82	1.17	-
PK	4.933862G	45.01	74.00	-28.99	4.44	3	Horizontal	82	1.17	-

802.11n HT20_Nss1,(MCS0)_1TX

2472MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 25
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.475G	87.47	Inf	-Inf	31.15	3	Vertical	281	1.01	-
AV	2.483502G	50.53	54.00	-3.47	31.17	3	Vertical	281	1.01	-
PK	2.469G	97.87	Inf	-Inf	31.13	3	Vertical	281	1.01	-
PK	2.483502G	71.21	74.00	-2.79	31.17	3	Vertical	281	1.01	-

802.11n HT20_Nss1,(MCS0)_1TX

2472MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 25
 01-C-4
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.943874G	30.67	54.00	-23.33	4.48	3	Vertical	195	1.60	-
PK	4.942506G	44.69	74.00	-29.31	4.48	3	Vertical	195	1.60	-



802.11n HT20_Nss1,(MCS0)_1TX

2472MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 25
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.9455G	30.47	54.00	-23.53	4.49	3	Horizontal	358	1.50	-
PK	4.945104G	45.21	74.00	-28.79	4.49	3	Horizontal	358	1.50	-

802.11n HT40_Nss1,(MCS0)_1TX

2422MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 37
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	47.47	54.00	-6.53	30.96	3	Vertical	170	1.01	-
AV	2.4312G	90.34	Inf	-Inf	31.02	3	Vertical	170	1.01	-
AV	2.4848G	43.63	54.00	-10.37	31.18	3	Vertical	170	1.01	-
PK	2.389998G	62.44	74.00	-11.56	30.96	3	Vertical	170	1.01	-
PK	2.4288G	100.67	Inf	-Inf	31.01	3	Vertical	170	1.01	-
PK	2.4972G	55.61	74.00	-18.39	31.21	3	Vertical	170	1.01	-

802.11n HT40_Nss1,(MCS0)_1TX

2422MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 37
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.843994G	33.32	54.00	-20.68	4.08	3	Vertical	168	1.26	-
PK	4.844216G	45.91	74.00	-28.09	4.08	3	Vertical	168	1.26	-

802.11n HT40_Nss1,(MCS0)_1TX

2422MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 37
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.843964G	30.76	54.00	-23.24	4.08	3	Horizontal	149	1.46	-
PK	4.845206G	44.82	74.00	-29.18	4.09	3	Horizontal	149	1.46	-

802.11n HT40_Nss1,(MCS0)_1TX

2437MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 36
 01-C-4
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3898G	43.35	54.00	-10.65	30.96	3	Vertical	282	1.15	-
AV	2.4426G	88.51	Inf	-Inf	31.05	3	Vertical	282	1.15	-
AV	2.483502G	45.17	54.00	-8.83	31.17	3	Vertical	282	1.15	-
PK	2.3886G	56.29	74.00	-17.71	30.96	3	Vertical	282	1.15	-
PK	2.4438G	98.97	Inf	-Inf	31.06	3	Vertical	282	1.15	-
PK	2.483502G	58.61	74.00	-15.39	31.17	3	Vertical	282	1.15	-



802.11n HT40_Nss1,(MCS0)_1TX

2437MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 36
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.873964G	33.89	54.00	-20.11	4.20	3	Vertical	169	1.23	-
PK	4.873886G	45.80	74.00	-28.20	4.20	3	Vertical	169	1.23	-

802.11n HT40_Nss1,(MCS0)_1TX

2437MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 36
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.873952G	31.10	54.00	-22.90	4.20	3	Horizontal	99	1.06	-
PK	4.874108G	44.33	74.00	-29.67	4.20	3	Horizontal	99	1.06	-

802.11n HT40_Nss1,(MCS0)_1TX

2452MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 35
 01-C-4
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.388G	43.01	54.00	-10.99	30.97	3	Vertical	282	1.01	-
AV	2.4588G	89.88	Inf	-Inf	31.10	3	Vertical	282	1.01	-
AV	2.4836G	50.39	54.00	-3.61	31.17	3	Vertical	282	1.01	-
PK	2.3688G	54.46	74.00	-19.54	31.02	3	Vertical	282	1.01	-
PK	2.4588G	100.53	Inf	-Inf	31.10	3	Vertical	282	1.01	-
PK	2.488G	65.29	74.00	-8.71	31.19	3	Vertical	282	1.01	-



802.11n HT40_Nss1,(MCS0)_1TX

2452MHz_TX

21/03/2018



Legend for the spectrum plot:

- Lim.PK: Red dashed line
- PK: Blue solid line
- Lim.AV: Pink dashed line
- AV: Green dashed line

EUT_Z_1TX(ANT 2)
 Setting 35
 01-C-4
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.903964G	33.32	54.00	-20.68	4.33	3	Vertical	171	1.47	-
PK	4.904012G	45.90	74.00	-28.10	4.33	3	Vertical	171	1.47	-



802.11n HT40_Nss1,(MCS0)_1TX

2452MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 35
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.904006G	31.72	54.00	-22.28	4.33	3	Horizontal	97	1.02	-
PK	4.904126G	45.49	74.00	-28.51	4.33	3	Horizontal	97	1.02	-

802.11n HT40_Nss1,(MCS0)_1TX

2457MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 34
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3894G	42.96	54.00	-11.04	30.96	3	Vertical	280	1.02	-
AV	2.4598G	89.56	Inf	-Inf	31.10	3	Vertical	280	1.02	-
AV	2.483502G	50.56	54.00	-3.44	31.17	3	Vertical	280	1.02	-
PK	2.3762G	55.06	74.00	-18.94	31.00	3	Vertical	280	1.02	-
PK	2.4638G	99.90	Inf	-Inf	31.12	3	Vertical	280	1.02	-
PK	2.4842G	65.02	74.00	-8.98	31.17	3	Vertical	280	1.02	-

802.11n HT40_Nss1,(MCS0)_1TX

2457MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 34
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.913994G	32.91	54.00	-21.09	4.36	3	Vertical	171	1.34	-
PK	4.91382G	45.32	74.00	-28.68	4.36	3	Vertical	171	1.34	-

802.11n HT40_Nss1,(MCS0)_1TX

2457MHz_TX

21/03/2018




EUT_Z_1TX(ANT 2)
 Setting 34
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.913898G	31.91	54.00	-22.09	4.36	3	Horizontal	81	1.01	-
PK	4.913856G	45.24	74.00	-28.76	4.36	3	Horizontal	81	1.01	-

802.11n HT40_Nss1,(MCS0)_1TX

2462MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 33
 01-C-4
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3868G	42.94	54.00	-11.06	30.97	3	Vertical	280	1.01	-
AV	2.46G	88.65	Inf	-Inf	31.10	3	Vertical	280	1.01	-
AV	2.4848G	52.59	54.00	-1.41	31.18	3	Vertical	280	1.01	-
PK	2.3888G	54.36	74.00	-19.64	30.96	3	Vertical	280	1.01	-
PK	2.4688G	99.11	Inf	-Inf	31.13	3	Vertical	280	1.01	-
PK	2.484G	68.35	74.00	-5.65	31.17	3	Vertical	280	1.01	-



802.11n HT40_Nss1,(MCS0)_1TX

2462MHz_TX

21/03/2018



EUT_Z_1TX(ANT 2)
 Setting 33
 01-C-4
 FSP
 Fixed ANT2 Sample


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.923964G	31.26	54.00	-22.74	4.40	3	Vertical	213	1.56	-
PK	4.925266G	45.09	74.00	-28.91	4.41	3	Vertical	213	1.56	-



802.11n HT40_Nss1,(MCS0)_1TX


2462MHz_TX


21/03/2018





EUT_Z_1TX(ANT 2)
 Setting 33
 01-C-4
 FSP
 Fixed ANT2 Sample

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.9225G	30.87	54.00	-23.13	4.40	3	Horizontal	157	2.29	-
PK	4.922734G	45.78	74.00	-28.22	4.40	3	Horizontal	157	2.29	-















RSE Co-location Result


Appendix C




















Appendix D. Antenna List

Table for Filed Antenna

No.	Brand	Ant. Type	Con. Type	Peak Gain (dBi)	Model No.
1	Walsin	Dipole	IPEX	3.14	RFDPA171320EMLB301
2	LYNwave	PIFA	IPEX	3.5	ALA110-222050-300011
3	ACON	PIFA	IPEX	TX1: 1.94 TX2: -0.22	ANP6Y-100140 ANP6Y-100141
4	SA	PIFA	IPEX	TX1: 0.64 TX2: 1.54	SE-ECS50-001 SE-ECS50-002
5	ACON	PIFA	IPEX	TX1: -0.48 TX2: -0.37	025.9013Y.0011 025.9013Z.0011
6	WNC	PIFA	IPEX	TX1: -0.77 TX2: 0.35	025.9013Y.0001 025.9013Z.0001
7	HONGBO	PIFA	IPEX	TX1: -0.66 TX2: -1.40	DQ602371500 DQ602371500
8	INPAQ	PIFA	IPEX	TX1: -1.57 TX2: -0.90	DQ6LB020204 DQ6LB020204
9	WNC	PIFA	IPEX	TX1: 0.89 TX2: 0.44	DQ6415G8200 DQ6415G8200
10	HONGBO	PIFA	IPEX	-0.66	DQ602371400
11	INPAQ	PIFA	IPEX	-1.74	DQ6LB024100
12	WNC	PIFA	IPEX	1.30	DQ6415G8500
13	High-Tek	PIFA	IPEX	TX1: -0.23 TX2: 0.90	0ACCN016037N 0ACCN016038N
14	Hong-Bo	PIFA	IPEX	TX1: -1.55 TX2: 0.70	ANM6Y-100000 ANM6Y-100001
15	INPAQ	PIFA	IPEX	0.62	DQ6LB024204
16	WNC	PIFA	IPEX	1.33	DQ6415G9700
17	HONGBO	PIFA	IPEX	TX1: -2.04 TX2: 0.58	DQ602368900 DQ602368900
18	INPAQ	PIFA	IPEX	TX1: -1.99 TX2: -1.08	DQ6LB020301 DQ6LB020301
19	HONGBO	PIFA	IPEX	1.50	DQ602368800
20	INPAQ	PIFA	IPEX	0.69	DQ6LB024201
21	WNC	PIFA	IPEX	1.86	DQ6415G9800
22	INPAQ	PIFA	IPEX	TX1: 0.03 TX2: -0.50	WA-P-LB-02-289 WA-P-LB-01-138

23	LUXSHAREICT	PIFA	IPEX	TX1: -2.10 TX2: -1.90	LA05RF838-1H LA05RF836-1H
24	INPAQ	PIFA	IPEX	0.38	DQ6LB024203
25	Hong-Bo	PIFA	IPEX	2.15	DQ602369200
26	INPAQ	PIFA	IPEX	0.28	DQ6LB024205
27	WNC	PIFA	IPEX	0.37	DQ6415G9500
28	SPEED	PIFA	IPEX	TX1: 0.95 TX2: 0.03	025.90133.0001 025.90134.0001
29	Inno Wave	PIFA	IPEX	TX1: 2.66 TX2: 0.71	025.90135.0001 025.90136.0001
30	SPEED	PIFA	IPEX	TX1: 2.35 TX2: -0.45	025.90146.0001 025.900GO.0001
31	Inno Wave	PIFA	IPEX	TX1: 1.16 TX2: 1.29	025.90144.0001 025.90145.0001
32	INPAQ	PIFA	IPEX	TX1: 0.11 TX2: -2.10	025.90131.0001 025.90132.0001
33	Foxconn	PIFA	IPEX	TX1: -0.75 TX2: 0.33	350504E00-600-G 350504F00-600-G
34	WNC	Dipole	IPEX	TX1: -0.45 TX2: 1.26	497317-003 497317-003
35	ACON	Dipole	IPEX	TX1: 0.41 TX2: 0.83	025.90119.0001 025.9011A.0001
36	ACON	PIFA	IPEX	TX1: 1.16 TX2: 0.20	APP6Y-700246 APP6Y-700246
37	JEM	PIFA	IPEX	TX1: 1.45 TX2: 1.51	1510-0119-0258 1510-0119-0258
38	ACON	PIFA	IPEX	TX1: 1.87 TX2: 1.48	APP6Y-700260 APP6Y-700260
39	JEM	PIFA	IPEX	TX1: 1.79 TX2: 2.47	1510-0119-0259 1510-0119-0259
40	SA	PIFA	IPEX	TX1: -0.08 TX2: -1.18	SE-ECM40-001 SE-ECM40-002
41	High-tek	PIFA	IPEX	TX1: -0.92 TX2: -1.89	0ACCN017005N 0ACCN017006N
42	ACON	PIFA	IPEX	TX1: -4.43 TX2: -3.66	025.9010D.0001 025.9010E.0001

43	ACON	PIFA	IPEX	TX1: -4.27 TX2: -3.06	025.9010D.0001 025.9010E.0001
44	ACON	Dipole	IPEX	TX1: 0.28 TX2: 0.58	025.90119.0001 025.9011A.0001
45	ACON	PIFA	IPEX	TX1: -3.50 TX2: -3.88	025.9010D.0001 025.9010E.0001
46	ACON	Dipole	IPEX	TX1: 0.52 TX2: -0.04	025.90119.0001 025.9011A.0001
47	High-tek	PIFA	IPEX	TX1: 2.71 TX2: -1.63	025.90123.0001 025.90124.0001
48	High-tek	PIFA	IPEX	TX1: 2.71 TX2: -1.63	025.90123.0001 025.90124.0001
49	High-tek	PIFA	IPEX	TX1: 2.71 TX2: -1.63	025.90123.0001 025.90124.0001
50	WNC	PIFA	IPEX	TX1: 1.52	DQ6415GCK00
51	Yageo	PIFA	IPEX	TX1:-0.95	DQ612141W00
52	HONGBO	PIFA	IPEX	TX1: 2.32 TX2 : 0.01	260-23717 260-23717
53	HONGBO	PIFA	IPEX	TX1: 0.01	260-23718
54	TONGDA	PIFA	IPEX	TX1: 1.39 TX2: 1.42	T-543-9001133-A T-543-9001133-A
55	TONGDA	PIFA	IPEX	TX1: 1.42 TX2: 2.07	T-543-9001133-3
56	WNC	PIFA	IPEX	TX1:-0.85 TX2:-0.22	81EAA415.GEM 81EAA415.GEN
57	Yageo	PIFA	IPEX	TX1:2.89 TX2:1.83	ANTA0HC12451WLAN1 ANTA0HC12451WLAN2
58	High-Tek	PIFA	IPEX	TX1:-0.73 TX2:-1.58	0ACCN017031N 0ACCN017032N
59	INPAQ	PIFA	IPEX	TX1:0.00 TX2:-0.82	DQ6LB020507 (WA-P-LBLB-02-057)
60	WNC	PIFA	IPEX	TX1:1.67 TX2:1.56	DQ6415GED00 (81EAA415.GED) DQ6415GED00 (81EAA415.GED)
61	INPAQ	PIFA	IPEX	TX1:1.7 TX2:1.93	WA-P-LB-02-508 WA-P-LB-02-509

62	High-Tek	PIFA	IPEX	TX1:1.12 TX2:-2.59	0ACQD017001N 0ACQD017002N
63	WNC	PIFA	IPEX	TX1:2.45 TX2:0.31	81EAA415.GER 81EAA415.GER
64	YAGEO	PIFA	IPEX	TX1:1.40 TX2:-0.50	ANTA0HQ12391WLAN1 ANTA0HQ12391WLAN2
65	WNC	Dipole	IPEX	1.68	9E.XC115.G05
66	YAGEO	PIFA	IPEX	1.4	ANTA0HQ12391WLAN1
67	High-Tek	PIFA	IPEX	1.12	0ACQD017001N
68	WNC	PIFA	IPEX	2.45	81EAA415.GDZ
69	YAGEO	Dipole	IPEX	TX1:0.15 Tx2:0.15	ANTA0HQ12391WLAN4
70	High-Tek	PIFA	IPEX	TX1:-0.15 TX2:0.96	025.9018H.0001 025.9018I.0001
71	WNC	PIFA	IPEX	TX1:1.00 TX2:1.98	025.90189.0001 025.9018A.0001
72	WNC	PIFA	IPEX	TX1:-0.97 TX2:0.76	57EAA415.050 57EAA415.051
73	WNC	PIFA	IPEX	TX1:-0.50 TX2:-1.01	57EAA415.050 57EAA415.051
74	High-tek	PIFA	IPEX	TX1:-0.73 TX2:1.09	0ACCN016015N 0ACCN016016N
75	High-tek	PIFA	IPEX	TX1:-0.17 TX2:0.50	0ACCN016015N 0ACCN016016N
76	High-Tek	PIFA	IPEX	TX1:1.30 TX2:0.62	0ACCN017029N 0ACCN017024N
77	HONGBO	PIFA	IPEX	TX1:1.47 TX2:-0.34	260-24205 260-24206
78	ACON	PIFA	IPEX	TX1:-0.14 TX2:-2.14	6036B0213401 6036B0213301
79	WNC	PIFA	IPEX	TX1:0.06 TX2:-1.10	6036B0213601 6036B0213501
80	YAGEO	PIFA	IPEX	TX1:-0.34 TX2:-0.55	ANTA0HV12461WLAN1 ANTA0HV12461WLAN2
81	ACON	PIFA	IPEX	TX1:0.55 TX2:1.03	6036B0212301 6036B0212401
82	WNC	PIFA	IPEX	TX1:1.76 TX2:0.02	6036B0212101 6036B0212201

83	YAGEO	PIFA	IPEX	TX1:1.44 TX2:-0.47	ANTA0HV12461WLAN3 ANTA0HV12461WLAN4
84	ACON	PIFA	IPEX	TX1:-1.65 TX2:-0.71	6036B0214201 6036B0214101
85	WNC	PIFA	IPEX	TX1:-0.63 TX2:-0.09	6036B0214401 6036B0214301
86	YAGEO	PIFA	IPEX	TX1:-0.72 TX2:-1.97	ANTA0HV12461WLAN5 ANTA0HV12461WLAN6
87	INPAQ	PIFA	IPEX	TX1:0.76 TX2:-0.01	025.901AM.0011 025.901AN.0011
88	Foxconn	PIFA	IPEX	0.29	ANTP2M2-CNC05-EH
89	High-Tek	PIFA	IPEX	TX1: -1.31 TX2: -1.14	0ACAR017015N 0ACAR017016N
90	High-Tek	PIFA	IPEX	TX1: -0.56 TX2: -1.71	0ACAR017017N 0ACAR017018N
91	High-Tek	PIFA	IPEX	TX1: 0.75 TX2: -0.52	DC33001WO00 DC33001WO10
92	INPAQ	PIFA	IPEX	TX1: 1.7 TX2:1.93	WA-P-LB-02-508 WA-P-LB-02-509
93	INPAQ	PIFA	IPEX	TX1: 2.55 TX2: 1.85	WA-P-LB-02-502 WA-P-LB-02-503
94	INPAQ	PIFA	IPEX	TX1:1.55 TX2:0.22	WA-P-LB-02-502 WA-P-LB-02-503
95	INPAQ	PIFA	IPEX	TX1:1.76 TX2:1.59	WA-P-LBLB-02-055 WA-P-LBLB-02-055
96	INPAQ	PIFA	IPEX	TX1:0.00 TX2:-0.82	WA-P-LBLB-02-057 WA-P-LBLB-02-057
97	WNC	PIFA	IPEX	TX1:1.67 TX2:1.56	DQ6415GED00 DQ6415GED00
98	WNC	PIFA	IPEX	TX1:2.48 TX2:2.47	025.901AH.0001 025.901AI.0001
99	WNC	PIFA	IPEX	TX1:-0.54 TX2:1.58	025.901AH.0001 025.901AI.0001
100	INPAQ	PIFA	IPEX	TX1:-0.76 TX2:0.38	WA-P-LBLB-02-058
101	WNC	PIFA	IPEX	TX1:2.41 TX2:2.44	DQ6415GEB00
102	Tongda	PIFA	IPEX	1.42	T-543-9001133-3

103	HONGBO	PIFA	IPEX	0.01	260-23718
104	Foxconn	PIFA	IPEX	TX1:-0.75 TX2:0.33	350504E00-600-G 350504F00-600-G
105	WNC	PIFA	IPEX	TX1:0.34 TX2:1.21	DQ6415GEW00 DQ6415GEW00
106	YAGEO	PIFA	IPEX	TX1:0.77 TX2:0.76	DQ612552W00 DQ612552W00
107	WNC	PIFA	IPEX	0.34	DQ6415GEV00
108	YAGEO	PIFA	IPEX	-0.83	DQ612551W00
109	WNC	PIFA	IPEX	TX1:2.37 TX2:0.91	DQ6415GEY00 DQ6415GEY00
110	YAGEO	PIFA	IPEX	TX1:1.84 TX2:-1.29	DQ612562W00 DQ612562W00
111	WNC	PIFA	IPEX	2.37	DQ6415GEX00
112	YAGEO	PIFA	IPEX	1.04	DQ612561W00
113	YAGEO	PIFA	IPEX	TX1:0.11 TX2:1.47	DQ601072200 (ANTA0HQ10722WLAN1)
114	Foxconn	PIFA	IPEX	TX1:2.63 TX2:0.67	350505Y00-600-G(ANTS2M6-CZ Z52-EH)
115	Foxconn	PIFA	IPEX	TX1:1.62 TX2:0.78	350506100-600-G (ANTS2M1-CZZ49-EH)
116	HIGH-TEK	PIFA	IPEX	TX1:0.80 TX2:0.81	DQ601700400 (0ACQD017004N)
117	INPAQ	PIFA	IPEX	TX1:1.30 TX2:0.98	DQ6LB020508 (WA-P-LBLB-02-056)
118	WNC	PIFA	IPEX	TX1:1.66 TX2:1.82	DQ6415GD500 (81EAA415.GD5)
119	WNC	PIFA	IPEX	TX1:0.10 TX2:0.10	025.90185.0001 025.90186.0001
120	WNC	PIFA	IPEX	TX1:-0.40 TX2:1.11	025.90187.0001 025.90188.0001
121	WNC	PIFA	IPEX	TX1:0.83 TX2:-0.29	025.90183.0001 025.90184.0001
122	WNC	PIFA	IPEX	TX1:0.62 TX2:0.61	025.901AS.0001 025.901AT.0001
123	WNC	PIFA	IPEX	TX1:2.46 TX2:2.44	025.901AS.0001 025.901AT.0001
124	YAGEO	PIFA	IPEX	1.40	ANTA0HQ12571WLAN1

125	WNC	PIFA	IPEX	2.45	81EAA415.GE8
126	HTK	PIFA	IPEX	1.12	0ACQD018004N
127	HTK	PIFA	IPEX	TX1:1.01 TX2:1.63	025.90199.0001 025.9019A.0001
128	WNC	PIFA	IPEX	TX1:1.57 TX2:0.25	025.90197.0001 025.90198.0001
129	HTK	PIFA	IPEX	-0.41	0ACAU017007N
130	ACON	PIFA	IPEX	TX1:1.82 TX2:-0.12	ANP6Y-100208 ANP6Y-100209
131	ICT	PIFA	IPEX	TX1:0.8 TX2:0.1	LA9RF066-CS-H LA9RF067-CS-H
132	ICT	PIFA	IPEX	-2.1	LA9RF076-CS-H