

Page: 1 of 165

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO **FCC PART 15 SUBPART E REQUIREMENT**

OF

Product Name: USB module

Brand Name: REALTEK

Model No.: **RTL8812BU**

Model Difference: N/A

FCC ID: TX2-RTL8812BU

Report No.: ER/2017/70016

Issue Date: Jul. 21, 2017

FCC Rule Part: §15.407

REALTEK SEMICONDUCTOR CORP.

NO. 2, INNOVATION ROAD II, SCIENCE **Prepared for:**

PARK, HSINCHU 300, TAIWAN

SGS Taiwan Ltd.

Electronics & Communication Laboratory

Prepared by: No.134, Wu Kung Road, New Taipei Industrial

Park, Wuku District, New Taipei City, Taiwan

24803





Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which proved the transaction of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 2 of 165

VERIFICATION OF COMPLIANCE

REALTEK SEMICONDUCTOR CORP.

Applicant for: NO. 2, INNOVATION ROAD II, SCIENCE PARK, HSINCHU 300,

TAIWAN

Product Name: USB module

Brand Name: REALTEK

Model No.: RTL8812BU

Model Difference: N/A

FCC ID: TX2-RTL8812BU

File Number: ER/2017/70016

Date of Test: Jul. 03, 2017 ~ Jul. 17, 2017

Date of EUT Received: Jul. 03, 2017

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10: 2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Test By:	(on Li	Date:	Jul. 21, 2017
Prepared By:	Tin Lin/Engineer Vroletta Tang	Date:	Jul. 21, 2017
Approved By:	Violetta Tang/Clerk Tim Chang	Date:	Jul. 21, 2017

Jim Chang / Asst. Manager

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which proved the transaction of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 3 of 165

Revision History

Report Number	Revision	Description	Issue Date
ER/2017/70016	Rev.00	Initial creation of document	Jul. 21, 2017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* No 134 WulkungRand NewTaipeilindustrialPark WukupDistrict NewTaipeiCity. Taiwan 24803/新北市市及股區新北產業園區五工路 134 號

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 4 of 165

Contents

1.	GENERAL INFORMATION	5
2.	SYSTEM TEST CONFIGURATION	9
3.	SUMMARY OF TEST RESULT	11
4.	DESCRIPTION OF TEST MODES	12
5.	MEASUREMENT UNCERTAINTY	15
6.	CONDUCTED EMISSION TEST	16
7.	DUTY CYCLE TEST SIGNAL	20
8.	26dB & 6dB EMISSION BANDWIDTH MEASUREMENT	23
9.	MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT	49
10.	PEAK POWER SPECTRAL DENSITY	52
11.	UNDESIRABLE RADIATED EMISSION MEASUREMENT	67
12.	TRANSMISSION IN THE ABSENCE OF DATA	148
13.	FREQUENCY STABILITY	149
14.	MAXIMUM PERMISSIBLE EXPOSURE (MPE)	163

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* No 134 WulkungRand NewTaipeilindustrialPark WukupDistrict NewTaipeiCity. Taiwan 24803/新北市市及股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 5 of 165

GENERAL INFORMATION

1.1 Product Description

General:

Product Name:	USB module
Brand Name:	REALTEK
FCC Model No.:	RTL8812BU
Model Difference:	N/A
Software Version:	V0.6
Hardware Version:	0V8
Power Supply:	5V from USB Port

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propriate of the follows. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 6 of 165

WLAN 5GHz:

WLAN JUIL.						
Wi-Fi	Frequency Range	Channels	Rated Power (Avg.)	Modulation Technology		
110	5150~5250	4	22.39dBm	0.501		
11a	5725-5850	5	26.26dBm	OFDM		
11n /	HT20 / VHT20 5150~5250	4	HT: 22.34dBm (Worst Case)	OFDM		
ac_20M	HT20 / VHT20 5725-5850	5	HT: 26.20dBm (Worst Case)	OFDM		
11n /	HT40 / VHT40 5150~5250	2	HT: 22.20dBm (Worst Case)	OFDM		
ac_40M	HT40 / VHT40 5725-5850	2	HT: 25.98dBm (Worst Case)	OI DIVI		
11ac_80M	VHT80 5150~5250	1	18.54dBm	OFDM		
1146_661	VHT80 5725-5850	1	23.62dBm	OI DIVI		
Antenna D	esignation:	Printed Antenna, Part No.: RTK-ANT-0002, Supplier: REALTEK Main Antenna Gain: 4.5dBi (5150~5250MHz) Main Antenna Gain: 4.5dBi (5725~5850MHz) Part No.: RTK-ANT-0002, Supplier: REALTEK Aux Antenna Gain: 2.8dBi (5150~5250MHz) Aux Antenna Gain: 2.8dBi (5725~5850MHz)				
Modulation	n type	64QAM, 16QAM, QPSK, BPSK for OFDM 256QAM for OFDM in 802.11ac only				
Transition Rate:		802.11 n_2 802.11 n_4 802.11 ac_ 802.11 ac_	/9/12/18/24/36/48/54 Mbps 0MHz: 6.5 – 144.4Mbps 0MHz: 13.5 – 300Mbps 20MHz: 6.5 –144.4Mbps 40MHz: 13.5 –300Mbps 80MHz: 29.3 – 650Mbps			



Page: 7 of 165

Host Information:

MB/NB/add-in card model name	os	USB Host
Acer-Aspire VN7 719G-55MB(NB)	WIN8.1	Intel USB3.0
ASUS-(P7H55-M/USB3)	WIN7	NEC USB3.0
ASUS-(M5A87) (PC)	WIN7	Asmedia USB3.0
ASUS(NB)-(U36J)	WIN7	Fresco USB3.0
ASUS-(P8Z77-V LX)	WIN7	Intel USB3.0
DELL Vostro 270S (PC)	WIN7	Intel USB3.0
GIGABYTE-(GA-880GMA-UD2H)	WIN7	NEC USB3.0
GIGABYTE-(GA-F2A85X-UP4)	WIN7	AMD USB3.0
GIGABYTE-(GA-H61M-USB3(B3))	WIN7	ETRON USB3.0
HP 14-R017TU(NB)	WIN8	Intel USB3.0
Lenovo T430(NB)	WIN7	Intel USB3.0
MSI-(H67MA-E35(B3))	WIN7	NEC USB3.0
TOSHIBA(NB)-(R830)	WIN7	Renesas USB3.0
TOSHIBA(NB)-(R930)	WIN7	Intel USB3.0
UTB222	WIN7	Renesas USB3.0
UTB242	WIN7	TI USB3.0
UTB245	WIN7	Fresco USB3.0
VLI-805 add-in card	WIN7	VLI USB3.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* No 134 WulkungRand NewTaipeilindustrialPark WukupDistrict NewTaipeiCity. Taiwan 24803/新北市市及股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 8 of 165

Test Methodology of Applied Standards

FCC Part 15, Subpart E §15.407

FCC KDB 789033 D02 General UNII Test Procedures New Rules

FCC KDB 662911 D01 Multiple Transmitter Output

FCC KDB 644545 D03 Guidance for IEEE 802.11ac v01

ANSI C63.10:2013

Note: All test items have been performed and record as per the above standards.

1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803 (TAF code 0513)

FCC Registration Numbers are: 509634

Special Accessories

There are no special accessories used while test was conducted.

Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which proved the transaction of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 9 of 165

SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plan. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max, emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor. Following shows an offset computation example with cable loss 2.3dB, and 10dB attenuator (SISO) and cable loss 5.3dB, and 10dB attenuator (MIMO).

SISO mode offset = RF cable loss (dB)+ attenuation factor(dB)=12.3(dB) MIMO mode offset = RF cable loss (dB)+ attenuation factor(dB)+ 10 log(Nant) dB =15.3(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report teler only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without prints of this document is publicated at the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 10 of 165

2.5 Configuration of Tested System

Fig. 2-1 Radiated & AC Power Line & Conducted (Antenna Port) Emission



Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	WLAN Test Software	N/A	N/A	N/A	N/A	N/A
2.	Notebook	Lenovo	L420	LR-7HXZA	Shielded	Un-shielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is subject to the limit of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

t (886-2) 2299-3279

www.tw.sqs.com



Page: 11 of 165

SUMMARY OF TEST RESULT

FCC Rules	Description Of Test	Result
§15.207	AC Power Line Conducted Emission	Compliant
§15.403(i) §15.407(e)	26 dB & 6dB Emission Bandwidth	Compliant
§15.407(a)	Maximum Conducted Output Power	Compliant
§15.407(a)	Power Spectral Density	Compliant
§15.407(b)	Undesirable Radiated Emissions	Compliant
§15.407(c)	Transmission in case of Absence of Information	Compliant
§15.407(g)	Frequency Stability	Compliant
§15.203 §15.407(a)	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* No 134 WulkungRand NewTaipeilindustrialPark WukupDistrict NewTaipeiCity. Taiwan 24803/新北市市及股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 12 of 165

DESCRIPTION OF TEST MODES

4.1 Operated in U-NII Bands

Operated band in 5150 MHz ~5250 MHz:

4 channels are provided for 802.11a, 802.11n_HT20, 802.11ac_VHT20

-				
	CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
	36	5180 MHz	44	5220 MHz
	40	5200 MHz	48	5240 MHz

2 channels are provided for 802.11n_HT40, 802.11ac_VHT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
38	5190 MHz	46	5230 MHz

1 channel is provided for 802.11ac_VHT80

CHANNEL	FREQUENCY
42	5210 MHz

Operated band in 5725 MHz ~5850 MHz:

5 channels are provided for 802.11a, 802.11n_HT20, 802.11ac_VHT20

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
149	5745 MHz	161	5805 MHz
153	5765 MHz	165	5825 MHz
157	5785 MHz		

2 channels are provided for 802.11n_HT40, 802.11ac_VHT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
151	5755 MHz	159	5795 MHz

1 channel is provided for 802.11ac_VHT80

CHANNEL	FREQUENCY
155	5775 MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 13 of 165

4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting mode is pro grammed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.
- 4. The given UE is pre-scanned among 802.11n and ac modes, and 802.11n yields the highest reading that generates the highest emission. Therefore, 802.11n as the mode of test configuration is chosen to carry out the relevantly mandatory test items.

RADIATED EMISSION TEST:

RADIATED EMISSION TEST:								
RADIATED EMISSION TEST (BELOW 1 GHz)								
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT		
802.11a	5180~5240	36 to 48	36,44,48	OFDM	6	MIMO		
802.11ac_VHT80	5210	42	42	OFDM	MCS8	MIMO		
802.11a	5745~5825	149 to 165	149,157,165	OFDM	6	MIMO		
802.11ac_VHT80	5775	155	155	OFDM	MCS8	MIMO		
	RADI	ATED EMISS	SION TEST (A	BOVE 1 GHz)				
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT		
802.11a	E100 E010	20 to 40	20.44.40	OFDM	6	MIMO		
802.11n_HT20	5180~5240	36 to 48	36,44,48	OFDM	MCS8	MIMO		
802.11n_HT40	5190~5230	38 to 46	38,46	OFDM	MCS8	MIMO		
802.11ac_VHT80	5210	42	42	OFDM	MCS8	MIMO		
802.11a	5745~5825	5745 5005 A40 to 405		OFDM	6	MIMO		
802.11n_HT20	T20 5745~5825 149 to 165 149,157,165		OFDM	MCS8	MIMO			
802.11n_HT40	5755~5795	151 to 159	151,159	OFDM	MCS8	MIMO		
802.11ac_VHT80	5775	155	155	OFDM	MCS8	MIMO		

Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11a/n/ac WLAN Transmitter for channel Low, Mid and High, the worst case H position was reported.

Pre-scanned was done on Main antenna and Aux antenna. The Mian antenna results higher emission at 5GHz. Therefore, the completed set of radiated measurement was done on Main antenna to be presented on this test report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page: 14 of 165

ANTENNA PORT CONDUCTED MEASUREMENT:

ANTENNA I ON TOONDOOTED MEAGONEMENT.								
CONDUCTED TEST								
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT		
802.11a	E100 E240	26 to 49	26 44 49	OFDM	6	MIMO		
802.11ac_HT20	1ac_HT20 5180~5240 36 to 48 36,44,48		30,44,40	OFDM	MCS8	MIMO		
802.11ac_HT40	5190~5230	38 to 46	38,46	OFDM	MCS8	MIMO		
802.11ac_VHT80	5210	42	42	OFDM	MCS8	MIMO		
802.11a	E74E E00E	5745 5005 4404 405 444		OFDM	6	MIMO		
802.11ac_HT20	5745~5825	149 to 165	149,157,165	OFDM	MCS8	MIMO		
802.11ac_HT40	5755~5795	151 to 159	151,159	OFDM	MCS8	MIMO		
802.11ac_VHT80	5775	155	155	OFDM	MCS8	MIMO		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of his document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeiIndustrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

10.134, WuKungRoad, NewTaipeiIndustrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 15 of 165

MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
26dB & 6dB Emission Bandwidth	+/- 123.36 Hz
The Maximum Output Power Measurement	+/- 0.96 dB
Peak Power Spectral Density Measurement	+/- 1.67 dB
Frequency Stability	+/- 123.36 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

Radiated Spurious Emission:

	9kHz-30MHz: +/-2.87dB
	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	9kHz-30MHz: +/-2.87dB
	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propriate of the following the subject of this document is unauthal and effenders may be prospected to the full lest extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 16 of 165

CONDUCTED EMISSION TEST

6.1. Standard Applicable

Frequency range within 150 kHz to 30 MHz shall not exceed the Limit table as below.

Frequency range	Limits dB(uV)				
MHz	Quasi-peak	Average			
0.15 to 0.50	66 to 56	56 to 46			
0.50 to 5	56	46			
5 to 30	60	50			

Note

- 1. The lower limit shall apply at the transition frequencies
- 2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

6.2. Measurement Equipment Used

Conducted Emission Test Site									
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.				
TYPE		NUMBER	NUMBER	CAL.					
EMI Test Receiver	R&S	ESCI7	100760	05/11/2017	05/10/2018				
LISN	SCHWARZBECK	NSLK 8127	8127-649	05/22/2017	05/21/2018				
LISN	MESS TEC	FCC-LISN-50/250 -25-2-01	4034	03/19/2017	03/18/2018				
Coaxial Cables	N/A	WK CE Cable	N/A	11/26/2016	11/25/2017				

6.3. EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The rear of the EUT and peripherals were placed flushed with the rear of the tabletop.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 17 of 165

6.4. Test SET-UP



6.5. Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed.

6.6. Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

家非方角就明 - 比較容易未僅對測減之樣必負責 | 阿時此樣必僅体留別之 - 來放客來學本之可看面評明 - 木可能价模装。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 18 of 165

AC POWER LINE CONDUCTED EMISSION TEST DATA

Operation Mode:	Operation mode		Test By:	Tin	
Temperature:	20	Humidity:	58 %	Phase:	L1 / N

Site Conduction Room Phase: Temperature: L1 AC 110V/50Hz Limit: FCC Class B Conduction(QP) Humidity: Mode: Operation mode Note: Conducted Emission Data W18 Date: 2017/7/10 File 30 III Time: 11.02:31 100.0 dBuV FCC Class B Conduction(GP) 0.150 (MHz) 5 30.000 Reading Correct Measure-Limit Over No. Mk. Freq. Factor MHz dBuV dB dBuV dBuV dB Detector Comment 1 0.1580 49.98 0.12 50.10 65.57 -15.47 peak 2 47.56 47.68 0.2060 0.12 63.37 -15.69 peak 3 0.2540 41.76 0.12 41.88 61.63 -19.75peak 4 0.3460 37.95 0.11 38.06 59.06 -21.00 peak 5 0.3940 34.98 0.11 35.09 57.98 -22.89 peak 6 4.7380 34.19 0.28 34.47 56.00 -21.53 peak

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which proved the transaction of the content or approval of the company.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 19 of 165

Site Conduction Room


Limit: FCC Class B Conduction(QP)

Mode: Operation mode

Note:

Phase: N Power:

AC 110V/60Hz Humidity:



No.	Mk.	Freq	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1		0.1540	47.87	0.07	47.94	65.78	-17.84	peak	
2		0.2020	47.70	0.07	47.77	63.53	-15.76	peak	
3		0.2340	42.29	0.07	42.36	62.31	-19.95	peak	
4	+	0.2700	39.33	0.07	39.40	61.12	-21.72	peak	
5		2.8500	36.57	0.15	36.72	56.00	-19.28	peak	
6		3.3140	36.41	0.17	36.58	56.00	-19.42	peak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propriate of the follows. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 20 of 165

DUTY CYCLE TEST SIGNAL

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

Formula:

Duty Cycle = Ton / (Ton+Toff)

Measurement Procedure:

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

Duty Cycle:

Mode	Duty Cycle (%)	Duty Factor (dB) =10*log (1/Duty Cycle)
802.11a	92.42	0.34
802.11n_20	92.42	0.34
802.11n_40	87.55	0.58
802.11ac_80	80.25	0.96

Duty Cycle Factor: $10 * \log(1/0.9242) = 0.34$ Duty Cycle Factor: $10 * \log(1/0.9242) = 0.34$ Duty Cycle Factor: $10 * \log(1/0.8755) = 0.58$ Duty Cycle Factor: $10 * \log(1/0.8025) = 0.96$


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which proved the transaction of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 21 of 165

DUTY CYCLE TEST SIGNAL Measurement Result 802.11a



802.11n HT20



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this decument is unavailable of the decompany. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page: 22 of 165

802.11n HT 40



802.11 ac VHT 80



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this decument is unavailable of the decompany. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 23 of 165

26dB & 6dB EMISSION BANDWIDTH MEASUREMENT

8.1 Standard Applicable

There is no limit bandwidth for U-NII-1, U-NII-2-A and U-NII-2-C.

The minimum of 6dB Bandwidth measurement is 0.5 MHz for U-NII-3

8.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules v01r01.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the Antenna port to the spectrum analyzer.
 - a. 26dB Band width Measurement: Set the spectrum analyzer as 1% of emission BW Sweep=auto, Detector = Peak, Trace Mode = Max Hold, Manually readjust RBW until the RBW/EBW ratio is 1% based on EBW as observed on the result of pre-sequence measurement.
 - b. Mark the peak frequency and –26dB (upper and lower) frequency.
- 4. Repeat the procedures as list above until all test default channels (low, middle, and high) are completed.
- 5. Minimum Emission Bandwidth for the band 5.725-5.850GHz.
 - a. Set the spectrum analyzer as RBW = 100 kHz, VBW = 3*RBW, Span = 30M/50MHz, Detector=Peak,
 - Sweep=auto
 - b. Mark the peak frequency and -6dB (upper and lower) frequency.
- Repeat above procedures until all test default channel measured were complete.

Note: For the overlapped channels between U-NII-2C and U-NII-3 bands, and according to FCC KDB 644545 D03, the boundary frequency between the bands is used as one edge for defining the portion of the 26dB BW that falls within a particular U-NII band. This rule is only applicable for the 26dB BW and for those channels marked as overlapped.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279




Page: 24 of 165

8.3 Measurement Equipment Used

SGS Conducted Room					
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018
Coaxial Cable	HUBER+SUH NER	SUCOFLEX 102	23670/2	01/05/2017	01/04/2018
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018

8.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propriate of the follows. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com



Page: 25 of 165

8.5 Measurement Result 26dB Bandwidth

902 11a Main

802.11a_Aux1

Frequency (MHz)	26 dB BW (MHz)	10 Log (B) (dB)
5180	22.68	13.557
5220	24.13	13.826
5240	22.83	13.584

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	29.05	14.631
5220	23.11	13.639
5240	23.99	13.800

802.11n_HT20_Main

802.11n_HT20_Aux1

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	29.97	14.766
5220	25.61	14.083
5240	23.04	13.626

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	29.94	14.762
5220	29.28	14.665
5240	24.87	13.956

802.11n _HT40_Main

802.11n _HT40_Aux1

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5190	43.15	16.349
5230	49.12	16.913

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5190	42.29	16.262
5230	46.08	16.635

802.11ac _VHT80_Main

802.11ac _VHT80_Aux1

Frequency (MHz)	26 dB BW (MHz)	10 Log (B) (dB)
5210	81.27	19.099

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5210	81.62	19.118

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propriate of the follows. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 26 of 165

6dB Bandwidth (5725 MHz~ 5850 MHz) measure with Peak detector for FCC

202 11a Main

002. 1 1a_ Wa 111			
Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)	
5745	16.31	12.124	
5785	16.40	12.149	
5825	16.50	12 176	

802.11a_Aux1

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	16.37	12.140
5785	16.36	12.139
5825	16.41	12.150

802.11n HT20 Main

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	17.62	12.460
5785	17.67	12.471
5825	17.61	12.459

802.11n_HT20_Aux1

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	17.30	12.381
5785	17.62	12.460
5825	17.65	12.467

802.11n_HT40_Main

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5755	36.43	15.614
5795	36.46	15.618

802.11n_HT40_Aux1

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5755	36.45	15.616
5795	36.58	15.633

802.11ac VHT80 Main

	_	
Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5775	75.01	18.751

802.11ac _VHT80_Aux1

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5775	74.18	18.703


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propriate of the follows. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 27 of 165

802.11a, 5150~5250 MHz (Main) 26dB Band Width Test Data CH-Low (5180MHz)



26dB Band Width Test Data CH-Mid (5220MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 可呼此樣必須在心質性質別なる可看面許可 - 不可能的模製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 28 of 165

26dB Band Width Test Data CH-High (5240MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488

www.tw.sqs.com




Page: 29 of 165

802.11a, 5150~5250 MHz (Aux) 26dB Band Width Test Data CH-Low (5180MHz)



26dB Band Width Test Data CH-Mid (5220MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 可呼此樣必須在心質性質別なる可看面許可 - 不可能的模製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134 WuKungRoad NewTaipeiIndustrial

No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 30 of 165

26dB Band Width Test Data CH-High (5240MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this decument is unavailable of the decompany. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 31 of 165

802.11n HT20, 5150~5250 MHz (Main) 26dB Band Width Test Data CH-Low (5180 MHz)



26dB Band Width Test Data CH-Mid (5220 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 可呼此樣必須在心質性質別なる可看面許可 - 不可能的模製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 32 of 165

26dB Band Width Test Data CH-High (5240 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 33 of 165

802.11n HT20, 5150~5250 MHz (Aux) 26dB Band Width Test Data CH-Low (5180 MHz)



26dB Band Width Test Data CH-Mid (5220 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


家非方角就明 - 比較容易未僅對測減之樣必負責 可呼此樣必須在心質性質別なる可看面許可 - 不可能的模製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 34 of 165

26dB Band Width Test Data CH-High (5240 MHz)



t (886-2) 2299-3279


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 35 of 165

802.11n HT40, 5150~5250 MHz (Main) 26dB Band Width Test Data CH-Low (5190 MHz)



26dB Band Width Test Data CH-High (5230 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

GGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

www.tw.sgs.com




Page: 36 of 165

802.11n HT40, 5150~5250 MHz (Aux) 26dB Band Width Test Data CH-Low (5190 MHz)



26dB Band Width Test Data CH-High (5230 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 可呼此樣必須在心質性質別なる可看面許可 - 不可能的模製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 37 of 165

802.11ac VHT80, 5150~5250 MHz (Main) 26dB Band Width Test Data CH-Mid (5210 MHz)



802.11ac VHT80, 5150~5250 MHz (Aux) 26dB Band Width Test Data CH-Mid (5210 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 | 同時此樣必僅体留別之 - 本教を不整本の自由部門 - 木可能位養者。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Page: 38 of 165

6dB Band Width measure with Peak detector for FCC 802.11a, 5725~5850 MHz (Main)

6dB Band Width Test Data CH-Low (5745 MHz)



6dB Band Width Test Data CH-Mid (5785 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

GGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279 f (886-2) 2298-0488

www.tw.sgs.com



Page: 39 of 165

6dB Band Width Test Data CH-High (5825 MHz)



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior the company is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司




Page: 40 of 165

802.11a, 5725~5850 MHz (Aux) 6dB Band Width Test Data CH-Low (5745 MHz)



6dB Band Width Test Data CH-Mid (5785 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 可呼此樣必須在心質性質別なる可看面許可 - 不可能的模製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 41 of 165

6dB Band Width Test Data CH-High (5825 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this decument is unavailable of the decompany. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司




Page: 42 of 165

802.11n_HT20, 5725~5850 MHz (Main) 6dB Band Width Test Data CH-Low (5745 MHz)



6dB Band Width Test Data CH-Mid (5785 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


家非方角就明 - 比較容易未僅對測減之樣必負責 可呼此樣必須在心質性質別なる可看面許可 - 不可能的模製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 43 of 165

6dB Band Width Test Data CH-High (5825 MHz)



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior the company is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com




Page: 44 of 165

802.11n_HT20, 5725~5850 MHz (Aux) 6dB Band Width Test Data CH-Low (5745 MHz)



6dB Band Width Test Data CH-Mid (5785 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

家非方角就明 - 比較容易未僅對測減之樣必負責 可呼此樣必須在心質性質別なる可看面許可 - 不可能的模製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 45 of 165

6dB Band Width Test Data CH-High (5825 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this decument is unavailable of the decompany. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488

www.tw.sqs.com




Page: 46 of 165

802.11n_HT40, 5725~5850 MHz (Main) 6dB Band Width Test Data CH-Low (5755 MHz)



6dB Band Width Test Data CH-Mid (5795 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 可呼此樣必須在心質性質別なる可看面許可 - 不可能的模製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司




Page: 47 of 165

802.11n_HT40, 5725~5850 MHz (Aux) 6dB Band Width Test Data CH-Low (5755 MHz)



6dB Band Width Test Data CH-Mid (5795 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


家非方角就明 - 比較容易未僅對測減之樣必負責 可呼此樣必須在心質性質別なる可看面許可 - 不可能的模製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 48 of 165

802.11ac VHT80, 5725~5850 MHz (Main) 6dB Band Width Test Data CH-Low (5775 MHz)



802.11ac VHT80, 5725~5850 MHz (Aux) 6dB Band Width Test Data CH-Low (5775 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 可呼此樣必須在心質性質別なる可看面許可 - 不可能的模製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 49 of 165

MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT

Standard Applicable

FCC

<u> </u>			
OPERZTION Band	EUT CATEGORY		LIMIT
U-NII-1	Access Point (Mater device)		1 Watt(30dBm)
		Fixed point-to-point Acess Ponit	1 Watt(30dBm)
	V	Mobile and portable clinet device	250mW(23.98dBm)
U-NII-2A			250mW(23.98dBm) or 11dBm+10 log B
U-NII-2C			250mW(23.98dBm) or 11dBm+10 log B
U-NII-3	V		1 Watt(30dBm)

If transmitting antennas of directional gain greater than 6 dBi are used, both the transmit power and the power spectral density shall be reduced by the amount in dB that the direction-al gain of the antenna exceeds 6 dBi.

The antenna gain is granter than 6 dBi in MIMO mode the limit reduce as below: Directional gain = gain of antenna element + 10 log (# of TX antenna elements)

FCC

	Effective Legacy Gain (dBi)	Limit
UNII-1	4.5+3.01=7.51dBi	23.98dBm – (7.51– 6dBi) = 22.47dBm
U-NII-3	4.5+3.01=7.51dBi	30dBm - (7.51-6dBi) = 28.49dBm

Therefore the limit needs to reduce for the U-NII-1 and U-NII-3 band.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 50 of 165

9.2 Measurement Procedure


- Place the EUT on the table and set it in transmitting mode.
- The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antennport to the power meter
- 4. Power Meter is used as the auxiliary test equipment to conduct the output power measure-
- Record the max. reading and add 10 log(1/duty cycle).
- Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.

Note: For the overlapped channels between U-NII-2C and U-NII-3, and according to FCC KDB 644545 D03 the power is computed based on the portion of the emission bandwidth contained within that band. This rule is only applicable for those channels marked as overlapped.

9.3 Measurement Equipment Used

	SGS Conducted Room								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.				
TYPE		NUMBER	NUMBER	CAL.					
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017				
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017				
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018				
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018				
Coaxial Cable	HUBER+SUH NER	SUCOFLEX 102	23670/2	01/05/2017	01/04/2018				
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018				
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018				
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017				
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018				

9.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Page: 51 of 165

Measurement Result

802.11a MIMO

011	Frequency Data		Data AVG. POWER (dBm)		TOTAL TOTAL		REQUIRED	DEOLU T
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)	LIMIT (dBm)	RESULT
36	5180	MCS8	19.23	18.65	22.36	157.035	22.47	PASS
44	5220	MCS8	19.16	18.78	22.39	157.923	22.47	PASS
48	5240	MCS8	19.14	18.79	22.38	157.718	22.47	PASS
149	5745	MCS8	22.78	22.22	25.92	356.395	28.49	PASS
157	5785	MCS8	23.27	22.38	26.26	385.306	28.49	PASS
165	5825	MCS8	22.07	21.88	25.39	315.235	28.49	PASS

802.11n_HT20_MIMO

011	Frequency	ency Data AVO. 1 GWER (GBIII)		TOTAL	TOTAL	REQUIRED	DE0111 T	
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)	LIMIT (dBm)	RESULT
36	5180	MCS8	19.27	18.56	22.34	156.307	22.47	PASS
44	5220	MCS8	19.15	18.53	22.26	153.510	22.47	PASS
48	5240	MCS8	19.06	18.36	22.14	149.087	22.47	PASS
149	5745	MCS8	22.58	21.96	25.69	338.170	28.49	PASS
157	5785	MCS8	22.95	22.23	26.02	364.351	28.49	PASS
165	5825	MCS8	23.07	22.49	26.20	380.187	28.49	PASS

802.11n_HT40_MIMO

CII	Frequency Data A		Frequency Data AVG. POWER (dBm)				REQUIRED	RESULT
СН	(MHz)	(MHz) Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)	LIMIT (dBm)	RESULT
38	5190	MCS8	15.97	15.03	19.11	71.379	22.47	PASS
46	5230	MCS8	18.96	18.23	22.20	145.232	22.47	PASS
151	5755	MCS8	22.46	21.72	25.69	324.791	28.49	PASS
159	5795	MCS8	22.78	21.96	25.98	346.707	28.49	PASS

802.11ac VHT80 MIMO

CH	Frequency Data		AVG. POWER (dBm)		TOTAL POWER	TOTAL POWER	REQUIRED LIMIT	RESULT
СН	(MHz)	Rate	CH 0	CH 1	(dBm)	(mW)	(dBm)	RESULT
42	5210	MCS0	15.36	13.56	18.54	57.054	22.47	PASS
155	5775	MCS0	20.3	18.85	23.62	183.888	28.49	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propriate of the follows. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 52 of 165

10. PEAK POWER SPECTRAL DENSITY

10.1 Standard Applicable

FCC

OPERZTION Band	EUT CATEGORY		LIMIT		
U-NII-1		Access Point (Mater device)	17dBm/ MHz		
		Fixed point-to-point Acess Ponit			
		Mobile and portable clinet device	11dBm/ MHz		
U-NII-2A			11dBm/ MHz		
U-NII-2C			11dBm/ MHz		
U-NII-3	V		30dBm/ 500kHz		

If transmitting antennas of directional gain greater than 6 dBi are used, both the transmit power and the power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna gain is granter than 6 dBi in MIMO mode the limit reduce as below: Directional gain = gain of antenna element + 10 log (# of TX antenna elements)

FCC

	Effective Legacy Gain (dBi)	Limit
UNII-1	4.5+3.01=7.51dBi	11dBm – (7.51– 6dBi) = 9.49dBm
U-NII-3	4.5+3.01=7.51dBi	30dBm - (7.51-6dBi) = 28.49dBm

Therefore the limit needs to reduce for the UNII-1 and U-NII-3 band.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which proved the transaction of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 53 of 165

10.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules .
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.

4. For U-NII1, U-NII-2A, U-NII-2C Band:

Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

For U-NII-3 Band:

Set RBW=500 kHz, VBW≥ 3RBW, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

- 5. User the cursor on spectrum to peak search the highest level of trace
- 6. Record the max. reading and add 10 log(1/duty cycle).
- 7. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Note: For the test of PSD at MIMO mode, the highest emission of worst case employing Measure and add 10 log (N) technical is reported on this report after the comparison between Main Antenna at single transmitting mode and Aux that yields the higher value. The MIMO transmitting mode produces higher value of outcome.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 54 of 165

10.3 Measurement Equipment Used

	SGS Conducted Room								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.				
TYPE		NUMBER	NUMBER	CAL.					
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017				
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017				
EXA Spectrum	A	NICOCOA	NAV/50400700	00/04/0047	00/00/0040				
Analyzer	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018				
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018				
Coaxial Cable	HUBER+SUH NER	SUCOFLEX 102	23670/2	01/05/2017	01/04/2018				
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018				
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018				
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017				
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018				

10.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propriate of the follows. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 55 of 165

10.5 Measurement Result

POWER DENSITY 802.11a MODE							
Frequency (MHz)	PPSD (dBm)	Limit (dBm)	Margin (dB)				
5180	8.17	9.49	-1.32				
5220	7.66	9.49	-1.83				
5240	7.90	9.49	-1.59				
5745	19.70	28.49	-8.79				
5785	19.83	28.49	-8.66				
5825	19.68	28.49	-8.81				

POWER DENSITY 802.11n HT20 MODE							
Frequency (MHz)	PPSD (dBm)	Limit (dBm)	Margin (dB)				
5180	8.54	9.49	-0.95				
5220	8.80	9.49	-0.69				
5240	8.00	9.49	-1.49				
5745	19.22	28.49	-9.27				
5785	19.58	28.49	-8.91				
5825	19.73	28.49	-8.76				

POWER DENSITY 802.11n HT40 MODE				
Frequency (MHz)	PPSD (dBm)	Limit (dBm)	Margin (dB)	
5190	2.12	9.49	-7.37	
5230	5.28	9.49	-4.21	
5755	15.86	28.49	-12.63	
5795	16.56	28.49	-11.93	

POWER DENSITY 802.11ac VHT80 MODE					
Frequency (MHz)	PPSD (dBm)	Limit (dBm)	Margin (dB)		
5210	-1.83	9.49	-11.32		
5775	11.13	28.49	-17.36		

www.tw.sqs.com



Page: 56 of 165

802.11a 5150~5250 MHz

Peak Power Spectral Density Data Plot (CH Low 5180 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5220 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report teler only to the samplets) tested and such samplets (ested and such samplets) tested and such samplets) tested and such samplets (ested and such samplets) tested and such samplets) tested and such samplets) tested and such samplets (ested and such samplets) tested and such samplets) and samplets) tested and such samplets tested and such samplets) tested and such samplets teste pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

www.tw.sqs.com



Page: 57 of 165

Peak Power Spectral Density Data Plot (CH High 5240 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior the company is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 58 of 165

802.11a 5725~5850 MHz

Peak Power Spectral Density Data Plot (CH Low 5745 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5785 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report teler only to the samplets) tested and such samplets (ested and such samplets) tested and such samplets) tested and such samplets (ested and such samplets) tested and such samplets) tested and such samplets) tested and such samplets (ested and such samplets) tested and such samplets) and samplets) tested and such samplets tested and such samplets) tested and such samplets teste pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 59 of 165

Peak Power Spectral Density Data Plot (CH High 5825 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this decument is unavailable of the decompany. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 60 of 165

802.11n HT20, 5150~5250 MHz

Peak Power Spectral Density Data Plot (CH Low 5180 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5220 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report teler only to the samplets) tested and such samplets (ested and such samplets) tested and such samplets) tested and such samplets (ested and such samplets) tested and such samplets) tested and such samplets) tested and such samplets (ested and such samplets) tested and such samplets) and samplets) tested and such samplets tested and such samplets) tested and such samplets teste pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 61 of 165

Peak Power Spectral Density Data Plot (CH High 5240 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this decument is unavailable of the decompany. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 62 of 165

802.11n HT20, 5725~5850 MHz

Peak Power Spectral Density Data Plot (CH Low 5745 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5785 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 可呼此樣必須在心質性質別なる可看面許可 - 不可能的模製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 63 of 165

Peak Power Spectral Density Data Plot (CH High 5825 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this decument is unavailable of the decompany. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司



Page: 64 of 165

802.11n HT40, 5150~5250 MHz

Peak Power Spectral Density Data Plot (CH Low 5190 MHz)



Peak Power Spectral Density Data Plot (CH High 5230 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report teler only to the samplets) tested and such samplets (ested and such samplets) tested and such samplets) tested and such samplets (ested and such samplets) tested and such samplets) tested and such samplets) tested and such samplets (ested and such samplets) tested and such samplets) and samplets) tested and such samplets tested and such samplets) tested and such samplets teste pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 65 of 165

802.11n HT40, 5725~5850 MHz

Peak Power Spectral Density Data Plot (CH Low 5755 MHz)



Peak Power Spectral Density Data Plot (CH High 5795 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report teler only to the samplets) tested and such samplets (ested and such samplets) tested and such samplets) tested and such samplets (ested and such samplets) tested and such samplets) tested and such samplets) tested and such samplets (ested and such samplets) tested and such samplets) and samplets) tested and such samplets tested and such samplets) tested and such samplets teste pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 66 of 165

802.11ac VHT80, 5150~5250 MHz Peak Power Spectral Density Data Plot (CH Mid 5210 MHz)



802.11ac VHT80, 5725~5850 MHz

Peak Power Spectral Density Data Plot (CH Mid 5775 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

wan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 67 of 165

11. UNDESIRABLE RADIATED EMISSION MEASUREMENT

Standard Applicable

The maximum emissions outside of the frequency bands of operation shall be attenuated in accordance with the following limits:

- 1. For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
- 2. For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

APPLICABLE TO	LIMIT			
FCC KDB 789033 D02 General UNII Test Procedures New Rules	FIELD STRENGTH AT 3m			
v01r04	PK: 74 (dBμV/m)	AV 54 (dBµV/m)		
APPLICABLE TO	EIRP LIMIT	FIELD STRENGTH AT 3m		
15.407(b)(1)				
15.407(b)(2)	PK: -27 (dBm/MHz)	PK: 68.3 (dBµV/m)		
15.407(b)(3)				
15.407(b)(4)	PK: -27 (dBm/MHz) PK: -17 (dBm/MHz)	PK: 68.3 (dBµV/m) PK: 78.2 (dBµV/m)		
15.407(b)(4)(i)	PK:-27 (dBm/MHz) *1 PK:10 (dBm/MHz) *2 PK:15.6 (dBm/MHz) *3 PK:27 (dBm/MHz) *4	PK: 68.2(dBµV/m) *1 PK:105.2 (dBµV/m) *2 PK: 110.8(dBµV/m) *3 PK:122.2 (dBµV/m) *4		

^{*1} beyond 75 MHz or more above of the bandedge.

EIRP = $((E*d)^2) / 30$, where E is the field in V/m, d is the measurement distance (3m), EIRP is the equivalent isotropically radiated power in Watts.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

^{*2} below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above.

^{*3} below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above.

^{*4} from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.



Page: 68 of 165

Unwanted spurious emissions which fall in the restricted bands must comply with the radiated emission limits specified as below table:

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(KHz)	300
0.490-1.705	24000/F(KHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, willust extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 69 of 165

11.2 Measurement Equipment Used

SGS SAC-III						
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.	
EMI Test Receiver	R&S	ESCI7	100760	05/11/2017	05/10/2018	
Spectrum Analyzer	Agilent	E4446A	MY51100003	04/25/2017	04/24/2018	
Loop Antenna	ETS-Lindgren	6502	148045	09/20/2016	09/19/2017	
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/19/2016	12/18/2017	
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/01/2016	07/31/2017	
Pre-Amplifier	Agilent	8447D	2944A07676	01/05/2017	01/04/2018	
Pre-Amplifier	EMC Instruments Corp.	EMC0126530	980038	01/05/2017	01/04/2018	
Turn Table	HD	DT420	N/A	N.C.R	N.C.R	
Antenna Tower	ChamPro	AM-BS-4500-B	060776-ABS	N.C.R	N.C.R	
Controller	ChamPro	EM1000	60776	N.C.R	N.C.R	
Low Loss Cable	Huber Suhner	966_RX	9	01/05/2017	01/04/2018	
3m Site NSA	SGS	966 chamber	N/A	07/01/2017	06/30/2018	
Low Loss Cable	Huber Suhner	966 TX	1	01/05/2017	01/04/2018	
Horn Antenna	Schwarzbeck	BBHA9170	184	12/12/2016	12/11/2017	
Pre-Amplifier	EMC Instruments Corp.	EMC184045	980135	01/05/2017	01/04/2018	

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propriate of the follows. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 70 of 165

11.3 Test SET-UP


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 71 of 165

11.4 Measurement Procedure

- The EUT was placed on a turn table which is 0.8m above ground plane.
- The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules 2. v01r01.
- 3. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 5. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) 6. and Quasi-peak (QP) at frequency below 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency 7. above 1 GHz.
- 8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- Maximum procedure was performed on the six highest emissions to ensure EUT com-9. pliance.
- 10. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 11. Repeat above procedures until all frequency measured were complete.

11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where	FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Actual FS(dB μ V/m) = SPA. Reading level(dB μ V) + Factor(dB)

Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. "E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

11.6 Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

11.7 **Measurement Result**

Refer to attach tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report teler only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prints and the limits of the location of the content or appropriate in the prints and the produced except in full, without prior of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Page: 72 of 165

Radiated Spurious Emission Measurement Result Below 1GHz Worst-Case Data:


802.11a 5150~5250 MHz

Operation Band Test Date :802.11aB1 :2017-07-07

Fundamental Frequency Temp./Humi. :5220 MHz :21 deg_C / 61 RH

Operation Mode :Tx CH MID Engineer :Mike

EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
30.00	S	Peak	36.07	-9.19	26.88	40.00	-13.12
172.59	S	Peak	27.98	-7.86	20.12	43.50	-23.38
299.66	S	Peak	27.80	-5.93	21.87	46.00	-24.13
400.54	S	Peak	31.49	-3.94	27.55	46.00	-18.45
521.79	S	Peak	29.96	-1.61	28.35	46.00	-17.65
697.36	S	Peak	27.25	1.36	28.61	46.00	-17.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior the company is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 73 of 165

:2017-07-07 **Operation Band** :802.11aB1 **Test Date**

Fundamental Frequency :5220 MHz Temp./Humi. :21 deg_C / 61 RH **Operation Mode** :Tx CH MID Engineer :Mike

EUT Pol. :H Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
47.46	S	Peak	27.91	-7.85	20.06	40.00	-19.94
220.12	S	Peak	32.21	-9.25	22.96	46.00	-23.04
298.69	S	Peak	35.92	-5.95	29.97	46.00	-16.03
398.60	S	Peak	36.20	-3.97	32.23	46.00	-13.77
546.04	S	Peak	29.83	-1.55	28.28	46.00	-17.72
691.54	S	Peak	27.33	1.47	28.80	46.00	-17.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 74 of 165


802.11a, 5725~5850 MHz

Operation Band :2017-07-07 **Test Date** :802.11aB4

Fundamental Frequency :5785 MHz Temp./Humi. :21 deg_C / 61 RH

:Tx CH MID **Operation Mode** Engineer :Mike

EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
61.04	S	Peak	30.88	-8.25	22.63	40.00	-17.37
141.55	S	Peak	27.39	-8.26	19.13	43.50	-24.37
240.49	S	Peak	30.25	-8.04	22.21	46.00	-23.79
390.84	S	Peak	32.32	-4.18	28.14	46.00	-17.86
527.61	S	Peak	28.44	-1.32	27.12	46.00	-18.88
699.30	S	Peak	27.75	1.44	29.19	46.00	-16.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 75 of 165

:2017-07-07 **Operation Band Test Date** :802.11aB4

Fundamental Frequency :5785 MHz Temp./Humi. :21 deg_C / 61 RH **Operation Mode** :Tx CH MID Engineer :Mike

EUT Pol. :H Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
59.10	S	Peak	27.68	-8.03	19.65	40.00	-20.35
219.15	S	Peak	33.53	-9.28	24.25	46.00	-21.75
299.66	S	Peak	36.78	-5.93	30.85	46.00	-15.15
398.60	S	Peak	35.20	-3.97	31.23	46.00	-14.77
532.46	S	Peak	32.78	-1.68	31.10	46.00	-14.90
618.79	S	Peak	28.93	0.00	28.93	46.00	-17.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 76 of 165

802.11ac VHT80, 5150~5250 MHz

Operation Band :802.11ac80B1 **Test Date** :2017-07-07 Fundamental Frequency :5210 MHz Temp./Humi. :21 deg_C / 61 RH

Operation Mode :Tx CH LOW Engineer :Mike

EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
34.85	S	Peak	33.27	-8.99	24.28	40.00	-15.72
219.15	S	Peak	30.29	-9.28	21.01	46.00	-24.99
239.52	S	Peak	31.71	-8.12	23.59	46.00	-22.41
415.09	S	Peak	33.11	-3.21	29.90	46.00	-16.10
458.74	S	Peak	30.45	-2.68	27.77	46.00	-18.23
694.45	S	Peak	28.31	1.36	29.67	46.00	-16.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 77 of 165


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B1 :5210 MHz :Tx CH LOW :H Plane

Test Date :2017-07-07 Temp./Humi. :21 deg_C / 61 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
49.40	S	Peak	26.85	-7.74	19.11	40.00	-20.89
217.21	S	Peak	34.29	-9.39	24.90	46.00	-21.10
298.69	S	Peak	36.33	-5.95	30.38	46.00	-15.62
419.94	S	Peak	37.01	-3.39	33.62	46.00	-12.38
450.98	S	Peak	33.62	-2.88	30.74	46.00	-15.26
645.95	S	Peak	29.26	0.53	29.79	46.00	-16.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 78 of 165

802.11ac VHT80, 5725~5850 MHz

Operation Band :802.11ac80B4 Fundamental Frequency :5775 MHz


Operation Mode :Tx CH LOW

EUT Pol. :H Plane **Test Date** :2017-07-07

Temp./Humi. :21 deg_C / 61 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
36.79	S	Peak	32.02	-8.84	23.18	40.00	-16.82
217.21	S	Peak	29.73	-9.39	20.34	46.00	-25.66
293.84	S	Peak	29.84	-6.04	23.80	46.00	-22.20
418.00	S	Peak	34.35	-3.37	30.98	46.00	-15.02
531.49	S	Peak	30.98	-1.57	29.41	46.00	-16.59
629.46	S	Peak	30.28	0.16	30.44	46.00	-15.56

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 79 of 165


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B4 :5775 MHz :Tx CH LOW :H Plane

Test Date :2017-07-07 Temp./Humi. :21 deg_C / 61 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
51.34	S	Peak	27.44	-7.75	19.69	40.00	-20.31
219.15	S	Peak	34.81	-9.28	25.53	46.00	-20.47
250.19	S	Peak	39.16	-7.93	31.23	46.00	-14.77
408.30	S	Peak	38.96	-3.53	35.43	46.00	-10.57
450.98	S	Peak	33.90	-2.88	31.02	46.00	-14.98
571.26	S	Peak	30.53	-0.76	29.77	46.00	-16.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 80 of 165

Above 1GHz Worst-Case Data:


802.11a, 5150~5250 MHz

Test Date Operation Band :802.11aB1 :2017-07-12

Fundamental Frequency Temp./Humi. :5180 MHz :21 deg C / 62 RH

:Mike **Operation Mode** :Tx CH LOW Engineer

EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10360.00	Н	Peak	32.67	18.29	50.96	68.30	-17.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 81 of 165


Operation Band Fundamental Frequency **Operation Mode** EUT Pol. :H Plane

:802.11aB1 :5180 MHz :Tx CH LOW

:2017-07-12 **Test Date** Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10360.00	Н	Peak	32.58	18.29	50.87	68.30	-17.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 82 of 165

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11aB1 :5220 MHz :Tx CH MID :H Plane

:2017-07-12 **Test Date**

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe	
		Mode	Reading Level		FS	@3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
10440.00	Н	Peak	32.83	18.69	51.52	68.30	-16.78	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 83 of 165

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11aB1 :5220 MHz :Tx CH MID :H Plane

:2017-07-12 **Test Date** Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10440.00	Н	Peak	32.85	18.69	51.54	68.30	-16.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 84 of 165

Operation Band :802.11aB1 Fundamental Frequency :5240 MHz **Operation Mode** :Tx CH HIGH


EUT Pol. :H Plane

:2017-07-12 **Test Date**

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe	
		Mode	Reading Level		FS	@3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB	
10480.00	Н	Peak	33.15	18.30	51.45	68.30	-16.85	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 85 of 165


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB1 :5240 MHz :Tx CH HIGH :H Plane

:2017-07-12 **Test Date** Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10480.00	Н	Peak	32.50	18.30	50.80	68.30	-17.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 86 of 165


802.11a, 5725~5850 MHz

Operation Band :2017-07-06 **Test Date** :802.11aB4

Fundamental Frequency :5745 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Mike

EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11490.00	Н	Average	21.11	20.42	41.53	54.00	-12.47
11490.00	Н	Peak	33.02	20.42	53.44	74.00	-20.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 87 of 165


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB4 :5745 MHz :Tx CH LOW :H Plane

Test Date :2017-07-06 Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11490.00	Н	Average	21.21	20.42	41.63	54.00	-12.37
11490.00	Н	Peak	32.42	20.42	52.84	74.00	-21.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 88 of 165

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11aB4 :5785 MHz :Tx CH MID :H Plane

:2017-07-06 **Test Date**

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Н	Average	21.10	20.58	41.68	54.00	-12.32
11570.00	Н	Peak	32.66	20.58	53.24	74.00	-20.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 89 of 165

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11aB4 :5785 MHz :Tx CH MID :H Plane

Test Date :2017-07-06

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Н	Average	21.19	20.58	41.77	54.00	-12.23
11570.00	Н	Peak	32.80	20.58	53.38	74.00	-20.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 90 of 165


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB4 :5825 MHz :Tx CH HIGH :H Plane

:2017-07-06 **Test Date** Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11650.00	Н	Average	21.05	20.43	41.48	54.00	-12.52
11650.00	Н	Peak	32.19	20.43	52.62	74.00	-21.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 91 of 165


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB4 :5825 MHz :Tx CH HIGH :H Plane

Test Date :2017-07-06 Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11650.00	Н	Average	21.13	20.43	41.56	54.00	-12.44
11650.00	Н	Peak	32.30	20.43	52.73	74.00	-21.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 92 of 165


802.11n HT20, 5150~5250 MHz

:2017-07-06 **Operation Band** :802.11n20B1 **Test Date**

Fundamental Frequency :5180 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Mike

EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10360.00	Н	Peak	31.62	18.29	49.91	68.30	-18.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 93 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11n20B1 :5180 MHz :Tx CH LOW


Test Date Temp./Humi. Engineer


:2017-07-06

:21 deg_C / 62 RH :Mike

Measurement Antenna Pol.

:HORIZONTAL





Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10360.00	Н	Peak	32.62	18.29	50.91	68.30	-17.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 94 of 165


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B1 :5220 MHz :Tx CH MID :H Plane

:2017-07-12 **Test Date** Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe	
		Mode	Reading Level		FS	@3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
10440.00	Н	Peak	33.45	18.69	52.14	68.30	-16.16	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 95 of 165


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B1 :5220 MHz :Tx CH MID :H Plane

:2017-07-12 **Test Date** Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10440.00	Н	Peak	32.63	18.69	51.32	68.30	-16.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 96 of 165


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B1 :5240 MHz :Tx CH HIGH :H Plane

:2017-07-12 **Test Date** Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10480.00	Н	Peak	32.17	18.30	50.47	68.30	-17.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 97 of 165


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B1 :5240 MHz :Tx CH HIGH :H Plane

:2017-07-12 **Test Date** Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe	
		Mode	Reading Level		FS	@3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB	
10480.00	Н	Peak	31.49	18.30	49.79	68.30	-18.51	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 98 of 165

802.11n HT20, 5470~5725 MHz

Operation Band :802.11n20B4 Fundamental Frequency :5745 MHz

Operation Mode

:Tx CH LOW

EUT Pol.


:H Plane

Test Date :2017-07-06

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11490.00	Н	Average	21.09	20.42	41.51	54.00	-12.49
11490.00	Н	Peak	32.81	20.42	53.23	74.00	-20.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 99 of 165


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B4 :5745 MHz :Tx CH LOW :H Plane

Test Date :2017-07-06 Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11490.00	Н	Average	21.14	20.42	41.56	54.00	-12.44
11490.00	Н	Peak	32.43	20.42	52.85	74.00	-21.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 100 of 165

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11n20B4 :5785 MHz :Tx CH MID :H Plane

Test Date :2017-07-06

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Н	Average	20.98	20.58	41.56	54.00	-12.44
11570.00	Н	Peak	33.88	20.58	54.46	74.00	-19.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 101 of 165


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B4 :5785 MHz :Tx CH MID :H Plane

Test Date :2017-07-06 Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Н	Average	21.12	20.58	41.70	54.00	-12.30
11570.00	Н	Peak	32.08	20.58	52.66	74.00	-21.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 102 of 165

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11n20B4 :5825 MHz :Tx CH HIGH :H Plane

Test Date :2017-07-06

:21 deg_C / 62 RH Temp./Humi.

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11650.00	Н	Average	21.24	20.43	41.67	54.00	-12.33
11650.00	Н	Peak	31.67	20.43	52.10	74.00	-21.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 103 of 165


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B4 :5825 MHz :Tx CH HIGH :H Plane

Test Date :2017-07-06 Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11650.00	Н	Average	21.30	20.43	41.73	54.00	-12.27
11650.00	Н	Peak	32.76	20.43	53.19	74.00	-20.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 104 of 165


802.11n HT40, 5150~5250 MHz

:2017-07-06 **Operation Band** :802.11n40B1 **Test Date**

Fundamental Frequency :5190 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Mike

EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe	
		Mode	Reading Level		FS	@3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB	
10380.00	Н	Peak	33.27	18.12	51.39	68.30	-16.91	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 105 of 165

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11n40B1 :5190 MHz :Tx CH LOW :H Plane

Test Date Temp./Humi. Engineer

:2017-07-06

:21 deg_C / 62 RH :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe	
		Mode	Reading Level		FS	@3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
10380.00	Н	Peak	31.64	18.12	49.76	68.30	-18.54	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 106 of 165

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11n40B1 :5230 MHz :Tx CH HIGH :H Plane

:2017-07-12 **Test Date** Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe	
		Mode	Reading Level		FS	@3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	_
								_
10460.00	Н	Peak	32.33	18.55	50.88	68.30	-17.42	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 107 of 165


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B1 :5230 MHz :Tx CH HIGH :H Plane

Test Date Temp./Humi. :2017-07-12

:21 deg_C / 62 RH Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe	
		Mode	Reading Level		FS	@3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB	
10460.00	Н	Peak	32.60	18.55	51.15	68.30	-17.15	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 108 of 165


802.11n HT40, 5725~5850 MHz

Test Date Operation Band :802.11n40B4 :2017-07-06

Fundamental Frequency :5755 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Mike

EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11510.00	Н	Average	20.95	20.38	41.33	54.00	-12.67
11510.00	Н	Peak	32.22	20.38	52.60	74.00	-21.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 109 of 165


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B4 :5755 MHz :Tx CH LOW :H Plane

Test Date :2017-07-06 Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11510.00	Н	Average	21.06	20.38	41.44	54.00	-12.56
11510.00	Н	Peak	31.99	20.38	52.37	74.00	-21.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 110 of 165

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11n40B4 :5795 MHz :Tx CH HIGH :H Plane

Test Date :2017-07-06

:21 deg_C / 62 RH Temp./Humi.

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11590.00	Н	Average	21.04	20.43	41.47	54.00	-12.53
11590.00	Н	Peak	33.03	20.43	53.46	74.00	-20.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 111 of 165


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B4 :5795 MHz :Tx CH HIGH :H Plane

Test Date :2017-07-06 Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11590.00	Н	Average	21.14	20.43	41.57	54.00	-12.43
11590.00	Н	Peak	32.54	20.43	52.97	74.00	-21.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



:2017-07-06

:Mike

:21 deg_C / 62 RH


Page: 112 of 165

802.11ac VHT80, 5150~5250 MHz

Operation Band :802.11ac80B1 **Test Date** Fundamental Frequency :5210 MHz Temp./Humi.

Operation Mode :Tx CH LOW Engineer

EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe	
		Mode	Reading Level		FS	@3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB	_
10420.00	Н	Peak	32.77	18.71	51.48	68.30	-16.82	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 113 of 165


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B1 :5210 MHz :Tx CH LOW :H Plane

Test Date :2017-07-06 Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe	
		Mode	Reading Level		FS	@3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB	
10420.00	Н	Peak	31.90	18.71	50.61	68.30	-17.69	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 114 of 165


802.11ac VHT80, 5725~5850 MHz

Operation Band Test Date :802.11ac80B4 :2017-07-06

Fundamental Frequency :5775 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Mike

EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11550.00	Н	Average	21.18	20.51	41.69	54.00	-12.31
11550.00	Н	Peak	32.93	20.51	53.44	74.00	-20.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 115 of 165


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B4 :5775 MHz :Tx CH LOW :H Plane

Test Date :2017-07-06 Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11550.00	Н	Average	21.22	20.51	41.73	54.00	-12.27
11550.00	Н	Peak	33.82	20.51	54.33	74.00	-19.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 116 of 165

Band edge falling to restricted band

802.11a mode


Operation Band :802.11aB1 Fundamental Frequency :5180 MHz

Operation Mode :Bandedge CH LOW Engineer

EUT Pol. :H Plane **Test Date** :2017-07-12

Temp./Humi. :21 deg C / 62 RH :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5150.00	Е	Average	38.85	5.88	44.73	54.00	-9.27
5150.00	Е	Peak	58.62	5.88	64.50	74.00	-9.50

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 117 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11aB1 :5180 MHz

:Bandedge CH LOW


EUT Pol.

:H Plane

Test Date Temp./Humi. :2017-07-12

:21 deg_C / 62 RH Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5150.00	Е	Average	36.59	5.88	42.47	54.00	-11.53
5150.00	Е	Peak	53.53	5.88	59.41	74.00	-14.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 118 of 165

Operation Band Fundamental Frequency **Operation Mode**


:802.11aB1 :5240 MHz

:Bandedge CH HIGH

EUT Pol. :H Plane **Test Date** :2017-07-12 Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.00	E	Average	27.35	6.16	33.51	54.00	-20.49
5350.00	Е	Peak	39.88	6.16	46.04	74.00	-27.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 119 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11aB1 :5240 MHz

:Bandedge CH HIGH

EUT Pol.


:H Plane

Test Date :2017-07-12

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	E	Average	28.78	6.16	34.94	54.00	-19.06
5350.00	Е	Peak	41.68	6.16	47.84	74.00	-26.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 120 of 165

Operation Band :802.11aB4 Fundamental Frequency :5745 MHz


Operation Mode :Bandedge CH LOW

EUT Pol. :H Plane **Test Date** :2017-07-07

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5650.00	Е	Peak	47.84	6.48	54.32	68.23	-13.91
5700.00	Е	Peak	59.48	6.67	66.15	105.23	-39.08
5720.00	Е	Peak	80.27	6.60	86.87	110.83	-23.96
5725.00	Е	Peak	87.67	6.59	94.26	122.23	-27.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 121 of 165

Operation Band Fundamental Frequency **Operation Mode**


:802.11aB4 :5745 MHz

:Bandedge CH LOW

EUT Pol. :H Plane **Test Date** :2017-07-07

Temp./Humi. :21 deg_C / 62 RH Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5650.00	Е	Peak	46.80	6.48	53.28	68.23	-14.95
5700.00	Е	Peak	56.58	6.67	63.25	105.23	-41.98
5720.00	Е	Peak	77.47	6.60	84.07	110.83	-26.76
5725.00	Е	Peak	84.95	6.59	91.54	122.23	-30.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 122 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11aB4 :5825 MHz

:Bandedge CH HIGH

EUT Pol.


:H Plane

Test Date :2017-07-07

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5850.00	Е	Peak	88.26	7.28	95.54	122.23	-26.69
5855.00	Е	Peak	86.50	7.32	93.82	110.83	-17.01
5875.00	Е	Peak	65.06	7.37	72.43	105.23	-32.80
5925.00	Е	Peak	50.79	7.39	58.18	68.23	-10.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 123 of 165

Operation Band Fundamental Frequency **Operation Mode**


:802.11aB4 :5825 MHz

:Bandedge CH HIGH

EUT Pol. :H Plane **Test Date** :2017-07-07 Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5850.00	E	Peak	81.90	7.28	89.18	122.23	-33.05
5855.00	Е	Peak	81.93	7.32	89.25	110.83	-21.58
5875.00	Е	Peak	60.78	7.37	68.15	105.23	-37.08
5925.00	Е	Peak	49.83	7.39	57.22	68.23	-11.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 124 of 165

802.11n20 HT mode

Operation Band Fundamental Frequency

Operation Mode

EUT Pol.

:802.11n20B1 :5180 MHz


:Bandedge CH LOW

:H Plane

:2017-07-07 **Test Date**

Temp./Humi. :21 deg_C / 62 RH Engineer :Mike

:VERTICAL Measurement Antenna Pol.



	Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	5150.00	Е	Average	46.13	5.88	52.01	54.00	-1.99
	5150.00	Е	Peak	66.47	5.88	72.35	74.00	-1.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 125 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11n20B1 :5180 MHz

:Bandedge CH LOW


EUT Pol.

:H Plane

Test Date :2017-07-07

Temp./Humi. :21 deg_C / 62 RH Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5150.00	Е	Average	43.26	5.88	49.14	54.00	-4.86
5150.00	Е	Peak	63.29	5.88	69.17	74.00	-4.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 126 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11n20B1 :5240 MHz

:Bandedge CH HIGH


EUT Pol. :H Plane

:2017-07-12 **Test Date**

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.00	Е	Average	27.71	6.16	33.87	54.00	-20.13
5350.00	Е	Peak	40.92	6.16	47.08	74.00	-26.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 127 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11n20B1 :5240 MHz

:Bandedge CH HIGH


EUT Pol. :H Plane

:2017-07-12 **Test Date**

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.00	E	Average	27.38	6.16	33.54	54.00	-20.46
5350.00	Е	Peak	40.41	6.16	46.57	74.00	-27.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 128 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11n20B4 :5745 MHz


:Bandedge CH LOW

EUT Pol. :H Plane **Test Date** :2017-07-07

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	Е	Peak	40.39	6.48	46.87	68.23	-21.36
5700.00	Е	Peak	55.83	6.67	62.50	105.23	-42.73
5720.00	Е	Peak	71.54	6.60	78.14	110.83	-32.69
5725.00	Е	Peak	83.00	6.59	89.59	122.23	-32.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 129 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11n20B4 :5745 MHz

:H Plane

:Bandedge CH LOW


EUT Pol.

Test Date Temp./Humi. :2017-07-07

:21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5650.00	Е	Peak	39.83	6.48	46.31	68.23	-21.92
5700.00	Е	Peak	52.34	6.67	59.01	105.23	-46.22
5720.00	Е	Peak	67.40	6.60	74.00	110.83	-36.83
5725.00	Е	Peak	79.94	6.59	86.53	122.23	-35.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 130 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11n20B4 :5825 MHz

:Bandedge CH HIGH


EUT Pol. :H Plane

:2017-07-07 **Test Date**

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Е	Peak	82.26	7.28	89.54	122.23	-32.69
5855.00	Е	Peak	77.62	7.32	84.94	110.83	-25.89
5875.00	Е	Peak	60.95	7.37	68.32	105.23	-36.91
5925.00	Е	Peak	49.92	7.39	57.31	68.23	-10.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 131 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11n20B4 :5825 MHz


:Bandedge CH HIGH

EUT Pol. :H Plane

:2017-07-07 **Test Date**

Temp./Humi. :21 deg_C / 62 RH Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5850.00	Е	Peak	77.70	7.28	84.98	122.23	-37.25
5855.00	Е	Peak	73.14	7.32	80.46	110.83	-30.37
5875.00	Е	Peak	57.01	7.37	64.38	105.23	-40.85
5925.00	Е	Peak	47.16	7.39	54.55	68.23	-13.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 132 of 165

802.11n40 HT mode

Operation Band Fundamental Frequency

Operation Mode

EUT Pol.

:802.11n40B1 :5190 MHz


:Bandedge CH LOW

:H Plane

:2017-07-07 **Test Date**

Temp./Humi. :21 deg_C / 62 RH Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5150.00	Е	Average	45.31	5.88	51.19	54.00	-2.81
5150.00	Е	Peak	66.60	5.88	72.48	74.00	-1.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 133 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11n40B1 :5190 MHz


:Bandedge CH LOW

EUT Pol. :H Plane **Test Date** :2017-07-07

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5150.00	E	Average	45.65	5.88	51.53	54.00	-2.47
5150.00	Е	Peak	65.64	5.88	71.52	74.00	-2.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 134 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11n40B1 :5230 MHz


:Bandedge CH HIGH

EUT Pol. :H Plane **Test Date** :2017-07-12

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.00	E	Average	31.63	6.16	37.79	54.00	-16.21
5350.00	Е	Peak	47.00	6.16	53.16	74.00	-20.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 135 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11n40B1 :5230 MHz

:Bandedge CH HIGH


EUT Pol. :H Plane

:2017-07-12 **Test Date**

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.00	E	Average	33.32	6.16	39.48	54.00	-14.52
5350.00	Е	Peak	47.66	6.16	53.82	74.00	-20.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 136 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11n40B4 :5755 MHz


:Bandedge CH LOW

EUT Pol. :H Plane **Test Date** :2017-07-07

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5648.84	E	Peak	59.65	6.48	66.13	68.23	-2.10
5650.00	Е	Peak	57.08	6.48	63.56	68.23	-4.67
5700.00	Е	Peak	76.00	6.67	82.67	105.23	-22.56
5720.00	Е	Peak	87.89	6.60	94.49	110.83	-16.34
5725.00	Е	Peak	86.13	6.59	92.72	122.23	-29.51

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 137 of 165

Operation Band Fundamental Frequency **Operation Mode**


:802.11n40B4 :5755 MHz

:Bandedge CH LOW

EUT Pol. :H Plane **Test Date** :2017-07-07

Temp./Humi. :21 deg_C / 62 RH Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5650.00	E	Peak	53.85	6.48	60.33	68.23	-7.90
5700.00	Е	Peak	73.68	6.67	80.35	105.23	-24.88
5720.00	Е	Peak	84.12	6.60	90.72	110.83	-20.11
5725.00	E	Peak	84.97	6.59	91.56	122.23	-30.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 138 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11n40B4 :5795 MHz


:Bandedge CH HIGH

EUT Pol. :H Plane **Test Date** :2017-07-07

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5850.00	Е	Peak	80.19	7.28	87.47	122.23	-34.76
5855.00	Е	Peak	74.21	7.32	81.53	110.83	-29.30
5875.00	Е	Peak	68.00	7.37	75.37	105.23	-29.86
5925.00	Е	Peak	53.00	7.39	60.39	68.23	-7.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 139 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11n40B4 :5795 MHz

:Bandedge CH HIGH


EUT Pol. :H Plane

:2017-07-07 **Test Date**

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5850.00	E	Peak	76.70	7.28	83.98	122.23	-38.25
5855.00	Е	Peak	72.53	7.32	79.85	110.83	-30.98
5875.00	Е	Peak	67.33	7.37	74.70	105.23	-30.53
5925.00	E	Peak	52.36	7.39	59.75	68.23	-8.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 140 of 165

802.11ac80 VHT mode

Operation Band :802.11ac80B1 Fundamental Frequency :5210 MHz

Operation Mode :Bandedge CH LOW


EUT Pol. :H Plane

:2017-07-07 **Test Date**

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.00	E	Average	36.78	5.88	42.66	54.00	-11.34
5150.00	Е	Peak	66.27	5.88	72.15	74.00	-1.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 141 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11ac80B1 :5210 MHz


:Bandedge CH LOW

EUT Pol. :H Plane **Test Date** :2017-07-07

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
5150.00	E	Average	35.79	5.88	41.67	54.00	-12.33	
5150.00	Е	Peak	63.11	5.88	68.99	74.00	-5.01	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 142 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11ac80B1 :5210 MHz


:Bandedge CH HIGH

EUT Pol. :H Plane **Test Date** :2017-07-07

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.00	E	Average	29.87	6.16	36.03	54.00	-17.97
5350.00	Е	Peak	46.62	6.16	52.78	74.00	-21.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 143 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11ac80B1 :5210 MHz


:Bandedge CH HIGH

EUT Pol. :H Plane **Test Date** :2017-07-07

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.00	E	Average	29.93	6.16	36.09	54.00	-17.91
5350.00	Е	Peak	46.54	6.16	52.70	74.00	-21.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 144 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11ac80B4 :5775 MHz


:Bandedge CH LOW

EUT Pol. :H Plane **Test Date** :2017-07-07

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5650.00	Е	Peak	56.39	6.48	62.87	68.23	-5.36
5700.00	Е	Peak	74.96	6.67	81.63	105.23	-23.60
5720.00	Е	Peak	80.45	6.60	87.05	110.83	-23.78
5725.00	Е	Peak	80.64	6.59	87.23	122.23	-35.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the document is unavailable of the content or approach is unavailable of the content of the documents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Page: 145 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11ac80B4 :5775 MHz


:Bandedge CH LOW

EUT Pol. :H Plane **Test Date** :2017-07-07

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5650.00	Е	Peak	59.81	6.48	66.29	68.23	-1.94
5700.00	Е	Peak	73.46	6.67	80.13	105.23	-25.10
5720.00	Е	Peak	78.16	6.60	84.76	110.83	-26.07
5725.00	Е	Peak	78.19	6.59	84.78	122.23	-37.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 146 of 165

Operation Band Fundamental Frequency **Operation Mode**

:802.11ac80B4 :5775 MHz


:Bandedge CH HIGH

EUT Pol. :H Plane **Test Date** :2017-07-07

Temp./Humi. :21 deg_C / 62 RH

Engineer :Mike

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5850.00	E	Peak	79.05	7.28	86.33	122.23	-35.90
5855.00	Е	Peak	75.74	7.32	83.06	110.83	-27.77
5875.00	Е	Peak	72.25	7.37	79.62	105.23	-25.61
5925.00	Е	Peak	59.20	7.39	66.59	68.23	-1.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this decument is unavailable of the decompany. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 147 of 165

Operation Band Fundamental Frequency **Operation Mode**


:802.11ac80B4 :5775 MHz

:Bandedge CH HIGH

EUT Pol. :H Plane **Test Date** :2017-07-07

Temp./Humi. :21 deg_C / 62 RH Engineer :Mike

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Е	Peak	76.14	7.28	83.42	122.23	-38.81
5855.00	Е	Peak	72.74	7.32	80.06	110.83	-30.77
5875.00	Е	Peak	68.22	7.37	75.59	105.23	-29.64
5925.00	Е	Peak	56.24	7.39	63.63	68.23	-4.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this decument is unavailable of the decompany. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 148 of 165

TRANSMISSION IN THE ABSENCE OF DATA

Standard Applicable

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

12.2 Result

No non-compliance noted:

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving, the EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 149 of 165

13. FREQUENCY STABILITY


13.1 Standard Applicable

Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

13.2 Measurement Procedure

- 1. The EUT was placed inside temperature chamber and powered and powered by nominal DC voltage.
- 2. Set EUT as normal operation.
- 3. Turn the EUT on and couple its output to spectrum.
- 4. Turn the EUT off and set the chamber to the highest temperature specified.
- 5. Allow sufficient time (approximately 30 min) for the temperature of the chamber to stabilize, turn the EUT and measure the operating frequency.
- 6. Repeat step with the temperature chamber set to the lowest temperature.

13.3 Test SET-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 150 of 165

Measurement Equipment Used

	SGS Conducted Room								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.				
TYPE		NUMBER	NUMBER	CAL.					
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017				
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017				
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018				
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018				
Coaxial Cable	HUBER+SUHN ER	SUCOFLEX 102	23670/2	01/05/2017	01/04/2018				
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018				
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018				
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017				
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018				

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* ** No 134 WulkungNand NewTaipeilindustrialPark WukupDistrict NewTaipeiCity. Taiwan24803/新北市市股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 151 of 165

13.5 **Measurement Result**

Startup:

Operation Mode	802.11 a	Test Date	2017.07.12
Temperature	:17	Test By	Cooper
Humidity	:65 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		36	5180	5,179.96698	0.00000637
		44	5220	5,219.96541	0.00000663
	5.5V	48	5240	5,239.96560	0.00000656
		149	5745	5,744.96932	0.00000534
		157	5785	5,784.97396	0.00000450
		165	5825	5,824.97934	0.0000355
-10		36	5180	5,179.96679	0.00000641
		44	5220	5,219.96478	0.00000675
	4.5V	48	5240	5,239.96502	0.00000668
		149	5745	5,744.96559	0.00000599
		157	5785	5,784.97369	0.00000455
		165	5825	5,824.97776	0.00000382
		36	5180	5,179.96771	0.00000623
		44	5220	5,219.96590	0.00000653
		48	5240	5,239.96533	0.00000662
25	5V	149	5745	5,744.96978	0.00000526
		157	5785	5,784.97535	0.00000426
		165	5825	5,824.98375	0.00000279
		36	5180	5,179.96644	0.0000648
		44	5220	5,219.96561	0.00000659
		48	5240	5,239.96618	0.00000645
	5.5V	149	5745	5,744.97169	0.00000493
		157	5785	5,784.97602	0.00000415
		165	5825	5,824.98043	0.00000336
55		36	5180	5,179.96653	0.00000646
		44	5220	5,219.96709	0.00000630
		48	5240	5,239.96621	0.00000645
	4.5V	149	5745	5,744.97084	0.00000508
		157	5785	5,784.97559	0.00000422
		165	5825	5,824.98183	0.00000312

台灣檢驗科技股份有限公司



Page: 152 of 165

Operation Mode	802.11 n_HT40	Test Date	2017.07.12
Temperature	:17	Test By	Cooper
Humidity	:65 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,189.96779	0.00000621
		46	5230	5,229.96891	0.00000594
	5.5V	151	5755	5,754.97539	0.00000428
-10		159	5795	5,794.98156	0.00000318
		38	5190	5,189.96608	0.00000654
		46	5230	5,229.96740	0.00000623
	4.5V	151	5755	5,754.97150	0.00000495
		159	5795	5,794.97841	0.00000373
		38	5190	5,189.96796	0.00000617
		46	5230	5,229.96937	0.00000586
25	5V	151	5755	5,754.97605	0.00000416
		159	5795	5,794.98368	0.00000282
		38	5190	5,189.96836	0.00000610
		46	5230	5,229.96971	0.00000579
	5.5V	151	5755	5,754.97845	0.00000374
		159	5795	5,794.98131	0.00000323
55		38	5190	5,189.96812	0.00000614
		46	5230	5,229.96962	0.00000581
	4.5V	151	5755	5,754.97733	0.00000394
		159	5795	5,794.98442	0.00000269

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* ** No 134 WulkungNand NewTaipeilindustrialPark WukupDistrict NewTaipeiCity. Taiwan24803/新北市市股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 153 of 165

Operation Mode	802.11 ac_VHT80	Test Date	2017.07.12
Temperature	:17	Test By	Cooper
Humidity	:65 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		42	5210	5,209.96480	0.00000676
-10	5.5V	155	5775	5,774.97025	0.00000515
		42	5210	5,209.96487	0.00000674
	4.5V	155	5775	5,774.96782	0.00000557
		42	5210	5,209.96509	0.00000670
25	5V	155	5775	5,774.97227	0.00000480
		42	5210	5,209.96557	0.00000661
55	5.5V	155	5775	5,774.97473	0.00000438
		42	5210	5,209.96537	0.00000665
	4.5V	155	5775	5,774.97364	0.00000456

t (886-2) 2299-3279



Page: 154 of 165

2 minutes:

Operation Mode	802.11 a	Test Date	2017.07.12
Temperature	:17	Test By	Cooper
Humidity	:65 %		

Test Temp.	Test Voltage	Channel	Measured Frequency	Spectrum Frequency	ΔFrequency (MHz)
			(MHz)	(MHz)	` ,
		36	5180	5,179.96857	0.00000607
		44	5220	5,219.96690	0.00000634
		48	5240	5,239.96534	0.00000661
	5.5V	149	5745	5,744.96303	0.00000643
		157	5785	5,784.98371	0.00000282
		165	5825	5,824.98803	0.00000206
-10		36	5180	5,179.96289	0.00000717
		44	5220	5,219.95598	0.00000843
		48	5240	5,239.97231	0.00000528
	4.5V	149	5745	5,744.96407	0.00000626
		157	5785	5,784.96966	0.00000524
		165	5825	5,824.97283	0.00000466
		36	5180	5,179.97233	0.00000534
		44	5220	5,219.96085	0.00000750
25	5V	48	5240	5,239.97225	0.00000530
		149	5745	5,744.97396	0.00000453
		157	5785	5,784.96695	0.00000571
		165	5825	5,824.98988	0.00000174
		36	5180	5,179.96337	0.00000707
		44	5220	5,219.95972	0.00000772
		48	5240	5,239.96053	0.00000753
	5.5V	149	5745	5,744.97288	0.00000472
		157	5785	5,784.98067	0.00000334
		165	5825	5,824.98679	0.00000227
55		36	5180	5,179.95815	0.00000808
		44	5220	5,219.96675	0.00000637
		48	5240	5,239.96220	0.00000721
	4.5V	149	5745	5,744.96730	0.00000569
		157	5785	5,784.98351	0.00000285
		165	5825	5,824.99101	0.00000154

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* ** No 134 WulkungNand NewTaipeilindustrialPark WukupDistrict NewTaipeiCity. Taiwan24803/新北市市股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 155 of 165

Operation Mode	802.11 n_HT40	Test Date	2017.07.12
Temperature	:17	Test By	Cooper
Humidity	:65 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,189.97765	0.00000431
		46	5230	5,229.97439	0.00000490
	5.5V	151	5755	5,754.98493	0.00000262
-10		159	5795	5,794.97205	0.00000482
		38	5190	5,189.96527	0.00000669
		46	5230	5,229.95769	0.00000809
	4.5V	151	5755	5,754.97964	0.00000354
		159	5795	5,794.97266	0.00000472
		38	5190	5,189.95938	0.00000783
		46	5230	5,229.97070	0.00000560
25	5V	151	5755	5,754.98223	0.00000309
		159	5795	5,794.98338	0.00000287
		38	5190	5,189.96753	0.00000626
		46	5230	5,229.96650	0.00000640
	5.5V	151	5755	5,754.97533	0.00000429
		159	5795	5,794.97566	0.00000420
55		38	5190	5,189.97810	0.00000422
		46	5230	5,229.96919	0.00000589
	4.5V	151	5755	5,754.98164	0.00000319
		159	5795	5,794.99068	0.00000161

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* ** No 134 WulkungNand NewTaipeilindustrialPark WukupDistrict NewTaipeiCity. Taiwan24803/新北市市股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 156 of 165

Operation Mode	802.11 ac_VHT80	Test Date	2017.07.12
Temperature	:17	Test By	Cooper
Humidity	:65 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		42	5210	5,209.96223	0.00000725
-10	5.5V	155	5775	5,774.96064	0.00000682
		42	5210	5,209.96582	0.00000656
	4.5V	155	5775	5,774.96693	0.00000573
		42	5210	5,209.97001	0.00000576
25	5V	155	5775	5,774.97068	0.00000508
		42	5210	5,209.96750	0.00000624
55	5.5V	155	5775	5,774.96685	0.00000574
		42	5210	5,209.95883	0.00000790
	4.5V	155	5775	5,774.97920	0.00000360

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* ** No 134 WulkungNand NewTaipeilindustrialPark WukupDistrict NewTaipeiCity. Taiwan24803/新北市市股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 157 of 165

5 minutes:

Operation Mode	802.11 a	Test Date	2017.07.12
Temperature	:17	Test By	Cooper
Humidity	:65 %		

			Measured	Spectrum	A Eroguenov
Test Temp.	Test Voltage	Channel	Frequency	Frequency	ΔFrequency
			(MHz)	(MHz)	(MHz)
		36	5180	5,179.95835	0.00000804
		44	5220	5,219.95894	0.00000787
		48	5240	5,239.95894	0.00000784
	5.5V	149	5745	5,744.97741	0.00000393
		157	5785	5,784.98145	0.00000321
		165	5825	5,824.98588	0.00000242
-10		36	5180	5,179.96968	0.00000585
		44	5220	5,219.96151	0.00000737
		48	5240	5,239.96287	0.00000709
	4.5V	149	5745	5,744.96578	0.00000596
		157	5785	5,784.97165	0.00000490
		165	5825	5,824.98044	0.0000336
		36	5180	5,179.97585	0.00000466
		44	5220	5,219.95669	0.00000830
25	5V	48	5240	5,239.96178	0.00000729
		149	5745	5,744.96483	0.00000612
		157	5785	5,784.96938	0.00000529
		165	5825	5,824.98391	0.00000276
		36	5180	5,179.95837	0.00000804
		44	5220	5,219.97386	0.00000501
	5.5V	48	5240	5,239.96711	0.00000628
		149	5745	5,744.97431	0.00000447
		157	5785	5,784.97727	0.00000393
		165	5825	5,824.97348	0.00000455
55		36	5180	5,179.95669	0.00000836
		44	5220	5,219.95878	0.00000790
		48	5240	5,239.96606	0.00000648
	4.5V	149	5745	5,744.97444	0.00000445
		157	5785	5,784.97239	0.00000477
		165	5825	5,824.98932	0.00000183

t (886-2) 2299-3279



Page: 158 of 165

Operation Mode	802.11 n_HT40	Test Date	2017.07.12
Temperature	:17	Test By	Cooper
Humidity	:65 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,189.97125	0.00000554
		46	5230	5,229.95941	0.00000776
	5.5V	151	5755	5,754.97072	0.00000509
-10		159	5795	5,794.98254	0.00000301
		38	5190	5,189.97386	0.00000504
		46	5230	5,229.95915	0.0000781
	4.5V	151	5755	5,754.96836	0.00000550
		159	5795	5,794.97122	0.00000497
		38	5190	5,189.97623	0.00000458
		46	5230	5,229.96276	0.00000712
25	5V	151	5755	5,754.98502	0.00000260
		159	5795	5,794.99294	0.00000122
		38	5190	5,189.96151	0.00000742
		46	5230	5,229.96310	0.00000706
	5.5V	151	5755	5,754.98322	0.00000292
		159	5795	5,794.98178	0.00000314
55		38	5190	5,189.97179	0.00000544
		46	5230	5,229.97676	0.00000444
	4.5V	151	5755	5,754.97279	0.00000473
		159	5795	5,794.97717	0.00000394

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* ** No 134 WulkungNand NewTaipeilindustrialPark WukupDistrict NewTaipeiCity. Taiwan24803/新北市市股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 159 of 165

Operation Mode	802.11 ac_VHT80	Test Date	2017.07.12
Temperature	:17	Test By	Cooper
Humidity	:65 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		42	5210	5,209.97395	0.0000500
-10	5.5V	155	5775	5,774.97798	0.00000381
		42	5210	5,209.95500	0.00000864
	4.5V	155	5775	5,774.97678	0.00000402
		42	5210	5,209.95680	0.00000829
25	5V	155	5775	5,774.97943	0.00000356
		42	5210	5,209.96398	0.00000691
55	5.5V	155	5775	5,774.97102	0.00000502
		42	5210	5,209.96502	0.00000671
	4.5V	155	5775	5,774.97505	0.00000432



Page: 160 of 165

10 minutes:

Operation Mode	802.11 a	Test Date	2017.07.12
Temperature	:17	Test By	Cooper
Humidity	:65 %		

			Measured	Spectrum	ΔFrequency
Test Temp.	Test Voltage	Channel	Frequency	Frequency	
			(MHz)	(MHz)	(MHz)
		36	5180	5,179.96381	0.00000699
		44	5220	5,219.95727	0.00000819
		48	5240	5,239.97211	0.00000532
	5.5V	149	5745	5,744.96946	0.00000532
		157	5785	5,784.97614	0.00000413
		165	5825	5,824.97830	0.00000373
-10		36	5180	5,179.97337	0.00000514
		44	5220	5,219.96853	0.0000603
		48	5240	5,239.97426	0.00000491
	4.5V	149	5745	5,744.97324	0.00000466
		157	5785	5,784.98167	0.00000317
		165	5825	5,824.96864	0.0000538
		36	5180	5,179.96375	0.00000700
		44	5220	5,219.96951	0.00000584
25	5V	48	5240	5,239.97277	0.00000520
		149	5745	5,744.97536	0.00000429
		157	5785	5,784.97054	0.0000509
		165	5825	5,824.97834	0.00000372
		36	5180	5,179.96439	0.00000688
		44	5220	5,219.96934	0.00000587
	5.5V	48	5240	5,239.96635	0.00000642
		149	5745	5,744.97792	0.00000384
		157	5785	5,784.98077	0.00000332
		165	5825	5,824.98760	0.00000213
55		36	5180	5,179.96030	0.00000766
		44	5220	5,219.97218	0.00000533
	4.5V	48	5240	5,239.97409	0.00000494
		149	5745	5,744.97208	0.00000486
		157	5785	5,784.97760	0.00000387
		165	5825	5,824.99125	0.00000150

t (886-2) 2299-3279



Page: 161 of 165

Operation Mode	802.11 n_HT40	Test Date	2017.07.12
Temperature	:17	Test By	Cooper
Humidity	:65 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,189.95910	0.00000788
		46	5230	5,229.96864	0.00000600
	5.5V	151	5755	5,754.97017	0.00000518
-10		159	5795	5,794.98991	0.00000174
		38	5190	5,189.95967	0.00000777
		46	5230	5,229.96649	0.00000641
	4.5V	151	5755	5,754.97725	0.00000395
		159	5795	5,794.96842	0.00000545
		38	5190	5,189.97328	0.00000515
		46	5230	5,229.97464	0.00000485
25	5V	151	5755	5,754.97067	0.00000510
		159	5795	5,794.98367	0.00000282
		38	5190	5,189.96667	0.00000642
		46	5230	5,229.97403	0.00000497
	5.5V	151	5755	5,754.98016	0.00000345
		159	5795	5,794.97706	0.00000396
55		38	5190	5,189.97411	0.00000499
		46	5230	5,229.97569	0.00000465
	4.5V	151	5755	5,754.96962	0.00000528
		159	5795	5,794.98878	0.00000194

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* ** No 134 WulkungNand NewTaipeilindustrialPark WukupDistrict NewTaipeiCity. Taiwan24803/新北市市股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 162 of 165

Operation Mode	802.11 ac_VHT80	Test Date	2017.07.12
Temperature	:17	Test By	Cooper
Humidity	:65 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		42	5210	5,209.97462	0.00000487
-10	5.5V	155	5775	5,774.97243	0.00000477
		42	5210	5,209.96248	0.00000720
	4.5V	155	5775	5,774.97466	0.00000439
		42	5210	5,209.96576	0.00000657
25	5V	155	5775	5,774.96703	0.00000571
		42	5210	5,209.97050	0.00000566
55	5.5V	155	5775	5,774.97849	0.00000373
		42	5210	5,209.96787	0.00000617
	4.5V	155	5775	5,774.97459	0.00000440

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* ** No 134 WulkungNand NewTaipeilindustrialPark WukupDistrict NewTaipeiCity. Taiwan24803/新北市市股區新北產業園區五工路 134 號



Page: 163 of 165

14. MAXIMUM PERMISSIBLE EXPOSURE (MPE)

14.1 Standard Applicable

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

This is a Mobile device, the MPE is required.

According to §1.1310 and §2.1093 RF exposure is calculated.

Limits for Maximum Permissive Exposure (MPE)

Frequency Range	Electric Field	Magnetic Field	Power Density	Averaging Time
(MHz)	Strength (V/m)	Strength (A/m)	(mW/cm ²)	(minute)
	Limits for Genera	al Population/Uncor	trolled Exposure	
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f ²)	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	F/1500	30
1500-15000	/	/	1.0	30

F = frequency in MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

^{* =} Plane-wave equipment power density



Page: 164 of 165

14.2 Maximum Permissible Exposure (MPE) Evaluation (Worst Case)

802.11a MIMO

011	Frequency	Frequency Data		a AVG. POWER (dBm)		TOTAL TOTAL	REQUIRED	DEOLU T
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)	LIMIT (dBm)	RESULT
36	5180	MCS8	19.23	18.65	22.36	157.035	22.47	PASS
44	5220	MCS8	19.16	18.78	22.39	157.923	22.47	PASS
48	5240	MCS8	19.14	18.79	22.38	157.718	22.47	PASS
149	5745	MCS8	22.78	22.22	25.92	356.395	28.49	PASS
157	5785	MCS8	23.27	22.38	26.26	385.306	28.49	PASS
165	5825	MCS8	22.07	21.88	25.39	315.235	28.49	PASS

MPE Prediction (802.11a)

Prediction of MPE limit at a given distance Equation from page 18 of OET Bulletin 65, Edition 97-01 $S=PG/4\pi R^2$

Where: S = Power density

P = Power input to antenna

G = Power gain of the antenna in the direction of interest relative to an isotropic radiator

R = Distance to the center of radiation of the antenna

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, willust extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 165 of 165

5150~5250MHz

Max. output power including tune-up tolerancel:	22.39	(dBm)
Max. output power including tune-up tolerancel:	173.3804	(mW)
Duty cycle:	92.42	(%)
Maximum Pav :	160.23817	(mW)
Peak Antenna gain (Maximum):	4.5	(dBi)
Peak Antenna gain (linear):	2.8183829	(numeric)
Prediction distance:	20	(cm)
Prediction frequency:	5220	(MHz)
MPE limit for uncontrolled exposure at prediction	1	(mW/cm2)
Power density at predication frequency at 20 (cm)	0.090	(mW/cm2)

Measurement Result

The predicted power density level at 20 cm is 0.09 mW/cm2.

This is below the uncontrolled exposure limit of 1 mW/cm2 at 5220MHz.

5745~5825MHz

Max. output power including tune-up tolerancel:	26.26	(dBm)
Max. output power including tune-up tolerancel:	422.66861	(mW)
Duty cycle:	92.42	(%)
Maximum Pav :	390.63033	(mW)
Peak Antenna gain (Maximum):	2.8	(dBi)
Peak Antenna gain (linear):	1.9054607	(numeric)
Prediction distance:	20	(cm)
Prediction frequency:	5785	(MHz)
MPE limit for uncontrolled exposure at prediction	1	(mW/cm2)
Power density at predication frequency at 20 (cm)	0.148	(mW/cm2)
Management Deput		<u> </u>

Measurement Result

The predicted power density level at 20 cm is 0.148 mW/cm2.

This is below the uncontrolled exposure limit of 1 mW/cm2 at 5785MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which proved the transaction of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.