

Conducted Power Setting (Full)			
WLAN2.4GHz Ant 1			
Mode	Channel	Frequency	Power Setting
802.11b	1	2412	16.75
	6	2437	16.75
	11	2462	16.75
	12	2467	16.75
	13	2472	13.25
802.11g	1	2412	16.75
	6	2437	16.75
	11	2462	16.75
	12	2467	16.75
	13	2472	16.75
802.11n HT20	1	2412	16.75
	6	2437	16.75
	11	2462	16.75
	12	2467	16.75
	13	2472	16.75
802.11n HT40	3	2422	16.75
	6	2437	16.75
	9	2452	16.75
	10	2457	16.75
	11	2462	16.75
802.11ac VHT20	1	2412	16.75
	6	2437	16.75
	11	2462	16.75
	12	2467	16.75
	13	2472	16.75
802.11ac VHT40	3	2422	16.75
	6	2437	16.75
	9	2452	16.75
	10	2457	17
	11	2462	16.75
802.11ax HE20	1	2412	16.75
	6	2437	16.75
	11	2462	16.75
	12	2467	16.75
	13	2472	16.75
802.11ax HE40	3	2422	16.75
	6	2437	16.75
	9	2452	16.75
	10	2457	16.75
	11	2462	17
802.11be20	1	2412	16.5
	6	2437	16.5
	11	2462	16.5
	12	2467	16.5
	13	2472	16.75
802.11be40	3	2422	16.5
	6	2437	16.5
	9	2452	16.5
	10	2457	16.5
	11	2462	16.5

Conducted Power Setting (Full)			
WLAN2.4GHz Ant 2			
Mode	Channel	Frequency	Power Setting
802.11b	1	2412	15
	6	2437	15
	11	2462	15
	12	2467	15
	13	2472	12.5
802.11g	1	2412	15
	6	2437	15
	11	2462	15
	12	2467	15
	13	2472	15
802.11n HT20	1	2412	15
	6	2437	15
	11	2462	15
	12	2467	15
	13	2472	15
802.11n HT40	3	2422	14.75
	6	2437	15
	9	2452	15
	10	2457	15
	11	2462	15
802.11ac VHT20	1	2412	15
	6	2437	15
	11	2462	15
	12	2467	15
	13	2472	15
802.11ac VHT40	3	2422	14.75
	6	2437	15
	9	2452	15
	10	2457	15
	11	2462	15
802.11ax HE20	1	2412	15
	6	2437	15
	11	2462	15
	12	2467	15
	13	2472	15
802.11ax HE40	3	2422	14.75
	6	2437	15
	9	2452	15
	10	2457	15
	11	2462	15
802.11be20	1	2412	15
	6	2437	15
	11	2462	15
	12	2467	15
	13	2472	15
802.11be HE40	3	2422	14.75
	6	2437	15
	9	2452	15
	10	2457	15
	11	2462	15

Conducted Power Setting (Full)			
WLAN2.4GHz Ant 1+2			
Mode	Channel	Frequency	Power Setting
802.11b	1	2412	14.75
	6	2437	14.75
	11	2462	14.75
	12	2467	14.75
	13	2472	8.5
802.11g	1	2412	14.5
	6	2437	14.5
	11	2462	14.5
	12	2467	14.5
	13	2472	14.5
802.11n HT20	1	2412	14.5
	6	2437	14.5
	11	2462	14.5
	12	2467	14.5
	13	2472	14.5
802.11n HT40	3	2422	14.5
	6	2437	14.5
	9	2452	14.5
	10	2457	14.5
	11	2462	14.5
802.11ac VHT20	1	2412	14.5
	6	2437	14.5
	11	2462	14.5
	12	2467	14.5
	13	2472	14.5
802.11ac VHT40	3	2422	14.5
	6	2437	14.5
	9	2452	14.5
	10	2457	14.5
	11	2462	14.5
802.11ax HE20	1	2412	14.5
	6	2437	14.5
	11	2462	14.5
	12	2467	14.5
	13	2472	14.5
802.11ax HE40	3	2422	14.5
	6	2437	14.5
	9	2452	14.5
	10	2457	14.5
	11	2462	14.5
802.11be20	1	2412	14.75
	6	2437	14.75
	11	2462	14.75
	12	2467	14.75
	13	2472	14.75
802.11be HE40	3	2422	14.75
	6	2437	14.75
	9	2452	14.75
	10	2457	14.75
	11	2462	14.75

Conducted Power Setting (Full)			
Bluetooth Ant 1(Low Power)			
Mode	Channel	Frequency	Power Setting
BR / EDR-GFSK	0	2402	0xFD
	39	2441	0xFD
	78	2480	0xFE
BR / EDR-8DPSK	0	2402	0x01
	39	2441	0x01
	78	2480	0x02
LE-125k	0	2402	0x02
	19	2440	0x02
	39	2480	0x03
LE-500k	0	2402	0x02
	19	2440	0x02
	39	2480	0x03
LE-1M	0	2402	0x02
	19	2440	0x02
	39	2480	0x03
LE-2M	1	2402	0x02
	19	2440	0x02
	38	2478	0x03

Conducted Power Setting (Full)			
Bluetooth Ant 1(High Power)			
Mode	Channel	Frequency	Power Setting
BR / EDR-GFSK	0	2402	0x04
	39	2441	0x05
	78	2480	0x05
BR / EDR-8DPSK	0	2402	0x03
	39	2441	0x03
	78	2480	0x04
LE-125k	0	2402	0x03
	19	2440	0x03
	39	2480	0x04
LE-500k	0	2402	0x03
	19	2440	0x03
	39	2480	0x04
LE-1M	0	2402	0x03
	19	2440	0x03
	39	2480	0x04
LE-2M	1	2404	0x03
	19	2440	0x03
	38	2478	0x04

Conducted Power Setting (Full)			
WLAN 5.2GHz Ant 1			
Mode	Channel	Frequency	Power Setting
802.11a	36	5180	15.25
	40	5200	15.25
	44	5220	15.25
	48	5240	15.25
802.11n HT20	36	5180	15.25
	40	5200	15.25
	44	5220	15.25
	48	5240	15.25
802.11n HT40	38	5190	15.5
	46	5230	15.5
802.11ac VHT20	36	5180	15.25
	40	5200	15.25
	44	5220	15.25
	48	5240	15.25
802.11ac VHT40	38	5190	15.5
	46	5230	15.5
802.11ac VHT80	42	5210	15.5
802.11ax HE20	36	5180	15.25
	40	5200	15.25
	44	5220	15.25
	48	5240	15.25
802.11ax HE40	38	5190	15.5
	46	5230	15.5
802.11ax HE80	42	5210	15.5
802.11be20	36	5180	15.25
	40	5200	15.25
	44	5220	15.25
	48	5240	15.25
802.11be40	38	5190	15.25
	46	5230	15.25
802.11be80	42	5210	15.25

Conducted Power Setting (Full)			
WLAN 5.2GHz Ant 2			
Mode	Channel	Frequency	Power Setting
802.11a	36	5180	15
	40	5200	15
	44	5220	15
	48	5240	15
802.11n HT20	36	5180	15
	40	5200	15
	44	5220	15
	48	5240	15
802.11n HT40	38	5190	15
	46	5230	15
802.11ac VHT20	36	5180	15
	40	5200	15
	44	5220	15
	48	5240	15
802.11ac VHT40	38	5190	15
	46	5230	15
802.11ac VHT80	42	5210	15
802.11ax HE20	36	5180	15
	40	5200	15
	44	5220	15
	48	5240	15
802.11ax HE40	38	5190	15
	46	5230	15
802.11ax HE80	42	5210	15
802.11be20	36	5180	14.75
	40	5200	14.75
	44	5220	14.75
	48	5240	14.75
802.11be40	38	5190	14.75
	46	5230	14.75
802.11be80	42	5210	15

Conducted Power Setting (Full)			
WLAN 5.2GHz Ant 1+2			
Mode	Channel	Frequency	Power Setting
802.11a	36	5180	15.5
	40	5200	15.5
	44	5220	15.5
	48	5240	15.5
802.11n HT20	36	5180	15.5
	40	5200	15.5
	44	5220	15.5
	48	5240	15.5
802.11n HT40	38	5190	15.5
	46	5230	15.5
802.11ac VHT20	36	5180	15.5
	40	5200	15.5
	44	5220	15.5
	48	5240	15.5
802.11ac VHT40	38	5190	15.5
	46	5230	15.5
802.11ac VHT80	42	5210	15.25
802.11ax HE20	36	5180	15.5
	40	5200	15.5
	44	5220	15.5
	48	5240	15.5
802.11ax HE40	38	5190	15.5
	46	5230	15.5
802.11ax HE80	42	5210	15.25
802.11be20	36	5180	15.5
	40	5200	15.5
	44	5220	15.5
	48	5240	15.5
802.11be40	38	5190	15.5
	46	5230	15.5
802.11be80	42	5210	15.25

Conducted Power Setting (Full)			
WLAN 5.3GHz Ant 1			
Mode	Channel	Frequency	Power Setting
802.11a	52	5260	15.25
	56	5280	15.25
	60	5300	15.25
	64	5320	15.25
802.11n HT20	52	5260	15.25
	56	5280	15.25
	60	5300	15.25
	64	5320	15.25
802.11n HT40	54	5270	15.5
	62	5310	15.5
802.11ac VHT20	52	5260	15.25
	56	5280	15.25
	60	5300	15.25
	64	5320	15.25
802.11ac VHT40	54	5270	15.5
	62	5310	15.5
802.11ac VHT80	58	5290	15.5
802.11ac VHT160	50	5250	15.5
802.11ax HE20	52	5260	15.5
	56	5280	15.5
	60	5300	15.5
	64	5320	15.5
802.11ax HE40	54	5270	15.5
	62	5310	15.5
802.11ax HE80	58	5290	15.5
802.11ax HE160	50	5250	15.5
802.11be20	52	5260	15.5
	56	5280	15.5
	60	5300	15.5
	64	5320	15.5
802.11be40	54	5270	15.5
	62	5310	15.5
802.11be80	58	5290	15.5
802.11be160	50	5250	15.25

Conducted Power Setting (Full)			
WLAN 5.3GHz Ant 2			
Mode	Channel	Frequency	Power Setting
802.11a	52	5260	15.25
	56	5280	15.25
	60	5300	15.25
	64	5320	15.25
802.11n HT20	52	5260	15.25
	56	5280	15.25
	60	5300	15.25
	64	5320	15.25
802.11n HT40	54	5270	15.25
	62	5310	15.25
802.11ac VHT20	52	5260	15.25
	56	5280	15.25
	60	5300	15.25
	64	5320	15.25
802.11ac VHT40	54	5270	15.25
	62	5310	15.25
802.11ac VHT80	58	5290	15.25
802.11ac VHT160	50	5250	15.5
802.11ax HE20	52	5260	15.25
	56	5280	15.25
	60	5300	15.25
	64	5320	15.25
802.11ax HE40	54	5270	15.25
	62	5310	15.25
802.11ax HE80	58	5290	15.25
802.11ax HE160	50	5250	15
802.11be20	52	5260	15
	56	5280	15
	60	5300	15
	64	5320	15
802.11be40	54	5270	15
	62	5310	15
802.11be80	58	5290	15.25
802.11be160	50	5250	15.25

Conducted Power Setting (Full)			
WLAN 5.3GHz Ant 1+2			
Mode	Channel	Frequency	Power Setting
802.11a	52	5260	15.5
	56	5280	15.5
	60	5300	15.5
	64	5320	15.5
802.11n HT20	52	5260	15.5
	56	5280	15.5
	60	5300	15.5
	64	5320	15.5
802.11n HT40	54	5270	15.5
	62	5310	15.5
802.11ac VHT20	52	5260	15.5
	56	5280	15.5
	60	5300	15.5
	64	5320	15.5
802.11ac VHT40	54	5270	15.5
	62	5310	15.5
802.11ac VHT80	58	5290	15.25
802.11ac VHT160	50	5250	15
802.11ax HE20	52	5260	15.5
	56	5280	15.5
	60	5300	15.5
	64	5320	15.5
802.11ax HE40	54	5270	15.5
	62	5310	15.5
802.11ax HE80	58	5290	15.25
802.11ax HE160	50	5250	14.75
802.11be20	52	5260	15.25
	56	5280	15.25
	60	5300	15.25
	64	5320	15.25
802.11be40	54	5270	15.25
	62	5310	15.25
802.11be80	58	5290	15.25
802.11be160	50	5250	15.25

Conducted Power Setting (Full)			
WLAN 5.6GHz Ant 1			
Mode	Channel	Frequency	Power Setting
802.11a	100	5500	16
	116	5580	16
	120	5600	16
	124	5620	16
	132	5660	16.25
	140	5700	16.25
	144	5720	16.5
802.11n HT20	100	5500	16
	116	5580	16
	120	5600	16
	124	5620	16
	132	5660	16.25
	140	5700	16.25
	144	5720	16.5
802.11n HT40	102	5510	16
	110	5550	16
	118	5590	16
	126	5630	16
	134	5670	16.25
	142	5710	16.5
802.11ac VHT20	100	5500	16
	116	5580	16
	120	5600	16
	124	5620	16
	132	5660	16.25
	140	5700	16.25
	144	5720	16.5
802.11ac VHT40	102	5510	16
	110	5550	16
	118	5590	16
	126	5630	16
	134	5670	16.25
	142	5710	16.5
802.11ac VHT80	106	5530	16
	122	5610	16
	138	5690	16.5
802.11ac VHT160	114	5570	15.25
802.11ax HE20	100	5500	16
	116	5580	16
	120	5600	16
	124	5620	16
	132	5660	16
	140	5700	16.25
	144	5720	16.5
802.11ax HE40	102	5510	16
	110	5550	16
	118	5590	16
	126	5630	16
	134	5670	16.25
	142	5710	16.5
802.11ax HE80	106	5530	16
	122	5610	16
	138	5690	16.25

Conducted Power Setting (Full)			
802.11ax HE160	114	5570	15.5
802.11be20	100	5500	16
	116	5580	16
	120	5600	16
	124	5620	16
	132	5660	16.25
	140	5700	16.25
	144	5720	16.5
802.11be40	102	5510	16
	110	5550	16
	118	5590	16
	126	5630	16.25
	134	5670	16.25
	142	5710	16.5
802.11be80	106	5530	16
	122	5610	16
	138	5690	16.25
802.11be160	114	5570	15.5

Conducted Power Setting (Full)			
WLAN 5.6GHz Ant 2			
Mode	Channel	Frequency	Power Setting
802.11a	100	5500	16
	116	5580	16
	120	5600	16
	124	5620	16
	132	5660	16
	140	5700	16
	144	5720	15.75
802.11n HT20	100	5500	16
	116	5580	16
	120	5600	16
	124	5620	16
	132	5660	16
	140	5700	16
	144	5720	15.75
802.11n HT40	102	5510	16
	110	5550	16
	118	5590	16
	126	5630	16
	134	5670	16
	142	5710	16
802.11ac VHT20	100	5500	16
	116	5580	16
	120	5600	16
	124	5620	16
	132	5660	16
	140	5700	16
	144	5720	15.75
802.11ac VHT40	102	5510	16
	110	5550	16
	118	5590	16
	126	5630	16
	134	5670	16
	142	5710	16
802.11ac VHT80	106	5530	16
	122	5610	16
	138	5690	16.25
802.11ac VHT160	114	5570	15.25
802.11ax HE20	100	5500	16
	116	5580	16
	120	5600	16
	124	5620	16
	132	5660	16
	140	5700	16
	144	5720	16.25
802.11ax HE40	102	5510	16
	110	5550	16
	118	5590	16
	126	5630	16
	134	5670	16
	142	5710	16.25
802.11ax HE80	106	5530	15.5
	122	5610	15.5
	138	5690	15.5

Conducted Power Setting (Full)			
802.11ax HE160	114	5570	15.25
802.11be20	100	5500	16
	116	5580	16
	120	5600	16
	124	5620	16
	132	5660	16
	140	5700	16
	144	5720	16
802.11be40	102	5510	16
	110	5550	16
	118	5590	16
	126	5630	16
	134	5670	16
	142	5710	16
802.11be80	106	5530	16
	122	5610	16
	138	5690	16
802.11be160	114	5570	15

Conducted Power Setting (Full)			
WLAN 5.6GHz Ant 1+2			
Mode	Channel	Frequency	Power Setting
802.11a	100	5500	15.75
	116	5580	16
	120	5600	16
	124	5620	16
	132	5660	16
	140	5700	16
	144	5720	16
802.11n HT20	100	5500	15.75
	116	5580	16
	120	5600	16
	124	5620	16
	132	5660	16
	140	5700	16
	144	5720	16
802.11n HT40	102	5510	16
	110	5550	16
	118	5590	16
	126	5630	16
	134	5670	16
	142	5710	16
802.11ac VHT20	100	5500	15.75
	116	5580	16
	120	5600	16
	124	5620	16
	132	5660	16
	140	5700	16
	144	5720	16
802.11ac VHT40	102	5510	16
	110	5550	16
	118	5590	16
	126	5630	16
	134	5670	16
	142	5710	16
802.11ac VHT80	106	5530	16
	122	5610	16
	138	5690	16
802.11ac VHT160	114	5570	15.75
802.11ax HE20	100	5500	15.75
	116	5580	15.5
	120	5600	15.5
	124	5620	15.5
	132	5660	15.5
	140	5700	15.5
	144	5720	15.5
802.11ax HE40	102	5510	15.5
	110	5550	15.5
	118	5590	15.5
	126	5630	15.5
	134	5670	15.5
	142	5710	15.5
802.11ax HE80	106	5530	15.5
	122	5610	15.5
	138	5690	15.5

Conducted Power Setting (Full)			
802.11ax HE160	114	5570	13.75
802.11be20	100	5500	15.5
	116	5580	15.5
	120	5600	15.5
	124	5620	15.5
	132	5660	15.5
	140	5700	15.5
	144	5720	15.5
802.11be40	102	5510	15.5
	110	5550	15.5
	118	5590	15.5
	126	5630	15.5
	134	5670	15.5
	142	5710	15.5
802.11be80	106	5530	15.5
	122	5610	15.5
	138	5690	15.5
802.11be160	114	5570	13.75

Conducted Power Setting (Full)			
WLAN 5.8GHz Ant 1			
Mode	Channel	Frequency	Power Setting
802.11a	149	5745	15.5
	153	5765	15.5
	157	5785	15.5
	161	5805	15.5
	165	5825	15.5
802.11n HT20	149	5745	15.5
	153	5765	15.5
	157	5785	15.5
	161	5805	15.5
	165	5825	15.5
802.11n HT40	151	5755	15.5
	159	5795	15.5
802.11ac VHT20	149	5745	15.5
	153	5765	15.5
	157	5785	15.5
	161	5805	15.5
	165	5825	15.5
802.11ac VHT40	151	5755	15.5
	159	5795	15.5
802.11ac VHT80	155	5775	15.75
802.11ax HE20	149	5745	15.5
	153	5765	15.5
	157	5785	15.5
	161	5805	15.5
	165	5825	15.5
802.11ax HE40	151	5755	15.5
	159	5795	15.5
802.11ax HE80	155	5775	15.75
802.11be20	149	5745	15.5
	153	5765	15.5
	157	5785	15.5
	161	5805	15.5
	165	5825	15.5
802.11be40	151	5755	15.5
	159	5795	15.5
802.11be80	155	5775	15.5

Conducted Power Setting (Full)			
WLAN 5.8GHz Ant 2			
Mode	Channel	Frequency	Power Setting
802.11a	149	5745	16
	153	5765	16
	157	5785	16
	161	5805	16
	165	5825	16
802.11n HT20	149	5745	16
	153	5765	16
	157	5785	16
	161	5805	16
802.11n HT40	151	5755	16
	159	5795	16
802.11ac VHT20	149	5745	16
	153	5765	16
	157	5785	16
	161	5805	16
	165	5825	16
802.11ac VHT40	151	5755	16
	159	5795	16
802.11ac VHT80	155	5775	16
802.11ax HE20	149	5745	16
	153	5765	16
	157	5785	16
	161	5805	16
	165	5825	16
802.11ax HE40	151	5755	16
	159	5795	16
802.11ax HE80	155	5775	15.5
802.11be20	149	5745	15.75
	153	5765	15.75
	157	5785	15.75
	161	5805	15.75
	165	5825	15.75
802.11be40	151	5755	15.75
	159	5795	15.75
802.11be80	155	5775	15.75

Conducted Power Setting (Full)			
WLAN 5.8GHz Ant 1+2			
Mode	Channel	Frequency	Power Setting
802.11a	149	5745	15.5
	153	5765	15.5
	157	5785	15.5
	161	5805	15.5
	165	5825	15.5
802.11n HT20	149	5745	15.5
	153	5765	15.5
	157	5785	15.5
	161	5805	15.5
	165	5825	15.5
802.11n HT40	151	5755	15.5
	159	5795	15.5
802.11ac VHT20	149	5745	15.5
	153	5765	15.5
	157	5785	15.5
	161	5805	15.5
	165	5825	15.5
802.11ac VHT40	151	5755	15.5
	159	5795	15.5
802.11ac VHT80	155	5775	15.75
802.11ax HE20	149	5745	15.5
	153	5765	15.5
	157	5785	15.5
	161	5805	15.5
	165	5825	15.5
802.11ax HE40	151	5755	15.5
	159	5795	15.5
802.11ax HE80	155	5775	15.25
802.11be20	149	5745	15.5
	153	5765	15.5
	157	5785	15.5
	161	5805	15.5
	165	5825	15.5
802.11be40	151	5755	15.5
	159	5795	15.5
802.11be80	155	5775	15.25

Conducted Power Setting (Full)			
WLAN 5.9GHz Ant 1			
Mode	Channel	Frequency	Power Setting
802.11a	169	5845	16
	173	5865	16
	177	5885	16
802.11n HT20	169	5845	16
	173	5865	16
	177	5885	16
802.11n HT40	167	5835	16
	175	5875	16
802.11ac VHT20	169	5845	16
	173	5865	16
	177	5885	16
802.11ac VHT40	167	5835	16
	175	5875	16
802.11ac VHT80	171	5855	16.25
802.11ac VHT160	163	5815	16.25
802.11ax HE20	169	5845	16
	173	5865	16
	177	5885	16
802.11ax HE40	167	5835	16
	175	5875	16
802.11ax HE80	171	5855	16.5
802.11ax HE160	163	5815	15.75
802.11be20	169	5845	15.75
	173	5865	15.75
	177	5885	15.75
802.11be40	167	5835	15.75
	175	5875	15.75
802.11be80	171	5855	15.75
802.11be160	163	5815	16

Conducted Power Setting (Full)			
WLAN 5.9GHz Ant 2			
Mode	Channel	Frequency	Power Setting
802.11a	169	5845	16
	173	5865	16
	177	5885	16
802.11n HT20	169	5845	16
	173	5865	16
	177	5885	16
802.11n HT40	167	5835	16
	175	5875	16
802.11ac VHT20	169	5845	16
	173	5865	16
	177	5885	16
802.11ac VHT40	167	5835	16
	175	5875	16
802.11ac VHT80	171	5855	16
802.11ac VHT160	163	5815	16.25
802.11ax HE20	169	5845	16
	173	5865	16
	177	5885	16
802.11ax HE40	167	5835	16
	175	5875	16
802.11ax HE80	171	5855	16
802.11ax HE160	163	5815	15.75
802.11be20	169	5845	16
	173	5865	16
	177	5885	16
802.11be40	167	5835	16
	175	5875	16
802.11be80	171	5855	16
802.11be160	163	5815	15.75

Conducted Power Setting (Full)			
WLAN 5.9GHz Ant 1+2			
Mode	Channel	Frequency	Power Setting
802.11a	169	5845	15.5
	173	5865	15.5
	177	5885	15.5
802.11n HT20	169	5845	15.5
	173	5865	15.5
	177	5885	15.5
802.11n HT40	167	5835	15.5
	175	5875	15.5
802.11ac VHT20	169	5845	15.5
	173	5865	15.5
	177	5885	15.5
802.11ac VHT40	167	5835	15.5
	175	5875	15.5
802.11ac VHT80	171	5855	15.5
802.11ac VHT160	163	5815	15.75
802.11ax HE20	169	5845	15.5
	173	5865	15.5
	177	5885	15.5
802.11ax HE40	167	5835	15.5
	175	5875	15.5
802.11ax HE80	171	5855	15.5
802.11ax HE160	163	5815	15.75
802.11be20	169	5845	15.5
	173	5865	15.5
	177	5885	15.5
802.11be40	167	5835	15.5
	175	5875	15.5
802.11be80	171	5855	15.5
802.11be160	163	5815	13

Conducted Power Setting (Full)			
UNII-5 Ant 1_INDOOR			
Mode	Channel	Frequency	Power Setting
802.11a	1	5955	7
	5	5975	7
	9	5995	7
	13	6015	7
	17	6035	7
	21	6055	7
	25	6075	7
	29	6095	7
	33	6115	7
	37	6135	7
	41	6155	7
	45	6175	7
	49	6195	7
	53	6215	7
	57	6235	7
	61	6255	7
	65	6275	7
	69	6295	7
	73	6315	7
	77	6335	7
81	6355	7	
85	6375	7	
89	6395	7	
93	6415	7	
802.11ax HE20	1	5955	7
	5	5975	7.25
	9	5995	7.25
	13	6015	7.25
	17	6035	7.25
	21	6055	7.25
	25	6075	7.25
	29	6095	7.25
	33	6115	7.25
	37	6135	7.25
	41	6155	7.25
	45	6175	7
	49	6195	7
	53	6215	7
	57	6235	7
	61	6255	7
	65	6275	7
	69	6295	7
	73	6315	7
	77	6335	7
81	6355	7	
85	6375	7	
89	6395	6.75	
93	6415	6.75	

Conducted Power Setting (Full)			
802.11be20	1	5955	7
	5	5975	7
	9	5995	7
	13	6015	7
	17	6035	7
	21	6055	7
	25	6075	7
	29	6095	7
	33	6115	7
	37	6135	7
	41	6155	7
	45	6175	7
	49	6195	7
	53	6215	7
	57	6235	7
	61	6255	7
	65	6275	7
	69	6295	7
	73	6315	7
	77	6335	7
81	6355	7	
85	6375	7.25	
89	6395	7.25	
93	6415	6.75	

Conducted Power Setting (Full)			
UNII-5 Ant 1_INDOOR			
Mode	Channel	Frequency	Power Setting
802.11ax HE40	3	5965	10
	11	6005	10.5
	19	6045	10.25
	27	6085	10.25
	35	6125	10.25
	43	6165	10.25
	51	6205	10
	59	6245	10.25
	67	6285	10.25
	75	6325	10.25
	83	6365	10.25
802.11ax HE80	91	6405	10
	7	5985	12.75
	23	6065	12.75
	39	6145	12.75
	55	6225	12.75
	71	6305	13
802.11ax HE160	87	6385	13
	15	6025	15.75
	47	6185	15.75
802.11be40	79	6345	15.75
	3	5965	10
	11	6005	10.5
	19	6045	10.5
	27	6085	10.5
	35	6125	10.5
	43	6165	10.25
	51	6205	10
	59	6245	10
	67	6285	10
	75	6325	10
802.11be80	83	6365	10
	91	6405	10
	7	5985	12.75
	23	6065	12.75
	39	6145	12.75
	55	6225	12.75
802.11be160	71	6305	13
	87	6385	13
	15	6025	15.75
	47	6185	15.75
	79	6345	15.75

Conducted Power Setting (Full)			
UNII-5 Ant 2_INDOOR			
Mode	Channel	Frequency	Power Setting
802.11a	1	5955	7
	5	5975	7
	9	5995	7
	13	6015	7
	17	6035	7
	21	6055	7
	25	6075	7
	29	6095	7
	33	6115	7
	37	6135	7
	41	6155	7
	45	6175	7
	49	6195	7
	53	6215	7
	57	6235	7
	61	6255	7
	65	6275	7
	69	6295	7
	73	6315	7
	77	6335	7
802.11ax HE20	1	5955	7
	5	5975	7
	9	5995	7
	13	6015	7
	17	6035	7
	21	6055	7
	25	6075	7
	29	6095	7
	33	6115	7
	37	6135	7
	41	6155	7.25
	45	6175	7.25
	49	6195	7
	53	6215	7
	57	6235	7
	61	6255	7
	65	6275	7
	69	6295	7
	73	6315	7
	77	6335	7
81	6355	7	
85	6375	7	
89	6395	6.75	
93	6415	6.75	

Conducted Power Setting (Full)			
802.11be20	1	5955	7
	5	5975	7
	9	5995	7
	13	6015	7
	17	6035	7
	21	6055	7
	25	6075	7
	29	6095	7
	33	6115	7
	37	6135	7
	41	6155	7
	45	6175	7
	49	6195	7
	53	6215	7
	57	6235	7
	61	6255	7
	65	6275	7
	69	6295	7
	73	6315	7
	77	6335	7
81	6355	7	
85	6375	7	
89	6395	7.25	
93	6415	6.75	

Conducted Power Setting (Full)			
UNII-5 Ant 2_INDOOR			
Mode	Channel	Frequency	Power Setting
802.11ax HE40	3	5965	10
	11	6005	10.5
	19	6045	10.5
	27	6085	10.25
	35	6125	10.25
	43	6165	10.25
	51	6205	10
	59	6245	10
	67	6285	10
	75	6325	10
	83	6365	10
802.11ax HE80	7	5985	12.75
	23	6065	12.75
	39	6145	12.75
	55	6225	12.75
	71	6305	13
	87	6385	13
802.11ax HE160	15	6025	15.75
	47	6185	15.75
	79	6345	15.75
802.11be40	3	5965	10
	11	6005	10.5
	19	6045	10.25
	27	6085	10.25
	35	6125	10.25
	43	6165	10
	51	6205	10
	59	6245	10
	67	6285	10
	75	6325	10
	83	6365	10
802.11be80	7	5985	12.75
	23	6065	12.75
	39	6145	12.75
	55	6225	12.75
	71	6305	13
	87	6385	13
802.11be160	15	6025	15.75
	47	6185	15.75
	79	6345	15.75

Conducted Power Setting (Full)			
UNII-5 Ant 1+2_INDOOR			
Mode	Channel	Frequency	Power Setting
802.11a	1	5955	1.25
	5	5975	1.25
	9	5995	1.25
	13	6015	1.25
	17	6035	1.25
	21	6055	1.25
	25	6075	1.25
	29	6095	1.25
	33	6115	1.25
	37	6135	1.25
	41	6155	1.25
	45	6175	1.25
	49	6195	1.25
	53	6215	1.25
	57	6235	1.25
	61	6255	1.25
	65	6275	1.25
	69	6295	1.25
	73	6315	1.25
	77	6335	1.25
81	6355	1.25	
85	6375	1.25	
89	6395	1.25	
93	6415	1.25	
802.11ax HE20	1	5955	4.5
	5	5975	4.25
	9	5995	4.25
	13	6015	4.25
	17	6035	4.25
	21	6055	4.25
	25	6075	4.25
	29	6095	4.25
	33	6115	4.25
	37	6135	4.25
	41	6155	4.25
	45	6175	4.25
	49	6195	3.75
	53	6215	3.75
	57	6235	3.75
	61	6255	3.75
	65	6275	3.75
	69	6295	3.75
	73	6315	3.75
	77	6335	3.75
81	6355	3.5	
85	6375	3.5	
89	6395	3.5	
93	6415	3.5	

Conducted Power Setting (Full)			
802.11be20	1	5955	4.25
	5	5975	4.25
	9	5995	4.25
	13	6015	4.25
	17	6035	4.25
	21	6055	4.25
	25	6075	4.25
	29	6095	4.25
	33	6115	4.25
	37	6135	4.25
	41	6155	4.25
	45	6175	4.25
	49	6195	4.25
	53	6215	4.25
	57	6235	4.25
	61	6255	4.25
	65	6275	4.25
	69	6295	4.25
	73	6315	4.25
	77	6335	4.25
81	6355	4.25	
85	6375	4.25	
89	6395	4.25	
93	6415	3.5	

Conducted Power Setting (Full)			
UNII-5 Ant 1+2_INDOOR			
Mode	Channel	Frequency	Power Setting
802.11ax HE40	3	5965	7.25
	11	6005	7.75
	19	6045	7.75
	27	6085	7.75
	35	6125	7.75
	43	6165	7.75
	51	6205	7.75
	59	6245	7.75
	67	6285	7.75
	75	6325	7.75
	83	6365	7.75
802.11ax HE80	91	6405	7.5
	7	5985	10
	23	6065	10.25
	39	6145	10.25
	55	6225	10.25
	71	6305	10.25
802.11ax HE160	87	6385	10.25
	15	6025	13.25
	47	6185	13.25
802.11be40	79	6345	13.25
	3	5965	7.25
	11	6005	7.75
	19	6045	7.75
	27	6085	7.75
	35	6125	7.75
	43	6165	7.75
	51	6205	7.75
	59	6245	7.75
	67	6285	7.75
	75	6325	7.75
802.11be80	83	6365	7.75
	91	6405	7.5
	7	5985	10
	23	6065	10.25
	39	6145	10.25
	55	6225	10.25
802.11be160	71	6305	10.25
	87	6385	10.25
	15	6025	12.25
802.11be160	47	6185	12.25
	79	6345	12.25

Conducted Power Setting (Full)			
UNII-6 Ant 1_INDOOR			
Mode	Channel	Frequency	Power Setting
802.11a	97	6435	6.75
	101	6455	6.75
	105	6475	6.75
	109	6495	6.75
	113	6515	6.75
802.11ax HE20	97	6435	6.75
	101	6455	7
	105	6475	7
	109	6495	7
	113	6515	7
802.11ax HE40	99	6445	10
	107	6485	10
	115	6525	10
802.11ax HE80	103	6465	13
	119	6545	12.75
802.11ax HE160	111	6505	15.75
802.11be20	97	6435	6.75
	101	6455	7.25
	105	6475	7
	109	6495	7
	113	6515	7
802.11be40	99	6445	10
	107	6485	10
	115	6525	10
802.11be80	103	6465	13
	119	6545	12.75
802.11be160	111	6505	15.75

Conducted Power Setting (Full)			
UNII-6 Ant 2_INDOOR			
Mode	Channel	Frequency	Power Setting
802.11a	97	6435	6.75
	101	6455	6.75
	105	6475	6.75
	109	6495	6.75
	113	6515	6.75
802.11ax HE20	97	6435	6.75
	101	6455	7
	105	6475	7
	109	6495	7
	113	6515	7
802.11ax HE40	99	6445	10
	107	6485	10
	115	6525	10
802.11ax HE80	103	6465	13
	119	6545	12.75
802.11ax HE160	111	6505	15.75
802.11be20	97	6435	6.75
	101	6455	7.25
	105	6475	7
	109	6495	7
	113	6515	7
802.11be40	99	6445	10
	107	6485	10
	115	6525	10
802.11be80	103	6465	13
	119	6545	12.75
802.11be160	111	6505	15.75

Conducted Power Setting (Full)			
UNII-6 Ant 1+2_INDOOR			
Mode	Channel	Frequency	Power Setting
802.11a	97	6435	1.25
	101	6455	1.25
	105	6475	1.25
	109	6495	1.25
	113	6515	1.25
802.11ax HE20	97	6435	4.25
	101	6455	4.25
	105	6475	4.25
	109	6495	4.25
	113	6515	4.25
802.11ax HE40	99	6445	7.25
	107	6485	7.25
	115	6525	7.25
802.11ax HE80	103	6465	9.75
	119	6545	9.75
802.11ax HE160	111	6505	12.25
802.11be20	97	6435	4.25
	101	6455	4.25
	105	6475	4.25
	109	6495	4.25
	113	6515	4.25
802.11be40	99	6445	7.25
	107	6485	7.25
	115	6525	7.25
802.11be80	103	6465	9.75
	119	6545	9.75
802.11be160	111	6505	12.25

Conducted Power Setting (Full)			
UNII-7 Ant 1_INDOOR			
Mode	Channel	Frequency	Power Setting
802.11a	117	6535	6.75
	121	6555	6.75
	125	6575	6.75
	129	6595	6.75
	133	6615	6.75
	137	6635	6.75
	141	6655	6.75
	145	6675	6.75
	149	6695	6.75
	153	6715	6.75
	157	6735	6.75
	161	6755	6.75
	165	6775	6.75
	169	6795	6.75
	173	6815	6.75
	177	6835	6.75
	181	6855	6.75
185	6875	6.75	
802.11ax HE20	117	6535	6.75
	121	6555	7.25
	125	6575	7.25
	129	6595	7
	133	6615	7
	137	6635	7
	141	6655	7
	145	6675	7
	149	6695	7
	153	6715	7.25
	157	6735	7.25
	161	6755	7.25
	165	6775	7.25
	169	6795	7.25
	173	6815	7.25
	177	6835	7.25
	181	6855	6.75
185	6875	7	
802.11ax HE40	123	6565	10
	131	6605	10.25
	139	6645	10.25
	147	6685	10
	155	6725	10
	163	6765	10
	171	6805	10
	179	6845	10
187	6885	10	
802.11ax HE80	135	6625	12.75
	151	6705	12.75
	167	6785	12.75
	183	6865	12.75
802.11ax HE160	143	6665	15.75
	175	6825	15.75

Conducted Power Setting (Full)			
802.11be20	117	6535	6.75
	121	6555	7.25
	125	6575	7.25
	129	6595	7.25
	133	6615	7.25
	137	6635	7.25
	141	6655	7.25
	145	6675	7.25
	149	6695	7.25
	153	6715	7.25
	157	6735	7.25
	161	6755	7.25
	165	6775	7.25
	169	6795	7.25
	173	6815	7.25
	177	6835	7.25
	181	6855	6.75
185	6875	7	
802.11be40	123	6565	10
	131	6605	10.25
	139	6645	10.25
	147	6685	10
	155	6725	10
	163	6765	10
	171	6805	10
	179	6845	10
	187	6885	10
802.11be80	135	6625	12.75
	151	6705	12.75
	167	6785	12.75
	183	6865	12.5
802.11be160	143	6665	15.75
	175	6825	15.75

Conducted Power Setting (Full)			
UNII-7 Ant 2_INDOOR			
Mode	Channel	Frequency	Power Setting
802.11a	117	6535	6.75
	121	6555	6.75
	125	6575	6.75
	129	6595	6.75
	133	6615	6.75
	137	6635	6.75
	141	6655	6.75
	145	6675	6.75
	149	6695	6.75
	153	6715	6.75
	157	6735	6.75
	161	6755	6.75
	165	6775	6.75
	169	6795	6.75
	173	6815	6.75
	177	6835	6.75
	181	6855	6.75
	185	6875	6.75
802.11ax HE20	117	6535	6.75
	121	6555	7.25
	125	6575	7.25
	129	6595	7
	133	6615	7
	137	6635	7
	141	6655	7
	145	6675	7
	149	6695	7
	153	6715	7
	157	6735	7
	161	6755	7
	165	6775	7
	169	6795	7
	173	6815	7.25
	177	6835	7.25
	181	6855	6.75
	185	6875	7
802.11ax HE40	123	6565	10
	131	6605	10.25
	139	6645	10
	147	6685	10
	155	6725	10
	163	6765	10
	171	6805	10
	179	6845	10
187	6885	10	
802.11ax HE80	135	6625	12.75
	151	6705	12.75
	167	6785	12.8
	183	6865	12.91
802.11ax HE160	143	6665	15.75
	175	6825	15.75

Conducted Power Setting (Full)			
802.11be20	117	6535	6.75
	121	6555	7.25
	125	6575	7.25
	129	6595	7.25
	133	6615	7
	137	6635	7
	141	6655	7
	145	6675	7
	149	6695	7
	153	6715	7
	157	6735	7
	161	6755	7
	165	6775	7
	169	6795	7
	173	6815	7.25
	177	6835	7.25
	181	6855	6.75
185	6875	7	
802.11be40	123	6565	10
	131	6605	10.25
	139	6645	10
	147	6685	10
	155	6725	10
	163	6765	10
	171	6805	10
	179	6845	10
187	6885	10	
802.11be80	135	6625	12.75
	151	6705	12.75
	167	6785	12.8
	183	6865	12.91
802.11be160	143	6665	15.75
	175	6825	15.75

Conducted Power Setting (Full)			
UNII-7 Ant 1+2_INDOOR			
Mode	Channel	Frequency	Power Setting
802.11a	117	6535	1.25
	121	6555	1.25
	125	6575	1.25
	129	6595	1.25
	133	6615	1.25
	137	6635	1.25
	141	6655	1.25
	145	6675	1.25
	149	6695	1.25
	153	6715	1.25
	157	6735	1.25
	161	6755	1.25
	165	6775	1.25
	169	6795	1.25
	173	6815	1.25
	177	6835	1.25
	181	6855	1.25
185	6875	1.25	
802.11ax HE20	117	6535	4.25
	121	6555	4.25
	125	6575	4.25
	129	6595	4.25
	133	6615	4.25
	137	6635	4.25
	141	6655	4.25
	145	6675	4.25
	149	6695	4.25
	153	6715	4.25
	157	6735	4.25
	161	6755	4.25
	165	6775	4.25
	169	6795	4.25
	173	6815	4.25
	177	6835	4.25
	181	6855	3.75
185	6875	4.25	
802.11ax HE40	123	6565	7.25
	131	6605	7.25
	139	6645	7.25
	147	6685	7.25
	155	6725	7.25
	163	6765	7.25
	171	6805	7.25
	179	6845	7.25
187	6885	7.25	
802.11ax HE80	135	6625	9.75
	151	6705	9.75
	167	6785	9.75
	183	6865	9.75
802.11ax HE160	143	6665	12.25
	175	6825	12.25

Conducted Power Setting (Full)			
802.11be20	117	6535	4.25
	121	6555	4.25
	125	6575	4.25
	129	6595	4.25
	133	6615	4.25
	137	6635	4.25
	141	6655	4.25
	145	6675	4.25
	149	6695	4.25
	153	6715	4.25
	157	6735	4.25
	161	6755	4.25
	165	6775	4.25
	169	6795	4.25
	173	6815	4.25
	177	6835	4.25
	181	6855	4.25
	185	6875	4.25
802.11be40	123	6565	7.25
	131	6605	7.25
	139	6645	7.25
	147	6685	7.25
	155	6725	7.25
	163	6765	7.25
	171	6805	7.25
	179	6845	7.25
187	6885	7.25	
802.11be80	135	6625	9.75
	151	6705	9.75
	167	6785	9.75
	183	6865	9.75
802.11be160	143	6665	12.25
	175	6825	12.25

Conducted Power Setting (Full)			
UNII-8 Ant 1_INDOOR			
Mode	Channel	Frequency	Power Setting
802.11a	189	6895	6.75
	193	6915	6.75
	197	6935	6.75
	201	6955	6.75
	205	6975	6.75
	209	6995	6.75
	213	7015	6.75
	217	7035	6.75
	221	7055	6.75
	225	7075	6.75
	229	7095	6.75
	233	7115	6.75
802.11ax HE20	189	6895	6.75
	193	6915	6.75
	197	6935	7
	201	6955	7
	205	6975	7
	209	6995	7
	213	7015	7
	217	7035	7
	221	7055	7
	225	7075	7
	229	7095	7
	233	7115	7
802.11ax HE40	195	6925	10
	203	6965	10
	211	7005	10
	219	7045	10
	227	7085	10
802.11ax HE80	199	6945	13
	215	7025	13
802.11ax HE160	207	6985	15.75
802.11be20	189	6895	7.25
	193	6915	7.25
	197	6935	7
	201	6955	7
	205	6975	7
	209	6995	7
	213	7015	7
	217	7035	7
	221	7055	7
	225	7075	7
	229	7095	7
	233	7115	7
802.11be40	195	6925	10.25
	203	6965	10
	211	7005	10
	219	7045	10
	227	7085	10
802.11be80	199	6945	13
	215	7025	13
802.11be160	207	6985	15.75

Conducted Power Setting (Full)			
UNII-8 Ant 2_INDOOR			
Mode	Channel	Frequency	Power Setting
802.11a	189	6895	6.75
	193	6915	6.75
	197	6935	6.75
	201	6955	6.75
	205	6975	6.75
	209	6995	6.75
	213	7015	6.75
	217	7035	6.75
	221	7055	6.75
	225	7075	6.75
	229	7095	6.75
	233	7115	6.75
802.11ax HE20	189	6895	6.75
	193	6915	7
	197	6935	7
	201	6955	7
	205	6975	7
	209	6995	7
	213	7015	7
	217	7035	7
	221	7055	7
	225	7075	7
	229	7095	7
	233	7115	7
802.11ax HE40	195	6925	9.75
	203	6965	10
	211	7005	10
	219	7045	10
	227	7085	10
802.11ax HE80	199	6945	13
	215	7025	13
802.11ax HE160	207	6985	15.75
802.11be20	189	6895	7.25
	193	6915	7
	197	6935	7
	201	6955	7
	205	6975	7
	209	6995	7
	213	7015	7
	217	7035	7
	221	7055	7
	225	7075	7
	229	7095	7
	233	7115	7
802.11be40	195	6925	10
	203	6965	10
	211	7005	10
	219	7045	10
	227	7085	10
802.11be80	199	6945	13
	215	7025	13
802.11be160	207	6985	15.75

Conducted Power Setting (Full)			
UNII-8 Ant 1+2_INDOOR			
Mode	Channel	Frequency	Power Setting
802.11a	189	6895	1.25
	193	6915	1.25
	197	6935	1.25
	201	6955	1.25
	205	6975	1.25
	209	6995	1.25
	213	7015	1.25
	217	7035	1.25
	221	7055	1.25
	225	7075	1.25
	229	7095	1.25
	233	7115	1.25
802.11ax HE20	189	6895	4.25
	193	6915	4.25
	197	6935	4.25
	201	6955	4.25
	205	6975	4.25
	209	6995	4.25
	213	7015	4.25
	217	7035	4.25
	221	7055	4.25
	225	7075	4.25
	229	7095	4.25
	233	7115	4.25
802.11ax HE40	195	6925	7.25
	203	6965	7.25
	211	7005	7.25
	219	7045	7.25
	227	7085	7.25
802.11ax HE80	199	6945	9.75
	215	7025	9.75
802.11ax HE160	207	6985	12.25
802.11be20	189	6895	4.25
	193	6915	4.25
	197	6935	4.25
	201	6955	4.25
	205	6975	4.25
	209	6995	4.25
	213	7015	4.25
	217	7035	4.25
	221	7055	4.25
	225	7075	4.25
	229	7095	4.25
	233	7115	4.25
802.11be40	195	6925	7.25
	203	6965	7.25
	211	7005	7.25
	219	7045	7.25
	227	7085	6.75
802.11be80	199	6945	9.75
	215	7025	9.75
802.11be160	207	6985	12.25

Conducted Power Setting (Full) for FCC			
UNII-5 Ant 1_STANDARD			
Mode	Channel	Frequency	Power Setting
802.11a	1	5955	15.75
	5	5975	15.75
	9	5995	16
	13	6015	16
	17	6035	16
	21	6055	16
	25	6075	16
	29	6095	16
	33	6115	16
	37	6135	16
	41	6155	16
	45	6175	16
	49	6195	16
	53	6215	16
	57	6235	16
	61	6255	16
	65	6275	16
	69	6295	16
	73	6315	16
	77	6335	16
81	6355	16	
85	6375	16	
89	6395	16	
93	6415	16	
802.11ax HE20	1	5955	15.75
	5	5975	16
	9	5995	16
	13	6015	16
	17	6035	16
	21	6055	16
	25	6075	16
	29	6095	16
	33	6115	16
	37	6135	16
	41	6155	16
	45	6175	16
	49	6195	16
	53	6215	16
	57	6235	16
	61	6255	16
	65	6275	16
	69	6295	16
	73	6315	16
	77	6335	16
81	6355	16	
85	6375	16	
89	6395	16	
93	6415	16	

Conducted Power Setting (Full) for FCC			
802.11be20	1	5955	16
	5	5975	16
	9	5995	16
	13	6015	16
	17	6035	16
	21	6055	16
	25	6075	16
	29	6095	16
	33	6115	16
	37	6135	16
	41	6155	16
	45	6175	16
	49	6195	16
	53	6215	16
	57	6235	16
	61	6255	16
	65	6275	16
	69	6295	16
	73	6315	16
	77	6335	16
81	6355	16	
85	6375	16	
89	6395	16	
93	6415	16	

Conducted Power Setting (Full) for FCC			
UNII-5 Ant 1_STANDARD			
Mode	Channel	Frequency	Power Setting
802.11ax HE40	3	5965	15.75
	11	6005	16
	19	6045	16
	27	6085	16
	35	6125	16
	43	6165	16
	51	6205	16
	59	6245	16
	67	6285	16
	75	6325	16
	83	6365	16
802.11ax HE80	91	6405	16
	7	5985	16
	23	6065	16
	39	6145	16
	55	6225	16
	71	6305	16
802.11ax HE160	87	6385	16
	15	6025	16
	47	6185	16
802.11be40	79	6345	16
	3	5965	15.75
	11	6005	16
	19	6045	16
	27	6085	16
	35	6125	16
	43	6165	16
	51	6205	16
	59	6245	16
	67	6285	16
	75	6325	16
802.11be80	83	6365	16
	91	6405	16
	7	5985	16
	23	6065	16
	39	6145	16
	55	6225	16
802.11be160	71	6305	16
	87	6385	16
	15	6025	16
802.11be160	47	6185	16
	79	6345	16

Conducted Power Setting (Full) for FCC			
UNII-5 Ant 2_STANDARD			
Mode	Channel	Frequency	Power Setting
802.11a	1	5955	16
	5	5975	16
	9	5995	16
	13	6015	16
	17	6035	16
	21	6055	16
	25	6075	16
	29	6095	16
	33	6115	16
	37	6135	16
	41	6155	16
	45	6175	16
	49	6195	16
	53	6215	16
	57	6235	16
	61	6255	16
	65	6275	16
	69	6295	16
	73	6315	16
	77	6335	16
81	6355	16	
85	6375	16	
89	6395	16	
93	6415	16	
802.11ax HE20	1	5955	15.75
	5	5975	16
	9	5995	16
	13	6015	16
	17	6035	16
	21	6055	16
	25	6075	16
	29	6095	16
	33	6115	16
	37	6135	16
	41	6155	16
	45	6175	16
	49	6195	16
	53	6215	16
	57	6235	16
	61	6255	16
	65	6275	16
	69	6295	16
	73	6315	16
	77	6335	16
81	6355	16	
85	6375	16	
89	6395	16	
93	6415	16	

Conducted Power Setting (Full) for FCC			
802.11be20	1	5955	15.75
	5	5975	16
	9	5995	16
	13	6015	16
	17	6035	16
	21	6055	16
	25	6075	16
	29	6095	16
	33	6115	16
	37	6135	16
	41	6155	16
	45	6175	16
	49	6195	16
	53	6215	16
	57	6235	16
	61	6255	16
	65	6275	16
	69	6295	16
	73	6315	16
	77	6335	16
81	6355	16	
85	6375	16	
89	6395	16	
93	6415	16	

Conducted Power Setting (Full) for FCC			
UNII-5 Ant 2_STANDARD			
Mode	Channel	Frequency	Power Setting
802.11ax HE40	3	5965	16
	11	6005	16
	19	6045	16
	27	6085	16
	35	6125	16
	43	6165	16
	51	6205	16
	59	6245	16
	67	6285	16
	75	6325	16
	83	6365	16
802.11ax HE80	91	6405	16
	7	5985	16
	23	6065	16
	39	6145	16
	55	6225	16
	71	6305	16
802.11ax HE160	87	6385	16
	15	6025	15.75
	47	6185	15.75
802.11be40	79	6345	15.75
	3	5965	16
	11	6005	16
	19	6045	16
	27	6085	16
	35	6125	16
	43	6165	16
	51	6205	16
	59	6245	16
	67	6285	16
	75	6325	16
802.11be80	83	6365	16
	91	6405	16
	7	5985	16
	23	6065	16
	39	6145	16
	55	6225	16
802.11be160	71	6305	16
	87	6385	16
	15	6025	15.75
	47	6185	15.75
	79	6345	15.75

Conducted Power Setting (Full) for FCC			
UNII-5 Ant 1+2_STANDARD			
Mode	Channel	Frequency	Power Setting
802.11a	1	5955	13.25
	5	5975	13.25
	9	5995	13.25
	13	6015	13.25
	17	6035	13.25
	21	6055	13.25
	25	6075	13.25
	29	6095	13.25
	33	6115	13.25
	37	6135	13.25
	41	6155	13.25
	45	6175	13.25
	49	6195	13.25
	53	6215	13.25
	57	6235	13.25
	61	6255	13.25
	65	6275	13.25
	69	6295	13.25
	73	6315	13.25
	77	6335	13.25
81	6355	13.25	
85	6375	13.25	
89	6395	13.25	
93	6415	13.25	
802.11ax HE20	1	5955	13.25
	5	5975	13.25
	9	5995	13.25
	13	6015	13.25
	17	6035	13.25
	21	6055	13.25
	25	6075	13.25
	29	6095	13.25
	33	6115	13.25
	37	6135	13.25
	41	6155	13.25
	45	6175	13.25
	49	6195	13.25
	53	6215	13.25
	57	6235	13.25
	61	6255	13.25
	65	6275	13.25
	69	6295	13.25
	73	6315	13.25
	77	6335	13.25
81	6355	13.25	
85	6375	13.25	
89	6395	13.25	
93	6415	13.25	

Conducted Power Setting (Full) for FCC			
802.11be20	1	5955	13.25
	5	5975	13.25
	9	5995	13.25
	13	6015	13.25
	17	6035	13.25
	21	6055	13.25
	25	6075	13.25
	29	6095	13.25
	33	6115	13.25
	37	6135	13.25
	41	6155	13.25
	45	6175	13.25
	49	6195	13.25
	53	6215	13.25
	57	6235	13.25
	61	6255	13.25
	65	6275	13.25
	69	6295	13.25
	73	6315	13.25
	77	6335	13.25
81	6355	13.25	
85	6375	13.25	
89	6395	13.25	
93	6415	13.25	

Conducted Power Setting (Full) for FCC			
UNII-5 Ant 1+2_STANDARD			
Mode	Channel	Frequency	Power Setting
802.11ax HE40	3	5965	13.25
	11	6005	13.25
	19	6045	13.25
	27	6085	13.25
	35	6125	13.25
	43	6165	13.25
	51	6205	13.25
	59	6245	13.25
	67	6285	13.25
	75	6325	13.25
	83	6365	13.25
802.11ax HE80	91	6405	13.25
	7	5985	13.25
	23	6065	13.25
	39	6145	13.25
	55	6225	13.25
	71	6305	13.25
802.11ax HE160	87	6385	13.25
	15	6025	13.25
	47	6185	13.25
802.11be40	79	6345	13.25
	3	5965	13.25
	11	6005	13.25
	19	6045	13.25
	27	6085	13.25
	35	6125	13.25
	43	6165	13.25
	51	6205	13.25
	59	6245	13.25
	67	6285	13.25
	75	6325	13.25
802.11be80	83	6365	13.25
	91	6405	13.25
	7	5985	13.25
	23	6065	13.25
	39	6145	13.25
	55	6225	13.25
802.11be160	71	6305	13.25
	87	6385	13.25
	15	6025	13.25
802.11be160	47	6185	13.25
	79	6345	13.25

Conducted Power Setting (Full) for FCC			
UNII-7 Ant 1_STANDARD			
Mode	Channel	Frequency	Power Setting
802.11a	117	6535	15.75
	121	6555	15.75
	125	6575	15.75
	129	6595	16
	133	6615	16
	137	6635	16
	141	6655	16
	145	6675	16
	149	6695	16
	153	6715	16
	157	6735	16
	161	6755	16
	165	6775	16
	169	6795	16
	173	6815	16
	177	6835	16
181	6855	16	
802.11ax HE20	117	6535	15.75
	121	6555	16
	125	6575	15.75
	129	6595	16
	133	6615	16
	137	6635	16
	141	6655	16
	145	6675	16
	149	6695	16
	153	6715	16
	157	6735	16
	161	6755	16
	165	6775	16
	169	6795	16
	173	6815	16
	177	6835	16
181	6855	16	
802.11ax HE40	123	6565	16
	131	6605	16
	139	6645	16
	147	6685	16
	155	6725	16
	163	6765	16
	171	6805	16
	179	6845	16
802.11ax HE80	135	6625	16
	151	6705	16
	167	6785	16
802.11ax HE160	143	6665	15.75

Conducted Power Setting (Full) for FCC			
802.11be20	117	6535	15.75
	121	6555	16
	125	6575	16
	129	6595	16
	133	6615	16
	137	6635	16
	141	6655	16
	145	6675	16
	149	6695	16
	153	6715	16
	157	6735	16
	161	6755	16
	165	6775	16
	169	6795	16
	173	6815	16
	177	6835	16
802.11be40	181	6855	16
	123	6565	16
	131	6605	16
	139	6645	16
	147	6685	16
	155	6725	16
	163	6765	16
	171	6805	16
179	6845	16	
802.11be80	135	6625	16
	151	6705	16
	167	6785	16
802.11be160	143	6665	15.75

Conducted Power Setting (Full) for FCC			
UNII-7 Ant 2_STANDARD			
Mode	Channel	Frequency	Power Setting
802.11a	117	6535	16
	121	6555	16
	125	6575	16
	129	6595	16
	133	6615	16
	137	6635	16
	141	6655	16
	145	6675	16
	149	6695	16
	153	6715	16
	157	6735	16
	161	6755	16
	165	6775	16
	169	6795	16
	173	6815	16
	177	6835	16
181	6855	16	
802.11ax HE20	117	6535	16
	121	6555	16
	125	6575	16
	129	6595	16
	133	6615	16
	137	6635	16
	141	6655	16
	145	6675	16
	149	6695	16
	153	6715	16
	157	6735	16
	161	6755	16
	165	6775	16
	169	6795	16
	173	6815	16
	177	6835	16
181	6855	16	
802.11ax HE40	123	6565	16
	131	6605	16
	139	6645	16
	147	6685	16
	155	6725	16
	163	6765	16
	171	6805	16
	179	6845	16
802.11ax HE80	135	6625	15.75
	151	6705	15.75
	167	6785	15.75
802.11ax HE160	143	6665	15.75

Conducted Power Setting (Full) for FCC			
802.11be20	117	6535	16
	121	6555	16
	125	6575	16
	129	6595	16
	133	6615	16
	137	6635	16
	141	6655	16
	145	6675	16
	149	6695	16
	153	6715	16
	157	6735	16
	161	6755	16
	165	6775	16
	169	6795	16
	173	6815	16
	177	6835	16
802.11be40	181	6855	16
	123	6565	16
	131	6605	16
	139	6645	16
	147	6685	16
	155	6725	16
	163	6765	16
171	6805	16	
802.11be80	179	6845	16
	135	6625	16
	151	6705	15.75
802.11be160	167	6785	15.75
	143	6665	15.75

Conducted Power Setting (Full) for FCC			
UNII-7 Ant 1+2_STANDARD			
Mode	Channel	Frequency	Power Setting
802.11a	117	6535	13.25
	121	6555	13.25
	125	6575	13.25
	129	6595	13.25
	133	6615	13.25
	137	6635	13.25
	141	6655	13.25
	145	6675	13.25
	149	6695	13.25
	153	6715	13.25
	157	6735	13.25
	161	6755	13.25
	165	6775	13.25
	169	6795	13.25
	173	6815	13.25
	177	6835	13.25
802.11ax HE20	181	6855	13.25
	117	6535	13.25
	121	6555	13.25
	125	6575	13.25
	129	6595	13.25
	133	6615	13.25
	137	6635	13.25
	141	6655	13.25
	145	6675	13.25
	149	6695	13.25
	153	6715	13.25
	157	6735	13.25
	161	6755	13.25
	165	6775	13.25
	169	6795	13.25
	173	6815	13.25
802.11ax HE40	177	6835	13.25
	181	6855	13.25
	123	6565	13.25
	131	6605	13.25
	139	6645	13.25
	147	6685	13.25
	155	6725	13.25
	163	6765	13.25
171	6805	13.25	
179	6845	13.25	
802.11ax HE80	135	6625	13.25
	151	6705	13.25
	167	6785	13.25
802.11ax HE160	143	6665	13.25

Conducted Power Setting (Full) for FCC			
802.11be20	117	6535	13.25
	121	6555	13.25
	125	6575	13.25
	129	6595	13.25
	133	6615	13.25
	137	6635	13.25
	141	6655	13.25
	145	6675	13.25
	149	6695	13.25
	153	6715	13.25
	157	6735	13.25
	161	6755	13.25
	165	6775	13.25
	169	6795	13.25
	173	6815	13.25
	177	6835	13.25
802.11be40	181	6855	13.25
	123	6565	13.25
	131	6605	13.25
	139	6645	13.25
	147	6685	13.25
	155	6725	13.25
	163	6765	13.25
	171	6805	13.25
179	6845	13.25	
802.11be80	135	6625	13.25
	151	6705	13.25
	167	6785	13.25
802.11be160	143	6665	13.25