


Appendix D. Co-location Report

1. Results of Radiated Emissions for Co-located

<For Main Source>:


Temperature	23°C	Humidity	53%
Test Engineer	Satoshi Yang	Configurations	2.4GHz Bluetooth + 2.4GHz WLAN

Horizontal



	Freq	Level	Limit	Over	Read	Cable	Preamp	Antenna	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1 a	2601.05	33.75	54.00	-20.25	37.17	3.00	35.04	28.62	138	103	Average	HORIZONTAL
2 p	2601.36	47.48	74.00	-26.52	50.90	3.00	35.04	28.62	138	103	Peak	HORIZONTAL

Vertical




Date: 2010-09-28 Time: 13:03:08

	Freq	Level	Limit	Over	Read	Cable	Preamp	Antenna	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1 p	2600.99	50.00	74.00	-24.00	53.42	3.00	35.04	28.62	327	100	Peak	VERTICAL
2 a	2601.04	35.89	54.00	-18.11	39.31	3.00	35.04	28.62	327	100	Average	VERTICAL

<For Second Source>:


Temperature	23°C	Humidity	53%
Test Engineer	Satoshi Yang	Configurations	2.4GHz Bluetooth + 2.4GHz WLAN

Horizontal



	Freq	Level	Limit	Over	Read	Cable	Preamp	Antenna	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1 p	2601.01	46.06	74.00	-27.94	49.48	3.00	35.04	28.62	139	101	Peak	HORIZONTAL
2 a	2601.04	32.22	54.00	-21.78	35.64	3.00	35.04	28.62	139	101	Average	HORIZONTAL

Vertical



	Freq	Level	Limit	Over	Read	Cable	Preamp	Antenna	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	cm		
1 a	2601.07	34.59	54.00	-19.41	38.01	3.00	35.04	28.62	327	100	Average	VERTICAL
2 p	2601.33	48.39	74.00	-25.61	51.81	3.00	35.04	28.62	327	100	Peak	VERTICAL