

RTL8192EENF RTL8192EEBT Combo module

Installation

Rev. 1.0 28 Jan 2013



Realtek Semiconductor Corp. No. 2, Innovation Road II, Hsinchu Science Park, Hsinchu 300, Taiwan Tel.: +886-3-578-0211. Fax: +886-3-577-6047 www.realtek.com.tw

Installing the Wireless PCIe miniCard module Hardware

Step 1. Shut down the computer.

Step 2. Installing PCIe MiniCard module to PCIe MiniCard connector.



Step 3. Connect two external Wi-Fi antennas on I-PEX connectors.



step4. Power on the computer.

Un-installing the Wireless PCIe MiniCard module Hardware

Step 1. Shut down the computer. Step 2. Remove 2 external Wi-Fi Antennas from the Wireless PCIe MiniCard module board.



Step 3. Remove the Wireless PCIe MiniCard module board from PCIe MiniCard connector port.



Step 4. Power on the computer.

Installing the Wireless PCIe miniCard module Software

Before you proceed with the installation, please notice following descriptions. Note1: The following installation was operated under Windows XP. (Procedures are similar for Windows 98SE/Me/2000.) Note2: If you have installed the WLAN driver & utility before, please uninstall the old version first. If you install the "Realtek11n Single Chip PCIE WLAN NIC Mass production kit" into your laptop computer before installing the software program from

the CD.

A. Insert the Installation CD to your CD-ROM Drive. Execute the "setup" program.



C. The system starts to install the software of the WLAN adapter.



D. The system will automatically detect the card and display "Hardware

Installation" screen. Click "繼續安裝" to continue.



E. Please click "Finish" to complete the installation.

REALTEK 11n Single Chip	WLAN PCIE NIC Massproduction Kit Setup
	InstallShield Wizard Complete Setup has finished installing REALTEK 11n Single Chip PCIE WLAN NIC Massproduction Kit on your computer.
	Barl Finish Candal

Un-installing the Wireless PCIe MiniCard module Software

If you install Realtek11n Single Chip PCIE WLAN NIC Mass production kit into your laptop computer after installing the software program from the CD.

When you install Realtek11n Single Chip WLAN PCIE MINICARD Adapter, the following dialog will be shown.



Installing the Bluetooth USB Module Software

- A. Insert the mini-card into system connector.
- B. Boot on system then the "RT Bluetooth Radio" device will show up in device manager.



D. After select "Update Driver" then the Hardware Update Wizard will pop up, please select "No, not this time" and press Next button.

ction Vere Window Help		
er Management (Local) = A 793		
Event Viewer	ate Wizard	
Shared Folders	Welcome to the Hardware Update	
Performance Logs and Alert	Wizard	
Device Manager		
age	Windows will search to cutterit and updated contiviate by looking on your computer, on the hardware installation CD, or on	
Disk Defragmenter	the Windows Update Web site (with your permission)	
Disk Management	Head our privacy policy	
ices and Applications		
	Earl Windows connect to Windows Update to search for	
	Joinger,	
	O Yes, this time only	
	C I Yes, now and every time I connect a device	
	CT.NU, NA PELDIC	
	Cick Next to continue	
	Caller Provide Sor Collina Intel	
	The second secon	
	Liten / Cancer	
a first theorem of	artal Bus controlliers	



nputer Management (Local)	A 200	
Event Viewer	Hardware Update Wizard	
Local Users and Geoups Performance Logs and Alert	Please choose your search and installation options.	
Device Manager age Removable Stocane	Search for the best driver in these locations:	
E Dak Hongenerker Sonk Hongenerk Sonvices and Applications	Unit the check book before to find or expand the default search, which includes local paths and removable mesia. The best diverticated will be installed.	
	O Dan't basek i viel choose the driver to not all. Doese the option to add the driver driver from a blat. Worksom does red guarantee that the driver you choose will be the best match for your handware.	
	Canod Canod	
	To an an an and the second sec	

G. Finish step "F" then we have to choose Hardware type, please choose "Show All Devices" and press Next button.



F. Finish step "E" then select "Don't search, I will choose the driver to install" and press Next button.

H. Now select browse to find the driver for device. (The driver's locate is the same with WiFi driver)





The Article Man Mitches III		
		-191
Consulter Management (Coal) Consulter Management System Toole Consult Shared Folders Coal Denks Management Shared Personnel logs and Aret- Denks Management Shared Personnel Coal Management Coal Manage		
	Haroware Oponte withard	
	Select the device driver you want to install for this hardware.	
	Select the nonulacturer and model of your hadware device and then calch Kind II you have a calch that contains the driver you want to mutall calch Have Disk.	
A MANAGARA AND A	C Show compatible hardware	
	Reader W73	
	This driver is not digitally signed! Have Disk Init mu why there source as executed	
	(Back New) Cancel	
	🐨 😼 Skrage voldes 🛞 👳 Tystem devices	
	+ 😴 Universial Serial Bus controllers.	

I. Press Finish button to complete the install process and you can see the Driver will be show up in Device Manager.



Realtek Semiconductor Corp. Headquarters No. 2, Innovation Road II, Hsinchu Science Park, Hsinchu, 300, Taiwan, R.O.C. Tel: 886-3-5780211 Fax: 886-3-5776047 www.realtek.com.tw