

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

 Telephone:
 +86 (0) 755 2601 2053

 Fax:
 +86 (0) 755 2671 0594

 Email:
 ee.shenzhen@sgs.com

Report No.: SZEM150800484301 Page: 1 of 138

FCC REPORT

Test Result:	PASS *
Date of Issue:	2015-10-21
Date of Test:	2015-08-10 to 2015-10-17
Date of Receipt:	2015-08-05
Standards:	47 CFR Part 15, Subpart C (2014)
FCC ID:	TZISDL9030DB
Trade Mark:	singing machine
Model No.(EUT):	SDL9030DB
Product Name:	PROFESSIONAL HD KARAOKE SYSTEM WITH BLUETOOTH
Factory:	Arts Electronics Co., Ltd.
Manufacturer:	Arts Electronics Co., Ltd.
Applicant:	Arts Electronics Co., Ltd.
Application No:	SZEM1508004843CR

* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:



Jack Zhang EMC Laboratory Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. All test results in this report can be traceable to National or International Standards.



Report No.: SZEM150800484301 Page: 2 of 138

2 Version

Revision Record					
Version	Chapter	Date	Modifier	Remark	
00		2015-10-21		Original	

Authorized for issue by:		
Tested By	Benson Womg	2015-10-17
	(Benson Wang) /Project Engineer	Date
Prepared By	Venus Wu	2015-10-21
	(Venus Wu) /Clerk	Date
Checked By	Eric Fu	2015-10-21
	(Eric Fu) /Reviewer	Date

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 3 of 138

3 Test Summary

Test Item	Test Requirement	Test method	Result
Antenna Requirement	47 CFR Part 15, Subpart C Section 15.203/15.247 (c)	ANSI C63.10 (2009)	PASS
AC Power Line Conducted Emission	47 CFR Part 15, Subpart C Section 15.207	ANSI C63.10 (2009)	PASS
Conducted Peak Output Power	47 CFR Part 15, Subpart C Section 15.247 (b)(1)	ANSI C63.10 (2009)	PASS
20dB Occupied Bandwidth	47 CFR Part 15, Subpart C Section 15.247 (a)(1)	ANSI C63.10 (2009)	PASS
Carrier Frequencies Separation	47 CFR Part 15, Subpart C Section 15.247 (a)(1)	ANSI C63.10 (2009)	PASS
Hopping Channel Number	47 CFR Part 15, Subpart C Section 15.247 (a)(1)	ANSI C63.10 (2009)	PASS
Dwell Time	47 CFR Part 15, Subpart C Section 15.247 (a)(1)	ANSI C63.10 (2009)	PASS
Pseudorandom Frequency Hopping Sequence	47 CFR Part 15, Subpart C Section 15.247(b)(4)&TCB Exclusion List (7 July 2002)	ANSI C63.10 (2009)	PASS
Band-edge for RF Conducted Emissions	47 CFR Part 15, Subpart C Section 15.247(d)	ANSI C63.10 (2009)	PASS
RF Conducted Spurious Emissions	47 CFR Part 15, Subpart C Section 15.247(d)	ANSI C63.10 (2009)	PASS
Radiated Spurious emissions	47 CFR Part 15, Subpart C Section 15.205/15.209	ANSI C63.10 (2009)	PASS
Restricted bands around fundamental frequency (Radiated Emission)	47 CFR Part 15, Subpart C Section 15.205/15.209	ANSI C63.10 (2009)	PASS

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 4 of 138

4 Contents

1	СС	OVER PAGE	1
2	VE	ERSION	2
3	те	ST SUMMARY	3
4		ONTENTS	
5	GE	ENERAL INFORMATION	5
	5.1	CLIENT INFORMATION	
	5.2	GENERAL DESCRIPTION OF EUT	
	5.3	Test Environment	
	5.4	DESCRIPTION OF SUPPORT UNITS	
	5.5	TEST LOCATION	
	5.6	Test Facility	
	5.7	DEVIATION FROM STANDARDS	
	5.8	ABNORMALITIES FROM STANDARD CONDITIONS	
	5.9	OTHER INFORMATION REQUESTED BY THE CUSTOMER	
	5.10	Equipment List	9
6	TE	EST RESULTS AND MEASUREMENT DATA	
Ū			
	6.1	ANTENNA REQUIREMENT	
	6.2	CONDUCTED EMISSIONS	
	6.3	CONDUCTED PEAK OUTPUT POWER	
	6.4	20DB OCCUPY BANDWIDTH	
	6.5 6.6	CARRIER FREQUENCIES SEPARATION	
	6.7	DWELL TIME	
	6.8	BAND-EDGE FOR RF CONDUCTED EMISSIONS	
	6.9	Spurious RF Conducted Emissions	
	6.10	OTHER REQUIREMENTS FREQUENCY HOPPING SPREAD SPECTRUM SYSTEM	
	6.11	RADIATED SPURIOUS EMISSION	
		11.1 Radiated Emission below 1GHz.	
		11.2 Transmitter Emission above 1GHz	
	6.12	RESTRICTED BANDS AROUND FUNDAMENTAL FREQUENCY	
7	PH	IOTOGRAPHS - EUT TEST SETUP	136
	7.1	CONDUCTED EMISSION	126
	7.1	RADIATED EMISSION	
	7.2	RADIATED SPURIOUS EMISSION	
8		IOTOGRAPHS - EUT CONSTRUCTIONAL DETAILS	
0	P1		



Report No.: SZEM150800484301 Page: 5 of 138

5 General Information

5.1 Client Information

Applicant:	Arts Electronics Co., Ltd.
Address of Applicant:	NO.1, SHANGXING LU, SHANGJIAO COMMUNITY, CHANGAN TOWN, DONGGUAN CITY, GUANGDONG PROVINCE, CHINA
Manufacturer:	Arts Electronics Co., Ltd.
Address of Manufacturer:	NO.1, SHANGXING LU, SHANGJIAO COMMUNITY, CHANGAN TOWN, DONGGUAN CITY, GUANGDONG PROVINCE, CHINA
Factory:	Arts Electronics Co., Ltd.
Address of Factory:	NO.1, SHANGXING LU, SHANGJIAO COMMUNITY, CHANGAN TOWN, DONGGUAN CITY, GUANGDONG PROVINCE, CHINA

5.2 General Description of EUT

Product Name:	PROFESSIONAL HD KARAOKE SYSTEM WITH BLUETOOTH
Model No.:	SDL9030DB
Trade Mark:	singing machine
Bluetooth Version:	V2.1+EDR
Sample Type:	Fixed production
Modulation Type:	GFSK , π/4QPSK , 8DPSK
Antenna Gain:	0dBi
Antenna Type:	Integral
EUT Power Supply:	Adapter Model: GFP451-1530BX-1
	Input: AC 100-240V 50-60Hz 1.2A
	Output: DC 15V 3A
	Internal rechargeable battery: DC 12V 7Ah
	Charge by adapter
Test Voltage:	AC 120V 60Hz

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 6 of 138

Operation I	Operation Frequency each of channel						
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
0	2402MHz	20	2422MHz	40	2442MHz	60	2462MHz
1	2403MHz	21	2423MHz	41	2443MHz	61	2463MHz
2	2404MHz	22	2424MHz	42	2444MHz	62	2464MHz
3	2405MHz	23	2425MHz	43	2445MHz	63	2465MHz
4	2406MHz	24	2426MHz	44	2446MHz	64	2466MHz
5	2407MHz	25	2427MHz	45	2447MHz	65	2467MHz
6	2408MHz	26	2428MHz	46	2448MHz	66	2468MHz
7	2409MHz	27	2429MHz	47	2449MHz	67	2469MHz
8	2410MHz	28	2430MHz	48	2450MHz	68	2470MHz
9	2411MHz	29	2431MHz	49	2451MHz	69	2471MHz
10	2412MHz	30	2432MHz	50	2452MHz	70	2472MHz
11	2413MHz	31	2433MHz	51	2453MHz	71	2473MHz
12	2414MHz	32	2434MHz	52	2454MHz	72	2474MHz
13	2415MHz	33	2435MHz	53	2455MHz	73	2475MHz
14	2416MHz	34	2436MHz	54	2456MHz	74	2476MHz
15	2417MHz	35	2437MHz	55	2457MHz	75	2477MHz
16	2418MHz	36	2438MHz	56	2458MHz	76	2478MHz
17	2419MHz	37	2439MHz	57	2459MHz	77	2479MHz
18	2420MHz	38	2440MHz	58	2460MHz	78	2480MHz
19	2421MHz	39	2441MHz	59	2461MHz		

Note:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel	2402MHz
The Middle channel	2441MHz
The Highest channel	2480MHz

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 7 of 138

5.3 Test Environment

Operating Environment	
Temperature:	25.0 °C
Humidity:	53 % RH
Atmospheric Pressure:	1010mbar

5.4 Description of Support Units

The EUT has been tested independent unit.

5.5 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch E&E Lab,

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594 No tests were sub-contracted.

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 8 of 138

5.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS (No. CNAS L2929)

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

• VCCI

The 10m Semi-anechoic chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-823, R-4188, T-1153 and C-2383 respectively.

FCC – Registration No.: 556682

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 556682.

Industry Canada (IC)

The 3m Semi-anechoic chambers and the 10m Semi-anechoic chambers of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab have been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-2, 4620C-3.

5.7 Deviation from Standards

None.

5.8 Abnormalities from Standard Conditions

None.

5.9 Other Information Requested by the Customer

None.



Report No.: SZEM150800484301 Page: 9 of 138

5.10 Equipment List

	Conducted Emission						
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy-mm-dd)	Cal.Due date (yyyy-mm-dd)	
1	Shielding Room	ZhongYu Electron	GB-88	SEL0042	2015-05-13	2016-05-13	
2	LISN	Rohde & Schwarz	ENV216	SEL0152	2014-10-24	2015-10-24	
3	LISN	ETS-LINDGREN	3816/2	SEL0021	2015-05-13	2016-05-13	
4	8 Line ISN	Fischer Custom Communications Inc.	FCC-TLIS N-T8-02	SEL0162	2015-08-30	2016-08-30	
5	4 Line ISN	Fischer Custom Communications Inc.	FCC-TLIS N-T4-02	SEL0163	2015-08-30	2016-08-30	
6	2 Line ISN	Fischer Custom Communications Inc.	FCC-TLIS N-T2-02	SEL0164	2015-08-30	2016-08-30	
7	EMI Test Receiver	Rohde & Schwarz	ESCI	SEL0022	2015-05-13	2016-05-13	
8	Coaxial Cable	SGS	N/A	SEL0025	2015-05-13	2016-05-13	
9	DC Power Supply	Zhao Xin	RXN-305D	SEL0117	2014-10-24	2015-10-24	
10	Humidity/ Temperature Indicator	Shanhai Qixiang	ZJ1-2B	SEL0103	2014-10-24	2015-10-24	
11	Barometer	Chang Chun	DYM3	SEL0088	2015-05-13	2016-05-13	



Report No.: SZEM150800484301 Page: 10 of 138

tom Test Fauinment Manufacturer Madel No Inventory Cal. date Cal.Due date								
ltem	Test Equipment	Manufacturer	Model No.	No.	(yyyy-mm-dd)	(yyyy-mm-dd)		
1	3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEL0017	2015-05-13	2016-05-13		
2	EMI Test Receiver	Agilent Technologies	N9038A	SEL0312	2015-09-16	2016-09-16		
3	EMI Test software	AUDIX	E3	SEL0050	N/A	N/A		
4	BiConiLog Antenna (26-3000MHz)	ETS-LINDGREN	3142C	SEL0015	2014-10-24	2015-10-24		
5	Double-ridged horn (1-18GHz)	ETS-LINDGREN	3117	SEL0006	2014-10-24	2015-10-24		
6	Horn Antenna (18-26GHz)	ETS-LINDGREN	3160	SEL0076	2014-11-24	2015-11-24		
7	Pre-amplifier (0.1-1300MHz)	Agilent Technologies	8447D	SEL0053	2015-05-13	2016-05-13		
8	Pre-Amplifier (0.1-26.5GHz)	Compliance Directions Systems Inc.	PAP-0126	SEL0168	2014-10-24	2015-10-24		
9	Coaxial cable	SGS	N/A	SEL0027	2015-05-13	2016-05-13		
10	Coaxial cable	SGS	N/A	SEL0189	2015-05-13	2016-05-13		
11	Coaxial cable	SGS	N/A	SEL0121	2015-05-13	2016-05-13		
12	Coaxial cable	SGS	N/A	SEL0178	2015-05-13	2016-05-13		
13	Band filter	Amindeon	82346	SEL0094	2015-05-13	2016-05-13		
14	Barometer	Chang Chun	DYM3	SEL0088	2015-05-13	2016-05-13		
15	DC Power Supply	Zhao Xin	RXN-305D	SEL0117	2014-10-24	2015-10-24		
16	Humidity/ Temperature Indicator	Shanhai Qixiang	ZJ1-2B	SEL0103	2014-10-24	2015-10-24		
17	Signal Generator (10M-27GHz)	Rohde & Schwarz	SMR27	SEL0067	2015-05-13	2016-05-13		
18	Signal Generator	Rohde & Schwarz	SMY01	SEL0155	2014-10-24	2015-10-24		
19	Loop Antenna	Beijing Daze	ZN30401	SEL0203	2015-05-13	2016-05-13		



Report No.: SZEM150800484301 Page: 11 of 138

	RF connected test							
ltem	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy-mm-dd)	Cal.Due date (yyyy-mm-dd)		
1	DC Power Supply	Zhao Xin	RXN-305D	SEL0117	2014-10-24	2015-10-24		
2	Humidity/ Temperature Indicator	HYGRO	ZJ1-2B	SEL0033	2014-10-24	2015-10-24		
3	Spectrum Analyzer	Rohde & Schwarz	FSP	SEL0154	2014-10-24	2015-10-24		
4	Coaxial cable	SGS	N/A	SEL0178	2015-05-13	2016-05-13		
5	Coaxial cable	SGS	N/A	SEL0179	2015-05-13	2016-05-13		
6	Barometer	ChangChun	DYM3	SEL0088	2015-05-13	2016-05-13		
7	Signal Generator	Rohde & Schwarz	SML03	SEL0068	2015-04-25	2016-04-25		
8	Band filter	amideon	82346	SEL0094	2015-05-13	2016-05-13		
9	POWER METER	R & S	NRVS	SEL0144	2014-10-24	2015-10-24		
10	Attenuator	Beijin feihang taida	TST-2-6dB	SEL0205	2015-04-25	2016-04-25		
11	Power Divider(splitter)	Agilent Technologies	11636B	SEL0130	2014-10-24	2015-10-24		



Report No.: SZEM150800484301 Page: 12 of 138

6 Test results and Measurement Data

6.1 Antenna Requirement

Standard requirement:	47 CFR Part 15C Section 15.203 /247(c)								
15.203 requiremen An intentional radia responsible party s antenna that uses so that a broken ar electrical connecto 15.247(b) (4) requi	 15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. 15.247(b) (4) requirement: The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi. 								
antennas with direct section, if transmitt power from the inte (b)(2), and (b)(3) of antenna exceeds 6									
of the antenna is 00	egrated on the main PCB and no consideration of replacement. The best case gain dBi.								



Report No.: SZEM150800484301 Page: 13 of 138

Test Requirement:	47 CFR Part 15C Section 15.207					
Test Method:	ANSI C63.10: 2009					
Test Frequency Range:	150kHz to 30MHz					
Limit:	Limit (dBuV)					
	Frequency range (MHz)	Quasi-peak	Average			
	0.15-0.5	66 to 56*	56 to 46*			
	0.5-5	56	46			
	5-30	60	50			
	* Decreases with the logarithn	n of the frequency.				
Test Procedure:	 The mains terminal disturbution of the EUT was connected to a measured. The power call connected to a second LIS reference plane in the same measured. A multiple sock power cables to a single L exceeded. The tabletop EUT was placed on the horizontal grader of the EUT shall be 0.4 mm vertical ground reference plane. The LISN unit under test and bonded mounted on top of the group between the closest points. 	bance voltage test was bance voltage test was bance voltage test was be AC power source thro etwork) which provides oles of all other units of SN 2, which was bonded ie way as the LISN 1 for et outlet strip was used ISN provided the rating ced upon a non-metallion of for floor-standing and round reference plane, th a vertical ground reference plane was bonded to the 1 was placed 0.8 m fro to a ground reference und reference plane. The s of the LISN 1 and the	bugh a LISN 1 (Line a $50\Omega/50\mu$ H + 5Ω linear the EUT were d to the ground or the unit being t to connect multiple of the LISN was not t table 0.8m above the rangement, the EUT was erence plane. The rear d reference plane. The rear d reference plane. The e horizontal ground om the boundary of the plane for LISNs his distance was EUT. All other units of			
 the EUT and associated equipment was at least 0.8 m from th 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed acc ANSI C63.10: 2009 on conducted measurement. 						

6.2 Conducted Emissions

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 14 of 138

Test Setup:	Shielding Room Image: Comparison of the second se					
Exploratory Test Mode:	Non-hopping transmitting mode with all kind of modulation and all kind of data type at the lowest, middle, high channel. Transmitting mode.					
Final Test Mode:	Through Pre-scan, find the DH1 of data type and GFSK modulation at the lowest channel is the worst case. Transmitting mode Only the worst case is recorded in the report.					
Instruments Used:	Refer to section 5.10 for details					
Test Results:	Pass					

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 15 of 138

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

Live line:

6

7

8

9

10

11

12

0.17622

0.19380

0.19380

3.294

3.294

8.964

8.964

0.02

0.02

0.02

0.01

0.02 10.04

0.01 10.15

9.83

9.83

0.02 10.04 15.99

9.83 40.29

28.65

27.29

7.99

15.16

38.49

37.14

25.32

10.15 25.16 35.32 60.00 -24.68 QP

54.66 -16.17 Average


53.87 -16.73 Average

50.00 -24.68 Average

50.14 63.87 -13.73 QP

26.05 56.00 -29.95 QP


18.05 46.00 -27.95 Average





Report No.: SZEM150800484301 Page: 16 of 138

Neutral line:



Site	: Shielding Room
Condition	: 47 CFR PART15C QP CE NEUTRAL
Job No.	: 4843CR

Test mode	: TX								
			Cable	LISN	Read		Limit	Over	
		Freq	Loss	Factor	Level	Level	Line	Limit	Remark
		MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1		0.15364	0.02	9.79	32.30	42.11	55.80	-13.69	Average
2		0.15364	0.02	9.79	46.17	55.98	65.80	-9.82	QP
3		0.16587	0.02	9.80	29.93	39.75	55.16	-15.41	Average
4		0.16587	0.02	9.80	42.93	52.75	65.16	-12.41	QP
5		0.17624	0.02	9.82	45.15	54.99	64.66	-9.67	QP
6		0.17624	0.02	9.82	31.15	40.99	54.66	-13.67	Average
7		0.19420	0.02	9.84	41.05	50.91	63.85	-12.94	QP
8		0.19420	0.02	9.84	30.05	39.91	53.85	-13.94	Average
9		0.21055	0.02	9.85	24.92	34.79	53.18	-18.39	Average
10		0.21055	0.02	9.85	37.92	47.79	63.18	-15.39	QP
11		0.21348	0.02	9.85	37.43	47.30	63.07	-15.77	QP
12		0.21348	0.02	9.85	25.43	35.30	53.07	-17.77	Average
									-

Notes:

1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Final Test Level =Receiver Reading + LISN Factor + Cable Loss.



Report No.: SZEM150800484301 Page: 17 of 138

Test Requirement: 47 CFR Part 15C Section 15.247 (b)(1) Test Method: ANSI C63.10:2009 Test Setup: Spectrum Analyzer E.U.T Non-Conducted Table **Ground Reference Plane** Remark: Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer. Limit: 30dBm Exploratory Test Mode: Non-hopping transmitting with all kind of modulation and all kind of data type Final Test Mode: Through Pre-scan, find the DH1 of data type is the worst case of GFSK modulation type, 2-DH1 of data type is the worst case of $\pi/4DQPSK$ modulation type, 3-DH1 of data type is the worst case of 8DPSK modulation type. Instruments Used: Refer to section 5.10 for details Pass Test Results:

6.3 Conducted Peak Output Power




Report No.: SZEM150800484301 Page: 18 of 138


Measurement Data

GFSK mode							
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result				
Lowest	-4.14	30.00	Pass				
Middle	-4.56	30.00	Pass				
Highest	-4.43	30.00	Pass				
	π/4DQPSK m	node					
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result				
Lowest	Lowest -3.01		Pass				
Middle	Middle -3.51		Pass				
Highest	Highest -3.40		Pass				
	8DPSK mo	de					
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result				
Lowest			Pass				
Middle	-3.29	30.00	Pass				
Highest			Pass				




Report No.: SZEM150800484301 Page: 19 of 138








Report No.: SZEM150800484301 Page: 20 of 138






Report No.: SZEM150800484301 Page: 21 of 138






Report No.: SZEM150800484301 Page: 22 of 138





Report No.: SZEM150800484301 Page: 23 of 138





Report No.: SZEM150800484301 Page: 24 of 138

6.4 20dB Occupy Bandwidth


Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)				
Test Method:	ANSI C63.10:2009				
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane				
Limit:	NA				
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type				
Final Test Mode:	Through Pre-scan, find the DH1 of data type is the worst case of GFSK modulation type, 2-DH1 of data type is the worst case of $\pi/4DQPSK$ modulation type, 3-DH1 of data type is the worst case of 8DPSK modulation type.				
Instruments Used:	Refer to section 5.10 for details				
Test Results:	Pass				

Measurement Data

Toot abannol	20dB Occupy Bandwidth (kHz)				
Test channel	GFSK	π/4DQPSK	8DPSK		
Lowest	765	1137	1140		
Middle	768	1137	1140		
Highest	768	1137	1143		



Report No.: SZEM150800484301 Page: 25 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2401.5920	-24.88	-24.78	-0.10
2	2401.8320	-4.78	-24.78	20.00
3	2402.3570	-25.02	-24.78	-0.24

No.		> Frequency(MHz)	> Level(dB)
1	mk3-mk1	0.765	-0.14

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 26 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2440.5860	-25.32	-25.18	-0.14
2	2440.8290	-5.18	-25.18	20.00
3	2441.3540	-25.52	-25.18	-0.34

No.		> Frequency(MHz)	> Level(dB)
1	mk3-mk1	0.768	-0.2

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 27 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2479.5860	-25.53	-25.09	-0.44
2	2479.8290	-5.09	-25.09	20.00
3	2480.3540	-25.57	-25.09	-0.48

No.		> Frequency(MHz)	> Level(dB)
1	mk3-mk1	0.768	-0.04

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 28 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2401.4090	-25.31	-25.23	-0.08
2	2402.1050	-5.23	-25.23	20.00
3	2402.5460	-25.55	-25.23	-0.32

No.		> Frequency(MHz)	> Level(dB)
1	mk3-mk1	1.137	-0.24

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 29 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2440.4060	-25.98	-25.48	-0.50
2	2441.1050	-5.48	-25.48	20.00
3	2441.5430	-25.48	-25.48	0.00

No.		> Frequency(MHz)	> Level(dB)
1	mk3-mk1	1.137	0.5

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 30 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2479.4060	-25.39	-25.19	-0.20
2	2480.1050	-5.19	-25.19	20.00
3	2480.5430	-25.63	-25.19	-0.44

No.		> Frequency(MHz)	> Level(dB)
1	mk3-mk1	1.137	-0.24





Report No.: SZEM150800484301 Page: 31 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2401.4180	-25.37	-25.27	-0.10
2	2401.9790	-5.27	-25.27	20.00
3	2402.5580	-26.95	-25.27	-1.68

No.		> Frequency(MHz)	> Level(dB)
1	mk3-mk1	1.14	-1.58

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 32 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2440.4150	-25.82	-25.70	-0.12
2	2440.9790	-5.70	-25.70	20.00
3	2441.5550	-26.57	-25.70	-0.87

No.		> Frequency(MHz)	> Level(dB)
1	mk3-mk1	1.14	-0.75

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 33 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2479.4120	-25.73	-25.40	-0.33
2	2479.9790	-5.40	-25.40	20.00
3	2480.5550	-26.13	-25.40	-0.73

No.		> Frequency(MHz)	> Level(dB)
1	mk3-mk1	1.143	-0.4

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 34 of 138

6.5 Carrier Frequencies Separation

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)	
Test Method:	ANSI C63.10:2009	
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane	
Limit:	2/3 of the 20dB bandwidth	
	Remark: the transmission power is less than 0.125W.	
Exploratory Test Mode:	Hopping transmitting with all kind of modulation and all kind of data type	
Final Test Mode:	Through Pre-scan, find the DH1 of data type is the worst case of GFSK modulation type, 2-DH1 of data type is the worst case of π /4DQPSK modulation type, 3-DH1 of data type is the worst case of 8DPSK modulation type.	
Instruments Used:	Refer to section 5.10 for details	
Test Results:	Pass	

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 35 of 138


Measurement Data GFSK mode **Carrier Frequencies** Test channel Limit (kHz) Result Separation (kHz) 1002 ≥512 Lowest Pass 1002 Middle ≥512 Pass 1002 ≥512 Pass Highest π/4DQPSK mode **Carrier Frequencies** Test channel Limit (kHz) Result Separation (kHz) 1002 Lowest ≥758 Pass 1002 Middle ≥758 Pass 1002 ≥758 Pass Highest 8DPSK mode **Carrier Frequencies** Test channel Limit (kHz) Result Separation (kHz) 1002 ≥762 Lowest Pass 1002 Middle Pass ≥762 1002 Highest ≥762 Pass

Note: According to section 6.4,

Mode	20dB bandwidth (kHz) (worse case)	Limit (kHz) (Carrier Frequencies Separation)
GFSK	768	512
π/4DQPSK	1137	758
8DPSK	1143	762




Report No.: SZEM150800484301 Page: 36 of 138






Report No.: SZEM150800484301 Page: 37 of 138






Report No.: SZEM150800484301 Page: 38 of 138





Report No.: SZEM150800484301 Page: 39 of 138

Span 2.5 MHz




"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."

250 kHz/

Center 2.4415 GHz



Report No.: SZEM150800484301 Page: 40 of 138







Report No.: SZEM150800484301 Page: 41 of 138

47 CFR Part 15C Section 15.247 (a)(1) **Test Requirement:** ANSI C63.10:2009 Test Method: Test Setup: Spectrum Analyzer E.U.T Non-Conducted Table **Ground Reference Plane** At least 15 channels Limit: Test Mode: Hopping transmitting with all kind of modulation Instruments Used: Refer to section 5.10 for details **Test Results:** Pass

6.6 Hopping Channel Number


Measurement Data

Mode	Hopping channel numbers	Limit
GFSK	79	≥15
π/4DQPSK	79	≥15
8DPSK	79	≥15

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150800484301 Page: 42 of 138





Report No.: SZEM150800484301 Page: 43 of 138





Report No.: SZEM150800484301 Page: 44 of 138

6.7 Dwell Time

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)			
Test Method:	ANSI C63.10:2009			
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table			
	Ground Reference Plane			
Instruments Used:	Refer to section 5.10 for details			
Test Mode:	Hopping transmitting with all kind of modulation and all kind of data type.			
Limit:	0.4 Second			
Test Results:	Pass			

Measurement Data

Mode	Packet	Dwell time (second)	Limit (second)
	DH1	0.12	0.4
GFSK	DH3	0.28	0.4
	DH5	0.20	0.4
	2-DH1	0.11	0.4
π/4DQPSK	2-DH3	0.27	0.4
	2-DH5	0.38	0.4
	3-DH1	0.11	0.4
8DPSK	3-DH3	0.27	0.4
	3-DH5	0.29	0.4



Report No.: SZEM150800484301 Page: 45 of 138


Remark:

The test period: T= 0.4 Second/Channel x 79 Channel = 31.6 s On (ms)*total number=dwell time (ms) The lowest channel (2441MHz), as below: DH1 time slot=0.387 (ms)*total number=123.84 (ms) DH3 time slot=1.663 (ms)* total number = 266.08 (ms) DH5 time slot=2.901 (ms)* total number = 319.11 (ms) 2-DH1 time slot=0.417 (ms)*total number=133.44 (ms) 2-DH3 time slot=1.667 (ms)* total number = 266.72 (ms) 2-DH5 time slot=2.917 (ms)* total number = 320.87 (ms) 3-DH1 time slot=0.417 (ms)*total number=133.44 (ms) 3-DH3 time slot=1.659 (ms)* total number = 265.44 (ms) 3-DH5 time slot=2.921 (ms)* total number = 321.31 (ms)

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150800484301 Page: 46 of 138






Report No.: SZEM150800484301 Page: 47 of 138






Report No.: SZEM150800484301 Page: 48 of 138






Report No.: SZEM150800484301 Page: 49 of 138






Report No.: SZEM150800484301 Page: 50 of 138






Report No.: SZEM150800484301 Page: 51 of 138






Report No.: SZEM150800484301 Page: 52 of 138






Report No.: SZEM150800484301 Page: 53 of 138





Report No.: SZEM150800484301 Page: 54 of 138





Report No.: SZEM150800484301 Page: 55 of 138


Test Requirement: 47 CFR Part 15C Section 15.247 (d) Test Method: ANSI C63.10:2009 Test Setup: Spectrum Analyzer E.U.T 6 Non-Conducted Table **Ground Reference Plane** Remark: Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer. In any 100 kHz bandwidth outside the frequency band in which the spread Limit: spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement. Hopping and Non-hopping transmitting with all kind of modulation and all kind Exploratory Test Mode: of data type Final Test Mode: Through Pre-scan, find the DH1 of data type is the worst case of GFSK modulation type, 2-DH1 of data type is the worst case of π /4DQPSK modulation type, 3-DH1 of data type is the worst case of 8DPSK modulation type. Instruments Used: Refer to section 5.10 for details **Test Results:** Pass

6.8 Band-edge for RF Conducted Emissions

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150800484301 Page: 56 of 138






Report No.: SZEM150800484301 Page: 57 of 138






Report No.: SZEM150800484301 Page: 58 of 138






Report No.: SZEM150800484301 Page: 59 of 138






Report No.: SZEM150800484301 Page: 60 of 138





Report No.: SZEM150800484301 Page: 61 of 138





Report No.: SZEM150800484301 Page: 62 of 138

6.9 Spurious RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)		
Test Method:	ANSI C63.10:2009		
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane		
	Remark: Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.		
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.		
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type		
Final Test Mode:	Through Pre-scan, find the DH1 of data type is the worst case of GFSK modulation type, 2-DH1 of data type is the worst case of π /4DQPSK modulation type, 3-DH1 of data type is the worst case of 8DPSK modulation type.		
Instruments Used:	Refer to section 5.10 for details		
Test Results:	Pass		

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Test plot as follows:

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM150800484301 Page: 63 of 138

GFSK Test mode: Test channel: Lowest 21.5 dBm 12 2 -9 -19 20db limit -29 -39 2 X mbh -49 -59 -69 -78.5 30.000 2527.00 5024.00 7521.00 10018.00 12515.00 15012.00 17509.00 20006.00 25000.00 MHz

No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2401.3177	-4.76	-24.76	20.00
2	2810.8257	-40.49	-24.76	-15.73




Report No.: SZEM150800484301 Page: 64 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	1725.1850	-42.63	-25.40	-17.23




Report No.: SZEM150800484301 Page: 65 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2401.8000	-5.40	-25.40	20.00
2	3453.8000	-40.97	-25.40	-15.57




Report No.: SZEM150800484301 Page: 66 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	4393.2667	-43.34	-25.40	-17.94




Report No.: SZEM150800484301 Page: 67 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	6798.4667	-44.10	-25.40	-18.70




Report No.: SZEM150800484301 Page: 68 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	9816.2000	-44.10	-25.40	-18.70



Report No.: SZEM150800484301 Page: 69 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2440.4373	-5.28	-25.28	20.00
2	3480.0217	-40.90	-25.28	-15.62

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 70 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	1583.8047	-42.67	-25.40	-17.27






Report No.: SZEM150800484301 Page: 71 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2440.8000	-5.40	-25.40	20.00
2	3401.5333	-40.54	-25.40	-15.14



Report No.: SZEM150800484301 Page: 72 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	4295.3333	-44.13	-25.40	-18.73

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 73 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	7778.1333	-43.53	-25.40	-18.13

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150800484301 Page: 74 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	8965.5333	-44.08	-25.40	-18.68



Report No.: SZEM150800484301 Page: 75 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2479.5570	-5.13	-25.13	20.00
2	3526.6323	-40.23	-25.13	-15.10

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 76 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	1356.3353	-42.41	-25.77	-16.64

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150800484301 Page: 77 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2479.8000	-5.77	-25.77	20.00
2	2875.4000	-40.44	-25.77	-14.67



Report No.: SZEM150800484301 Page: 78 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	4676.2000	-43.60	-25.77	-17.83

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 79 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	7435.6667	-44.14	-25.77	-18.37

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 80 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	9074.2667	-44.23	-25.77	-18.46






Report No.: SZEM150800484301 Page: 81 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2402.1500	-5.26	-25.26	20.00
2	2506.1917	-40.72	-25.26	-15.46




Report No.: SZEM150800484301 Page: 82 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	1499.2917	-42.92	-26.17	-16.75




Report No.: SZEM150800484301 Page: 83 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2402.0667	-6.17	-26.17	20.00
2	3355.5333	-40.91	-26.17	-14.74



Report No.: SZEM150800484301 Page: 84 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	4333.2000	-43.35	-26.17	-17.18

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150800484301 Page: 85 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	6650.7333	-44.30	-26.17	-18.13



Report No.: SZEM150800484301 Page: 86 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	8493.3333	-43.49	-26.17	-17.32

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150800484301 Page: 87 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2440.4373	-6.98	-26.98	20.00
2	2691.8020	-40.95	-26.98	-13.97



Report No.: SZEM150800484301 Page: 88 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	1771.1517	-42.79	-26.28	-16.51

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150800484301 Page: 89 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2441.0667	-6.28	-26.28	20.00
2	2448.4000	-40.74	-26.28	-14.46



Report No.: SZEM150800484301 Page: 90 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	4407.8000	-44.09	-26.28	-17.81






Report No.: SZEM150800484301 Page: 91 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	7367.5333	-44.29	-26.28	-18.01



Report No.: SZEM150800484301 Page: 92 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	9008.1333	-43.96	-26.28	-17.68



Report No.: SZEM150800484301 Page: 93 of 138

Test mode: π/4DQPSK	Test channel:	Highest
---------------------	---------------	---------




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2479.5570	-5.12	-25.12	20.00
2	2938.1727	-40.91	-25.12	-15.79

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 94 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	1736.1513	-42.53	-25.57	-16.96

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150800484301 Page: 95 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2480.0667	-5.57	-25.57	20.00
2	2511.2000	-40.02	-25.57	-14.45



Report No.: SZEM150800484301 Page: 96 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	4138.0000	-44.30	-25.57	-18.73

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 97 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	6612.2000	-44.14	-25.57	-18.57

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 98 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	8100.0667	-44.03	-25.57	-18.46

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 99 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2401.3177	-5.45	-25.45	20.00
2	2531.9940	-40.24	-25.45	-14.79

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 100 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	1743.9657	-42.82	-25.47	-17.35






Report No.: SZEM150800484301 Page: 101 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2401.9333	-5.47	-25.47	20.00
2	3556.6000	-41.04	-25.47	-15.57




Report No.: SZEM150800484301 Page: 102 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	4902.4667	-43.89	-25.47	-18.42




Report No.: SZEM150800484301 Page: 103 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	7018.8000	-43.95	-25.47	-18.48



Report No.: SZEM150800484301 Page: 104 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	8131.8667	-44.07	-25.47	-18.60

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 105 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2440.4373	-5.61	-25.61	20.00
2	2711.7780	-41.22	-25.61	-15.61

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 106 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	1077.9087	-43.23	-25.80	-17.43

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150800484301 Page: 107 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2440.9333	-5.80	-25.80	20.00
2	3522.6667	-40.98	-25.80	-15.18



Report No.: SZEM150800484301 Page: 108 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	4052.3333	-43.28	-25.80	-17.48

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 109 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	6333.7333	-43.27	-25.80	-17.47

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 110 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	9570.8667	-44.05	-25.80	-18.25





Report No.: SZEM150800484301 Page: 111 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2479.5570	-5.40	-25.40	20.00
2	3555.7640	-40.06	-25.40	-14.66

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 112 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	1780.2793	-41.91	-25.51	-16.40

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150800484301 Page: 113 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	2479.9333	-5.51	-25.51	20.00
2	3528.6000	-40.75	-25.51	-15.24



Report No.: SZEM150800484301 Page: 114 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	5380.2000	-43.41	-25.51	-17.90

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 115 of 138




No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	6955.3333	-44.03	-25.51	-18.52

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 116 of 138



No.	Frequency(MHz)	Result(dBm)	Limit(dBm)	Margin(dBm)
1	9033.1333	-43.87	-25.51	-18.36

Remark:

Pretest 9kHz to 25GHz, find the highest point when testing, so only the worst data were shown in the test report. Per FCC Part 15.33 (a) and 15.31 (o) ,The amplitude of spurious emissions from intentional radiators which are attenuated more than 20 dB below the permissible value need not be reported unless specifically required elsewhere in this part.



Report No.: SZEM150800484301 Page: 117 of 138

6.10Other requirements Frequency Hopping Spread Spectrum System

rate from a Pseudorandom o	nnel frequencies that are selected at the system hopping
C F	ordered list of hopping frequencies. Each frequency must be used equally smitter. The system receivers shall have input bandwidths that match the of their corresponding transmitters and shall shift frequencies in asmitted signals.
channels during each transm receiver, must be designed t transmitter be presented with employing short transmission	spectrum systems are not required to employ all available hopping nission. However, the system, consisting of both the transmitter and the to comply with all of the regulations in this section should the h a continuous data (or information) stream. In addition, a system n bursts must comply with the definition of a frequency hopping system missions over the minimum number of hopping channels specified in
the system to recognize othe independently chooses and The coordination of frequence	ence within a frequency hopping spread spectrum system that permits er users within the spectrum band so that it individually and adapts its hopsets to avoid hopping on occupied channels is permitted. cy hopping systems in any other manner for the express purpose of ccupancy of individual hopping frequencies by multiple transmitters is
Compliance for section 15.	.247(a)(1)
stage shift register whose 5th outputs are added in a modu	Ilo-two addition stage. And the result is fed back to the input of the first with the first ONE of 9 consecutive ONEs; i.e. the shift register is initialized ages: 9 sequence: 2 ⁹ -1 = 511 bits
Linear Feedback S	hift Register for Generation of the PRBS sequence
An example of Pseudorando 20 62 46 77	m Frequency Hopping Sequence as follow: 7 64 8 73 16 75 1
Each frequency used equally	y on the average by each transmitter.
According to Bluetooth Core	e Specification, Bluetooth receivers are designed to have input and IF hopping channel bandwidths of any Bluetooth transmitters and shift



Report No.: SZEM150800484301 Page: 118 of 138

Compliance for section 15.247(g)

According to Bluetooth Core Specification, the Bluetooth system transmits the packet with the pseudorandom hopping frequency with a continuous data and the short burst transmission from the Bluetooth system is also transmitted under the frequency hopping system with the pseudorandom hopping frequency system.

Compliance for section 15.247(h)

According to Bluetooth Core specification, the Bluetooth system incorporates with an adaptive system to detect other user within the spectrum band so that it individually and independently to avoid hopping on the occupied channels.

According to the Bluetooth Core specification, the Bluetooth system is designed not have the ability to coordinated with other FHSS System in an effort to avoid the simultaneous occupancy of individual hopping frequencies by multiple transmitter.

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 119 of 138


Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205					
Test Method:	ANSI C63.10: 2009					
Test Site:	Measurement Distance	: 3n	n (Semi-Anech	oic Cham	ber)	
Receiver Setup:	Frequency		Detector	RBW	VBW	Remark
	0.009MHz-0.090MH	z	Peak	10kHz	z 30kHz	Peak
	0.009MHz-0.090MH	z	Average	10kHz	z 30kHz	Average
	0.090MHz-0.110MH	z	Quasi-peak	10kHz	z 30kHz	Quasi-peak
	0.110MHz-0.490MH	z	Peak	10kHz	z 30kHz	Peak
	0.110MHz-0.490MH	z	Average	10kHz	z 30kHz	Average
	0.490MHz -30MHz		Quasi-peak	10kHz	z 30kHz	Quasi-peak
	30MHz-1GHz	30MHz-1GHz Qua		100 kH	lz 300kHz	Quasi-peak
	Abaura 1011-		Peak	1MHz	z 3MHz	Peak
	Above 1GHz		Peak	1MHz	z 10Hz	Average
Limit:	Frequency	Frequency Field strength (microvolt/meter)		Limit (dBuV/m)	Remark	Measurement distance (m)
	0.009MHz-0.490MHz	2	400/F(kHz)	-	-	300
	0.490MHz-1.705MHz	24	4000/F(kHz)	-	-	30
	1.705MHz-30MHz		30	-	-	30
	30MHz-88MHz		100	40.0	Quasi-peak	3
	88MHz-216MHz 150		43.5	Quasi-peak	3	
	216MHz-960MHz 200		46.0	Quasi-peak	3	
	960MHz-1GHz 500		54.0	Quasi-peak	3	
	Above 1GHz 500		54.0	Average	3	
	Note: 15.35(b), Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.					

6.11 Radiated Spurious Emission

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150800484301 Page: 120 of 138





Report No.: SZEM150800484301 Page: 121 of 138


	 margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet. g. Test the EUT in the lowest channel (2402MHz),the middle channel (2441MHz),the Highest channel (2480MHz) h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case. i. Repeat above procedures until all frequencies measured was complete. 		
Exploratory Test Mode:			
	data type Transmitting mode		
Final Test Mode:	 Through Pre-scan, find the DH1 of data type and GFSK modulation is the worst case. For below 1GHz part, through pre-scan, the worst case is the lowest channel. Only the worst case is recorded in the report. 		
Instruments Used:	Refer to section 5.10 for details		
Test Results:	Pass		



Report No.: SZEM150800484301 Page: 122 of 138

6.11.1 Radiated Emission below 1GHz

30MHz~1GHz (QP)		
Test mode:	Transmitting	Vertical




Condition: 47 CFR PART 15.209 3m 3142C Vertical Job No. : 4843CR Test mode: TX

		Cable	Ant	Preamp	Read		Limit	0ver
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	30.11	0.60	18.93	27.36	44.01	36.18	40.00	-3.82
2	51.30	0.80	8.66	27.29	56.04	38.21	40.00	-1.79
3	78.41	1.05	7.66	27.23	57.16	38.64	40.00	-1.36
4	83.23	1.10	8.14	27.22	56.75	38.77	40.00	-1.23
5	480.53	2.53	17.68	27.60	51.46	44.07	46.00	-1.93
6	595.13	2.70	19.57	27.55	49.00	43.72	46.00	-2.28



Report No.: SZEM150800484301 Page: 123 of 138

Test mode: Transmitting	Horizontal
-------------------------	------------



Condition: 47 CFR PART 15.209 3m 3142C Horizontal Job No. : 4843CR Test mode: TX

		Cable	Ant	Preamp	Read		Limit	0ver
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	78.41	1.05	7.66	27.23	56.51	37.99	40.00	-2.01
2	169.60	1.35	9.51	26.82	58.18	42.22	43.50	-1.28
3	239.15	1.62	11.86	26.57	55.04	41.95	46.00	-4.05
4	359.19	2.09	15.65	26.85	52.14	43.03	46.00	-2.97
5	647.39	2.80	20.39	27.48	47.37	43.08	46.00	-2.92
6	960.00	3.66	23.40	26.51	41.65	42.20	46.00	-3.80



Report No.: SZEM150800484301 Page: 124 of 138

Worse case r	mode: 0	GFSK(DH1)	Test	channel:	Lowest	Rema	ark:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
3693.064	6.86	33.07	38.83	43.86	44.96	74	-29.04	Vertical
4804.000	6.42	34.70	39.24	45.11	46.99	74	-27.01	Vertical
6012.346	8.08	36.29	39.18	44.82	50.01	74	-23.99	Vertical
7206.000	8.92	35.63	39.07	45.30	50.78	74	-23.22	Vertical
9608.000	9.99	37.33	37.93	40.23	49.62	74	-24.38	Vertical
11708.900	10.48	38.41	38.57	41.26	51.58	74	-22.42	Vertical
3518.655	6.96	32.91	38.75	44.33	45.45	74	-28.55	Horizontal
4804.000	6.42	34.70	39.24	44.18	46.06	74	-27.94	Horizontal
5863.404	7.87	36.04	39.20	45.67	50.38	74	-23.62	Horizontal
7206.000	8.92	35.63	39.07	42.46	47.94	74	-26.06	Horizontal
9608.000	9.99	37.33	37.93	40.29	49.68	74	-24.32	Horizontal
11835.460	10.54	38.54	38.62	40.82	51.28	74	-22.72	Horizontal

6.11.2 Transmitter Emission above 1GHz

Worse case	mode:	GFSK(DH1) Tes		t channel:	channel: Middle		Remark:	
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
3766.574	6.82	33.13	38.86	43.19	44.28	74	-29.72	Vertical
4882.000	6.59	34.78	39.26	44.47	46.58	74	-27.42	Vertical
5884.453	7.90	36.08	39.20	45.02	49.80	74	-24.20	Vertical
7323.000	9.08	35.50	39.06	43.27	48.79	74	-25.21	Vertical
9764.000	9.90	37.81	37.84	39.65	49.52	74	-24.48	Vertical
11984.840	10.60	38.69	38.69	41.09	51.69	74	-22.31	Vertical
3614.506	6.90	33.01	38.79	44.28	45.40	74	-28.60	Horizontal
4882.000	6.59	34.78	39.26	43.50	45.61	74	-28.39	Horizontal
5821.531	7.80	35.95	39.20	44.75	49.30	74	-24.70	Horizontal
7323.000	9.08	35.50	39.06	43.10	48.62	74	-25.38	Horizontal
9764.000	9.90	37.81	37.84	39.74	49.61	74	-24.39	Horizontal
11941.970	10.58	38.64	38.67	40.97	51.52	74	-22.48	Horizontal



Report No.: SZEM150800484301 Page: 125 of 138

Worse case	mode:	GFSK(DH1)) Test channel:		Highest	Rem	ark:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
3595.129	6.91	32.99	38.78	44.08	45.20	74	-28.80	Vertical
4960.000	6.76	34.86	39.29	44.26	46.59	74	-27.41	Vertical
6023.128	8.07	36.27	39.18	44.16	49.32	74	-24.68	Vertical
7440.000	9.23	35.43	39.05	44.51	50.12	74	-23.88	Vertical
9920.000	9.81	38.27	37.75	41.61	51.94	74	-22.06	Vertical
11984.840	10.60	38.69	38.69	41.71	52.31	74	-21.69	Vertical
3531.287	6.95	32.93	38.76	43.90	45.02	74	-28.98	Horizontal
4960.000	6.76	34.86	39.29	44.64	46.97	74	-27.03	Horizontal
6066.451	8.06	36.23	39.18	45.62	50.73	74	-23.27	Horizontal
7440.000	9.23	35.43	39.05	43.83	49.44	74	-24.56	Horizontal
9920.000	9.81	38.27	37.75	39.64	49.97	74	-24.03	Horizontal
11729.900	10.49	38.43	38.58	40.14	50.48	74	-23.52	Horizontal

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor

- 2) Scan from 9kHz to 25GHz, the disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.



Report No.: SZEM150800484301 Page: 126 of 138

6.12 Restricted bands around fundamental frequency

Test Requirement: 47 CFR Part 15C Section 15.209 and 15.205									
Test Method:	ANSI C63.10: 2009								
Test Site:	Measurement Distance: 3n	n (Semi-Anechoic Chambe	r)						
Limit:	Frequency	Limit (dBuV/m @3m)	Remark						
	30MHz-88MHz	40.0	Quasi-peak Value						
	88MHz-216MHz	43.5	Quasi-peak Value						
	216MHz-960MHz	46.0	Quasi-peak Value						
	960MHz-1GHz	54.0	Quasi-peak Value						
	Above 1GHz	54.0	Average Value						
		74.0	Peak Value						
Test Setup:									
Test Octup.									
Figure 1. 30Mł	Hz to 1GHz	Figure 2. Abov	ve 1 GHz						



Report No.: SZEM150800484301 Page: 127 of 138

Test Procedure:	 a. The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel g. Test the EUT in the lowest channel , the Highest channel h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case. i. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Non-hopping transmitting mode with all kind of modulation and all kind of data type
	Transmitting mode
Final Test Mode:	Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass
	1 400




Report No.: SZEM150800484301 Page: 128 of 138

Test plot as foll	ows:									
Worse case mod	e: GFSł	(DH5)	Test	t chann	el:	Lowest	Rer	nark:	Peak	Vertical
Data:	944									
120	Level (dBuV/	m)								
110										
90										2
70									FCC PART C	247 PK
50	planntomation		يغيروهم تحرفه والمعرور والعوار	man	migante	verman	lanskajns finskajne	100.40 aliantee 20.000.000	way and we show the store	
30										
10										
0		20			2350 Freque	ency (MHz)				2405
Site Condit Job No Mode:	: : 484	PART C 2 3CR 2 Band ed	dge							
_	Freq	Cable Loss Fa	Ant P ctor F		Read Level		Limit Line	Over Limit		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1 2 pp	2390.00 2401.90	4.90 3 4.92 3				44.22 93.38				



Report No.: SZEM150800484301 Page: 129 of 138

Worse case mode: GFSK (DH5)	Test channel:	Lowest	Remark:	Peak	Horizontal	
-----------------------------	---------------	--------	---------	------	------------	--




Job No								
Mode:	: 240	2 Band	edge					
		Cable	Ant	Preamp	Read		Limit	0ver
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
-								
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	2390.00	4.90	32.35	38.46	45.91	44.70	/4.00	-29.30
2 pp	2401.90	4.92	32.41	38.46	97.35	96.22	74.00	22.22



Report No.: SZEM150800484301 Page: 130 of 138

Worse case mode: GFSK (D	5) Test channel:	Lowest	Remark:	Average	Vertical
--------------------------	------------------	--------	---------	---------	----------



Condit	ion: FCC	PART	C 247	AV 3m V	'ertica	1		
Job No	: : 484	3CR						
Mode:	: 240	2 Band	edge					
		Cable	Ant	Preamp	Read		Limit	0ver
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
_								
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	2390.00	4.90	32.35	38.46	31.48	30.27	54.00	-23.73
2 pp	2401.90	4.92	32.41	38.46	79.58	78.45	54.00	24.45





Report No.: SZEM150800484301 Page: 131 of 138

Worse case mode:	GFSK (DH5)	Test channel:	Lowest	Remark:	Average	Horizontal
------------------	------------	---------------	--------	---------	---------	------------




1	2390.00	4.90	32.35	38.46	31.82	30.61	54.00	-23.39
2 pp	2401.90	4.92	32.41	38.46	81.71	80.58	54.00	26.58



Report No.: SZEM150800484301 Page: 132 of 138

Worse case mode:	GFSK (DH5)	Test channel:	Highest	Remark:	Peak	Vertical
------------------	------------	---------------	---------	---------	------	----------




Site : chamber Condition: FCC PART C 247 PK 3m Vertical Job No: : 4843CR Mode: : 2480 Band edge Cable Ant Preamp Read limit Over Frea Loss Factor Factor level Level Line Limit dBuV dBuV/m dBuV/m MH₇ dB dB/m dB dB 1 pp 2479.86 5.02 32.44 38.47 94.68 93.67 74.00 19.67 2 2483.50 5.03 32.44 38.47 58.86 57.86 74.00 -16.14



Report No.: SZEM150800484301 Page: 133 of 138

Worse case mode: GFSK (DH5	Test channel: H	ighest Remark:	Peak	Horizontal
----------------------------	-----------------	----------------	------	------------



Frequency (MHz)

Site	: cha	mber						
Conditi	ion: FCC	PART	C 247	PK 3m H	lorizor	ntal		
Job No	: : 484	3CR						
Mode:	: 248	0 Band	edge					
		Cable	Ant	Preamp	Read		Limit	0ver
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
_								
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	2479.83	5.02	32.44	38.47	94.84	93.83	74.00	19.83
2	2483.50	5.03	32.44	38.47	59.35	58.35	74.00	-15.65




- · ·

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM150800484301 Page: 134 of 138

Worse case mode: GFSK (DH5)	Test channel: H	Highest Remark:	Average Vertic	al
-----------------------------	-----------------	-----------------	----------------	----




frequency (iiii.2)

Site	: cha	mber							
Condit	ion: FCC	PART	C 247	AV 3m V	/ertica	1			
Job No	: : 484	3CR							
Mode:	: 248	0 Band	edge						
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	
_									
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	2479.81	5.02	32.44	38.47	80.85	79.84	54.00	25.84	
2	2483.50	5.03	32.44	38.47	34.72	33.72	54.00	-20.28	



Report No.: SZEM150800484301 Page: 135 of 138

Worse case mode:	GFSK (DH5)	Test channel:	Highest	Remark:	Average	Horizontal
------------------	------------	---------------	---------	---------	---------	------------



Note:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor



Report No.: SZEM150800484301 Page: 136 of 138


7 Photographs - EUT Test Setup

Test model No.: SDL9030DB

7.1 Conducted Emission




7.2 Radiated Emission





Report No.: SZEM150800484301 Page: 137 of 138

7.3 Radiated Spurious Emission





Report No.: SZEM150800484301 Page: 138 of 138

8 Photographs - EUT Constructional Details

Refer to Appendix A - Photographs of EUT Constructional Details for SZEM1508004843CR.