




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6885MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76745G	38.77	68.20	-29.43	18.06	3	Vertical	239	2.88	20.71	39.50	11.25	32.69
PK	13.78215G	49.53	88.20	-38.67	18.06	3	Vertical	239	2.88	31.47	39.50	11.25	32.69

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78413G	38.69	68.20	-29.51	18.06	3	Horizontal	37	2.32	20.63	39.50	11.25	32.69
PK	13.76937G	48.66	88.20	-39.54	18.06	3	Horizontal	37	2.32	30.60	39.50	11.25	32.69



6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84968G	45.55	68.20	-22.65	18.04	3	Vertical	277	2.67	27.51	39.50	11.23	32.69
PK	13.87016G	58.97	88.20	-29.23	18.08	3	Vertical	277	2.67	40.89	39.54	11.23	32.69

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85248G	45.42	68.20	-22.78	18.04	3	Horizontal	276	1.98	27.38	39.50	11.23	32.69
PK	13.82184G	57.91	88.20	-30.29	18.05	3	Horizontal	276	1.98	39.86	39.50	11.24	32.69



6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99869G	39.10	68.20	-29.10	18.30	3	Vertical	4	2.08	20.80	39.80	11.20	32.70
PK	14.00208G	49.84	88.20	-38.36	18.30	3	Vertical	4	2.08	31.54	39.80	11.20	32.70

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00196G	39.06	68.20	-29.14	18.30	3	Horizontal	58	2.10	20.76	39.80	11.20	32.70
PK	14.00769G	49.03	88.20	-39.17	18.31	3	Horizontal	58	2.10	30.72	39.82	11.20	32.71



6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.103G	89.55	Inf	-Inf	9.08	3	Vertical	300	2.25	80.47	36.21	7.66	34.79
AV	7.1267G	50.92	68.20	-17.28	9.18	3	Vertical	300	2.25	41.74	36.31	7.68	34.81
PK	7.103G	100.40	Inf	-Inf	9.08	3	Vertical	300	2.25	91.32	36.21	7.66	34.79
PK	7.1978G	61.22	88.20	-26.98	9.38	3	Vertical	300	2.25	51.84	36.50	7.73	34.85

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0667G	99.93	Inf	-Inf	8.87	3	Horizontal	344	2.83	91.06	36.00	7.64	34.77
AV	7.1255G	56.62	68.20	-11.58	9.17	3	Horizontal	344	2.83	47.45	36.30	7.68	34.81
PK	7.0697G	110.52	Inf	-Inf	8.89	3	Horizontal	344	2.83	101.63	36.02	7.64	34.77
PK	7.1285G	71.38	88.20	-16.82	9.18	3	Horizontal	344	2.83	62.20	36.31	7.68	34.81



6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17678G	39.21	68.20	-28.99	18.26	3	Vertical	179	1.56	20.95	39.90	11.31	32.95
PK	14.17555G	49.39	88.20	-38.81	18.26	3	Vertical	179	1.56	31.13	39.90	11.31	32.95

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17411G	39.16	68.20	-29.04	18.26	3	Horizontal	272	1.34	20.90	39.90	11.31	32.95
PK	14.16595G	49.26	88.20	-38.94	18.26	3	Horizontal	272	1.34	31.00	39.90	11.30	32.94



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9175G	44.06	68.20	-24.14	6.26	3	Vertical	76	2.23	37.80	34.06	7.00	34.80
AV	6.0175G	85.88	Inf	-Inf	6.16	3	Vertical	76	2.23	79.72	33.90	7.08	34.82
PK	5.876G	55.92	88.20	-32.28	6.16	3	Vertical	76	2.23	49.76	34.00	6.96	34.80
PK	6.017G	98.32	Inf	-Inf	6.16	3	Vertical	76	2.23	92.16	33.90	7.08	34.82

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	47.60	68.20	-20.60	6.26	3	Horizontal	340	2.16	41.34	34.05	7.01	34.80
AV	6.0195G	95.89	Inf	-Inf	6.16	3	Horizontal	340	2.16	89.73	33.90	7.08	34.82
PK	5.9185G	62.23	88.20	-25.97	6.26	3	Horizontal	340	2.16	55.97	34.06	7.00	34.80
PK	6.0155G	107.65	Inf	-Inf	6.16	3	Horizontal	340	2.16	101.49	33.90	7.08	34.82



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.00584G	37.75	54.00	-16.25	15.76	3	Vertical	335	1.22	21.99	38.81	11.62	34.67
PK	11.93064G	50.49	74.00	-23.51	15.55	3	Vertical	335	1.22	34.94	38.60	11.59	34.64

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.00808G	37.74	54.00	-16.26	15.77	3	Horizontal	164	1.17	21.97	38.82	11.62	34.67
PK	11.99448G	50.34	74.00	-23.66	15.73	3	Horizontal	164	1.17	34.61	38.78	11.62	34.67



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.44595G	38.26	54.00	-15.74	15.89	3	Vertical	148	2.90	22.37	38.80	11.53	34.44
PK	12.45216G	48.62	74.00	-25.38	15.90	3	Vertical	148	2.90	32.72	38.80	11.53	34.43

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.44247G	38.21	54.00	-15.79	15.89	3	Horizontal	236	2.62	22.32	38.80	11.53	34.44
PK	12.44895G	49.06	74.00	-24.94	15.89	3	Horizontal	236	2.62	33.17	38.80	11.53	34.44



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.78374G	38.72	68.20	-29.48	17.06	3	Vertical	87	1.51	21.66	39.43	11.46	33.83
PK	12.75506G	49.77	88.20	-38.43	16.90	3	Vertical	87	1.51	32.87	39.32	11.46	33.88

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.78386G	38.70	68.20	-29.50	17.07	3	Horizontal	79	2.30	21.63	39.44	11.46	33.83
PK	12.76349G	49.18	88.20	-39.02	16.94	3	Horizontal	79	2.30	32.24	39.35	11.46	33.87



6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94038G	39.37	68.20	-28.83	17.70	3	Vertical	203	2.51	21.67	39.78	11.42	33.50
PK	12.92256G	49.78	88.20	-38.42	17.64	3	Vertical	203	2.51	32.14	39.75	11.43	33.54

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94083G	39.46	68.20	-28.74	17.70	3	Horizontal	73	1.14	21.76	39.78	11.42	33.50
PK	12.93666G	49.87	88.20	-38.33	17.68	3	Horizontal	73	1.14	32.19	39.77	11.42	33.51



6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6545MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08772G	39.17	68.20	-29.03	17.63	3	Vertical	323	2.97	21.54	39.50	11.39	33.26
PK	13.08319G	49.06	88.20	-39.14	17.63	3	Vertical	323	2.97	31.43	39.50	11.39	33.26

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08913G	39.21	68.20	-28.99	17.64	3	Horizontal	355	2.94	21.57	39.50	11.39	33.25
PK	13.08625G	49.24	88.20	-38.96	17.63	3	Horizontal	355	2.94	31.61	39.50	11.39	33.26



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.24883G	39.03	68.20	-29.17	17.93	3	Vertical	253	2.95	21.10	39.60	11.36	33.03
PK	13.24544G	49.01	88.20	-39.19	17.93	3	Vertical	253	2.95	31.08	39.60	11.36	33.03

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25201G	38.94	54.00	-15.06	17.94	3	Horizontal	166	2.95	21.00	39.60	11.36	33.02
PK	13.25G	50.21	74.00	-23.79	17.94	3	Horizontal	166	2.95	32.27	39.60	11.36	33.02



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41927G	39.28	68.20	-28.92	18.42	3	Vertical	256	1.48	20.86	39.88	11.32	32.78
PK	13.40637G	49.15	88.20	-39.05	18.35	3	Vertical	256	1.48	30.80	39.83	11.32	32.80

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41897G	39.38	68.20	-28.82	18.41	3	Horizontal	246	1.84	20.97	39.88	11.32	32.79
PK	13.41489G	50.49	88.20	-37.71	18.39	3	Horizontal	246	1.84	32.10	39.86	11.32	32.79



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.56835G	39.29	68.20	-28.91	18.65	3	Vertical	127	1.82	20.64	40.03	11.29	32.67
PK	13.58383G	49.35	88.20	-38.85	18.57	3	Vertical	127	1.82	30.78	39.96	11.29	32.68

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.56865G	39.28	68.20	-28.92	18.65	3	Horizontal	43	1.03	20.63	40.03	11.29	32.67
PK	13.5643G	49.65	88.20	-38.55	18.66	3	Horizontal	43	1.03	30.99	40.04	11.29	32.67



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6865MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72961G	38.72	68.20	-29.48	18.12	3	Vertical	75	2.69	20.60	39.54	11.26	32.68
PK	13.74113G	50.17	88.20	-38.03	18.09	3	Vertical	75	2.69	32.08	39.52	11.25	32.68

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74221G	38.64	68.20	-29.56	18.09	3	Horizontal	241	1.83	20.55	39.52	11.25	32.68
PK	13.72283G	49.63	88.20	-38.57	18.13	3	Horizontal	241	1.83	31.50	39.55	11.26	32.68



6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.90245G	39.12	68.20	-29.08	18.13	3	Vertical	270	1.94	20.99	39.60	11.22	32.69
PK	13.88133G	49.55	88.20	-38.65	18.09	3	Vertical	270	1.94	31.46	39.56	11.22	32.69

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.90215G	39.15	68.20	-29.05	18.13	3	Horizontal	144	2.78	21.02	39.60	11.22	32.69
PK	13.90224G	49.58	88.20	-38.62	18.13	3	Horizontal	144	2.78	31.45	39.60	11.22	32.69



6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.028G	87.15	Inf	-Inf	8.63	3	Vertical	296	2.04	78.52	35.77	7.61	34.75
AV	7.1705G	49.14	68.20	-19.06	9.31	3	Vertical	296	2.04	39.83	36.44	7.71	34.84
PK	7.0262G	98.37	Inf	-Inf	8.62	3	Vertical	296	2.04	89.75	35.76	7.61	34.75
PK	7.1285G	60.56	88.20	-27.64	9.18	3	Vertical	296	2.04	51.38	36.31	7.68	34.81

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.998G	98.75	Inf	-Inf	8.46	3	Horizontal	332	2.37	90.29	35.60	7.59	34.73
AV	7.1252G	50.81	68.20	-17.39	9.17	3	Horizontal	332	2.37	41.64	36.30	7.68	34.81
PK	6.9989G	110.40	Inf	-Inf	8.46	3	Horizontal	332	2.37	101.94	35.60	7.59	34.73
PK	7.1291G	62.84	88.20	-25.36	9.19	3	Horizontal	332	2.37	53.65	36.32	7.68	34.81



6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.06422G	39.18	68.20	-29.02	18.38	3	Vertical	238	2.78	20.80	39.93	11.24	32.79
PK	14.05204G	49.76	88.20	-38.44	18.36	3	Vertical	238	2.78	31.40	39.90	11.23	32.77

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.06215G	39.30	68.20	-28.90	18.37	3	Horizontal	261	2.41	20.93	39.92	11.24	32.79
PK	14.03902G	50.02	88.20	-38.18	18.34	3	Horizontal	261	2.41	31.68	39.88	11.22	32.76



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8985G	46.77	68.20	-21.43	6.27	3	Vertical	187	2.92	40.50	34.09	6.98	34.80
AV	6.0625G	86.97	Inf	-Inf	6.16	3	Vertical	187	2.92	80.81	33.87	7.10	34.81
PK	5.902G	59.23	88.20	-28.97	6.29	3	Vertical	187	2.92	52.94	34.10	6.99	34.80
PK	6.062G	97.91	Inf	-Inf	6.17	3	Vertical	187	2.92	91.74	33.88	7.10	34.81

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9025G	55.68	68.20	-12.52	6.28	3	Horizontal	15	2.45	49.40	34.09	6.99	34.80
AV	6.0995G	98.33	Inf	-Inf	6.12	3	Horizontal	15	2.45	92.21	33.80	7.12	34.80
PK	5.9125G	66.27	88.20	-21.93	6.28	3	Horizontal	15	2.45	59.99	34.08	7.00	34.80
PK	5.996G	109.53	Inf	-Inf	6.16	3	Horizontal	15	2.45	103.37	33.91	7.07	34.82



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.04823G	38.55	54.00	-15.45	15.87	3	Vertical	70	1.62	22.68	38.90	11.61	34.64
PK	12.03983G	49.20	74.00	-24.80	15.84	3	Vertical	70	1.62	33.36	38.88	11.61	34.65

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05372G	38.67	54.00	-15.33	15.88	3	Horizontal	7	2.85	22.79	38.91	11.61	34.64
PK	12.04604G	48.55	74.00	-25.45	15.85	3	Horizontal	7	2.85	32.70	38.89	11.61	34.65



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36307G	38.39	54.00	-15.61	15.93	3	Vertical	173	2.03	22.46	38.87	11.54	34.48
PK	12.36025G	50.37	74.00	-23.63	15.94	3	Vertical	173	2.03	34.43	38.88	11.54	34.48

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37606G	38.40	54.00	-15.60	15.92	3	Horizontal	288	2.24	22.48	38.85	11.54	34.47
PK	12.35899G	49.73	74.00	-24.27	15.94	3	Horizontal	288	2.24	33.79	38.88	11.54	34.48



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68061G	38.71	54.00	-15.29	16.74	3	Vertical	192	2.75	21.97	39.30	11.48	34.04
PK	12.68163G	49.61	74.00	-24.39	16.74	3	Vertical	192	2.75	32.87	39.30	11.48	34.04

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.67779G	38.68	54.00	-15.32	16.74	3	Horizontal	58	1.24	21.94	39.30	11.48	34.04
PK	12.70305G	49.07	88.20	-39.13	16.78	3	Horizontal	58	1.24	32.29	39.30	11.47	33.99



6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6505MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00592G	39.04	68.20	-29.16	17.72	3	Vertical	305	1.75	21.32	39.68	11.41	33.37
PK	13.00919G	49.56	88.20	-38.64	17.70	3	Vertical	305	1.75	31.86	39.66	11.41	33.37

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00274G	39.02	68.20	-29.18	17.72	3	Horizontal	319	1.19	21.30	39.69	11.41	33.38
PK	13.00604G	49.29	88.20	-38.91	17.72	3	Horizontal	319	1.19	31.57	39.68	11.41	33.37



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3324G	39.21	54.00	-14.79	18.26	3	Vertical	161	2.84	20.95	39.83	11.34	32.91
PK	13.33936G	51.20	74.00	-22.80	18.30	3	Vertical	161	2.84	32.90	39.86	11.34	32.90

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.34434G	39.31	54.00	-14.69	18.33	3	Horizontal	190	1.42	20.98	39.88	11.34	32.89
PK	13.33573G	51.01	74.00	-22.99	18.28	3	Horizontal	190	1.42	32.73	39.84	11.34	32.90



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.6413G	38.88	68.20	-29.32	18.33	3	Vertical	194	2.12	20.55	39.73	11.28	32.68
PK	13.65036G	49.98	88.20	-38.22	18.29	3	Vertical	194	2.12	31.69	39.70	11.27	32.68

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.64127G	38.85	68.20	-29.35	18.33	3	Horizontal	199	1.43	20.52	39.73	11.28	32.68
PK	13.64967G	49.19	88.20	-39.01	18.29	3	Horizontal	199	1.43	30.90	39.70	11.27	32.68



6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	7.0345G	94.44	Inf	-Inf	8.67	3	Vertical	326	2.64	BP 1MHz	85.77	35.81	7.61	34.75
AV	7.0325G	87.88	Inf	-Inf	8.65	3	Vertical	326	2.64	BP 1MHz	79.23	35.79	7.61	34.75
PK	7.1375G	66.36	88.20	-21.84	9.22	3	Vertical	326	2.64	BP 1MHz	57.14	36.35	7.69	34.82
AV	7.1345G	52.76	68.20	-15.44	9.21	3	Vertical	326	2.64	BP 1MHz	43.55	36.34	7.68	34.81

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	6.9525G	106.75	Inf	-Inf	8.43	3	Horizontal	25	2.03	BP 1MHz	98.32	35.60	7.56	34.73
AV	6.9495G	100.79	Inf	-Inf	8.43	3	Horizontal	25	2.03	BP 1MHz	92.36	35.60	7.56	34.73
PK	7.1365G	80.54	88.20	-7.66	9.23	3	Horizontal	25	2.03	BP 1MHz	71.31	36.35	7.69	34.81
AV	7.1385G	62.73	68.20	-5.47	9.22	3	Horizontal	25	2.03	BP 1MHz	53.51	36.35	7.69	34.82



6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98452G	39.05	68.20	-29.15	18.27	3	Vertical	195	1.47	20.78	39.77	11.20	32.70
PK	13.96724G	49.36	88.20	-38.84	18.24	3	Vertical	195	1.47	31.12	39.73	11.21	32.70

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98311G	39.04	68.20	-29.16	18.27	3	Horizontal	233	1.59	20.77	39.77	11.20	32.70
PK	13.96238G	50.10	88.20	-38.10	18.23	3	Horizontal	233	1.59	31.87	39.72	11.21	32.70



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.916G	51.10	68.20	-17.10	3.34	3	Vertical	168	2.72	47.76	34.50	5.87	37.03
AV	6.041G	85.05	Inf	-Inf	3.49	3	Vertical	168	2.72	81.56	34.50	5.94	36.95
PK	5.91G	67.89	88.20	-20.31	3.33	3	Vertical	168	2.72	64.56	34.50	5.87	37.04
PK	6.041G	97.32	Inf	-Inf	3.49	3	Vertical	168	2.72	93.83	34.50	5.94	36.95

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.915G	57.30	68.20	-10.90	3.34	3	Horizontal	352	2.65	53.96	34.50	5.87	37.03
AV	6.098G	97.14	Inf	-Inf	3.43	3	Horizontal	352	2.65	93.71	34.40	5.96	36.93
PK	5.918G	76.17	88.20	-12.03	3.34	3	Horizontal	352	2.65	72.83	34.50	5.87	37.03
PK	6.139G	110.63	Inf	-Inf	3.47	3	Horizontal	352	2.65	107.16	34.40	5.98	36.91



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.22464G	39.34	54.00	-14.66	10.17	3	Vertical	10	1.50	29.17	39.35	8.88	38.06
PK	12.1938G	53.09	74.00	-20.91	10.22	3	Vertical	10	1.50	42.87	39.39	8.87	38.04

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.18852G	39.40	54.00	-14.60	10.21	3	Horizontal	278	1.50	29.19	39.38	8.87	38.04
PK	12.25176G	53.27	74.00	-20.73	10.12	3	Horizontal	278	1.50	43.15	39.30	8.89	38.07



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.58952G	39.29	54.00	-14.71	10.11	3	Vertical	267	2.13	29.18	39.38	9.00	38.27
PK	12.56492G	51.36	74.00	-22.64	10.07	3	Vertical	267	2.13	41.29	39.33	8.99	38.25

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.57464G	39.13	54.00	-14.87	10.08	3	Horizontal	314	1.50	29.05	39.35	8.99	38.26
PK	12.5048G	51.46	74.00	-22.54	9.98	3	Horizontal	314	1.50	41.48	39.21	8.97	38.20



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6425MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87928G	39.72	68.20	-28.48	10.56	3	Horizontal	109	2.62	-	29.16	39.96	9.09	38.49
PK	12.87784G	52.45	88.20	-35.75	10.56	3	Horizontal	109	2.62	-	41.89	39.96	9.09	38.49

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88204G	39.76	68.20	-28.44	10.56	3	Horizontal	297	1.44	-	29.20	39.96	9.09	38.49
PK	12.90844G	51.86	88.20	-36.34	10.57	3	Horizontal	297	1.44	-	41.29	39.98	9.10	38.51



6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6585MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13952G	40.26	68.20	-27.94	10.47	3	Vertical	81	1.50	29.79	39.86	9.17	38.56
PK	13.14396G	53.57	88.20	-34.63	10.50	3	Vertical	81	1.50	43.07	39.88	9.18	38.56

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.14492G	40.40	68.20	-27.80	10.50	3	Horizontal	284	1.50	29.90	39.88	9.18	38.56
PK	13.1418G	53.64	88.20	-34.56	10.49	3	Horizontal	284	1.50	43.15	39.87	9.18	38.56



6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.4384G	40.86	68.20	-27.34	11.10	3	Vertical	132	1.17	29.76	40.35	9.27	38.52
PK	13.5308G	53.52	88.20	-34.68	11.27	3	Vertical	132	1.17	42.25	40.46	9.30	38.49

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.46612G	40.77	68.20	-27.43	11.17	3	Horizontal	25	1.59	29.60	40.40	9.28	38.51
PK	13.5044G	53.70	88.20	-34.50	11.19	3	Horizontal	25	1.59	42.51	40.41	9.29	38.51



6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8385G	90.92	Inf	-Inf	5.94	3	Vertical	323	2.60	22_BP 1M	84.98	36.25	6.37	36.68
AV	7.1255G	54.49	68.20	-13.71	6.75	3	Vertical	323	2.60	22_BP 1M	47.74	36.85	6.49	36.59
PK	6.8385G	99.43	Inf	-Inf	5.94	3	Vertical	323	2.60	22_BP 1M	93.49	36.25	6.37	36.68
PK	7.1495G	74.15	88.20	-14.05	6.91	3	Vertical	323	2.60	22_BP 1M	67.24	37.00	6.50	36.59

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7495G	101.04	Inf	-Inf	5.92	3	Horizontal	351	3.00	80_BP 1M	95.12	36.30	6.32	36.70
AV	7.1485G	62.23	68.20	-5.97	6.90	3	Horizontal	351	3.00	80_BP 1M	55.33	36.99	6.50	36.59
PK	6.7505G	109.93	Inf	-Inf	5.93	3	Horizontal	351	3.00	80_BP 1M	104.00	36.30	6.33	36.70
PK	7.2085G	84.16	88.20	-4.04	7.09	3	Horizontal	351	3.00	80_BP 1M	77.07	37.13	6.53	36.57



6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.83976G	40.82	68.20	-27.38	11.30	3	Vertical	109	1.50	-	29.52	40.18	9.40	38.28
PK	13.81408G	54.74	88.20	-33.46	11.22	3	Vertical	109	1.50	-	43.52	40.13	9.39	38.30

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84528G	40.79	68.20	-27.41	11.31	3	Horizontal	235	1.50	-	29.48	40.19	9.40	38.28
PK	13.8496G	54.90	88.20	-33.30	11.33	3	Horizontal	235	1.50	-	43.57	40.20	9.40	38.27



Antenna Gain (dBi)			
UNII5	UNII6	UNII7	UNII8
4.26	4.26	4.26	4.26

Contention Based protocol 802.11be EHT20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-73.26	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-72.26	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-73.26	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-73.26	OFF	10	100	90	Pass

Contention Based protocol 802.11be EHT320											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	63	320	6265	Low edge	6110	-67.26	OFF	10	100	90	Pass
				Center	6185	-65.26	OFF	10	100	90	Pass
				High edge	6260	-68.26	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6430	-71.26	OFF	10	100	90	Pass
				Center	6505	-68.26	OFF	10	100	90	Pass
				High edge	6580	-68.26	OFF	10	100	90	Pass
7,8	159	320	6745	Low edge	6590	-72.26	OFF	10	100	90	Pass
				Center	6665	-67.26	OFF	10	100	90	Pass
				High edge	6740	-67.26	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6910	-67.26	OFF	10	100	90	Pass
				Center	6985	-73.26	OFF	10	100	90	Pass
				High edge	7060	-66.26	OFF	10	100	90	Pass



Contention Based protocol 802.11be EHT20										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Inteference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-69.00	4.26	-73.26	≤ -62
						Minimal	-70.00	4.26	-74.26	≤ -62
						ON	-71.00	4.26	-75.26	≤ -62
6	101	20	6455	Center	6455	OFF	-68.00	4.26	-72.26	≤ -62
						Minimal	-69.00	4.26	-73.26	≤ -62
						ON	-69.00	4.26	-73.26	≤ -62
7	149	20	6695	Center	6695	OFF	-69.00	4.26	-73.26	≤ -62
						Minimal	-70.00	4.26	-74.26	≤ -62
						ON	-71.00	4.26	-75.26	≤ -62
8	213	20	7015	Center	7015	OFF	-69.00	4.26	-73.26	≤ -62
						Minimal	-71.00	4.26	-75.26	≤ -62
						ON	-72.00	4.26	-76.26	≤ -62


Contention Based protocol 802.11be EHT320										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	63	320	6265	Low edge	6110	OFF	-63.00	4.26	-67.26	≤ -62
						Minimal	-64.00	4.26	-68.26	≤ -62
						ON	-68.00	4.26	-72.26	≤ -62
				Center	6265	OFF	-61.00	4.26	-65.26	≤ -62
						Minimal	-62.00	4.26	-66.26	≤ -62
						ON	-64.00	4.26	-68.26	≤ -62
				High edge	6420	OFF	-64.00	4.26	-68.26	≤ -62
						Minimal	-65.00	4.26	-69.26	≤ -62
						ON	-68.00	4.26	-72.26	≤ -62
6,7	127	320	6585	Low edge	6430	OFF	-67.00	4.26	-71.26	≤ -62
						Minimal	-68.00	4.26	-72.26	≤ -62
						ON	-69.00	4.26	-73.26	≤ -62
				Center	6585	OFF	-64.00	4.26	-68.26	≤ -62
						Minimal	-65.00	4.26	-69.26	≤ -62
						ON	-66.00	4.26	-70.26	≤ -62
				High edge	6740	OFF	-64.00	4.26	-68.26	≤ -62
						Minimal	-65.00	4.26	-69.26	≤ -62
						ON	-66.00	4.26	-70.26	≤ -62
6,7	159	320	6745	Low edge	6590	OFF	-68.00	4.26	-72.26	≤ -62
						Minimal	-69.00	4.26	-73.26	≤ -62
						ON	-70.00	4.26	-74.26	≤ -62
				Center	6745	OFF	-63.00	4.26	-67.26	≤ -62
						Minimal	-64.00	4.26	-68.26	≤ -62
						ON	-65.00	4.26	-69.26	≤ -62
				High edge	6900	OFF	-63.00	4.26	-67.26	≤ -62
						Minimal	-64.00	4.26	-68.26	≤ -62
						ON	-65.00	4.26	-69.26	≤ -62
7,8	191	320	6905	Low edge	6750	OFF	-63.00	4.26	-67.26	≤ -62
						Minimal	-64.00	4.26	-68.26	≤ -62
						ON	-65.00	4.26	-69.26	≤ -62
				Center	6905	OFF	-69.00	4.26	-73.26	≤ -62
						Minimal	-70.00	4.26	-74.26	≤ -62
						ON	-72.00	4.26	-76.26	≤ -62
				High edge	7060	OFF	-62.00	4.26	-66.26	≤ -62
						Minimal	-63.00	4.26	-67.26	≤ -62
						ON	-63.00	4.26	-67.26	≤ -62



Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

92.0875ms

All TX Sample

7367

Duty Cycle

0.92076

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

93.625ms

All TX Sample

7490

Duty Cycle

0.936133

T1[s] T2[s]

NaNs NaNs

T3[s] T4[s]


NaNs NaNs



Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

91.35ms

All TX Sample

7308

Duty Cycle

0.913386

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

93.9875ms

All TX Sample

7519

Duty Cycle

0.939758

T1[s] T2[s]

NaNs NaNs

T3[s] T4[s]


NaNs NaNs



Bandwidth 320MHz: Traffic Loading Plot - 6110MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

93.9ms

All TX Sample

7512

Duty Cycle

0.938883

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6265MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

90.55ms

All TX Sample

7244

Duty Cycle

0.905387

T1[s] T2[s]

NaNs NaNs

T3[s] T4[s]


NaNs NaNs



Bandwidth 320MHz: Traffic Loading Plot - 6420MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

93.225ms

All TX Sample

7458

Duty Cycle

0.932133

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6430MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

92.1ms

All TX Sample

7368

Duty Cycle

0.920885


T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6585MHz



Bandwidth 320MHz: Traffic Loading Plot - 6740MHz






Bandwidth 320MHz: Traffic Loading Plot - 6590MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

95.6625ms

All TX Sample

7633

Duty Cycle

0.956505

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6745MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

92.425ms

All TX Sample

7394

Duty Cycle

0.924134

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6900MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

95.2125ms

All TX Sample

7617

Duty Cycle

0.952006

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6750MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

93.3625ms

All TX Sample

7469

Duty Cycle

0.933508

T1[s] T2[s]

NaNs NaNs

T3[s] T4[s]


NaNs NaNs



Bandwidth 320MHz: Traffic Loading Plot - 6905MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

90.2875ms

All TX Sample

7233

Duty Cycle

0.902762

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 7060MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

90.425ms

All TX Sample

7234

Duty Cycle

0.904137


T1[s] T2[s]



NaNs NaNs



T3[s] T4[s]



NaNs NaNs



1. Incumbent signal (AWGN) Plot

























2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 63 ; Incumbent signal 6110 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 63 ; Incumbent signal 6265 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 63 ; Incumbent signal 6420 MHz

Time Analysis




Sample Time	1us
All TX Time	588.379ms
All TX Sample	588379
Duty Cycle	0.588378
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz

Time Analysis




Sample Time	1us
All TX Time	825.239ms
All TX Sample	825239
Duty Cycle	0.825238
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 159 ; Incumbent signal 6590 MHz

Time Analysis




Sample Time	1us
All TX Time	941.848ms
All TX Sample	941848
Duty Cycle	0.941847
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 159 ; Incumbent signal 6745 MHz

Time Analysis




Sample Time	1us
All TX Time	839.85ms
All TX Sample	839850
Duty Cycle	0.839849
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 159 ; Incumbent signal 6900 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 7060 MHz

Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20


Frequency (MHz): 6215 MHz (Threshold Level: -69 dBm)

Time Analysis




Frequency (MHz): 6215 MHz (Threshold Level: -70dBm)

Time Analysis



Frequency (MHz): 6215 MHz (Threshold Level: -71 dBm)

Time Analysis




Sample Time	1us
All TX Time	953.236ms
All TX Sample	953236
Duty Cycle	0.953235
T1[s]	T2[s]
11.5s	12s
T3[s]	T4[s]
NaNs	NaNs

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320

Frequency (MHz): 6110 MHz (Threshold Level: -63dBm)


Time Analysis



Sample Time	1us
All TX Time	695.701ms
All TX Sample	695701
Duty Cycle	0.6957
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6110 MHz (Threshold Level: -64dBm)


Time Analysis



Sample Time	1us
All TX Time	695.843ms
All TX Sample	695843
Duty Cycle	0.695842
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6110 MHz (Threshold Level: -68dBm)


Time Analysis



Sample Time	1us
All TX Time	622.221ms
All TX Sample	622221
Duty Cycle	0.62222
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6265 MHz (Threshold Level: -61dBm)


Time Analysis




Sample Time	1us
All TX Time	758.318ms
All TX Sample	758318
Duty Cycle	0.758317
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6265 MHz (Threshold Level: -62dBm)

Time Analysis




Sample Time	1us
All TX Time	934.243ms
All TX Sample	934243
Duty Cycle	0.934242
T1[s]	T2[s]
2s	2.1s
T3[s]	T4[s]
NaNs	NaNs



Frequency (MHz): 6420 MHz (Threshold Level: -65dBm)


Time Analysis



Sample Time	1us
All TX Time	592.52ms
All TX Sample	592520
Duty Cycle	0.592519
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6420 MHz (Threshold Level: -68dBm)

Time Analysis



Sample Time	1us
All TX Time	595.611ms
All TX Sample	595611
Duty Cycle	0.59561
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	8.21121G	35.18	54.00	-18.82	Vertical



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	1.14824G	21.48	54.00	-32.52	3	Vertical	181	1.50
Mode 1	Pass	AV	1.71179G	20.26	68.20	-47.94	3	Vertical	246	1.50
Mode 1	Pass	AV	8.21121G	35.18	54.00	-18.82	3	Vertical	39	2.04
Mode 1	Pass	PK	1.14824G	34.63	74.00	-39.37	3	Vertical	181	1.50
Mode 1	Pass	PK	1.71179G	33.99	88.20	-54.21	3	Vertical	246	1.50
Mode 1	Pass	PK	8.21121G	49.08	74.00	-24.92	3	Vertical	39	2.04
Mode 1	Pass	AV	1.71745G	20.30	68.20	-47.90	3	Horizontal	286	1.49
Mode 1	Pass	AV	3.72699G	26.50	54.00	-27.50	3	Horizontal	4	1.43
Mode 1	Pass	AV	8.00313G	35.83	68.20	-32.37	3	Horizontal	339	2.24
Mode 1	Pass	PK	1.71745G	33.66	88.20	-54.54	3	Horizontal	286	1.49
Mode 1	Pass	PK	3.72699G	40.45	74.00	-33.55	3	Horizontal	4	1.43
Mode 1	Pass	PK	8.00313G	49.65	88.20	-38.55	3	Horizontal	339	2.24

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.14824G	21.48	54.00	-32.52	-14.42	3	Vertical	181	1.50	35.90	25.98	2.36	42.76
AV	1.71179G	20.26	68.20	-47.94	-14.80	3	Vertical	246	1.50	35.06	25.28	2.85	42.93
AV	8.21121G	35.18	54.00	-18.82	1.09	3	Vertical	39	2.04	34.09	37.24	7.20	43.35
PK	1.14824G	34.63	74.00	-39.37	-14.42	3	Vertical	181	1.50	49.05	25.98	2.36	42.76
PK	1.71179G	33.99	88.20	-54.21	-14.80	3	Vertical	246	1.50	48.79	25.28	2.85	42.93
PK	8.21121G	49.08	74.00	-24.92	1.09	3	Vertical	39	2.04	47.99	37.24	7.20	43.35

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.71745G	20.30	68.20	-47.90	-14.84	3	Horizontal	286	1.49	35.14	25.23	2.86	42.93
AV	3.72699G	26.50	54.00	-27.50	-9.09	3	Horizontal	4	1.43	35.59	30.21	4.35	43.65
AV	8.00313G	35.83	68.20	-32.37	0.69	3	Horizontal	339	2.24	35.14	37.40	6.89	43.60
PK	1.71745G	33.66	88.20	-54.54	-14.84	3	Horizontal	286	1.49	48.50	25.23	2.86	42.93
PK	3.72699G	40.45	74.00	-33.55	-9.09	3	Horizontal	4	1.43	49.54	30.21	4.35	43.65
PK	8.00313G	49.65	88.20	-38.55	0.69	3	Horizontal	339	2.24	48.96	37.40	6.89	43.60