



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-1.13	4.89
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-1.05	4.97
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-1.39	4.63
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-1.62	4.40
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-1.24	4.78
6.425-6.525GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-1.27	4.75
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-1.53	4.49
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-1.50	4.52
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-1.62	4.40
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-1.55	4.47
6.525-6.875GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-1.15	4.87
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-1.12	4.90
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-1.10	4.92
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-1.09	4.93
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-1.17	4.85
6.875-7.125GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-1.17	4.85
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-1.16	4.86
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-1.26	4.76
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-1.58	4.44



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;







Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.89	5.00
6195MHz	Pass	4.51	5.00
6415MHz	Pass	4.73	5.00
6435MHz	Pass	4.27	5.00
6475MHz	Pass	4.66	5.00
6515MHz	Pass	4.75	5.00
6535MHz	Pass	4.87	5.00
6695MHz	Pass	4.16	5.00
6875MHz	Pass	4.66	5.00
6895MHz	Pass	3.38	5.00
6995MHz	Pass	4.85	5.00
7095MHz	Pass	4.27	5.00
7115MHz	Pass	2.15	5.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.75	5.00
6205MHz	Pass	4.97	5.00
6405MHz	Pass	4.97	5.00
6445MHz	Pass	4.49	5.00
6485MHz	Pass	4.25	5.00
6525MHz	Pass	4.40	5.00
6565MHz	Pass	4.88	5.00
6685MHz	Pass	4.39	5.00
6885MHz	Pass	4.90	5.00
6925MHz	Pass	4.86	5.00
7005MHz	Pass	4.71	5.00
7085MHz	Pass	4.63	5.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.49	5.00
6225MHz	Pass	4.22	5.00
6385MHz	Pass	4.63	5.00
6465MHz	Pass	4.52	5.00
6545MHz	Pass	4.06	5.00
6625MHz	Pass	4.92	5.00
6705MHz	Pass	4.54	5.00
6785MHz	Pass	4.88	5.00
6865MHz	Pass	4.08	5.00
6945MHz	Pass	4.29	5.00
7025MHz	Pass	4.76	5.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.07	5.00
6185MHz	Pass	4.13	5.00
6345MHz	Pass	4.40	5.00
6505MHz	Pass	4.40	5.00
6665MHz	Pass	4.93	5.00
6825MHz	Pass	4.71	5.00
6985MHz	Pass	4.44	5.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	4.06	5.00
6265MHz	Pass	4.04	5.00
6425MHz	Pass	4.78	5.00
6585MHz	Pass	4.47	5.00
6745MHz	Pass	4.57	5.00
6905MHz	Pass	4.85	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

























































































EIRP PSD:Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX

CF Freq
6.905GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
4.8ms

Detector Type
RMS

CP BW
320MHz



Page 6

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss]			
4.85	Pr=Pmeas-Gr+Lc-Gamp			
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.91	10.50	6.33	36.70	58.63



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.4143G	-13.65	6.374375G	-59.28	-53.65	-5.63	1
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.387604G	-10.81	6.48765G	-57.98	-50.81	-7.17	4
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.2194G	-5.88	6.1806G	-31.19	-25.95	-5.24	2
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.37579G	-5.11	6.6016G	-51.64	-45.11	-6.53	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.17578G	0.56	6.6226G	-41.05	-39.36	-1.69	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.469501G	-14.45	6.4321G	-61.25	-54.45	-6.80	4
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.527349G	-12.07	6.60415G	-57.65	-52.07	-5.58	4
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.5422G	-8.61	6.4019G	-54.46	-48.61	-5.85	4
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.46261G	-4.99	6.2308G	-51.46	-44.99	-6.47	4
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.880124G	-14.22	6.83515G	-60.31	-54.22	-6.09	2
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.667104G	-11.91	6.60115G	-57.65	-51.91	-5.74	4
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.63G	-7.34	6.581G	-32.62	-27.38	-5.24	2
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.63461G	-6.10	6.979G	-50.82	-46.10	-4.72	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.59504G	-2.89	6.2206G	-47.12	-42.94	-4.18	4
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.987777G	-14.24	6.9467G	-60.44	-54.24	-6.20	2
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.906705G	-9.62	6.99325G	-56.55	-49.62	-6.93	4
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.99061G	-7.89	6.8569G	-53.88	-47.89	-5.99	4
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.93101G	-5.21	6.6G	-50.55	-45.21	-5.34	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.77503G	-1.82	6.4002G	-46.39	-41.81	-4.58	4



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.963573G	-10.88	5.994925G	-61.95	-50.88	-11.07	1
5955MHz	Pass	5.961323G	-10.92	5.99315G	-61.67	-50.92	-10.75	2
5955MHz	Pass	5.964123G	-11.13	5.99375G	-61.06	-51.13	-9.93	3
5955MHz	Pass	5.963848G	-11.14	5.9909G	-61.68	-51.14	-10.54	4
6195MHz	Pass	6.203748G	-12.20	6.23115G	-61.90	-52.20	-9.70	1
6195MHz	Pass	6.201873G	-11.78	6.231575G	-61.62	-51.78	-9.84	2
6195MHz	Pass	6.197024G	-12.07	6.242175G	-61.84	-52.07	-9.77	3
6195MHz	Pass	6.200299G	-12.57	6.23525G	-61.94	-52.57	-9.37	4
6415MHz	Pass	6.4143G	-13.65	6.374375G	-59.28	-53.65	-5.63	1
6415MHz	Pass	6.423023G	-14.35	6.3744G	-61.38	-54.35	-7.03	2
6415MHz	Pass	6.421598G	-13.97	6.458475G	-60.81	-53.97	-6.84	3
6415MHz	Pass	6.4169G	-14.37	6.451175G	-61.55	-54.37	-7.18	4
6435MHz	Pass	6.427452G	-13.57	6.468275G	-61.51	-53.57	-7.94	1
6435MHz	Pass	6.443673G	-13.92	6.394925G	-61.37	-53.92	-7.45	2
6435MHz	Pass	6.439699G	-13.60	6.467825G	-61.35	-53.60	-7.75	3
6435MHz	Pass	6.432651G	-14.40	6.472475G	-61.67	-54.40	-7.27	4
6475MHz	Pass	6.47395G	-13.59	6.43865G	-61.22	-53.59	-7.63	1
6475MHz	Pass	6.483398G	-13.93	6.43175G	-61.34	-53.93	-7.41	2
6475MHz	Pass	6.482248G	-13.68	6.4339G	-61.37	-53.68	-7.69	3
6475MHz	Pass	6.469501G	-14.45	6.4321G	-61.25	-54.45	-6.80	4
6515MHz	Pass	6.523898G	-13.97	6.548275G	-61.47	-53.97	-7.50	1
6515MHz	Pass	6.506002G	-14.49	6.4741G	-61.48	-54.49	-6.99	2
6515MHz	Pass	6.523998G	-14.39	6.4721G	-61.40	-54.39	-7.01	3
6515MHz	Pass	6.506002G	-14.97	6.466575G	-61.79	-54.97	-6.82	4
6535MHz	Pass	6.540974G	-13.75	6.57405G	-61.57	-53.75	-7.82	1
6535MHz	Pass	6.527252G	-14.36	6.5825G	-61.52	-54.36	-7.16	2
6535MHz	Pass	6.540849G	-14.46	6.502675G	-61.26	-54.46	-6.80	3
6535MHz	Pass	6.534125G	-14.76	6.58485G	-61.69	-54.76	-6.93	4
6695MHz	Pass	6.687552G	-12.04	6.650875G	-61.48	-52.04	-9.44	1
6695MHz	Pass	6.689101G	-12.03	6.737375G	-61.38	-52.03	-9.35	2
6695MHz	Pass	6.700274G	-12.42	6.731875G	-61.58	-52.42	-9.16	3
6695MHz	Pass	6.688077G	-12.93	6.744175G	-61.45	-52.93	-8.52	4
6875MHz	Pass	6.882498G	-12.89	6.911975G	-60.36	-52.89	-7.47	1
6875MHz	Pass	6.880124G	-14.22	6.83515G	-60.31	-54.22	-6.09	2
6875MHz	Pass	6.870651G	-13.32	6.835175G	-60.04	-53.32	-6.72	3
6875MHz	Pass	6.866877G	-13.84	6.83525G	-60.54	-53.84	-6.70	4
6895MHz	Pass	6.888827G	-12.61	6.94125G	-60.60	-52.61	-7.99	1
6895MHz	Pass	6.890701G	-13.89	6.93785G	-60.65	-53.89	-6.76	2
6895MHz	Pass	6.889251G	-13.05	6.932925G	-60.62	-53.05	-7.57	3
6895MHz	Pass	6.886002G	-13.49	6.940425G	-60.61	-53.49	-7.12	4
6995MHz	Pass	6.990101G	-13.03	6.95855G	-60.40	-53.03	-7.37	1
6995MHz	Pass	6.987777G	-14.24	6.9467G	-60.44	-54.24	-6.20	2
6995MHz	Pass	6.993075G	-13.28	6.9505G	-60.25	-53.28	-6.97	3
6995MHz	Pass	6.986377G	-14.09	6.95025G	-60.66	-54.09	-6.57	4
7095MHz	Pass	7.101348G	-14.62	7.056525G	-62.36	-54.62	-7.74	1
7095MHz	Pass	7.096675G	-16.29	7.046625G	-62.75	-56.29	-6.46	2
7095MHz	Pass	7.098774G	-15.18	7.139675G	-62.64	-55.18	-7.46	3
7095MHz	Pass	7.086652G	-15.48	7.131325G	-62.59	-55.48	-7.11	4
7115MHz	Pass	7.107802G	-14.66	7.0802G	-62.64	-54.66	-7.98	1
7115MHz	Pass	7.109676G	-16.37	7.07555G	-62.61	-56.37	-6.24	2
7115MHz	Pass	7.109301G	-15.18	7.07955G	-62.48	-55.18	-7.30	3
7115MHz	Pass	7.106327G	-15.65	7.0665G	-62.57	-55.65	-6.92	4
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.982296G	-6.97	6.03355G	-56.99	-46.97	-10.02	1



Mask_Non-Beamforming_Radio 3

Appendix E.1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.971948G	-7.12	6.0482G	-57.42	-47.12	-10.30	2
5965MHz	Pass	5.982396G	-7.42	6.0328G	-56.60	-47.42	-9.18	3
5965MHz	Pass	5.974498G	-7.44	6.0312G	-57.22	-47.44	-9.78	4
6205MHz	Pass	6.208899G	-8.36	6.2844G	-57.93	-48.36	-9.57	1
6205MHz	Pass	6.188454G	-7.93	6.27345G	-57.60	-47.93	-9.67	2
6205MHz	Pass	6.206G	-8.74	6.28765G	-57.72	-48.74	-8.98	3
6205MHz	Pass	6.193253G	-9.40	6.29025G	-57.97	-49.40	-8.57	4
6405MHz	Pass	6.418897G	-9.59	6.4829G	-57.96	-49.59	-8.37	1
6405MHz	Pass	6.412698G	-9.57	6.49195G	-57.92	-49.57	-8.35	2
6405MHz	Pass	6.387854G	-9.68	6.4735G	-57.87	-49.68	-8.19	3
6405MHz	Pass	6.387604G	-10.81	6.48765G	-57.98	-50.81	-7.17	4
6445MHz	Pass	6.428354G	-9.70	6.3745G	-57.26	-49.70	-7.56	1
6445MHz	Pass	6.432553G	-9.72	6.53025G	-57.96	-49.72	-8.24	2
6445MHz	Pass	6.448099G	-9.59	6.54275G	-57.95	-49.59	-8.36	3
6445MHz	Pass	6.428104G	-10.66	6.52875G	-57.99	-50.66	-7.33	4
6485MHz	Pass	6.492348G	-10.05	6.419G	-57.70	-50.05	-7.65	1
6485MHz	Pass	6.473203G	-9.95	6.4131G	-57.72	-49.95	-7.77	2
6485MHz	Pass	6.470754G	-10.28	6.4035G	-57.57	-50.28	-7.29	3
6485MHz	Pass	6.491148G	-10.75	6.3919G	-57.73	-50.75	-6.98	4
6525MHz	Pass	6.507454G	-10.83	6.4576G	-57.47	-50.83	-6.64	1
6525MHz	Pass	6.532598G	-10.83	6.4598G	-57.72	-50.83	-6.89	2
6525MHz	Pass	6.542796G	-11.49	6.4437G	-57.70	-51.49	-6.21	3
6525MHz	Pass	6.527349G	-12.07	6.60415G	-57.65	-52.07	-5.58	4
6565MHz	Pass	6.560201G	-10.04	6.47825G	-57.74	-50.04	-7.70	1
6565MHz	Pass	6.568399G	-9.91	6.4705G	-57.86	-49.91	-7.95	2
6565MHz	Pass	6.570249G	-10.16	6.4729G	-57.73	-50.16	-7.57	3
6565MHz	Pass	6.557452G	-11.00	6.46625G	-57.65	-51.00	-6.65	4
6685MHz	Pass	6.703295G	-10.75	6.60815G	-57.80	-50.75	-7.05	1
6685MHz	Pass	6.702196G	-10.62	6.60265G	-57.66	-50.62	-7.04	2
6685MHz	Pass	6.667654G	-11.15	6.61625G	-57.66	-51.15	-6.51	3
6685MHz	Pass	6.667104G	-11.91	6.60115G	-57.65	-51.91	-5.74	4
6885MHz	Pass	6.867404G	-10.06	6.9754G	-56.46	-50.06	-6.40	1
6885MHz	Pass	6.866705G	-9.70	6.9674G	-56.65	-49.70	-6.95	2
6885MHz	Pass	6.902946G	-10.33	6.97885G	-56.47	-50.33	-6.14	3
6885MHz	Pass	6.890149G	-10.75	6.98185G	-56.52	-50.75	-5.77	4
6925MHz	Pass	6.943795G	-8.41	6.99245G	-56.32	-48.41	-7.91	1
6925MHz	Pass	6.906955G	-8.88	6.9911G	-56.43	-48.88	-7.55	2
6925MHz	Pass	6.918952G	-9.14	6.991G	-56.54	-49.14	-7.40	3
6925MHz	Pass	6.906705G	-9.62	6.99325G	-56.55	-49.62	-6.93	4
7005MHz	Pass	6.987554G	-8.91	6.9302G	-56.78	-48.91	-7.87	1
7005MHz	Pass	6.999801G	-9.04	6.9342G	-56.61	-49.04	-7.57	2
7005MHz	Pass	6.988254G	-8.96	6.93985G	-56.64	-48.96	-7.68	3
7005MHz	Pass	6.989804G	-9.68	6.9155G	-56.80	-49.68	-7.12	4
7085MHz	Pass	7.068004G	-10.23	6.98855G	-58.78	-50.23	-8.55	1
7085MHz	Pass	7.067004G	-10.50	7.00295G	-58.92	-50.50	-8.42	2
7085MHz	Pass	7.066555G	-10.46	6.98875G	-58.00	-50.46	-7.54	3
7085MHz	Pass	7.08695G	-11.23	6.99315G	-59.09	-51.23	-7.86	4
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.02119G	-4.19	6.1252G	-52.65	-44.19	-8.46	1
5985MHz	Pass	5.9963G	-3.94	6.029G	-32.72	-23.96	-8.76	2
5985MHz	Pass	6.00959G	-4.59	6.0295G	-33.68	-24.60	-9.08	3
5985MHz	Pass	6.01849G	-4.65	6.1196G	-53.88	-44.65	-9.23	4
6225MHz	Pass	6.19141G	-5.88	6.4177G	-54.35	-45.88	-8.47	1
6225MHz	Pass	6.2194G	-5.88	6.1806G	-31.19	-25.95	-5.24	2
6225MHz	Pass	6.2281G	-6.15	6.2684G	-33.61	-26.16	-7.45	3
6225MHz	Pass	6.2106G	-6.91	6.1815G	-34.03	-26.94	-7.09	4



Mask_Non-Beamforming_Radio 3

Appendix E.1


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6385MHz	Pass	6.3973G	-6.81	6.5214G	-54.71	-46.81	-7.90	1
6385MHz	Pass	6.41359G	-6.65	6.5737G	-54.72	-46.65	-8.07	2
6385MHz	Pass	6.3813G	-7.08	6.5564G	-54.47	-47.08	-7.39	3
6385MHz	Pass	6.3817G	-7.71	6.5467G	-54.67	-47.71	-6.96	4
6465MHz	Pass	6.42951G	-6.42	6.6122G	-54.65	-46.42	-8.23	1
6465MHz	Pass	6.4564G	-6.70	6.598G	-54.68	-46.70	-7.98	2
6465MHz	Pass	6.4725G	-6.80	6.6038G	-54.43	-46.80	-7.63	3
6465MHz	Pass	6.43831G	-7.63	6.3068G	-54.37	-47.63	-6.74	4
6545MHz	Pass	6.51771G	-7.62	6.3744G	-54.42	-47.62	-6.80	1
6545MHz	Pass	6.551G	-7.65	6.4128G	-54.83	-47.65	-7.18	2
6545MHz	Pass	6.56869G	-7.82	6.3745G	-54.06	-47.82	-6.24	3
6545MHz	Pass	6.5422G	-8.61	6.4019G	-54.46	-48.61	-5.85	4
6625MHz	Pass	6.6435G	-7.20	6.8218G	-54.07	-47.20	-6.87	1
6625MHz	Pass	6.63G	-7.34	6.581G	-32.62	-27.38	-5.24	2
6625MHz	Pass	6.59031G	-7.49	6.8136G	-54.24	-47.49	-6.75	3
6625MHz	Pass	6.6382G	-8.32	6.4412G	-54.08	-48.32	-5.76	4
6705MHz	Pass	6.72649G	-7.93	6.9034G	-54.18	-47.93	-6.25	1
6705MHz	Pass	6.7099G	-7.42	6.9035G	-54.47	-47.42	-7.05	2
6705MHz	Pass	6.67221G	-7.99	6.835G	-54.37	-47.99	-6.38	3
6705MHz	Pass	6.7178G	-8.81	6.8749G	-54.24	-48.81	-5.43	4
6785MHz	Pass	6.74801G	-5.54	6.9802G	-53.66	-45.54	-8.12	1
6785MHz	Pass	6.7814G	-5.57	6.9636G	-53.85	-45.57	-8.28	2
6785MHz	Pass	6.7905G	-6.14	6.985G	-53.28	-46.14	-7.14	3
6785MHz	Pass	6.7731G	-6.71	6.9684G	-53.32	-46.71	-6.61	4
6865MHz	Pass	6.84011G	-5.87	6.997G	-53.92	-45.87	-8.05	1
6865MHz	Pass	6.83321G	-5.79	6.9968G	-53.76	-45.79	-7.97	2
6865MHz	Pass	6.83961G	-6.20	6.9958G	-53.60	-46.20	-7.40	3
6865MHz	Pass	6.8576G	-6.67	6.9991G	-53.78	-46.35	-7.43	4
6945MHz	Pass	6.91381G	-6.12	6.8005G	-54.31	-46.12	-8.19	1
6945MHz	Pass	6.9427G	-6.04	6.8143G	-54.33	-46.04	-8.29	2
6945MHz	Pass	6.92391G	-5.86	6.8103G	-53.86	-45.86	-8.00	3
6945MHz	Pass	6.9531G	-6.57	6.8081G	-54.31	-46.57	-7.74	4
7025MHz	Pass	6.99991G	-6.95	6.89G	-54.06	-46.95	-7.11	1
7025MHz	Pass	6.99381G	-7.22	6.8852G	-54.38	-47.22	-7.16	2
7025MHz	Pass	6.98671G	-7.80	6.8893G	-53.93	-47.80	-6.13	3
7025MHz	Pass	6.99061G	-7.89	6.8569G	-53.88	-47.89	-5.99	4
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05379G	-3.30	6.285G	-51.37	-43.30	-8.07	1
6025MHz	Pass	6.0192G	-3.44	6.288G	-51.22	-43.44	-7.78	2
6025MHz	Pass	6.06099G	-3.69	6.2862G	-51.47	-43.69	-7.78	3
6025MHz	Pass	6.09278G	-3.89	6.406G	-51.28	-43.89	-7.39	4
6185MHz	Pass	6.13101G	-3.09	6.4424G	-51.11	-43.09	-8.02	1
6185MHz	Pass	6.23519G	-3.06	6.4468G	-50.93	-43.06	-7.87	2
6185MHz	Pass	6.12641G	-3.25	6.4418G	-50.97	-43.25	-7.72	3
6185MHz	Pass	6.24998G	-3.60	6.4356G	-50.97	-43.60	-7.37	4
6345MHz	Pass	6.26922G	-4.36	6.606G	-51.32	-44.36	-6.96	1
6345MHz	Pass	6.37019G	-4.03	6.603G	-51.23	-44.03	-7.20	2
6345MHz	Pass	6.3552G	-4.08	6.5976G	-50.96	-44.08	-6.88	3
6345MHz	Pass	6.37579G	-5.11	6.6016G	-51.64	-45.11	-6.53	4
6505MHz	Pass	6.44601G	-3.79	6.8962G	-51.31	-43.79	-7.52	1
6505MHz	Pass	6.47341G	-4.05	6.8266G	-51.45	-44.05	-7.40	2
6505MHz	Pass	6.4888G	-3.85	6.885G	-50.92	-43.85	-7.07	3
6505MHz	Pass	6.46261G	-4.99	6.2308G	-51.46	-44.99	-6.47	4
6665MHz	Pass	6.62021G	-5.39	6.9982G	-50.84	-45.39	-5.45	1
6665MHz	Pass	6.61521G	-5.12	6.9732G	-50.83	-45.12	-5.71	2
6665MHz	Pass	6.63141G	-5.27	6.9808G	-50.71	-45.27	-5.44	3







Mask_Non-Beamforming_Radio 3



Appendix E.1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6665MHz	Pass	6.63461G	-6.10	6.979G	-50.82	-46.10	-4.72	4
6825MHz	Pass	6.74802G	-3.42	6.4354G	-51.28	-43.42	-7.86	1
6825MHz	Pass	6.76142G	-3.36	6.5692G	-51.29	-43.23	-8.06	2
6825MHz	Pass	6.75642G	-3.89	6.4396G	-50.81	-43.89	-6.92	3
6825MHz	Pass	6.85259G	-4.16	6.4416G	-50.16	-44.16	-6.00	4
6985MHz	Pass	6.92162G	-4.19	6.7174G	-51.40	-44.19	-7.21	1
6985MHz	Pass	6.92122G	-4.45	6.7132G	-50.77	-44.45	-6.32	2
6985MHz	Pass	6.9654G	-4.66	6.7296G	-51.03	-44.66	-6.37	3
6985MHz	Pass	6.93101G	-5.21	6.6G	-50.55	-45.21	-5.34	4
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.08421G	0.90	6.603G	-40.86	-39.10	-1.76	1
6105MHz	Pass	6.17578G	0.56	6.6226G	-41.05	-39.36	-1.69	2
6105MHz	Pass	6.06901G	0.57	6.6142G	-43.86	-39.43	-4.43	3
6105MHz	Pass	6.25616G	0.16	6.6018G	-44.65	-39.84	-4.81	4
6265MHz	Pass	6.21021G	0.03	6.9906G	-46.78	-39.97	-6.81	1
6265MHz	Pass	6.37177G	0.00	6.7774G	-45.60	-40.00	-5.60	2
6265MHz	Pass	6.20861G	-0.35	6.777G	-46.32	-40.35	-5.97	3
6265MHz	Pass	6.29019G	-0.76	6.973G	-46.74	-40.76	-5.98	4
6425MHz	Pass	6.28623G	-0.10	6.9886G	-46.30	-40.10	-6.20	1
6425MHz	Pass	6.45419G	-0.21	6.9522G	-45.34	-40.21	-5.13	2
6425MHz	Pass	6.45019G	-0.54	6.943G	-46.05	-40.54	-5.51	3
6425MHz	Pass	6.4106G	-1.18	6.987G	-46.51	-41.18	-5.33	4
6585MHz	Pass	6.45623G	-0.80	6.0686G	-47.04	-40.80	-6.24	1
6585MHz	Pass	6.45383G	-0.77	6.0586G	-47.86	-40.77	-7.09	2
6585MHz	Pass	6.53101G	-1.40	6.0678G	-47.11	-41.38	-5.73	3
6585MHz	Pass	6.52302G	-1.90	6.0614G	-47.63	-41.94	-5.69	4
6745MHz	Pass	6.59264G	-1.83	6.2158G	-47.09	-41.83	-5.26	1
6745MHz	Pass	6.63023G	-1.74	6.2398G	-47.32	-41.60	-5.72	2
6745MHz	Pass	6.729G	-2.36	6.2262G	-47.22	-42.35	-4.87	3
6745MHz	Pass	6.59504G	-2.89	6.2206G	-47.12	-42.94	-4.18	4
6905MHz	Pass	6.75744G	-1.44	6.3762G	-46.21	-41.40	-4.81	1
6905MHz	Pass	6.76464G	-0.30	6.395G	-46.49	-40.29	-6.20	2
6905MHz	Pass	6.8854G	-1.43	6.3902G	-46.58	-41.43	-5.15	3
6905MHz	Pass	6.77503G	-1.82	6.4002G	-46.39	-41.81	-4.58	4











6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

05/12/2023

CF (Hz)
6.875G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.882498G	-12.89	6.911975G	-60.36	-52.89	-7.47	1
6.880124G	-14.22	6.83515G	-60.31	-54.22	-6.09	2
6.870651G	-13.32	6.835175G	-60.04	-53.32	-6.72	3
6.866877G	-13.84	6.83525G	-60.54	-53.84	-6.70	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

05/12/2023

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS





Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.888827G	-12.61	6.94125G	-60.60	-52.61	-7.99	1
6.890701G	-13.89	6.93785G	-60.65	-53.89	-6.76	2
6.889251G	-13.05	6.932925G	-60.62	-53.05	-7.57	3
6.886002G	-13.49	6.940425G	-60.61	-53.49	-7.12	4





6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

05/12/2023

CF (Hz)
7.115G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.107802G	-14.66	7.0802G	-62.64	-54.66	-7.98	1
7.109676G	-16.37	7.07555G	-62.61	-56.37	-6.24	2
7.109301G	-15.18	7.07955G	-62.48	-55.18	-7.30	3
7.106327G	-15.65	7.0665G	-62.57	-55.65	-6.92	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

05/12/2023

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS




Port 1



Port 2



Port 3


Port 4



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.982296G	-6.97	6.03355G	-56.99	-46.97	-10.02	1
5.971948G	-7.12	6.0482G	-57.42	-47.12	-10.30	2
5.982396G	-7.42	6.0328G	-56.60	-47.42	-9.18	3
5.974498G	-7.44	6.0312G	-57.22	-47.44	-9.78	4























































6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

05/12/2023

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75744G	-1.44	6.3762G	-46.21	-41.40	-4.81	1
6.76464G	-0.30	6.395G	-46.49	-40.29	-6.20	2
6.8854G	-1.43	6.3902G	-46.58	-41.43	-5.15	3
6.77503G	-1.82	6.4002G	-46.39	-41.81	-4.58	4



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.408252G	-14.19	6.3744G	-61.73	-54.19	-7.54	2
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.389104G	-5.68	6.38365G	-35.36	-25.70	-9.66	1
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.2172G	-6.47	6.4096G	-54.14	-46.47	-7.67	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.3482G	-2.97	6.4974G	-32.46	-28.70	-3.76	1
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.279G	0.34	5.9586G	-26.04	-24.37	-1.67	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.470401G	-14.47	6.4345G	-62.24	-54.47	-7.77	4
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.515652G	-9.64	6.43285G	-57.99	-49.64	-8.35	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.5485G	-7.02	6.4034G	-54.04	-47.02	-7.02	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.52739G	-2.79	6.3692G	-34.72	-26.67	-8.05	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.882723G	-14.81	6.916575G	-61.28	-54.81	-6.47	3
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.901346G	-4.61	6.91665G	-31.19	-28.18	-3.01	1
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.58871G	-7.65	6.4374G	-54.38	-47.65	-6.73	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.74962G	-2.95	6.6694G	-30.70	-29.37	-1.33	1
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.60903G	0.14	6.365G	-38.11	-31.41	-6.70	3
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.889651G	-15.11	6.94105G	-61.25	-55.11	-6.14	2
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.999851G	-5.66	6.96815G	-37.32	-31.87	-5.45	1
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.91141G	-7.71	6.7825G	-54.12	-47.71	-6.41	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.94901G	-2.08	6.8598G	-27.97	-24.30	-3.67	1
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.84581G	-0.66	7.0694G	-24.04	-20.66	-3.38	4



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.958799G	-11.66	5.992875G	-63.43	-51.66	-11.77	1
5955MHz	Pass	5.946752G	-11.53	5.987525G	-63.35	-51.53	-11.82	2
5955MHz	Pass	5.950801G	-11.72	5.9897G	-62.89	-51.72	-11.17	3
5955MHz	Pass	5.962923G	-11.61	5.9885G	-63.49	-51.61	-11.88	4
6195MHz	Pass	6.202923G	-12.59	6.238875G	-62.23	-52.59	-9.64	1
6195MHz	Pass	6.188227G	-12.67	6.232575G	-62.16	-52.67	-9.49	2
6195MHz	Pass	6.186752G	-12.72	6.229125G	-62.22	-52.72	-9.50	3
6195MHz	Pass	6.202723G	-13.53	6.236225G	-61.98	-53.53	-8.45	4
6415MHz	Pass	6.407152G	-13.79	6.3744G	-61.78	-53.79	-7.99	1
6415MHz	Pass	6.408252G	-14.19	6.3744G	-61.73	-54.19	-7.54	2
6415MHz	Pass	6.422398G	-13.59	6.37705G	-62.35	-53.59	-8.76	3
6415MHz	Pass	6.406052G	-14.15	6.448475G	-62.17	-54.15	-8.02	4
6435MHz	Pass	6.429276G	-11.41	6.401225G	-61.86	-51.41	-10.45	1
6435MHz	Pass	6.439949G	-11.64	6.4029G	-62.00	-51.64	-10.36	2
6435MHz	Pass	6.430526G	-11.41	6.38765G	-62.06	-51.41	-10.65	3
6435MHz	Pass	6.441973G	-12.59	6.388625G	-62.39	-52.59	-9.80	4
6475MHz	Pass	6.465902G	-13.79	6.427325G	-62.25	-53.79	-8.46	1
6475MHz	Pass	6.481248G	-14.01	6.4252G	-62.35	-54.01	-8.34	2
6475MHz	Pass	6.466827G	-13.45	6.42815G	-62.37	-53.45	-8.92	3
6475MHz	Pass	6.470401G	-14.47	6.4345G	-62.24	-54.47	-7.77	4
6515MHz	Pass	6.512751G	-11.22	6.47255G	-62.67	-51.22	-11.45	1
6515MHz	Pass	6.522423G	-10.63	6.473G	-62.80	-50.63	-12.17	2
6515MHz	Pass	6.505777G	-11.55	6.478375G	-62.54	-51.55	-10.99	3
6515MHz	Pass	6.507627G	-12.22	6.4812G	-62.71	-52.22	-10.49	4
6535MHz	Pass	6.543948G	-12.00	6.498425G	-62.83	-52.00	-10.83	1
6535MHz	Pass	6.527527G	-11.89	6.496025G	-62.92	-51.89	-11.03	2
6535MHz	Pass	6.540524G	-13.47	6.582025G	-62.68	-53.47	-9.21	3
6535MHz	Pass	6.527802G	-13.21	6.5686G	-62.72	-53.21	-9.51	4
6695MHz	Pass	6.703548G	-12.67	6.7286G	-62.59	-52.67	-9.92	1
6695MHz	Pass	6.692476G	-15.01	6.73845G	-62.67	-55.01	-7.66	2
6695MHz	Pass	6.687602G	-12.80	6.733875G	-62.46	-52.80	-9.66	3
6695MHz	Pass	6.686752G	-13.16	6.651275G	-62.41	-53.16	-9.25	4
6875MHz	Pass	6.884323G	-14.47	6.9172G	-61.35	-54.47	-6.88	1
6875MHz	Pass	6.866077G	-14.09	6.9248G	-61.47	-54.09	-7.38	2
6875MHz	Pass	6.882723G	-14.81	6.916575G	-61.28	-54.81	-6.47	3
6875MHz	Pass	6.867602G	-14.26	6.91265G	-61.18	-54.26	-6.92	4
6895MHz	Pass	6.900849G	-13.81	6.944575G	-61.01	-53.81	-7.20	1
6895MHz	Pass	6.889651G	-15.11	6.94105G	-61.25	-55.11	-6.14	2
6895MHz	Pass	6.886102G	-13.43	6.94405G	-61.39	-53.43	-7.96	3
6895MHz	Pass	6.886502G	-14.32	6.93685G	-61.14	-54.32	-6.82	4
6995MHz	Pass	6.988102G	-13.05	6.9565G	-61.23	-53.05	-8.18	1
6995MHz	Pass	6.990901G	-12.56	6.9633G	-60.86	-52.56	-8.30	2
6995MHz	Pass	6.986202G	-12.97	6.955625G	-61.05	-52.97	-8.08	3
6995MHz	Pass	7.002723G	-13.84	6.9555G	-61.10	-53.84	-7.26	4
7095MHz	Pass	7.102898G	-14.01	7.13475G	-66.70	-54.01	-12.69	1
7095MHz	Pass	7.085802G	-13.62	7.0587G	-66.80	-53.62	-13.18	2
7095MHz	Pass	7.088502G	-14.06	7.04535G	-66.61	-54.06	-12.55	3
7095MHz	Pass	7.100724G	-15.01	7.0469G	-66.94	-55.01	-11.93	4
7115MHz	Pass	7.107527G	-14.51	7.07315G	-66.88	-54.51	-12.37	1
7115MHz	Pass	7.120974G	-16.56	7.069225G	-66.79	-56.56	-10.23	2
7115MHz	Pass	7.122373G	-15.22	7.065625G	-66.69	-55.22	-11.47	3
7115MHz	Pass	7.107427G	-15.40	7.07545G	-67.07	-55.40	-11.67	4
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.976597G	-5.64	6.03555G	-57.92	-45.64	-12.28	1



Mask_Beamforming_Radio 3

Appendix E.2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.981346G	-5.39	6.0281G	-56.54	-45.06	-11.48	2
5965MHz	Pass	5.979346G	-5.19	6.03935G	-58.62	-45.19	-13.43	3
5965MHz	Pass	5.982396G	-6.08	6.0286G	-56.33	-45.84	-10.49	4
6205MHz	Pass	6.202001G	-5.65	6.1425G	-57.34	-45.65	-11.69	1
6205MHz	Pass	6.189804G	-5.58	6.28075G	-57.48	-45.58	-11.90	2
6205MHz	Pass	6.196302G	-5.58	6.27955G	-57.22	-45.58	-11.64	3
6205MHz	Pass	6.222496G	-6.16	6.227G	-37.61	-26.31	-11.30	4
6405MHz	Pass	6.389104G	-5.68	6.38365G	-35.36	-25.70	-9.66	1
6405MHz	Pass	6.418297G	-5.55	6.3277G	-57.46	-45.55	-11.91	2
6405MHz	Pass	6.400301G	-5.53	6.42615G	-35.87	-25.54	-10.33	3
6405MHz	Pass	6.411098G	-6.17	6.4268G	-37.86	-26.22	-11.64	4
6445MHz	Pass	6.428804G	-4.24	6.409G	-38.39	-29.69	-8.70	1
6445MHz	Pass	6.459696G	-3.92	6.423G	-35.84	-23.94	-11.90	2
6445MHz	Pass	6.427204G	-4.48	6.46665G	-35.31	-24.49	-10.82	3
6445MHz	Pass	6.441951G	-5.45	6.38035G	-56.85	-45.45	-11.40	4
6485MHz	Pass	6.477902G	-7.87	6.4012G	-57.67	-47.87	-9.80	1
6485MHz	Pass	6.480901G	-7.42	6.3919G	-57.72	-47.42	-10.30	2
6485MHz	Pass	6.469004G	-8.02	6.4096G	-57.81	-48.02	-9.79	3
6485MHz	Pass	6.471353G	-9.11	6.4145G	-57.51	-49.11	-8.40	4
6525MHz	Pass	6.542546G	-7.84	6.4484G	-57.91	-47.84	-10.07	1
6525MHz	Pass	6.506555G	-7.03	6.4284G	-58.01	-47.03	-10.98	2
6525MHz	Pass	6.508104G	-8.33	6.4319G	-57.77	-48.33	-9.44	3
6525MHz	Pass	6.515652G	-9.64	6.43285G	-57.99	-49.64	-8.35	4
6565MHz	Pass	6.576847G	-7.16	6.4668G	-57.82	-47.16	-10.66	1
6565MHz	Pass	6.569449G	-6.32	6.58665G	-37.56	-26.33	-11.23	2
6565MHz	Pass	6.582696G	-7.31	6.48225G	-58.23	-47.31	-10.92	3
6565MHz	Pass	6.551403G	-7.65	6.48845G	-58.11	-47.65	-10.46	4
6685MHz	Pass	6.666755G	-5.78	6.77915G	-57.72	-45.78	-11.94	1
6685MHz	Pass	6.702946G	-6.94	6.70635G	-37.28	-26.99	-10.29	2
6685MHz	Pass	6.666605G	-7.02	6.7631G	-57.88	-47.02	-10.86	3
6685MHz	Pass	6.669004G	-7.11	6.66355G	-37.15	-27.20	-9.95	4
6885MHz	Pass	6.901346G	-4.61	6.91665G	-31.19	-28.18	-3.01	1
6885MHz	Pass	6.902646G	-4.40	6.9073G	-35.18	-24.47	-10.71	2
6885MHz	Pass	6.899996G	-5.14	6.9071G	-35.38	-25.20	-10.18	3
6885MHz	Pass	6.870204G	-5.77	6.90655G	-35.60	-25.78	-9.82	4
6925MHz	Pass	6.907754G	-7.19	6.99465G	-56.95	-47.19	-9.76	1
6925MHz	Pass	6.910604G	-7.21	6.99775G	-57.55	-47.21	-10.34	2
6925MHz	Pass	6.906705G	-7.17	6.989G	-56.98	-47.17	-9.81	3
6925MHz	Pass	6.906605G	-8.42	6.9949G	-57.37	-48.42	-8.95	4
7005MHz	Pass	6.999851G	-5.66	6.96815G	-37.32	-31.87	-5.45	1
7005MHz	Pass	6.993603G	-4.22	6.91285G	-56.52	-44.22	-12.30	2
7005MHz	Pass	6.998002G	-6.16	6.94045G	-56.61	-46.16	-10.45	3
7005MHz	Pass	7.007299G	-7.37	6.9398G	-56.93	-47.37	-9.56	4
7085MHz	Pass	7.071303G	-7.96	7.04845G	-44.57	-33.33	-11.24	1
7085MHz	Pass	7.091098G	-7.92	7.0192G	-60.52	-47.92	-12.60	2
7085MHz	Pass	7.082201G	-7.05	6.9887G	-61.88	-47.05	-14.83	3
7085MHz	Pass	7.071303G	-8.89	7.0181G	-61.82	-48.89	-12.93	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01759G	-3.11	6.1211G	-54.58	-43.11	-11.47	1
5985MHz	Pass	6.02059G	-2.57	6.1697G	-55.15	-42.57	-12.58	2
5985MHz	Pass	6.003G	-3.62	6.1772G	-54.98	-43.62	-11.36	3
5985MHz	Pass	6.01699G	-3.89	6.1698G	-54.79	-43.89	-10.90	4
6225MHz	Pass	6.19981G	-5.63	6.3552G	-54.57	-45.63	-8.94	1
6225MHz	Pass	6.19641G	-5.77	6.4045G	-54.64	-45.77	-8.87	2
6225MHz	Pass	6.19841G	-5.45	6.4062G	-54.53	-45.45	-9.08	3
6225MHz	Pass	6.2172G	-6.47	6.4096G	-54.14	-46.47	-7.67	4



Mask_Beamforming_Radio 3

Appendix E.2


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6385MHz	Pass	6.3729G	-5.93	6.2553G	-54.90	-45.93	-8.97	1
6385MHz	Pass	6.41539G	-5.89	6.2572G	-55.06	-45.89	-9.17	2
6385MHz	Pass	6.3867G	-5.78	6.2202G	-54.38	-45.78	-8.60	3
6385MHz	Pass	6.42269G	-5.75	6.2271G	-54.56	-45.75	-8.81	4
6465MHz	Pass	6.4692G	-6.37	6.282G	-54.97	-46.37	-8.60	1
6465MHz	Pass	6.48859G	-5.89	6.2997G	-55.18	-45.89	-9.29	2
6465MHz	Pass	6.43271G	-6.13	6.2792G	-54.43	-46.13	-8.30	3
6465MHz	Pass	6.4774G	-6.91	6.3066G	-54.58	-46.91	-7.67	4
6545MHz	Pass	6.5534G	-6.54	6.4181G	-54.58	-46.54	-8.04	1
6545MHz	Pass	6.50791G	-4.81	6.4127G	-54.86	-44.81	-10.05	2
6545MHz	Pass	6.57619G	-5.84	6.3979G	-54.54	-45.84	-8.70	3
6545MHz	Pass	6.5485G	-7.02	6.4034G	-54.04	-47.02	-7.02	4
6625MHz	Pass	6.59251G	-5.78	6.8025G	-54.52	-45.78	-8.74	1
6625MHz	Pass	6.65399G	-5.93	6.8086G	-54.43	-45.93	-8.50	2
6625MHz	Pass	6.59331G	-6.34	6.8146G	-54.38	-46.34	-8.04	3
6625MHz	Pass	6.58871G	-7.65	6.4374G	-54.38	-47.65	-6.73	4
6705MHz	Pass	6.696G	-6.23	6.8916G	-54.33	-46.23	-8.10	1
6705MHz	Pass	6.68271G	-5.52	6.8968G	-54.42	-45.52	-8.90	2
6705MHz	Pass	6.68121G	-5.99	6.8951G	-54.36	-45.99	-8.37	3
6705MHz	Pass	6.66801G	-7.16	6.8352G	-54.15	-47.16	-6.99	4
6785MHz	Pass	6.74861G	-4.89	6.9766G	-53.90	-44.89	-9.01	1
6785MHz	Pass	6.76311G	-4.83	6.9682G	-54.15	-44.83	-9.32	2
6785MHz	Pass	6.769G	-4.58	6.9739G	-53.59	-44.58	-9.01	3
6785MHz	Pass	6.76211G	-5.66	6.9575G	-53.66	-45.66	-8.00	4
6865MHz	Pass	6.82771G	-7.38	6.9945G	-54.41	-47.33	-7.08	1
6865MHz	Pass	6.84111G	-6.84	6.998G	-54.61	-46.84	-7.77	2
6865MHz	Pass	6.8583G	-7.24	6.9956G	-54.04	-47.24	-6.80	3
6865MHz	Pass	6.82941G	-6.90	6.9901G	-54.04	-46.90	-7.14	4
6945MHz	Pass	6.92451G	-6.52	6.8101G	-54.41	-46.52	-7.89	1
6945MHz	Pass	6.956G	-7.17	6.8067G	-54.71	-47.17	-7.54	2
6945MHz	Pass	6.90761G	-6.19	6.8077G	-54.41	-46.19	-8.22	3
6945MHz	Pass	6.91141G	-7.71	6.7825G	-54.12	-47.71	-6.41	4
7025MHz	Pass	6.99201G	-5.12	6.8869G	-54.21	-45.12	-9.09	1
7025MHz	Pass	6.98841G	-3.95	6.8255G	-54.17	-43.95	-10.22	2
7025MHz	Pass	6.99331G	-4.90	6.8749G	-54.04	-44.90	-9.14	3
7025MHz	Pass	6.98891G	-6.80	6.8865G	-53.53	-46.80	-6.73	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.07519G	-2.05	6.1804G	-35.58	-28.64	-6.94	1
6025MHz	Pass	6.05359G	-2.17	6.274G	-50.89	-42.17	-8.72	2
6025MHz	Pass	6.0204G	-2.59	6.2778G	-51.56	-42.59	-8.97	3
6025MHz	Pass	6.09858G	-2.18	6.2936G	-50.83	-42.18	-8.65	4
6185MHz	Pass	6.10802G	-2.50	6.4678G	-51.20	-42.50	-8.70	1
6185MHz	Pass	6.14161G	-2.88	6.4408G	-51.29	-42.84	-8.45	2
6185MHz	Pass	6.13741G	-2.76	6.4388G	-51.46	-42.72	-8.74	3
6185MHz	Pass	6.22139G	-2.66	6.4398G	-51.09	-42.66	-8.43	4
6345MHz	Pass	6.3482G	-2.97	6.4974G	-32.46	-28.70	-3.76	1
6345MHz	Pass	6.41518G	-2.37	6.5958G	-51.35	-42.37	-8.98	2
6345MHz	Pass	6.3614G	-2.46	6.602G	-51.54	-42.46	-9.08	3
6345MHz	Pass	6.41298G	-2.79	6.6096G	-51.40	-42.79	-8.61	4
6505MHz	Pass	6.52739G	-2.79	6.3692G	-34.72	-26.67	-8.05	1
6505MHz	Pass	6.48461G	-2.55	6.7976G	-51.54	-42.55	-8.99	2
6505MHz	Pass	6.53359G	-2.97	6.7952G	-51.09	-42.97	-8.12	3
6505MHz	Pass	6.45061G	-2.46	6.7946G	-51.29	-42.46	-8.83	4
6665MHz	Pass	6.59262G	-2.23	6.8098G	-35.78	-27.70	-8.08	1
6665MHz	Pass	6.71799G	-1.68	6.9704G	-50.93	-41.68	-9.25	2
6665MHz	Pass	6.61041G	-2.72	6.9392G	-50.90	-42.72	-8.18	3







Mask_Beamforming_Radio 3


Appendix E.2


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6665MHz	Pass	6.59882G	-3.14	6.2818G	-50.66	-43.14	-7.52	4
6825MHz	Pass	6.74962G	-2.95	6.6694G	-30.70	-29.37	-1.33	1
6825MHz	Pass	6.76202G	-1.46	6.5716G	-51.22	-41.36	-9.86	2
6825MHz	Pass	6.75502G	-2.48	6.574G	-50.72	-42.48	-8.24	3
6825MHz	Pass	6.8144G	-2.77	6.4424G	-50.45	-42.77	-7.68	4
6985MHz	Pass	6.94901G	-2.08	6.8598G	-27.97	-24.30	-3.67	1
6985MHz	Pass	6.9814G	-1.80	6.724G	-51.62	-41.80	-9.82	2
6985MHz	Pass	6.9966G	-2.57	6.733G	-50.58	-42.57	-8.01	3
6985MHz	Pass	6.91062G	0.03	6.7788G	-41.26	-33.96	-7.30	4
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0874G	0.30	6.377G	-27.29	-22.80	-4.49	1
6105MHz	Pass	6.13739G	0.55	6.8038G	-47.92	-39.50	-8.42	2
6105MHz	Pass	6.03582G	-0.01	6.6174G	-47.30	-39.99	-7.31	3
6105MHz	Pass	6.21697G	-0.30	6.611G	-47.61	-40.24	-7.37	4
6265MHz	Pass	6.279G	0.34	5.9586G	-26.04	-24.37	-1.67	1
6265MHz	Pass	6.28819G	0.69	6.777G	-46.08	-39.30	-6.78	2
6265MHz	Pass	6.35538G	0.30	6.7578G	-45.93	-39.68	-6.25	3
6265MHz	Pass	6.22981G	-0.03	6.7634G	-47.12	-40.04	-7.08	4
6425MHz	Pass	6.4314G	3.94	5.9526G	-36.64	-33.61	-3.03	1
6425MHz	Pass	6.57096G	1.14	6.8118G	-37.52	-30.69	-6.83	2
6425MHz	Pass	6.57616G	1.17	6.957G	-48.53	-38.84	-9.69	3
6425MHz	Pass	6.44779G	0.50	6.9274G	-50.83	-39.51	-11.32	4
6585MHz	Pass	6.5914G	0.41	6.3406G	-29.00	-20.86	-8.14	1
6585MHz	Pass	6.5702G	0.63	6.305G	-34.54	-24.87	-9.67	2
6585MHz	Pass	6.55581G	0.08	6.085G	-49.34	-39.82	-9.52	3
6585MHz	Pass	6.60579G	0.20	6.0638G	-50.04	-39.81	-10.23	4
6745MHz	Pass	6.7542G	1.18	6.4914G	-28.83	-18.96	-9.87	1
6745MHz	Pass	6.69501G	1.09	6.4898G	-28.99	-20.90	-8.09	2
6745MHz	Pass	6.60903G	0.14	6.365G	-38.11	-31.41	-6.70	3
6745MHz	Pass	6.64542G	0.13	6.3474G	-39.63	-32.37	-7.26	4
6905MHz	Pass	6.75224G	0.84	6.5898G	-28.03	-19.40	-8.63	1
6905MHz	Pass	6.75144G	0.31	6.5954G	-32.31	-23.90	-8.41	2
6905MHz	Pass	6.80103G	-0.68	6.347G	-50.22	-40.68	-9.54	3
6905MHz	Pass	6.84581G	-0.66	7.0694G	-24.04	-20.66	-3.38	4



















































































Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	PK	30M	32.13	40.00	-7.87	3	Vertical	360	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	PK	30M	32.13	40.00	-7.87	3	Vertical	360	1.00
6745MHz	Pass	PK	51.34M	30.87	40.00	-9.13	3	Vertical	360	1.00
6745MHz	Pass	PK	189.08M	32.82	43.50	-10.68	3	Vertical	360	1.00
6745MHz	Pass	PK	245.34M	27.63	46.00	-18.37	3	Vertical	360	1.00
6745MHz	Pass	PK	414.12M	30.57	46.00	-15.43	3	Vertical	360	1.00
6745MHz	Pass	PK	482.02M	30.41	46.00	-15.59	3	Vertical	360	1.00
6745MHz	Pass	PK	41.64M	29.94	40.00	-10.06	3	Horizontal	0	1.00
6745MHz	Pass	PK	140.58M	31.81	43.50	-11.69	3	Horizontal	0	1.00
6745MHz	Pass	PK	191.02M	32.46	43.50	-11.04	3	Horizontal	0	1.00
6745MHz	Pass	PK	241.46M	29.82	46.00	-16.18	3	Horizontal	0	1.00
6745MHz	Pass	PK	388.9M	29.35	46.00	-16.65	3	Horizontal	0	1.00
6745MHz	Pass	PK	544.1M	32.18	46.00	-13.82	3	Horizontal	0	1.00

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	32.13	40.00	-7.87	-3.21	3	Vertical	360	1.00	35.34	22.98	1.21	27.40
PK	51.34M	30.87	40.00	-9.13	-12.41	3	Vertical	360	1.00	43.28	13.15	1.42	26.98
PK	189.08M	32.82	43.50	-10.68	-10.65	3	Vertical	360	1.00	43.47	14.22	2.65	27.52
PK	245.34M	27.63	46.00	-18.37	-7.11	3	Vertical	360	1.00	34.74	17.11	3.02	27.24
PK	414.12M	30.57	46.00	-15.43	-2.30	3	Vertical	360	1.00	32.87	21.73	4.01	28.04
PK	482.02M	30.41	46.00	-15.59	-1.42	3	Vertical	360	1.00	31.83	22.60	4.36	28.38

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	41.64M	29.94	40.00	-10.06	-7.89	3	Horizontal	0	1.00	37.83	17.36	1.43	26.68
PK	140.58M	31.81	43.50	-11.69	-9.14	3	Horizontal	0	1.00	40.95	16.30	2.33	27.77
PK	191.02M	32.46	43.50	-11.04	-10.59	3	Horizontal	0	1.00	43.05	14.25	2.68	27.52
PK	241.46M	29.82	46.00	-16.18	-7.57	3	Horizontal	0	1.00	37.39	16.69	3.00	27.26
PK	388.9M	29.35	46.00	-16.65	-3.58	3	Horizontal	0	1.00	32.93	20.42	3.85	27.85
PK	544.1M	32.18	46.00	-13.82	-0.48	3	Horizontal	0	1.00	32.66	23.68	4.51	28.67



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	11.90988G	38.30	54.00	-15.70	3	Horizontal	34	2.24
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	12.41193G	38.31	54.00	-15.69	3	Horizontal	207	1.57
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	12.4484G	38.42	54.00	-15.58	3	Horizontal	240	2.58
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	12.05073G	38.73	54.00	-15.27	3	Vertical	136	2.90
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	12.19064G	39.01	54.00	-14.99	3	Horizontal	328	1.50
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	12.95217G	39.42	68.20	-28.78	3	Horizontal	302	2.63
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	12.9725G	39.43	68.20	-28.77	3	Horizontal	257	1.51
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	12.9324G	39.37	68.20	-28.83	3	Horizontal	281	2.83
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	13.00994G	39.26	68.20	-28.94	3	Vertical	85	1.30
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	13.39058G	39.29	54.00	-14.71	3	Horizontal	279	2.75
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	13.37219G	39.32	54.00	-14.68	3	Vertical	165	1.19
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	13.25102G	39.07	54.00	-14.93	3	Horizontal	14	2.83
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	13.33101G	39.26	54.00	-14.74	3	Vertical	293	1.68
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	13.46984G	40.47	68.20	-27.73	3	Horizontal	261	2.54
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	7.1255G	64.14	68.20	-4.06	3	Vertical	277	1.48
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	7.223G	49.71	68.20	-18.49	3	Vertical	291	1.50
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	7.1618G	49.36	68.20	-18.84	3	Vertical	306	1.50
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	7.1395G	54.57	68.20	-13.63	3	Vertical	302	1.54
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	7.1395G	61.50	68.20	-6.70	3	Vertical	316	1.10



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9226G	46.04	68.20	-22.16	3	Vertical	6	1.60
5955MHz	Pass	AV	5.961G	98.94	Inf	-Inf	3	Vertical	6	1.60
5955MHz	Pass	PK	5.9058G	57.83	88.20	-30.37	3	Vertical	6	1.60
5955MHz	Pass	PK	5.9616G	109.94	Inf	-Inf	3	Vertical	6	1.60
5955MHz	Pass	AV	5.9202G	45.47	68.20	-22.73	3	Horizontal	292	3.00
5955MHz	Pass	AV	5.961G	94.19	Inf	-Inf	3	Horizontal	292	3.00
5955MHz	Pass	PK	5.91G	57.57	88.20	-30.63	3	Horizontal	292	3.00
5955MHz	Pass	PK	5.9598G	105.43	Inf	-Inf	3	Horizontal	292	3.00
5955MHz	Pass	AV	11.91007G	38.22	54.00	-15.78	3	Vertical	153	2.34
5955MHz	Pass	PK	11.90846G	50.18	74.00	-23.82	3	Vertical	153	2.34
5955MHz	Pass	AV	11.90988G	38.30	54.00	-15.70	3	Horizontal	34	2.24
5955MHz	Pass	PK	11.90758G	50.11	74.00	-23.89	3	Horizontal	34	2.24
6195MHz	Pass	AV	12.38975G	38.18	54.00	-15.82	3	Vertical	77	1.69
6195MHz	Pass	PK	12.39141G	49.54	74.00	-24.46	3	Vertical	77	1.69
6195MHz	Pass	AV	12.38757G	38.17	54.00	-15.83	3	Horizontal	288	2.36
6195MHz	Pass	PK	12.39027G	48.85	74.00	-25.15	3	Horizontal	288	2.36
6415MHz	Pass	AV	12.83156G	38.80	68.20	-29.40	3	Vertical	303	1.78
6415MHz	Pass	PK	12.82906G	49.34	88.20	-38.86	3	Vertical	303	1.78
6415MHz	Pass	AV	12.82837G	38.89	68.20	-29.31	3	Horizontal	85	2.50
6415MHz	Pass	PK	12.82863G	50.21	88.20	-37.99	3	Horizontal	85	2.50
6435MHz	Pass	AV	12.87193G	38.89	68.20	-29.31	3	Vertical	94	2.31
6435MHz	Pass	PK	12.86851G	49.65	88.20	-38.55	3	Vertical	94	2.31
6435MHz	Pass	AV	12.87216G	38.93	68.20	-29.27	3	Horizontal	29	2.58
6435MHz	Pass	PK	12.87003G	50.53	88.20	-37.67	3	Horizontal	29	2.58
6475MHz	Pass	AV	12.94895G	39.33	68.20	-28.87	3	Vertical	245	2.92
6475MHz	Pass	PK	12.95011G	50.40	88.20	-37.80	3	Vertical	245	2.92
6475MHz	Pass	AV	12.95217G	39.42	68.20	-28.78	3	Horizontal	302	2.63
6475MHz	Pass	PK	12.95118G	50.51	88.20	-37.69	3	Horizontal	302	2.63
6515MHz	Pass	AV	13.02803G	39.01	68.20	-29.19	3	Vertical	177	2.27
6515MHz	Pass	PK	13.02928G	50.67	88.20	-37.53	3	Vertical	177	2.27
6515MHz	Pass	AV	13.03034G	38.94	68.20	-29.26	3	Horizontal	198	2.21
6515MHz	Pass	PK	13.02877G	50.05	88.20	-38.15	3	Horizontal	198	2.21
6535MHz	Pass	AV	13.06783G	39.35	68.20	-28.85	3	Vertical	315	1.41
6535MHz	Pass	PK	13.06938G	50.42	88.20	-37.78	3	Vertical	315	1.41
6535MHz	Pass	AV	13.06827G	39.29	68.20	-28.91	3	Horizontal	201	2.36
6535MHz	Pass	PK	13.06988G	50.13	88.20	-38.07	3	Horizontal	201	2.36
6695MHz	Pass	AV	13.38769G	39.26	54.00	-14.74	3	Vertical	218	1.37
6695MHz	Pass	PK	13.38988G	49.88	74.00	-24.12	3	Vertical	218	1.37
6695MHz	Pass	AV	13.39058G	39.29	54.00	-14.71	3	Horizontal	279	2.75
6695MHz	Pass	PK	13.39096G	49.70	74.00	-24.30	3	Horizontal	279	2.75
6875MHz	Pass	AV	13.74939G	38.81	68.20	-29.39	3	Vertical	290	1.53
6875MHz	Pass	PK	13.75087G	49.37	88.20	-38.83	3	Vertical	290	1.53
6875MHz	Pass	AV	13.75002G	38.82	68.20	-29.38	3	Horizontal	346	2.01
6875MHz	Pass	PK	13.75125G	49.04	88.20	-39.16	3	Horizontal	346	2.01
6895MHz	Pass	AV	13.79136G	38.82	68.20	-29.38	3	Vertical	293	2.66
6895MHz	Pass	PK	13.79G	49.53	88.20	-38.67	3	Vertical	293	2.66
6895MHz	Pass	AV	13.78793G	38.82	68.20	-29.38	3	Horizontal	305	2.43
6895MHz	Pass	PK	13.78955G	50.20	88.20	-38.00	3	Horizontal	305	2.43
6995MHz	Pass	AV	13.98932G	39.38	68.20	-28.82	3	Vertical	68	1.36
6995MHz	Pass	PK	13.98783G	49.33	88.20	-38.87	3	Vertical	68	1.36
6995MHz	Pass	AV	13.98865G	39.30	68.20	-28.90	3	Horizontal	148	1.34
6995MHz	Pass	PK	13.98851G	50.18	88.20	-38.02	3	Horizontal	148	1.34
7095MHz	Pass	AV	7.0902G	98.69	Inf	-Inf	3	Vertical	279	1.50
7095MHz	Pass	AV	7.2342G	49.71	68.20	-18.49	3	Vertical	279	1.50
7095MHz	Pass	PK	7.0902G	110.69	Inf	-Inf	3	Vertical	279	1.50
7095MHz	Pass	PK	7.155G	62.39	88.20	-25.81	3	Vertical	279	1.50
7095MHz	Pass	AV	7.1004G	89.92	Inf	-Inf	3	Horizontal	292	2.20
7095MHz	Pass	AV	7.2402G	49.71	68.20	-18.49	3	Horizontal	292	2.20
7095MHz	Pass	PK	7.1004G	101.61	Inf	-Inf	3	Horizontal	292	2.20
7095MHz	Pass	PK	7.2342G	62.04	88.20	-26.16	3	Horizontal	292	2.20



RSE TX above 1GHz_Non-Beamforming_Radio 3

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.19163G	38.98	68.20	-29.22	3	Vertical	42	1.73
7095MHz	Pass	PK	14.19169G	51.03	88.20	-37.17	3	Vertical	42	1.73
7095MHz	Pass	AV	14.19117G	39.13	68.20	-29.07	3	Horizontal	37	2.00
7095MHz	Pass	PK	14.19237G	50.87	88.20	-37.33	3	Horizontal	37	2.00
7115MHz	Pass	AV	7.1095G	101.12	Inf	-Inf	3	Vertical	277	1.48
7115MHz	Pass	AV	7.1255G	64.14	68.20	-4.06	3	Vertical	277	1.48
7115MHz	Pass	PK	7.1095G	106.56	Inf	-Inf	3	Vertical	277	1.48
7115MHz	Pass	PK	7.1255G	75.08	88.20	-13.12	3	Vertical	277	1.48
7115MHz	Pass	AV	7.1205G	91.12	Inf	-Inf	3	Horizontal	289	2.27
7115MHz	Pass	AV	7.1255G	60.89	68.20	-7.31	3	Horizontal	289	2.27
7115MHz	Pass	PK	7.1205G	96.90	Inf	-Inf	3	Horizontal	289	2.27
7115MHz	Pass	PK	7.1255G	69.58	88.20	-18.62	3	Horizontal	289	2.27
7115MHz	Pass	AV	14.2296G	39.12	68.20	-29.08	3	Vertical	253	2.14
7115MHz	Pass	PK	14.22919G	51.75	88.20	-36.45	3	Vertical	253	2.14
7115MHz	Pass	AV	14.22813G	39.25	68.20	-28.95	3	Horizontal	124	1.21
7115MHz	Pass	PK	14.23067G	50.93	88.20	-37.27	3	Horizontal	124	1.21
802.11be EHT40_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9146G	46.35	68.20	-21.85	3	Vertical	43	1.54
5965MHz	Pass	AV	5.9752G	95.16	Inf	-Inf	3	Vertical	43	1.54
5965MHz	Pass	PK	5.9044G	57.66	88.20	-30.54	3	Vertical	43	1.54
5965MHz	Pass	PK	5.9551G	105.30	Inf	-Inf	3	Vertical	43	1.54
5965MHz	Pass	AV	5.9113G	45.51	68.20	-22.69	3	Horizontal	306	3.00
5965MHz	Pass	AV	5.9713G	92.42	Inf	-Inf	3	Horizontal	306	3.00
5965MHz	Pass	PK	5.8897G	57.95	88.20	-30.25	3	Horizontal	306	3.00
5965MHz	Pass	PK	5.9728G	103.37	Inf	-Inf	3	Horizontal	306	3.00
5965MHz	Pass	AV	11.93242G	38.13	54.00	-15.87	3	Vertical	224	1.07
5965MHz	Pass	PK	11.93099G	49.64	74.00	-24.36	3	Vertical	224	1.07
5965MHz	Pass	AV	11.93233G	38.26	54.00	-15.74	3	Horizontal	281	2.28
5965MHz	Pass	PK	11.92892G	50.93	74.00	-23.07	3	Horizontal	281	2.28
6205MHz	Pass	AV	12.41043G	38.28	54.00	-15.72	3	Vertical	206	2.83
6205MHz	Pass	PK	12.40941G	48.89	74.00	-25.11	3	Vertical	206	2.83
6205MHz	Pass	AV	12.41193G	38.31	54.00	-15.69	3	Horizontal	207	1.57
6205MHz	Pass	PK	12.40829G	48.71	74.00	-25.29	3	Horizontal	207	1.57
6405MHz	Pass	AV	12.81167G	38.79	68.20	-29.41	3	Vertical	243	1.73
6405MHz	Pass	PK	12.81071G	49.38	88.20	-38.82	3	Vertical	243	1.73
6405MHz	Pass	AV	12.8104G	38.82	68.20	-29.38	3	Horizontal	354	1.65
6405MHz	Pass	PK	12.81123G	51.15	88.20	-37.05	3	Horizontal	354	1.65
6445MHz	Pass	AV	12.89156G	39.21	68.20	-28.99	3	Vertical	283	1.56
6445MHz	Pass	PK	12.89048G	49.75	88.20	-38.45	3	Vertical	283	1.56
6445MHz	Pass	AV	12.89176G	39.17	68.20	-29.03	3	Horizontal	51	2.46
6445MHz	Pass	PK	12.89004G	50.14	88.20	-38.06	3	Horizontal	51	2.46
6485MHz	Pass	AV	12.96883G	39.34	68.20	-28.86	3	Vertical	56	2.38
6485MHz	Pass	PK	12.9677G	51.07	88.20	-37.13	3	Vertical	56	2.38
6485MHz	Pass	AV	12.9725G	39.43	68.20	-28.77	3	Horizontal	257	1.51
6485MHz	Pass	PK	12.96919G	49.74	88.20	-38.46	3	Horizontal	257	1.51
6525MHz	Pass	AV	13.05148G	39.33	68.20	-28.87	3	Vertical	287	2.04
6525MHz	Pass	PK	13.04865G	50.88	88.20	-37.32	3	Vertical	287	2.04
6525MHz	Pass	AV	13.04993G	39.23	68.20	-28.97	3	Horizontal	223	2.78
6525MHz	Pass	PK	13.0506G	51.64	88.20	-36.56	3	Horizontal	223	2.78
6565MHz	Pass	AV	13.1323G	39.18	68.20	-29.02	3	Vertical	199	1.57
6565MHz	Pass	PK	13.12756G	50.06	88.20	-38.14	3	Vertical	199	1.57
6565MHz	Pass	AV	13.13227G	39.12	68.20	-29.08	3	Horizontal	11	1.46
6565MHz	Pass	PK	13.12996G	50.84	88.20	-37.36	3	Horizontal	11	1.46
6685MHz	Pass	AV	13.37219G	39.32	54.00	-14.68	3	Vertical	165	1.19
6685MHz	Pass	PK	13.36895G	50.54	74.00	-23.46	3	Vertical	165	1.19
6685MHz	Pass	AV	13.3687G	39.29	54.00	-14.71	3	Horizontal	280	2.58
6685MHz	Pass	PK	13.36788G	50.05	74.00	-23.95	3	Horizontal	280	2.58
6885MHz	Pass	AV	13.76864G	38.75	68.20	-29.45	3	Vertical	91	1.14
6885MHz	Pass	PK	13.76841G	48.75	88.20	-39.45	3	Vertical	91	1.14
6885MHz	Pass	AV	13.76956G	38.73	68.20	-29.47	3	Horizontal	247	2.32
6885MHz	Pass	PK	13.76965G	49.88	88.20	-38.32	3	Horizontal	247	2.32
6925MHz	Pass	AV	13.85238G	38.80	68.20	-29.40	3	Vertical	100	1.21



RSE TX above 1GHz_Non-Beamforming_Radio 3

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	PK	13.84909G	50.42	88.20	-37.78	3	Vertical	100	1.21
6925MHz	Pass	AV	13.85142G	38.86	68.20	-29.34	3	Horizontal	14	1.19
6925MHz	Pass	PK	13.85037G	49.28	88.20	-38.92	3	Horizontal	14	1.19
7005MHz	Pass	AV	14.00868G	39.15	68.20	-29.05	3	Vertical	108	1.55
7005MHz	Pass	PK	14.01188G	49.97	88.20	-38.23	3	Vertical	108	1.55
7005MHz	Pass	AV	14.00958G	39.19	68.20	-29.01	3	Horizontal	90	1.42
7005MHz	Pass	PK	14.01045G	49.67	88.20	-38.53	3	Horizontal	90	1.42
7085MHz	Pass	AV	7.0796G	99.43	Inf	-Inf	3	Vertical	291	1.50
7085MHz	Pass	AV	7.223G	49.71	68.20	-18.49	3	Vertical	291	1.50
7085MHz	Pass	PK	7.0994G	110.12	Inf	-Inf	3	Vertical	291	1.50
7085MHz	Pass	PK	7.2191G	61.88	88.20	-26.32	3	Vertical	291	1.50
7085MHz	Pass	AV	7.0793G	92.06	Inf	-Inf	3	Horizontal	318	2.90
7085MHz	Pass	AV	7.2317G	49.64	68.20	-18.56	3	Horizontal	318	2.90
7085MHz	Pass	PK	7.0793G	103.49	Inf	-Inf	3	Horizontal	318	2.90
7085MHz	Pass	PK	7.2032G	62.00	88.20	-26.20	3	Horizontal	318	2.90
7085MHz	Pass	AV	14.17143G	39.22	68.20	-28.98	3	Vertical	153	1.11
7085MHz	Pass	PK	14.17077G	50.42	88.20	-37.78	3	Vertical	153	1.11
7085MHz	Pass	AV	14.16968G	39.31	68.20	-28.89	3	Horizontal	222	2.37
7085MHz	Pass	PK	14.17223G	51.12	88.20	-37.08	3	Horizontal	222	2.37
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9215G	46.42	68.20	-21.78	3	Vertical	40	1.64
5985MHz	Pass	AV	6.011G	99.14	Inf	-Inf	3	Vertical	40	1.64
5985MHz	Pass	PK	5.92G	58.17	88.20	-30.03	3	Vertical	40	1.64
5985MHz	Pass	PK	6.0115G	109.37	Inf	-Inf	3	Vertical	40	1.64
5985MHz	Pass	AV	5.92G	45.76	68.20	-22.44	3	Horizontal	325	3.00
5985MHz	Pass	AV	5.971G	92.70	Inf	-Inf	3	Horizontal	325	3.00
5985MHz	Pass	PK	5.971G	56.95	88.20	-31.25	3	Horizontal	325	3.00
5985MHz	Pass	PK	5.971G	103.65	Inf	-Inf	3	Horizontal	325	3.00
5985MHz	Pass	AV	11.97005G	38.28	54.00	-15.72	3	Vertical	305	1.57
5985MHz	Pass	PK	11.97202G	50.10	74.00	-23.90	3	Vertical	305	1.57
5985MHz	Pass	AV	11.96771G	38.24	54.00	-15.76	3	Horizontal	293	1.51
5985MHz	Pass	PK	11.97105G	49.21	74.00	-24.79	3	Horizontal	293	1.51
6225MHz	Pass	AV	12.45097G	38.37	54.00	-15.63	3	Vertical	218	1.19
6225MHz	Pass	PK	12.45018G	49.57	74.00	-24.43	3	Vertical	218	1.19
6225MHz	Pass	AV	12.4484G	38.42	54.00	-15.58	3	Horizontal	240	2.58
6225MHz	Pass	PK	12.45116G	48.77	74.00	-25.23	3	Horizontal	240	2.58
6385MHz	Pass	AV	12.76774G	38.40	68.20	-29.80	3	Vertical	205	1.73
6385MHz	Pass	PK	12.77183G	49.76	88.20	-38.44	3	Vertical	205	1.73
6385MHz	Pass	AV	12.77212G	38.45	68.20	-29.75	3	Horizontal	93	2.32
6385MHz	Pass	PK	12.7681G	48.90	88.20	-39.30	3	Horizontal	93	2.32
6465MHz	Pass	AV	12.93006G	39.33	68.20	-28.87	3	Vertical	80	2.17
6465MHz	Pass	PK	12.93138G	49.83	88.20	-38.37	3	Vertical	80	2.17
6465MHz	Pass	AV	12.9324G	39.37	68.20	-28.83	3	Horizontal	281	2.83
6465MHz	Pass	PK	12.92841G	50.12	88.20	-38.08	3	Horizontal	281	2.83
6545MHz	Pass	AV	13.09158G	39.27	68.20	-28.93	3	Vertical	285	2.18
6545MHz	Pass	PK	13.08921G	49.72	88.20	-38.48	3	Vertical	285	2.18
6545MHz	Pass	AV	13.09016G	39.31	68.20	-28.89	3	Horizontal	209	1.32
6545MHz	Pass	PK	13.08891G	50.46	88.20	-37.74	3	Horizontal	209	1.32
6625MHz	Pass	AV	13.24784G	38.96	68.20	-29.24	3	Vertical	205	2.19
6625MHz	Pass	PK	13.2501G	49.53	74.00	-24.47	3	Vertical	205	2.19
6625MHz	Pass	AV	13.25102G	39.07	54.00	-14.93	3	Horizontal	14	2.83
6625MHz	Pass	PK	13.24923G	49.84	88.20	-38.36	3	Horizontal	14	2.83
6705MHz	Pass	AV	13.41023G	39.40	68.20	-28.80	3	Vertical	285	1.65
6705MHz	Pass	PK	13.41135G	49.94	88.20	-38.26	3	Vertical	285	1.65
6705MHz	Pass	AV	13.412G	39.42	68.20	-28.78	3	Horizontal	305	2.43
6705MHz	Pass	PK	13.40924G	49.99	88.20	-38.21	3	Horizontal	305	2.43
6785MHz	Pass	AV	13.5675G	39.55	68.20	-28.65	3	Vertical	155	2.36
6785MHz	Pass	PK	13.57204G	51.75	88.20	-36.45	3	Vertical	155	2.36
6785MHz	Pass	AV	13.5698G	39.50	68.20	-28.70	3	Horizontal	237	1.70
6785MHz	Pass	PK	13.57164G	50.28	88.20	-37.92	3	Horizontal	237	1.70
6865MHz	Pass	AV	13.72904G	38.74	68.20	-29.46	3	Vertical	344	1.76
6865MHz	Pass	PK	13.72802G	50.07	88.20	-38.13	3	Vertical	344	1.76



RSE TX above 1GHz_Non-Beamforming_Radio 3

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6865MHz	Pass	AV	13.73246G	38.75	68.20	-29.45	3	Horizontal	134	1.31
6865MHz	Pass	PK	13.73033G	49.46	88.20	-38.74	3	Horizontal	134	1.31
6945MHz	Pass	AV	13.88827G	39.15	68.20	-29.05	3	Vertical	122	2.60
6945MHz	Pass	PK	13.89244G	49.75	88.20	-38.45	3	Vertical	122	2.60
6945MHz	Pass	AV	13.88986G	39.27	68.20	-28.93	3	Horizontal	241	2.76
6945MHz	Pass	PK	13.8886G	49.33	88.20	-38.87	3	Horizontal	241	2.76
7025MHz	Pass	AV	6.9995G	98.91	Inf	-Inf	3	Vertical	306	1.50
7025MHz	Pass	AV	7.1618G	49.36	68.20	-18.84	3	Vertical	306	1.50
7025MHz	Pass	PK	7.0004G	110.03	Inf	-Inf	3	Vertical	306	1.50
7025MHz	Pass	PK	7.1645G	60.92	88.20	-27.28	3	Vertical	306	1.50
7025MHz	Pass	AV	7.0001G	86.81	Inf	-Inf	3	Horizontal	337	3.00
7025MHz	Pass	AV	7.1705G	49.34	68.20	-18.86	3	Horizontal	337	3.00
7025MHz	Pass	PK	7.0202G	97.34	Inf	-Inf	3	Horizontal	337	3.00
7025MHz	Pass	PK	7.157G	60.36	88.20	-27.84	3	Horizontal	337	3.00
7025MHz	Pass	AV	14.05215G	39.29	68.20	-28.91	3	Vertical	108	1.70
7025MHz	Pass	PK	14.05137G	50.68	88.20	-37.52	3	Vertical	108	1.70
7025MHz	Pass	AV	14.0512G	39.30	68.20	-28.90	3	Horizontal	308	1.08
7025MHz	Pass	PK	14.05112G	50.49	88.20	-37.71	3	Horizontal	308	1.08
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.922G	47.92	68.20	-20.28	3	Vertical	290	2.44
6025MHz	Pass	AV	6.042G	98.75	Inf	-Inf	3	Vertical	290	2.44
6025MHz	Pass	PK	5.9215G	59.26	88.20	-28.94	3	Vertical	290	2.44
6025MHz	Pass	PK	6.0625G	110.12	Inf	-Inf	3	Vertical	290	2.44
6025MHz	Pass	AV	5.917G	45.69	68.20	-22.51	3	Horizontal	316	3.00
6025MHz	Pass	AV	6.0705G	90.12	Inf	-Inf	3	Horizontal	316	3.00
6025MHz	Pass	PK	5.9115G	57.58	88.20	-30.62	3	Horizontal	316	3.00
6025MHz	Pass	PK	6.07G	101.31	Inf	-Inf	3	Horizontal	316	3.00
6025MHz	Pass	AV	12.05073G	38.73	54.00	-15.27	3	Vertical	136	2.90
6025MHz	Pass	PK	12.05242G	49.54	74.00	-24.46	3	Vertical	136	2.90
6025MHz	Pass	AV	12.04803G	38.66	54.00	-15.34	3	Horizontal	17	1.33
6025MHz	Pass	PK	12.05104G	51.10	74.00	-22.90	3	Horizontal	17	1.33
6185MHz	Pass	AV	12.37233G	38.28	54.00	-15.72	3	Vertical	111	2.61
6185MHz	Pass	PK	12.36949G	49.61	74.00	-24.39	3	Vertical	111	2.61
6185MHz	Pass	AV	12.36886G	38.29	54.00	-15.71	3	Horizontal	135	2.32
6185MHz	Pass	PK	12.3694G	50.34	74.00	-23.66	3	Horizontal	135	2.32
6345MHz	Pass	AV	12.68974G	38.64	54.00	-15.36	3	Vertical	49	2.11
6345MHz	Pass	PK	12.68764G	49.89	74.00	-24.11	3	Vertical	49	2.11
6345MHz	Pass	AV	12.6909G	38.59	54.00	-15.41	3	Horizontal	55	2.77
6345MHz	Pass	PK	12.69094G	51.73	74.00	-22.27	3	Horizontal	55	2.77
6505MHz	Pass	AV	13.00994G	39.26	68.20	-28.94	3	Vertical	85	1.30
6505MHz	Pass	PK	13.0078G	50.10	88.20	-38.10	3	Vertical	85	1.30
6505MHz	Pass	AV	13.00914G	39.22	68.20	-28.98	3	Horizontal	232	2.88
6505MHz	Pass	PK	13.00969G	49.57	88.20	-38.63	3	Horizontal	232	2.88
6665MHz	Pass	AV	13.33101G	39.26	54.00	-14.74	3	Vertical	293	1.68
6665MHz	Pass	PK	13.33247G	50.38	74.00	-23.62	3	Vertical	293	1.68
6665MHz	Pass	AV	13.33043G	39.25	54.00	-14.75	3	Horizontal	314	2.50
6665MHz	Pass	PK	13.32804G	49.91	74.00	-24.09	3	Horizontal	314	2.50
6825MHz	Pass	AV	13.64877G	38.99	68.20	-29.21	3	Vertical	148	2.45
6825MHz	Pass	PK	13.64842G	50.20	88.20	-38.00	3	Vertical	148	2.45
6825MHz	Pass	AV	13.64946G	39.01	68.20	-29.19	3	Horizontal	61	2.63
6825MHz	Pass	PK	13.65174G	50.72	88.20	-37.48	3	Horizontal	61	2.63
6985MHz	Pass	AV	6.9395G	98.62	Inf	-Inf	3	Vertical	302	1.54
6985MHz	Pass	AV	7.1395G	54.57	68.20	-13.63	3	Vertical	302	1.54
6985MHz	Pass	PK	6.9405G	109.35	Inf	-Inf	3	Vertical	302	1.54
6985MHz	Pass	PK	7.1415G	67.16	88.20	-21.04	3	Vertical	302	1.54
6985MHz	Pass	AV	6.929G	90.15	Inf	-Inf	3	Horizontal	323	2.27
6985MHz	Pass	AV	7.1295G	49.74	68.20	-18.46	3	Horizontal	323	2.27
6985MHz	Pass	PK	6.929G	101.88	Inf	-Inf	3	Horizontal	323	2.27
6985MHz	Pass	PK	7.235G	61.36	88.20	-26.84	3	Horizontal	323	2.27
6985MHz	Pass	AV	13.96754G	39.06	68.20	-29.14	3	Vertical	237	2.30
6985MHz	Pass	PK	13.96884G	50.11	88.20	-38.09	3	Vertical	237	2.30
6985MHz	Pass	AV	13.96789G	39.11	68.20	-29.09	3	Horizontal	168	1.80



RSE TX above 1GHz_Non-Beamforming_Radio 3


Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	13.96934G	50.14	88.20	-38.06	3	Horizontal	168	1.80
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.921G	53.03	68.20	-15.17	3	Vertical	301	2.57
6105MHz	Pass	AV	6.062G	97.78	Inf	-Inf	3	Vertical	301	2.57
6105MHz	Pass	PK	5.92G	65.98	88.20	-22.22	3	Vertical	301	2.57
6105MHz	Pass	PK	6.061G	110.93	Inf	-Inf	3	Vertical	301	2.57
6105MHz	Pass	AV	5.91G	46.85	68.20	-21.35	3	Horizontal	342	1.69
6105MHz	Pass	AV	6.147G	88.40	Inf	-Inf	3	Horizontal	342	1.69
6105MHz	Pass	PK	5.924G	63.31	88.20	-24.89	3	Horizontal	342	1.69
6105MHz	Pass	PK	6.128G	102.27	Inf	-Inf	3	Horizontal	342	1.69
6105MHz	Pass	AV	12.19112G	38.85	54.00	-15.15	3	Vertical	245	2.68
6105MHz	Pass	PK	12.23088G	51.36	74.00	-22.64	3	Vertical	245	2.68
6105MHz	Pass	AV	12.19064G	39.01	54.00	-14.99	3	Horizontal	328	1.50
6105MHz	Pass	PK	12.22888G	52.44	74.00	-21.56	3	Horizontal	328	1.50
6265MHz	Pass	AV	12.52582G	38.69	54.00	-15.31	3	Vertical	270	2.89
6265MHz	Pass	PK	12.52668G	52.04	74.00	-21.96	3	Vertical	270	2.89
6265MHz	Pass	AV	12.5397G	38.65	54.00	-15.35	3	Horizontal	17	1.35
6265MHz	Pass	PK	12.53942G	51.69	74.00	-22.31	3	Horizontal	17	1.35
6425MHz	Pass	AV	12.8724G	39.32	68.20	-28.88	3	Vertical	224	1.76
6425MHz	Pass	PK	12.85336G	52.27	88.20	-35.93	3	Vertical	224	1.76
6425MHz	Pass	AV	12.8452G	39.37	68.20	-28.83	3	Horizontal	53	1.57
6425MHz	Pass	PK	12.84952G	51.76	88.20	-36.44	3	Horizontal	53	1.57
6585MHz	Pass	AV	13.16408G	40.14	68.20	-28.06	3	Vertical	79	1.50
6585MHz	Pass	PK	13.16342G	53.31	88.20	-34.89	3	Vertical	79	1.50
6585MHz	Pass	AV	13.16314G	40.16	68.20	-28.04	3	Horizontal	96	2.06
6585MHz	Pass	PK	13.1718G	52.52	88.20	-35.68	3	Horizontal	96	2.06
6745MHz	Pass	AV	13.45624G	40.42	68.20	-27.78	3	Vertical	322	1.90
6745MHz	Pass	PK	13.47352G	53.22	88.20	-34.98	3	Vertical	322	1.90
6745MHz	Pass	AV	13.46984G	40.47	68.20	-27.73	3	Horizontal	261	2.54
6745MHz	Pass	PK	13.50096G	52.53	88.20	-35.67	3	Horizontal	261	2.54
6905MHz	Pass	AV	6.8185G	101.15	Inf	-Inf	3	Vertical	316	1.10
6905MHz	Pass	AV	7.1395G	61.50	68.20	-6.70	3	Vertical	316	1.10
6905MHz	Pass	PK	6.8585G	110.75	Inf	-Inf	3	Vertical	316	1.10
6905MHz	Pass	PK	7.1595G	74.83	88.20	-13.37	3	Vertical	316	1.10
6905MHz	Pass	AV	6.8695G	93.26	Inf	-Inf	3	Horizontal	333	2.09
6905MHz	Pass	AV	7.1305G	55.54	68.20	-12.66	3	Horizontal	333	2.09
6905MHz	Pass	PK	6.8695G	102.02	Inf	-Inf	3	Horizontal	333	2.09
6905MHz	Pass	PK	7.1915G	67.64	88.20	-20.56	3	Horizontal	333	2.09
6905MHz	Pass	AV	13.80346G	40.62	68.20	-27.58	3	Vertical	284	1.39
6905MHz	Pass	PK	13.81986G	53.83	88.20	-34.37	3	Vertical	284	1.39
6905MHz	Pass	AV	13.80684G	40.58	68.20	-27.62	3	Horizontal	335	1.50
6905MHz	Pass	PK	13.8156G	54.44	88.20	-33.76	3	Horizontal	335	1.50



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9226G	46.04	68.20	-22.16	6.25	3	Vertical	6	1.60	39.79	34.05	7.00	34.80
AV	5.961G	98.94	Inf	-Inf	6.21	3	Vertical	6	1.60	92.73	33.98	7.04	34.81
PK	5.9058G	57.83	88.20	-30.37	6.28	3	Vertical	6	1.60	51.55	34.09	6.99	34.80
PK	5.9616G	109.94	Inf	-Inf	6.21	3	Vertical	6	1.60	103.73	33.98	7.04	34.81

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9202G	45.47	68.20	-22.73	6.26	3	Horizontal	292	3.00	39.21	34.06	7.00	34.80
AV	5.961G	94.19	Inf	-Inf	6.21	3	Horizontal	292	3.00	87.98	33.98	7.04	34.81
PK	5.91G	57.57	88.20	-30.63	6.27	3	Horizontal	292	3.00	51.30	34.08	6.99	34.80
PK	5.9598G	105.43	Inf	-Inf	6.21	3	Horizontal	292	3.00	99.22	33.98	7.04	34.81



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91007G	38.22	54.00	-15.78	15.56	3	Vertical	153	2.34	22.66	38.60	11.59	34.63
PK	11.90846G	50.18	74.00	-23.82	15.56	3	Vertical	153	2.34	34.62	38.60	11.59	34.63

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90988G	38.30	54.00	-15.70	15.56	3	Horizontal	34	2.24	22.74	38.60	11.59	34.63
PK	11.90758G	50.11	74.00	-23.89	15.56	3	Horizontal	34	2.24	34.55	38.60	11.59	34.63



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.38975G	38.18	54.00	-15.82	15.89	3	Vertical	77	1.69	22.29	38.82	11.54	34.47
PK	12.39141G	49.54	74.00	-24.46	15.89	3	Vertical	77	1.69	33.65	38.82	11.54	34.47

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.38757G	38.17	54.00	-15.83	15.89	3	Horizontal	288	2.36	22.28	38.82	11.54	34.47
PK	12.39027G	48.85	74.00	-25.15	15.89	3	Horizontal	288	2.36	32.96	38.82	11.54	34.47



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83156G	38.80	68.20	-29.40	17.22	3	Vertical	303	1.78	21.58	39.50	11.45	33.73
PK	12.82906G	49.34	88.20	-38.86	17.22	3	Vertical	303	1.78	32.12	39.50	11.45	33.73

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82837G	38.89	68.20	-29.31	17.22	3	Horizontal	85	2.50	21.67	39.50	11.45	33.73
PK	12.82863G	50.21	88.20	-37.99	17.22	3	Horizontal	85	2.50	32.99	39.50	11.45	33.73



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87193G	38.89	68.20	-29.31	17.39	3	Vertical	94	2.31	21.50	39.59	11.44	33.64
PK	12.86851G	49.65	88.20	-38.55	17.36	3	Vertical	94	2.31	32.29	39.57	11.44	33.65

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87216G	38.93	68.20	-29.27	17.39	3	Horizontal	29	2.58	21.54	39.59	11.44	33.64
PK	12.87003G	50.53	88.20	-37.67	17.37	3	Horizontal	29	2.58	33.16	39.58	11.44	33.65



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94895G	39.33	68.20	-28.87	17.73	3	Vertical	245	2.92	21.60	39.80	11.42	33.49
PK	12.95011G	50.40	88.20	-37.80	17.74	3	Vertical	245	2.92	32.66	39.80	11.42	33.48

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95217G	39.42	68.20	-28.78	17.74	3	Horizontal	302	2.63	21.68	39.80	11.42	33.48
PK	12.95118G	50.51	88.20	-37.69	17.74	3	Horizontal	302	2.63	32.77	39.80	11.42	33.48



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02803G	39.01	68.20	-29.19	17.65	3	Vertical	177	2.27	21.36	39.59	11.40	33.34
PK	13.02928G	50.67	88.20	-37.53	17.64	3	Vertical	177	2.27	33.03	39.58	11.40	33.34

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03034G	38.94	68.20	-29.26	17.64	3	Horizontal	198	2.21	21.30	39.58	11.40	33.34
PK	13.02877G	50.05	88.20	-38.15	17.64	3	Horizontal	198	2.21	32.41	39.58	11.40	33.34



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06783G	39.35	68.20	-28.85	17.62	3	Vertical	315	1.41	21.73	39.50	11.40	33.28
PK	13.06938G	50.42	88.20	-37.78	17.62	3	Vertical	315	1.41	32.80	39.50	11.40	33.28

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06827G	39.29	68.20	-28.91	17.62	3	Horizontal	201	2.36	21.67	39.50	11.40	33.28
PK	13.06988G	50.13	88.20	-38.07	17.62	3	Horizontal	201	2.36	32.51	39.50	11.40	33.28



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38769G	39.26	54.00	-14.74	18.32	3	Vertical	218	1.37	20.94	39.82	11.33	32.83
PK	13.38988G	49.88	74.00	-24.12	18.32	3	Vertical	218	1.37	31.56	39.82	11.33	32.83

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39058G	39.29	54.00	-14.71	18.32	3	Horizontal	279	2.75	20.97	39.82	11.33	32.83
PK	13.39096G	49.70	74.00	-24.30	18.33	3	Horizontal	279	2.75	31.37	39.82	11.33	32.82



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74939G	38.81	68.20	-29.39	18.07	3	Vertical	290	1.53	20.74	39.50	11.25	32.68
PK	13.75087G	49.37	88.20	-38.83	18.06	3	Vertical	290	1.53	31.31	39.50	11.25	32.69

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75002G	38.82	68.20	-29.38	18.06	3	Horizontal	346	2.01	20.76	39.50	11.25	32.69
PK	13.75125G	49.04	88.20	-39.16	18.06	3	Horizontal	346	2.01	30.98	39.50	11.25	32.69



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79136G	38.82	68.20	-29.38	18.05	3	Vertical	293	2.66	20.77	39.50	11.24	32.69
PK	13.79G	49.53	88.20	-38.67	18.05	3	Vertical	293	2.66	31.48	39.50	11.24	32.69

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78793G	38.82	68.20	-29.38	18.05	3	Horizontal	305	2.43	20.77	39.50	11.24	32.69
PK	13.78955G	50.20	88.20	-38.00	18.05	3	Horizontal	305	2.43	32.15	39.50	11.24	32.69



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98932G	39.38	68.20	-28.82	18.28	3	Vertical	68	1.36	21.10	39.78	11.20	32.70
PK	13.98783G	49.33	88.20	-38.87	18.28	3	Vertical	68	1.36	31.05	39.78	11.20	32.70

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98865G	39.30	68.20	-28.90	18.28	3	Horizontal	148	1.34	21.02	39.78	11.20	32.70
PK	13.98851G	50.18	88.20	-38.02	18.28	3	Horizontal	148	1.34	31.90	39.78	11.20	32.70



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0902G	98.69	Inf	-Inf	9.00	3	Vertical	279	1.50	89.69	36.14	7.65	34.79
AV	7.2342G	49.71	68.20	-18.49	9.44	3	Vertical	279	1.50	40.27	36.57	7.75	34.88
PK	7.0902G	110.69	Inf	-Inf	9.00	3	Vertical	279	1.50	101.69	36.14	7.65	34.79
PK	7.155G	62.39	88.20	-25.81	9.28	3	Vertical	279	1.50	53.11	36.41	7.70	34.83

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1004G	89.92	Inf	-Inf	9.07	3	Horizontal	292	2.20	80.85	36.20	7.66	34.79
AV	7.2402G	49.71	68.20	-18.49	9.45	3	Horizontal	292	2.20	40.26	36.58	7.75	34.88
PK	7.1004G	101.61	Inf	-Inf	9.07	3	Horizontal	292	2.20	92.54	36.20	7.66	34.79
PK	7.2342G	62.04	88.20	-26.16	9.44	3	Horizontal	292	2.20	52.60	36.57	7.75	34.88



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19163G	38.98	68.20	-29.22	18.25	3	Vertical	42	1.73	20.73	39.90	11.32	32.97
PK	14.19169G	51.03	88.20	-37.17	18.25	3	Vertical	42	1.73	32.78	39.90	11.32	32.97

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19117G	39.13	68.20	-29.07	18.25	3	Horizontal	37	2.00	20.88	39.90	11.32	32.97
PK	14.19237G	50.87	88.20	-37.33	18.25	3	Horizontal	37	2.00	32.62	39.90	11.32	32.97



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1095G	101.12	Inf	-Inf	9.11	3	Vertical	277	1.48	BP 1MHz	92.01	36.24	7.67	34.80
AV	7.1255G	64.14	68.20	-4.06	9.17	3	Vertical	277	1.48	BP 1MHz	54.97	36.30	7.68	34.81
PK	7.1095G	106.56	Inf	-Inf	9.11	3	Vertical	277	1.48	BP 1MHz	97.45	36.24	7.67	34.80
PK	7.1255G	75.08	88.20	-13.12	9.17	3	Vertical	277	1.48	BP 1MHz	65.91	36.30	7.68	34.81

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1205G	91.12	Inf	-Inf	9.15	3	Horizontal	289	2.27	BP 1MHz	81.97	36.28	7.67	34.80
AV	7.1255G	60.89	68.20	-7.31	9.17	3	Horizontal	289	2.27	BP 1MHz	51.72	36.30	7.68	34.81
PK	7.1205G	96.90	Inf	-Inf	9.15	3	Horizontal	289	2.27	BP 1MHz	87.75	36.28	7.67	34.80
PK	7.1255G	69.58	88.20	-18.62	9.17	3	Horizontal	289	2.27	BP 1MHz	60.41	36.30	7.68	34.81



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2296G	39.12	68.20	-29.08	18.15	3	Vertical	253	2.14	20.97	39.84	11.34	33.03
PK	14.22919G	51.75	88.20	-36.45	18.15	3	Vertical	253	2.14	33.60	39.84	11.34	33.03

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22813G	39.25	68.20	-28.95	18.16	3	Horizontal	124	1.21	21.09	39.84	11.34	33.02
PK	14.23067G	50.93	88.20	-37.27	18.15	3	Horizontal	124	1.21	32.78	39.84	11.34	33.03



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9146G	46.35	68.20	-21.85	6.27	3	Vertical	43	1.54	40.08	34.07	7.00	34.80
AV	5.9752G	95.16	Inf	-Inf	6.18	3	Vertical	43	1.54	88.98	33.95	7.05	34.82
PK	5.9044G	57.66	88.20	-30.54	6.28	3	Vertical	43	1.54	51.38	34.09	6.99	34.80
PK	5.9551G	105.30	Inf	-Inf	6.21	3	Vertical	43	1.54	99.09	33.99	7.03	34.81

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9113G	45.51	68.20	-22.69	6.27	3	Horizontal	306	3.00	39.24	34.08	6.99	34.80
AV	5.9713G	92.42	Inf	-Inf	6.20	3	Horizontal	306	3.00	86.22	33.96	7.05	34.81
PK	5.8897G	57.95	88.20	-30.25	6.24	3	Horizontal	306	3.00	51.71	34.06	6.98	34.80
PK	5.9728G	103.37	Inf	-Inf	6.19	3	Horizontal	306	3.00	97.18	33.95	7.05	34.81



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93242G	38.13	54.00	-15.87	15.55	3	Vertical	224	1.07	22.58	38.60	11.59	34.64
PK	11.93099G	49.64	74.00	-24.36	15.55	3	Vertical	224	1.07	34.09	38.60	11.59	34.64

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93233G	38.26	54.00	-15.74	15.55	3	Horizontal	281	2.28	22.71	38.60	11.59	34.64
PK	11.92892G	50.93	74.00	-23.07	15.55	3	Horizontal	281	2.28	35.38	38.60	11.59	34.64



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6205MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.41043G	38.28	54.00	-15.72	15.87	3	Vertical	206	2.83	22.41	38.80	11.53	34.46
PK	12.40941G	48.89	74.00	-25.11	15.87	3	Vertical	206	2.83	33.02	38.80	11.53	34.46

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.41193G	38.31	54.00	-15.69	15.87	3	Horizontal	207	1.57	22.44	38.80	11.53	34.46
PK	12.40829G	48.71	74.00	-25.29	15.87	3	Horizontal	207	1.57	32.84	38.80	11.53	34.46



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81167G	38.79	68.20	-29.41	17.18	3	Vertical	243	1.73	21.61	39.50	11.45	33.77
PK	12.81071G	49.38	88.20	-38.82	17.18	3	Vertical	243	1.73	32.20	39.50	11.45	33.77

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8104G	38.82	68.20	-29.38	17.18	3	Horizontal	354	1.65	21.64	39.50	11.45	33.77
PK	12.81123G	51.15	88.20	-37.05	17.18	3	Horizontal	354	1.65	33.97	39.50	11.45	33.77



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89156G	39.21	68.20	-28.99	17.50	3	Vertical	283	1.56	21.71	39.67	11.43	33.60
PK	12.89048G	49.75	88.20	-38.45	17.48	3	Vertical	283	1.56	32.27	39.66	11.43	33.61

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89176G	39.17	68.20	-29.03	17.50	3	Horizontal	51	2.46	21.67	39.67	11.43	33.60
PK	12.89004G	50.14	88.20	-38.06	17.48	3	Horizontal	51	2.46	32.66	39.66	11.43	33.61



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96883G	39.34	68.20	-28.86	17.74	3	Vertical	56	2.38	21.60	39.76	11.42	33.44
PK	12.9677G	51.07	88.20	-37.13	17.73	3	Vertical	56	2.38	33.34	39.76	11.42	33.45

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9725G	39.43	68.20	-28.77	17.74	3	Horizontal	257	1.51	21.69	39.76	11.42	33.44
PK	12.96919G	49.74	88.20	-38.46	17.74	3	Horizontal	257	1.51	32.00	39.76	11.42	33.44



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6525MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.05148G	39.33	68.20	-28.87	17.59	3	Vertical	287	2.04	21.74	39.50	11.40	33.31
PK	13.04865G	50.88	88.20	-37.32	17.60	3	Vertical	287	2.04	33.28	39.51	11.40	33.31

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04993G	39.23	68.20	-28.97	17.59	3	Horizontal	223	2.78	21.64	39.50	11.40	33.31
PK	13.0506G	51.64	88.20	-36.56	17.59	3	Horizontal	223	2.78	34.05	39.50	11.40	33.31



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.1323G	39.18	68.20	-29.02	17.75	3	Vertical	199	1.57	21.43	39.56	11.38	33.19
PK	13.12756G	50.06	88.20	-38.14	17.74	3	Vertical	199	1.57	32.32	39.56	11.38	33.20

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13227G	39.12	68.20	-29.08	17.75	3	Horizontal	11	1.46	21.37	39.56	11.38	33.19
PK	13.12996G	50.84	88.20	-37.36	17.74	3	Horizontal	11	1.46	33.10	39.56	11.38	33.20



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37219G	39.32	54.00	-14.68	18.34	3	Vertical	165	1.19	20.98	39.86	11.33	32.85
PK	13.36895G	50.54	74.00	-23.46	18.33	3	Vertical	165	1.19	32.21	39.86	11.33	32.86

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3687G	39.29	54.00	-14.71	18.33	3	Horizontal	280	2.58	20.96	39.86	11.33	32.86
PK	13.36788G	50.05	74.00	-23.95	18.33	3	Horizontal	280	2.58	31.72	39.86	11.33	32.86



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6885MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76864G	38.75	68.20	-29.45	18.06	3	Vertical	91	1.14	20.69	39.50	11.25	32.69
PK	13.76841G	48.75	88.20	-39.45	18.06	3	Vertical	91	1.14	30.69	39.50	11.25	32.69

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76956G	38.73	68.20	-29.47	18.06	3	Horizontal	247	2.32	20.67	39.50	11.25	32.69
PK	13.76955G	49.88	88.20	-38.32	18.06	3	Horizontal	247	2.32	31.82	39.50	11.25	32.69



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85238G	38.80	68.20	-29.40	18.04	3	Vertical	100	1.21	20.76	39.50	11.23	32.69
PK	13.84909G	50.42	88.20	-37.78	18.04	3	Vertical	100	1.21	32.38	39.50	11.23	32.69

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85142G	38.86	68.20	-29.34	18.04	3	Horizontal	14	1.19	20.82	39.50	11.23	32.69
PK	13.85037G	49.28	88.20	-38.92	18.04	3	Horizontal	14	1.19	31.24	39.50	11.23	32.69



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00868G	39.15	68.20	-29.05	18.32	3	Vertical	108	1.55	20.83	39.82	11.21	32.71
PK	14.01188G	49.97	88.20	-38.23	18.31	3	Vertical	108	1.55	31.66	39.82	11.21	32.72

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00958G	39.19	68.20	-29.01	18.32	3	Horizontal	90	1.42	20.87	39.82	11.21	32.71
PK	14.01045G	49.67	88.20	-38.53	18.32	3	Horizontal	90	1.42	31.35	39.82	11.21	32.71



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0796G	99.43	Inf	-Inf	8.95	3	Vertical	291	1.50	90.48	36.08	7.65	34.78
AV	7.223G	49.71	68.20	-18.49	9.42	3	Vertical	291	1.50	40.29	36.55	7.74	34.87
PK	7.0994G	110.12	Inf	-Inf	9.07	3	Vertical	291	1.50	101.05	36.20	7.66	34.79
PK	7.2191G	61.88	88.20	-26.32	9.41	3	Vertical	291	1.50	52.47	36.54	7.74	34.87

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0793G	92.06	Inf	-Inf	8.95	3	Horizontal	318	2.90	83.11	36.08	7.65	34.78
AV	7.2317G	49.64	68.20	-18.56	9.44	3	Horizontal	318	2.90	40.20	36.56	7.75	34.87
PK	7.0793G	103.49	Inf	-Inf	8.95	3	Horizontal	318	2.90	94.54	36.08	7.65	34.78
PK	7.2032G	62.00	88.20	-26.20	9.38	3	Horizontal	318	2.90	52.62	36.51	7.73	34.86



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17143G	39.22	68.20	-28.98	18.27	3	Vertical	153	1.11	20.95	39.90	11.31	32.94
PK	14.17077G	50.42	88.20	-37.78	18.27	3	Vertical	153	1.11	32.15	39.90	11.31	32.94

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16968G	39.31	68.20	-28.89	18.27	3	Horizontal	222	2.37	21.04	39.90	11.31	32.94
PK	14.17223G	51.12	88.20	-37.08	18.27	3	Horizontal	222	2.37	32.85	39.90	11.31	32.94

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9215G	46.42	68.20	-21.78	6.26	3	Vertical	40	1.64	40.16	34.06	7.00	34.80
AV	6.011G	99.14	Inf	-Inf	6.16	3	Vertical	40	1.64	92.98	33.90	7.08	34.82
PK	5.92G	58.17	88.20	-30.03	6.26	3	Vertical	40	1.64	51.91	34.06	7.00	34.80
PK	6.0115G	109.37	Inf	-Inf	6.16	3	Vertical	40	1.64	103.21	33.90	7.08	34.82

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.92G	45.76	68.20	-22.44	6.26	3	Horizontal	325	3.00	39.50	34.06	7.00	34.80
AV	5.971G	92.70	Inf	-Inf	6.20	3	Horizontal	325	3.00	86.50	33.96	7.05	34.81
PK	5.917G	56.95	88.20	-31.25	6.27	3	Horizontal	325	3.00	50.68	34.07	7.00	34.80
PK	5.971G	103.65	Inf	-Inf	6.20	3	Horizontal	325	3.00	97.45	33.96	7.05	34.81



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97005G	38.28	54.00	-15.72	15.63	3	Vertical	305	1.57	22.65	38.68	11.61	34.66
PK	11.97202G	50.10	74.00	-23.90	15.64	3	Vertical	305	1.57	34.46	38.69	11.61	34.66

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.96771G	38.24	54.00	-15.76	15.62	3	Horizontal	293	1.51	22.62	38.67	11.61	34.66
PK	11.97105G	49.21	74.00	-24.79	15.63	3	Horizontal	293	1.51	33.58	38.68	11.61	34.66



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6225MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.45097G	38.37	54.00	-15.63	15.89	3	Vertical	218	1.19	22.48	38.80	11.53	34.44
PK	12.45018G	49.57	74.00	-24.43	15.89	3	Vertical	218	1.19	33.68	38.80	11.53	34.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.4484G	38.42	54.00	-15.58	15.89	3	Horizontal	240	2.58	22.53	38.80	11.53	34.44
PK	12.45116G	48.77	74.00	-25.23	15.89	3	Horizontal	240	2.58	32.88	38.80	11.53	34.44



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.76774G	38.40	68.20	-29.80	16.97	3	Vertical	205	1.73	21.43	39.37	11.46	33.86
PK	12.77183G	49.76	88.20	-38.44	17.00	3	Vertical	205	1.73	32.76	39.39	11.46	33.85

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77212G	38.45	68.20	-29.75	17.00	3	Horizontal	93	2.32	21.45	39.39	11.46	33.85
PK	12.7681G	48.90	88.20	-39.30	16.97	3	Horizontal	93	2.32	31.93	39.37	11.46	33.86



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93006G	39.33	68.20	-28.87	17.66	3	Vertical	80	2.17	21.67	39.76	11.42	33.52
PK	12.93138G	49.83	88.20	-38.37	17.66	3	Vertical	80	2.17	32.17	39.76	11.42	33.52

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9324G	39.37	68.20	-28.83	17.66	3	Horizontal	281	2.83	21.71	39.76	11.42	33.52
PK	12.92841G	50.12	88.20	-38.08	17.66	3	Horizontal	281	2.83	32.46	39.76	11.43	33.53



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6545MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09158G	39.27	68.20	-28.93	17.64	3	Vertical	285	2.18	21.63	39.50	11.39	33.25
PK	13.08921G	49.72	88.20	-38.48	17.64	3	Vertical	285	2.18	32.08	39.50	11.39	33.25

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09016G	39.31	68.20	-28.89	17.64	3	Horizontal	209	1.32	21.67	39.50	11.39	33.25
PK	13.08891G	50.46	88.20	-37.74	17.64	3	Horizontal	209	1.32	32.82	39.50	11.39	33.25



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.24784G	38.96	68.20	-29.24	17.93	3	Vertical	205	2.19	21.03	39.60	11.36	33.03
PK	13.2501G	49.53	74.00	-24.47	17.94	3	Vertical	205	2.19	31.59	39.60	11.36	33.02

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25102G	39.07	54.00	-14.93	17.94	3	Horizontal	14	2.83	21.13	39.60	11.36	33.02
PK	13.24923G	49.84	88.20	-38.36	17.93	3	Horizontal	14	2.83	31.91	39.60	11.36	33.03



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41023G	39.40	68.20	-28.80	18.36	3	Vertical	285	1.65	21.04	39.84	11.32	32.80
PK	13.41135G	49.94	88.20	-38.26	18.37	3	Vertical	285	1.65	31.57	39.85	11.32	32.80

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.412G	39.42	68.20	-28.78	18.38	3	Horizontal	305	2.43	21.04	39.85	11.32	32.79
PK	13.40924G	49.99	88.20	-38.21	18.36	3	Horizontal	305	2.43	31.63	39.84	11.32	32.80



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.5675G	39.55	68.20	-28.65	18.65	3	Vertical	155	2.36	20.90	40.03	11.29	32.67
PK	13.57204G	51.75	88.20	-36.45	18.63	3	Vertical	155	2.36	33.12	40.01	11.29	32.67

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.5698G	39.50	68.20	-28.70	18.64	3	Horizontal	237	1.70	20.86	40.02	11.29	32.67
PK	13.57164G	50.28	88.20	-37.92	18.63	3	Horizontal	237	1.70	31.65	40.01	11.29	32.67



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6865MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72904G	38.74	68.20	-29.46	18.12	3	Vertical	344	1.76	20.62	39.54	11.26	32.68
PK	13.72802G	50.07	88.20	-38.13	18.12	3	Vertical	344	1.76	31.95	39.54	11.26	32.68

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73246G	38.75	68.20	-29.45	18.12	3	Horizontal	134	1.31	20.63	39.54	11.26	32.68
PK	13.73033G	49.46	88.20	-38.74	18.12	3	Horizontal	134	1.31	31.34	39.54	11.26	32.68



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.88827G	39.15	68.20	-29.05	18.11	3	Vertical	122	2.60	21.04	39.58	11.22	32.69
PK	13.89244G	49.75	88.20	-38.45	18.11	3	Vertical	122	2.60	31.64	39.58	11.22	32.69

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.88986G	39.27	68.20	-28.93	18.11	3	Horizontal	241	2.76	21.16	39.58	11.22	32.69
PK	13.8886G	49.33	88.20	-38.87	18.11	3	Horizontal	241	2.76	31.22	39.58	11.22	32.69



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9995G	98.91	Inf	-Inf	8.46	3	Vertical	306	1.50	90.45	35.60	7.59	34.73
AV	7.1618G	49.36	68.20	-18.84	9.29	3	Vertical	306	1.50	40.07	36.42	7.70	34.83
PK	7.0004G	110.03	Inf	-Inf	8.46	3	Vertical	306	1.50	101.57	35.60	7.59	34.73
PK	7.1645G	60.92	88.20	-27.28	9.31	3	Vertical	306	1.50	51.61	36.43	7.71	34.83

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0001G	86.81	Inf	-Inf	8.46	3	Horizontal	337	3.00	78.35	35.60	7.59	34.73
AV	7.1705G	49.34	68.20	-18.86	9.31	3	Horizontal	337	3.00	40.03	36.44	7.71	34.84
PK	7.0202G	97.34	Inf	-Inf	8.58	3	Horizontal	337	3.00	88.76	35.72	7.60	34.74
PK	7.157G	60.36	88.20	-27.84	9.28	3	Horizontal	337	3.00	51.08	36.41	7.70	34.83



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05215G	39.29	68.20	-28.91	18.36	3	Vertical	108	1.70	20.93	39.90	11.23	32.77
PK	14.05137G	50.68	88.20	-37.52	18.36	3	Vertical	108	1.70	32.32	39.90	11.23	32.77

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0512G	39.30	68.20	-28.90	18.36	3	Horizontal	308	1.08	20.94	39.90	11.23	32.77
PK	14.05112G	50.49	88.20	-37.71	18.36	3	Horizontal	308	1.08	32.13	39.90	11.23	32.77



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.922G	47.92	68.20	-20.28	6.26	3	Vertical	290	2.44	41.66	34.06	7.00	34.80
AV	6.042G	98.75	Inf	-Inf	6.18	3	Vertical	290	2.44	92.57	33.90	7.09	34.81
PK	5.9215G	59.26	88.20	-28.94	6.26	3	Vertical	290	2.44	53.00	34.06	7.00	34.80
PK	6.0625G	110.12	Inf	-Inf	6.16	3	Vertical	290	2.44	103.96	33.87	7.10	34.81

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.917G	45.69	68.20	-22.51	6.27	3	Horizontal	316	3.00	39.42	34.07	7.00	34.80
AV	6.0705G	90.12	Inf	-Inf	6.16	3	Horizontal	316	3.00	83.96	33.86	7.11	34.81
PK	5.9115G	57.58	88.20	-30.62	6.27	3	Horizontal	316	3.00	51.31	34.08	6.99	34.80
PK	6.07G	101.31	Inf	-Inf	6.16	3	Horizontal	316	3.00	95.15	33.86	7.11	34.81



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05073G	38.73	54.00	-15.27	15.87	3	Vertical	136	2.90	22.86	38.90	11.61	34.64
PK	12.05242G	49.54	74.00	-24.46	15.87	3	Vertical	136	2.90	33.67	38.90	11.61	34.64

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.04803G	38.66	54.00	-15.34	15.86	3	Horizontal	17	1.33	22.80	38.90	11.61	34.65
PK	12.05104G	51.10	74.00	-22.90	15.87	3	Horizontal	17	1.33	35.23	38.90	11.61	34.64



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37233G	38.28	54.00	-15.72	15.92	3	Vertical	111	2.61	22.36	38.86	11.54	34.48
PK	12.36949G	49.61	74.00	-24.39	15.92	3	Vertical	111	2.61	33.69	38.86	11.54	34.48

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36886G	38.29	54.00	-15.71	15.92	3	Horizontal	135	2.32	22.37	38.86	11.54	34.48
PK	12.3694G	50.34	74.00	-23.66	15.92	3	Horizontal	135	2.32	34.42	38.86	11.54	34.48



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68974G	38.64	54.00	-15.36	16.76	3	Vertical	49	2.11	21.88	39.30	11.48	34.02
PK	12.68764G	49.89	74.00	-24.11	16.76	3	Vertical	49	2.11	33.13	39.30	11.48	34.02

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.6909G	38.59	54.00	-15.41	16.75	3	Horizontal	55	2.77	21.84	39.30	11.47	34.02
PK	12.69094G	51.73	74.00	-22.27	16.75	3	Horizontal	55	2.77	34.98	39.30	11.47	34.02



6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6505MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00994G	39.26	68.20	-28.94	17.70	3	Vertical	85	1.30	21.56	39.66	11.41	33.37
PK	13.0078G	50.10	88.20	-38.10	17.71	3	Vertical	85	1.30	32.39	39.67	11.41	33.37

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00914G	39.22	68.20	-28.98	17.70	3	Horizontal	232	2.88	21.52	39.66	11.41	33.37
PK	13.00969G	49.57	88.20	-38.63	17.70	3	Horizontal	232	2.88	31.87	39.66	11.41	33.37



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33101G	39.26	54.00	-14.74	18.25	3	Vertical	293	1.68	21.01	39.82	11.34	32.91
PK	13.33247G	50.38	74.00	-23.62	18.26	3	Vertical	293	1.68	32.12	39.83	11.34	32.91

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33043G	39.25	54.00	-14.75	18.25	3	Horizontal	314	2.50	21.00	39.82	11.34	32.91
PK	13.32804G	49.91	74.00	-24.09	18.24	3	Horizontal	314	2.50	31.67	39.81	11.34	32.91



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.64877G	38.99	68.20	-29.21	18.29	3	Vertical	148	2.45	20.70	39.70	11.27	32.68
PK	13.64842G	50.20	88.20	-38.00	18.30	3	Vertical	148	2.45	31.90	39.71	11.27	32.68

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.64946G	39.01	68.20	-29.19	18.29	3	Horizontal	61	2.63	20.72	39.70	11.27	32.68
PK	13.65174G	50.72	88.20	-37.48	18.29	3	Horizontal	61	2.63	32.43	39.70	11.27	32.68



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9395G	98.62	Inf	-Inf	8.43	3	Vertical	302	1.54	90.19	35.60	7.56	34.73
AV	7.1395G	54.57	68.20	-13.63	9.23	3	Vertical	302	1.54	45.34	36.36	7.69	34.82
PK	6.9405G	109.35	Inf	-Inf	8.43	3	Vertical	302	1.54	100.92	35.60	7.56	34.73
PK	7.1415G	67.16	88.20	-21.04	9.24	3	Vertical	302	1.54	57.92	36.37	7.69	34.82

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.929G	90.15	Inf	-Inf	8.42	3	Horizontal	323	2.27	81.73	35.60	7.55	34.73
AV	7.1295G	49.74	68.20	-18.46	9.19	3	Horizontal	323	2.27	40.55	36.32	7.68	34.81
PK	6.929G	101.88	Inf	-Inf	8.42	3	Horizontal	323	2.27	93.46	35.60	7.55	34.73
PK	7.235G	61.36	88.20	-26.84	9.44	3	Horizontal	323	2.27	51.92	36.57	7.75	34.88



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96754G	39.06	68.20	-29.14	18.25	3	Vertical	237	2.30	20.81	39.74	11.21	32.70
PK	13.96884G	50.11	88.20	-38.09	18.25	3	Vertical	237	2.30	31.86	39.74	11.21	32.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96789G	39.11	68.20	-29.09	18.25	3	Horizontal	168	1.80	20.86	39.74	11.21	32.70
PK	13.96934G	50.14	88.20	-38.06	18.25	3	Horizontal	168	1.80	31.89	39.74	11.21	32.70



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.921G	53.03	68.20	-15.17	3.35	3	Vertical	301	2.57	49.68	34.50	5.88	37.03
AV	6.062G	97.78	Inf	-Inf	3.48	3	Vertical	301	2.57	94.30	34.48	5.95	36.95
PK	5.92G	65.98	88.20	-22.22	3.35	3	Vertical	301	2.57	62.63	34.50	5.88	37.03
PK	6.061G	110.93	Inf	-Inf	3.48	3	Vertical	301	2.57	107.45	34.48	5.95	36.95

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.91G	46.85	68.20	-21.35	3.33	3	Horizontal	342	1.69	43.52	34.50	5.87	37.04
AV	6.147G	88.40	Inf	-Inf	3.48	3	Horizontal	342	1.69	84.92	34.40	5.99	36.91
PK	5.924G	63.31	88.20	-24.89	3.35	3	Horizontal	342	1.69	59.96	34.50	5.88	37.03
PK	6.128G	102.27	Inf	-Inf	3.46	3	Horizontal	342	1.69	98.81	34.40	5.98	36.92



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.19112G	38.85	54.00	-15.15	10.21	3	Vertical	245	2.68	28.64	39.38	8.87	38.04
PK	12.23088G	51.36	74.00	-22.64	10.16	3	Vertical	245	2.68	41.20	39.34	8.88	38.06

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.19064G	39.01	54.00	-14.99	10.21	3	Horizontal	328	1.50	28.80	39.38	8.87	38.04
PK	12.22888G	52.44	74.00	-21.56	10.16	3	Horizontal	328	1.50	42.28	39.34	8.88	38.06



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6265MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.52582G	38.69	54.00	-15.31	10.01	3	Vertical	270	2.89	28.68	39.25	8.98	38.22
PK	12.52668G	52.04	74.00	-21.96	10.01	3	Vertical	270	2.89	42.03	39.25	8.98	38.22

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.5397G	38.65	54.00	-15.35	10.03	3	Horizontal	17	1.35	28.62	39.28	8.98	38.23
PK	12.53942G	51.69	74.00	-22.31	10.03	3	Horizontal	17	1.35	41.66	39.28	8.98	38.23



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6425MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8724G	39.32	68.20	-28.88	10.55	3	Vertical	224	1.76	28.77	39.94	9.09	38.48
PK	12.85336G	52.27	88.20	-35.93	10.52	3	Vertical	224	1.76	41.75	39.91	9.08	38.47

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8452G	39.37	68.20	-28.83	10.50	3	Horizontal	53	1.57	28.87	39.88	9.08	38.46
PK	12.84952G	51.76	88.20	-36.44	10.51	3	Horizontal	53	1.57	41.25	39.90	9.08	38.47



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6585MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.16408G	40.14	68.20	-28.06	10.49	3	Vertical	79	1.50	29.65	39.87	9.18	38.56
PK	13.16342G	53.31	88.20	-34.89	10.49	3	Vertical	79	1.50	42.82	39.87	9.18	38.56

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.16314G	40.16	68.20	-28.04	10.49	3	Horizontal	96	2.06	29.67	39.87	9.18	38.56
PK	13.1718G	52.52	88.20	-35.68	10.48	3	Horizontal	96	2.06	42.04	39.86	9.18	38.56



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.45624G	40.42	68.20	-27.78	11.16	3	Vertical	322	1.90	29.26	40.40	9.28	38.52
PK	13.47352G	53.22	88.20	-34.98	11.17	3	Vertical	322	1.90	42.05	40.40	9.28	38.51

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.46984G	40.47	68.20	-27.73	11.17	3	Horizontal	261	2.54	29.30	40.40	9.28	38.51
PK	13.50096G	52.53	88.20	-35.67	11.18	3	Horizontal	261	2.54	41.35	40.40	9.29	38.51



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8185G	101.15	Inf	-Inf	6.01	3	Vertical	316	1.10	15_BP 1MI	95.14	36.33	6.36	36.68
AV	7.1395G	61.50	68.20	-6.70	6.85	3	Vertical	316	1.10	15_BP 1MI	54.65	36.94	6.50	36.59
PK	6.8585G	110.75	Inf	-Inf	5.90	3	Vertical	316	1.10	15_BP 1MI	104.85	36.20	6.37	36.67
PK	7.1595G	74.83	88.20	-13.37	6.94	3	Vertical	316	1.10	15_BP 1MI	67.89	37.02	6.51	36.59

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8695G	93.26	Inf	-Inf	5.91	3	Horizontal	333	2.09	15_BP 1MI	87.35	36.20	6.38	36.67
AV	7.1305G	55.54	68.20	-12.66	6.79	3	Horizontal	333	2.09	15_BP 1MI	48.75	36.88	6.50	36.59
PK	6.8695G	102.02	Inf	-Inf	5.91	3	Horizontal	333	2.09	15_BP 1MI	96.11	36.20	6.38	36.67
PK	7.1915G	67.64	88.20	-20.56	7.03	3	Horizontal	333	2.09	15_BP 1MI	60.61	37.08	6.53	36.58



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80346G	40.62	68.20	-27.58	11.20	3	Vertical	284	1.39	29.42	40.11	9.39	38.30
PK	13.81986G	53.83	88.20	-34.37	11.24	3	Vertical	284	1.39	42.59	40.14	9.39	38.29

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80684G	40.58	68.20	-27.62	11.20	3	Horizontal	335	1.50	29.38	40.11	9.39	38.30
PK	13.8156G	54.44	88.20	-33.76	11.22	3	Horizontal	335	1.50	43.22	40.13	9.39	38.30



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	12.0652G	39.19	54.00	-14.81	3	Horizontal	130	1.50
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	12.42125G	38.21	54.00	-15.79	3	Vertical	175	2.89
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	12.44595G	38.26	54.00	-15.74	3	Vertical	148	2.90
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	5.9025G	55.68	68.20	-12.52	3	Horizontal	15	2.45
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	5.915G	57.30	68.20	-10.90	3	Horizontal	352	2.65
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	12.87682G	39.26	68.20	-28.94	3	Horizontal	292	2.65
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	12.94216G	39.38	68.20	-28.82	3	Horizontal	207	1.26
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	12.94083G	39.46	68.20	-28.74	3	Horizontal	73	1.14
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	13.00592G	39.04	68.20	-29.16	3	Vertical	305	1.75
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	13.14492G	40.40	68.20	-27.80	3	Horizontal	284	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	13.38736G	39.65	54.00	-14.35	3	Horizontal	265	1.65
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	13.35845G	39.39	54.00	-14.61	3	Vertical	12	2.38
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	13.25201G	38.94	54.00	-15.06	3	Horizontal	166	2.95
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	13.34434G	39.31	54.00	-14.69	3	Horizontal	190	1.42
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	PK	7.2085G	84.16	88.20	-4.04	3	Horizontal	351	3.00
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	7.1255G	68.17	68.20	-0.03	3	Horizontal	358	2.10
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	7.1255G	56.62	68.20	-11.58	3	Horizontal	344	2.83
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.9025G	55.68	68.20	-12.52	3	Horizontal	15	2.45
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	7.1385G	62.73	68.20	-5.47	3	Horizontal	25	2.03



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9136G	45.76	68.20	-22.44	3	Vertical	276	2.75
5955MHz	Pass	AV	5.9541G	88.00	Inf	-Inf	3	Vertical	276	2.75
5955MHz	Pass	PK	5.8485G	57.26	88.20	-30.94	3	Vertical	276	2.75
5955MHz	Pass	PK	5.9517G	99.89	Inf	-Inf	3	Vertical	276	2.75
5955MHz	Pass	AV	5.9244G	46.01	68.20	-22.19	3	Horizontal	312	2.71
5955MHz	Pass	AV	5.9637G	99.55	Inf	-Inf	3	Horizontal	312	2.71
5955MHz	Pass	PK	5.9226G	60.27	88.20	-27.93	3	Horizontal	312	2.71
5955MHz	Pass	PK	5.9616G	110.05	Inf	-Inf	3	Horizontal	312	2.71
5955MHz	Pass	AV	12.0204G	39.11	54.00	-14.89	3	Vertical	297	1.50
5955MHz	Pass	PK	11.92024G	50.48	74.00	-23.52	3	Vertical	297	1.50
5955MHz	Pass	AV	12.0652G	39.19	54.00	-14.81	3	Horizontal	130	1.50
5955MHz	Pass	PK	12.00856G	51.42	74.00	-22.58	3	Horizontal	130	1.50
6195MHz	Pass	AV	12.38151G	38.72	54.00	-15.28	3	Vertical	356	1.51
6195MHz	Pass	PK	12.37743G	48.83	74.00	-25.17	3	Vertical	356	1.51
6195MHz	Pass	AV	12.28024G	38.89	54.00	-15.11	3	Horizontal	236	1.00
6195MHz	Pass	PK	12.23096G	49.29	74.00	-24.71	3	Horizontal	236	1.00
6415MHz	Pass	AV	12.94072G	39.82	68.20	-28.38	3	Vertical	333	1.86
6415MHz	Pass	PK	12.9372G	50.11	88.20	-38.09	3	Vertical	333	1.86
6415MHz	Pass	AV	12.94168G	39.70	68.20	-28.50	3	Horizontal	5	2.27
6415MHz	Pass	PK	12.97592G	50.38	88.20	-37.82	3	Horizontal	5	2.27
6435MHz	Pass	AV	12.86516G	39.03	68.20	-29.17	3	Vertical	130	1.36
6435MHz	Pass	PK	12.8676G	51.78	88.20	-36.42	3	Vertical	130	1.36
6435MHz	Pass	AV	12.87682G	39.26	68.20	-28.94	3	Horizontal	292	2.65
6435MHz	Pass	PK	12.8761G	52.08	88.20	-36.12	3	Horizontal	292	2.65
6475MHz	Pass	AV	12.94934G	39.14	68.20	-29.06	3	Vertical	354	1.38
6475MHz	Pass	PK	12.94888G	51.27	88.20	-36.93	3	Vertical	354	1.38
6475MHz	Pass	AV	12.95842G	39.16	68.20	-29.04	3	Horizontal	52	1.23
6475MHz	Pass	PK	12.94896G	51.92	88.20	-36.28	3	Horizontal	52	1.23
6515MHz	Pass	AV	13.0222G	39.26	68.20	-28.94	3	Vertical	0	1.03
6515MHz	Pass	PK	13.03222G	50.92	88.20	-37.28	3	Vertical	0	1.03
6515MHz	Pass	AV	13.02466G	39.12	68.20	-29.08	3	Horizontal	220	1.19
6515MHz	Pass	PK	13.03066G	52.07	88.20	-36.13	3	Horizontal	220	1.19
6535MHz	Pass	AV	13.03G	39.35	68.20	-28.85	3	Vertical	236	1.77
6535MHz	Pass	PK	13.04456G	52.00	88.20	-36.20	3	Vertical	236	1.77
6535MHz	Pass	AV	13.03496G	39.38	68.20	-28.82	3	Horizontal	345	2.87
6535MHz	Pass	PK	13.10688G	52.22	88.20	-35.98	3	Horizontal	345	2.87
6695MHz	Pass	AV	13.405G	39.75	68.20	-28.45	3	Vertical	149	2.06
6695MHz	Pass	PK	13.39678G	49.67	74.00	-24.33	3	Vertical	149	2.06
6695MHz	Pass	AV	13.38736G	39.65	54.00	-14.35	3	Horizontal	265	1.65
6695MHz	Pass	PK	13.40023G	50.83	88.20	-37.37	3	Horizontal	265	1.65
6875MHz	Pass	AV	13.7638G	39.18	68.20	-29.02	3	Vertical	22	1.68
6875MHz	Pass	PK	13.73527G	50.44	88.20	-37.76	3	Vertical	22	1.68
6875MHz	Pass	AV	13.89208G	39.64	68.20	-28.56	3	Horizontal	340	1.70
6875MHz	Pass	PK	13.88792G	49.35	88.20	-38.85	3	Horizontal	340	1.70
6895MHz	Pass	AV	13.78964G	39.17	68.20	-29.03	3	Vertical	70	2.22
6895MHz	Pass	PK	13.78754G	49.90	88.20	-38.30	3	Vertical	70	2.22
6895MHz	Pass	AV	13.7843G	39.09	68.20	-29.11	3	Horizontal	48	1.87
6895MHz	Pass	PK	13.77635G	48.42	88.20	-39.78	3	Horizontal	48	1.87
6995MHz	Pass	AV	13.99885G	39.64	68.20	-28.56	3	Vertical	211	1.60
6995MHz	Pass	PK	13.98184G	49.17	88.20	-39.03	3	Vertical	211	1.60
6995MHz	Pass	AV	14.01176G	39.68	68.20	-28.52	3	Horizontal	217	1.71
6995MHz	Pass	PK	14.06712G	50.84	88.20	-37.36	3	Horizontal	217	1.71
7095MHz	Pass	AV	7.0866G	87.59	Inf	-Inf	3	Vertical	291	2.35
7095MHz	Pass	AV	7.2384G	49.99	68.20	-18.21	3	Vertical	291	2.35
7095MHz	Pass	PK	7.0887G	98.57	Inf	-Inf	3	Vertical	291	2.35
7095MHz	Pass	PK	7.2039G	61.08	88.20	-27.12	3	Vertical	291	2.35
7095MHz	Pass	AV	7.1037G	98.74	Inf	-Inf	3	Horizontal	344	2.26
7095MHz	Pass	AV	7.2264G	50.21	68.20	-17.99	3	Horizontal	344	2.26
7095MHz	Pass	PK	7.0899G	109.48	Inf	-Inf	3	Horizontal	344	2.26
7095MHz	Pass	PK	7.2276G	61.51	88.20	-26.69	3	Horizontal	344	2.26



RSE TX above 1GHz_Beamforming_Radio 3

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.32024G	39.81	68.20	-28.39	3	Vertical	188	1.48
7095MHz	Pass	PK	14.26936G	50.13	88.20	-38.07	3	Vertical	188	1.48
7095MHz	Pass	AV	14.17653G	39.53	68.20	-28.67	3	Horizontal	280	2.91
7095MHz	Pass	PK	14.20209G	49.87	88.20	-38.33	3	Horizontal	280	2.91
7115MHz	Pass	PK	7.1235G	95.69	Inf	-Inf	3	Vertical	325	2.15
7115MHz	Pass	AV	7.1235G	88.68	Inf	-Inf	3	Vertical	325	2.15
7115MHz	Pass	PK	7.1255G	71.49	88.20	-16.71	3	Vertical	325	2.15
7115MHz	Pass	AV	7.1255G	61.92	68.20	-6.28	3	Vertical	325	2.15
7115MHz	Pass	PK	7.1085G	105.46	Inf	-Inf	3	Horizontal	358	2.10
7115MHz	Pass	AV	7.1075G	98.46	Inf	-Inf	3	Horizontal	358	2.10
7115MHz	Pass	PK	7.1255G	78.64	88.20	-9.56	3	Horizontal	358	2.10
7115MHz	Pass	AV	7.1255G	68.17	68.20	-0.03	3	Horizontal	358	2.10
7115MHz	Pass	AV	14.17208G	39.86	68.20	-28.34	3	Vertical	317	2.66
7115MHz	Pass	PK	14.25624G	51.18	88.20	-37.02	3	Vertical	317	2.66
7115MHz	Pass	AV	14.34104G	39.77	68.20	-28.43	3	Horizontal	31	1.45
7115MHz	Pass	PK	14.18232G	50.42	88.20	-37.78	3	Horizontal	31	1.45
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.8828G	43.33	68.20	-24.87	3	Vertical	318	2.52
5965MHz	Pass	AV	5.971G	81.19	Inf	-Inf	3	Vertical	318	2.52
5965MHz	Pass	PK	5.8786G	55.66	88.20	-32.54	3	Vertical	318	2.52
5965MHz	Pass	PK	5.959G	93.57	Inf	-Inf	3	Vertical	318	2.52
5965MHz	Pass	AV	5.9164G	45.79	68.20	-22.41	3	Horizontal	27	2.94
5965MHz	Pass	AV	5.9569G	100.11	Inf	-Inf	3	Horizontal	27	2.94
5965MHz	Pass	PK	5.9236G	63.05	88.20	-25.15	3	Horizontal	27	2.94
5965MHz	Pass	PK	5.9557G	112.82	Inf	-Inf	3	Horizontal	27	2.94
5965MHz	Pass	AV	11.958G	37.44	54.00	-16.56	3	Vertical	82	2.53
5965MHz	Pass	PK	11.95112G	49.69	74.00	-24.31	3	Vertical	82	2.53
5965MHz	Pass	AV	11.94944G	37.37	54.00	-16.63	3	Horizontal	320	1.77
5965MHz	Pass	PK	11.9248G	50.67	74.00	-23.33	3	Horizontal	320	1.77
6205MHz	Pass	AV	12.42125G	38.21	54.00	-15.79	3	Vertical	175	2.89
6205MHz	Pass	PK	12.41543G	48.27	74.00	-25.73	3	Vertical	175	2.89
6205MHz	Pass	AV	12.34228G	38.19	54.00	-15.81	3	Horizontal	126	2.08
6205MHz	Pass	PK	12.35624G	50.26	74.00	-23.74	3	Horizontal	126	2.08
6405MHz	Pass	AV	12.93512G	39.26	68.20	-28.94	3	Vertical	332	2.19
6405MHz	Pass	PK	12.89288G	49.83	88.20	-38.37	3	Vertical	332	2.19
6405MHz	Pass	AV	12.62047G	38.15	54.00	-15.85	3	Horizontal	223	1.51
6405MHz	Pass	PK	12.66216G	49.91	74.00	-24.09	3	Horizontal	223	1.51
6445MHz	Pass	AV	12.90467G	39.11	68.20	-29.09	3	Vertical	210	1.19
6445MHz	Pass	PK	12.88001G	49.78	88.20	-38.42	3	Vertical	210	1.19
6445MHz	Pass	AV	12.90455G	39.05	68.20	-29.15	3	Horizontal	185	2.43
6445MHz	Pass	PK	12.89228G	49.67	88.20	-38.53	3	Horizontal	185	2.43
6485MHz	Pass	AV	12.95635G	39.18	68.20	-29.02	3	Vertical	253	1.71
6485MHz	Pass	PK	12.97048G	50.82	88.20	-37.38	3	Vertical	253	1.71
6485MHz	Pass	AV	12.94216G	39.38	68.20	-28.82	3	Horizontal	207	1.26
6485MHz	Pass	PK	12.8916G	49.63	88.20	-38.57	3	Horizontal	207	1.26
6525MHz	Pass	AV	13.04679G	38.94	68.20	-29.26	3	Vertical	318	2.34
6525MHz	Pass	PK	13.06269G	48.88	88.20	-39.32	3	Vertical	318	2.34
6525MHz	Pass	AV	12.94088G	39.36	68.20	-28.84	3	Horizontal	52	2.90
6525MHz	Pass	PK	13.02568G	50.58	88.20	-37.62	3	Horizontal	52	2.90
6565MHz	Pass	AV	13.13078G	38.97	68.20	-29.23	3	Vertical	77	2.63
6565MHz	Pass	PK	13.11761G	49.92	88.20	-38.28	3	Vertical	77	2.63
6565MHz	Pass	AV	13.13047G	39.30	68.20	-28.90	3	Horizontal	294	2.89
6565MHz	Pass	PK	13.23944G	50.25	88.20	-37.95	3	Horizontal	294	2.89
6685MHz	Pass	AV	13.35845G	39.39	54.00	-14.61	3	Vertical	12	2.38
6685MHz	Pass	PK	13.36502G	49.10	74.00	-24.90	3	Vertical	12	2.38
6685MHz	Pass	AV	13.35548G	39.34	54.00	-14.66	3	Horizontal	52	2.67
6685MHz	Pass	PK	13.37234G	49.75	74.00	-24.25	3	Horizontal	52	2.67
6885MHz	Pass	AV	13.76745G	38.77	68.20	-29.43	3	Vertical	239	2.88
6885MHz	Pass	PK	13.78215G	49.53	88.20	-38.67	3	Vertical	239	2.88
6885MHz	Pass	AV	13.78413G	38.69	68.20	-29.51	3	Horizontal	37	2.32
6885MHz	Pass	PK	13.76937G	48.66	88.20	-39.54	3	Horizontal	37	2.32
6925MHz	Pass	AV	13.84968G	45.55	68.20	-22.65	3	Vertical	277	2.67



RSE TX above 1GHz_Beamforming_Radio 3

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	PK	13.87016G	58.97	88.20	-29.23	3	Vertical	277	2.67
6925MHz	Pass	AV	13.85248G	45.42	68.20	-22.78	3	Horizontal	276	1.98
6925MHz	Pass	PK	13.82184G	57.91	88.20	-30.29	3	Horizontal	276	1.98
7005MHz	Pass	AV	13.99869G	39.10	68.20	-29.10	3	Vertical	4	2.08
7005MHz	Pass	PK	14.00208G	49.84	88.20	-38.36	3	Vertical	4	2.08
7005MHz	Pass	AV	14.00196G	39.06	68.20	-29.14	3	Horizontal	58	2.10
7005MHz	Pass	PK	14.00769G	49.03	88.20	-39.17	3	Horizontal	58	2.10
7085MHz	Pass	AV	7.103G	89.55	Inf	-Inf	3	Vertical	300	2.25
7085MHz	Pass	AV	7.1267G	50.92	68.20	-17.28	3	Vertical	300	2.25
7085MHz	Pass	PK	7.103G	100.40	Inf	-Inf	3	Vertical	300	2.25
7085MHz	Pass	PK	7.1978G	61.22	88.20	-26.98	3	Vertical	300	2.25
7085MHz	Pass	AV	7.0667G	99.93	Inf	-Inf	3	Horizontal	344	2.83
7085MHz	Pass	AV	7.1255G	56.62	68.20	-11.58	3	Horizontal	344	2.83
7085MHz	Pass	PK	7.0697G	110.52	Inf	-Inf	3	Horizontal	344	2.83
7085MHz	Pass	PK	7.1285G	71.38	88.20	-16.82	3	Horizontal	344	2.83
7085MHz	Pass	AV	14.17678G	39.21	68.20	-28.99	3	Vertical	179	1.56
7085MHz	Pass	PK	14.17555G	49.39	88.20	-38.81	3	Vertical	179	1.56
7085MHz	Pass	AV	14.17411G	39.16	68.20	-29.04	3	Horizontal	272	1.34
7085MHz	Pass	PK	14.16595G	49.26	88.20	-38.94	3	Horizontal	272	1.34
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9175G	44.06	68.20	-24.14	3	Vertical	76	2.23
5985MHz	Pass	AV	6.0175G	85.88	Inf	-Inf	3	Vertical	76	2.23
5985MHz	Pass	PK	5.876G	55.92	88.20	-32.28	3	Vertical	76	2.23
5985MHz	Pass	PK	6.017G	98.32	Inf	-Inf	3	Vertical	76	2.23
5985MHz	Pass	AV	5.925G	47.60	68.20	-20.60	3	Horizontal	340	2.16
5985MHz	Pass	AV	6.0195G	95.89	Inf	-Inf	3	Horizontal	340	2.16
5985MHz	Pass	PK	5.9185G	62.23	88.20	-25.97	3	Horizontal	340	2.16
5985MHz	Pass	PK	6.0155G	107.65	Inf	-Inf	3	Horizontal	340	2.16
5985MHz	Pass	AV	12.00584G	37.75	54.00	-16.25	3	Vertical	335	1.22
5985MHz	Pass	PK	11.93064G	50.49	74.00	-23.51	3	Vertical	335	1.22
5985MHz	Pass	AV	12.00808G	37.74	54.00	-16.26	3	Horizontal	164	1.17
5985MHz	Pass	PK	11.99448G	50.34	74.00	-23.66	3	Horizontal	164	1.17
6225MHz	Pass	AV	12.44595G	38.26	54.00	-15.74	3	Vertical	148	2.90
6225MHz	Pass	PK	12.45216G	48.62	74.00	-25.38	3	Vertical	148	2.90
6225MHz	Pass	AV	12.44247G	38.21	54.00	-15.79	3	Horizontal	236	2.62
6225MHz	Pass	PK	12.44895G	49.06	74.00	-24.94	3	Horizontal	236	2.62
6385MHz	Pass	AV	12.78374G	38.72	68.20	-29.48	3	Vertical	87	1.51
6385MHz	Pass	PK	12.75506G	49.77	88.20	-38.43	3	Vertical	87	1.51
6385MHz	Pass	AV	12.78386G	38.70	68.20	-29.50	3	Horizontal	79	2.30
6385MHz	Pass	PK	12.76349G	49.18	88.20	-39.02	3	Horizontal	79	2.30
6465MHz	Pass	AV	12.94038G	39.37	68.20	-28.83	3	Vertical	203	2.51
6465MHz	Pass	PK	12.92256G	49.78	88.20	-38.42	3	Vertical	203	2.51
6465MHz	Pass	AV	12.94083G	39.46	68.20	-28.74	3	Horizontal	73	1.14
6465MHz	Pass	PK	12.93666G	49.87	88.20	-38.33	3	Horizontal	73	1.14
6545MHz	Pass	AV	13.08772G	39.17	68.20	-29.03	3	Vertical	323	2.97
6545MHz	Pass	PK	13.08319G	49.06	88.20	-39.14	3	Vertical	323	2.97
6545MHz	Pass	AV	13.08913G	39.21	68.20	-28.99	3	Horizontal	355	2.94
6545MHz	Pass	PK	13.08625G	49.24	88.20	-38.96	3	Horizontal	355	2.94
6625MHz	Pass	AV	13.24883G	39.03	68.20	-29.17	3	Vertical	253	2.95
6625MHz	Pass	PK	13.24544G	49.01	88.20	-39.19	3	Vertical	253	2.95
6625MHz	Pass	AV	13.25201G	38.94	54.00	-15.06	3	Horizontal	166	2.95
6625MHz	Pass	PK	13.25G	50.21	74.00	-23.79	3	Horizontal	166	2.95
6705MHz	Pass	AV	13.41927G	39.28	68.20	-28.92	3	Vertical	256	1.48
6705MHz	Pass	PK	13.40637G	49.15	88.20	-39.05	3	Vertical	256	1.48
6705MHz	Pass	AV	13.41897G	39.38	68.20	-28.82	3	Horizontal	246	1.84
6705MHz	Pass	PK	13.41489G	50.49	88.20	-37.71	3	Horizontal	246	1.84
6785MHz	Pass	AV	13.56835G	39.29	68.20	-28.91	3	Vertical	127	1.82
6785MHz	Pass	PK	13.58383G	49.35	88.20	-38.85	3	Vertical	127	1.82
6785MHz	Pass	AV	13.56865G	39.28	68.20	-28.92	3	Horizontal	43	1.03
6785MHz	Pass	PK	13.5643G	49.65	88.20	-38.55	3	Horizontal	43	1.03
6865MHz	Pass	AV	13.72961G	38.72	68.20	-29.48	3	Vertical	75	2.69
6865MHz	Pass	PK	13.74113G	50.17	88.20	-38.03	3	Vertical	75	2.69



RSE TX above 1GHz_Beamforming_Radio 3

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6865MHz	Pass	AV	13.74221G	38.64	68.20	-29.56	3	Horizontal	241	1.83
6865MHz	Pass	PK	13.72283G	49.63	88.20	-38.57	3	Horizontal	241	1.83
6945MHz	Pass	AV	13.90245G	39.12	68.20	-29.08	3	Vertical	270	1.94
6945MHz	Pass	PK	13.88133G	49.55	88.20	-38.65	3	Vertical	270	1.94
6945MHz	Pass	AV	13.90215G	39.15	68.20	-29.05	3	Horizontal	144	2.78
6945MHz	Pass	PK	13.90224G	49.58	88.20	-38.62	3	Horizontal	144	2.78
7025MHz	Pass	AV	5.8985G	46.77	68.20	-21.43	3	Vertical	187	2.92
7025MHz	Pass	AV	6.0625G	86.97	Inf	-Inf	3	Vertical	187	2.92
7025MHz	Pass	PK	5.902G	59.23	88.20	-28.97	3	Vertical	187	2.92
7025MHz	Pass	PK	6.062G	97.91	Inf	-Inf	3	Vertical	187	2.92
7025MHz	Pass	AV	5.9025G	55.68	68.20	-12.52	3	Horizontal	15	2.45
7025MHz	Pass	AV	6.0995G	98.33	Inf	-Inf	3	Horizontal	15	2.45
7025MHz	Pass	PK	5.9125G	66.27	88.20	-21.93	3	Horizontal	15	2.45
7025MHz	Pass	PK	5.996G	109.53	Inf	-Inf	3	Horizontal	15	2.45
7025MHz	Pass	AV	12.04823G	38.55	54.00	-15.45	3	Vertical	70	1.62
7025MHz	Pass	PK	12.03983G	49.20	74.00	-24.80	3	Vertical	70	1.62
7025MHz	Pass	AV	12.05372G	38.67	54.00	-15.33	3	Horizontal	7	2.85
7025MHz	Pass	PK	12.04604G	48.55	74.00	-25.45	3	Horizontal	7	2.85
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.8985G	46.77	68.20	-21.43	3	Vertical	187	2.92
6025MHz	Pass	AV	6.0625G	86.97	Inf	-Inf	3	Vertical	187	2.92
6025MHz	Pass	PK	5.902G	59.23	88.20	-28.97	3	Vertical	187	2.92
6025MHz	Pass	PK	6.062G	97.91	Inf	-Inf	3	Vertical	187	2.92
6025MHz	Pass	AV	5.9025G	55.68	68.20	-12.52	3	Horizontal	15	2.45
6025MHz	Pass	AV	6.0995G	98.33	Inf	-Inf	3	Horizontal	15	2.45
6025MHz	Pass	PK	5.9125G	66.27	88.20	-21.93	3	Horizontal	15	2.45
6025MHz	Pass	PK	5.996G	109.53	Inf	-Inf	3	Horizontal	15	2.45
6025MHz	Pass	AV	12.04823G	38.55	54.00	-15.45	3	Vertical	70	1.62
6025MHz	Pass	PK	12.03983G	49.20	74.00	-24.80	3	Vertical	70	1.62
6025MHz	Pass	AV	12.05372G	38.67	54.00	-15.33	3	Horizontal	7	2.85
6025MHz	Pass	PK	12.04604G	48.55	74.00	-25.45	3	Horizontal	7	2.85
6185MHz	Pass	AV	12.36307G	38.39	54.00	-15.61	3	Vertical	173	2.03
6185MHz	Pass	PK	12.36025G	50.37	74.00	-23.63	3	Vertical	173	2.03
6185MHz	Pass	AV	12.37606G	38.40	54.00	-15.60	3	Horizontal	288	2.24
6185MHz	Pass	PK	12.35899G	49.73	74.00	-24.27	3	Horizontal	288	2.24
6345MHz	Pass	AV	12.68061G	38.71	54.00	-15.29	3	Vertical	192	2.75
6345MHz	Pass	PK	12.68163G	49.61	74.00	-24.39	3	Vertical	192	2.75
6345MHz	Pass	AV	12.67779G	38.68	54.00	-15.32	3	Horizontal	58	1.24
6345MHz	Pass	PK	12.70305G	49.07	88.20	-39.13	3	Horizontal	58	1.24
6505MHz	Pass	AV	13.00592G	39.04	68.20	-29.16	3	Vertical	305	1.75
6505MHz	Pass	PK	13.00919G	49.56	88.20	-38.64	3	Vertical	305	1.75
6505MHz	Pass	AV	13.00274G	39.02	68.20	-29.18	3	Horizontal	319	1.19
6505MHz	Pass	PK	13.00604G	49.29	88.20	-38.91	3	Horizontal	319	1.19
6665MHz	Pass	AV	13.3324G	39.21	54.00	-14.79	3	Vertical	161	2.84
6665MHz	Pass	PK	13.33936G	51.20	74.00	-22.80	3	Vertical	161	2.84
6665MHz	Pass	AV	13.34434G	39.31	54.00	-14.69	3	Horizontal	190	1.42
6665MHz	Pass	PK	13.33573G	51.01	74.00	-22.99	3	Horizontal	190	1.42
6825MHz	Pass	AV	13.6413G	38.88	68.20	-29.32	3	Vertical	194	2.12
6825MHz	Pass	PK	13.65036G	49.98	88.20	-38.22	3	Vertical	194	2.12
6825MHz	Pass	AV	13.64127G	38.85	68.20	-29.35	3	Horizontal	199	1.43
6825MHz	Pass	PK	13.64967G	49.19	88.20	-39.01	3	Horizontal	199	1.43
6985MHz	Pass	PK	7.0345G	94.44	Inf	-Inf	3	Vertical	326	2.64
6985MHz	Pass	AV	7.0325G	87.88	Inf	-Inf	3	Vertical	326	2.64
6985MHz	Pass	PK	7.1375G	66.36	88.20	-21.84	3	Vertical	326	2.64
6985MHz	Pass	AV	7.1345G	52.76	68.20	-15.44	3	Vertical	326	2.64
6985MHz	Pass	PK	6.9525G	106.75	Inf	-Inf	3	Horizontal	25	2.03
6985MHz	Pass	AV	6.9495G	100.79	Inf	-Inf	3	Horizontal	25	2.03
6985MHz	Pass	PK	7.1365G	80.54	88.20	-7.66	3	Horizontal	25	2.03
6985MHz	Pass	AV	7.1385G	62.73	68.20	-5.47	3	Horizontal	25	2.03
6985MHz	Pass	AV	13.98452G	39.05	68.20	-29.15	3	Vertical	195	1.47
6985MHz	Pass	PK	13.96724G	49.36	88.20	-38.84	3	Vertical	195	1.47
6985MHz	Pass	AV	13.98311G	39.04	68.20	-29.16	3	Horizontal	233	1.59



RSE TX above 1GHz_Beamforming_Radio 3


Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	13.96238G	50.10	88.20	-38.10	3	Horizontal	233	1.59
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.916G	51.10	68.20	-17.10	3	Vertical	168	2.72
6105MHz	Pass	AV	6.041G	85.05	Inf	-Inf	3	Vertical	168	2.72
6105MHz	Pass	PK	5.91G	67.89	88.20	-20.31	3	Vertical	168	2.72
6105MHz	Pass	PK	6.041G	97.32	Inf	-Inf	3	Vertical	168	2.72
6105MHz	Pass	AV	5.915G	57.30	68.20	-10.90	3	Horizontal	352	2.65
6105MHz	Pass	AV	6.098G	97.14	Inf	-Inf	3	Horizontal	352	2.65
6105MHz	Pass	PK	5.918G	76.17	88.20	-12.03	3	Horizontal	352	2.65
6105MHz	Pass	PK	6.139G	110.63	Inf	-Inf	3	Horizontal	352	2.65
6105MHz	Pass	AV	12.22464G	39.34	54.00	-14.66	3	Vertical	10	1.50
6105MHz	Pass	PK	12.1938G	53.09	74.00	-20.91	3	Vertical	10	1.50
6105MHz	Pass	AV	12.18852G	39.40	54.00	-14.60	3	Horizontal	278	1.50
6105MHz	Pass	PK	12.25176G	53.27	74.00	-20.73	3	Horizontal	278	1.50
6265MHz	Pass	AV	12.58952G	39.29	54.00	-14.71	3	Vertical	267	2.13
6265MHz	Pass	PK	12.56492G	51.36	74.00	-22.64	3	Vertical	267	2.13
6265MHz	Pass	AV	12.57464G	39.13	54.00	-14.87	3	Horizontal	314	1.50
6265MHz	Pass	PK	12.5048G	51.46	74.00	-22.54	3	Horizontal	314	1.50
6425MHz	Pass	AV	12.87928G	39.72	68.20	-28.48	3	Horizontal	109	2.62
6425MHz	Pass	PK	12.87784G	52.45	88.20	-35.75	3	Horizontal	109	2.62
6425MHz	Pass	AV	12.88204G	39.76	68.20	-28.44	3	Horizontal	297	1.44
6425MHz	Pass	PK	12.90844G	51.86	88.20	-36.34	3	Horizontal	297	1.44
6585MHz	Pass	AV	13.13952G	40.26	68.20	-27.94	3	Vertical	81	1.50
6585MHz	Pass	PK	13.14396G	53.57	88.20	-34.63	3	Vertical	81	1.50
6585MHz	Pass	AV	13.14492G	40.40	68.20	-27.80	3	Horizontal	284	1.50
6585MHz	Pass	PK	13.1418G	53.64	88.20	-34.56	3	Horizontal	284	1.50
6745MHz	Pass	AV	13.4384G	40.86	68.20	-27.34	3	Vertical	132	1.17
6745MHz	Pass	PK	13.5308G	53.52	88.20	-34.68	3	Vertical	132	1.17
6745MHz	Pass	AV	13.46612G	40.77	68.20	-27.43	3	Horizontal	25	1.59
6745MHz	Pass	PK	13.5044G	53.70	88.20	-34.50	3	Horizontal	25	1.59
6905MHz	Pass	AV	6.8385G	90.92	Inf	-Inf	3	Vertical	323	2.60
6905MHz	Pass	AV	7.1255G	54.49	68.20	-13.71	3	Vertical	323	2.60
6905MHz	Pass	PK	6.8385G	99.43	Inf	-Inf	3	Vertical	323	2.60
6905MHz	Pass	PK	7.1495G	74.15	88.20	-14.05	3	Vertical	323	2.60
6905MHz	Pass	AV	6.7495G	101.04	Inf	-Inf	3	Horizontal	351	3.00
6905MHz	Pass	AV	7.1485G	62.23	68.20	-5.97	3	Horizontal	351	3.00
6905MHz	Pass	PK	6.7505G	109.93	Inf	-Inf	3	Horizontal	351	3.00
6905MHz	Pass	PK	7.2085G	84.16	88.20	-4.04	3	Horizontal	351	3.00
6905MHz	Pass	AV	13.83976G	40.82	68.20	-27.38	3	Vertical	109	1.50
6905MHz	Pass	PK	13.81408G	54.74	88.20	-33.46	3	Vertical	109	1.50
6905MHz	Pass	AV	13.84528G	40.79	68.20	-27.41	3	Horizontal	235	1.50
6905MHz	Pass	PK	13.8496G	54.90	88.20	-33.30	3	Horizontal	235	1.50



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9136G	45.76	68.20	-22.44	6.27	3	Vertical	276	2.75	39.49	34.07	7.00	34.80
AV	5.9541G	88.00	Inf	-Inf	6.21	3	Vertical	276	2.75	81.79	33.99	7.03	34.81
PK	5.8485G	57.26	88.20	-30.94	6.05	3	Vertical	276	2.75	51.21	33.90	6.94	34.79
PK	5.9517G	99.89	Inf	-Inf	6.22	3	Vertical	276	2.75	93.67	34.00	7.03	34.81

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9244G	46.01	68.20	-22.19	6.26	3	Horizontal	312	2.71	39.75	34.05	7.01	34.80
AV	5.9637G	99.55	Inf	-Inf	6.20	3	Horizontal	312	2.71	93.35	33.97	7.04	34.81
PK	5.9226G	60.27	88.20	-27.93	6.25	3	Horizontal	312	2.71	54.02	34.05	7.00	34.80
PK	5.9616G	110.05	Inf	-Inf	6.21	3	Horizontal	312	2.71	103.84	33.98	7.04	34.81



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0204G	39.11	54.00	-14.89	15.80	3	Vertical	297	1.50	23.31	38.84	11.62	34.66
PK	11.92024G	50.48	74.00	-23.52	15.56	3	Vertical	297	1.50	34.92	38.60	11.59	34.63

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0652G	39.19	54.00	-14.81	15.90	3	Horizontal	130	1.50	23.29	38.93	11.61	34.64
PK	12.00856G	51.42	74.00	-22.58	15.77	3	Horizontal	130	1.50	35.65	38.82	11.62	34.67



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.38151G	38.72	54.00	-15.28	15.91	3	Vertical	356	1.51	22.81	38.84	11.54	34.47
PK	12.37743G	48.83	74.00	-25.17	15.92	3	Vertical	356	1.51	32.91	38.85	11.54	34.47

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.28024G	38.89	54.00	-15.11	15.88	3	Horizontal	236	1.00	23.01	38.84	11.56	34.52
PK	12.23096G	49.29	74.00	-24.71	15.92	3	Horizontal	236	1.00	33.37	38.90	11.57	34.55



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94072G	39.82	68.20	-28.38	17.70	3	Vertical	333	1.86	22.12	39.78	11.42	33.50
PK	12.9372G	50.11	88.20	-38.09	17.68	3	Vertical	333	1.86	32.43	39.77	11.42	33.51

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94168G	39.70	68.20	-28.50	17.70	3	Horizontal	5	2.27	22.00	39.78	11.42	33.50
PK	12.97592G	50.38	88.20	-37.82	17.74	3	Horizontal	5	2.27	32.64	39.75	11.42	33.43



6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86516G	39.03	68.20	-29.17	17.34	3	Vertical	130	1.36	21.69	39.56	11.44	33.66
PK	12.8676G	51.78	88.20	-36.42	17.36	3	Vertical	130	1.36	34.42	39.57	11.44	33.65

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87682G	39.26	68.20	-28.94	17.42	3	Horizontal	292	2.65	21.84	39.61	11.44	33.63
PK	12.8761G	52.08	88.20	-36.12	17.40	3	Horizontal	292	2.65	34.68	39.60	11.44	33.64



6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94934G	39.14	68.20	-29.06	17.74	3	Vertical	354	1.38	21.40	39.80	11.42	33.48
PK	12.94888G	51.27	88.20	-36.93	17.73	3	Vertical	354	1.38	33.54	39.80	11.42	33.49

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95842G	39.16	68.20	-29.04	17.73	3	Horizontal	52	1.23	21.43	39.78	11.42	33.47
PK	12.94896G	51.92	88.20	-36.28	17.73	3	Horizontal	52	1.23	34.19	39.80	11.42	33.49



6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02222G	39.26	68.20	-28.94	17.67	3	Vertical	0	1.03	21.59	39.61	11.41	33.35
PK	13.03222G	50.92	88.20	-37.28	17.64	3	Vertical	0	1.03	33.28	39.57	11.40	33.33

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02466G	39.12	68.20	-29.08	17.66	3	Horizontal	220	1.19	21.46	39.60	11.40	33.34
PK	13.03066G	52.07	88.20	-36.13	17.64	3	Horizontal	220	1.19	34.43	39.58	11.40	33.34



6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03G	39.35	68.20	-28.85	17.64	3	Vertical	236	1.77	21.71	39.58	11.40	33.34
PK	13.04456G	52.00	88.20	-36.20	17.60	3	Vertical	236	1.77	34.40	39.52	11.40	33.32

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03496G	39.38	68.20	-28.82	17.63	3	Horizontal	345	2.87	21.75	39.56	11.40	33.33
PK	13.10688G	52.22	88.20	-35.98	17.67	3	Horizontal	345	2.87	34.55	39.51	11.39	33.23



6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.405G	39.75	68.20	-28.45	18.34	3	Vertical	149	2.06	21.41	39.82	11.32	32.80
PK	13.39678G	49.67	74.00	-24.33	18.32	3	Vertical	149	2.06	31.35	39.81	11.33	32.82

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38736G	39.65	54.00	-14.35	18.33	3	Horizontal	265	1.65	21.32	39.83	11.33	32.83
PK	13.40023G	50.83	88.20	-37.37	18.32	3	Horizontal	265	1.65	32.51	39.80	11.33	32.81



6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7638G	39.18	68.20	-29.02	18.06	3	Vertical	22	1.68	21.12	39.50	11.25	32.69
PK	13.73527G	50.44	88.20	-37.76	18.11	3	Vertical	22	1.68	32.33	39.53	11.26	32.68

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89208G	39.64	68.20	-28.56	18.11	3	Horizontal	340	1.70	21.53	39.58	11.22	32.69
PK	13.88792G	49.35	88.20	-38.85	18.11	3	Horizontal	340	1.70	31.24	39.58	11.22	32.69



6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78964G	39.17	68.20	-29.03	18.05	3	Vertical	70	2.22	21.12	39.50	11.24	32.69
PK	13.78754G	49.90	88.20	-38.30	18.05	3	Vertical	70	2.22	31.85	39.50	11.24	32.69

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7843G	39.09	68.20	-29.11	18.06	3	Horizontal	48	1.87	21.03	39.50	11.25	32.69
PK	13.77635G	48.42	88.20	-39.78	18.06	3	Horizontal	48	1.87	30.36	39.50	11.25	32.69



6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99885G	39.64	68.20	-28.56	18.30	3	Vertical	211	1.60	21.34	39.80	11.20	32.70
PK	13.98184G	49.17	88.20	-39.03	18.26	3	Vertical	211	1.60	30.91	39.76	11.20	32.70

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01176G	39.68	68.20	-28.52	18.31	3	Horizontal	217	1.71	21.37	39.82	11.21	32.72
PK	14.06712G	50.84	88.20	-37.36	18.37	3	Horizontal	217	1.71	32.47	39.93	11.24	32.80



6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0866G	87.59	Inf	-Inf	8.99	3	Vertical	291	2.35	78.60	36.12	7.65	34.78
AV	7.2384G	49.99	68.20	-18.21	9.45	3	Vertical	291	2.35	40.54	36.58	7.75	34.88
PK	7.0887G	98.57	Inf	-Inf	9.00	3	Vertical	291	2.35	89.57	36.13	7.65	34.78
PK	7.2039G	61.08	88.20	-27.12	9.38	3	Vertical	291	2.35	51.70	36.51	7.73	34.86

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1037G	98.74	Inf	-Inf	9.08	3	Horizontal	344	2.26	89.66	36.21	7.66	34.79
AV	7.2264G	50.21	68.20	-17.99	9.43	3	Horizontal	344	2.26	40.78	36.55	7.75	34.87
PK	7.0899G	109.48	Inf	-Inf	9.00	3	Horizontal	344	2.26	100.48	36.14	7.65	34.79
PK	7.2276G	61.51	88.20	-26.69	9.44	3	Horizontal	344	2.26	52.07	36.56	7.75	34.87



6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.32024G	39.81	68.20	-28.39	18.09	3	Vertical	188	1.48	21.72	39.84	11.40	33.15
PK	14.26936G	50.13	88.20	-38.07	18.09	3	Vertical	188	1.48	32.04	39.80	11.37	33.08

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17653G	39.53	68.20	-28.67	18.26	3	Horizontal	280	2.91	21.27	39.90	11.31	32.95
PK	14.20209G	49.87	88.20	-38.33	18.24	3	Horizontal	280	2.91	31.63	39.90	11.33	32.99



6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	7.1235G	95.69	Inf	-Inf	9.16	3	Vertical	325	2.15	BP 1MHz	86.53	36.29	7.68	34.81
AV	7.1235G	88.68	Inf	-Inf	9.16	3	Vertical	325	2.15	BP 1MHz	79.52	36.29	7.68	34.81
PK	7.1255G	71.49	88.20	-16.71	9.17	3	Vertical	325	2.15	BP 1MHz	62.32	36.30	7.68	34.81
AV	7.1255G	61.92	68.20	-6.28	9.17	3	Vertical	325	2.15	BP 1MHz	52.75	36.30	7.68	34.81

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	7.1085G	105.46	Inf	-Inf	9.10	3	Horizontal	358	2.10	BP 1MHz	96.36	36.23	7.67	34.80
AV	7.1075G	98.46	Inf	-Inf	9.10	3	Horizontal	358	2.10	BP 1MHz	89.36	36.23	7.67	34.80
PK	7.1255G	78.64	88.20	-9.56	9.17	3	Horizontal	358	2.10	BP 1MHz	69.47	36.30	7.68	34.81
AV	7.1255G	68.17	68.20	-0.03	9.17	3	Horizontal	358	2.10	BP 1MHz	59.00	36.30	7.68	34.81



6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.24029G	39.51	68.20	-28.69	18.13	3	Vertical	157	1.57	21.38	39.82	11.35	33.04
PK	14.23531G	49.89	88.20	-38.31	18.15	3	Vertical	157	1.57	31.74	39.83	11.35	33.03

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22313G	39.65	68.20	-28.55	18.17	3	Horizontal	44	2.61	21.48	39.85	11.34	33.02
PK	14.21824G	48.93	88.20	-39.27	18.19	3	Horizontal	44	2.61	30.74	39.86	11.34	33.01



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8828G	43.33	68.20	-24.87	6.20	3	Vertical	318	2.52	37.13	34.03	6.97	34.80
AV	5.971G	81.19	Inf	-Inf	6.20	3	Vertical	318	2.52	74.99	33.96	7.05	34.81
PK	5.8786G	55.66	88.20	-32.54	6.18	3	Vertical	318	2.52	49.48	34.01	6.97	34.80
PK	5.959G	93.57	Inf	-Inf	6.21	3	Vertical	318	2.52	87.36	33.98	7.04	34.81

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9164G	45.79	68.20	-22.41	6.27	3	Horizontal	27	2.94	39.52	34.07	7.00	34.80
AV	5.9569G	100.11	Inf	-Inf	6.21	3	Horizontal	27	2.94	93.90	33.99	7.03	34.81
PK	5.9236G	63.05	88.20	-25.15	6.26	3	Horizontal	27	2.94	56.79	34.05	7.01	34.80
PK	5.9557G	112.82	Inf	-Inf	6.21	3	Horizontal	27	2.94	106.61	33.99	7.03	34.81



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.958G	37.44	54.00	-16.56	15.58	3	Vertical	82	2.53	21.86	38.63	11.60	34.65
PK	11.95112G	49.69	74.00	-24.31	15.55	3	Vertical	82	2.53	34.14	38.60	11.60	34.65

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.94944G	37.37	54.00	-16.63	15.55	3	Horizontal	320	1.77	21.82	38.60	11.60	34.65
PK	11.9248G	50.67	74.00	-23.33	15.55	3	Horizontal	320	1.77	35.12	38.60	11.59	34.64



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.42125G	38.21	54.00	-15.79	15.88	3	Vertical	175	2.89	22.33	38.80	11.53	34.45
PK	12.41543G	48.27	74.00	-25.73	15.88	3	Vertical	175	2.89	32.39	38.80	11.53	34.45

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34228G	38.19	54.00	-15.81	15.94	3	Horizontal	126	2.08	22.25	38.88	11.55	34.49
PK	12.35624G	50.26	74.00	-23.74	15.96	3	Horizontal	126	2.08	34.30	38.89	11.55	34.48



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93512G	39.26	68.20	-28.94	17.68	3	Vertical	332	2.19	21.58	39.77	11.42	33.51
PK	12.89288G	49.83	88.20	-38.37	17.50	3	Vertical	332	2.19	32.33	39.67	11.43	33.60

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.62047G	38.15	54.00	-15.85	16.51	3	Horizontal	223	1.51	21.64	39.18	11.49	34.16
PK	12.66216G	49.91	74.00	-24.09	16.70	3	Horizontal	223	1.51	33.21	39.30	11.48	34.08



6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.90467G	39.11	68.20	-29.09	17.56	3	Vertical	210	1.19	21.55	39.71	11.43	33.58
PK	12.88001G	49.78	88.20	-38.42	17.43	3	Vertical	210	1.19	32.35	39.62	11.44	33.63

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.90455G	39.05	68.20	-29.15	17.56	3	Horizontal	185	2.43	21.49	39.71	11.43	33.58
PK	12.89228G	49.67	88.20	-38.53	17.50	3	Horizontal	185	2.43	32.17	39.67	11.43	33.60



6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95635G	39.18	68.20	-29.02	17.74	3	Vertical	253	1.71	21.44	39.79	11.42	33.47
PK	12.97048G	50.82	88.20	-37.38	17.74	3	Vertical	253	1.71	33.08	39.76	11.42	33.44

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94216G	39.38	68.20	-28.82	17.70	3	Horizontal	207	1.26	21.68	39.78	11.42	33.50
PK	12.8916G	49.63	88.20	-38.57	17.50	3	Horizontal	207	1.26	32.13	39.67	11.43	33.60



6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6525MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04679G	38.94	68.20	-29.26	17.60	3	Vertical	318	2.34	21.34	39.51	11.40	33.31
PK	13.06269G	48.88	88.20	-39.32	17.61	3	Vertical	318	2.34	31.27	39.50	11.40	33.29

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94088G	39.36	68.20	-28.84	17.70	3	Horizontal	52	2.90	21.66	39.78	11.42	33.50
PK	13.02568G	50.58	88.20	-37.62	17.66	3	Horizontal	52	2.90	32.92	39.60	11.40	33.34



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13078G	38.97	68.20	-29.23	17.75	3	Vertical	77	2.63	21.22	39.56	11.38	33.19
PK	13.11761G	49.92	88.20	-38.28	17.72	3	Vertical	77	2.63	32.20	39.54	11.39	33.21

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13047G	39.30	68.20	-28.90	17.75	3	Horizontal	294	2.89	21.55	39.56	11.38	33.19
PK	13.23944G	50.25	88.20	-37.95	17.92	3	Horizontal	294	2.89	32.33	39.60	11.36	33.04



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.35845G	39.39	54.00	-14.61	18.34	3	Vertical	12	2.38	21.05	39.88	11.33	32.87
PK	13.36502G	49.10	74.00	-24.90	18.34	3	Vertical	12	2.38	30.76	39.87	11.33	32.86

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.35548G	39.34	54.00	-14.66	18.35	3	Horizontal	52	2.67	20.99	39.89	11.34	32.88
PK	13.37234G	49.75	74.00	-24.25	18.34	3	Horizontal	52	2.67	31.41	39.86	11.33	32.85