





Test Date	2017/09/26	Temp./Hum.	25°C/55%
Mode	802.11n-HT20	UNII Band	II-2C
		Frequency	TX 5500MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	







Test Date	2017/09/26	Temp./Hum.	25°C/55%
Mode	802.11n-HT20	UNII Band	II-2C
		Frequency	TX 5600MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	







Test Date	2017/09/26	Temp./Hum.	25°C/55%
Mode	802.11n-HT20	UNII Band	II-2C
		Frequency	TX 5700MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	







Test Date	2017/09/26	Temp./Hum.	25°C/55%
Mode	802.11n-HT20	UNII Band	III
		Frequency	TX 5745MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	







Test Date	2017/09/26	Temp./Hum.	25°C/55%
Mode	802.11n-HT20	UNII Band	III
		Frequency	TX 5785MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	







Test Date	2017/09/26	Temp./Hum.	25°C/55%
Mode	802.11n-HT20	UNII Band	III
		Frequency	TX 5825MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	







Test Date	2017/09/26	Temp./Hum.	25°C/55%
Mode	802.11n-HT40	UNII Band	I
		Frequency	TX 5190MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	







Test Date	2017/09/26	Temp./Hum.	25°C/55%
Mode	802.11n-HT40	UNII Band	I
		Frequency	TX 5230MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	







Test Date	2017/09/26	Temp./Hum.	25°C/55%
Mode	802.11n-HT40	UNII Band	II-2A
		Frequency	TX 5270MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	







Test Date	2017/09/26	Temp./Hum.	25°C/55%
Mode	802.11n-HT40	UNII Band	II-2A
		Frequency	TX 5310MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	







Test Date	2017/09/26	Temp./Hum.	25°C/55%
Mode	802.11n-HT40	UNII Band	II-2C
		Frequency	TX 5510MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	







Test Date	2017/09/26	Temp./Hum.	25°C/55%
Mode	802.11n-HT40	UNII Band	II-2C
		Frequency	TX 5590MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	







Test Date	2017/09/26	Temp./Hum.	25°C/55%
Mode	802.11n-HT40	UNII Band	II-2C
		Frequency	TX 5670MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	







Test Date	2017/09/26	Temp./Hum.	25°C/55%
Mode	802.11n-HT40	UNII Band	III
		Frequency	TX 5755MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	






Test Date	2017/09/26	Temp./Hum.	25°C/55%
Mode	802.11n-HT40	UNII Band	III
		Frequency	TX 5795MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	







Antenna: Omni-S Antenna


Test Date	2017/10/02	Temp./Hum.	25°C/55%
Mode	802.11a	UNII Band	I
		Frequency	TX 5180MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: “n” is antenna number)		0	







Test Date	2017/10/02	Temp./Hum.	25°C/55%
Mode	802.11a	UNII Band	I
		Frequency	TX 5200MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		0	







Test Date	2017/10/02	Temp./Hum.	25°C/55%
Mode	802.11a	UNII Band	I
		Frequency	TX 5240MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		0	







Test Date	2017/09/25	Temp./Hum.	25°C/55%
Mode	802.11a	UNII Band	II-2A
		Frequency	TX 5260MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		0	







Test Date	2017/09/25	Temp./Hum.	25°C/55%
Mode	802.11a	UNII Band	II-2A
		Frequency	TX 5300MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		0	







Test Date	2017/09/25	Temp./Hum.	25°C/55%
Mode	802.11a	UNII Band	II-2A
		Frequency	TX 5320MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		0	







Test Date	2017/10/02	Temp./Hum.	25°C/55%
Mode	802.11a	UNII Band	II-2C
		Frequency	TX 5500MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		0	







Test Date	2017/10/02	Temp./Hum.	25°C/54 ~ 55%
Mode	802.11a	UNII Band	II-2C
		Frequency	TX 5600MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		0	







Test Date	2017/10/02	Temp./Hum.	25°C/55%
Mode	802.11a	UNII Band	II-2C
		Frequency	TX 5700MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		0	







Test Date	2017/09/25 ~ 10/02	Temp./Hum.	25°C/55%
Mode	802.11a	UNII Band	III
		Frequency	TX 5745MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		0	





Test Date	2017/10/02	Temp./Hum.	25°C/55%
Mode	802.11a	UNII Band	III
		Frequency	TX 5785MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		0	





Test Date	2017/10/02	Temp./Hum.	25°C/55%
Mode	802.11a	UNII Band	III
		Frequency	TX 5825MHz
Cable Loss	4.2dB	Test Voltage	DC 3.3V (Via Notebook PC)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		0	

