



Federal Communications Commission
7345 Oakland Mills Road
Columbia MD 21046

Subject: Request for Class 2 Permissive Change

Reference: *[FCC ID] U4G004W*

To The Commission:

Hereby we request a class II permissive change for the Datalogic module DL-MSD30AG, FCC ID: U4G004W.

The module was removed from the interface board to solder it directly to the end user product. The module still fulfills the FCC requirements of a modular approval.



Sincerely

A handwritten signature in blue ink, reading 'H. Leutfeld', enclosed in a light blue rectangular box.


Name: Holger Leutfeld

Title: Project Manager

Date: 2010-08-25




Main board ELF, common for all models




Board daughter



connector




SUMMIT MODULE
FCC ID: SDC-MSD30AG
FCC ID:U4G004W



SIP CHIPSET




Main board ELF, common for all models




Board daughter



connector



SUMMIT MODULE
FCC ID: SDC-MSD30AG
FCC ID:U4G004W



SIP CHIPSET



Main board ELF, common for all models




Board daughter
connector

1. We solder the SIP module directly on the Daughter board
 1. RF antenna trace is designed following the Application guide
 1. There is the antenna connector
 2. There is no digital connector
- OUR IDEA IS TO MAKE THE FCC CERTIFICATION OF THIS PIECE OF PC AND INTEGRATE IT IN OUR MODULAR APPROVAL APPROACH

The current configuration

SIP module



Summit module

The new configuration: the SIP module has been moved to daughter

