

Report

Dosimetric Assessment of the Portable Device Datalogic SKORPIO X3 (Contains FCC ID: TWG-SDCMSD30AG)

According to the FCC and IC Requirements

May 22, 2012

IMST GmbH
Carl-Friedrich-Gauß-Str. 2
D-47475 Kamp-Lintfort

Customer
7layers AG
Borsigstrasse 11
D-40880 Ratingen

The test results only relate to the items tested. This report shall not be reproduced except in full without the written approval of the testing laboratory.

1 Subject of Investigation



Fig. 1: Pictures of the device under test.

9.9 Pictures of the Device under Test

Fig. 22 - 23 show the devices under test and the used accessories.



Fig. 22: Front and back view of the Datalogic SKORPIO X3.



Fig. 23: Side view of the Datalogic SKORPIO X3.

9.10 Test positions for the Device under Test

Fig. 24 - 29 show the test positions for the SAR measurements for the Datalogic SKORPIO X3.



Fig. 24: Cheek position, left side.



Fig. 25: Tilted position, left side.



Fig. 26: Cheek position, right side.



Fig. 27: Tilted position, right side.



Fig. 28: Body worn configuration, position 1, display towards the phantom.



Fig. 29: Body worn configuration, position 2, display towards the ground.