




APPENDIX 11. Photographs of Test Setup



Fig.1 Photograph of the SAR measurement system



Report No. : E5/2015/B0015 Page : 2 of 11



Photograph of the Tissue Simulant Fluid Liquid (Head & Body)

Fig.2.3





Report No. : E5/2015/B0015 Page : 3 of 11

Head Mode




Fig.3 Right Head Section / Cheek-Touch Position



Fig.4 Right Head Section / Ear-Tilt Position(15°)






Fig.5 Left Head Section / Cheek-Touch Position



Report No. : E5/2015/B0015 Page : 4 of 11



Fig.6 Left Head Section / Ear-Tilt Position(15°)



Report No. : E5/2015/B0015 Page : 5 of 11

Body-worn - distance between flat phantom and mobile phone is 15 mm






Fig.7 EUT Front side to flat phantom






Fig.8 EUT Back to flat phantom



Report No. : E5/2015/B0015 Page : 6 of 11

Hand - distance between flat phantom and mobile phone is 0 mm





Fig.9 EUT Back side to flat phantom






Fig.10 EUT Bottom side to flat phantom






Fig.11 EUT Front side to flat phantom



Report No. : E5/2015/B0015 Page : 7 of 11

Hand - distance between flat phantom and mobile phone is 0 mm






Fig.12 EUT Left side to flat phantom






Fig.13 EUT Right side to flat phantom






Fig.14 EUT Top side to flat phantom



Report No. : E5/2015/B0015 Page : 8 of 11

12. Photographs of the EUT



Fig.15 Front view of EUT



Fig.16 Back view of EUT

Report No. : E5/2015/B0015 Page : 9 of 11





Fig.17 Back view of EUT with battery3200 (Model No:Standard BTDL1)



Fig.18 Back view of EUT with battery6400 (Model No:Extended BTDL1)

Report No. : E5/2015/B0015 Page : 10 of 11





Fig.19 battery3200 (Model No:Standard BTDL1)



Fig.20 battery6400 (Model No:Extended BTDL1)



Report No. : E5/2015/B0015 Page : 11 of 11




Fig.21 Antenna position of EUT

- End of Report -