


802.11ac VHT80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_USB




Lim.QP
 QP
 Lim.AV
 AV

18/06/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	344.28M	34.93	46.00	-11.07	-15.25	3	Vertical	0	1.00	-	50.18	19.41	1.86	36.52
PK	416.06M	38.60	46.00	-7.40	-12.85	3	Vertical	0	1.00	-	51.45	21.64	2.06	36.55
PK	482.02M	40.84	46.00	-5.16	-11.72	3	Vertical	0	1.00	-	52.56	22.86	2.28	36.86
PK	551.86M	38.18	46.00	-7.82	-9.91	3	Vertical	0	1.00	-	48.09	24.69	2.53	37.13
PK	759.44M	40.34	46.00	-5.66	-7.08	3	Vertical	0	1.00	-	47.42	27.28	3.08	37.44
PK	831.22M	40.68	46.00	-5.32	-6.40	3	Vertical	0	1.00	-	47.08	27.99	3.17	37.56

802.11ac VHT80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_USB




Lim.QP
 QP
 Lim.AV
 AV

18/06/2022


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	276.38M	40.98	46.00	-5.02	-16.88	3	Horizontal	360	1.00	-	57.86	17.94	1.62	36.44
PK	311.3M	35.73	46.00	-10.27	-16.25	3	Horizontal	360	1.00	-	51.98	18.44	1.75	36.44
PK	416.06M	36.99	46.00	-9.01	-12.85	3	Horizontal	360	1.00	-	49.84	21.64	2.06	36.55
PK	689.6M	39.23	46.00	-6.77	-8.64	3	Horizontal	360	1.00	-	47.87	25.73	2.94	37.31
PK	761.38M	42.11	46.00	-3.89	-7.09	3	Horizontal	360	1.00	-	49.20	27.27	3.08	37.44
PK	831.22M	41.37	46.00	-4.63	-6.40	3	Horizontal	360	1.00	-	47.77	27.99	3.17	37.56

802.11ac VHT80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	28.55	40.00	-11.45	-12.99	3	Vertical	360	1.00	-	41.54	23.73	0.48	37.20
PK	113.42M	27.44	43.50	-16.06	-19.17	3	Vertical	360	1.00	-	46.61	16.39	1.07	36.63
PK	299.66M	19.11	46.00	-26.89	-16.32	3	Vertical	360	1.00	-	35.43	18.38	1.71	36.41
PK	396.66M	19.69	46.00	-26.31	-13.63	3	Vertical	360	1.00	-	33.32	20.88	2.00	36.51
PK	499.48M	25.76	46.00	-20.24	-11.53	3	Vertical	360	1.00	-	37.29	23.11	2.34	36.98
PK	724.52M	26.62	46.00	-19.38	-7.82	3	Vertical	360	1.00	-	34.44	26.56	3.01	37.39


802.11ac VHT80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	24.06	40.00	-15.94	-12.99	3	Horizontal	0	1.00	-	37.05	23.73	0.48	37.20
PK	165.8M	24.44	43.50	-19.06	-19.83	3	Horizontal	0	1.00	-	44.27	15.24	1.36	36.43
PK	231.76M	24.23	46.00	-21.77	-19.40	3	Horizontal	0	1.00	-	43.63	15.52	1.48	36.40
PK	309.36M	25.28	46.00	-20.72	-16.28	3	Horizontal	0	1.00	-	41.56	18.41	1.74	36.43
PK	499.48M	24.91	46.00	-21.09	-11.53	3	Horizontal	0	1.00	-	36.44	23.11	2.34	36.98
PK	633.34M	25.43	46.00	-20.57	-8.61	3	Horizontal	0	1.00	-	34.04	25.72	2.81	37.14

802.11ac VHT80_Nss1,(MCS0)_2TX


5775MHz_USB



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	346.22M	35.13	46.00	-10.87	-15.18	3	Vertical	360	1.00	-	50.31	19.47	1.87	36.52
PK	416.06M	38.86	46.00	-7.14	-12.85	3	Vertical	360	1.00	-	51.71	21.64	2.06	36.55
PK	483.96M	40.39	46.00	-5.61	-11.67	3	Vertical	360	1.00	-	52.06	22.91	2.29	36.87
PK	553.8M	37.83	46.00	-8.17	-9.63	3	Vertical	360	1.00	-	47.46	24.96	2.54	37.13
PK	689.6M	37.05	46.00	-8.95	-8.64	3	Vertical	360	1.00	-	45.69	25.73	2.94	37.31
PK	827.34M	41.51	46.00	-4.49	-6.61	3	Vertical	360	1.00	-	48.12	27.78	3.16	37.55

802.11ac VHT80_Nss1,(MCS0)_2TX


5775MHz_USB



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	276.38M	39.01	46.00	-6.99	-16.88	3	Horizontal	0	1.00	-	55.89	17.94	1.62	36.44
PK	416.06M	38.56	46.00	-7.44	-12.85	3	Horizontal	0	1.00	-	51.41	21.64	2.06	36.55
PK	693.48M	38.30	46.00	-7.70	-8.63	3	Horizontal	0	1.00	-	46.93	25.75	2.95	37.33
PK	759.44M	42.97	46.00	-3.03	-7.08	3	Horizontal	0	1.00	-	50.05	27.28	3.08	37.44
PK	827.34M	42.25	46.00	-3.75	-6.61	3	Horizontal	0	1.00	-	48.86	27.78	3.16	37.55
PK	897.18M	39.36	46.00	-6.64	-6.08	3	Horizontal	0	1.00	-	45.44	28.22	3.30	37.60

802.11ac VHT80_Nss1,(MCS0)_2TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	27.90	40.00	-12.10	-12.99	3	Vertical	360	1.00	-	40.89	23.73	0.48	37.20
PK	119.24M	28.05	43.50	-15.45	-18.82	3	Vertical	360	1.00	-	46.87	16.69	1.11	36.62
PK	301.6M	19.10	46.00	-26.90	-16.31	3	Vertical	360	1.00	-	35.41	18.38	1.72	36.41
PK	400.54M	21.57	46.00	-24.43	-13.43	3	Vertical	360	1.00	-	35.00	21.07	2.01	36.51
PK	557.68M	24.39	46.00	-21.61	-9.29	3	Vertical	360	1.00	-	33.68	25.28	2.55	37.12
PK	627.52M	25.61	46.00	-20.39	-8.77	3	Vertical	360	1.00	-	34.38	25.58	2.78	37.13

802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	23.54	40.00	-16.46	-12.99	3	Horizontal	0	1.00	-	36.53	23.73	0.48	37.20
PK	161.92M	24.15	43.50	-19.35	-19.55	3	Horizontal	0	1.00	-	43.70	15.51	1.36	36.42
PK	231.76M	24.66	46.00	-21.34	-19.40	3	Horizontal	0	1.00	-	44.06	15.52	1.48	36.40
PK	307.42M	24.19	46.00	-21.81	-16.29	3	Horizontal	0	1.00	-	40.48	18.40	1.74	36.43
PK	400.54M	23.85	46.00	-22.15	-13.43	3	Horizontal	0	1.00	-	37.28	21.07	2.01	36.51
PK	557.68M	25.32	46.00	-20.68	-9.29	3	Horizontal	0	1.00	-	34.61	25.28	2.55	37.12



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	53.33	54.00	-0.67	3	Horizontal	165	2.12	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.82	54.00	-0.18	3	Vertical	108	1.15	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	AV	5.1492G	53.80	54.00	-0.20	3	Horizontal	180	1.55	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	5.149G	53.82	54.00	-0.18	3	Vertical	147	1.00	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3502G	53.89	54.00	-0.11	3	Horizontal	191	2.48	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.02	54.00	-0.98	3	Vertical	161	1.24	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.46	54.00	-0.54	3	Horizontal	187	1.46	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	5.358G	53.66	54.00	-0.34	3	Horizontal	180	1.50	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7272G	67.97	68.20	-0.23	3	Horizontal	194	2.72	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	67.56	68.20	-0.64	3	Vertical	157	1.00	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	AV	5.46G	53.66	54.00	-0.34	3	Vertical	149	1.01	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	PK	5.466G	67.86	68.20	-0.34	3	Horizontal	194	1.24	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.9434G	61.30	68.20	-6.90	3	Vertical	165	1.08	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	PK	5.9234G	61.58	69.38	-7.80	3	Horizontal	192	2.69	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	PK	5.6494G	65.46	68.20	-2.74	3	Horizontal	175	2.13	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	PK	5.6466G	68.04	68.20	-0.16	3	Horizontal	200	1.76	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	50.20	54.00	-3.80	3	Vertical	184	1.50	-
5180MHz	Pass	AV	5.1814G	101.41	Inf	-Inf	3	Vertical	184	1.50	-
5180MHz	Pass	PK	5.1468G	64.20	74.00	-9.80	3	Vertical	184	1.50	-
5180MHz	Pass	PK	5.1814G	110.17	Inf	-Inf	3	Vertical	184	1.50	-
5180MHz	Pass	AV	5.15G	53.33	54.00	-0.67	3	Horizontal	165	2.12	-
5180MHz	Pass	AV	5.186G	106.38	Inf	-Inf	3	Horizontal	165	2.12	-
5180MHz	Pass	PK	5.15G	67.64	74.00	-6.36	3	Horizontal	165	2.12	-
5180MHz	Pass	PK	5.1758G	114.74	Inf	-Inf	3	Horizontal	165	2.12	-
5180MHz	Pass	PK	10.36G	54.14	68.20	-14.06	3	Vertical	102	1.50	-
5180MHz	Pass	PK	10.352G	54.48	68.20	-13.72	3	Horizontal	33	2.33	-
5200MHz	Pass	AV	5.15G	48.36	54.00	-5.64	3	Vertical	169	1.04	-
5200MHz	Pass	AV	5.2036G	105.35	Inf	-Inf	3	Vertical	169	1.04	-
5200MHz	Pass	PK	5.1304G	60.07	74.00	-13.93	3	Vertical	169	1.04	-
5200MHz	Pass	PK	5.198G	114.15	Inf	-Inf	3	Vertical	169	1.04	-
5200MHz	Pass	AV	5.15G	50.91	54.00	-3.09	3	Horizontal	163	1.61	-
5200MHz	Pass	AV	5.1992G	106.98	Inf	-Inf	3	Horizontal	163	1.61	-
5200MHz	Pass	PK	5.1488G	67.86	74.00	-6.14	3	Horizontal	163	1.61	-
5200MHz	Pass	PK	5.1988G	116.19	Inf	-Inf	3	Horizontal	163	1.61	-
5200MHz	Pass	PK	10.41504G	54.25	68.20	-13.95	3	Vertical	288	1.35	-
5200MHz	Pass	PK	10.4196G	53.96	68.20	-14.24	3	Horizontal	323	1.65	-
5240MHz	Pass	AV	5.15G	47.20	54.00	-6.80	3	Vertical	113	1.00	-
5240MHz	Pass	AV	5.2334G	106.98	Inf	-Inf	3	Vertical	113	1.00	-
5240MHz	Pass	AV	5.3876G	46.08	54.00	-7.92	3	Vertical	113	1.00	-
5240MHz	Pass	PK	5.1146G	58.16	74.00	-15.84	3	Vertical	113	1.00	-
5240MHz	Pass	PK	5.2388G	115.23	Inf	-Inf	3	Vertical	113	1.00	-
5240MHz	Pass	PK	5.3642G	57.88	74.00	-16.12	3	Vertical	113	1.00	-
5240MHz	Pass	AV	5.1476G	47.40	54.00	-6.60	3	Horizontal	189	2.25	-
5240MHz	Pass	AV	5.2466G	109.93	Inf	-Inf	3	Horizontal	189	2.25	-
5240MHz	Pass	AV	5.3732G	46.29	54.00	-7.71	3	Horizontal	189	2.25	-
5240MHz	Pass	PK	5.1092G	58.50	74.00	-15.50	3	Horizontal	189	2.25	-
5240MHz	Pass	PK	5.2466G	119.01	Inf	-Inf	3	Horizontal	189	2.25	-
5240MHz	Pass	PK	5.3564G	57.90	74.00	-16.10	3	Horizontal	189	2.25	-
5240MHz	Pass	PK	10.48249G	54.39	68.20	-13.81	3	Vertical	97	1.29	-
5240MHz	Pass	PK	10.47892G	54.70	68.20	-13.50	3	Horizontal	311	1.18	-
5260MHz	Pass	AV	5.15G	46.94	54.00	-7.06	3	Vertical	111	1.25	-
5260MHz	Pass	AV	5.2576G	106.01	Inf	-Inf	3	Vertical	111	1.25	-
5260MHz	Pass	AV	5.365G	46.23	54.00	-7.77	3	Vertical	111	1.25	-
5260MHz	Pass	PK	5.1262G	58.21	74.00	-15.79	3	Vertical	111	1.25	-
5260MHz	Pass	PK	5.2576G	114.06	Inf	-Inf	3	Vertical	111	1.25	-
5260MHz	Pass	PK	5.3578G	58.17	74.00	-15.83	3	Vertical	111	1.25	-
5260MHz	Pass	AV	5.1238G	46.99	54.00	-7.01	3	Horizontal	189	2.50	-
5260MHz	Pass	AV	5.266G	109.29	Inf	-Inf	3	Horizontal	189	2.50	-
5260MHz	Pass	AV	5.3506G	46.52	54.00	-7.48	3	Horizontal	189	2.50	-
5260MHz	Pass	PK	5.113G	58.23	74.00	-15.77	3	Horizontal	189	2.50	-
5260MHz	Pass	PK	5.2564G	118.55	Inf	-Inf	3	Horizontal	189	2.50	-
5260MHz	Pass	PK	5.3572G	58.60	74.00	-15.40	3	Horizontal	189	2.50	-
5260MHz	Pass	PK	10.51917G	54.88	68.20	-13.32	3	Vertical	212	1.92	-
5260MHz	Pass	PK	10.51841G	55.03	68.20	-13.17	3	Horizontal	110	1.26	-
5300MHz	Pass	AV	5.3056G	105.71	Inf	-Inf	3	Vertical	113	1.13	-
5300MHz	Pass	AV	5.3504G	50.44	54.00	-3.56	3	Vertical	113	1.13	-
5300MHz	Pass	PK	5.3052G	113.82	Inf	-Inf	3	Vertical	113	1.13	-
5300MHz	Pass	PK	5.3548G	66.12	74.00	-7.88	3	Vertical	113	1.13	-
5300MHz	Pass	AV	5.3032G	107.74	Inf	-Inf	3	Horizontal	189	2.62	-
5300MHz	Pass	AV	5.3512G	50.58	54.00	-3.42	3	Horizontal	189	2.62	-
5300MHz	Pass	PK	5.3036G	115.95	Inf	-Inf	3	Horizontal	189	2.62	-
5300MHz	Pass	PK	5.3524G	66.96	74.00	-7.04	3	Horizontal	189	2.62	-
5300MHz	Pass	PK	10.5988G	54.46	68.20	-13.74	3	Vertical	304	1.79	-
5300MHz	Pass	PK	10.59821G	54.77	68.20	-13.43	3	Horizontal	282	1.50	-
5320MHz	Pass	AV	5.323G	102.98	Inf	-Inf	3	Vertical	116	1.23	-
5320MHz	Pass	AV	5.3522G	51.49	54.00	-2.51	3	Vertical	116	1.23	-



RSE TX above 1GHz

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	PK	5.318G	111.79	Inf	-Inf	3	Vertical	116	1.23	-
5320MHz	Pass	PK	5.3526G	68.40	74.00	-5.60	3	Vertical	116	1.23	-
5320MHz	Pass	AV	5.3258G	104.70	Inf	-Inf	3	Horizontal	191	2.48	-
5320MHz	Pass	AV	5.3502G	53.89	54.00	-0.11	3	Horizontal	191	2.48	-
5320MHz	Pass	PK	5.3156G	113.55	Inf	-Inf	3	Horizontal	191	2.48	-
5320MHz	Pass	PK	5.3504G	72.38	74.00	-1.62	3	Horizontal	191	2.48	-
5320MHz	Pass	AV	10.6426G	42.34	54.00	-11.66	3	Vertical	90	2.97	-
5320MHz	Pass	PK	10.64128G	54.68	74.00	-19.32	3	Vertical	90	2.97	-
5320MHz	Pass	AV	10.6442G	42.34	54.00	-11.66	3	Horizontal	79	1.46	-
5320MHz	Pass	PK	10.64936G	54.67	74.00	-19.33	3	Horizontal	79	1.46	-
5500MHz	Pass	AV	5.4598G	47.65	54.00	-6.35	3	Vertical	157	1.02	-
5500MHz	Pass	AV	5.5046G	102.57	Inf	-Inf	3	Vertical	157	1.02	-
5500MHz	Pass	PK	5.4694G	67.41	68.20	-0.79	3	Vertical	157	1.02	-
5500MHz	Pass	PK	5.5044G	110.97	Inf	-Inf	3	Vertical	157	1.02	-
5500MHz	Pass	AV	5.46G	47.40	54.00	-6.60	3	Horizontal	191	2.60	-
5500MHz	Pass	AV	5.4952G	103.37	Inf	-Inf	3	Horizontal	191	2.60	-
5500MHz	Pass	PK	5.4698G	67.91	68.20	-0.29	3	Horizontal	191	2.60	-
5500MHz	Pass	PK	5.5056G	112.26	Inf	-Inf	3	Horizontal	191	2.60	-
5500MHz	Pass	AV	10.99792G	42.66	54.00	-11.34	3	Vertical	258	1.39	-
5500MHz	Pass	PK	10.99981G	55.13	74.00	-18.87	3	Vertical	258	1.39	-
5500MHz	Pass	AV	10.99947G	42.69	54.00	-11.31	3	Horizontal	193	1.50	-
5500MHz	Pass	PK	10.99784G	55.64	74.00	-18.36	3	Horizontal	193	1.50	-
5580MHz	Pass	AV	5.4432G	46.11	54.00	-7.89	3	Vertical	157	1.08	-
5580MHz	Pass	AV	5.5866G	107.23	Inf	-Inf	3	Vertical	157	1.08	-
5580MHz	Pass	PK	5.4672G	57.25	68.20	-10.95	3	Vertical	157	1.08	-
5580MHz	Pass	PK	5.5812G	115.61	Inf	-Inf	3	Vertical	157	1.08	-
5580MHz	Pass	PK	5.7288G	58.21	68.20	-9.99	3	Vertical	157	1.08	-
5580MHz	Pass	AV	5.4588G	46.13	54.00	-7.87	3	Horizontal	190	2.37	-
5580MHz	Pass	AV	5.583G	108.01	Inf	-Inf	3	Horizontal	190	2.37	-
5580MHz	Pass	PK	5.463G	57.39	68.20	-10.81	3	Horizontal	190	2.37	-
5580MHz	Pass	PK	5.5776G	116.33	Inf	-Inf	3	Horizontal	190	2.37	-
5580MHz	Pass	PK	5.7282G	58.28	68.20	-9.92	3	Horizontal	190	2.37	-
5580MHz	Pass	AV	11.16224G	42.84	54.00	-11.16	3	Vertical	115	1.50	-
5580MHz	Pass	PK	11.17128G	54.97	74.00	-19.03	3	Vertical	115	1.50	-
5580MHz	Pass	AV	11.15832G	42.72	54.00	-11.28	3	Horizontal	193	1.50	-
5580MHz	Pass	PK	11.15024G	54.57	74.00	-19.43	3	Horizontal	193	1.50	-
5700MHz	Pass	AV	5.7052G	101.52	Inf	-Inf	3	Vertical	168	1.00	-
5700MHz	Pass	PK	5.6948G	109.67	Inf	-Inf	3	Vertical	168	1.00	-
5700MHz	Pass	PK	5.7256G	67.70	68.20	-0.50	3	Vertical	168	1.00	-
5700MHz	Pass	AV	5.702G	100.99	Inf	-Inf	3	Horizontal	194	2.72	-
5700MHz	Pass	PK	5.7072G	109.56	Inf	-Inf	3	Horizontal	194	2.72	-
5700MHz	Pass	PK	5.7272G	67.97	68.20	-0.23	3	Horizontal	194	2.72	-
5700MHz	Pass	AV	11.40179G	42.85	54.00	-11.15	3	Vertical	52	1.31	-
5700MHz	Pass	PK	11.4006G	55.33	74.00	-18.67	3	Vertical	52	1.31	-
5700MHz	Pass	AV	11.40097G	42.84	54.00	-11.16	3	Horizontal	214	1.60	-
5700MHz	Pass	PK	11.40019G	54.91	74.00	-19.09	3	Horizontal	214	1.60	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4236G	45.60	54.00	-8.40	3	Vertical	160	1.24	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	107.14	Inf	-Inf	3	Vertical	160	1.24	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	56.60	68.20	-11.60	3	Vertical	160	1.24	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	116.17	Inf	-Inf	3	Vertical	160	1.24	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9588G	59.79	68.20	-8.41	3	Vertical	160	1.24	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4428G	45.58	54.00	-8.42	3	Horizontal	173	1.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	107.32	Inf	-Inf	3	Horizontal	173	1.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	57.55	68.20	-10.65	3	Horizontal	173	1.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	117.54	Inf	-Inf	3	Horizontal	173	1.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8568G	59.86	68.20	-8.34	3	Horizontal	173	1.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43992G	43.64	54.00	-10.36	3	Vertical	142	1.98	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45288G	55.15	74.00	-18.85	3	Vertical	142	1.98	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43536G	42.72	54.00	-11.28	3	Horizontal	0	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43344G	55.03	74.00	-18.97	3	Horizontal	0	1.50	-
5745MHz	Pass	AV	5.751G	107.27	Inf	-Inf	3	Vertical	163	1.01	-
5745MHz	Pass	PK	5.595G	57.91	68.20	-10.29	3	Vertical	163	1.01	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.751G	115.21	Inf	-Inf	3	Vertical	163	1.01	-
5745MHz	Pass	PK	5.9862G	59.65	68.20	-8.55	3	Vertical	163	1.01	-
5745MHz	Pass	AV	5.7402G	105.89	Inf	-Inf	3	Horizontal	176	1.71	-
5745MHz	Pass	PK	5.5206G	58.32	68.20	-9.88	3	Horizontal	176	1.71	-
5745MHz	Pass	PK	5.7402G	114.43	Inf	-Inf	3	Horizontal	176	1.71	-
5745MHz	Pass	PK	6.003G	59.47	68.20	-8.73	3	Horizontal	176	1.71	-
5745MHz	Pass	AV	11.49032G	44.10	54.00	-9.90	3	Vertical	150	2.01	-
5745MHz	Pass	PK	11.49G	55.17	74.00	-18.83	3	Vertical	150	2.01	-
5745MHz	Pass	AV	11.49104G	43.53	54.00	-10.47	3	Horizontal	184	1.85	-
5745MHz	Pass	PK	11.48824G	55.11	74.00	-18.89	3	Horizontal	184	1.85	-
5785MHz	Pass	AV	5.7814G	106.94	Inf	-Inf	3	Vertical	165	1.08	-
5785MHz	Pass	PK	5.641G	57.66	68.20	-10.54	3	Vertical	165	1.08	-
5785MHz	Pass	PK	5.7814G	115.30	Inf	-Inf	3	Vertical	165	1.08	-
5785MHz	Pass	PK	5.9434G	61.30	68.20	-6.90	3	Vertical	165	1.08	-
5785MHz	Pass	AV	5.7802G	105.99	Inf	-Inf	3	Horizontal	171	2.11	-
5785MHz	Pass	PK	5.5318G	57.60	68.20	-10.60	3	Horizontal	171	2.11	-
5785MHz	Pass	PK	5.7802G	114.77	Inf	-Inf	3	Horizontal	171	2.11	-
5785MHz	Pass	PK	5.9446G	59.83	68.20	-8.37	3	Horizontal	171	2.11	-
5785MHz	Pass	AV	11.57024G	44.00	54.00	-10.00	3	Vertical	153	1.80	-
5785MHz	Pass	PK	11.5712G	56.55	74.00	-17.45	3	Vertical	153	1.80	-
5785MHz	Pass	AV	11.57192G	43.55	54.00	-10.45	3	Horizontal	189	1.25	-
5785MHz	Pass	PK	11.5724G	55.52	74.00	-18.48	3	Horizontal	189	1.25	-
5825MHz	Pass	AV	5.8262G	105.70	Inf	-Inf	3	Vertical	173	1.50	-
5825MHz	Pass	PK	5.5538G	57.90	68.20	-10.30	3	Vertical	173	1.50	-
5825MHz	Pass	PK	5.8214G	114.02	Inf	-Inf	3	Vertical	173	1.50	-
5825MHz	Pass	PK	5.9402G	59.16	68.20	-9.04	3	Vertical	173	1.50	-
5825MHz	Pass	AV	5.8226G	105.52	Inf	-Inf	3	Horizontal	169	2.12	-
5825MHz	Pass	PK	5.6354G	58.15	68.20	-10.05	3	Horizontal	169	2.12	-
5825MHz	Pass	PK	5.8214G	114.02	Inf	-Inf	3	Horizontal	169	2.12	-
5825MHz	Pass	PK	5.9678G	60.36	68.20	-7.84	3	Horizontal	169	2.12	-
5825MHz	Pass	AV	11.65104G	43.95	54.00	-10.05	3	Vertical	188	2.11	-
5825MHz	Pass	PK	11.6516G	55.20	74.00	-18.80	3	Vertical	188	2.11	-
5825MHz	Pass	AV	11.64888G	44.43	54.00	-9.57	3	Horizontal	204	1.99	-
5825MHz	Pass	PK	11.65084G	55.71	74.00	-18.29	3	Horizontal	204	1.99	-
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	53.82	54.00	-0.18	3	Vertical	108	1.15	-
5180MHz	Pass	AV	5.1736G	103.98	Inf	-Inf	3	Vertical	108	1.15	-
5180MHz	Pass	PK	5.1492G	69.78	74.00	-4.22	3	Vertical	108	1.15	-
5180MHz	Pass	PK	5.1738G	112.72	Inf	-Inf	3	Vertical	108	1.15	-
5180MHz	Pass	AV	5.1498G	52.87	54.00	-1.13	3	Horizontal	185	2.78	-
5180MHz	Pass	AV	5.186G	104.95	Inf	-Inf	3	Horizontal	185	2.78	-
5180MHz	Pass	PK	5.147G	71.03	74.00	-2.97	3	Horizontal	185	2.78	-
5180MHz	Pass	PK	5.1856G	113.90	Inf	-Inf	3	Horizontal	185	2.78	-
5180MHz	Pass	PK	10.36352G	54.34	68.20	-13.86	3	Vertical	349	2.89	-
5180MHz	Pass	PK	10.355G	54.28	68.20	-13.92	3	Horizontal	110	2.40	-
5200MHz	Pass	AV	5.15G	48.88	54.00	-5.12	3	Vertical	167	1.00	-
5200MHz	Pass	AV	5.1964G	106.10	Inf	-Inf	3	Vertical	167	1.00	-
5200MHz	Pass	PK	5.1432G	60.49	74.00	-13.51	3	Vertical	167	1.00	-
5200MHz	Pass	PK	5.1964G	114.48	Inf	-Inf	3	Vertical	167	1.00	-
5200MHz	Pass	AV	5.148G	53.60	54.00	-0.40	3	Horizontal	186	2.56	-
5200MHz	Pass	AV	5.2064G	109.35	Inf	-Inf	3	Horizontal	186	2.56	-
5200MHz	Pass	PK	5.1484G	73.47	74.00	-0.53	3	Horizontal	186	2.56	-
5200MHz	Pass	PK	5.2076G	118.60	Inf	-Inf	3	Horizontal	186	2.56	-
5200MHz	Pass	PK	10.41G	53.84	68.20	-14.36	3	Vertical	64	2.02	-
5200MHz	Pass	PK	10.40072G	54.99	68.20	-13.21	3	Horizontal	311	2.18	-
5240MHz	Pass	AV	5.1488G	46.92	54.00	-7.08	3	Vertical	161	1.05	-
5240MHz	Pass	AV	5.2388G	107.81	Inf	-Inf	3	Vertical	161	1.05	-
5240MHz	Pass	AV	5.3864G	45.99	54.00	-8.01	3	Vertical	161	1.05	-
5240MHz	Pass	PK	5.102G	58.61	74.00	-15.39	3	Vertical	161	1.05	-
5240MHz	Pass	PK	5.2382G	116.62	Inf	-Inf	3	Vertical	161	1.05	-
5240MHz	Pass	PK	5.3858G	57.71	74.00	-16.29	3	Vertical	161	1.05	-
5240MHz	Pass	AV	5.15G	47.25	54.00	-6.75	3	Horizontal	188	3.00	-



RSE TX above 1GHz

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	AV	5.243G	108.89	Inf	-Inf	3	Horizontal	188	3.00	-
5240MHz	Pass	AV	5.3876G	46.08	54.00	-7.92	3	Horizontal	188	3.00	-
5240MHz	Pass	PK	5.129G	58.28	74.00	-15.72	3	Horizontal	188	3.00	-
5240MHz	Pass	PK	5.243G	117.67	Inf	-Inf	3	Horizontal	188	3.00	-
5240MHz	Pass	PK	5.3546G	58.10	74.00	-15.90	3	Horizontal	188	3.00	-
5240MHz	Pass	PK	10.49784G	54.47	68.20	-13.73	3	Vertical	310	1.50	-
5240MHz	Pass	PK	10.46728G	53.90	68.20	-14.30	3	Horizontal	92	1.50	-
5260MHz	Pass	AV	5.1148G	46.67	54.00	-7.33	3	Vertical	164	1.01	-
5260MHz	Pass	AV	5.2678G	107.03	Inf	-Inf	3	Vertical	164	1.01	-
5260MHz	Pass	AV	5.3566G	46.25	54.00	-7.75	3	Vertical	164	1.01	-
5260MHz	Pass	PK	5.1376G	58.15	74.00	-15.85	3	Vertical	164	1.01	-
5260MHz	Pass	PK	5.2678G	115.79	Inf	-Inf	3	Vertical	164	1.01	-
5260MHz	Pass	PK	5.3542G	60.07	74.00	-13.93	3	Vertical	164	1.01	-
5260MHz	Pass	AV	5.1412G	46.77	54.00	-7.23	3	Horizontal	165	2.06	-
5260MHz	Pass	AV	5.2636G	108.31	Inf	-Inf	3	Horizontal	165	2.06	-
5260MHz	Pass	AV	5.35G	46.25	54.00	-7.75	3	Horizontal	165	2.06	-
5260MHz	Pass	PK	5.1466G	58.19	74.00	-15.81	3	Horizontal	165	2.06	-
5260MHz	Pass	PK	5.2624G	117.16	Inf	-Inf	3	Horizontal	165	2.06	-
5260MHz	Pass	PK	5.3644G	58.28	74.00	-15.72	3	Horizontal	165	2.06	-
5260MHz	Pass	PK	10.50664G	53.56	68.20	-14.64	3	Vertical	248	1.50	-
5260MHz	Pass	PK	10.52648G	54.26	68.20	-13.94	3	Horizontal	73	1.50	-
5300MHz	Pass	AV	5.3076G	106.59	Inf	-Inf	3	Vertical	161	1.24	-
5300MHz	Pass	AV	5.35G	53.02	54.00	-0.98	3	Vertical	161	1.24	-
5300MHz	Pass	PK	5.3068G	115.66	Inf	-Inf	3	Vertical	161	1.24	-
5300MHz	Pass	PK	5.3504G	72.79	74.00	-1.21	3	Vertical	161	1.24	-
5300MHz	Pass	AV	5.3076G	106.90	Inf	-Inf	3	Horizontal	167	1.35	-
5300MHz	Pass	AV	5.35G	52.46	54.00	-1.54	3	Horizontal	167	1.35	-
5300MHz	Pass	PK	5.3068G	115.89	Inf	-Inf	3	Horizontal	167	1.35	-
5300MHz	Pass	PK	5.3508G	71.21	74.00	-2.79	3	Horizontal	167	1.35	-
5300MHz	Pass	PK	10.59744G	54.17	68.20	-14.03	3	Vertical	219	2.00	-
5300MHz	Pass	PK	10.598G	54.71	68.20	-13.49	3	Horizontal	202	1.50	-
5320MHz	Pass	AV	5.3184G	104.44	Inf	-Inf	3	Vertical	160	1.00	-
5320MHz	Pass	AV	5.3524G	52.60	54.00	-1.40	3	Vertical	160	1.00	-
5320MHz	Pass	PK	5.3182G	113.67	Inf	-Inf	3	Vertical	160	1.00	-
5320MHz	Pass	PK	5.3562G	72.14	74.00	-1.86	3	Vertical	160	1.00	-
5320MHz	Pass	AV	5.321G	104.49	Inf	-Inf	3	Horizontal	161	1.32	-
5320MHz	Pass	AV	5.3544G	52.19	54.00	-1.81	3	Horizontal	161	1.32	-
5320MHz	Pass	PK	5.322G	113.05	Inf	-Inf	3	Horizontal	161	1.32	-
5320MHz	Pass	PK	5.358G	70.53	74.00	-3.47	3	Horizontal	161	1.32	-
5320MHz	Pass	AV	10.6375G	42.15	54.00	-11.85	3	Vertical	174	2.00	-
5320MHz	Pass	PK	10.6371G	53.90	74.00	-20.10	3	Vertical	174	2.00	-
5320MHz	Pass	AV	10.64063G	42.10	54.00	-11.90	3	Horizontal	128	2.34	-
5320MHz	Pass	PK	10.64002G	54.47	74.00	-19.53	3	Horizontal	128	2.34	-
5500MHz	Pass	AV	5.4596G	46.96	54.00	-7.04	3	Vertical	159	1.01	-
5500MHz	Pass	AV	5.5078G	101.91	Inf	-Inf	3	Vertical	159	1.01	-
5500MHz	Pass	PK	5.4692G	67.54	68.20	-0.66	3	Vertical	159	1.01	-
5500MHz	Pass	PK	5.5074G	109.98	Inf	-Inf	3	Vertical	159	1.01	-
5500MHz	Pass	AV	5.4526G	46.51	54.00	-7.49	3	Horizontal	188	2.88	-
5500MHz	Pass	AV	5.4922G	101.41	Inf	-Inf	3	Horizontal	188	2.88	-
5500MHz	Pass	PK	5.469G	65.00	68.20	-3.20	3	Horizontal	188	2.88	-
5500MHz	Pass	PK	5.4924G	109.74	Inf	-Inf	3	Horizontal	188	2.88	-
5500MHz	Pass	AV	11.00478G	42.62	54.00	-11.38	3	Vertical	124	2.00	-
5500MHz	Pass	PK	10.99846G	54.00	74.00	-20.00	3	Vertical	124	2.00	-
5500MHz	Pass	AV	11.00028G	42.63	54.00	-11.37	3	Horizontal	30	2.37	-
5500MHz	Pass	PK	10.99974G	54.82	74.00	-19.18	3	Horizontal	30	2.37	-
5580MHz	Pass	AV	5.4528G	45.93	54.00	-8.07	3	Vertical	156	1.30	-
5580MHz	Pass	AV	5.5764G	107.47	Inf	-Inf	3	Vertical	156	1.30	-
5580MHz	Pass	PK	5.4666G	57.60	68.20	-10.60	3	Vertical	156	1.30	-
5580MHz	Pass	PK	5.5776G	115.80	Inf	-Inf	3	Vertical	156	1.30	-
5580MHz	Pass	PK	5.7264G	57.50	68.20	-10.70	3	Vertical	156	1.30	-
5580MHz	Pass	AV	5.4396G	46.53	54.00	-7.47	3	Horizontal	184	1.30	-
5580MHz	Pass	AV	5.5878G	107.31	Inf	-Inf	3	Horizontal	184	1.30	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	5.4678G	58.19	68.20	-10.01	3	Horizontal	184	1.30	-
5580MHz	Pass	PK	5.5848G	115.69	Inf	-Inf	3	Horizontal	184	1.30	-
5580MHz	Pass	PK	5.7276G	58.45	68.20	-9.75	3	Horizontal	184	1.30	-
5580MHz	Pass	AV	11.17304G	42.57	54.00	-11.43	3	Vertical	0	3.00	-
5580MHz	Pass	PK	11.15528G	54.63	74.00	-19.37	3	Vertical	0	3.00	-
5580MHz	Pass	AV	11.16512G	42.39	54.00	-11.61	3	Horizontal	292	1.50	-
5580MHz	Pass	PK	11.15344G	54.47	74.00	-19.53	3	Horizontal	292	1.50	-
5700MHz	Pass	AV	5.706G	101.94	Inf	-Inf	3	Vertical	157	1.00	-
5700MHz	Pass	PK	5.7048G	110.77	Inf	-Inf	3	Vertical	157	1.00	-
5700MHz	Pass	PK	5.7252G	67.56	68.20	-0.64	3	Vertical	157	1.00	-
5700MHz	Pass	AV	5.6964G	100.77	Inf	-Inf	3	Horizontal	175	2.59	-
5700MHz	Pass	PK	5.698G	110.17	Inf	-Inf	3	Horizontal	175	2.59	-
5700MHz	Pass	PK	5.7264G	62.31	68.20	-5.89	3	Horizontal	175	2.59	-
5700MHz	Pass	AV	11.40164G	42.63	54.00	-11.37	3	Vertical	254	2.09	-
5700MHz	Pass	PK	11.40376G	54.21	74.00	-19.79	3	Vertical	254	2.09	-
5700MHz	Pass	AV	11.3993G	42.54	54.00	-11.46	3	Horizontal	171	2.12	-
5700MHz	Pass	PK	11.4006G	54.13	74.00	-19.87	3	Horizontal	171	2.12	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4308G	45.75	54.00	-8.25	3	Vertical	164	1.09	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	107.70	Inf	-Inf	3	Vertical	164	1.09	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.25	68.20	-11.95	3	Vertical	164	1.09	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	115.79	Inf	-Inf	3	Vertical	164	1.09	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.96G	59.98	68.20	-8.22	3	Vertical	164	1.09	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4296G	46.31	54.00	-7.69	3	Horizontal	178	1.27	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	107.86	Inf	-Inf	3	Horizontal	178	1.27	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	56.16	68.20	-12.04	3	Horizontal	178	1.27	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7116G	116.24	Inf	-Inf	3	Horizontal	178	1.27	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8796G	59.25	68.20	-8.95	3	Horizontal	178	1.27	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44232G	43.22	54.00	-10.78	3	Vertical	171	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43984G	54.54	74.00	-19.46	3	Vertical	171	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44096G	43.16	54.00	-10.84	3	Horizontal	150	1.80	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44416G	55.09	74.00	-18.91	3	Horizontal	150	1.80	-
5745MHz	Pass	AV	5.7378G	107.34	Inf	-Inf	3	Vertical	162	1.07	-
5745MHz	Pass	PK	5.6502G	58.37	68.35	-9.98	3	Vertical	162	1.07	-
5745MHz	Pass	PK	5.7378G	116.00	Inf	-Inf	3	Vertical	162	1.07	-
5745MHz	Pass	PK	5.9598G	59.43	68.20	-8.77	3	Vertical	162	1.07	-
5745MHz	Pass	AV	5.7462G	105.78	Inf	-Inf	3	Horizontal	177	1.57	-
5745MHz	Pass	PK	5.4678G	57.83	68.20	-10.37	3	Horizontal	177	1.57	-
5745MHz	Pass	PK	5.7438G	114.02	Inf	-Inf	3	Horizontal	177	1.57	-
5745MHz	Pass	PK	5.9514G	59.83	68.20	-8.37	3	Horizontal	177	1.57	-
5745MHz	Pass	AV	11.48904G	44.81	54.00	-9.19	3	Vertical	177	1.16	-
5745MHz	Pass	PK	11.48584G	56.51	74.00	-17.49	3	Vertical	177	1.16	-
5745MHz	Pass	AV	11.49512G	43.69	54.00	-10.31	3	Horizontal	190	1.20	-
5745MHz	Pass	PK	11.49808G	55.20	74.00	-18.80	3	Horizontal	190	1.20	-
5785MHz	Pass	AV	5.7778G	107.23	Inf	-Inf	3	Vertical	163	1.00	-
5785MHz	Pass	PK	5.5414G	58.28	68.20	-9.92	3	Vertical	163	1.00	-
5785MHz	Pass	PK	5.7778G	115.01	Inf	-Inf	3	Vertical	163	1.00	-
5785MHz	Pass	PK	5.9494G	59.86	68.20	-8.34	3	Vertical	163	1.00	-
5785MHz	Pass	AV	5.7838G	106.53	Inf	-Inf	3	Horizontal	190	2.74	-
5785MHz	Pass	PK	5.6398G	57.92	68.20	-10.28	3	Horizontal	190	2.74	-
5785MHz	Pass	PK	5.7838G	115.45	Inf	-Inf	3	Horizontal	190	2.74	-
5785MHz	Pass	PK	5.9782G	60.07	68.20	-8.13	3	Horizontal	190	2.74	-
5785MHz	Pass	AV	11.57384G	43.59	54.00	-10.41	3	Vertical	174	1.50	-
5785MHz	Pass	PK	11.57888G	54.90	74.00	-19.10	3	Vertical	174	1.50	-
5785MHz	Pass	AV	11.57G	44.44	54.00	-9.56	3	Horizontal	210	1.33	-
5785MHz	Pass	PK	11.57152G	56.77	74.00	-17.23	3	Horizontal	210	1.33	-
5825MHz	Pass	AV	5.8238G	106.88	Inf	-Inf	3	Vertical	146	1.10	-
5825MHz	Pass	PK	5.6258G	58.81	68.20	-9.39	3	Vertical	146	1.10	-
5825MHz	Pass	PK	5.8238G	115.54	Inf	-Inf	3	Vertical	146	1.10	-
5825MHz	Pass	PK	5.9246G	59.91	68.50	-8.59	3	Vertical	146	1.10	-
5825MHz	Pass	AV	5.8238G	107.41	Inf	-Inf	3	Horizontal	192	2.69	-
5825MHz	Pass	PK	5.6378G	58.02	68.20	-10.18	3	Horizontal	192	2.69	-
5825MHz	Pass	PK	5.8226G	116.10	Inf	-Inf	3	Horizontal	192	2.69	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	5.9234G	61.58	69.38	-7.80	3	Horizontal	192	2.69	-
5825MHz	Pass	AV	11.65128G	44.13	54.00	-9.87	3	Vertical	152	1.98	-
5825MHz	Pass	PK	11.64904G	56.01	74.00	-17.99	3	Vertical	152	1.98	-
5825MHz	Pass	AV	11.64848G	44.81	54.00	-9.19	3	Horizontal	205	2.07	-
5825MHz	Pass	PK	11.64856G	56.84	74.00	-17.16	3	Horizontal	205	2.07	-
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	51.11	54.00	-2.89	3	Vertical	175	1.11	-
5190MHz	Pass	AV	5.1936G	98.22	Inf	-Inf	3	Vertical	175	1.11	-
5190MHz	Pass	AV	5.412G	51.73	54.00	-2.27	3	Vertical	175	1.11	-
5190MHz	Pass	PK	5.1492G	63.12	74.00	-10.88	3	Vertical	175	1.11	-
5190MHz	Pass	PK	5.1936G	105.92	Inf	-Inf	3	Vertical	175	1.11	-
5190MHz	Pass	PK	5.484G	57.99	68.20	-10.21	3	Vertical	175	1.11	-
5190MHz	Pass	AV	5.1492G	53.80	54.00	-0.20	3	Horizontal	180	1.55	-
5190MHz	Pass	AV	5.1936G	100.36	Inf	-Inf	3	Horizontal	180	1.55	-
5190MHz	Pass	AV	5.412G	52.53	54.00	-1.47	3	Horizontal	180	1.55	-
5190MHz	Pass	PK	5.1492G	66.60	74.00	-7.40	3	Horizontal	180	1.55	-
5190MHz	Pass	PK	5.1924G	108.12	Inf	-Inf	3	Horizontal	180	1.55	-
5190MHz	Pass	PK	5.4768G	57.05	68.20	-11.15	3	Horizontal	180	1.55	-
5190MHz	Pass	PK	10.3789G	54.96	68.20	-13.24	3	Vertical	133	2.16	-
5190MHz	Pass	PK	10.3793G	54.81	68.20	-13.39	3	Horizontal	239	1.88	-
5230MHz	Pass	AV	5.1016G	48.38	54.00	-5.62	3	Vertical	168	1.16	-
5230MHz	Pass	AV	5.2348G	97.56	Inf	-Inf	3	Vertical	168	1.16	-
5230MHz	Pass	AV	5.4532G	52.33	54.00	-1.67	3	Vertical	168	1.16	-
5230MHz	Pass	PK	5.0908G	58.28	74.00	-15.72	3	Vertical	168	1.16	-
5230MHz	Pass	PK	5.2348G	105.30	Inf	-Inf	3	Vertical	168	1.16	-
5230MHz	Pass	PK	5.4784G	57.92	68.20	-10.28	3	Vertical	168	1.16	-
5230MHz	Pass	AV	5.008G	48.57	54.00	-5.43	3	Horizontal	173	1.91	-
5230MHz	Pass	AV	5.2324G	100.23	Inf	-Inf	3	Horizontal	173	1.91	-
5230MHz	Pass	AV	5.4532G	53.60	54.00	-0.40	3	Horizontal	173	1.91	-
5230MHz	Pass	PK	5.008G	58.94	74.00	-15.06	3	Horizontal	173	1.91	-
5230MHz	Pass	PK	5.2336G	108.09	Inf	-Inf	3	Horizontal	173	1.91	-
5230MHz	Pass	PK	5.4856G	58.27	68.20	-9.93	3	Horizontal	173	1.91	-
5230MHz	Pass	PK	10.46079G	54.49	68.20	-13.71	3	Vertical	273	2.81	-
5230MHz	Pass	PK	10.45797G	55.13	68.20	-13.07	3	Horizontal	22	1.07	-
5270MHz	Pass	AV	5.0456G	48.22	54.00	-5.78	3	Vertical	170	1.11	-
5270MHz	Pass	AV	5.276G	101.51	Inf	-Inf	3	Vertical	170	1.11	-
5270MHz	Pass	AV	5.35G	52.51	54.00	-1.49	3	Vertical	170	1.11	-
5270MHz	Pass	PK	5.15G	58.77	74.00	-15.23	3	Vertical	170	1.11	-
5270MHz	Pass	PK	5.2784G	109.53	Inf	-Inf	3	Vertical	170	1.11	-
5270MHz	Pass	PK	5.4944G	62.72	68.20	-5.48	3	Vertical	170	1.11	-
5270MHz	Pass	AV	5.0468G	50.47	54.00	-3.53	3	Horizontal	187	1.50	-
5270MHz	Pass	AV	5.2868G	103.92	Inf	-Inf	3	Horizontal	187	1.50	-
5270MHz	Pass	AV	5.35G	53.01	54.00	-0.99	3	Horizontal	187	1.50	-
5270MHz	Pass	PK	5.0468G	58.47	74.00	-15.53	3	Horizontal	187	1.50	-
5270MHz	Pass	PK	5.2676G	111.85	Inf	-Inf	3	Horizontal	187	1.50	-
5270MHz	Pass	PK	5.35G	63.98	74.00	-10.02	3	Horizontal	187	1.50	-
5270MHz	Pass	PK	10.51152G	54.75	68.20	-13.45	3	Vertical	295	1.16	-
5270MHz	Pass	PK	10.52368G	54.01	68.20	-14.19	3	Horizontal	8	1.50	-
5310MHz	Pass	AV	5.0784G	48.40	54.00	-5.60	3	Vertical	164	1.01	-
5310MHz	Pass	AV	5.3208G	95.78	Inf	-Inf	3	Vertical	164	1.01	-
5310MHz	Pass	AV	5.3532G	51.08	54.00	-2.92	3	Vertical	164	1.01	-
5310MHz	Pass	PK	5.0196G	58.17	74.00	-15.83	3	Vertical	164	1.01	-
5310MHz	Pass	PK	5.3208G	102.84	Inf	-Inf	3	Vertical	164	1.01	-
5310MHz	Pass	PK	5.532G	59.61	68.20	-8.59	3	Vertical	164	1.01	-
5310MHz	Pass	AV	5.088G	48.73	54.00	-5.27	3	Horizontal	187	1.46	-
5310MHz	Pass	AV	5.3268G	97.62	Inf	-Inf	3	Horizontal	187	1.46	-
5310MHz	Pass	AV	5.35G	53.46	54.00	-0.54	3	Horizontal	187	1.46	-
5310MHz	Pass	PK	5.1264G	58.69	74.00	-15.31	3	Horizontal	187	1.46	-
5310MHz	Pass	PK	5.3064G	104.67	Inf	-Inf	3	Horizontal	187	1.46	-
5310MHz	Pass	PK	5.35G	65.81	74.00	-8.19	3	Horizontal	187	1.46	-
5310MHz	Pass	AV	10.62096G	44.08	54.00	-9.92	3	Vertical	239	2.90	-
5310MHz	Pass	PK	10.62077G	54.51	74.00	-19.49	3	Vertical	239	2.90	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	AV	10.6197G	43.89	54.00	-10.11	3	Horizontal	85	2.59	-
5310MHz	Pass	PK	10.62245G	54.71	74.00	-19.29	3	Horizontal	85	2.59	-
5510MHz	Pass	AV	5.45G	47.65	54.00	-6.35	3	Vertical	173	1.50	-
5510MHz	Pass	AV	5.5268G	96.79	Inf	-Inf	3	Vertical	173	1.50	-
5510MHz	Pass	PK	5.4692G	67.09	68.20	-1.11	3	Vertical	173	1.50	-
5510MHz	Pass	PK	5.5268G	104.63	Inf	-Inf	3	Vertical	173	1.50	-
5510MHz	Pass	AV	5.4536G	48.11	54.00	-5.89	3	Horizontal	186	1.57	-
5510MHz	Pass	AV	5.526G	98.48	Inf	-Inf	3	Horizontal	186	1.57	-
5510MHz	Pass	PK	5.4656G	67.44	68.20	-0.76	3	Horizontal	186	1.57	-
5510MHz	Pass	PK	5.526G	106.39	Inf	-Inf	3	Horizontal	186	1.57	-
5510MHz	Pass	AV	11.33985G	44.25	54.00	-9.75	3	Vertical	170	2.78	-
5510MHz	Pass	PK	11.33774G	54.24	74.00	-19.76	3	Vertical	170	2.78	-
5510MHz	Pass	AV	11.33841G	43.91	54.00	-10.09	3	Horizontal	103	2.45	-
5510MHz	Pass	PK	11.3401G	54.35	74.00	-19.65	3	Horizontal	103	2.45	-
5550MHz	Pass	AV	5.46G	53.66	54.00	-0.34	3	Vertical	149	1.01	-
5550MHz	Pass	AV	5.56G	104.22	Inf	-Inf	3	Vertical	149	1.01	-
5550MHz	Pass	PK	5.4604G	65.50	68.20	-2.70	3	Vertical	149	1.01	-
5550MHz	Pass	PK	5.56G	112.17	Inf	-Inf	3	Vertical	149	1.01	-
5550MHz	Pass	AV	5.46G	51.85	54.00	-2.15	3	Horizontal	185	1.50	-
5550MHz	Pass	AV	5.5664G	103.43	Inf	-Inf	3	Horizontal	185	1.50	-
5550MHz	Pass	PK	5.4696G	67.48	68.20	-0.72	3	Horizontal	185	1.50	-
5550MHz	Pass	PK	5.546G	112.37	Inf	-Inf	3	Horizontal	185	1.50	-
5550MHz	Pass	AV	11.08448G	44.23	54.00	-9.77	3	Vertical	235	1.50	-
5550MHz	Pass	PK	11.09472G	54.45	74.00	-19.55	3	Vertical	235	1.50	-
5550MHz	Pass	AV	11.08176G	44.50	54.00	-9.50	3	Horizontal	166	2.16	-
5550MHz	Pass	PK	11.13248G	55.03	74.00	-18.97	3	Horizontal	166	2.16	-
5670MHz	Pass	AV	5.6864G	100.00	Inf	-Inf	3	Vertical	172	1.50	-
5670MHz	Pass	PK	5.6656G	107.52	Inf	-Inf	3	Vertical	172	1.50	-
5670MHz	Pass	PK	5.7268G	67.13	68.20	-1.07	3	Vertical	172	1.50	-
5670MHz	Pass	AV	5.6872G	101.19	Inf	-Inf	3	Horizontal	176	1.93	-
5670MHz	Pass	PK	5.6868G	108.94	Inf	-Inf	3	Horizontal	176	1.93	-
5670MHz	Pass	PK	5.7276G	67.65	68.20	-0.55	3	Horizontal	176	1.93	-
5670MHz	Pass	AV	11.33787G	44.02	54.00	-9.98	3	Vertical	12	1.72	-
5670MHz	Pass	PK	11.33767G	54.37	74.00	-19.63	3	Vertical	12	1.72	-
5670MHz	Pass	AV	11.34046G	44.08	54.00	-9.92	3	Horizontal	186	1.99	-
5670MHz	Pass	PK	11.33915G	54.97	74.00	-19.03	3	Horizontal	186	1.99	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4556G	48.45	54.00	-5.55	3	Vertical	171	1.10	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7136G	105.30	Inf	-Inf	3	Vertical	171	1.10	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	56.84	68.20	-11.36	3	Vertical	171	1.10	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7124G	113.26	Inf	-Inf	3	Vertical	171	1.10	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9332G	63.21	68.20	-4.99	3	Vertical	171	1.10	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4544G	49.06	54.00	-4.94	3	Horizontal	175	2.08	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7196G	106.34	Inf	-Inf	3	Horizontal	175	2.08	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	58.21	68.20	-9.99	3	Horizontal	175	2.08	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7208G	115.40	Inf	-Inf	3	Horizontal	175	2.08	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9332G	64.09	68.20	-4.11	3	Horizontal	175	2.08	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42032G	45.49	54.00	-8.51	3	Vertical	145	2.06	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41872G	55.69	74.00	-18.31	3	Vertical	145	2.06	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.43392G	44.58	54.00	-9.42	3	Horizontal	193	1.09	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.39296G	54.93	74.00	-19.07	3	Horizontal	193	1.09	-
5755MHz	Pass	AV	5.7718G	105.49	Inf	-Inf	3	Vertical	149	1.06	-
5755MHz	Pass	PK	5.6494G	63.52	68.20	-4.68	3	Vertical	149	1.06	-
5755MHz	Pass	PK	5.7718G	113.16	Inf	-Inf	3	Vertical	149	1.06	-
5755MHz	Pass	PK	5.977G	61.10	68.20	-7.10	3	Vertical	149	1.06	-
5755MHz	Pass	AV	5.7646G	105.93	Inf	-Inf	3	Horizontal	175	2.13	-
5755MHz	Pass	PK	5.6494G	65.46	68.20	-2.74	3	Horizontal	175	2.13	-
5755MHz	Pass	PK	5.7442G	114.05	Inf	-Inf	3	Horizontal	175	2.13	-
5755MHz	Pass	PK	5.9782G	63.53	68.20	-4.67	3	Horizontal	175	2.13	-
5755MHz	Pass	AV	11.51144G	45.86	54.00	-8.14	3	Vertical	148	1.92	-
5755MHz	Pass	PK	11.506G	55.80	74.00	-18.20	3	Vertical	148	1.92	-
5755MHz	Pass	AV	11.51704G	44.88	54.00	-9.12	3	Horizontal	190	1.50	-
5755MHz	Pass	PK	11.50648G	54.97	74.00	-19.03	3	Horizontal	190	1.50	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5795MHz	Pass	AV	5.8058G	104.39	Inf	-Inf	3	Vertical	168	2.15	-
5795MHz	Pass	PK	5.5682G	58.43	68.20	-9.77	3	Vertical	168	2.15	-
5795MHz	Pass	PK	5.7842G	112.86	Inf	-Inf	3	Vertical	168	2.15	-
5795MHz	Pass	PK	6.017G	60.67	68.20	-7.53	3	Vertical	168	2.15	-
5795MHz	Pass	AV	5.789G	104.45	Inf	-Inf	3	Horizontal	196	1.26	-
5795MHz	Pass	PK	5.5718G	61.14	68.20	-7.06	3	Horizontal	196	1.26	-
5795MHz	Pass	PK	5.7866G	112.72	Inf	-Inf	3	Horizontal	196	1.26	-
5795MHz	Pass	PK	6.0194G	61.49	68.20	-6.71	3	Horizontal	196	1.26	-
5795MHz	Pass	AV	11.5884G	45.04	54.00	-8.96	3	Vertical	194	2.10	-
5795MHz	Pass	PK	11.5972G	55.61	74.00	-18.39	3	Vertical	194	2.10	-
5795MHz	Pass	AV	11.59864G	44.63	54.00	-9.37	3	Horizontal	190	1.50	-
5795MHz	Pass	PK	11.6012G	55.07	74.00	-18.93	3	Horizontal	190	1.50	-
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	53.82	54.00	-0.18	3	Vertical	147	1.00	-
5210MHz	Pass	AV	5.23G	94.77	Inf	-Inf	3	Vertical	147	1.00	-
5210MHz	Pass	AV	5.352G	47.68	54.00	-6.32	3	Vertical	147	1.00	-
5210MHz	Pass	PK	5.15G	66.84	74.00	-7.16	3	Vertical	147	1.00	-
5210MHz	Pass	PK	5.231G	102.71	Inf	-Inf	3	Vertical	147	1.00	-
5210MHz	Pass	PK	5.351G	58.42	74.00	-15.58	3	Vertical	147	1.00	-
5210MHz	Pass	AV	5.142G	53.60	54.00	-0.40	3	Horizontal	183	1.50	-
5210MHz	Pass	AV	5.244G	98.48	Inf	-Inf	3	Horizontal	183	1.50	-
5210MHz	Pass	AV	5.404G	47.78	54.00	-6.22	3	Horizontal	183	1.50	-
5210MHz	Pass	PK	5.122G	66.90	74.00	-7.10	3	Horizontal	183	1.50	-
5210MHz	Pass	PK	5.244G	106.20	Inf	-Inf	3	Horizontal	183	1.50	-
5210MHz	Pass	PK	5.388G	57.93	74.00	-16.07	3	Horizontal	183	1.50	-
5210MHz	Pass	PK	10.41865G	54.72	68.20	-13.48	3	Vertical	267	1.61	-
5210MHz	Pass	PK	10.4194G	54.40	68.20	-13.80	3	Horizontal	118	1.09	-
5290MHz	Pass	AV	5.108G	48.27	54.00	-5.73	3	Vertical	163	1.09	-
5290MHz	Pass	AV	5.327G	92.16	Inf	-Inf	3	Vertical	163	1.09	-
5290MHz	Pass	AV	5.35G	53.36	54.00	-0.64	3	Vertical	163	1.09	-
5290MHz	Pass	PK	5.111G	58.56	74.00	-15.44	3	Vertical	163	1.09	-
5290MHz	Pass	PK	5.311G	99.83	Inf	-Inf	3	Vertical	163	1.09	-
5290MHz	Pass	PK	5.351G	63.53	74.00	-10.47	3	Vertical	163	1.09	-
5290MHz	Pass	AV	5.097G	48.39	54.00	-5.61	3	Horizontal	180	1.50	-
5290MHz	Pass	AV	5.325G	94.35	Inf	-Inf	3	Horizontal	180	1.50	-
5290MHz	Pass	AV	5.358G	53.66	54.00	-0.34	3	Horizontal	180	1.50	-
5290MHz	Pass	PK	5.139G	59.16	74.00	-14.84	3	Horizontal	180	1.50	-
5290MHz	Pass	PK	5.322G	101.90	Inf	-Inf	3	Horizontal	180	1.50	-
5290MHz	Pass	PK	5.362G	65.93	74.00	-8.07	3	Horizontal	180	1.50	-
5290MHz	Pass	PK	10.5822G	54.49	68.20	-13.71	3	Vertical	178	1.13	-
5290MHz	Pass	PK	10.58092G	54.25	68.20	-13.95	3	Horizontal	18	1.64	-
5530MHz	Pass	AV	5.458G	52.56	54.00	-1.44	3	Vertical	150	1.02	-
5530MHz	Pass	AV	5.538G	95.58	Inf	-Inf	3	Vertical	150	1.02	-
5530MHz	Pass	PK	5.464G	66.46	68.20	-1.74	3	Vertical	150	1.02	-
5530MHz	Pass	PK	5.557G	103.58	Inf	-Inf	3	Vertical	150	1.02	-
5530MHz	Pass	PK	5.771G	58.45	68.20	-9.75	3	Vertical	150	1.02	-
5530MHz	Pass	AV	5.454G	51.19	54.00	-2.81	3	Horizontal	194	1.24	-
5530MHz	Pass	AV	5.564G	96.62	Inf	-Inf	3	Horizontal	194	1.24	-
5530MHz	Pass	PK	5.466G	67.86	68.20	-0.34	3	Horizontal	194	1.24	-
5530MHz	Pass	PK	5.564G	104.48	Inf	-Inf	3	Horizontal	194	1.24	-
5530MHz	Pass	PK	5.75G	58.77	68.20	-9.43	3	Horizontal	194	1.24	-
5530MHz	Pass	AV	11.0587G	44.11	54.00	-9.89	3	Vertical	222	1.56	-
5530MHz	Pass	PK	11.0599G	54.97	74.00	-19.03	3	Vertical	222	1.56	-
5530MHz	Pass	AV	11.05896G	44.25	54.00	-9.75	3	Horizontal	68	1.44	-
5530MHz	Pass	PK	11.06107G	54.85	74.00	-19.15	3	Horizontal	68	1.44	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4476G	48.18	54.00	-5.82	3	Vertical	166	1.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	100.16	Inf	-Inf	3	Vertical	166	1.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	59.77	68.20	-8.43	3	Vertical	166	1.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	107.96	Inf	-Inf	3	Vertical	166	1.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	67.34	68.20	-0.86	3	Vertical	166	1.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	48.63	54.00	-5.37	3	Horizontal	194	1.26	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6948G	99.89	Inf	-Inf	3	Horizontal	194	1.26	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	59.25	68.20	-8.95	3	Horizontal	194	1.26	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	108.75	Inf	-Inf	3	Horizontal	194	1.26	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	66.23	68.20	-1.97	3	Horizontal	194	1.26	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.43344G	44.09	54.00	-9.91	3	Vertical	343	1.97	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.40784G	54.87	74.00	-19.13	3	Vertical	343	1.97	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.42768G	44.10	54.00	-9.90	3	Horizontal	192	2.46	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38608G	54.55	74.00	-19.45	3	Horizontal	192	2.46	-
5775MHz	Pass	AV	5.7834G	99.36	Inf	-Inf	3	Vertical	193	1.37	-
5775MHz	Pass	PK	5.6454G	65.66	68.20	-2.54	3	Vertical	193	1.37	-
5775MHz	Pass	PK	5.7846G	107.44	Inf	-Inf	3	Vertical	193	1.37	-
5775MHz	Pass	PK	5.925G	65.73	68.20	-2.47	3	Vertical	193	1.37	-
5775MHz	Pass	AV	5.7846G	101.65	Inf	-Inf	3	Horizontal	200	1.76	-
5775MHz	Pass	PK	5.6466G	68.04	68.20	-0.16	3	Horizontal	200	1.76	-
5775MHz	Pass	PK	5.7858G	109.80	Inf	-Inf	3	Horizontal	200	1.76	-
5775MHz	Pass	PK	5.9262G	67.74	68.20	-0.46	3	Horizontal	200	1.76	-
5775MHz	Pass	AV	11.5724G	44.34	54.00	-9.66	3	Vertical	153	1.50	-
5775MHz	Pass	PK	11.4908G	54.29	74.00	-19.71	3	Vertical	153	1.50	-
5775MHz	Pass	AV	11.56408G	44.30	54.00	-9.70	3	Horizontal	94	1.50	-
5775MHz	Pass	PK	11.61752G	54.12	74.00	-19.88	3	Horizontal	94	1.50	-

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.20	54.00	-3.80	5.21	3	Vertical	184	1.50	-	44.99	33.10	6.87	34.76
AV	5.1814G	101.41	Inf	-Inf	5.28	3	Vertical	184	1.50	-	96.13	33.16	6.88	34.76
PK	5.1468G	64.20	74.00	-9.80	5.20	3	Vertical	184	1.50	-	59.00	33.09	6.87	34.76
PK	5.1814G	110.17	Inf	-Inf	5.28	3	Vertical	184	1.50	-	104.89	33.16	6.88	34.76

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.33	54.00	-0.67	5.21	3	Horizontal	165	2.12	-	48.12	33.10	6.87	34.76
AV	5.186G	106.38	Inf	-Inf	5.29	3	Horizontal	165	2.12	-	101.09	33.17	6.88	34.76
PK	5.15G	67.64	74.00	-6.36	5.21	3	Horizontal	165	2.12	-	62.43	33.10	6.87	34.76
PK	5.1758G	114.74	Inf	-Inf	5.27	3	Horizontal	165	2.12	-	109.47	33.15	6.88	34.76



802.11a_Nss1,(6Mbps)_2TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36G	54.14	68.20	-14.06	12.54	3	Vertical	102	1.50	-	41.60	38.58	8.99	35.03

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.352G	54.48	68.20	-13.72	12.55	3	Horizontal	33	2.33	-	41.93	38.60	8.99	35.04

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.36	54.00	-5.64	5.21	3	Vertical	169	1.04	-	43.15	33.10	6.87	34.76
AV	5.2036G	105.35	Inf	-Inf	5.32	3	Vertical	169	1.04	-	100.03	33.19	6.89	34.76
PK	5.1304G	60.07	74.00	-13.93	5.16	3	Vertical	169	1.04	-	54.91	33.06	6.86	34.76
PK	5.198G	114.15	Inf	-Inf	5.33	3	Vertical	169	1.04	-	108.82	33.20	6.89	34.76

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.91	54.00	-3.09	5.21	3	Horizontal	163	1.61	-	45.70	33.10	6.87	34.76
AV	5.1992G	106.98	Inf	-Inf	5.33	3	Horizontal	163	1.61	-	101.65	33.20	6.89	34.76
PK	5.1488G	67.86	74.00	-6.14	5.21	3	Horizontal	163	1.61	-	62.65	33.10	6.87	34.76
PK	5.1988G	116.19	Inf	-Inf	5.33	3	Horizontal	163	1.61	-	110.86	33.20	6.89	34.76



802.11a_Nss1,(6Mbps)_2TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41504G	54.25	68.20	-13.95	12.55	3	Vertical	288	1.35	-	41.70	38.52	9.01	34.98

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4196G	53.96	68.20	-14.24	12.56	3	Horizontal	323	1.65	-	41.40	38.52	9.01	34.97

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.20	54.00	-6.80	5.21	3	Vertical	113	1.00	-	41.99	33.10	6.87	34.76
AV	5.2334G	106.98	Inf	-Inf	5.30	3	Vertical	113	1.00	-	101.68	33.13	6.93	34.76
AV	5.3876G	46.08	54.00	-7.92	5.27	3	Vertical	113	1.00	-	40.81	32.93	7.11	34.77
PK	5.1146G	58.16	74.00	-15.84	5.13	3	Vertical	113	1.00	-	53.03	33.03	6.86	34.76
PK	5.2388G	115.23	Inf	-Inf	5.29	3	Vertical	113	1.00	-	109.94	33.12	6.93	34.76
PK	5.3642G	57.88	74.00	-16.12	5.10	3	Vertical	113	1.00	-	52.78	32.79	7.08	34.77

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	47.40	54.00	-6.60	5.21	3	Horizontal	189	2.25	-	42.19	33.10	6.87	34.76
AV	5.2466G	109.93	Inf	-Inf	5.29	3	Horizontal	189	2.25	-	104.64	33.11	6.94	34.76
AV	5.3732G	46.29	54.00	-7.71	5.16	3	Horizontal	189	2.25	-	41.13	32.84	7.09	34.77
PK	5.1092G	58.50	74.00	-15.50	5.11	3	Horizontal	189	2.25	-	53.39	33.02	6.85	34.76
PK	5.2466G	119.01	Inf	-Inf	5.29	3	Horizontal	189	2.25	-	113.72	33.11	6.94	34.76
PK	5.3564G	57.90	74.00	-16.10	5.04	3	Horizontal	189	2.25	-	52.86	32.74	7.07	34.77



802.11a_Nss1,(6Mbps)_2TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48249G	54.39	68.20	-13.81	12.69	3	Vertical	97	1.29	-	41.70	38.58	9.03	34.92

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47892G	54.70	68.20	-13.50	12.69	3	Horizontal	311	1.18	-	42.01	38.58	9.03	34.92

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




Lim.PK
 PK
 Lim.AV
 AV

11/06/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.94	54.00	-7.06	5.21	3	Vertical	111	1.25	-	41.73	33.10	6.87	34.76
AV	5.2576G	106.01	Inf	-Inf	5.26	3	Vertical	111	1.25	-	100.75	33.07	6.96	34.77
AV	5.365G	46.23	54.00	-7.77	5.10	3	Vertical	111	1.25	-	41.13	32.79	7.08	34.77
PK	5.1262G	58.21	74.00	-15.79	5.15	3	Vertical	111	1.25	-	53.06	33.05	6.86	34.76
PK	5.2576G	114.06	Inf	-Inf	5.26	3	Vertical	111	1.25	-	108.80	33.07	6.96	34.77
PK	5.3578G	58.17	74.00	-15.83	5.05	3	Vertical	111	1.25	-	53.12	32.75	7.07	34.77

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




Lim.PK
 PK
 Lim.AV
 AV

11/06/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1238G	46.99	54.00	-7.01	5.15	3	Horizontal	189	2.50	-	41.84	33.05	6.86	34.76
AV	5.266G	109.29	Inf	-Inf	5.24	3	Horizontal	189	2.50	-	104.05	33.04	6.97	34.77
AV	5.3506G	46.52	54.00	-7.48	4.99	3	Horizontal	189	2.50	-	41.53	32.70	7.06	34.77
PK	5.113G	58.23	74.00	-15.77	5.13	3	Horizontal	189	2.50	-	53.10	33.03	6.86	34.76
PK	5.2564G	118.55	Inf	-Inf	5.25	3	Horizontal	189	2.50	-	113.30	33.07	6.95	34.77
PK	5.3572G	58.60	74.00	-15.40	5.04	3	Horizontal	189	2.50	-	53.56	32.74	7.07	34.77

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51917G	54.88	68.20	-13.32	12.81	3	Vertical	212	1.92	-	42.07	38.66	9.04	34.89

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51841G	55.03	68.20	-13.17	12.81	3	Horizontal	110	1.26	-	42.22	38.66	9.04	34.89

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3056G	105.71	Inf	-Inf	5.12	3	Vertical	113	1.13	-	100.59	32.88	7.01	34.77
AV	5.3504G	50.44	54.00	-3.56	4.99	3	Vertical	113	1.13	-	45.45	32.70	7.06	34.77
PK	5.3052G	113.82	Inf	-Inf	5.12	3	Vertical	113	1.13	-	108.70	32.88	7.01	34.77
PK	5.3548G	66.12	74.00	-7.88	5.03	3	Vertical	113	1.13	-	61.09	32.73	7.07	34.77

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3032G	107.74	Inf	-Inf	5.13	3	Horizontal	189	2.62	-	102.61	32.89	7.01	34.77
AV	5.3512G	50.58	54.00	-3.42	5.00	3	Horizontal	189	2.62	-	45.58	32.71	7.06	34.77
PK	5.3036G	115.95	Inf	-Inf	5.13	3	Horizontal	189	2.62	-	110.82	32.89	7.01	34.77
PK	5.3524G	66.96	74.00	-7.04	5.01	3	Horizontal	189	2.62	-	61.95	32.71	7.07	34.77



802.11a_Nss1,(6Mbps)_2TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5988G	54.46	68.20	-13.74	13.10	3	Vertical	304	1.79	-	41.36	38.90	9.07	34.87

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59821G	54.77	68.20	-13.43	13.09	3	Horizontal	282	1.50	-	41.68	38.89	9.07	34.87

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.323G	102.98	Inf	-Inf	5.07	3	Vertical	116	1.23	-	97.91	32.81	7.03	34.77
AV	5.3522G	51.49	54.00	-2.51	5.01	3	Vertical	116	1.23	-	46.48	32.71	7.07	34.77
PK	5.318G	111.79	Inf	-Inf	5.09	3	Vertical	116	1.23	-	106.70	32.83	7.03	34.77
PK	5.3526G	68.40	74.00	-5.60	5.02	3	Vertical	116	1.23	-	63.38	32.72	7.07	34.77


802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3258G	104.70	Inf	-Inf	5.06	3	Horizontal	191	2.48	-	99.64	32.80	7.03	34.77
AV	5.3502G	53.89	54.00	-0.11	4.99	3	Horizontal	191	2.48	-	48.90	32.70	7.06	34.77
PK	5.3156G	113.55	Inf	-Inf	5.09	3	Horizontal	191	2.48	-	108.46	32.84	7.02	34.77
PK	5.3504G	72.38	74.00	-1.62	4.99	3	Horizontal	191	2.48	-	67.39	32.70	7.06	34.77

802.11a_Nss1,(6Mbps)_2TX
5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6426G	42.34	54.00	-11.66	13.22	3	Vertical	90	2.97	-	29.12	38.99	9.08	34.85
PK	10.64128G	54.68	74.00	-19.32	13.21	3	Vertical	90	2.97	-	41.47	38.98	9.08	34.85


802.11a_Nss1,(6Mbps)_2TX
5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6442G	42.34	54.00	-11.66	13.22	3	Horizontal	79	1.46	-	29.12	38.99	9.08	34.85
PK	10.64936G	54.67	74.00	-19.33	13.23	3	Horizontal	79	1.46	-	41.44	39.00	9.08	34.85

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	47.65	54.00	-6.35	5.13	3	Vertical	157	1.02	-	42.52	32.82	7.08	34.77
AV	5.5046G	102.57	Inf	-Inf	5.19	3	Vertical	157	1.02	-	97.38	32.91	7.05	34.77
PK	5.4694G	67.41	68.20	-0.79	5.14	3	Vertical	157	1.02	-	62.27	32.84	7.07	34.77
PK	5.5044G	110.97	Inf	-Inf	5.19	3	Vertical	157	1.02	-	105.78	32.91	7.05	34.77

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.40	54.00	-6.60	5.13	3	Horizontal	191	2.60	-	42.27	32.82	7.08	34.77
AV	5.4952G	103.37	Inf	-Inf	5.18	3	Horizontal	191	2.60	-	98.19	32.89	7.06	34.77
PK	5.4698G	67.91	68.20	-0.29	5.14	3	Horizontal	191	2.60	-	62.77	32.84	7.07	34.77
PK	5.5056G	112.26	Inf	-Inf	5.19	3	Horizontal	191	2.60	-	107.07	32.91	7.05	34.77




802.11a_Nss1,(6Mbps)_2TX
5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99792G	42.66	54.00	-11.34	13.16	3	Vertical	258	1.39	-	29.50	38.70	9.20	34.74
PK	10.99981G	55.13	74.00	-18.87	13.16	3	Vertical	258	1.39	-	41.97	38.70	9.20	34.74


802.11a_Nss1,(6Mbps)_2TX
5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99947G	42.69	54.00	-11.31	13.16	3	Horizontal	193	1.50	-	29.53	38.70	9.20	34.74
PK	10.99784G	55.64	74.00	-18.36	13.16	3	Horizontal	193	1.50	-	42.48	38.70	9.20	34.74

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4432G	46.11	54.00	-7.89	5.15	3	Vertical	157	1.08	-	40.96	32.83	7.09	34.77
AV	5.5866G	107.23	Inf	-Inf	5.23	3	Vertical	157	1.08	-	102.00	33.00	7.00	34.77
PK	5.4672G	57.25	68.20	-10.95	5.14	3	Vertical	157	1.08	-	52.11	32.83	7.08	34.77
PK	5.5812G	115.61	Inf	-Inf	5.23	3	Vertical	157	1.08	-	110.38	33.00	7.00	34.77
PK	5.7288G	58.21	68.20	-9.99	5.69	3	Vertical	157	1.08	-	52.52	33.52	6.94	34.77


802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	46.13	54.00	-7.87	5.13	3	Horizontal	190	2.37	-	41.00	32.82	7.08	34.77
AV	5.583G	108.01	Inf	-Inf	5.23	3	Horizontal	190	2.37	-	102.78	33.00	7.00	34.77
PK	5.463G	57.39	68.20	-10.81	5.14	3	Horizontal	190	2.37	-	52.25	32.83	7.08	34.77
PK	5.5776G	116.33	Inf	-Inf	5.23	3	Horizontal	190	2.37	-	111.10	33.00	7.00	34.77
PK	5.7282G	58.28	68.20	-9.92	5.68	3	Horizontal	190	2.37	-	52.60	33.51	6.94	34.77

802.11a_Nss1,(6Mbps)_2TX
5580MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16224G	42.84	54.00	-11.16	13.21	3	Vertical	115	1.50	-	29.63	38.66	9.25	34.70
PK	11.17128G	54.97	74.00	-19.03	13.23	3	Vertical	115	1.50	-	41.74	38.67	9.26	34.70


802.11a_Nss1,(6Mbps)_2TX
5580MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15832G	42.72	54.00	-11.28	13.21	3	Horizontal	193	1.50	-	29.51	38.66	9.25	34.70
PK	11.15024G	54.57	74.00	-19.43	13.20	3	Horizontal	193	1.50	-	41.37	38.65	9.25	34.70

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7052G	101.52	Inf	-Inf	5.60	3	Vertical	168	1.00	-	95.92	33.42	6.95	34.77
PK	5.6948G	109.67	Inf	-Inf	5.54	3	Vertical	168	1.00	-	104.13	33.36	6.95	34.77
PK	5.7256G	67.70	68.20	-0.50	5.67	3	Vertical	168	1.00	-	62.03	33.50	6.94	34.77


802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.702G	100.99	Inf	-Inf	5.59	3	Horizontal	194	2.72	-	95.40	33.41	6.95	34.77
PK	5.7072G	109.56	Inf	-Inf	5.61	3	Horizontal	194	2.72	-	103.95	33.43	6.95	34.77
PK	5.7272G	67.97	68.20	-0.23	5.68	3	Horizontal	194	2.72	-	62.29	33.51	6.94	34.77

802.11a_Nss1,(6Mbps)_2TX
5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40179G	42.85	54.00	-11.15	13.59	3	Vertical	52	1.31	-	29.26	38.90	9.33	34.64
PK	11.4006G	55.33	74.00	-18.67	13.59	3	Vertical	52	1.31	-	41.74	38.90	9.33	34.64

802.11a_Nss1,(6Mbps)_2TX
5700MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40097G	42.84	54.00	-11.16	13.59	3	Horizontal	214	1.60	-	29.25	38.90	9.33	34.64
PK	11.40019G	54.91	74.00	-19.09	13.59	3	Horizontal	214	1.60	-	41.32	38.90	9.33	34.64



802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4236G	45.60	54.00	-8.40	5.24	3	Vertical	160	1.24	-	40.36	32.91	7.10	34.77
AV	5.7236G	107.14	Inf	-Inf	5.66	3	Vertical	160	1.24	-	101.48	33.49	6.94	34.77
PK	5.462G	56.60	68.20	-11.60	5.13	3	Vertical	160	1.24	-	51.47	32.82	7.08	34.77
PK	5.7176G	116.17	Inf	-Inf	5.64	3	Vertical	160	1.24	-	110.53	33.47	6.94	34.77
PK	5.9588G	59.79	68.20	-8.41	7.12	3	Vertical	160	1.24	-	52.67	34.28	7.61	34.77

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4428G	45.58	54.00	-8.42	5.15	3	Horizontal	173	1.82	-	40.43	32.83	7.09	34.77
AV	5.7152G	107.32	Inf	-Inf	5.63	3	Horizontal	173	1.82	-	101.69	33.46	6.94	34.77
PK	5.4632G	57.55	68.20	-10.65	5.14	3	Horizontal	173	1.82	-	52.41	32.83	7.08	34.77
PK	5.726G	117.54	Inf	-Inf	5.67	3	Horizontal	173	1.82	-	111.87	33.50	6.94	34.77
PK	5.8568G	59.86	68.20	-8.34	6.52	3	Horizontal	173	1.82	-	53.34	34.13	7.16	34.77

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43992G	43.64	54.00	-10.36	13.54	3	Vertical	142	1.98	-	30.10	38.82	9.35	34.63
PK	11.45288G	55.15	74.00	-18.85	13.52	3	Vertical	142	1.98	-	41.63	38.79	9.35	34.62

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43536G	42.72	54.00	-11.28	13.54	3	Horizontal	0	1.50	-	29.18	38.83	9.34	34.63
PK	11.43344G	55.03	74.00	-18.97	13.54	3	Horizontal	0	1.50	-	41.49	38.83	9.34	34.63

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	107.27	Inf	-Inf	5.77	3	Vertical	163	1.01	-	101.50	33.61	6.93	34.77
PK	5.595G	57.91	68.20	-10.29	5.22	3	Vertical	163	1.01	-	52.69	33.00	6.99	34.77
PK	5.751G	115.21	Inf	-Inf	5.77	3	Vertical	163	1.01	-	109.44	33.61	6.93	34.77
PK	5.9862G	59.65	68.20	-8.55	7.19	3	Vertical	163	1.01	-	52.46	34.23	7.73	34.77


802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	105.89	Inf	-Inf	5.72	3	Horizontal	176	1.71	-	100.17	33.56	6.93	34.77
PK	5.5206G	58.32	68.20	-9.88	5.21	3	Horizontal	176	1.71	-	53.11	32.94	7.04	34.77
PK	5.7402G	114.43	Inf	-Inf	5.72	3	Horizontal	176	1.71	-	108.71	33.56	6.93	34.77
PK	6.003G	59.47	68.20	-8.73	7.20	3	Horizontal	176	1.71	-	52.27	34.19	7.78	34.77

802.11a_Nss1,(6Mbps)_2TX
5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49032G	44.10	54.00	-9.90	13.47	3	Vertical	150	2.01	-	30.63	38.72	9.36	34.61
PK	11.49G	55.17	74.00	-18.83	13.47	3	Vertical	150	2.01	-	41.70	38.72	9.36	34.61


802.11a_Nss1,(6Mbps)_2TX
5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49104G	43.53	54.00	-10.47	13.47	3	Horizontal	184	1.85	-	30.06	38.72	9.36	34.61
PK	11.48824G	55.11	74.00	-18.89	13.47	3	Horizontal	184	1.85	-	41.64	38.72	9.36	34.61

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	106.94	Inf	-Inf	5.94	3	Vertical	165	1.08	-	101.00	33.79	6.92	34.77
PK	5.641G	57.66	68.20	-10.54	5.20	3	Vertical	165	1.08	-	52.46	33.00	6.97	34.77
PK	5.7814G	115.30	Inf	-Inf	5.94	3	Vertical	165	1.08	-	109.36	33.79	6.92	34.77
PK	5.9434G	61.30	68.20	-6.90	7.07	3	Vertical	165	1.08	-	54.23	34.30	7.54	34.77


802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	105.99	Inf	-Inf	5.93	3	Horizontal	171	2.11	-	100.06	33.78	6.92	34.77
PK	5.5318G	57.60	68.20	-10.60	5.22	3	Horizontal	171	2.11	-	52.38	32.96	7.03	34.77
PK	5.7802G	114.77	Inf	-Inf	5.93	3	Horizontal	171	2.11	-	108.84	33.78	6.92	34.77
PK	5.9446G	59.83	68.20	-8.37	7.08	3	Horizontal	171	2.11	-	52.75	34.30	7.55	34.77

802.11a_Nss1,(6Mbps)_2TX
5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57024G	44.00	54.00	-10.00	13.32	3	Vertical	153	1.80	-	30.68	38.56	9.39	34.63
PK	11.5712G	56.55	74.00	-17.45	13.32	3	Vertical	153	1.80	-	43.23	38.56	9.39	34.63

802.11a_Nss1,(6Mbps)_2TX
5785MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57192G	43.55	54.00	-10.45	13.32	3	Horizontal	189	1.25	-	30.23	38.56	9.39	34.63
PK	11.5724G	55.52	74.00	-18.48	13.32	3	Horizontal	189	1.25	-	42.20	38.56	9.39	34.63



802.11a_Nss1,(6Mbps)_2TX


5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	105.70	Inf	-Inf	6.26	3	Vertical	173	1.50	-	99.44	34.00	7.03	34.77
PK	5.5538G	57.90	68.20	-10.30	5.25	3	Vertical	173	1.50	-	52.65	33.00	7.02	34.77
PK	5.8214G	114.02	Inf	-Inf	6.22	3	Vertical	173	1.50	-	107.80	33.99	7.00	34.77
PK	5.9402G	59.16	68.20	-9.04	7.06	3	Vertical	173	1.50	-	52.10	34.30	7.53	34.77


802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	105.52	Inf	-Inf	6.23	3	Horizontal	169	2.12	-	99.29	33.99	7.01	34.77
PK	5.6354G	58.15	68.20	-10.05	5.21	3	Horizontal	169	2.12	-	52.94	33.00	6.98	34.77
PK	5.8214G	114.02	Inf	-Inf	6.22	3	Horizontal	169	2.12	-	107.80	33.99	7.00	34.77
PK	5.9678G	60.36	68.20	-7.84	7.14	3	Horizontal	169	2.12	-	53.22	34.26	7.65	34.77

802.11a_Nss1,(6Mbps)_2TX
5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65104G	43.95	54.00	-10.05	13.21	3	Vertical	188	2.11	-	30.74	38.45	9.41	34.65
PK	11.6516G	55.20	74.00	-18.80	13.22	3	Vertical	188	2.11	-	41.98	38.45	9.42	34.65


802.11a_Nss1,(6Mbps)_2TX
5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64888G	44.43	54.00	-9.57	13.21	3	Horizontal	204	1.99	-	31.22	38.45	9.41	34.65
PK	11.65084G	55.71	74.00	-18.29	13.21	3	Horizontal	204	1.99	-	42.50	38.45	9.41	34.65

802.11ac VHT20_Nss1,(MCS0)_2TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.82	54.00	-0.18	5.21	3	Vertical	108	1.15	-	48.61	33.10	6.87	34.76
AV	5.1736G	103.98	Inf	-Inf	5.27	3	Vertical	108	1.15	-	98.71	33.15	6.88	34.76
PK	5.1492G	69.78	74.00	-4.22	5.21	3	Vertical	108	1.15	-	64.57	33.10	6.87	34.76
PK	5.1738G	112.72	Inf	-Inf	5.27	3	Vertical	108	1.15	-	107.45	33.15	6.88	34.76

802.11ac VHT20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	52.87	54.00	-1.13	5.21	3	Horizontal	185	2.78	-	47.66	33.10	6.87	34.76
AV	5.186G	104.95	Inf	-Inf	5.29	3	Horizontal	185	2.78	-	99.66	33.17	6.88	34.76
PK	5.147G	71.03	74.00	-2.97	5.20	3	Horizontal	185	2.78	-	65.83	33.09	6.87	34.76
PK	5.1856G	113.90	Inf	-Inf	5.29	3	Horizontal	185	2.78	-	108.61	33.17	6.88	34.76



802.11ac VHT20_Nss1,(MCS0)_2TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36352G	54.34	68.20	-13.86	12.53	3	Vertical	349	2.89	-	41.81	38.57	8.99	35.03

802.11ac VHT20_Nss1,(MCS0)_2TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.355G	54.28	68.20	-13.92	12.55	3	Horizontal	110	2.40	-	41.73	38.59	8.99	35.03

802.11ac VHT20_Nss1,(MCS0)_2TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.88	54.00	-5.12	5.21	3	Vertical	167	1.00	-	43.67	33.10	6.87	34.76
AV	5.1964G	106.10	Inf	-Inf	5.32	3	Vertical	167	1.00	-	100.78	33.19	6.89	34.76
PK	5.1432G	60.49	74.00	-13.51	5.20	3	Vertical	167	1.00	-	55.29	33.09	6.87	34.76
PK	5.1964G	114.48	Inf	-Inf	5.32	3	Vertical	167	1.00	-	109.16	33.19	6.89	34.76

802.11ac VHT20_Nss1,(MCS0)_2TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.60	54.00	-0.40	5.21	3	Horizontal	186	2.56	-	48.39	33.10	6.87	34.76
AV	5.2064G	109.35	Inf	-Inf	5.33	3	Horizontal	186	2.56	-	104.02	33.19	6.90	34.76
PK	5.1484G	73.47	74.00	-0.53	5.21	3	Horizontal	186	2.56	-	68.26	33.10	6.87	34.76
PK	5.2076G	118.60	Inf	-Inf	5.32	3	Horizontal	186	2.56	-	113.28	33.18	6.90	34.76

802.11ac VHT20_Nss1,(MCS0)_2TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41G	53.84	68.20	-14.36	12.54	3	Vertical	64	2.02	-	41.30	38.51	9.01	34.98

802.11ac VHT20_Nss1,(MCS0)_2TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40072G	54.99	68.20	-13.21	12.51	3	Horizontal	311	2.18	-	42.48	38.50	9.00	34.99

802.11ac VHT20_Nss1,(MCS0)_2TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	46.92	54.00	-7.08	5.21	3	Vertical	161	1.05	-	41.71	33.10	6.87	34.76
AV	5.2388G	107.81	Inf	-Inf	5.29	3	Vertical	161	1.05	-	102.52	33.12	6.93	34.76
AV	5.3864G	45.99	54.00	-8.01	5.25	3	Vertical	161	1.05	-	40.74	32.92	7.10	34.77
PK	5.102G	58.61	74.00	-15.39	5.09	3	Vertical	161	1.05	-	53.52	33.00	6.85	34.76
PK	5.2382G	116.62	Inf	-Inf	5.29	3	Vertical	161	1.05	-	111.33	33.12	6.93	34.76
PK	5.3858G	57.71	74.00	-16.29	5.24	3	Vertical	161	1.05	-	52.47	32.91	7.10	34.77

802.11ac VHT20_Nss1,(MCS0)_2TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.25	54.00	-6.75	5.21	3	Horizontal	188	3.00	-	42.04	33.10	6.87	34.76
AV	5.243G	108.89	Inf	-Inf	5.29	3	Horizontal	188	3.00	-	103.60	33.11	6.94	34.76
AV	5.3876G	46.08	54.00	-7.92	5.27	3	Horizontal	188	3.00	-	40.81	32.93	7.11	34.77
PK	5.129G	58.28	74.00	-15.72	5.16	3	Horizontal	188	3.00	-	53.12	33.06	6.86	34.76
PK	5.243G	117.67	Inf	-Inf	5.29	3	Horizontal	188	3.00	-	112.38	33.11	6.94	34.76
PK	5.3546G	58.10	74.00	-15.90	5.03	3	Horizontal	188	3.00	-	53.07	32.73	7.07	34.77

802.11ac VHT20_Nss1,(MCS0)_2TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.49784G	54.47	68.20	-13.73	12.73	3	Vertical	310	1.50	-	41.74	38.60	9.03	34.90

802.11ac VHT20_Nss1,(MCS0)_2TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46728G	53.90	68.20	-14.30	12.66	3	Horizontal	92	1.50	-	41.24	38.57	9.02	34.93

802.11ac VHT20_Nss1,(MCS0)_2TX


5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1148G	46.67	54.00	-7.33	5.13	3	Vertical	164	1.01	-	41.54	33.03	6.86	34.76
AV	5.2678G	107.03	Inf	-Inf	5.23	3	Vertical	164	1.01	-	101.80	33.03	6.97	34.77
AV	5.3566G	46.25	54.00	-7.75	5.04	3	Vertical	164	1.01	-	41.21	32.74	7.07	34.77
PK	5.1376G	58.15	74.00	-15.85	5.19	3	Vertical	164	1.01	-	52.96	33.08	6.87	34.76
PK	5.2678G	115.79	Inf	-Inf	5.23	3	Vertical	164	1.01	-	110.56	33.03	6.97	34.77
PK	5.3542G	60.07	74.00	-13.93	5.03	3	Vertical	164	1.01	-	55.04	32.73	7.07	34.77

802.11ac VHT20_Nss1,(MCS0)_2TX


5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1412G	46.77	54.00	-7.23	5.19	3	Horizontal	165	2.06	-	41.58	33.08	6.87	34.76
AV	5.2636G	108.31	Inf	-Inf	5.24	3	Horizontal	165	2.06	-	103.07	33.05	6.96	34.77
AV	5.35G	46.25	54.00	-7.75	4.99	3	Horizontal	165	2.06	-	41.26	32.70	7.06	34.77
PK	5.1466G	58.19	74.00	-15.81	5.20	3	Horizontal	165	2.06	-	52.99	33.09	6.87	34.76
PK	5.2624G	117.16	Inf	-Inf	5.24	3	Horizontal	165	2.06	-	111.92	33.05	6.96	34.77
PK	5.3644G	58.28	74.00	-15.72	5.10	3	Horizontal	165	2.06	-	53.18	32.79	7.08	34.77

802.11ac VHT20_Nss1,(MCS0)_2TX


5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.50664G	53.56	68.20	-14.64	12.76	3	Vertical	248	1.50	-	40.80	38.62	9.04	34.90

802.11ac VHT20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52648G	54.26	68.20	-13.94	12.83	3	Horizontal	73	1.50	-	41.43	38.68	9.04	34.89



802.11ac VHT20_Nss1,(MCS0)_2TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3076G	106.59	Inf	-Inf	5.11	3	Vertical	161	1.24	-	101.48	32.87	7.01	34.77
AV	5.35G	53.02	54.00	-0.98	4.99	3	Vertical	161	1.24	-	48.03	32.70	7.06	34.77
PK	5.3068G	115.66	Inf	-Inf	5.11	3	Vertical	161	1.24	-	110.55	32.87	7.01	34.77
PK	5.3504G	72.79	74.00	-1.21	4.99	3	Vertical	161	1.24	-	67.80	32.70	7.06	34.77

802.11ac VHT20_Nss1,(MCS0)_2TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3076G	106.90	Inf	-Inf	5.11	3	Horizontal	167	1.35	-	101.79	32.87	7.01	34.77
AV	5.35G	52.46	54.00	-1.54	4.99	3	Horizontal	167	1.35	-	47.47	32.70	7.06	34.77
PK	5.3068G	115.89	Inf	-Inf	5.11	3	Horizontal	167	1.35	-	110.78	32.87	7.01	34.77
PK	5.3508G	71.21	74.00	-2.79	4.99	3	Horizontal	167	1.35	-	66.22	32.70	7.06	34.77

802.11ac VHT20_Nss1,(MCS0)_2TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59744G	54.17	68.20	-14.03	13.09	3	Vertical	219	2.00	-	41.08	38.89	9.07	34.87

802.11ac VHT20_Nss1,(MCS0)_2TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.598G	54.71	68.20	-13.49	13.09	3	Horizontal	202	1.50	-	41.62	38.89	9.07	34.87

802.11ac VHT20_Nss1,(MCS0)_2TX


5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3184G	104.44	Inf	-Inf	5.09	3	Vertical	160	1.00	-	99.35	32.83	7.03	34.77
AV	5.3524G	52.60	54.00	-1.40	5.01	3	Vertical	160	1.00	-	47.59	32.71	7.07	34.77
PK	5.3182G	113.67	Inf	-Inf	5.09	3	Vertical	160	1.00	-	108.58	32.83	7.03	34.77
PK	5.3562G	72.14	74.00	-1.86	5.04	3	Vertical	160	1.00	-	67.10	32.74	7.07	34.77


802.11ac VHT20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.321G	104.49	Inf	-Inf	5.08	3	Horizontal	161	1.32	-	99.41	32.82	7.03	34.77
AV	5.3544G	52.19	54.00	-1.81	5.03	3	Horizontal	161	1.32	-	47.16	32.73	7.07	34.77
PK	5.322G	113.05	Inf	-Inf	5.07	3	Horizontal	161	1.32	-	107.98	32.81	7.03	34.77
PK	5.358G	70.53	74.00	-3.47	5.05	3	Horizontal	161	1.32	-	65.48	32.75	7.07	34.77

802.11ac VHT20_Nss1,(MCS0)_2TX
5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6375G	42.15	54.00	-11.85	13.20	3	Vertical	174	2.00	-	28.95	38.98	9.08	34.86
PK	10.6371G	53.90	74.00	-20.10	13.19	3	Vertical	174	2.00	-	40.71	38.97	9.08	34.86


802.11ac VHT20_Nss1,(MCS0)_2TX
5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64063G	42.10	54.00	-11.90	13.21	3	Horizontal	128	2.34	-	28.89	38.98	9.08	34.85
PK	10.64002G	54.47	74.00	-19.53	13.20	3	Horizontal	128	2.34	-	41.27	38.98	9.08	34.86

802.11ac VHT20_Nss1,(MCS0)_2TX


5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.96	54.00	-7.04	5.13	3	Vertical	159	1.01	-	41.83	32.82	7.08	34.77
AV	5.5078G	101.91	Inf	-Inf	5.20	3	Vertical	159	1.01	-	96.71	32.92	7.05	34.77
PK	5.4692G	67.54	68.20	-0.66	5.15	3	Vertical	159	1.01	-	62.39	32.84	7.08	34.77
PK	5.5074G	109.98	Inf	-Inf	5.19	3	Vertical	159	1.01	-	104.79	32.91	7.05	34.77


802.11ac VHT20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4526G	46.51	54.00	-7.49	5.13	3	Horizontal	188	2.88	-	41.38	32.81	7.09	34.77
AV	5.4922G	101.41	Inf	-Inf	5.17	3	Horizontal	188	2.88	-	96.24	32.88	7.06	34.77
PK	5.469G	65.00	68.20	-3.20	5.15	3	Horizontal	188	2.88	-	59.85	32.84	7.08	34.77
PK	5.4924G	109.74	Inf	-Inf	5.17	3	Horizontal	188	2.88	-	104.57	32.88	7.06	34.77

802.11ac VHT20_Nss1,(MCS0)_2TX
5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00478G	42.62	54.00	-11.38	13.16	3	Vertical	124	2.00	-	29.46	38.70	9.20	34.74
PK	10.99846G	54.00	74.00	-20.00	13.16	3	Vertical	124	2.00	-	40.84	38.70	9.20	34.74


802.11ac VHT20_Nss1,(MCS0)_2TX
5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00028G	42.63	54.00	-11.37	13.16	3	Horizontal	30	2.37	-	29.47	38.70	9.20	34.74
PK	10.99974G	54.82	74.00	-19.18	13.16	3	Horizontal	30	2.37	-	41.66	38.70	9.20	34.74

802.11ac VHT20_Nss1,(MCS0)_2TX


5580MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4528G	45.93	54.00	-8.07	5.13	3	Vertical	156	1.30	-	40.80	32.81	7.09	34.77
AV	5.5764G	107.47	Inf	-Inf	5.24	3	Vertical	156	1.30	-	102.23	33.00	7.01	34.77
PK	5.4666G	57.60	68.20	-10.60	5.14	3	Vertical	156	1.30	-	52.46	32.83	7.08	34.77
PK	5.5776G	115.80	Inf	-Inf	5.23	3	Vertical	156	1.30	-	110.57	33.00	7.00	34.77
PK	5.7264G	57.50	68.20	-10.70	5.68	3	Vertical	156	1.30	-	51.82	33.51	6.94	34.77


802.11ac VHT20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4396G	46.53	54.00	-7.47	5.16	3	Horizontal	184	1.30	-	41.37	32.84	7.09	34.77
AV	5.5878G	107.31	Inf	-Inf	5.23	3	Horizontal	184	1.30	-	102.08	33.00	7.00	34.77
PK	5.4678G	58.19	68.20	-10.01	5.15	3	Horizontal	184	1.30	-	53.04	32.84	7.08	34.77
PK	5.5848G	115.69	Inf	-Inf	5.23	3	Horizontal	184	1.30	-	110.46	33.00	7.00	34.77
PK	5.7276G	58.45	68.20	-9.75	5.68	3	Horizontal	184	1.30	-	52.77	33.51	6.94	34.77

802.11ac VHT20_Nss1,(MCS0)_2TX
5580MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.17304G	42.57	54.00	-11.43	13.23	3	Vertical	0	3.00	-	29.34	38.67	9.26	34.70
PK	11.15528G	54.63	74.00	-19.37	13.21	3	Vertical	0	3.00	-	41.42	38.66	9.25	34.70

802.11ac VHT20_Nss1,(MCS0)_2TX
5580MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16512G	42.39	54.00	-11.61	13.22	3	Horizontal	292	1.50	-	29.17	38.67	9.25	34.70
PK	11.15344G	54.47	74.00	-19.53	13.20	3	Horizontal	292	1.50	-	41.27	38.65	9.25	34.70

802.11ac VHT20_Nss1,(MCS0)_2TX
5700MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.706G	101.94	Inf	-Inf	5.60	3	Vertical	157	1.00	-	96.34	33.42	6.95	34.77
PK	5.7048G	110.77	Inf	-Inf	5.60	3	Vertical	157	1.00	-	105.17	33.42	6.95	34.77
PK	5.7252G	67.56	68.20	-0.64	5.67	3	Vertical	157	1.00	-	61.89	33.50	6.94	34.77

802.11ac VHT20_Nss1,(MCS0)_2TX
5700MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6964G	100.77	Inf	-Inf	5.55	3	Horizontal	175	2.59	-	95.22	33.37	6.95	34.77
PK	5.698G	110.17	Inf	-Inf	5.56	3	Horizontal	175	2.59	-	104.61	33.38	6.95	34.77
PK	5.7264G	62.31	68.20	-5.89	5.68	3	Horizontal	175	2.59	-	56.63	33.51	6.94	34.77

802.11ac VHT20_Nss1,(MCS0)_2TX
5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40164G	42.63	54.00	-11.37	13.59	3	Vertical	254	2.09	-	29.04	38.90	9.33	34.64
PK	11.40376G	54.21	74.00	-19.79	13.58	3	Vertical	254	2.09	-	40.63	38.89	9.33	34.64


802.11ac VHT20_Nss1,(MCS0)_2TX
5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3993G	42.54	54.00	-11.46	13.59	3	Horizontal	171	2.12	-	28.95	38.90	9.33	34.64
PK	11.4006G	54.13	74.00	-19.87	13.59	3	Horizontal	171	2.12	-	40.54	38.90	9.33	34.64




802.11ac VHT20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4308G	45.75	54.00	-8.25	5.21	3	Vertical	164	1.09	-	40.54	32.88	7.10	34.77
AV	5.7128G	107.70	Inf	-Inf	5.62	3	Vertical	164	1.09	-	102.08	33.45	6.94	34.77
PK	5.4656G	56.25	68.20	-11.95	5.14	3	Vertical	164	1.09	-	51.11	32.83	7.08	34.77
PK	5.7128G	115.79	Inf	-Inf	5.62	3	Vertical	164	1.09	-	110.17	33.45	6.94	34.77
PK	5.96G	59.98	68.20	-8.22	7.12	3	Vertical	164	1.09	-	52.86	34.28	7.61	34.77

802.11ac VHT20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4296G	46.31	54.00	-7.69	5.21	3	Horizontal	178	1.27	-	41.10	32.88	7.10	34.77
AV	5.714G	107.86	Inf	-Inf	5.63	3	Horizontal	178	1.27	-	102.23	33.46	6.94	34.77
PK	5.4692G	56.16	68.20	-12.04	5.15	3	Horizontal	178	1.27	-	51.01	32.84	7.08	34.77
PK	5.7116G	116.24	Inf	-Inf	5.63	3	Horizontal	178	1.27	-	110.61	33.45	6.95	34.77
PK	5.8796G	59.25	68.20	-8.95	6.71	3	Horizontal	178	1.27	-	52.54	34.22	7.26	34.77

802.11ac VHT20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44232G	43.22	54.00	-10.78	13.55	3	Vertical	171	1.50	-	29.67	38.82	9.35	34.62
PK	11.43984G	54.54	74.00	-19.46	13.54	3	Vertical	171	1.50	-	41.00	38.82	9.35	34.63


802.11ac VHT20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44096G	43.16	54.00	-10.84	13.54	3	Horizontal	150	1.80	-	29.62	38.82	9.35	34.63
PK	11.44416G	55.09	74.00	-18.91	13.54	3	Horizontal	150	1.80	-	41.55	38.81	9.35	34.62

802.11ac VHT20_Nss1,(MCS0)_2TX


5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	107.34	Inf	-Inf	5.71	3	Vertical	162	1.07	-	101.63	33.55	6.93	34.77
PK	5.6502G	58.37	68.35	-9.98	5.20	3	Vertical	162	1.07	-	53.17	33.00	6.97	34.77
PK	5.7378G	116.00	Inf	-Inf	5.71	3	Vertical	162	1.07	-	110.29	33.55	6.93	34.77
PK	5.9598G	59.43	68.20	-8.77	7.12	3	Vertical	162	1.07	-	52.31	34.28	7.61	34.77


802.11ac VHT20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	105.78	Inf	-Inf	5.74	3	Horizontal	177	1.57	-	100.04	33.58	6.93	34.77
PK	5.4678G	57.83	68.20	-10.37	5.15	3	Horizontal	177	1.57	-	52.68	32.84	7.08	34.77
PK	5.7438G	114.02	Inf	-Inf	5.74	3	Horizontal	177	1.57	-	108.28	33.58	6.93	34.77
PK	5.9514G	59.83	68.20	-8.37	7.11	3	Horizontal	177	1.57	-	52.72	34.30	7.58	34.77

802.11ac VHT20_Nss1,(MCS0)_2TX
5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48904G	44.81	54.00	-9.19	13.47	3	Vertical	177	1.16	-	31.34	38.72	9.36	34.61
PK	11.48584G	56.51	74.00	-17.49	13.48	3	Vertical	177	1.16	-	43.03	38.73	9.36	34.61


802.11ac VHT20_Nss1,(MCS0)_2TX
5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49512G	43.69	54.00	-10.31	13.46	3	Horizontal	190	1.20	-	30.23	38.71	9.36	34.61
PK	11.49808G	55.20	74.00	-18.80	13.45	3	Horizontal	190	1.20	-	41.75	38.70	9.36	34.61

802.11ac VHT20_Nss1,(MCS0)_2TX


5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	107.23	Inf	-Inf	5.92	3	Vertical	163	1.00	-	101.31	33.77	6.92	34.77
PK	5.5414G	58.28	68.20	-9.92	5.24	3	Vertical	163	1.00	-	53.04	32.98	7.03	34.77
PK	5.7778G	115.01	Inf	-Inf	5.92	3	Vertical	163	1.00	-	109.09	33.77	6.92	34.77
PK	5.9494G	59.86	68.20	-8.34	7.10	3	Vertical	163	1.00	-	52.76	34.30	7.57	34.77


802.11ac VHT20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	106.53	Inf	-Inf	5.95	3	Horizontal	190	2.74	-	100.58	33.80	6.92	34.77
PK	5.6398G	57.92	68.20	-10.28	5.20	3	Horizontal	190	2.74	-	52.72	33.00	6.97	34.77
PK	5.7838G	115.45	Inf	-Inf	5.95	3	Horizontal	190	2.74	-	109.50	33.80	6.92	34.77
PK	5.9782G	60.07	68.20	-8.13	7.16	3	Horizontal	190	2.74	-	52.91	34.24	7.69	34.77

802.11ac VHT20_Nss1,(MCS0)_2TX
5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57384G	43.59	54.00	-10.41	13.31	3	Vertical	174	1.50	-	30.28	38.55	9.39	34.63
PK	11.57888G	54.90	74.00	-19.10	13.30	3	Vertical	174	1.50	-	41.60	38.54	9.39	34.63


802.11ac VHT20_Nss1,(MCS0)_2TX
5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57G	44.44	54.00	-9.56	13.32	3	Horizontal	210	1.33	-	31.12	38.56	9.39	34.63
PK	11.57152G	56.77	74.00	-17.23	13.32	3	Horizontal	210	1.33	-	43.45	38.56	9.39	34.63

802.11ac VHT20_Nss1,(MCS0)_2TX


5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	106.88	Inf	-Inf	6.24	3	Vertical	146	1.10	-	100.64	34.00	7.01	34.77
PK	5.6258G	58.81	68.20	-9.39	5.21	3	Vertical	146	1.10	-	53.60	33.00	6.98	34.77
PK	5.8238G	115.54	Inf	-Inf	6.24	3	Vertical	146	1.10	-	109.30	34.00	7.01	34.77
PK	5.9246G	59.91	68.50	-8.59	6.99	3	Vertical	146	1.10	-	52.92	34.30	7.46	34.77


802.11ac VHT20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	107.41	Inf	-Inf	6.24	3	Horizontal	192	2.69	-	101.17	34.00	7.01	34.77
PK	5.6378G	58.02	68.20	-10.18	5.20	3	Horizontal	192	2.69	-	52.82	33.00	6.97	34.77
PK	5.8226G	116.10	Inf	-Inf	6.23	3	Horizontal	192	2.69	-	109.87	33.99	7.01	34.77
PK	5.9234G	61.58	69.38	-7.80	6.98	3	Horizontal	192	2.69	-	54.60	34.30	7.45	34.77

802.11ac VHT20_Nss1,(MCS0)_2TX
5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65128G	44.13	54.00	-9.87	13.21	3	Vertical	152	1.98	-	30.92	38.45	9.41	34.65
PK	11.64904G	56.01	74.00	-17.99	13.21	3	Vertical	152	1.98	-	42.80	38.45	9.41	34.65


802.11ac VHT20_Nss1,(MCS0)_2TX
5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64848G	44.81	54.00	-9.19	13.21	3	Horizontal	205	2.07	-	31.60	38.45	9.41	34.65
PK	11.64856G	56.84	74.00	-17.16	13.21	3	Horizontal	205	2.07	-	43.63	38.45	9.41	34.65

802.11ac VHT40_Nss1,(MCS0)_2TX


5190MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.11	54.00	-2.89	5.21	3	Vertical	175	1.11	-	45.90	33.10	6.87	34.76
AV	5.1936G	98.22	Inf	-Inf	5.32	3	Vertical	175	1.11	-	92.90	33.19	6.89	34.76
AV	5.412G	51.73	54.00	-2.27	5.29	3	Vertical	175	1.11	-	46.44	32.95	7.11	34.77
PK	5.1492G	63.12	74.00	-10.88	5.21	3	Vertical	175	1.11	-	57.91	33.10	6.87	34.76
PK	5.1936G	105.92	Inf	-Inf	5.32	3	Vertical	175	1.11	-	100.60	33.19	6.89	34.76
PK	5.484G	57.99	68.20	-10.21	5.17	3	Vertical	175	1.11	-	52.82	32.87	7.07	34.77

802.11ac VHT40_Nss1,(MCS0)_2TX


5190MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.80	54.00	-0.20	5.21	3	Horizontal	180	1.55	-	48.59	33.10	6.87	34.76
AV	5.1936G	100.36	Inf	-Inf	5.32	3	Horizontal	180	1.55	-	95.04	33.19	6.89	34.76
AV	5.412G	52.53	54.00	-1.47	5.29	3	Horizontal	180	1.55	-	47.24	32.95	7.11	34.77
PK	5.1492G	66.60	74.00	-7.40	5.21	3	Horizontal	180	1.55	-	61.39	33.10	6.87	34.76
PK	5.1924G	108.12	Inf	-Inf	5.31	3	Horizontal	180	1.55	-	102.81	33.18	6.89	34.76
PK	5.4768G	57.05	68.20	-11.15	5.15	3	Horizontal	180	1.55	-	51.90	32.85	7.07	34.77

802.11ac VHT40_Nss1,(MCS0)_2TX


5190MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3789G	54.96	68.20	-13.24	12.53	3	Vertical	133	2.16	-	42.43	38.54	9.00	35.01

802.11ac VHT40_Nss1,(MCS0)_2TX


5190MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3793G	54.81	68.20	-13.39	12.53	3	Horizontal	239	1.88	-	42.28	38.54	9.00	35.01

802.11ac VHT40_Nss1,(MCS0)_2TX


5230MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1016G	48.38	54.00	-5.62	5.09	3	Vertical	168	1.16	-	43.29	33.00	6.85	34.76
AV	5.2348G	97.56	Inf	-Inf	5.30	3	Vertical	168	1.16	-	92.26	33.13	6.93	34.76
AV	5.4532G	52.33	54.00	-1.67	5.13	3	Vertical	168	1.16	-	47.20	32.81	7.09	34.77
PK	5.0908G	58.28	74.00	-15.72	5.11	3	Vertical	168	1.16	-	53.17	33.02	6.85	34.76
PK	5.2348G	105.30	Inf	-Inf	5.30	3	Vertical	168	1.16	-	100.00	33.13	6.93	34.76
PK	5.4784G	57.92	68.20	-10.28	5.16	3	Vertical	168	1.16	-	52.76	32.86	7.07	34.77

802.11ac VHT40_Nss1,(MCS0)_2TX


5230MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.008G	48.57	54.00	-5.43	5.15	3	Horizontal	173	1.91	-	43.42	33.10	6.81	34.76
AV	5.2324G	100.23	Inf	-Inf	5.31	3	Horizontal	173	1.91	-	94.92	33.14	6.93	34.76
AV	5.4532G	53.60	54.00	-0.40	5.13	3	Horizontal	173	1.91	-	48.47	32.81	7.09	34.77
PK	5.008G	58.94	74.00	-15.06	5.15	3	Horizontal	173	1.91	-	53.79	33.10	6.81	34.76
PK	5.2336G	108.09	Inf	-Inf	5.30	3	Horizontal	173	1.91	-	102.79	33.13	6.93	34.76
PK	5.4856G	58.27	68.20	-9.93	5.16	3	Horizontal	173	1.91	-	53.11	32.87	7.06	34.77

802.11ac VHT40_Nss1,(MCS0)_2TX


5230MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46079G	54.49	68.20	-13.71	12.64	3	Vertical	273	2.81	-	41.85	38.56	9.02	34.94

802.11ac VHT40_Nss1,(MCS0)_2TX


5230MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45797G	55.13	68.20	-13.07	12.64	3	Horizontal	22	1.07	-	42.49	38.56	9.02	34.94

802.11ac VHT40_Nss1,(MCS0)_2TX


5270MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0456G	48.22	54.00	-5.78	5.17	3	Vertical	170	1.11	-	43.05	33.10	6.83	34.76
AV	5.276G	101.51	Inf	-Inf	5.21	3	Vertical	170	1.11	-	96.30	33.00	6.98	34.77
AV	5.35G	52.51	54.00	-1.49	4.99	3	Vertical	170	1.11	-	47.52	32.70	7.06	34.77
PK	5.15G	58.77	74.00	-15.23	5.21	3	Vertical	170	1.11	-	53.56	33.10	6.87	34.76
PK	5.2784G	109.53	Inf	-Inf	5.20	3	Vertical	170	1.11	-	104.33	32.99	6.98	34.77
PK	5.4944G	62.72	68.20	-5.48	5.18	3	Vertical	170	1.11	-	57.54	32.89	7.06	34.77

802.11ac VHT40_Nss1,(MCS0)_2TX


5270MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0468G	50.47	54.00	-3.53	5.17	3	Horizontal	187	1.50	-	45.30	33.10	6.83	34.76
AV	5.2868G	103.92	Inf	-Inf	5.17	3	Horizontal	187	1.50	-	98.75	32.95	6.99	34.77
AV	5.35G	53.01	54.00	-0.99	4.99	3	Horizontal	187	1.50	-	48.02	32.70	7.06	34.77
PK	5.0468G	58.47	74.00	-15.53	5.17	3	Horizontal	187	1.50	-	53.30	33.10	6.83	34.76
PK	5.2676G	111.85	Inf	-Inf	5.23	3	Horizontal	187	1.50	-	106.62	33.03	6.97	34.77
PK	5.35G	63.98	74.00	-10.02	4.99	3	Horizontal	187	1.50	-	58.99	32.70	7.06	34.77

802.11ac VHT40_Nss1,(MCS0)_2TX


5270MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51152G	54.75	68.20	-13.45	12.77	3	Vertical	295	1.16	-	41.98	38.63	9.04	34.90

802.11ac VHT40_Nss1,(MCS0)_2TX


5270MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52368G	54.01	68.20	-14.19	12.82	3	Horizontal	8	1.50	-	41.19	38.67	9.04	34.89

802.11ac VHT40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




Lim.PK
 PK
 Lim.AV
 AV

13/06/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0784G	48.40	54.00	-5.60	5.12	3	Vertical	164	1.01	-	43.28	33.04	6.84	34.76
AV	5.3208G	95.78	Inf	-Inf	5.08	3	Vertical	164	1.01	-	90.70	32.82	7.03	34.77
AV	5.3532G	51.08	54.00	-2.92	5.02	3	Vertical	164	1.01	-	46.06	32.72	7.07	34.77
PK	5.0196G	58.17	74.00	-15.83	5.16	3	Vertical	164	1.01	-	53.01	33.10	6.82	34.76
PK	5.3208G	102.84	Inf	-Inf	5.08	3	Vertical	164	1.01	-	97.76	32.82	7.03	34.77
PK	5.532G	59.61	68.20	-8.59	5.22	3	Vertical	164	1.01	-	54.39	32.96	7.03	34.77

802.11ac VHT40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




Lim.PK
 PK
 Lim.AV
 AV

13/06/2022


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.088G	48.73	54.00	-5.27	5.11	3	Horizontal	187	1.46	-	43.62	33.02	6.85	34.76
AV	5.3268G	97.62	Inf	-Inf	5.06	3	Horizontal	187	1.46	-	92.56	32.79	7.04	34.77
AV	5.35G	53.46	54.00	-0.54	4.99	3	Horizontal	187	1.46	-	48.47	32.70	7.06	34.77
PK	5.1264G	58.69	74.00	-15.31	5.15	3	Horizontal	187	1.46	-	53.54	33.05	6.86	34.76
PK	5.3064G	104.67	Inf	-Inf	5.11	3	Horizontal	187	1.46	-	99.56	32.87	7.01	34.77
PK	5.35G	65.81	74.00	-8.19	4.99	3	Horizontal	187	1.46	-	60.82	32.70	7.06	34.77

802.11ac VHT40_Nss1,(MCS0)_2TX
5310MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62096G	44.08	54.00	-9.92	13.15	3	Vertical	239	2.90	-	30.93	38.94	9.07	34.86
PK	10.62077G	54.51	74.00	-19.49	13.15	3	Vertical	239	2.90	-	41.36	38.94	9.07	34.86


802.11ac VHT40_Nss1,(MCS0)_2TX
5310MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6197G	43.89	54.00	-10.11	13.15	3	Horizontal	85	2.59	-	30.74	38.94	9.07	34.86
PK	10.62245G	54.71	74.00	-19.29	13.16	3	Horizontal	85	2.59	-	41.55	38.94	9.08	34.86

802.11ac VHT40_Nss1,(MCS0)_2TX


5510MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	47.65	54.00	-6.35	5.12	3	Vertical	173	1.50	-	42.53	32.80	7.09	34.77
AV	5.5268G	96.79	Inf	-Inf	5.22	3	Vertical	173	1.50	-	91.57	32.95	7.04	34.77
PK	5.4692G	67.09	68.20	-1.11	5.15	3	Vertical	173	1.50	-	61.94	32.84	7.08	34.77
PK	5.5268G	104.63	Inf	-Inf	5.22	3	Vertical	173	1.50	-	99.41	32.95	7.04	34.77


802.11ac VHT40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	48.11	54.00	-5.89	5.13	3	Horizontal	186	1.57	-	42.98	32.81	7.09	34.77
AV	5.526G	98.48	Inf	-Inf	5.22	3	Horizontal	186	1.57	-	93.26	32.95	7.04	34.77
PK	5.4656G	67.44	68.20	-0.76	5.14	3	Horizontal	186	1.57	-	62.30	32.83	7.08	34.77
PK	5.526G	106.39	Inf	-Inf	5.22	3	Horizontal	186	1.57	-	101.17	32.95	7.04	34.77

802.11ac VHT40_Nss1,(MCS0)_2TX
5510MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33985G	44.25	54.00	-9.75	13.56	3	Vertical	170	2.78	-	30.69	38.90	9.31	34.65
PK	11.33774G	54.24	74.00	-19.76	13.56	3	Vertical	170	2.78	-	40.68	38.90	9.31	34.65


802.11ac VHT40_Nss1,(MCS0)_2TX
5510MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33841G	43.91	54.00	-10.09	13.56	3	Horizontal	103	2.45	-	30.35	38.90	9.31	34.65
PK	11.3401G	54.35	74.00	-19.65	13.56	3	Horizontal	103	2.45	-	40.79	38.90	9.31	34.65

802.11ac VHT40_Nss1,(MCS0)_2TX


5550MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.66	54.00	-0.34	5.13	3	Vertical	149	1.01	-	48.53	32.82	7.08	34.77
AV	5.56G	104.22	Inf	-Inf	5.25	3	Vertical	149	1.01	-	98.97	33.00	7.02	34.77
PK	5.4604G	65.50	68.20	-2.70	5.13	3	Vertical	149	1.01	-	60.37	32.82	7.08	34.77
PK	5.56G	112.17	Inf	-Inf	5.25	3	Vertical	149	1.01	-	106.92	33.00	7.02	34.77


802.11ac VHT40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.85	54.00	-2.15	5.13	3	Horizontal	185	1.50	-	46.72	32.82	7.08	34.77
AV	5.5664G	103.43	Inf	-Inf	5.24	3	Horizontal	185	1.50	-	98.19	33.00	7.01	34.77
PK	5.4696G	67.48	68.20	-0.72	5.14	3	Horizontal	185	1.50	-	62.34	32.84	7.07	34.77
PK	5.546G	112.37	Inf	-Inf	5.25	3	Horizontal	185	1.50	-	107.12	32.99	7.03	34.77

802.11ac VHT40_Nss1,(MCS0)_2TX
5550MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08448G	44.23	54.00	-9.77	13.13	3	Vertical	235	1.50	-	31.10	38.62	9.23	34.72
PK	11.09472G	54.45	74.00	-19.55	13.12	3	Vertical	235	1.50	-	41.33	38.61	9.23	34.72

802.11ac VHT40_Nss1,(MCS0)_2TX
5550MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08176G	44.50	54.00	-9.50	13.13	3	Horizontal	166	2.16	-	31.37	38.62	9.23	34.72
PK	11.13248G	55.03	74.00	-18.97	13.16	3	Horizontal	166	2.16	-	41.87	38.63	9.24	34.71

802.11ac VHT40_Nss1,(MCS0)_2TX
5670MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6864G	100.00	Inf	-Inf	5.48	3	Vertical	172	1.50	-	94.52	33.29	6.96	34.77
PK	5.6656G	107.52	Inf	-Inf	5.31	3	Vertical	172	1.50	-	102.21	33.12	6.96	34.77
PK	5.7268G	67.13	68.20	-1.07	5.68	3	Vertical	172	1.50	-	61.45	33.51	6.94	34.77

802.11ac VHT40_Nss1,(MCS0)_2TX
5670MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6872G	101.19	Inf	-Inf	5.49	3	Horizontal	176	1.93	-	95.70	33.30	6.96	34.77
PK	5.6868G	108.94	Inf	-Inf	5.48	3	Horizontal	176	1.93	-	103.46	33.29	6.96	34.77
PK	5.7276G	67.65	68.20	-0.55	5.68	3	Horizontal	176	1.93	-	61.97	33.51	6.94	34.77

802.11ac VHT40_Nss1,(MCS0)_2TX
5670MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33787G	44.02	54.00	-9.98	13.56	3	Vertical	12	1.72	-	30.46	38.90	9.31	34.65
PK	11.33767G	54.37	74.00	-19.63	13.56	3	Vertical	12	1.72	-	40.81	38.90	9.31	34.65


802.11ac VHT40_Nss1,(MCS0)_2TX
5670MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34046G	44.08	54.00	-9.92	13.56	3	Horizontal	186	1.99	-	30.52	38.90	9.31	34.65
PK	11.33915G	54.97	74.00	-19.03	13.56	3	Horizontal	186	1.99	-	41.41	38.90	9.31	34.65

802.11ac VHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4556G	48.45	54.00	-5.55	5.12	3	Vertical	171	1.10	-	43.33	32.81	7.08	34.77
AV	5.7136G	105.30	Inf	-Inf	5.62	3	Vertical	171	1.10	-	99.68	33.45	6.94	34.77
PK	5.4652G	56.84	68.20	-11.36	5.14	3	Vertical	171	1.10	-	51.70	32.83	7.08	34.77
PK	5.7124G	113.26	Inf	-Inf	5.63	3	Vertical	171	1.10	-	107.63	33.45	6.95	34.77
PK	5.9332G	63.21	68.20	-4.99	7.03	3	Vertical	171	1.10	-	56.18	34.30	7.50	34.77


802.11ac VHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	49.06	54.00	-4.94	5.12	3	Horizontal	175	2.08	-	43.94	32.81	7.08	34.77
AV	5.7196G	106.34	Inf	-Inf	5.65	3	Horizontal	175	2.08	-	100.69	33.48	6.94	34.77
PK	5.4616G	58.21	68.20	-9.99	5.13	3	Horizontal	175	2.08	-	53.08	32.82	7.08	34.77
PK	5.7208G	115.40	Inf	-Inf	5.65	3	Horizontal	175	2.08	-	109.75	33.48	6.94	34.77
PK	5.9332G	64.09	68.20	-4.11	7.03	3	Horizontal	175	2.08	-	57.06	34.30	7.50	34.77

802.11ac VHT40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42032G	45.49	54.00	-8.51	13.57	3	Vertical	145	2.06	-	31.92	38.86	9.34	34.63
PK	11.41872G	55.69	74.00	-18.31	13.57	3	Vertical	145	2.06	-	42.12	38.86	9.34	34.63


802.11ac VHT40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43392G	44.58	54.00	-9.42	13.54	3	Horizontal	193	1.09	-	31.04	38.83	9.34	34.63
PK	11.39296G	54.93	74.00	-19.07	13.59	3	Horizontal	193	1.09	-	41.34	38.90	9.33	34.64

802.11ac VHT40_Nss1,(MCS0)_2TX


5755MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7718G	105.49	Inf	-Inf	5.88	3	Vertical	149	1.06	-	99.61	33.73	6.92	34.77
PK	5.6494G	63.52	68.20	-4.68	5.20	3	Vertical	149	1.06	-	58.32	33.00	6.97	34.77
PK	5.7718G	113.16	Inf	-Inf	5.88	3	Vertical	149	1.06	-	107.28	33.73	6.92	34.77
PK	5.977G	61.10	68.20	-7.10	7.17	3	Vertical	149	1.06	-	53.93	34.25	7.69	34.77


802.11ac VHT40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7646G	105.93	Inf	-Inf	5.84	3	Horizontal	175	2.13	-	100.09	33.69	6.92	34.77
PK	5.6494G	65.46	68.20	-2.74	5.20	3	Horizontal	175	2.13	-	60.26	33.00	6.97	34.77
PK	5.7442G	114.05	Inf	-Inf	5.74	3	Horizontal	175	2.13	-	108.31	33.58	6.93	34.77
PK	5.9782G	63.53	68.20	-4.67	7.16	3	Horizontal	175	2.13	-	56.37	34.24	7.69	34.77

802.11ac VHT40_Nss1,(MCS0)_2TX
5755MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51144G	45.86	54.00	-8.14	13.44	3	Vertical	148	1.92	-	32.42	38.68	9.37	34.61
PK	11.506G	55.80	74.00	-18.20	13.45	3	Vertical	148	1.92	-	42.35	38.69	9.37	34.61

802.11ac VHT40_Nss1,(MCS0)_2TX
5755MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51704G	44.88	54.00	-9.12	13.43	3	Horizontal	190	1.50	-	31.45	38.67	9.37	34.61
PK	11.50648G	54.97	74.00	-19.03	13.45	3	Horizontal	190	1.50	-	41.52	38.69	9.37	34.61



802.11ac VHT40_Nss1,(MCS0)_2TX


5795MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8058G	104.39	Inf	-Inf	6.09	3	Vertical	168	2.15	-	98.30	33.92	6.94	34.77
PK	5.5682G	58.43	68.20	-9.77	5.24	3	Vertical	168	2.15	-	53.19	33.00	7.01	34.77
PK	5.7842G	112.86	Inf	-Inf	5.96	3	Vertical	168	2.15	-	106.90	33.81	6.92	34.77
PK	6.017G	60.67	68.20	-7.53	7.10	3	Vertical	168	2.15	-	53.57	34.13	7.74	34.77


802.11ac VHT40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	104.45	Inf	-Inf	5.97	3	Horizontal	196	1.26	-	98.48	33.83	6.91	34.77
PK	5.5718G	61.14	68.20	-7.06	5.24	3	Horizontal	196	1.26	-	55.90	33.00	7.01	34.77
PK	5.7866G	112.72	Inf	-Inf	5.97	3	Horizontal	196	1.26	-	106.75	33.82	6.92	34.77
PK	6.0194G	61.49	68.20	-6.71	7.09	3	Horizontal	196	1.26	-	54.40	34.12	7.74	34.77

802.11ac VHT40_Nss1,(MCS0)_2TX
5795MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5884G	45.04	54.00	-8.96	13.28	3	Vertical	194	2.10	-	31.76	38.52	9.39	34.63
PK	11.5972G	55.61	74.00	-18.39	13.27	3	Vertical	194	2.10	-	42.34	38.51	9.40	34.64


802.11ac VHT40_Nss1,(MCS0)_2TX
5795MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59864G	44.63	54.00	-9.37	13.26	3	Horizontal	190	1.50	-	31.37	38.50	9.40	34.64
PK	11.6012G	55.07	74.00	-18.93	13.26	3	Horizontal	190	1.50	-	41.81	38.50	9.40	34.64

802.11ac VHT80_Nss1,(MCS0)_2TX


5210MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.82	54.00	-0.18	5.21	3	Vertical	147	1.00	-	48.61	33.10	6.87	34.76
AV	5.23G	94.77	Inf	-Inf	5.30	3	Vertical	147	1.00	-	89.47	33.14	6.92	34.76
AV	5.352G	47.68	54.00	-6.32	5.00	3	Vertical	147	1.00	-	42.68	32.71	7.06	34.77
PK	5.15G	66.84	74.00	-7.16	5.21	3	Vertical	147	1.00	-	61.63	33.10	6.87	34.76
PK	5.231G	102.71	Inf	-Inf	5.31	3	Vertical	147	1.00	-	97.40	33.14	6.93	34.76
PK	5.351G	58.42	74.00	-15.58	5.00	3	Vertical	147	1.00	-	53.42	32.71	7.06	34.77

802.11ac VHT80_Nss1,(MCS0)_2TX


5210MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	53.60	54.00	-0.40	5.19	3	Horizontal	183	1.50	-	48.41	33.08	6.87	34.76
AV	5.244G	98.48	Inf	-Inf	5.29	3	Horizontal	183	1.50	-	93.19	33.11	6.94	34.76
AV	5.404G	47.78	54.00	-6.22	5.33	3	Horizontal	183	1.50	-	42.45	32.98	7.12	34.77
PK	5.122G	66.90	74.00	-7.10	5.14	3	Horizontal	183	1.50	-	61.76	33.04	6.86	34.76
PK	5.244G	106.20	Inf	-Inf	5.29	3	Horizontal	183	1.50	-	100.91	33.11	6.94	34.76
PK	5.388G	57.93	74.00	-16.07	5.27	3	Horizontal	183	1.50	-	52.66	32.93	7.11	34.77

802.11ac VHT80_Nss1,(MCS0)_2TX


5210MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41865G	54.72	68.20	-13.48	12.56	3	Vertical	267	1.61	-	42.16	38.52	9.01	34.97

802.11ac VHT80_Nss1,(MCS0)_2TX


5210MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4194G	54.40	68.20	-13.80	12.56	3	Horizontal	118	1.09	-	41.84	38.52	9.01	34.97

802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.108G	48.27	54.00	-5.73	5.11	3	Vertical	163	1.09	-	43.16	33.02	6.85	34.76
AV	5.327G	92.16	Inf	-Inf	5.06	3	Vertical	163	1.09	-	87.10	32.79	7.04	34.77
AV	5.35G	53.36	54.00	-0.64	4.99	3	Vertical	163	1.09	-	48.37	32.70	7.06	34.77
PK	5.111G	58.56	74.00	-15.44	5.11	3	Vertical	163	1.09	-	53.45	33.02	6.85	34.76
PK	5.311G	99.83	Inf	-Inf	5.11	3	Vertical	163	1.09	-	94.72	32.86	7.02	34.77
PK	5.351G	63.53	74.00	-10.47	5.00	3	Vertical	163	1.09	-	58.53	32.71	7.06	34.77

802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.097G	48.39	54.00	-5.61	5.10	3	Horizontal	180	1.50	-	43.29	33.01	6.85	34.76
AV	5.325G	94.35	Inf	-Inf	5.06	3	Horizontal	180	1.50	-	89.29	32.80	7.03	34.77
AV	5.358G	53.66	54.00	-0.34	5.05	3	Horizontal	180	1.50	-	48.61	32.75	7.07	34.77
PK	5.139G	59.16	74.00	-14.84	5.19	3	Horizontal	180	1.50	-	53.97	33.08	6.87	34.76
PK	5.322G	101.90	Inf	-Inf	5.07	3	Horizontal	180	1.50	-	96.83	32.81	7.03	34.77
PK	5.362G	65.93	74.00	-8.07	5.08	3	Horizontal	180	1.50	-	60.85	32.77	7.08	34.77

802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5822G	54.49	68.20	-13.71	13.04	3	Vertical	178	1.13	-	41.45	38.85	9.06	34.87

802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58092G	54.25	68.20	-13.95	13.03	3	Horizontal	18	1.64	-	41.22	38.84	9.06	34.87

802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	52.56	54.00	-1.44	5.13	3	Vertical	150	1.02	-	47.43	32.82	7.08	34.77
AV	5.538G	95.58	Inf	-Inf	5.24	3	Vertical	150	1.02	-	90.34	32.98	7.03	34.77
PK	5.464G	66.46	68.20	-1.74	5.14	3	Vertical	150	1.02	-	61.32	32.83	7.08	34.77
PK	5.557G	103.58	Inf	-Inf	5.25	3	Vertical	150	1.02	-	98.33	33.00	7.02	34.77
PK	5.771G	58.45	68.20	-9.75	5.88	3	Vertical	150	1.02	-	52.57	33.73	6.92	34.77


802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	51.19	54.00	-2.81	5.12	3	Horizontal	194	1.24	-	46.07	32.81	7.08	34.77
AV	5.564G	96.62	Inf	-Inf	5.24	3	Horizontal	194	1.24	-	91.38	33.00	7.01	34.77
PK	5.466G	67.86	68.20	-0.34	5.14	3	Horizontal	194	1.24	-	62.72	32.83	7.08	34.77
PK	5.564G	104.48	Inf	-Inf	5.24	3	Horizontal	194	1.24	-	99.24	33.00	7.01	34.77
PK	5.75G	58.77	68.20	-9.43	5.76	3	Horizontal	194	1.24	-	53.01	33.60	6.93	34.77

802.11ac VHT80_Nss1,(MCS0)_2TX
5530MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0587G	44.11	54.00	-9.89	13.14	3	Vertical	222	1.56	-	30.97	38.64	9.22	34.72
PK	11.0599G	54.97	74.00	-19.03	13.14	3	Vertical	222	1.56	-	41.83	38.64	9.22	34.72


802.11ac VHT80_Nss1,(MCS0)_2TX
5530MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05896G	44.25	54.00	-9.75	13.14	3	Horizontal	68	1.44	-	31.11	38.64	9.22	34.72
PK	11.06107G	54.85	74.00	-19.15	13.14	3	Horizontal	68	1.44	-	41.71	38.64	9.22	34.72

802.11ac VHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4476G	48.18	54.00	-5.82	5.13	3	Vertical	166	1.22	-	43.05	32.81	7.09	34.77
AV	5.7224G	100.16	Inf	-Inf	5.66	3	Vertical	166	1.22	-	94.50	33.49	6.94	34.77
PK	5.4632G	59.77	68.20	-8.43	5.14	3	Vertical	166	1.22	-	54.63	32.83	7.08	34.77
PK	5.7224G	107.96	Inf	-Inf	5.66	3	Vertical	166	1.22	-	102.30	33.49	6.94	34.77
PK	5.8508G	67.34	68.20	-0.86	6.46	3	Vertical	166	1.22	-	60.88	34.10	7.13	34.77

802.11ac VHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	48.63	54.00	-5.37	5.12	3	Horizontal	194	1.26	-	43.51	32.81	7.08	34.77
AV	5.6948G	99.89	Inf	-Inf	5.54	3	Horizontal	194	1.26	-	94.35	33.36	6.95	34.77
PK	5.4668G	59.25	68.20	-8.95	5.14	3	Horizontal	194	1.26	-	54.11	32.83	7.08	34.77
PK	5.7128G	108.75	Inf	-Inf	5.62	3	Horizontal	194	1.26	-	103.13	33.45	6.94	34.77
PK	5.8532G	66.23	68.20	-1.97	6.48	3	Horizontal	194	1.26	-	59.75	34.11	7.14	34.77




802.11ac VHT80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43344G	44.09	54.00	-9.91	13.54	3	Vertical	343	1.97	-	30.55	38.83	9.34	34.63
PK	11.40784G	54.87	74.00	-19.13	13.58	3	Vertical	343	1.97	-	41.29	38.88	9.33	34.63


802.11ac VHT80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42768G	44.10	54.00	-9.90	13.55	3	Horizontal	192	2.46	-	30.55	38.84	9.34	34.63
PK	11.38608G	54.55	74.00	-19.45	13.59	3	Horizontal	192	2.46	-	40.96	38.90	9.33	34.64

802.11ac VHT80_Nss1,(MCS0)_2TX


5775MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7834G	99.36	Inf	-Inf	5.95	3	Vertical	193	1.37	-	93.41	33.80	6.92	34.77
PK	5.6454G	65.66	68.20	-2.54	5.20	3	Vertical	193	1.37	-	60.46	33.00	6.97	34.77
PK	5.7846G	107.44	Inf	-Inf	5.96	3	Vertical	193	1.37	-	101.48	33.81	6.92	34.77
PK	5.925G	65.73	68.20	-2.47	6.99	3	Vertical	193	1.37	-	58.74	34.30	7.46	34.77


802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7846G	101.65	Inf	-Inf	5.96	3	Horizontal	200	1.76	-	95.69	33.81	6.92	34.77
PK	5.6466G	68.04	68.20	-0.16	5.20	3	Horizontal	200	1.76	-	62.84	33.00	6.97	34.77
PK	5.7858G	109.80	Inf	-Inf	5.96	3	Horizontal	200	1.76	-	103.84	33.81	6.92	34.77
PK	5.9262G	67.74	68.20	-0.46	7.00	3	Horizontal	200	1.76	-	60.74	34.30	7.47	34.77

802.11ac VHT80_Nss1,(MCS0)_2TX
5775MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5724G	44.34	54.00	-9.66	13.32	3	Vertical	153	1.50	-	31.02	38.56	9.39	34.63
PK	11.4908G	54.29	74.00	-19.71	13.47	3	Vertical	153	1.50	-	40.82	38.72	9.36	34.61

802.11ac VHT80_Nss1,(MCS0)_2TX
5775MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56408G	44.30	54.00	-9.70	13.33	3	Horizontal	94	1.50	-	30.97	38.57	9.39	34.63
PK	11.61752G	54.12	74.00	-19.88	13.24	3	Horizontal	94	1.50	-	40.88	38.48	9.40	34.64



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.87396G	51.05	54.00	-2.95	Vertical
Mode 2	Pass	AV	11.6456G	43.03	54.00	-10.97	Horizontal



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.87396G	51.05	54.00	-2.95	3	Vertical	177	1.67	-
Mode 1	Pass	AV	4.95396G	38.39	54.00	-15.61	3	Vertical	112	1.25	-
Mode 1	Pass	PK	4.87404G	53.90	74.00	-20.10	3	Vertical	177	1.67	-
Mode 1	Pass	PK	4.9516G	45.95	74.00	-28.05	3	Vertical	112	1.25	-
Mode 1	Pass	AV	4.874G	47.16	54.00	-6.84	3	Horizontal	158	1.47	-
Mode 1	Pass	AV	4.95968G	34.67	54.00	-19.33	3	Horizontal	200	1.14	-
Mode 1	Pass	PK	4.87384G	50.94	74.00	-23.06	3	Horizontal	158	1.47	-
Mode 1	Pass	PK	4.95756G	46.23	74.00	-27.77	3	Horizontal	200	1.14	-
Mode 2	Pass	AV	4.96184G	39.44	54.00	-14.56	3	Vertical	110	1.00	-
Mode 2	Pass	AV	11.65408G	42.94	54.00	-11.06	3	Vertical	138	1.50	-
Mode 2	Pass	PK	4.95004G	46.70	74.00	-27.30	3	Vertical	110	1.00	-
Mode 2	Pass	PK	11.65986G	55.56	74.00	-18.44	3	Vertical	138	1.50	-
Mode 2	Pass	AV	4.95796G	35.56	54.00	-18.44	3	Horizontal	189	1.29	-
Mode 2	Pass	AV	11.6456G	43.03	54.00	-10.97	3	Horizontal	164	1.08	-
Mode 2	Pass	PK	4.96544G	45.70	74.00	-28.30	3	Horizontal	189	1.29	-
Mode 2	Pass	PK	11.64588G	54.69	74.00	-19.31	3	Horizontal	164	1.08	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87396G	51.05	54.00	-2.95	5.36	3	Vertical	177	1.67	-	45.69	32.75	6.90	34.29
AV	4.95396G	38.39	54.00	-15.61	5.75	3	Vertical	112	1.25	-	32.64	33.12	6.91	34.28
PK	4.87404G	53.90	74.00	-20.10	5.36	3	Vertical	177	1.67	-	48.54	32.75	6.90	34.29
PK	4.9516G	45.95	74.00	-28.05	5.74	3	Vertical	112	1.25	-	40.21	33.11	6.91	34.28

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.874G	47.16	54.00	-6.84	5.36	3	Horizontal	158	1.47	-	41.80	32.75	6.90	34.29
AV	4.95968G	34.67	54.00	-19.33	5.78	3	Horizontal	200	1.14	-	28.89	33.14	6.91	34.27
PK	4.87384G	50.94	74.00	-23.06	5.36	3	Horizontal	158	1.47	-	45.58	32.75	6.90	34.29
PK	4.95756G	46.23	74.00	-27.77	5.76	3	Horizontal	200	1.14	-	40.47	33.13	6.91	34.28

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96184G	39.44	54.00	-14.56	5.79	3	Vertical	110	1.00	-	33.65	33.15	6.91	34.27
AV	11.65408G	42.94	54.00	-11.06	15.17	3	Vertical	138	1.50	-	27.77	38.85	10.87	34.55
PK	4.95004G	46.70	74.00	-27.30	5.73	3	Vertical	110	1.00	-	40.97	33.10	6.91	34.28
PK	11.65986G	55.56	74.00	-18.44	15.16	3	Vertical	138	1.50	-	40.40	38.84	10.87	34.55

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95796G	35.56	54.00	-18.44	5.76	3	Horizontal	189	1.29	-	29.80	33.13	6.91	34.28
AV	11.6456G	43.03	54.00	-10.97	15.17	3	Horizontal	164	1.08	-	27.86	38.85	10.86	34.54
PK	4.96544G	45.70	74.00	-28.30	5.80	3	Horizontal	189	1.29	-	39.90	33.16	6.91	34.27
PK	11.64588G	54.69	74.00	-19.31	15.17	3	Horizontal	164	1.08	-	39.52	38.85	10.86	34.54