


802.11a_Nss1,(6Mbps)_2TX

16/06/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50458G	42.82	54.00	-11.18	19.44	3	Horizontal	198	1.59	-	23.38	40.61	12.76	33.93
PK	11.49786G	56.75	74.00	-17.25	19.43	3	Horizontal	198	1.59	-	37.32	40.60	12.76	33.93

802.11a_Nss1,(6Mbps)_2TX

16/06/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	102.87	Inf	-Inf	9.17	3	Vertical	177	1.05	-	93.70	34.07	9.07	33.97
PK	5.5282G	59.60	68.20	-8.60	9.04	3	Vertical	177	1.05	-	50.56	34.17	8.80	33.93
PK	5.785G	112.66	Inf	-Inf	9.17	3	Vertical	177	1.05	-	103.49	34.07	9.07	33.97
PK	6.0706G	60.72	68.20	-7.48	10.17	3	Vertical	177	1.05	-	50.55	34.94	9.23	34.00

802.11a_Nss1,(6Mbps)_2TX

16/06/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	102.16	Inf	-Inf	9.17	3	Horizontal	95	1.01	-	92.99	34.07	9.07	33.97
PK	5.515G	60.35	68.20	-7.85	9.05	3	Horizontal	95	1.01	-	51.30	34.19	8.78	33.92
PK	5.7838G	111.82	Inf	-Inf	9.17	3	Horizontal	95	1.01	-	102.65	34.07	9.07	33.97
PK	6.043G	60.98	68.20	-7.22	10.09	3	Horizontal	95	1.01	-	50.89	34.89	9.20	34.00

802.11a_Nss1,(6Mbps)_2TX

16/06/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56064G	42.74	54.00	-11.26	19.57	3	Vertical	153	2.35	-	23.17	40.72	12.79	33.94
PK	11.56868G	56.57	74.00	-17.43	19.59	3	Vertical	153	2.35	-	36.98	40.74	12.79	33.94



802.11a_Nss1,(6Mbps)_2TX

16/06/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55848G	42.80	54.00	-11.20	19.57	3	Horizontal	30	1.71	-	23.23	40.72	12.79	33.94
PK	11.57948G	56.90	74.00	-17.10	19.62	3	Horizontal	30	1.71	-	37.28	40.76	12.80	33.94

802.11a_Nss1,(6Mbps)_2TX

16/06/2020

5825MHz_TX



Legend for the spectrum plot:


- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink line)
- AV (Green line)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	103.17	Inf	-Inf	9.34	3	Vertical	179	1.02	-	93.83	34.22	9.09	33.97
PK	5.5502G	59.66	68.20	-8.54	9.05	3	Vertical	179	1.02	-	50.61	34.15	8.83	33.93
PK	5.8238G	113.21	Inf	-Inf	9.34	3	Vertical	179	1.02	-	103.87	34.22	9.09	33.97
PK	6.0578G	60.60	68.20	-7.60	10.14	3	Vertical	179	1.02	-	50.46	34.92	9.22	34.00

802.11a_Nss1,(6Mbps)_2TX

16/06/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	102.75	Inf	-Inf	9.34	3	Horizontal	96	1.00	-	93.41	34.22	9.09	33.97
PK	5.6402G	59.15	68.20	-9.05	9.02	3	Horizontal	96	1.00	-	50.13	34.02	8.94	33.94
PK	5.8238G	113.14	Inf	-Inf	9.34	3	Horizontal	96	1.00	-	103.80	34.22	9.09	33.97
PK	5.9426G	60.53	68.20	-7.67	9.84	3	Horizontal	96	1.00	-	50.69	34.69	9.14	33.99



802.11a_Nss1,(6Mbps)_2TX

16/06/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6626G	42.83	54.00	-11.17	19.81	3	Vertical	248	1.21	-	23.02	40.93	12.84	33.96
PK	11.64376G	56.46	74.00	-17.54	19.77	3	Vertical	248	1.21	-	36.69	40.89	12.83	33.95

802.11a_Nss1,(6Mbps)_2TX

16/06/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66008G	42.74	54.00	-11.26	19.80	3	Horizontal	248	1.91	-	22.94	40.92	12.84	33.96
PK	11.63644G	56.26	74.00	-17.74	19.75	3	Horizontal	248	1.91	-	36.51	40.87	12.83	33.95

802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.69	54.00	-2.31	8.89	3	Vertical	39	1.06	-	42.80	34.20	8.52	33.83
AV	5.179G	103.23	Inf	-Inf	8.91	3	Vertical	39	1.06	-	94.32	34.20	8.55	33.84
PK	5.1412G	69.94	74.00	-4.06	8.88	3	Vertical	39	1.06	-	61.06	34.20	8.51	33.83
PK	5.1792G	113.79	Inf	-Inf	8.91	3	Vertical	39	1.06	-	104.88	34.20	8.55	33.84

802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.94	54.00	-4.06	8.89	3	Horizontal	112	1.00	-	41.05	34.20	8.52	33.83
AV	5.1808G	100.34	Inf	-Inf	8.91	3	Horizontal	112	1.00	-	91.43	34.20	8.55	33.84
PK	5.1366G	66.59	74.00	-7.41	8.88	3	Horizontal	112	1.00	-	57.71	34.20	8.51	33.83
PK	5.1812G	111.34	Inf	-Inf	8.91	3	Horizontal	112	1.00	-	102.43	34.20	8.55	33.84



802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36618G	55.24	68.20	-12.96	17.05	3	Vertical	242	1.50	-	38.19	39.16	12.18	34.29



802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.34872G	54.39	68.20	-13.81	17.01	3	Horizontal	231	1.53	-	37.38	39.14	12.18	34.31

802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.26	54.00	-3.74	8.89	3	Vertical	36	1.00	-	41.37	34.20	8.52	33.83
AV	5.1992G	104.40	Inf	-Inf	8.92	3	Vertical	36	1.00	-	95.48	34.20	8.57	33.85
PK	5.1472G	64.07	74.00	-9.93	8.89	3	Vertical	36	1.00	-	55.18	34.20	8.52	33.83
PK	5.1992G	115.27	Inf	-Inf	8.92	3	Vertical	36	1.00	-	106.35	34.20	8.57	33.85

802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.61	54.00	-4.39	8.89	3	Horizontal	173	1.00	-	40.72	34.20	8.52	33.83
AV	5.1988G	99.91	Inf	-Inf	8.92	3	Horizontal	173	1.00	-	90.99	34.20	8.57	33.85
PK	5.1496G	62.32	74.00	-11.68	8.89	3	Horizontal	173	1.00	-	53.43	34.20	8.52	33.83
PK	5.1984G	111.23	Inf	-Inf	8.92	3	Horizontal	173	1.00	-	102.31	34.20	8.57	33.85



802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40852G	54.50	68.20	-13.70	17.14	3	Vertical	91	2.46	-	37.36	39.19	12.21	34.26



802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3862G	54.19	68.20	-14.01	17.09	3	Horizontal	274	1.77	-	37.10	39.17	12.20	34.28

802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	46.86	54.00	-7.14	8.89	3	Vertical	42	1.15	-	37.97	34.20	8.52	33.83
AV	5.2406G	103.10	Inf	-Inf	9.00	3	Vertical	42	1.15	-	94.10	34.28	8.58	33.86
AV	5.3516G	47.07	54.00	-6.93	9.01	3	Vertical	42	1.15	-	38.06	34.30	8.60	33.89
PK	5.1038G	60.04	74.00	-13.96	8.86	3	Vertical	42	1.15	-	51.18	34.20	8.48	33.82
PK	5.2406G	113.73	Inf	-Inf	9.00	3	Vertical	42	1.15	-	104.73	34.28	8.58	33.86
PK	5.3618G	59.97	74.00	-14.03	8.99	3	Vertical	42	1.15	-	50.98	34.28	8.60	33.89

802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.78	54.00	-7.22	8.89	3	Horizontal	115	1.08	-	37.89	34.20	8.52	33.83
AV	5.2406G	101.35	Inf	-Inf	9.00	3	Horizontal	115	1.08	-	92.35	34.28	8.58	33.86
AV	5.3516G	47.08	54.00	-6.92	9.01	3	Horizontal	115	1.08	-	38.07	34.30	8.60	33.89
PK	5.1494G	59.40	74.00	-14.60	8.89	3	Horizontal	115	1.08	-	50.51	34.20	8.52	33.83
PK	5.2412G	112.25	Inf	-Inf	9.00	3	Horizontal	115	1.08	-	103.25	34.28	8.58	33.86
PK	5.36G	59.89	74.00	-14.11	8.99	3	Horizontal	115	1.08	-	50.90	34.28	8.60	33.89



802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46878G	54.62	68.20	-13.58	17.25	3	Vertical	89	2.42	-	37.37	39.23	12.24	34.22



802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.49008G	54.71	68.20	-13.49	17.28	3	Horizontal	63	1.65	-	37.43	39.24	12.25	34.21

802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14G	46.75	54.00	-7.25	8.88	3	Vertical	282	1.27	-	37.87	34.20	8.51	33.83
AV	5.2606G	103.46	Inf	-Inf	9.04	3	Vertical	282	1.27	-	94.42	34.32	8.58	33.86
AV	5.35G	47.31	54.00	-6.69	9.02	3	Vertical	282	1.27	-	38.29	34.30	8.60	33.88
PK	5.1412G	59.20	74.00	-14.80	8.88	3	Vertical	282	1.27	-	50.32	34.20	8.51	33.83
PK	5.2612G	114.13	Inf	-Inf	9.04	3	Vertical	282	1.27	-	105.09	34.32	8.58	33.86
PK	5.3746G	59.33	74.00	-14.67	8.96	3	Vertical	282	1.27	-	50.37	34.25	8.60	33.89

802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	46.75	54.00	-7.25	8.89	3	Horizontal	108	1.01	-	37.86	34.20	8.52	33.83
AV	5.2606G	100.69	Inf	-Inf	9.04	3	Horizontal	108	1.01	-	91.65	34.32	8.58	33.86
AV	5.3518G	47.15	54.00	-6.85	9.01	3	Horizontal	108	1.01	-	38.14	34.30	8.60	33.89
PK	5.15G	59.18	74.00	-14.82	8.89	3	Horizontal	108	1.01	-	50.29	34.20	8.52	33.83
PK	5.2588G	111.75	Inf	-Inf	9.04	3	Horizontal	108	1.01	-	102.71	34.32	8.58	33.86
PK	5.3668G	60.01	74.00	-13.99	8.98	3	Horizontal	108	1.01	-	51.03	34.27	8.60	33.89



802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52252G	55.10	68.20	-13.10	17.35	3	Vertical	92	1.66	-	37.75	39.27	12.26	34.18



802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5173G	55.26	68.20	-12.94	17.33	3	Horizontal	280	1.46	-	37.93	39.26	12.26	34.19

802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3004G	103.33	Inf	-Inf	9.12	3	Vertical	281	1.27	-	94.21	34.40	8.59	33.87
AV	5.35G	48.72	54.00	-5.28	9.02	3	Vertical	281	1.27	-	39.70	34.30	8.60	33.88
PK	5.3016G	114.31	Inf	-Inf	9.12	3	Vertical	281	1.27	-	105.19	34.40	8.59	33.87
PK	5.35G	65.04	74.00	-8.96	9.02	3	Vertical	281	1.27	-	56.02	34.30	8.60	33.88



802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3004G	100.75	Inf	-Inf	9.12	3	Horizontal	108	1.05	-	91.63	34.40	8.59	33.87
AV	5.35G	47.96	54.00	-6.04	9.02	3	Horizontal	108	1.05	-	38.94	34.30	8.60	33.88
PK	5.2988G	111.68	Inf	-Inf	9.12	3	Horizontal	108	1.05	-	102.56	34.40	8.59	33.87
PK	5.3504G	63.50	74.00	-10.50	9.01	3	Horizontal	108	1.05	-	54.49	34.30	8.60	33.89



802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61356G	41.13	54.00	-12.87	17.52	3	Vertical	209	1.12	-	23.61	39.33	12.31	34.12
PK	10.58566G	54.76	68.20	-13.44	17.47	3	Vertical	209	1.12	-	37.29	39.31	12.30	34.14



802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60156G	41.07	54.00	-12.93	17.49	3	Horizontal	167	2.02	-	23.58	39.32	12.30	34.13
PK	10.60978G	54.87	74.00	-19.13	17.52	3	Horizontal	167	2.02	-	37.35	39.33	12.31	34.12

802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3194G	102.35	Inf	-Inf	9.07	3	Vertical	282	1.23	-	93.28	34.36	8.59	33.88
AV	5.3522G	51.38	54.00	-2.62	9.01	3	Vertical	282	1.23	-	42.37	34.30	8.60	33.89
PK	5.321G	114.27	Inf	-Inf	9.07	3	Vertical	282	1.23	-	105.20	34.36	8.59	33.88
PK	5.3522G	68.15	74.00	-5.85	9.01	3	Vertical	282	1.23	-	59.14	34.30	8.60	33.89

802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3194G	99.76	Inf	-Inf	9.07	3	Horizontal	109	1.00	-	90.69	34.36	8.59	33.88
AV	5.35G	49.65	54.00	-4.35	9.02	3	Horizontal	109	1.00	-	40.63	34.30	8.60	33.88
PK	5.321G	111.30	Inf	-Inf	9.07	3	Horizontal	109	1.00	-	102.23	34.36	8.59	33.88
PK	5.351G	67.49	74.00	-6.51	9.01	3	Horizontal	109	1.00	-	58.48	34.30	8.60	33.89



802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64354G	41.31	54.00	-12.69	17.57	3	Vertical	226	2.30	-	23.74	39.35	12.32	34.10
PK	10.64924G	55.17	74.00	-18.83	17.58	3	Vertical	226	2.30	-	37.59	39.35	12.33	34.10



802.11ac VHT20_Nss1,(MCS0)_2TX

16/06/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65146G	41.17	54.00	-12.83	17.60	3	Horizontal	3	1.67	-	23.57	39.36	12.33	34.09
PK	10.6337G	54.94	74.00	-19.06	17.55	3	Horizontal	3	1.67	-	37.39	39.34	12.32	34.11

802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4518G	49.97	54.00	-4.03	8.98	3	Vertical	184	1.00	-	40.99	34.20	8.69	33.91
AV	5.5008G	102.34	Inf	-Inf	9.04	3	Vertical	184	1.00	-	93.30	34.20	8.76	33.92
PK	5.47G	66.66	68.20	-1.54	9.00	3	Vertical	184	1.00	-	57.66	34.20	8.71	33.91
PK	5.5012G	111.61	Inf	-Inf	9.04	3	Vertical	184	1.00	-	102.57	34.20	8.76	33.92

802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	49.74	54.00	-4.26	8.99	3	Horizontal	50	1.06	-	40.75	34.20	8.70	33.91
AV	5.4984G	97.28	Inf	-Inf	9.03	3	Horizontal	50	1.06	-	88.25	34.20	8.75	33.92
PK	5.4686G	63.49	68.20	-4.71	9.00	3	Horizontal	50	1.06	-	54.49	34.20	8.71	33.91
PK	5.496G	106.55	Inf	-Inf	9.03	3	Horizontal	50	1.06	-	97.52	34.20	8.75	33.92



802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01212G	44.01	54.00	-9.99	18.28	3	Vertical	147	1.64	-	25.73	39.62	12.51	33.85
PK	10.99496G	56.77	74.00	-17.23	18.25	3	Vertical	147	1.64	-	38.52	39.60	12.50	33.85



802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0126G	44.03	54.00	-9.97	18.29	3	Horizontal	334	2.08	-	25.74	39.63	12.51	33.85
PK	10.99472G	57.22	74.00	-16.78	18.25	3	Horizontal	334	2.08	-	38.97	39.60	12.50	33.85



802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4528G	49.73	54.00	-4.27	8.98	3	Vertical	190	1.00	-	40.75	34.20	8.69	33.91
AV	5.5788G	108.70	Inf	-Inf	9.05	3	Vertical	190	1.00	-	99.65	34.12	8.87	33.94
PK	5.466G	60.72	68.20	-7.48	9.00	3	Vertical	190	1.00	-	51.72	34.20	8.71	33.91
PK	5.5788G	117.56	Inf	-Inf	9.05	3	Vertical	190	1.00	-	108.51	34.12	8.87	33.94
PK	5.7276G	60.80	68.20	-7.40	9.01	3	Vertical	190	1.00	-	51.79	33.96	9.01	33.96

802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.51	54.00	-4.49	8.99	3	Horizontal	119	1.05	-	40.52	34.20	8.70	33.91
AV	5.5812G	104.78	Inf	-Inf	9.05	3	Horizontal	119	1.05	-	95.73	34.12	8.87	33.94
PK	5.466G	61.05	68.20	-7.15	9.00	3	Horizontal	119	1.05	-	52.05	34.20	8.71	33.91
PK	5.58G	114.24	Inf	-Inf	9.05	3	Horizontal	119	1.05	-	105.19	34.12	8.87	33.94
PK	5.7288G	60.87	68.20	-7.33	9.02	3	Horizontal	119	1.05	-	51.85	33.96	9.02	33.96



802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16198G	44.56	54.00	-9.44	18.63	3	Vertical	14	1.34	-	25.93	39.92	12.59	33.88
PK	11.16522G	57.28	74.00	-16.72	18.64	3	Vertical	14	1.34	-	38.64	39.93	12.59	33.88



802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1621G	44.56	54.00	-9.44	18.63	3	Horizontal	189	1.64	-	25.93	39.92	12.59	33.88
PK	11.1501G	57.33	74.00	-16.67	18.61	3	Horizontal	189	1.64	-	38.72	39.90	12.58	33.87

802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6988G	103.77	Inf	-Inf	8.94	3	Vertical	191	1.04	-	94.83	33.90	8.99	33.95
PK	5.6992G	112.51	Inf	-Inf	8.94	3	Vertical	191	1.04	-	103.57	33.90	8.99	33.95
PK	5.7276G	66.47	68.20	-1.73	9.01	3	Vertical	191	1.04	-	57.46	33.96	9.01	33.96

802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7024G	100.32	Inf	-Inf	8.94	3	Horizontal	66	1.01	-	91.38	33.90	8.99	33.95
PK	5.7032G	109.89	Inf	-Inf	8.95	3	Horizontal	66	1.01	-	100.94	33.91	8.99	33.95
PK	5.7316G	63.55	68.20	-4.65	9.02	3	Horizontal	66	1.01	-	54.53	33.96	9.02	33.96



802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39832G	44.83	54.00	-9.17	19.20	3	Vertical	304	1.09	-	25.63	40.40	12.71	33.91
PK	11.39748G	57.41	74.00	-16.59	19.19	3	Vertical	304	1.09	-	38.22	40.39	12.71	33.91



802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39844G	44.83	54.00	-9.17	19.20	3	Horizontal	211	2.33	-	25.63	40.40	12.71	33.91
PK	11.40234G	57.75	74.00	-16.25	19.20	3	Horizontal	211	2.33	-	38.55	40.40	12.71	33.91



802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.42G	49.56	54.00	-4.44	8.94	3	Vertical	190	1.01	-	40.62	34.20	8.64	33.90
AV	5.7188G	108.27	Inf	-Inf	9.00	3	Vertical	190	1.01	-	99.27	33.94	9.01	33.95
PK	5.4656G	60.66	68.20	-7.54	9.00	3	Vertical	190	1.01	-	51.66	34.20	8.71	33.91
PK	5.7212G	116.84	Inf	-Inf	9.00	3	Vertical	190	1.01	-	107.84	33.94	9.01	33.95
PK	5.8748G	63.81	68.20	-4.39	9.60	3	Vertical	190	1.01	-	54.21	34.47	9.11	33.98

802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4212G	49.55	54.00	-4.45	8.94	3	Horizontal	123	1.03	-	40.61	34.20	8.64	33.90
AV	5.7212G	103.78	Inf	-Inf	9.00	3	Horizontal	123	1.03	-	94.78	33.94	9.01	33.95
PK	5.46G	60.76	68.20	-7.44	8.99	3	Horizontal	123	1.03	-	51.77	34.20	8.70	33.91
PK	5.7212G	112.13	Inf	-Inf	9.00	3	Horizontal	123	1.03	-	103.13	33.94	9.01	33.95
PK	5.8796G	63.01	68.20	-5.19	9.64	3	Horizontal	123	1.03	-	53.37	34.50	9.12	33.98



802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43154G	44.81	54.00	-9.19	19.26	3	Vertical	250	1.49	-	25.55	40.46	12.72	33.92
PK	11.44882G	57.87	74.00	-16.13	19.31	3	Vertical	250	1.49	-	38.56	40.50	12.73	33.92



802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42512G	44.70	54.00	-9.30	19.25	3	Horizontal	5	2.14	-	25.45	40.45	12.72	33.92
PK	11.45332G	58.03	74.00	-15.97	19.32	3	Horizontal	5	2.14	-	38.71	40.51	12.73	33.92

802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	49.51	54.00	-4.49	8.99	3	Vertical	176	1.15	-	40.52	34.20	8.70	33.91
AV	5.7438G	108.00	Inf	-Inf	9.06	3	Vertical	176	1.15	-	98.94	33.99	9.03	33.96
PK	5.5614G	62.25	68.20	-5.95	9.05	3	Vertical	176	1.15	-	53.20	34.14	8.84	33.93
PK	5.7438G	116.30	Inf	-Inf	9.06	3	Vertical	176	1.15	-	107.24	33.99	9.03	33.96
PK	5.973G	63.33	68.20	-4.87	9.92	3	Vertical	176	1.15	-	53.41	34.75	9.16	33.99

802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	49.51	54.00	-4.49	8.99	3	Horizontal	97	1.04	-	40.52	34.20	8.70	33.91
AV	5.7438G	106.36	Inf	-Inf	9.06	3	Horizontal	97	1.04	-	97.30	33.99	9.03	33.96
PK	5.619G	62.17	68.20	-6.03	9.04	3	Horizontal	97	1.04	-	53.13	34.06	8.92	33.94
PK	5.7426G	114.79	Inf	-Inf	9.06	3	Horizontal	97	1.04	-	105.73	33.99	9.03	33.96
PK	5.9862G	63.16	68.20	-5.04	9.93	3	Horizontal	97	1.04	-	53.23	34.77	9.16	34.00

802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48898G	44.99	54.00	-9.01	19.40	3	Vertical	60	1.15	-	25.59	40.58	12.75	33.93
PK	11.49348G	58.14	74.00	-15.86	19.41	3	Vertical	60	1.15	-	38.73	40.59	12.75	33.93



802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48994G	44.86	54.00	-9.14	19.40	3	Horizontal	90	1.71	-	25.46	40.58	12.75	33.93
PK	11.50248G	57.33	74.00	-16.67	19.43	3	Horizontal	90	1.71	-	37.90	40.60	12.76	33.93

802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	107.70	Inf	-Inf	9.17	3	Vertical	177	1.08	-	98.53	34.07	9.07	33.97
PK	5.6098G	62.58	68.20	-5.62	9.05	3	Vertical	177	1.08	-	53.53	34.08	8.91	33.94
PK	5.7814G	116.35	Inf	-Inf	9.15	3	Vertical	177	1.08	-	107.20	34.06	9.06	33.97
PK	6.0514G	63.17	68.20	-5.03	10.11	3	Vertical	177	1.08	-	53.06	34.90	9.21	34.00



802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	98.88	Inf	-Inf	9.17	3	Horizontal	40	1.05	-	89.71	34.07	9.07	33.97
PK	5.5438G	62.38	68.20	-5.82	9.05	3	Horizontal	40	1.05	-	53.33	34.16	8.82	33.93
PK	5.7838G	107.73	Inf	-Inf	9.17	3	Horizontal	40	1.05	-	98.56	34.07	9.07	33.97
PK	6.0706G	63.38	68.20	-4.82	10.17	3	Horizontal	40	1.05	-	53.21	34.94	9.23	34.00



802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58488G	45.08	54.00	-8.92	19.63	3	Vertical	111	2.19	-	25.45	40.77	12.80	33.94
PK	11.5799G	58.06	74.00	-15.94	19.62	3	Vertical	111	2.19	-	38.44	40.76	12.80	33.94



802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58494G	45.08	54.00	-8.92	19.63	3	Horizontal	16	1.28	-	25.45	40.77	12.80	33.94
PK	11.58356G	57.65	74.00	-16.35	19.63	3	Horizontal	16	1.28	-	38.02	40.77	12.80	33.94



802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	108.32	Inf	-Inf	9.34	3	Vertical	176	1.01	-	98.98	34.22	9.09	33.97
PK	5.6318G	62.13	68.20	-6.07	9.03	3	Vertical	176	1.01	-	53.10	34.04	8.93	33.94
PK	5.8226G	116.82	Inf	-Inf	9.33	3	Vertical	176	1.01	-	107.49	34.21	9.09	33.97
PK	6.1226G	64.02	68.20	-4.18	10.25	3	Vertical	176	1.01	-	53.77	34.98	9.27	34.00

802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	96.75	Inf	-Inf	9.34	3	Horizontal	35	1.50	-	87.41	34.22	9.09	33.97
PK	5.5574G	62.52	68.20	-5.68	9.05	3	Horizontal	35	1.50	-	53.47	34.14	8.84	33.93
PK	5.8238G	105.62	Inf	-Inf	9.34	3	Horizontal	35	1.50	-	96.28	34.22	9.09	33.97
PK	6.1094G	63.59	68.20	-4.61	10.25	3	Horizontal	35	1.50	-	53.34	34.99	9.26	34.00



802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65282G	45.53	54.00	-8.47	19.79	3	Vertical	354	2.45	-	25.74	40.91	12.83	33.95
PK	11.64544G	58.18	74.00	-15.82	19.77	3	Vertical	354	2.45	-	38.41	40.89	12.83	33.95



802.11ac VHT20_Nss1,(MCS0)_2TX

17/06/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64334G	45.52	54.00	-8.48	19.77	3	Horizontal	112	1.19	-	25.75	40.89	12.83	33.95
PK	11.65792G	58.48	74.00	-15.52	19.80	3	Horizontal	112	1.19	-	38.68	40.92	12.84	33.96

802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.22	54.00	-1.78	8.89	3	Vertical	24	1.49	-	43.33	34.20	8.52	33.83
AV	5.192G	98.67	Inf	-Inf	8.91	3	Vertical	24	1.49	-	89.76	34.20	8.56	33.85
PK	5.1404G	64.09	74.00	-9.91	8.88	3	Vertical	24	1.49	-	55.21	34.20	8.51	33.83
PK	5.192G	107.55	Inf	-Inf	8.91	3	Vertical	24	1.49	-	98.64	34.20	8.56	33.85

802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	50.43	54.00	-3.57	8.89	3	Horizontal	178	1.17	-	41.54	34.20	8.52	33.83
AV	5.1952G	97.08	Inf	-Inf	8.92	3	Horizontal	178	1.17	-	88.16	34.20	8.57	33.85
PK	5.15G	63.02	74.00	-10.98	8.89	3	Horizontal	178	1.17	-	54.13	34.20	8.52	33.83
PK	5.1952G	106.70	Inf	-Inf	8.92	3	Horizontal	178	1.17	-	97.78	34.20	8.57	33.85



802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37826G	55.81	68.20	-12.39	17.06	3	Vertical	322	2.06	-	38.75	39.16	12.19	34.29



802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38882G	55.73	68.20	-12.47	17.09	3	Horizontal	282	1.72	-	38.64	39.17	12.20	34.28

802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.38	54.00	-4.62	8.89	3	Vertical	39	1.42	-	40.49	34.20	8.52	33.83
AV	5.228G	100.95	Inf	-Inf	8.98	3	Vertical	39	1.42	-	91.97	34.26	8.58	33.86
PK	5.1468G	60.86	74.00	-13.14	8.89	3	Vertical	39	1.42	-	51.97	34.20	8.52	33.83
PK	5.2276G	110.09	Inf	-Inf	8.98	3	Vertical	39	1.42	-	101.11	34.26	8.58	33.86



802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	48.96	54.00	-5.04	8.89	3	Horizontal	175	1.08	-	40.07	34.20	8.52	33.83
AV	5.228G	99.54	Inf	-Inf	8.98	3	Horizontal	175	1.08	-	90.56	34.26	8.58	33.86
PK	5.1468G	60.30	74.00	-13.70	8.89	3	Horizontal	175	1.08	-	51.41	34.20	8.52	33.83
PK	5.2284G	109.11	Inf	-Inf	8.98	3	Horizontal	175	1.08	-	100.13	34.26	8.58	33.86



802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46102G	55.67	68.20	-12.53	17.22	3	Vertical	24	1.71	-	38.45	39.22	12.23	34.23



802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4603G	55.00	68.20	-13.20	17.22	3	Horizontal	39	2.47	-	37.78	39.22	12.23	34.23

802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	48.54	54.00	-5.46	8.89	3	Vertical	189	1.15	-	39.65	34.20	8.52	33.83
AV	5.2682G	102.21	Inf	-Inf	9.06	3	Vertical	189	1.15	-	93.15	34.34	8.58	33.86
AV	5.3504G	50.84	54.00	-3.16	9.01	3	Vertical	189	1.15	-	41.83	34.30	8.60	33.89
PK	5.1422G	59.48	74.00	-14.52	8.89	3	Vertical	189	1.15	-	50.59	34.20	8.52	33.83
PK	5.2676G	111.61	Inf	-Inf	9.06	3	Vertical	189	1.15	-	102.55	34.34	8.58	33.86
PK	5.3516G	64.94	74.00	-9.06	9.01	3	Vertical	189	1.15	-	55.93	34.30	8.60	33.89



802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1368G	48.35	54.00	-5.65	8.88	3	Horizontal	176	1.04	-	39.47	34.20	8.51	33.83
AV	5.2682G	99.20	Inf	-Inf	9.06	3	Horizontal	176	1.04	-	90.14	34.34	8.58	33.86
AV	5.3654G	49.08	54.00	-4.92	8.98	3	Horizontal	176	1.04	-	40.10	34.27	8.60	33.89
PK	5.1398G	59.40	74.00	-14.60	8.88	3	Horizontal	176	1.04	-	50.52	34.20	8.51	33.83
PK	5.2676G	108.38	Inf	-Inf	9.06	3	Horizontal	176	1.04	-	99.32	34.34	8.58	33.86
PK	5.3504G	60.53	74.00	-13.47	9.01	3	Horizontal	176	1.04	-	51.52	34.30	8.60	33.89



802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.53916G	55.13	68.20	-13.07	17.38	3	Vertical	283	1.70	-	37.75	39.28	12.27	34.17



802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5535G	55.05	68.20	-13.15	17.41	3	Horizontal	353	1.45	-	37.64	39.29	12.28	34.16

802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3132G	98.21	Inf	-Inf	9.09	3	Vertical	181	1.13	-	89.12	34.37	8.59	33.87
AV	5.3516G	52.47	54.00	-1.53	9.01	3	Vertical	181	1.13	-	43.46	34.30	8.60	33.89
PK	5.3136G	107.29	Inf	-Inf	9.09	3	Vertical	181	1.13	-	98.20	34.37	8.59	33.87
PK	5.3616G	68.08	74.00	-5.92	8.99	3	Vertical	181	1.13	-	59.09	34.28	8.60	33.89

802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3148G	95.02	Inf	-Inf	9.09	3	Horizontal	199	1.31	-	85.93	34.37	8.59	33.87
AV	5.3516G	50.08	54.00	-3.92	9.01	3	Horizontal	199	1.31	-	41.07	34.30	8.60	33.89
PK	5.314G	104.46	Inf	-Inf	9.09	3	Horizontal	199	1.31	-	95.37	34.37	8.59	33.87
PK	5.3616G	62.10	74.00	-11.90	8.99	3	Horizontal	199	1.31	-	53.11	34.28	8.60	33.89



802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62744G	43.16	54.00	-10.84	17.55	3	Vertical	62	1.20	-	25.61	39.34	12.32	34.11
PK	10.60506G	54.94	74.00	-19.06	17.50	3	Vertical	62	1.20	-	37.44	39.32	12.31	34.13



802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63068G	43.20	54.00	-10.80	17.55	3	Horizontal	115	1.55	-	25.65	39.34	12.32	34.11
PK	10.60998G	55.12	74.00	-18.88	17.52	3	Horizontal	115	1.55	-	37.60	39.33	12.31	34.12

802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	50.09	54.00	-3.91	8.99	3	Vertical	186	1.00	-	41.10	34.20	8.70	33.91
AV	5.5048G	101.28	Inf	-Inf	9.04	3	Vertical	186	1.00	-	92.24	34.20	8.76	33.92
PK	5.462G	66.63	68.20	-1.57	8.99	3	Vertical	186	1.00	-	57.64	34.20	8.70	33.91
PK	5.5024G	111.91	Inf	-Inf	9.04	3	Vertical	186	1.00	-	102.87	34.20	8.76	33.92

802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.63	54.00	-5.37	8.99	3	Horizontal	164	1.52	-	39.64	34.20	8.70	33.91
AV	5.506G	97.12	Inf	-Inf	9.03	3	Horizontal	164	1.52	-	88.09	34.19	8.76	33.92
PK	5.4692G	61.70	68.20	-6.50	9.00	3	Horizontal	164	1.52	-	52.70	34.20	8.71	33.91
PK	5.5052G	106.68	Inf	-Inf	9.03	3	Horizontal	164	1.52	-	97.65	34.19	8.76	33.92



802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01076G	43.36	54.00	-10.64	18.28	3	Vertical	181	1.01	-	25.08	39.62	12.51	33.85
PK	11.0239G	56.01	74.00	-17.99	18.32	3	Vertical	181	1.01	-	37.69	39.65	12.52	33.85



802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0164G	43.48	54.00	-10.52	18.29	3	Horizontal	277	1.94	-	25.19	39.63	12.51	33.85
PK	11.02624G	55.49	74.00	-18.51	18.32	3	Horizontal	277	1.94	-	37.17	39.65	12.52	33.85

802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	49.35	54.00	-4.65	8.98	3	Vertical	184	1.00	-	40.37	34.20	8.69	33.91
AV	5.5524G	104.37	Inf	-Inf	9.05	3	Vertical	184	1.00	-	95.32	34.15	8.83	33.93
PK	5.4668G	64.60	68.20	-3.60	9.00	3	Vertical	184	1.00	-	55.60	34.20	8.71	33.91
PK	5.5524G	113.58	Inf	-Inf	9.05	3	Vertical	184	1.00	-	104.53	34.15	8.83	33.93

802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	48.44	54.00	-5.56	8.98	3	Horizontal	201	1.00	-	39.46	34.20	8.69	33.91
AV	5.5528G	101.24	Inf	-Inf	9.05	3	Horizontal	201	1.00	-	92.19	34.15	8.83	33.93
PK	5.4664G	59.87	68.20	-8.33	9.00	3	Horizontal	201	1.00	-	50.87	34.20	8.71	33.91
PK	5.5536G	110.31	Inf	-Inf	9.05	3	Horizontal	201	1.00	-	101.26	34.15	8.83	33.93

802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10462G	43.64	54.00	-10.36	18.50	3	Vertical	231	1.82	-	25.14	39.81	12.56	33.87
PK	11.11284G	55.63	74.00	-18.37	18.52	3	Vertical	231	1.82	-	37.11	39.83	12.56	33.87



802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0886G	43.22	54.00	-10.78	18.47	3	Horizontal	145	1.72	-	24.75	39.78	12.55	33.86
PK	11.09988G	55.90	74.00	-18.10	18.49	3	Horizontal	145	1.72	-	37.41	39.80	12.56	33.87

802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.673G	102.93	Inf	-Inf	8.97	3	Vertical	186	1.01	-	93.96	33.95	8.97	33.95
PK	5.6718G	112.80	Inf	-Inf	8.97	3	Vertical	186	1.01	-	103.83	33.96	8.96	33.95
PK	5.7282G	66.54	68.20	-1.66	9.02	3	Vertical	186	1.01	-	57.52	33.96	9.02	33.96

802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.6754G	110.27	Inf	-Inf	8.97	3	Horizontal	98	1.00	-	101.30	33.95	8.97	33.95
AV	5.6766G	101.04	Inf	-Inf	8.97	3	Horizontal	98	1.00	-	92.07	33.95	8.97	33.95
PK	5.7276G	63.62	68.20	-4.58	9.01	3	Horizontal	98	1.00	-	54.61	33.96	9.01	33.96

802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34036G	44.46	54.00	-9.54	19.06	3	Vertical	138	2.20	-	25.40	40.28	12.68	33.90
PK	11.34774G	56.95	74.00	-17.05	19.07	3	Vertical	138	2.20	-	37.88	40.30	12.68	33.91



802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.32584G	44.39	54.00	-9.61	19.02	3	Horizontal	60	1.96	-	25.37	40.25	12.67	33.90
PK	11.34276G	56.78	74.00	-17.22	19.07	3	Horizontal	60	1.96	-	37.71	40.29	12.68	33.90

802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4232G	48.37	54.00	-5.63	8.94	3	Vertical	185	1.01	-	39.43	34.20	8.64	33.90
AV	5.7124G	102.97	Inf	-Inf	8.97	3	Vertical	185	1.01	-	94.00	33.92	9.00	33.95
PK	5.464G	58.95	68.20	-9.25	8.99	3	Vertical	185	1.01	-	49.96	34.20	8.70	33.91
PK	5.7124G	112.21	Inf	-Inf	8.97	3	Vertical	185	1.01	-	103.24	33.92	9.00	33.95
PK	5.9596G	61.36	68.20	-6.84	9.88	3	Vertical	185	1.01	-	51.48	34.72	9.15	33.99

802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4292G	48.11	54.00	-5.89	8.94	3	Horizontal	124	2.26	-	39.17	34.20	8.65	33.91
AV	5.7124G	100.43	Inf	-Inf	8.97	3	Horizontal	124	2.26	-	91.46	33.92	9.00	33.95
PK	5.46G	58.35	68.20	-9.85	8.99	3	Horizontal	124	2.26	-	49.36	34.20	8.70	33.91
PK	5.7124G	109.19	Inf	-Inf	8.97	3	Horizontal	124	2.26	-	100.22	33.92	9.00	33.95
PK	5.9356G	61.07	68.20	-7.13	9.82	3	Horizontal	124	2.26	-	51.25	34.67	9.14	33.99



802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41004G	44.41	54.00	-9.59	19.21	3	Vertical	241	1.50	-	25.20	40.42	12.71	33.92
PK	11.41916G	56.47	74.00	-17.53	19.24	3	Vertical	241	1.50	-	37.23	40.44	12.72	33.92



802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40794G	44.35	54.00	-9.65	19.21	3	Horizontal	243	1.35	-	25.14	40.42	12.71	33.92
PK	11.42114G	56.50	74.00	-17.50	19.24	3	Horizontal	243	1.35	-	37.26	40.44	12.72	33.92

802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7562G	101.63	Inf	-Inf	9.09	3	Vertical	328	1.23	-	92.54	34.01	9.04	33.96
PK	5.5546G	60.14	68.20	-8.06	9.05	3	Vertical	328	1.23	-	51.09	34.15	8.83	33.93
PK	5.7538G	110.34	Inf	-Inf	9.09	3	Vertical	328	1.23	-	101.25	34.01	9.04	33.96
PK	5.965G	60.87	68.20	-7.33	9.89	3	Vertical	328	1.23	-	50.98	34.73	9.15	33.99

802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7574G	98.57	Inf	-Inf	9.09	3	Horizontal	122	1.01	-	89.48	34.01	9.04	33.96
PK	5.4658G	59.79	68.20	-8.41	9.00	3	Horizontal	122	1.01	-	50.79	34.20	8.71	33.91
PK	5.7574G	107.36	Inf	-Inf	9.09	3	Horizontal	122	1.01	-	98.27	34.01	9.04	33.96
PK	6.0454G	61.05	68.20	-7.15	10.10	3	Horizontal	122	1.01	-	50.95	34.89	9.21	34.00



802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50938G	44.51	54.00	-9.49	19.45	3	Vertical	5	2.99	-	25.06	40.62	12.76	33.93
PK	11.50816G	56.68	74.00	-17.32	19.45	3	Vertical	5	2.99	-	37.23	40.62	12.76	33.93



802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51202G	44.65	54.00	-9.35	19.45	3	Horizontal	351	1.49	-	25.20	40.62	12.76	33.93
PK	11.51316G	57.03	74.00	-16.97	19.46	3	Horizontal	351	1.49	-	37.57	40.63	12.76	33.93

802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	102.01	Inf	-Inf	9.21	3	Vertical	199	1.15	-	92.80	34.10	9.08	33.97
PK	5.567G	59.89	68.20	-8.31	9.05	3	Vertical	199	1.15	-	50.84	34.13	8.85	33.93
PK	5.7998G	112.40	Inf	-Inf	9.21	3	Vertical	199	1.15	-	103.19	34.10	9.08	33.97
PK	6.0338G	61.57	68.20	-6.63	10.07	3	Vertical	199	1.15	-	51.50	34.87	9.20	34.00

802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7926G	101.12	Inf	-Inf	9.19	3	Horizontal	97	1.01	-	91.93	34.09	9.07	33.97
PK	5.5586G	60.15	68.20	-8.05	9.05	3	Horizontal	97	1.01	-	51.10	34.14	8.84	33.93
PK	5.7926G	109.97	Inf	-Inf	9.19	3	Horizontal	97	1.01	-	100.78	34.09	9.07	33.97
PK	6.0578G	61.08	68.20	-7.12	10.14	3	Horizontal	97	1.01	-	50.94	34.92	9.22	34.00

802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58526G	44.76	54.00	-9.24	19.63	3	Vertical	360	1.14	-	25.13	40.77	12.80	33.94
PK	11.5903G	56.96	74.00	-17.04	19.64	3	Vertical	360	1.14	-	37.32	40.78	12.80	33.94



802.11ac VHT40_Nss1,(MCS0)_2TX

17/06/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58514G	44.56	54.00	-9.44	19.63	3	Horizontal	91	2.80	-	24.93	40.77	12.80	33.94
PK	11.58898G	56.38	74.00	-17.62	19.64	3	Horizontal	91	2.80	-	36.74	40.78	12.80	33.94

802.11ac VHT80_Nss1,(MCS0)_2TX

17/06/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	49.75	54.00	-4.25	8.88	3	Vertical	360	2.59	-	40.87	34.20	8.51	33.83
AV	5.218G	94.20	Inf	-Inf	8.96	3	Vertical	360	2.59	-	85.24	34.24	8.57	33.85
AV	5.355G	48.44	54.00	-5.56	9.00	3	Vertical	360	2.59	-	39.44	34.29	8.60	33.89
PK	5.141G	60.90	74.00	-13.10	8.88	3	Vertical	360	2.59	-	52.02	34.20	8.51	33.83
PK	5.217G	103.61	Inf	-Inf	8.95	3	Vertical	360	2.59	-	94.66	34.23	8.57	33.85
PK	5.379G	59.73	74.00	-14.27	8.96	3	Vertical	360	2.59	-	50.77	34.24	8.61	33.89

802.11ac VHT80_Nss1,(MCS0)_2TX

17/06/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	50.14	54.00	-3.86	8.89	3	Horizontal	163	1.28	-	41.25	34.20	8.52	33.83
AV	5.204G	92.87	Inf	-Inf	8.93	3	Horizontal	163	1.28	-	83.94	34.21	8.57	33.85
AV	5.359G	48.36	54.00	-5.64	8.99	3	Horizontal	163	1.28	-	39.37	34.28	8.60	33.89
PK	5.141G	61.06	74.00	-12.94	8.88	3	Horizontal	163	1.28	-	52.18	34.20	8.51	33.83
PK	5.204G	101.97	Inf	-Inf	8.93	3	Horizontal	163	1.28	-	93.04	34.21	8.57	33.85
PK	5.377G	60.89	74.00	-13.11	8.97	3	Horizontal	163	1.28	-	51.92	34.25	8.61	33.89



802.11ac VHT80_Nss1,(MCS0)_2TX

17/06/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42114G	55.85	68.20	-12.35	17.14	3	Vertical	259	2.38	-	38.71	39.19	12.21	34.26



802.11ac VHT80_Nss1,(MCS0)_2TX

17/06/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42126G	55.32	68.20	-12.88	17.14	3	Horizontal	291	1.11	-	38.18	39.19	12.21	34.26

802.11ac VHT80_Nss1,(MCS0)_2TX

17/06/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.139G	48.27	54.00	-5.73	8.88	3	Vertical	188	1.08	-	39.39	34.20	8.51	33.83
AV	5.288G	92.85	Inf	-Inf	9.10	3	Vertical	188	1.08	-	83.75	34.38	8.59	33.87
AV	5.35G	52.48	54.00	-1.52	9.02	3	Vertical	188	1.08	-	43.46	34.30	8.60	33.88
PK	5.117G	59.28	74.00	-14.72	8.86	3	Vertical	188	1.08	-	50.42	34.20	8.49	33.83
PK	5.288G	101.73	Inf	-Inf	9.10	3	Vertical	188	1.08	-	92.63	34.38	8.59	33.87
PK	5.512G	59.46	68.20	-8.74	9.04	3	Vertical	188	1.08	-	50.42	34.19	8.77	33.92

802.11ac VHT80_Nss1,(MCS0)_2TX

17/06/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.132G	48.47	54.00	-5.53	8.88	3	Horizontal	163	1.20	-	39.59	34.20	8.51	33.83
AV	5.295G	89.70	Inf	-Inf	9.11	3	Horizontal	163	1.20	-	80.59	34.39	8.59	33.87
AV	5.353G	50.18	54.00	-3.82	9.00	3	Horizontal	163	1.20	-	41.18	34.29	8.60	33.89
PK	5.15G	59.27	74.00	-14.73	8.89	3	Horizontal	163	1.20	-	50.38	34.20	8.52	33.83
PK	5.295G	99.42	Inf	-Inf	9.11	3	Horizontal	163	1.20	-	90.31	34.39	8.59	33.87
PK	5.505G	59.14	68.20	-9.06	9.04	3	Horizontal	163	1.20	-	50.10	34.20	8.76	33.92



802.11ac VHT80_Nss1,(MCS0)_2TX

17/06/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.57004G	55.67	68.20	-12.53	17.44	3	Vertical	69	2.04	-	38.23	39.30	12.29	34.15



802.11ac VHT80_Nss1,(MCS0)_2TX

17/06/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.57934G	55.17	68.20	-13.03	17.46	3	Horizontal	120	2.26	-	37.71	39.31	12.29	34.14

802.11ac VHT80_Nss1,(MCS0)_2TX

17/06/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	49.96	54.00	-4.04	8.98	3	Vertical	185	1.07	-	40.98	34.20	8.69	33.91
AV	5.532G	96.65	Inf	-Inf	9.04	3	Vertical	185	1.07	-	87.61	34.17	8.80	33.93
PK	5.463G	65.23	68.20	-2.97	8.99	3	Vertical	185	1.07	-	56.24	34.20	8.70	33.91
PK	5.534G	106.52	Inf	-Inf	9.04	3	Vertical	185	1.07	-	97.48	34.17	8.80	33.93
PK	5.744G	59.84	68.20	-8.36	9.06	3	Vertical	185	1.07	-	50.78	33.99	9.03	33.96

802.11ac VHT80_Nss1,(MCS0)_2TX

17/06/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	49.35	54.00	-4.65	8.98	3	Horizontal	203	1.05	-	40.37	34.20	8.69	33.91
AV	5.531G	94.36	Inf	-Inf	9.04	3	Horizontal	203	1.05	-	85.32	34.17	8.80	33.93
PK	5.461G	61.17	68.20	-7.03	8.99	3	Horizontal	203	1.05	-	52.18	34.20	8.70	33.91
PK	5.533G	104.20	Inf	-Inf	9.04	3	Horizontal	203	1.05	-	95.16	34.17	8.80	33.93
PK	5.75G	59.42	68.20	-8.78	9.08	3	Horizontal	203	1.05	-	50.34	34.00	9.04	33.96



802.11ac VHT80_Nss1,(MCS0)_2TX

17/06/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04572G	43.63	54.00	-10.37	18.36	3	Vertical	319	2.20	-	25.27	39.69	12.53	33.86
PK	11.05592G	56.07	74.00	-17.93	18.38	3	Vertical	319	2.20	-	37.69	39.71	12.53	33.86



802.11ac VHT80_Nss1,(MCS0)_2TX

17/06/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0645G	43.58	54.00	-10.42	18.41	3	Horizontal	263	1.37	-	25.17	39.73	12.54	33.86
PK	11.05358G	56.02	74.00	-17.98	18.38	3	Horizontal	263	1.37	-	37.64	39.71	12.53	33.86

802.11ac VHT80_Nss1,(MCS0)_2TX

17/06/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3948G	48.12	54.00	-5.88	8.92	3	Vertical	268	1.30	-	39.20	34.21	8.61	33.90
AV	5.7008G	96.39	Inf	-Inf	8.94	3	Vertical	268	1.30	-	87.45	33.90	8.99	33.95
PK	5.4692G	58.71	68.20	-9.49	9.00	3	Vertical	268	1.30	-	49.71	34.20	8.71	33.91
PK	5.7008G	105.80	Inf	-Inf	8.94	3	Vertical	268	1.30	-	96.86	33.90	8.99	33.95
PK	5.8844G	60.21	68.20	-7.99	9.66	3	Vertical	268	1.30	-	50.55	34.52	9.12	33.98



802.11ac VHT80_Nss1,(MCS0)_2TX

17/06/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3948G	48.14	54.00	-5.86	8.92	3	Horizontal	96	1.00	-	39.22	34.21	8.61	33.90
AV	5.6888G	94.82	Inf	-Inf	8.95	3	Horizontal	96	1.00	-	85.87	33.92	8.98	33.95
PK	5.4668G	58.73	68.20	-9.47	9.00	3	Horizontal	96	1.00	-	49.73	34.20	8.71	33.91
PK	5.6876G	104.48	Inf	-Inf	8.95	3	Horizontal	96	1.00	-	95.53	33.92	8.98	33.95
PK	5.9636G	60.18	68.20	-8.02	9.89	3	Horizontal	96	1.00	-	50.29	34.73	9.15	33.99



802.11ac VHT80_Nss1,(MCS0)_2TX

17/06/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37202G	44.87	54.00	-9.13	19.12	3	Vertical	136	1.16	-	25.75	40.34	12.69	33.91
PK	11.37658G	56.66	74.00	-17.34	19.14	3	Vertical	136	1.16	-	37.52	40.35	12.70	33.91



802.11ac VHT80_Nss1,(MCS0)_2TX

17/06/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39284G	44.66	54.00	-9.34	19.18	3	Horizontal	88	1.00	-	25.48	40.39	12.70	33.91
PK	11.37514G	56.50	74.00	-17.50	19.13	3	Horizontal	88	1.00	-	37.37	40.35	12.69	33.91



802.11ac VHT80_Nss1,(MCS0)_2TX

17/06/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7834G	95.56	Inf	-Inf	9.17	3	Vertical	190	1.06	-	86.39	34.07	9.07	33.97
PK	5.6346G	59.86	68.20	-8.34	9.02	3	Vertical	190	1.06	-	50.84	34.03	8.93	33.94
PK	5.7666G	104.32	Inf	-Inf	9.12	3	Vertical	190	1.06	-	95.20	34.03	9.05	33.96
PK	6.0678G	61.24	68.20	-6.96	10.16	3	Vertical	190	1.06	-	51.08	34.94	9.22	34.00

802.11ac VHT80_Nss1,(MCS0)_2TX

17/06/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7738G	93.58	Inf	-Inf	9.15	3	Horizontal	98	1.11	-	84.43	34.05	9.06	33.96
PK	5.541G	61.15	68.20	-7.05	9.04	3	Horizontal	98	1.11	-	52.11	34.16	8.81	33.93
PK	5.7726G	102.77	Inf	-Inf	9.15	3	Horizontal	98	1.11	-	93.62	34.05	9.06	33.96
PK	6.0318G	60.88	68.20	-7.32	10.06	3	Horizontal	98	1.11	-	50.82	34.86	9.20	34.00

802.11ac VHT80_Nss1,(MCS0)_2TX

17/06/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5398G	44.56	54.00	-9.44	19.52	3	Vertical	176	1.00	-	25.04	40.68	12.78	33.94
PK	11.53662G	57.17	74.00	-16.83	19.51	3	Vertical	176	1.00	-	37.66	40.67	12.78	33.94



802.11ac VHT80_Nss1,(MCS0)_2TX

17/06/2020

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5395G	44.86	54.00	-9.14	19.52	3	Horizontal	250	1.23	-	25.34	40.68	12.78	33.94
PK	11.56422G	57.09	74.00	-16.91	19.58	3	Horizontal	250	1.23	-	37.51	40.73	12.79	33.94



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.87996G	51.48	54.00	-2.52	Horizontal
Mode 2	Pass	AV	4.88G	51.90	54.00	-2.10	Vertical

Mode Configure

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.87394G	43.57	54.00	-10.43	3	Vertical	169	1.05	-
Mode 1	Pass	AV	4.87996G	49.51	54.00	-4.49	3	Vertical	140	1.01	"Worst"
Mode 1	Pass	PK	4.87399G	49.54	74.00	-24.46	3	Vertical	169	1.05	-
Mode 1	Pass	PK	4.87968G	54.42	74.00	-19.58	3	Vertical	140	1.01	-
Mode 1	Pass	AV	4.87394G	38.55	54.00	-15.45	3	Horizontal	275	1.01	-
Mode 1	Pass	AV	4.87996G	51.48	54.00	-2.52	3	Horizontal	1	1.01	"Worst"
Mode 1	Pass	PK	4.87399G	47.50	74.00	-26.50	3	Horizontal	275	1.01	-
Mode 1	Pass	PK	4.8798G	51.54	74.00	-22.46	3	Horizontal	1	1.01	-
Mode 2	Pass	AV	4.88G	51.90	54.00	-2.10	3	Vertical	129	1.10	"Worst"
Mode 2	Pass	AV	11.15484G	42.56	54.00	-11.44	3	Vertical	300	2.41	-
Mode 2	Pass	PK	4.88024G	55.45	74.00	-18.55	3	Vertical	129	1.10	-
Mode 2	Pass	PK	11.16868G	55.24	74.00	-18.76	3	Vertical	300	2.41	-
Mode 2	Pass	AV	4.87996G	50.62	54.00	-3.38	3	Horizontal	67	1.08	"Worst"
Mode 2	Pass	AV	11.16164G	42.55	54.00	-11.45	3	Horizontal	199	2.81	-
Mode 2	Pass	PK	4.87964G	54.59	74.00	-19.41	3	Horizontal	67	1.08	-
Mode 2	Pass	PK	11.15088G	55.34	74.00	-18.66	3	Horizontal	199	2.81	-

Radiated Emissions above 1GHz_Mode 1


26/08/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87394G	43.57	54.00	-10.43	8.29	3	Vertical	169	1.05	-	35.28	31.10	6.57	29.38
AV	4.87996G	49.51	54.00	-4.49	8.30	3	Vertical	140	1.01	"Worst"	41.21	31.10	6.58	29.38
PK	4.87399G	49.54	74.00	-24.46	8.29	3	Vertical	169	1.05	-	41.25	31.10	6.57	29.38
PK	4.87968G	54.42	74.00	-19.58	8.30	3	Vertical	140	1.01	-	46.12	31.10	6.58	29.38

Radiated Emissions above 1GHz_Mode 1


26/08/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87394G	38.55	54.00	-15.45	8.29	3	Horizontal	275	1.01	-	30.26	31.10	6.57	29.38
AV	4.87996G	51.48	54.00	-2.52	8.30	3	Horizontal	1	1.01	"Worst"	43.18	31.10	6.58	29.38
PK	4.87399G	47.50	74.00	-26.50	8.29	3	Horizontal	275	1.01	-	39.21	31.10	6.57	29.38
PK	4.8798G	51.54	74.00	-22.46	8.30	3	Horizontal	1	1.01	-	43.24	31.10	6.58	29.38

Radiated Emissions above 1GHz_Mode 2


26/08/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88G	51.90	54.00	-2.10	8.30	3	Vertical	129	1.10	"Worst"	43.60	31.10	6.58	29.38
AV	11.15484G	42.56	54.00	-11.44	18.30	3	Vertical	300	2.41	-	24.26	39.85	9.32	30.87
PK	4.88024G	55.45	74.00	-18.55	8.30	3	Vertical	129	1.10	-	47.15	31.10	6.58	29.38
PK	11.16868G	55.24	74.00	-18.76	18.29	3	Vertical	300	2.41	-	36.95	39.83	9.33	30.87

Radiated Emissions above 1GHz_Mode 2

26/08/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87996G	50.62	54.00	-3.38	8.30	3	Horizontal	67	1.08	"Worst"	42.32	31.10	6.58	29.38
AV	11.16164G	42.55	54.00	-11.45	18.29	3	Horizontal	199	2.81	-	24.26	39.84	9.32	30.87
PK	4.87964G	54.59	74.00	-19.41	8.30	3	Horizontal	67	1.08	-	46.29	31.10	6.58	29.38
PK	11.15088G	55.34	74.00	-18.66	18.30	3	Horizontal	199	2.81	-	37.04	39.85	9.32	30.87