

SUBMITTAL APPLICATION **REPORT**

FOR

GRANT OF CERTIFICATION

Model: XV-1000 VHF Transceiver

FCC ID: U59XV-1000 IC: 7555A-XV1000

Operating under rule of CFR47, Paragraph 90, Subpart I and RSS-119

FOR

Tekk International Inc.

10601 NW Ambassador Drive, Suite G Kansas City, MO 64153

Test Report Number 080214

Authorized Signatory: Scot DRogers

Scot D. Rogers

ROGERS LABS, INC. 4405 W. 259th Terrace Louisburg, KS 66053 Phone/Fax: (913) 837-3214 Revision 1

Tekk International, Inc. Model: XV-1000 SN: #1 Test #: 080214 Test to: CFR47 90 and IC RSS-119 File: Tekk LMRS XV1000 TstRpt

FCC ID#: U59XV-1000 IC: 7555A-XV1000 Page 1 of 36

Date: March 17, 2008





ROGERS LABS, INC.

4405 West 259th Terrace Louisburg, KS 66053 Phone / Fax (913) 837-3214

TEST REPORT For APPLICATION of CERTIFICATION

For

Tekk International Inc.

10601 NW Ambassador Drive, Suite G Kansas City, MO 64153

> Model: XV-1000 VHF Transceiver FREQUENCY: 146-174 MHz

> > FCC ID: U59XV-1000 IC: 7555A-XV1000

Test Date: February 14, 2008

Certifying Engineer: Scot DRogers

Scot D. Rogers Rogers Labs, Inc.

4405 West 259th Terrace Louisburg, KS 66053 Phone: (913) 837-3214 FAX: (913) 837-3214

This report shall not be reproduced except in full, without the written approval of the laboratory. This report must not be used by the client to claim product endorsement by NVLAP, NIST, or any agency of the U.S. Government.

File: Tekk LMRS XV1000 TstRpt



Table of Contents

TABLE OF CONTENTS	3
FORWARD	5
OPINION / INTERPRETATION OF RESULTS	5
APPLICABLE STANDARDS & TEST PROCEDURES	5
2.1033(C) APPLICATION FOR CERTIFICATION	6
UNITS OF MEASUREMENTS	7
ENVIRONMENTAL CONDITIONS	7
TEST SITE LOCATIONS	8
LIST OF TEST EQUIPMENT	8
2.1046 RF POWER OUTPUT	9
2.1047 MODULATION CHARACTERISTICS Measurements Required Test Arrangement Modulation Characteristics Results Figure one Audio Frequency Response Characteristics Figure two Frequency Deviation Characteristics (25 kHz Channel spacing) Figure three Frequency Deviation Characteristics (12.5 kHz Channel spacing) Figure four frequency response of low pass filter	10 10 11 11 12 12
2.1049 OCCUPIED BANDWIDTH	13
Measurements Required	
Test Arrangement Occupied Bandwidth Results Figure five Occupied Band Width, wide band, no squelch tone Figure six Occupied Band Width, wide band, CTCSS Figure seven Occupied Band Width, wide band, DCS Figure eight Occupied Band Width, Narrow band, no squelch tone Figure nine Occupied Band Width, Narrow band, CTCSS Figure ten Occupied Band Width, Narrow band, DCS	14 15 15 16 16 17
2.1051 SPURIOUS EMISSIONS AT ANTENNA TERMINALS	
Measurements Required Test Arrangement	18

ROGERS LABS, INC. 4405 W. 259th Terrace Louisburg, KS 66053 Phone/Fax: (913) 837-3214 Revision 1 Tekk International, Inc. Model: XV-1000 SN: #1 Test #: 080214

Test to: CFR47 90 and IC RSS-119

File: Tekk LMRS XV1000 TstRpt

FCC ID#: U59XV-1000 IC: 7555A-XV1000 Page 3 of 36

Date: March 17, 2008



Figure twelve Emissions at Antenna Terminal (5 watt)	
Figure thirteen Emissions at Antenna Terminal (2 Watt)	
Spurious Emissions at Antenna Terminal Results	
5 Watt Output Power Spurious Emissions at Antenna Results	
2 Watt Output Power Spurious Emissions at Antenna Results	21
2.1053 FIELD STRENGTH OF SPURIOUS RADIATION	
Measurements Required	
Test Arrangement	21
Radiated Spurious Emissions Results	22
Channel frequency 146.00 MHz (5 Watt power) Radiated Spurious Emissions Results	23
Channel frequency 150.01 MHz (5 Watt power) Radiated Spurious Emissions Results	
Channel frequency 162.00 MHz (5 Watt power) Radiated Spurious Emissions Results	
Channel frequency 174.00 MHz (5 Watt power) Radiated Spurious Emissions Results	
Channel frequency 146.00 MHz (2.0-Watt power) Radiated Spurious Emissions Results	
Channel frequency 150.01 MHz (2.0-Watt power) Radiated Spurious Emissions Results	
Channel frequency 162.00 MHz (2.0-Watt power) Radiated Spurious Emissions Results	
Channel frequency 174.00 MHz (2.0-Watt power) Radiated Spurious Emissions Results	24
2.1055 FREQUENCY STABILITY	_
Measurements Required	
Test Arrangement	25
Frequency Stability Results	27
TRANSIENT FREQUENCY BEHAVIOR, PER 90.214	27
Measurements Required	
Test Arrangement	
Transient Behavior Results	
Figure fourteen Transient Behavior of Transmitter t1	
Figure fifteen Transient Behavior of Transmitter t3	
ANNEX	
Annex A Measurement Uncertainty Calculations	
Annex B Test Equipment List For Rogers Labs, Inc.	
Annex C Qualifications	
Annex D FCC Site Approval Letter	
Annex E Industry Canada Site Approval Letter	36

FCC ID#: U59XV-1000

IC: 7555A-XV1000



Forward

In accordance with the Federal Communications Code of Federal Regulations, dated October 1, 2007, Part 2 Subpart J, Paragraphs 2.907, 2.911, 2.913, 2.915, 2.925, 2.926, 2.1031 through 2.1057, applicable parts of CFR47 paragraphs 15, 90, and RSS-119 the following information is submitted.

Opinion / Interpretation of Results

Tests Performed	Results
Emissions Tests	
Requirements per CFR47 paragraphs 2 2.1031-2.1057	Complies
Requirements per CFR47 paragraphs 90.203(j)	Complies
Requirements per CFR47 paragraphs 90.207-90.210	Complies
Requirements per CFR47 paragraphs 90.213-90.215	Complies
Requirements per RSS-119	Complies

Applicable Standards & Test Procedures

In accordance with the Federal Communications Code of Federal Regulations, dated October 1, 2007, Part 2, Subpart J, Paragraphs 2.907, 2.911, 2.913, 2.925, 2.926, 2.1031 through 2.1057, and applicable paragraphs of Part 90 and RSS-119 the following is submitted for consideration in obtaining a Grant of Certification. Test procedures used are the established Methods of Measurement of Radio-Noise Emissions as described in ANSI 63.4-2003 and TIA/EIA 603. This equipment was tested for compliance with CFR47, Industry Canada and other regulatory agencies. Some information presented in this document may not be related to CFR47 or RSS-119 requirements but represent compliance to other regulations.

FCC ID#: U59XV-1000

IC: 7555A-XV1000



2.1033(c) Application for Certification

(1) Manufacturer/Marketer/Vendor Tekk International Inc. 10601 NW Ambassador Drive, Suite G Kansas City, MO 64153

(2) Identification: FCC I.D.: U59XV-1000

IC: 7555A-XV1000

Model: XV-1000 S/N: #1

(3) Instruction Book:

Refer to exhibit for Draft Instruction Manual.

(4) Emission Type: 15K0F3E

(5) Frequency Range: 146 to 174 MHz

(6) Operating Power Level: 2.0 Watt low power, 5 Watt high power.

- (7) Max Power output of equipment 5.01 Watts
- (8) Power into final amplifier:

5 Watt operation, 12.0 Watts, (7.5V @ 1.6A)

2 Watt operation, 6.75 Watts (7.5V @ 0.9A)

(9) Tune Up Procedure for Output Power:

Refer to Exhibit for Transceiver Alignment Procedure.

(10) Circuit Diagrams; description of circuits, frequency stability, spurious suppression, and power and modulation limiting:

Refer to Exhibit for Circuit Diagrams.

Refer to Exhibit for Theory of Operation.

(11) Photograph or drawing of the Identification Plate:

Refer to Exhibit for Photograph or Drawing.

(12) Drawings of Construction and Layout:

Refer to Exhibit for Drawings of Components Layout and Chassis Drawings.

(13) Detail Description of Digital Modulation:

Not applicable.

ROGERS LABS, INC. 4405 W. 259th Terrace Louisburg, KS 66053 Phone/Fax: (913) 837-3214 Revision 1

Tekk International, Inc. Model: XV-1000 SN: #1 Test #: 080214

Test to: CFR47 90 and IC RSS-119

File: Tekk LMRS XV1000 TstRpt

FCC ID#: U59XV-1000 IC: 7555A-XV1000 Page 6 of 36

Date: March 17, 2008



- (14) The data required by Sections 2.1046 through 2.1057, inclusive, measured in accordance with the procedures set out in Section 2.1041.
- (15) The application for certification of an external radio frequency power amplifier under Part 97 of this chapter need not be accompanied by the data required by Paragraph (b)(14) of this section. In lieu thereof, measurements shall be submitted to show compliance with the technical specifications in Subpart C of Part 97 of this chapter and such information as required by Section 2.1060 of this part. This paragraph does not apply to this equipment.
- (16) The application for certification of an external radio frequency power amplifier under Part 97 of this chapter need not be accompanied by the data required by Paragraph (b)(14) of this section. In lieu thereof, measurements shall be submitted to show compliance with the technical specifications in Subpart C of Part 97 of this chapter and such information as required by Section 2.1060 of this part. This paragraph does not apply to this equipment.
- (17) A single application may be filed for a composite system that incorporates devices subject to certification under multiple rule parts; however, the appropriate fee must be included for each device. Separate applications must be filed if different FCC Identifiers will be used for each device.
- (18) An application for certification of a software defined radio must include the information required by 2.944. This paragraph does not apply to this equipment.

Units of Measurements

AC Line Conducted EMI Data is in dBµV; dB referenced to one microvolt.

Radiated EMI Data is in dBµV/m; dB/m referenced to one microvolt per meter

Data is in dBm, dB referenced to one milliwatt Antenna Conducted

Environmental Conditions

Ambient Temperature 22 2° C

Relative Humidity 41%

Atmospheric Pressure 29.81 in Hg

FCC ID#: U59XV-1000

IC: 7555A-XV1000



Test Site Locations

Conducted EMI The AC power line conducted emissions testing performed in a shielded

screen room located at Rogers Labs, Inc., 4405 W. 259th Terrace,

Louisburg, KS.

Radiated EMI The radiated emissions tests were performed at the 3 meters, Open Area

Test Site (OATS) located at Rogers Labs, Inc., 4405 W. 259th Terrace,

Louisburg, KS.

Site Approval Refer to Annex for FCC Site Registration Letter, # 90910, and Industry

Canada Site Registration Letter, IC3041-1.

List of Test Equipment

A Hewlett Packard 8591EM Spectrum Analyzer was used as the measuring device for the emissions testing of frequencies below 1 GHz. A Hewlett Packard 8562A Spectrum Analyzer was used as the measuring device for testing the emissions at frequencies above 1 GHz. The analyzer settings used are described in the following table. Refer to the appendix for a complete list of test equipment.

HP 8591 EM ANALYZER SETTINGS					
	CONDUCTED EMISSIONS				
RBW	AVG. BW	DETECTOR FUNCTION			
9 kHz	30 kHz	Peak / Quasi Peak			
	RADIATED EMISSIONS				
RBW	AVG. BW	DETECTOR FUNCTION			
120 kHz	300 kHz	Peak / Quasi Peak			
HP	8562A ANALYZER SETTIN	IGS			
RBW	RBW VIDEO BW DETECTOR FUNCTION				
100 kHz	PEAK				
1 MHz	1 MHz	Peak / Average			

Equipment	Mfg.	Model	Cal. Date	Due.
LISN	Comp. Design	FCC-LISN-2-MOD.CD	10/07	10/08
LISN	Comp. Design	1762	2/08	2/09
Antenna	ARA	BCD-235-B	10/07	10/08
Antenna	EMCO	3147	10/07	10/08
Antenna	EMCO	3143	5/07	5/08
Analyzer	HP	8591EM	5/07	5/08
Analyzer	HP	8562A	2/08	2/09

ROGERS LABS, INC. 4405 W. 259th Terrace Louisburg, KS 66053 Phone/Fax: (913) 837-3214

Revision 1

Tekk International, Inc. Model: XV-1000 SN: #1 Test #: 080214

Test to: CFR47 90 and IC RSS-119

File: Tekk LMRS XV1000 TstRpt

FCC ID#: U59XV-1000 IC: 7555A-XV1000 Page 8 of 36

Date: March 17, 2008




2.1046 RF Power Output

Measurements Required

Measurements shall be made to establish the radio frequency power delivered by the transmitter into the standard output termination. The power output shall be monitored and recorded and no adjustment shall be made to the transmitter after the test has begun, except as noted below. If the power output is adjustable, measurements shall be made for the highest and lowest power levels.

Test Arrangement



The radio frequency power output was measured at the antenna terminal by replacing the antenna with a spectrum analyzer and 10-dB attenuation. The attenuator and spectrum analyzer had an impedance of 50Ω to match the impedance of the standard antenna. A HP 8591EM Spectrum Analyzer was used to measure the radio frequency power at the antenna port. The data was taken in dBm and converted to watts as shown in the following Table. Data was taken per Paragraph 2.1046(a) and applicable parts of paragraph 90.

 P_{dBm} = power in dB above 1 milliwatt.

Milliwatts = $10^{(PdBm/10)}$

Watts = (Milliwatts)(0.001)(W/mW)

 $37.00 \text{ dBm} = 10^{(37.00/10)}$ $33.33 \text{ dBm} = 10^{(33.33/10)}$

= 5,011.9 mW = 2,152.8 mW = 5.0 Watts = 2.2 Watts

Revision 1

FCC ID#: U59XV-1000

IC: 7555A-XV1000

Page 9 of 36



Power Output Results


FREQUENCY	P(dBm)	P(mw)	P(w)
146.00	37.00	5,011.9	5.0
146.00	33.33	2,152.8	2.2
150.01	37.00	5,011.9	5.0
150.01	33.33	2,152.8	2.1
156.025	36.70	4,677.4	4.7
156.025	33.33	2,152.8	2.2
162.00	36.70	4,677.4	4.7
162.00	33.50	2,238.7	2.2
174.00	36.55	4,518.6	4.5
174.00	33.17	2,074.9	2.1

The testing procedures used conform to the procedures stated in the TIA/EIA-603 document. The specifications of Paragraph 2.1046(a) and applicable Parts of 90 are met. There are no deviations to the specifications.

2.1047 Modulation Characteristics

Measurements Required

A curve or equivalent data, which shows that the equipment will meet the modulation requirements of the rules, under which the equipment is to be licensed, shall be submitted.



The radio frequency output was coupled to a HP Spectrum Analyzer and a modulation meter. The spectrum analyzer was used to observe the radio frequency spectrum with the transmitter operating in its various modes. The modulation meter was used to measure the frequency deviation.



Modulation Characteristics Results

Figure 1 displays the graph made showing the audio frequency response of the modulator. The frequency generator was set to 1 kHz and injected into the audio input port of the EUT. The amplitude was adjusted to obtain 50% modulation at 1000 Hz. This level was then taken as the 0-dB reference. The frequency of the generator was then varied and the output level recorded while holding the input levels constant.




Figure one Audio Frequency Response Characteristics

Test to: CFR47 90 and IC RSS-119
File: Tekk LMRS XV1000 TstRpt

FCC ID#: U59XV-1000 IC: 7555A-XV1000 Page 11 of 36 Date: March 17, 2008



Figure 2 shows the frequency deviation response of 25 kHz channel operation for each of four frequencies while the input voltage was varied. Figure 3 shows the frequency deviation response of 12.5 kHz channel operation for each of four frequencies while the input voltage was varied. The frequency was held constant and the frequency deviation read from the deviation meter.




Figure two Frequency Deviation Characteristics (25 kHz Channel spacing)




Figure three Frequency Deviation Characteristics (12.5 kHz Channel spacing)



Figure 4 shows the frequency response of the audio low pass filter.





Figure four frequency response of low pass filter

The specifications of Paragraph 2.1047 and applicable parts of 90 are met.

2.1049 Occupied Bandwidth

Measurements Required

The occupied bandwidth, that is the frequency bandwidth such that below its lower and above its upper frequency limits, the mean powers radiated are equal to 0.5 percent of the total mean power radiated by a given emission.



Revision 1

Page 13 of 36

FCC ID#: U59XV-1000

IC: 7555A-XV1000

Date: March 17, 2008



Occupied Bandwidth Results

Mode / Squelch	Occupied Bandwidth (kHz)
Wide / None	14.25
Wide / CTCSS	12.75
Wide / DCS	13.88
Narrow / None	5.85
Narrow / CTCSS	6.45
Narrow / DCS	6.40

A spectrum analyzer was used to observe the radio frequency spectrum with the transmitter operating through all normal modes, modulated by a frequency of 2500 Hz at a level 16 dB above 50% modulation. The power ratio in dB representing 99.5% of the total mean power was recorded from the spectrum analyzer.

The necessary bandwidth calculation for 25 kHz channel is as follows:

$$BN = 2M + 2Dk$$
 (k=1), M=2500, and D=5000

$$BN = 2(2500) + 2(5000)(1)$$

$$BN = 15.0 \text{ kHz}$$
 Then BN equates to 15k0.

The necessary bandwidth calculation for 12.5 kHz channel is as follows:

$$BN = 2M + 2Dk$$
 (k=1), M=2500, and D=2500

$$BN = 2(2500) + 2(2500)(1)$$

$$BN = 10.0 \text{ kHz}$$
 Then BN equates to $10k0$

Refer to figures 5 through 10 for plots of 99.5% power. Requirements of 2.1049(c)(1) and applicable paragraphs of Part 90 are met. There are no deviations to the specifications.

File: Tekk LMRS XV1000 TstRpt



MARKER Δ 14.25 kHz -15.15 dB ACTV DET: PEAK MEAS DET: PEAK QP

MKR 14.25 kHz -15.15 dB




Figure five Occupied Band Width, wide band, no squelch tone

MARKER △ 12.75 kHz 4.24 dB ACTV DET: PEAK MEAS DET: PEAK QP

MKR 12.75 kHz




Figure six Occupied Band Width, wide band, CTCSS

ROGERS LABS, INC. 4405 W. 259th Terrace Louisburg, KS 66053 Phone/Fax: (913) 837-3214 Revision 1 Tekk International, Inc. Model: XV-1000 SN: #1 Test #: 080214

Test to: CFR47 90 and IC RSS-119
File: Tekk LMRS XV1000 TstRpt

FCC ID#: U59XV-1000 IC: 7555A-XV1000 Page 15 of 36 Date: March 17, 2008



MARKER △ 13.88 kHz -.13 dB ACTV DET: PEAK MEAS DET: PEAK QP

> MKR 13.88 kHz -.13 dB




Figure seven Occupied Band Width, wide band, DCS

MARKER Δ 5.85 kHz 4.18 dB

ACTV DET: PEAK MEAS DET: PEAK QP

MKR 5.85 kHz




Figure eight Occupied Band Width, Narrow band, no squelch tone

ROGERS LABS, INC. 4405 W. 259th Terrace Louisburg, KS 66053 Phone/Fax: (913) 837-3214 Tekk International, Inc. Model: XV-1000 SN: #1 Test #: 080214

Test #: 080214
Test to: CFR47 90 and IC RSS-119
File: Tekk LMRS XV1000 TstRpt

FCC ID#: U59XV-1000 IC: 7555A-XV1000 Page 16 of 36 Date: March 17, 2008



MARKER Δ ACTV DET: PEAK
6.45 kHz MEAS DET: PEAK QP
2.65 dB MKR 6.45 kHz




Figure nine Occupied Band Width, Narrow band, CTCSS

MARKER A ACTV DET: PEAK 6.4Ø kHz MEAS DET: PEAK QP -.13 dB MKR 6.4Ø kHz -.13 dB REF OFFST 40.0 dB LOG REF 33.Ø dBm 1Ø dB/ ATN 1Ø dB Month of the state MA VB SC FC CORR CENTER 15Ø.Ø1ØØØ MHz SPAN 20.00 kHz #IF BW 3ØØ Hz AVG BW 3ØØ Hz SWP 1.ØØ sec

Figure ten Occupied Band Width, Narrow band, DCS

ROGERS LABS, INC. 4405 W. 259th Terrace Louisburg, KS 66053 Phone/Fax: (913) 837-3214 Tekk International, Inc. Model: XV-1000 SN: #1 Test #: 080214

Test to: CFR47 90 and IC RSS-119
File: Tekk LMRS XV1000 TstRpt

FCC ID#: U59XV-1000 IC: 7555A-XV1000 Page 17 of 36




2.1051 Spurious Emissions at Antenna Terminals

Measurements Required

The radio frequency voltage or power generated within the equipment and appearing on a spurious frequency shall be checked at the equipment output terminals when properly loaded with a suitable artificial antenna.

Test Arrangement



The radio frequency output was coupled to a Spectrum Analyzer for antenna spurious emissions testing. The spectrum analyzer was used to observe the radio frequency spectrum with the transmitter operated in a normal mode. The frequency spectrum from 30 MHz to 2.9 GHz was observed and plots produced of the frequency spectrum. Figures 11 through 13 represent data for the XV-1000. Data was taken per 2.1051, 2.1057, and applicable paragraphs of Part 90.




Figure eleven Emissions at Antenna Terminal (5 watt)






Figure twelve Emissions at Antenna Terminal (5 watt)




Figure thirteen Emissions at Antenna Terminal (2 Watt)

ROGERS LABS, INC. 4405 W. 259th Terrace Louisburg, KS 66053 Phone/Fax: (913) 837-3214 Revision 1

Tekk International, Inc. Model: XV-1000 SN: #1 Test #: 080214

IC: 7555A-XV1000 Test to: CFR47 90 and IC RSS-119 File: Tekk LMRS XV1000 TstRpt

Page 19 of 36 Date: March 17, 2008

FCC ID#: U59XV-1000



Spurious Emissions at Antenna Terminal Results

The output of the unit was coupled to a HP Spectrum Analyzer and the frequency emissions were measured. Data was taken as per 2.1051 and applicable paragraphs of Parts 2 and 90. Specifications of Paragraphs 2.1051, 2.1057 and applicable paragraphs of parts of 2 and 90 are met. There are no deviations to the specifications.

All spurious emissions must be attenuated at least 43+10log(Po) below the fundamental emission power level. The following equations represent the calculated attenuation levels for the equipment.

5.0 Watt =
$$50 + 10 \text{ LOG(Po)}$$
 2.0 Watt = $50 + 10 \text{ LOG(Po)}$
= $50 + 10 \text{ LOG(5)}$ = $50 + 10 \text{ LOG(2.0)}$
= 57.0 = 53.0

5 Watt Output Power Spurious Emissions at Antenna Results

	-		
CHANNEL	SPURIOUS	Measured (dBm)	LEVEL BELOW
MHz	FREQ. (MHz)		CARRIER (dB)
150.01	300.02	-36.00	73.0
	450.03	-43.33	80.3
	600.04	-63.67	100.7
	750.05	-49.33	86.3
	900.06	-68.33	105.3
	1050.07	-70.00	107.0
162.00	324.00	-42.67	79.4
	486.00	-46.77	83.5
	648.00	-63.50	100.2
	810.00	-47.00	83.7
	972.00	-71.00	107.7
	1134.00	-71.33	108.0
174.00	348.00	-49.50	86.1
	522.00	-40.83	77.4
	696.00	-47.00	83.6
	870.00	-48.83	85.4
	1044.00	-67.50	104.1
	1218.00	-72.17	108.7

ROGERS LABS, INC. 4405 W. 259th Terrace Louisburg, KS 66053 Phone/Fax: (913) 837-3214

Revision 1

Tekk International, Inc. Model: XV-1000 SN: #1 Test #: 080214

Test to: CFR47 90 and IC RSS-119

File: Tekk LMRS XV1000 TstRpt

FCC ID#: U59XV-1000 IC: 7555A-XV1000 Page 20 of 36



2 Watt Output Power Spurious Emissions at Antenna Results

CHANNEL MHz	SPURIOUS FREQ. (MHz)	Measured (dBm)	LEVEL BELOW CARRIER (dB)
150.01	300.02	-40.17	73.5
	450.03	-46.17	79.5
	600.04	-63.17	96.5
	750.05	-52.50	85.8
	900.06	-60.17	93.5
	1050.07	-69.33	102.7
162.00	324.00	-43.50	77.0
	486.00	-56.17	89.7
	648.00	-68.33	101.8
	810.00	-56.30	89.8
	972.00	-71.00	104.5
	1134.00	-69.67	103.2
174.00	348.00	-48.17	81.3
	522.00	-51.33	84.5
	696.00	-57.83	91.0
	870.00	-55.33	88.5
	1044.00	-70.67	103.8
	1218.00	-68.33	101.5

2.1053 Field Strength of Spurious Radiation

Measurements Required

Measurements shall be made to detect spurious emissions that may be radiated directly from the cabinet, control circuits, power leads, or intermediate circuit elements under normal conditions of installation and operation.

Test Arrangement

Transmitter	Load	Antenna	Spectrum Analyzer

The transmitter was placed on a wooden turntable 0.8 meters above the ground plane and at a distance of 3 meters from the FSM antenna. With the EUT radiating into a resistive 50 ohm load, the receiving antenna was raised and lowered from 1m to 4m to obtain the maximum reading of spurious radiation from the EUT on the spectrum analyzer. The turntable was rotated though 360 degrees to locate the position registering the highest amplitude of emission. The

ROGERS LABS, INC. 4405 W. 259th Terrace Louisburg, KS 66053 Phone/Fax: (913) 837-3214 Revision 1 Tekk International, Inc. Model: XV-1000 SN: #1 Test #: 080214

Test to: CFR47 90 and IC RSS-119
File: Tekk LMRS XV1000 TstRpt

FCC ID#: U59XV-1000 IC: 7555A-XV1000 Page 21 of 36



frequency spectrum was then searched for spurious emissions generated from the transmitter. The amplitude of each spurious emission was maximized by raising and lowering the FSM antenna, and rotating the turntable before final data was recorded. A Biconilog antenna was used for frequency measurements of 30 to 1000 MHz. A log periodic antenna was used for frequencies of 1000 MHz to 5 GHz and pyramidal horn antennas were used for frequencies of 5 GHz to 40 GHz. Emission levels were measured and recorded from the spectrum analyzer in dBm. The transmitter was then removed and replaced with a substitution antenna and signal generator. The signal from the generator was then adjusted such that the amplitude received was the same as that previously recorded for each frequency. This step was repeated for both horizontal and vertical polarizations. The power in dBm required to produce the desired signal level was then recorded from the signal generator. The power in dBm was then calculated by reducing the previous readings by the power loss in the cable and further corrected for the gain in the substitution antenna. Data was taken at the ROGERS LABS, INC. 3 meters open area test site (OATS). A description of the test facility is on file with the FCC, Reference 90910. The testing procedures used conform to the procedures stated in the TIA/EIA-603 document.

Limit = Amplitude of the spurious emission must be attenuated by this amount below the level of the fundamental. On any frequency removed from the assigned frequency by more than 250% of the authorized bandwidth.

Limit = Attenuation at least 50+10Log(Po)dB below fundamental.

```
5 watt high power transmitter
Attenuation = 50 + 10 \text{ Log}10(\text{Pw})
= 50 + 10 \text{ Log}10(5)
= 57.0 \text{ dB}

2 watt low power transmitter
Attenuation = 50 + 10 \text{ Log}10(\text{Pw})
= 50 + 10 \text{ Log}10(2)
= 53.0 \text{ dB}
```

Radiated Spurious Emissions Results

The EUT was connected to a 50-ohm load and set to transmit at the desired frequency. The amplitude of each spurious emission was then maximized and recorded. The transmitter produces 4.4 or 2.0 watts of output power (36.4 or 33 dBm). Then the radiated spurious emission in dB is calculated from the following equation. Radiated spurious emission (dB) = RSE

RSE = 10 Log[10][Tx power(W)/0.001] – signal level required to reproduce observed level Example: For 5 Watt output power RSE = 10 Log[5.0/0.001]-(-28.83) = 65.2 dBc

ROGERS LABS, INC. 4405 W. 259th Terrace Louisburg, KS 66053 Phone/Fax: (913) 837-3214 Tekk International, Inc. Model: XV-1000 SN: #1 Test #: 080214

Test to: CFR47 90 and IC RSS-119
File: Tekk LMRS XV1000 TstRpt

FCC ID#: U59XV-1000 IC: 7555A-XV1000 Page 22 of 36
Date: March 17, 2008



Channel frequency 146.00 MHz (5 Watt power) Radiated Spurious Emissions Results

Frequency of	Amplitude of Spurious		Signal level to dipole required		Emission le	vel below	Limit
Emission	emiss	emission to reproduce carrier		ier			
	Horizontal	Vertical	Horizontal	Vertical	Horizontal	Vertical	
(MHz)	dΒμV	dΒμV	dBm	dBm	dBc	dBc	dBc
292.0	47.7	49.6	-47.53	-45.63	84.6	82.7	57.0
438.0	42.9	38.5	-52.33	-56.73	89.4	93.8	57.0
584.0	33.8	33.8	-61.43	-61.43	98.5	98.5	57.0
730.0	42.3	46.2	-52.93	-49.03	90.0	86.1	57.0
876.0	32.3	33.1	-62.93	-62.13	100.0	99.2	57.0

Channel frequency 150.01 MHz (5 Watt power) Radiated Spurious Emissions Results

Frequency of	Amplitude of Spurious		Signal level to dipole required		Emission le	vel below	Limit
Emission	emission		to repro	to reproduce		carrier	
	Horizontal	Vertical	Horizontal	Vertical	Horizontal	Vertical	
(MHz)	dΒμV	dΒμV	dBm	dBm	dBc	dBc	dBc
300.0	47.2	48.9	-48.03	-46.33	85.1	83.4	57.0
450.0	37.4	39.4	-57.83	-55.83	94.9	92.9	57.0
600.0	28.4	37.9	-66.83	-57.33	103.9	94.4	57.0
750.1	47.6	54.3	-47.63	-40.93	84.7	78.0	57.0
900.1	35.7	36.5	-59.53	-58.73	96.6	95.8	57.0

Channel frequency 162.00 MHz (5 Watt power) Radiated Spurious Emissions Results

Frequency of	Amplitude of Spurious		Signal level to d	Signal level to dipole required		Emission level below	
Emission	emiss	-	to reproduce		carrier		
	Horizontal	Vertical	Horizontal	Vertical	Horizontal	Vertical	
(MHz)	dΒμV	dΒμV	dBm	dBm	dBc	dBc	dBc
324.0	51.8	50.9	-43.43	-44.33	80.5	81.4	57.0
486.0	36.2	45.5	-59.03	-49.73	96.1	86.8	57.0
648.0	25.0	33.9	-70.23	-61.33	107.3	98.4	57.0
810.0	48.3	51.5	-46.93	-43.73	84.0	80.8	57.0
972.0	32.7	40.7	-62.53	-54.53	99.6	91.6	57.0

Channel frequency 174.00 MHz (5 Watt power) Radiated Spurious Emissions Results

Frequency of	Amplitude o	plitude of Spurious Signal level to		lipole required Emission lev		vel below	Limit
Emission	emiss	sion	to reproduce		carrier		
	Horizontal	Vertical	Horizontal	Vertical	Horizontal	Vertical	
(MHz)	dΒμV	dΒμV	dBm	dBm	dBc	dBc	dBc
348.0	53.8	50.9	-41.43	-44.33	78.5	81.4	57.0
522.0	39.9	43.6	-55.33	-51.63	92.4	88.7	57.0
696.0	37.5	40.4	-57.73	-54.83	94.8	91.9	57.0
870.0	47.8	48.4	-47.43	-46.83	84.5	83.9	57.0
1044.0	29.0	35.7	-66.23	-59.53	103.3	96.6	57.0

ROGERS LABS, INC. 4405 W. 259th Terrace Louisburg, KS 66053 Phone/Fax: (913) 837-3214 Revision 1 Tekk International, Inc. Model: XV-1000 SN: #1 Test #: 080214

Test to: CFR47 90 and IC RSS-119
File: Tekk LMRS XV1000 TstRpt

FCC ID#: U59XV-1000 IC: 7555A-XV1000 Page 23 of 36 Date: March 17, 2008



Channel frequency 146.00 MHz (2.0-Watt power) Radiated Spurious Emissions Results

Frequency of	Amplitude of Spurious		Signal level to d	Signal level to dipole required		Emission level below	
Emission	emiss	sion	to reproduce		carrier		
	Horizontal	Vertical	Horizontal	Vertical	Horizontal	Vertical	
(MHz)	dΒμV	dΒμV	dBm	dBm	dBc	dBc	dBc
292.0	46.8	45.1	-48.43	-50.13	85.5	87.2	53.0
438.0	35.2	37.5	-60.03	-57.73	97.1	94.8	53.0
584.0	27.5	36.8	-67.73	-58.43	104.8	95.5	53.0
730.0	36.5	42.1	-58.73	-53.13	95.8	90.2	53.0
876.0	26.7	26.1	-68.53	-69.13	105.6	106.2	53.0

Channel frequency 150.01 MHz (2.0-Watt power) Radiated Spurious Emissions Results

Frequency of	Amplitude o	Amplitude of Spurious		Signal level to dipole required		Emission level below	
Emission	emiss	sion	to repro	to reproduce		carrier	
	Horizontal	Vertical	Horizontal	Vertical	Horizontal	Vertical	
(MHz)	dΒμV	dΒμV	dBm	dBm	dBc	dBc	dBc
300.0	47.1	47.2	-48.13	-48.03	81.2	81.1	53.0
450.0	36.5	37.9	-58.73	-57.33	91.8	90.4	53.0
600.0	23.4	32.7	-71.83	-62.53	104.9	95.6	53.0
750.1	44.0	49.8	-51.23	-45.43	84.3	78.5	53.0
900.1	30.4	31.1	-64.83	-64.13	97.9	97.2	53.0

Channel frequency 162.00 MHz (2.0-Watt power) Radiated Spurious Emissions Results

Frequency of	Amplitude of Spurious		Signal level to dipole required		Emission level below		Limit
Emission	emiss	sion	to repro	duce	carri	ier	
	Horizontal	Vertical	Horizontal	Vertical	Horizontal	Vertical	
(MHz)	dΒμV	dΒμV	dBm	dBm	dBc	dBc	dBc
324.0	46.8	46.9	-48.43	-48.33	81.5	81.4	53.0
486.0	31.1	39.7	-64.13	-55.53	97.2	88.6	53.0
648.0	29.2	36.6	-66.03	-58.63	99.1	91.7	53.0
810.0	43.1	46.6	-52.13	-48.63	85.2	81.7	53.0
972.0	29.5	35.9	-65.73	-59.33	98.8	92.4	53.0

Channel frequency 174.00 MHz (2.0-Watt power) Radiated Spurious Emissions Results

Frequency of	Amplitude of Spurious		_	Signal level to dipole required		Emission level below	
Emission	emiss	sion	to repro	oduce	carr	ier	
	Horizontal	Vertical	Horizontal	Vertical	Horizontal	Vertical	
(MHz)	dΒμV	dΒμV	dBm	dBm	dBc	dBc	dBc
348.0	44.7	41.4	-50.53	-53.83	83.6	86.9	53.0
522.0	32.6	35.2	-62.63	-60.03	95.7	93.1	53.0
696.0	39.1	40.0	-56.13	-55.23	89.2	88.3	53.0
870.0	38.4	44.3	-56.83	-50.93	89.9	84.0	53.0
1044.0	20.5	25.1	-74.73	-70.13	107.8	103.2	53.0

ROGERS LABS, INC. 4405 W. 259th Terrace Louisburg, KS 66053 Phone/Fax: (913) 837-3214 Revision 1

Tekk International, Inc. Model: XV-1000 SN: #1 Test #: 080214

Test to: CFR47 90 and IC RSS-119

File: Tekk LMRS XV1000 TstRpt

FCC ID#: U59XV-1000 IC: 7555A-XV1000 Page 24 of 36 Date: March 17, 2008



All other spurious emissions measured were 20 db or more below the limit. The worst-case data is represented in this report. Specifications of Paragraph 2.1053, 2.1057, applicable paragraphs of parts 2 and 90 are met. There are no deviations to the specifications.

2.1055 Frequency Stability


Measurements Required

The frequency stability shall be measured with variations of ambient temperature from -30° to +50° centigrade. Measurements shall be made at the extremes of the temperature range and at intervals of not more than 10° centigrade through the range. A period of time sufficient to stabilize all of the components of the oscillator circuit at each temperature level shall be allowed prior to frequency measurement. In addition to temperature stability, the frequency stability shall be measured with variation of primary supply voltage as follows:

- (1) Vary primary supply voltage from 85 to 115 percent of the nominal value for other than hand carried battery equipment.
- (2) For hand carried, batteries powered equipment, reduce primary supply voltage to the battery-operating end point, which shall be specified by the manufacturer.

The supply voltage shall be measured at the input to the cable normally provided with the equipment, or at the power supply terminals if cables are not normally provided.

Test Arrangement



Revision 1

NVLAP Lab Code 200087-0

The measurement procedure outlined below shall be followed:

- (1) The transmitter shall be installed in an environmental test chamber whose temperature is controllable. Provision shall be made to measure the frequency of the transmitter.
- (2) With the transmitter inoperative (power switched "OFF"), the temperature of the test chamber shall be adjusted to +25°C. After a temperature stabilization period of one hour at +25°C, the transmitter shall be switched "ON" with standard test voltage applied.
- (3) The carrier shall be keyed "ON", and the transmitter shall be operated unmodulated at full radio frequency power output at the duty cycle, for which it is rated, for duration of at least 5 minutes. The radio frequency carrier frequency shall be monitored and measurements shall be recorded.
- (4) The test procedures outlined in Steps 2 and 3 shall be repeated after stabilizing the transmitter at the environmental temperatures specified, -30°C to 50°C in 10-degree increments.

The frequency stability was measured with variations in the power supply voltage from 85 to 115 percent of the nominal value. A BK Precision DC Power Supply was used to vary the dc voltage for the power input from 6.3 Vdc to 8.5 Vdc. The frequency was measured and the variation in parts per million was calculated. Data was taken per Paragraphs 2.1055 and applicable paragraphs of part 90.

IC: 7555A-XV1000 Page 26 of 36 Date: March 17, 2008

FCC ID#: U59XV-1000



Frequency Stability Results

Frequency (MHz) 160.0000	Frequency Stability Vs Temperature In Parts Per Million (Ppm)								
Temperature	-30	-20	-10	0	10	20	30	40	50
Change(Hz)	-10.0	-10.0	-30.0	-30.0	-20.0	-10.0	-30.0	0.0	0.0
PPM	-0.062	-0.062	-0.185	-0.185	-0.123	-0.062	-0.185	0.000	0.000

	Frequency	Frequency Stability Vs Voltage Variation			
	160.0000 MHz	7.4 volts nominal; Results In PPM			
		Input Voltage			
		6.3 Vdc 7.4 Vdc 8.5 Vdc			
Ī	Change (Hz)	0.0 0.0 0.0			

Frequency	Frequency Stability Vs Voltage Variation
160.0000 MHz	7.4 volts nominal; Results In PPM
	Battery Endpoint Voltage 5.5 Vdc
Change (Hz)	0.0

Specifications of Paragraphs 2.1055 and applicable paragraphs of part 90 are met. There are no deviations to the specifications.

Transient Frequency Behavior, Per 90.214

Measurements Required

When a transmitter is turned on, the radio frequency may take some time to stabilize. During this initial period, the frequency error must not exceed the limits specified in 90.214.

FCC ID#: U59XV-1000

IC: 7555A-XV1000




Minimum Standard

Transient Behavior for Equipment Designed to Operate on 25 kHz Channels						
Time Intervals	Intervals Maximum Frequency Frequency Range					
	Difference (kHz)	138-174 MHz	406.1-470 MHz			
t1	± 25	5 mS	10 mS			
t2	± 12.5	20 mS	25 mS			
t3	± 25	5 mS	10 mS			

Transient Behavior for Equipment Designed to Operate on 12.5 kHz Channels						
Time Intervals	Maximum Frequency	Maximum Frequency Frequency Range				
	Difference (kHz)	138-174 MHz	406.1-470 MHz			
t1	± 12.5	5 mS	10 mS			
t2	± 6.25	20 mS	25 mS			
t3	± 12.5	5 mS	10 mS			

Test Arrangement

As recommended, the method given in ETA/TIA standard 603, was used. Refer to figures 14 and 15 displaying the transient behavior of the transmitter.




FCC ID#: U59XV-1000

IC: 7555A-XV1000










Figure fifteen Transient Behavior of Transmitter t3

Specifications of Paragraph 90.214 are met. There are no deviations to the specifications.



Annex

- Annex A, Measurement Uncertainty Calculations
- Annex B, Test Equipment List.
- Annex C, Rogers Qualifications.
- Annex D, FCC Site Registration Letter.
- Annex E, Industry Canada Registration Letter.

FCC ID#: U59XV-1000



Annex A Measurement Uncertainty Calculations

Radiated Emissions Measurement Uncertainty Calculation

Measurement of vertically polarized radiated field strength over the frequency range 30 MHz to 1 GHz on an open area test site at 3m and 10m includes following uncertainty:

	Probability	Uncertainty
Contribution	Distribution	(dB)
Antenna factor calibration	normal(k = 2)	±0.58
Cable loss calibration	normal(k = 2)	±0.2
Receiver specification	rectangular	±1.0
Antenna directivity	rectangular	±0.1
Antenna factor variation with height	rectangular	±2.0
Antenna factor frequency interpolation	rectangular	±0.1
Measurement distance variation	rectangular	±0.2
Site Imperfections	rectangular	±1.5
Combined standard uncortainty y (y) is		

Combined standard uncertainty u_C(y) is

$$U_c(y) = \pm \sqrt{\left[\frac{1.0}{2}\right]^2 + \left[\frac{0.2}{2}\right]^2 + \left[1.0^2 + 0.1^2 + 2.0^2 + 0.1^2 + 0.2^2 + 1.5^2\right]}$$

$$U_c(y) = \pm 1.6 \text{ dB}$$

It is probable that $u_c(y) / s(q_k) > 3$, where $s(q_k)$ is estimated standard deviation from a sample of n readings unless the repeatability of the EUT is particularly poor, and a coverage factor of k = 2 will ensure that the level of confidence will be approximately 95%, therefore:

$$s(q_k) = \sqrt{\frac{1}{(n-1)}} \sum_{k-1}^{n} (q_k - \bar{q})^2$$

$$U = 2 U_c(y) = 2 x \pm 1.6 dB = \pm 3.2 dB$$

Notes:

- Uncertainties for the antenna and cable were estimated, based on a normal probability distribution with k = 2.
- 1.2 The receiver uncertainty was obtained from the manufacturer's specification for which a rectangular distribution was assumed.
- 1.3 The antenna factor uncertainty does not take account of antenna directivity.
- 1.4 The antenna factor varies with height and since the height was not always the same in use as when the antenna was calibrated an additional uncertainty is added.
- 1.5 The uncertainty in the measurement distance is relatively small but has some effect on the received signal strength. The increase in measurement distance as the antenna height is increased is an inevitable consequence of the test method and is therefore not considered a contribution to uncertainty.
- 1.6 Site imperfections are difficult to quantify but may include the following contributions:
 - -Unwanted reflections from adjacent objects.
 - -Ground plane imperfections: reflection coefficient, flatness, and edge effects.
 - -Losses or reflections from "transparent" cabins for the EUT or site coverings.
 - -Earth currents in antenna cable (mainly effect biconical antennas).

The specified limits for the difference between measured site attenuation and the theoretical value (± 4 dB) were not included in total since the measurement of site attenuation includes uncertainty contributions already allowed for in this budget, such as antenna factor.

ROGERS LABS, INC. 4405 W. 259th Terrace Louisburg, KS 66053 Phone/Fax: (913) 837-3214 Revision 1 Tekk International, Inc. Model: XV-1000 SN: #1 Test #: 080214

Test to: CFR47 90 and IC RSS-119
File: Tekk LMRS XV1000 TstRpt

FCC ID#: U59XV-1000 IC: 7555A-XV1000 Page 31 of 36



Conducted Measurements Uncertainty Calculation

Measurement of conducted emissions over the frequency range 9 kHz to 30 MHz includes following uncertainty:

	Probability	Uncertainty
Contribution	Distribution	(dB)
Receiver specification	rectangular	±1.5
LISN coupling specification	rectangular	±1.5
Cable and input attenuator calibration	normal (k=2)	±0.5

Combined standard uncertainty $u_c(y)$ is

$$U_c(y) = \pm \sqrt{\frac{0.5}{2}^2 + \frac{1.5^2 + 1.5^2}{3}}$$

$$U_c(y) = \pm 1.2 \text{ dB}$$

As with radiated field strength uncertainty, it is probable that $u_c(y) / s(q_k) > 3$ and a coverage factor of k = 2 will suffice, therefore:

$$U = 2 U_c(y) = 2 x \pm 1.2 dB = \pm 2.4 dB$$

FCC ID#: U59XV-1000



Annex B Test Equipment List For Rogers Labs, Inc.

The test equipment used is maintained in calibration and good operating condition. Use of this calibrated equipment ensures measurements are traceable to national standards.

List of Test Equipment	Calibration Date
Oscilloscope Scope: Tektronix 2230	2/08
Wattmeter: Bird 43 with Load Bird 8085	2/08
Power Supplies: Sorensen SRL 20-25, SRL 40-25, DCR 150, DCR 140	2/08
H/V Power Supply: Fluke Model: 408B (SN: 573)	2/08
R.F. Generator: HP 606A	2/08
R.F. Generator: HP 8614A	2/08
R.F. Generator: HP 8640B	2/08
Spectrum Analyzer: HP 8562A,	2/08
Mixers: 11517A, 11970A, 11970K, 11970U, 11970V, 11970W	
HP Adapters: 11518, 11519, 11520	
Spectrum Analyzer: HP 8591EM	5/07
Frequency Counter: Leader LDC825	2/08
Antenna: EMCO Biconilog Model: 3143	5/07
Antenna: EMCO Log Periodic Model: 3147	10/07
Antenna: Antenna Research Biconical Model: BCD 235	10/07
Antenna: EMCO Dipole Set 3121C	2/08
Antenna: C.D. B-101	2/08
Antenna: Solar 9229-1 & 9230-1	2/08
Antenna: EMCO 6509	2/08
Audio Oscillator: H.P. 201CD	2/08
R.F. Power Amp 65W Model: 470-A-1010	2/08
R.F. Power Amp 50W M185- 10-501	2/08
R.F. PreAmp CPPA-102	2/08
LISN 50 μHy/50 ohm/0.1 μf	10/07
LISN Compliance Eng. 240/20	2/08
LISN Fischer Custom Communications FCC-LISN-50-16-2-08	2/08
Peavey Power Amp Model: IPS 801	2/08
Power Amp A.R. Model: 10W 1010M7	2/08
Power Amp EIN Model: A301	2/08
ELGAR Model: 1751	2/08
ELGAR Model: TG 704A-3D	2/08
ESD Test Set 2010i	2/08
Fast Transient Burst Generator Model: EFT/B-101	2/08
Current Probe: Singer CP-105	2/08
Current Probe: Solar 9108-1N	2/08
Field Intensity Meter: EFM-018	2/08
KEYTEK Ecat Surge Generator	2/08

File: Tekk LMRS XV1000 TstRpt

FCC ID#: U59XV-1000 IC: 7555A-XV1000 Page 33 of 36 Date: March 17, 2008 NVLAP Lab Code 200087-0

Annex C Qualifications

SCOT D. ROGERS, ENGINEER ROGERS LABS, INC.

Mr. Rogers has approximately 17 years experience in the field of electronics. Six years working in the automated controls industry and 6 years working with the design, development and testing of radio communications and electronic equipment.

POSITIONS HELD:

Systems Engineer: A/C Controls Mfg. Co., Inc. 6 Years

Electrical Engineer: Rogers Consulting Labs, Inc. 5 Years

Electrical Engineer: Rogers Labs, Inc. Current

EDUCATIONAL BACKGROUND:

- 1) Bachelor of Science Degree in Electrical Engineering from Kansas State University.
- 2) Bachelor of Science Degree in Business Administration Kansas State University.
- 3) Several Specialized Training courses and seminars pertaining to Microprocessors and Software programming.

Scot D Rogers

Scot D. Rogers

Revision 1



Annex D FCC Site Approval Letter

FEDERAL COMMUNICATIONS COMMISSION

Laboratory Division 7435 Oakland Mills Road Columbia, MD 21046

May 16, 2006

Registration Number: 90910

Rogers Labs, Inc. 4405 West 259th Terrace Louisburg, KS 66053

Attention:

Scot Rogers

Re:

Measurement facility located at Louisburg

3 & 10 meter site

Date of Renewal: May 16, 2006

Dear Sir or Madam:

Your request for renewal of the registration of the subject measurement facility has been received. The information submitted has been placed in your file and the registration has been renewed. The name of your organization will remain on the list of facilities whose measurement data will be accepted in conjunction with applications for Certification under Parts 15 or 18 of the Commission's Rules. Please note that the file must be updated for any changes made to the facility and the registration must be renewed at least every three years.

Measurement facilities that have indicated that they are available to the public to perform measurement services on a fee basis may be found on the FCC website www.fcc.gov under E-Filing, OET Equipment Authorization Electronic Filing, Test Firms.

Information Technician

ROGERS LABS, INC. 4405 W. 259th Terrace Louisburg, KS 66053 Phone/Fax: (913) 837-3214

Revision 1

Tekk International, Inc. Model: XV-1000 SN: #1

Test #: 080214

Test to: CFR47 90 and IC RSS-119

File: Tekk LMRS XV1000 TstRpt

FCC ID#: U59XV-1000 IC: 7555A-XV1000 Page 35 of 36

Date: March 17, 2008



Annex E Industry Canada Site Approval Letter

May 23rd, 2006

OUR FILE: 46405-3041 Submission No: 115252

Rogers Labs Inc. 4405 West 259th Terrace Louisburg, KY USA 66053

Dear Sir/Madame:

The Bureau has received your application for the Alternate Test Site or OATS and the filing is satisfactory to Industry Canada.

Please reference to the file number (3041-1) in the body of all test reports containing measurements performed on the site.

In the future, to obtain or renew a unique registration number, you may demonstrate that the site has been accredited to ANSI C63.4-2003 or later.

If the site is not accredited to ANSI C63.4-2003 or later, the test facility shall submit test data demonstrating conformance with the ANSI standard. The Department will evaluate the filing to determine if recognition shall be granted.

The frequency for re-validation of the test site and the information that is required to be filed or retained by the testing party shall comply with the requirements established by the accrediting organization. However, in all cases, test site re-validation shall occur on an interval not to exceed two years.

If you have any questions, you may contact the Bureau by e-mail at certification.bureau@ic.gc.ca Please reference our file number above for all correspondence.

Yours sincerely,

Robert Corey

Manager Certification Certification and Engineering Bureau 3701 Carling Ave., Building 94 Ottawa, Ontario K2H 8S2

Canada

Revision 1

Test to: CFR47 90 and IC RSS-119

File: Tekk LMRS XV1000 TstRpt

FCC ID#: U59XV-1000 IC: 7555A-XV1000 Page 36 of 36

Date: March 17, 2008