

Engineering Solutions & Electromagnetic Compatibility Services

FCC Part 15.231 Test Data

EUT: 345 MHz Smoke Detector 56-0062-02 Rev B01

for

Resolution Engineering, Inc. 226 Locust Street, Suite 4 Hudson, WI 54016 Contact: Josh Gathje

Testing Conducted By Rhein Tech Laboratories, Inc. 360 Herndon Parkway, Suite 1400 Herndon, VA 20170

RTL Test Engineer: Jon Wilson

RTL Project/Report Number: 2013172

August 21, 2013

This report may not be reproduced, except in full, without the full written approval of Rhein Tech Laboratories, Inc. and Resolution Engineering. Test results relate only to the item tested.

These tests are accredited and meet the requirements of ISO/IEC 17025 as verified by ANSI-ASQ National Accreditation Board/ACLASS. Refer to certificate and scope of accreditation AT-1445.

Client: Resolution Engineering EUT: 345 MHz Smoke Detector Standards: FCC Parts 2, 15 Report #: 2013172

Testing Represented in Report

The data and limits presented in this report are for radiated emissions per 15.231(b)(2) which references 15.35(b), and peak limiting for restricted bands per 15.209(e), which again references 15.35(b)(2), as procured by Resolution Engineering. No average data is presented in this report. Data is also presented for spurious, non-harmonic radiated emissions per 15.209. The Equipment Under Test (EUT) was the **345 MHz Smoke Detector 56-0062-02 Rev B01 (RTL Bar Code 21241)**.

15.231 Radiated Emissions Test Data - FCC Limits/ 3m Distance

Emission Frequency (MHz)	Test Detector	Antenna Polarity (H/V)	Analyzer Reading (dBµV)	Site Correction Factor (dB/m)	Emission Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Pass/ Fail
258.754	Qp	V	42.8	-17.1	25.7	46.0	-20.3	Pass
345.000*	Peak	Н	66.4	26.7	93.1	97.3	-4.2	Pass
431.257	Qp	V	38.4	-13.0	25.4	46.0	-20.6	Pass
517.503	Qp	V	46.6	-9.8	36.8	46.0	-9.2	Pass
689.995	Peak	Н	60.3	-9.1	51.2	77.3	-26.1	Pass
1034.993	Peak	Н	61.0	-4.3	56.7	74.0	-17.3	Pass
1379.991	Peak	V	46.8	0.6	47.4	74.0	-26.6	Pass
1724.991	Peak	V	37.8	3.7	41.5	77.3	-35.8	Pass
2070.027	Peak	Н	49.7	-18.6	31.1	77.3	-46.2	Pass
2415.027	Peak	Н	46.1	-18.7	27.4	77.3	-49.9	Pass
2760.027	Peak	V	50.0	-18.2	31.8	74.0	-42.2	Pass
3105.027	Peak	V	50.7	-18.0	32.7	77.3	-44.6	Pass
3450.027	Peak	V	45.6	-17.2	28.4	77.3	-48.9	Pass

^{*} fundamental

Test Procedure

Radiated fundamental and spurious emissions were tested at three meters. The EUT was tested in the three orthogonal planes with the receive antenna in both polarities. The emissions were maximized per ANSI C63.4:2003 8.3.1.2; that is, the measurement antenna height was varied between 1 and 4 m, and the EUT was rotated through 360° on a rotating turntable until the maximum emissions were found. Both horizontal and vertical measurement antenna polarizations were used. A resolution bandwidth of 100 kHz was used for frequencies less than 1000 MHz, and a resolution bandwidth of 1 MHz was used for frequencies greater than or equal to 1000 MHz. The video bandwidth was set to a value at least three times greater than the resolution bandwidth.

EUT Disposition

The EUT was adapted to continuously transmit for testing purposes.

Client: Resolution Engineering EUT: 345 MHz Smoke Detector Standards: FCC Parts 2, 15 Report #: 2013172

Radiated Emissions Test Equipment

Part	Manufacturer	Model	Serial Number	RTL Bar Code	Calibration Due Date
Amplifier (20 MHz-2 GHz)	Rhein Tech Laboratories, Inc.	PR-1040	900905	900905	9/28/14
Bilog Periodic Antenna (25 MHz-2 GHz)	Schaffner Chase	CBL6112	2099	900791	2/2/14
EMI Receiver RF Section (9 kHz-6.5 GHz)	Hewlett Packard	85462A	3325A00159	900913	9/20/13
RF Filter Section (100 kHz-6.5 GHz)	Hewlett Packard	85460A	3330A00107	900914	9/20/13
Spectrum Analyzer	Hewlett Packard	8596EM	3826A00144	901215	3/15/14
Amplifier (1 GHz–26.0 GHz)	Rhein Tech Laboratories, Inc.	PR-1042	N/A	901364	9/28/13
Horn Antenna (2.0-4.0 GHz)	EMCO	3161-02	9804-1044	900772	4/20/15
Emissions Testing Software	Rhein Tech Laboratories, Inc.	Automated Emission Tester	Rev. 14.0.2	N/A	N/A

Test Personnel:

Jon Wilson	In ne	August 20, 2013
Test Engineer	Signature	Date of Test

FCC/IC Cross Reference

FCC 15.231(b)(2)	RSS-210 Issue 8 A1.1
FCC 15.35(b)	RSS-Gen Issue 3 7.2.3
FCC 15.205	RSS-Gen Issue 3 7.2.2
FCC 15.209	RSS-Gen Issue 3 7.2.5

Rhein Tech Laboratories, Inc. 360 Herndon Parkway, Suite 1400 Herndon, VA 20170 http://www.rheintech.com Client: Resolution Engineering EUT: 345 MHz Smoke Detector Standards: FCC Parts 2, 15 Report #: 2013172

Test Configuration Photograph

Radiated Emissions



Rhein Tech Laboratories, Inc. 360 Herndon Parkway, Suite 1400 Herndon, VA 20170 http://www.rheintech.com Client: Resolution Engineering EUT: 345 MHz Smoke Detector Standards: FCC Parts 2, 15 Report #: 2013172

