## **Description of Operation**

The EUT is a 11n Dual-Band USB Dongle with IEEE 802.11b/g/n (2T2R).

And this device provided of transmitting speed:

## 2.4GHz

IEEE 802.11a : 54, 48 ,36, 24, 18, 12, 9, 6 Mbps

IEEE 802.11b: 11, 5.5, 2, 1 Mbps

<u>IEEE 802.11g: 54, 48, 36, 24,</u> 18, 12, 9, 6 Mbps

IEEE 802.11n HT20 : 65, 58.5, 52, 39, 26, 19.5, 13, 6.55 Mbps

IEEE 802.11n HT40: 150,135, 121.5, 108, 81, 54, 40.5, 27, 13.5 Mbps

## 5GHz

IEEE 802.11a: 54, 48, 36, 24, 18, 12, 9, 6 Mbps

IEEE 802.11n HT20: 65, 58.5, 52. 39, 26. 19.5, 13, 6.5 Mbps

IEEE 802.11n HT40: 150,135, 121.5, 108, 81. 54, 40.5, 27, 13.5 Mbps

the device of RF carrier is CCK, DQPSK, DBPSK, 64QAM, 16QAM, QPSK and BPSK.

The device adapts <u>DSSS</u> and <u>OFDM</u> modulation. And the antenna was <u>two PCB Antennas</u> and provided diversity function to improve the receiving function. It allows your computer to connect to a wireless network and to share resources, such as files or printers without being bound to the network wires.

And this EUT Operation in 2.4GHz <u>Direct Sequence Spread Spectrum (D.S.S.S) and</u>

Orthogonal Frequency division Multiplex (O.F.D.M) radio transmission.

In addition, its standard compliance ensures that it can communicate with any

802.11a/b/g/n network.