

Panasonic Avionics Corp.

TEST REPORT FOR

Bluetooth Radio
Model: Laird BT-850

Tested to The Following Standards:

FCC Part 15 Subpart C Section 15.247
(FHSS 2400-2483.5 MHz)

Report No.: 103959-9

Date of issue: January 14, 2021



Test Certificate # 803.01

This test report bears the accreditation symbol indicating that the testing performed herein meets the test and reporting requirements of ISO/IEC 17025 under the applicable scope of testing for CKC Laboratories, Inc.

We strive to create long-term, trust based relationships by providing sound, adaptive, customer first testing services. We embrace each of our customers' unique EMC challenges, not as an interruption to set processes, but rather as the reason we are in business.

This report contains a total of 51 pages and may be reproduced in full only. Partial reproduction may only be done with the written consent of CKC Laboratories, Inc.





TABLE OF CONTENTS

Administrative Information	3
Test Report Information	3
Report Authorization	3
Test Facility Information	4
Software Versions	4
Site Registration & Accreditation Information	4
Summary of Results	5
Modifications During Testing	5
Conditions During Testing	5
Equipment Under Test	6
General Product Information	6
FCC Part 15 Subpart C	10
15.247(b)(1) Output Power	10
15.247(d) Radiated Emissions & Band Edge	18
Supplemental Information	50
Measurement Uncertainty	50
Emissions Test Details	50

ADMINISTRATIVE INFORMATION

Test Report Information

REPORT PREPARED FOR:

Panasonic Avionics Corp.
26200 Enterprise Way
Lake Forrest, CA 92630

Representative: Steve Dang

REPORT PREPARED BY:

Samantha Mossman
CKC Laboratories, Inc.
5046 Sierra Pines Drive
Mariposa, CA 95338

Project Number: 103959

DATE OF EQUIPMENT RECEIPT:

December 16, 2020

DATE(S) OF TESTING:

December 16-17, 2020

Report Authorization

The test data contained in this report documents the observed testing parameters pertaining to and are relevant for only the equipment provided by the client, tested in the agreed upon operational mode(s) and configuration(s) as identified herein. Compliance assessment remains the client's responsibility. This report may not be used to claim product endorsement by A2LA or any government agencies. This test report has been authorized for release under quality control from CKC Laboratories, Inc.



Steve Behm
Director of Quality Assurance & Engineering Services
CKC Laboratories, Inc.

Test Facility Information



Our laboratories are configured to effectively test a wide variety of product types. CKC utilizes first class test equipment, anechoic chambers, data acquisition and information services to create accurate, repeatable and affordable test results.

TEST LOCATION(S):
CKC Laboratories, Inc.
110 Olinda Place
Brea, CA 92823

Software Versions

CKC Laboratories Proprietary Software	Version
EMITest Emissions	5.03.19

Site Registration & Accreditation Information

Location	*NIST CB #	FCC	Canada	Japan
Canyon Park, Bothell, WA	US0103	US1024	3082C	A-0136
Brea, CA	US0103	US1024	3082D	A-0136
Fremont, CA	US0103	US1024	3082B	A-0136
Mariposa, CA	US0103	US1024	3082A	A-0136

*CKC's list of NIST designated countries can be found at: <https://standards.gov/cabs/designations.html>

SUMMARY OF RESULTS

Standard / Specification: FCC Part 15 Subpart C - 15.247 (FHSS 2.4GHz)

Test Procedure	Description	Modifications	Results
15.247(a)(1)	Occupied Bandwidth	NA	NP
15.247(a)(1)	Carrier Separation	NA	NP
15.247(a)(1)(iii)	Number of Hopping Channels	NA	NP
15.247(a)(1)(iii)	Average Time of Occupancy	NA	NP
15.247(b)(1)	Output Power	NA	Pass
15.247(d)	RF Conducted Emissions & Band Edge	NA	NP
15.247(d)	Radiated Emissions & Band Edge	NA	Pass
15.207	AC Conducted Emissions	NA	NP

NA = Not Applicable

NP = CKC laboratories was not contracted to perform test.

ISO/IEC 17025 Decision Rule

The declaration of pass or fail herein is based upon assessment to the specification(s) listed above, including where applicable, assessment of measurement uncertainties. For performance related tests, equipment was monitored for specified criteria identified in that section of testing.

Modifications During Testing

This list is a summary of the modifications made to the equipment during testing.

Summary of Conditions

No modifications were made during testing.

Modifications listed above must be incorporated into all production units.

Conditions During Testing

This list is a summary of the conditions noted to the equipment during testing.

Summary of Conditions

Note PCII of a single modular approved radio, Original FCCID: U6YBT850 with new antennas and cable. Power setting: Specific Power Table index 0

EQUIPMENT UNDER TEST (EUT)

During testing, numerous configurations may have been utilized. The configurations listed below support compliance to the standard(s) listed in the Summary of Results section.

Configuration 1

Equipment Tested:

Device	Manufacturer	Model #	S/N
Bluetooth Radio	Panasonic Avionics Corp.	Laird BT-850	NA


Support Equipment:

Device	Manufacturer	Model #	S/N
Laptop	Dell	Inspiron 15	PA004933
Development board	Laird	DVK-BT850-1.0	PA004933

General Product Information:

Product Information	Manufacturer-Provided Details
Equipment Type:	Radio Module
Type of Wideband System:	FHSS
Operating Frequency Range:	2402-2480MHz
Number of Hopping Channels:	78
Receiver Bandwidth and Synchronization:	The manufacturer declares the receiver input bandwidth matches the transmit channel bandwidth and shifts frequencies in synchronization with the transmitter.
Modulation Type(s):	GFSK, $\pi/4$ DQPSK, 8DPSK
Maximum Duty Cycle:	98%
Number of TX Chains:	1
Antenna Type(s) and Gain:	Ant: PCB trace, R8U2FJ8436Z, ant gain +3.0dBi, paired with Cable 43 Ant: PCB trace, R8U5FJ8946Z, ant gain -1.2dBi, paired with Cable 24
Beamforming Type:	NA
Antenna Connection Type:	Integral (External connector provided to facilitate testing)
Nominal Input Voltage:	3.3 V DC
Firmware / Software used for Test:	Firmware PN: BT850-ST-PA-01-CT

EUT and Accessory Photo(s)



Antenna

Support Equipment Photo(s)




Laptop



Development Board

Block Diagram of Test Setup(s)

Test Setup Block Diagram



FCC Part 15 Subpart C

15.247(b)(1) Output Power

Test Setup/Conditions			
Test Location:	Brea Lab D	Test Engineer:	E. Wong
Test Method:	ANSI C63.10 (2013)	Test Date(s):	12/16/2020
Configuration:	1		
Test Setup:	The single modulator approved radio is placed on the test bench conducted measurement measured at antenna port. 2402Mhz, 2441MHz, 2480MHz. Power setting: Specific Power Table index 0		

Environmental Conditions			
Temperature (°C)	20	Relative Humidity (%):	23


Test Equipment					
Asset#	Description	Manufacturer	Model	Cal Date	Cal Due
02869	Spectrum Analyzer	Agilent	E4440A	8/3/2020	8/3/2021
03430	Attenuator	Aeroflex/Weinschel	75A-10-12	12/20/2019	12/20/2021
07243	Cable	H&S	32022-29094K-29094K-24TC	5/29/2020	5/29/2022

Test Data Summary - RF Conducted Measurement					
$Limit = \begin{cases} 30dBm \text{ Conducted} / 36dBm \text{ EIRP} & \geq 75 \text{ Channels} \\ 21dBm \text{ Conducted} / 27dBm \text{ EIRP} & < 75 \text{ Channels (min 15)} \end{cases}$					
Frequency (MHz)	Modulation	Ant. Type / Gain (dBi)	Measured (dBm)	Limit (dBm)	Results
2402	GFSK	PCB Trace *	-0.95	≤ 30	Pass
2441	GFSK	PCB Trace *	-0.51	≤ 30	Pass
2480	GFSK	PCB Trace *	-0.93	≤ 30	Pass
2402	π/4 DQPSK	PCB Trace *	0.87	≤ 30	Pass
2441	π/4 DQPSK	PCB Trace *	1.24	≤ 30	Pass
2480	π/4 DQPSK	PCB Trace *	0.63	≤ 30	Pass
2402	8DPSK	PCB Trace *	1.24	≤ 30	Pass
2441	8DPSK	PCB Trace *	1.58	≤ 30	Pass
2480	8DPSK	PCB Trace *	0.98	≤ 30	Pass


Modulation Equivalent to DH5, 2DH5, 3DH5. Original grant FHSS 78 channels

* antennas listed in equipment general product information


Plot(s)




DPSK_2402MHz, Low Channel




DPSK_2441MHz, Middle Channel




DPSK_2480MHz, High Channel




GFSK_2402MHz, Low Channel




GFSK_2441MHz, Middle Channel




GFSK_2480MHz, High Channel



QPSK_2402MHz, Low Channel



QPSK_2441MHz, Middle Channel



QPSK_2480MHz, High Channel

Test Setup / Conditions / Data



15.247(d) Radiated Emissions & Band Edge

Test Setup / Conditions / Data

Test Location: CKC Laboratories, Inc. • 110 N. Olinda Place • Brea, CA • 714 993 6112
 Customer: **Panasonic Avionics Corp.**
 Specification: **15.247(d) / 15.209 Radiated Spurious Emissions**
 Work Order #: **103959** Date: 12/16/2020
 Test Type: **Radiated Scan** Time: 18:26:49
 Tested By: E. Wong Sequence#: 2
 Software: EMITest 5.03.19

Equipment Tested:

Device	Manufacturer	Model #	S/N
Configuration 1			

Support Equipment:

Device	Manufacturer	Model #	S/N
Configuration 1			

Test Conditions / Notes:

The EUT is installed on support development board and placed on Styrofoam block, connected to a support laptop for configuration purposes.

Evaluation of PCII with new antenna. Worst case emission evaluation based on original certification.

2402MHz, 2441MHz, 2480MHz

Bluetooth: GFSK, Pi /4 DQPSK, 8DPSK


Ant 1: R8U2FJ8436Z, ant gain: +3.0dBi, paired with Cable 43

Frequency range of measurement = 1 - 12 GHz.
1000 MHz-12000 MHz; RBW=1MHz,VBW=3 MHz

Test environment conditions:
 Temperature:22.3°C
 Relative Humidity:21%
 Atmospheric Pressure: 100kPa

Site D
ANSI ANSI C63.10-2013

Panasonic Avionics Corp. WO#: 103959 Sequence#: 2 Date: 12/16/2020
 15.247(d) / 15.209 Radiated Spurious Emissions Test Distance: 3 Meters Horiz



— Readings
 × QP Readings
 ▼ Ambient
 — 1 - 15.247(d) / 15.209 Radiated Spurious Emissions
 ○ Peak Readings
 * Average Readings
 Software Version: 5.03.19

Test Equipment:

ID	Asset #	Description	Model	Calibration Date	Cal Due Date
T1	AN02869	Spectrum Analyzer	E4440A	8/3/2020	8/3/2021
T2	AN01646	Horn Antenna	3115	3/17/2020	3/17/2022
T3	ANP07656	Cable	32022-29094K-29094K-24TC	7/30/2020	7/30/2022
T4	AN00787	Preamp	83017A	5/31/2019	5/31/2021
T5	ANP07138	Cable	ANDL1-PNMNM-60	3/4/2019	3/4/2021
T6	ANP04382	Cable	LDF-50	5/15/2020	5/15/2022

Measurement Data: Reading listed by margin. Test Distance: 3 Meters

#	Freq MHz	Rdng dBμV	T1 T5 dB	T2 T6 dB	T3 dB	T4 dB	Dist. Table	Corr dBμV/m	Spec dBμV/m	Margin dB	Polar Ant
1	7439.567M	32.8	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	49.3	54.0 Ant1_2480MHz_G FSK_X	-4.7	Horiz
2	7440.430M	32.7	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	49.2	54.0 Ant1_2480MHz_Q PSK_X	-4.8	Horiz
3	7440.100M	32.6	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	49.1	54.0 Ant1_2480MHz_8 DPSK_Z	-4.9	Horiz
4	4959.750M	40.0	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	49.1	54.0 Ant1_2480MHz_G FSK_X	-4.9	Horiz
5	7439.830M	32.4	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.9	54.0 Ant1_2480MHz_G FSK_Y	-5.1	Vert
6	7440.100M	32.3	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.8	54.0 Ant1_2480MHz_8 DPSK_Y	-5.2	Horiz
7	7440.400M	32.3	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.8	54.0 Ant1_2480MHz_Q PSK_Z	-5.2	Horiz
8	7439.830M	32.3	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.8	54.0 Ant1_2480MHz_G FSK_Y	-5.2	Horiz
9	7440.100M	32.2	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.7	54.0 Ant1_2480MHz_8 DPSK_Y	-5.3	Vert
10	7323.000M	32.6	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	48.6	54.0 Ant1_2441MHz_Q PSK_Z	-5.4	Vert
11	7440.400M	32.0	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.5	54.0 Ant1_2480MHz_8 DPSK_X	-5.5	Vert
12	7440.430M	32.0	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.5	54.0 Ant1_2480MHz_Q PSK_X	-5.5	Vert
13	7323.000M	32.4	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	48.4	54.0 Ant1_2441MHz_8 DPSK_X	-5.6	Vert
14	7440.430M	31.9	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.4	54.0 Ant1_2480MHz_G FSK_Z	-5.6	Horiz
15	4960.230M	39.3	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	48.4	54.0 Ant1_2480MHz_8 DPSK_X	-5.6	Horiz
16	7323.000M	32.4	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	48.4	54.0 Ant1_2441MHz_8 DPSK_Y	-5.6	Vert

17	7322.950M	32.3	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	48.3	54.0	-5.7	Horiz	Ant1_2441MHz_8 DPSK_Z
18	7323.000M	32.3	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	48.3	54.0	-5.7	Horiz	Ant1_2441MHz_G FSK_X
19	7440.500M	31.8	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.3	54.0	-5.7	Vert	Ant1_2480MHz_Q PSK_Z
20	7323.000M	32.2	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	48.2	54.0	-5.8	Horiz	Ant1_2441MHz_Q PSK_Y
21	7439.830M	31.7	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.2	54.0	-5.8	Vert	Ant1_2480MHz_G FSK_Z
22	4960.330M	39.1	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	48.2	54.0	-5.8	Vert	Ant1_2480MHz_Q PSK_Y
23	7322.950M	32.2	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	48.2	54.0	-5.8	Horiz	Ant1_2441MHz_8 DPSK_Y
24	7440.400M	31.6	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.1	54.0	-5.9	Horiz	Ant1_2480MHz_8 DPSK_X
25	7440.500M	31.5	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.0	54.0	-6.0	Horiz	Ant1_2480MHz_Q PSK_Y
26	7439.450M	31.5	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.0	54.0	-6.0	Vert	Ant1_2480MHz_G FSK_X
27	7322.800M	32.0	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	48.0	54.0	-6.0	Vert	Ant1_2441MHz_G FSK_Z
28	7323.000M	32.0	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	48.0	54.0	-6.0	Vert	Ant1_2441MHz_G FSK_X
29	7323.000M	31.9	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	47.9	54.0	-6.1	Horiz	Ant1_2441MHz_Q PSK_Z
30	7323.000M	31.7	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	47.7	54.0	-6.3	Horiz	Ant1_2441MHz_8 DPSK_X
31	7322.950M	31.7	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	47.7	54.0	-6.3	Vert	Ant1_2441MHz_8 DPSK_Z
32	7205.730M	32.1	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.7	54.0	-6.3	Vert	Ant1_2402MHz_Q PSK_Z
33	7205.000M	32.1	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.7	54.0	-6.3	Vert	Ant1_2402MHz_G FSK_X

34	7323.000M	31.7	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	47.7	54.0	-6.3	Vert	Ant1_2441MHz_Q PSK_Y
35	7323.000M	31.7	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	47.7	54.0	-6.3	Horiz	Ant1_2441MHz_Q PSK_X
36	7322.800M	31.7	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	47.7	54.0	-6.3	Horiz	Ant1_2441MHz_G FSK_Z
37	7323.000M	31.6	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	47.6	54.0	-6.4	Vert	Ant1_2441MHz_G FSK_Y
38	7205.630M	32.0	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.6	54.0	-6.4	Horiz	Ant1_2402MHz_G FSK_Z
39	7205.600M	31.9	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.5	54.0	-6.5	Horiz	Ant1_2402MHz_G FSK_X
40	7206.300M	31.9	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.5	54.0	-6.5	Horiz	Ant1_2402MHz_8 DPSK_Z
41	4959.670M	38.3	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	47.4	54.0	-6.6	Vert	Ant1_2480MHz_G FSK_Y
42	7205.770M	31.8	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.4	54.0	-6.6	Horiz	Ant1_2402MHz_Q PSK_X
43	7206.300M	31.7	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.3	54.0	-6.7	Vert	Ant1_2402MHz_8 DPSK_Y
44	7205.730M	31.7	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.3	54.0	-6.7	Vert	Ant1_2402MHz_8 DPSK_X
45	7205.730M	31.7	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.3	54.0	-6.7	Horiz	Ant1_2402MHz_Q PSK_Z
46	7205.730M	31.6	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.2	54.0	-6.8	Horiz	Ant1_2402MHz_G FSK_Y
47	7440.500M	30.7	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	47.2	54.0	-6.8	Vert	Ant1_2480MHz_Q PSK_Y
48	7205.730M	31.6	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.2	54.0	-6.8	Vert	Ant1_2402MHz_G FSK_Y
49	7440.100M	30.6	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	47.1	54.0	-6.9	Vert	Ant1_2480MHz_8 DPSK_Z
50	7205.730M	31.5	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.1	54.0	-6.9	Horiz	Ant1_2402MHz_Q PSK_Y

51	7323.000M	31.0	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	47.0	54.0	-7.0	Vert
									Ant1_2441MHz_Q PSK_X		
52	7206.300M	31.4	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.0	54.0	-7.0	Horiz
									Ant1_2402MHz_8 DPSK_Y		
53	7205.770M	31.3	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	46.9	54.0	-7.1	Vert
									Ant1_2402MHz_Q PSK_X		
54	7206.300M	31.3	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	46.9	54.0	-7.1	Vert
									Ant1_2402MHz_8 DPSK_Z		
55	7205.730M	31.3	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	46.9	54.0	-7.1	Vert
									Ant1_2402MHz_Q PSK_Y		
56	7323.000M	30.9	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	46.9	54.0	-7.1	Horiz
									Ant1_2441MHz_G FSK_Y		
57	7205.730M	31.2	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	46.8	54.0	-7.2	Horiz
									Ant1_2402MHz_8 DPSK_X		
58	2390.000M	48.2	+0.0 +4.0	+28.3 +5.6	+0.5	-39.8	+0.0	46.8	54.0	-7.2	Vert
									Ant1_2402MHz_G FSK_Y_Bandedge_ L		
59	2483.500M	47.8	+0.0 +4.1	+28.2 +5.7	+0.5	-39.9	+0.0	46.4	54.0	-7.6	Vert
									Ant1_2480MHz_8 DPSK_Y_Bandedg e_H		
60	4804.200M	37.9	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	46.4	54.0	-7.6	Vert
									Ant1_2402MHz_8 DPSK_Y		
61	4960.070M	37.1	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	46.2	54.0	-7.8	Horiz
									Ant1_2480MHz_8 DPSK_Z		
62	7205.520M	30.6	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	46.2	54.0	-7.8	Vert
									Ant1_2402MHz_G FSK_Z		
63	4882.000M	36.8	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	45.8	54.0	-8.2	Vert
									Ant1_2441MHz_8 DPSK_Y		
64	4960.070M	36.4	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	45.5	54.0	-8.5	Vert
									Ant1_2480MHz_8 DPSK_Y		
65	2390.000M	46.8	+0.0 +4.0	+28.3 +5.6	+0.5	-39.8	+0.0	45.4	54.0	-8.6	Vert
									Ant1_2402MHz_8 DPSK_Y_Bandedg e_L		
66	4882.000M	36.2	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	45.2	54.0	-8.8	Vert
									Ant1_2441MHz_G FSK_Y		

67	4960.230M	36.1	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	45.2	54.0	-8.8	Horiz	Ant1_2480MHz_Q PSK_Z
68	4803.930M	36.4	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	44.9	54.0	-9.1	Horiz	Ant1_2402MHz_Q PSK_Z
69	4803.930M	36.4	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	44.9	54.0	-9.1	Horiz	Ant1_2402MHz_8 DPSK_X
70	4960.270M	35.7	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	44.8	54.0	-9.2	Horiz	Ant1_2480MHz_Q PSK_X
71	4882.000M	35.6	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	44.6	54.0	-9.4	Vert	Ant1_2441MHz_Q PSK_Y
72	4803.930M	35.8	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	44.3	54.0	-9.7	Vert	Ant1_2402MHz_Q PSK_Y
73	4959.670M	35.2	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	44.3	54.0	-9.7	Vert	Ant1_2480MHz_G FSK_Z
74	4960.070M	35.0	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	44.1	54.0	-9.9	Horiz	Ant1_2480MHz_8 DPSK_Y
75	4881.800M	35.0	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	44.0	54.0	-10.0	Horiz	Ant1_2441MHz_G FSK_Z
76	4803.670M	35.5	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	44.0	54.0	-10.0	Vert	Ant1_2402MHz_Q PSK_X
77	4959.633M	34.8	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	43.9	54.0	-10.1	Vert	Ant1_2480MHz_G FSK_X
78	4804.200M	35.3	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	43.8	54.0	-10.2	Horiz	Ant1_2402MHz_8 DPSK_Z
79	4960.330M	34.7	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	43.8	54.0	-10.2	Horiz	Ant1_2480MHz_Q PSK_Y
80	4803.870M	35.2	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	43.7	54.0	-10.3	Vert	Ant1_2402MHz_G FSK_Y
81	4881.800M	34.6	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	43.6	54.0	-10.4	Vert	Ant1_2441MHz_G FSK_Z
82	4960.230M	34.5	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	43.6	54.0	-10.4	Vert	Ant1_2480MHz_8 DPSK_X
83	2390.000M	44.9	+0.0 +4.0	+28.3 +5.6	+0.5	-39.8	+0.0	43.5	54.0	-10.5	Vert	Ant1_2402MHz_Q PSK_Y_Bandedge_ L

84	4803.930M	34.8	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	43.3	54.0	-10.7	Vert
									Ant1_2402MHz_Q PSK_Z		
85	4960.270M	34.2	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	43.3	54.0	-10.7	Vert
									Ant1_2480MHz_Q PSK_X		
86	2483.500M	44.7	+0.0 +4.1	+28.2 +5.7	+0.5	-39.9	+0.0	43.3	54.0	-10.7	Vert
									Ant1_2480MHz_G FSK_Y_Bandedge_ H		
87	4882.000M	34.2	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	43.2	54.0	-10.8	Vert
									Ant1_2441MHz_Q PSK_X		
88	4803.730M	34.7	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	43.2	54.0	-10.8	Horiz
									Ant1_2402MHz_G FSK_X		
89	2483.500M	44.5	+0.0 +4.1	+28.2 +5.7	+0.5	-39.9	+0.0	43.1	54.0	-10.9	Horiz
									Ant1_2480MHz_Q PSK_Y_Bandedge_ H		
90	4803.830M	34.6	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	43.1	54.0	-10.9	Horiz
									Ant1_2402MHz_G FSK_Z		
91	4960.330M	33.8	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	42.9	54.0	-11.1	Vert
									Ant1_2480MHz_Q PSK_Z		
92	4882.000M	33.9	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	42.9	54.0	-11.1	Vert
									Ant1_2441MHz_Q PSK_Z		
93	4803.930M	34.4	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	42.9	54.0	-11.1	Vert
									Ant1_2402MHz_8 DPSK_X		
94	4882.000M	33.8	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	42.8	54.0	-11.2	Vert
									Ant1_2441MHz_8 DPSK_X		
95	4881.950M	33.7	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	42.7	54.0	-11.3	Vert
									Ant1_2441MHz_8 DPSK_Z		
96	4803.930M	34.1	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	42.6	54.0	-11.4	Horiz
									Ant1_2402MHz_Q PSK_Y		
97	4803.650M	34.0	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	42.5	54.0	-11.5	Vert
									Ant1_2402MHz_G FSK_Z		
98	4803.970M	33.8	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	42.3	54.0	-11.7	Horiz
									Ant1_2402MHz_Q PSK_X		
99	4803.333M	33.6	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	42.1	54.0	-11.9	Vert
									Ant1_2402MHz_G FSK_X		

100	4960.070M	32.9	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	42.0	54.0 Ant1_2480MHz_8 DPSK_Z	-12.0	Vert
101	4804.200M	33.5	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	42.0	54.0 Ant1_2402MHz_8 DPSK_Y	-12.0	Horiz
102	4882.000M	33.0	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	42.0	54.0 Ant1_2441MHz_G FSK_X	-12.0	Vert
103	4803.870M	33.1	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	41.6	54.0 Ant1_2402MHz_G FSK_Y	-12.4	Horiz
104	4804.200M	32.9	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	41.4	54.0 Ant1_2402MHz_8 DPSK_Z	-12.6	Vert
105	2399.970M	65.0	+0.0 +4.0	+28.3 +5.6	+0.5	-39.8	+0.0	63.6	76.3 Ant1_2402MHz_Q PSK_Y_Bandedge_ L -20dBc	-12.7	Vert
106	4882.000M Ave	32.1	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	41.1	54.0 Ant1_2441MHz_8 DPSK_X	-12.9	Horiz
107	4881.950M Ave	31.7	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	40.7	54.0 Ant1_2441MHz_8 DPSK_Z	-13.3	Horiz
^	4881.950M	40.8	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	49.8	54.0 Ant1_2441MHz_8 DPSK_Z	-4.2	Horiz
^	4882.000M	40.2	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	49.2	54.0 Ant1_2441MHz_8 DPSK_X	-4.8	Horiz
^	4882.000M	39.3	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	48.3	54.0 Ant1_2441MHz_Q PSK_X	-5.7	Horiz
^	4882.000M	39.1	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	48.1	54.0 Ant1_2441MHz_Q PSK_Z	-5.9	Horiz
^	4882.000M	34.0	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	43.0	54.0 Ant1_2441MHz_G FSK_X	-11.0	Horiz
^	4881.950M	33.9	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	42.9	54.0 Ant1_2441MHz_8 DPSK_Y	-11.1	Horiz
^	4882.000M	33.8	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	42.8	54.0 Ant1_2441MHz_G FSK_Y	-11.2	Horiz
^	4882.000M	33.2	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	42.2	54.0 Ant1_2441MHz_Q PSK_Y	-11.8	Horiz

116	2400.000M	65.2	+0.0 +4.0	+28.3 +5.6	+0.5	-39.8	+0.0	63.8	77.9	-14.1	Vert
									Ant1_2402MHz_8 DPSK_Y_Bandedg e_L -20dBc		
117	4959.633M Ave	30.4	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	39.5	54.0	-14.5	Horiz
									Ant1_2480MHz_G FSK_X		
^	4959.600M	37.0	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	46.1	54.0	-7.9	Horiz
									Ant1_2480MHz_G FSK_Z		
^	4959.670M	34.6	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	43.7	54.0	-10.3	Horiz
									Ant1_2480MHz_G FSK_Y		
120	2400.000M	52.1	+0.0 +4.0	+28.3 +5.6	+0.5	-39.8	+0.0	50.7	76.3	-25.6	Vert
									Ant1_2402MHz_G FSK_Y_Bandedge_ L -20dBc		
121	2402.000M	99.3	+0.0 +4.0	+28.3 +5.6	+0.5	-39.8	+0.0	97.9	125.2	-27.3	Vert
									Ant1_2402MHz_8 DPSK_Y_Bandedg e_Fundamental		
122	2401.970M	95.6	+0.0 +4.0	+28.3 +5.6	+0.5	-39.8	+0.0	94.2	125.2	-31.0	Vert
									Ant1_2402MHz_Q PSK_Y_Bandedge_ Fundameltal		



Test Location: CKC Laboratories, Inc. • 110 N. Olinda Place • Brea, CA • 714 993 6112
 Customer: **Panasonic Avionics Corp.**
 Specification: **15.247(d) / 15.209 Radiated Spurious Emissions**
 Work Order #: **103959** Date: 12/17/2020
 Test Type: **Radiated Scan** Time: 11:44:13
 Tested By: E. Wong Sequence#: 3
 Software: EMITest 5.03.19

Equipment Tested:

Device	Manufacturer	Model #	S/N
Configuration 1			

Support Equipment:

Device	Manufacturer	Model #	S/N
Configuration 1			

Test Conditions / Notes:

The EUT is installed on support development board and placed on Styrofoam block, connected to a support laptop for configuration purposes.

 Evaluation of PCII with new antenna. Worst case emission evaluation based on original certification and pre-scan.

 2402MHz, 2441MHz, 2480MHz

 Bluetooth: GFSK, Pi /4 DQPSK, 8DPSK


 Ant 2: R8U5FJ8946Z, ant gain: -1.2dBi, paired with Cable 24

 Frequency range of measurement = 1 - 12 GHz.
 1000 MHz-12000 MHz; RBW=1MHz, VBW=3 MHz

 Test environment conditions:
 Temperature:22.3°C
 Relative Humidity: 21%
 Atmospheric Pressure:100kPa

 Site D
 ANSI ANSI C63.10-2013

Panasonic Avionics Corp. WO#: 103959 Sequence#: 3 Date: 12/17/2020
 15.247(d) / 15.209 Radiated Spurious Emissions Test Distance: 3 Meters Vert



— Readings
 × QP Readings
 ▼ Ambient
 ○ Peak Readings
 * Average Readings
 Software Version: 5.03.19
 — 1 - 15.247(d) / 15.209 Radiated Spurious Emissions

Test Equipment:

ID	Asset #	Description	Model	Calibration Date	Cal Due Date
T1	AN02869	Spectrum Analyzer	E4440A	8/3/2020	8/3/2021
T2	AN01646	Horn Antenna	3115	3/17/2020	3/17/2022
T3	ANP07656	Cable	32022-29094K-29094K-24TC	7/30/2020	7/30/2022
T4	AN00787	Preamp	83017A	5/31/2019	5/31/2021
T5	ANP07138	Cable	ANDL1-PNMNM-60	3/4/2019	3/4/2021
T6	ANP04382	Cable	LDF-50	5/15/2020	5/15/2022

Measurement Data: Reading listed by margin. Test Distance: 3 Meters

#	Freq MHz	Rdng dBμV	T1 T5 dB	T2 T6 dB	T3 dB	T4 dB	Dist. Table	Corr dBμV/m	Spec dBμV/m	Margin dB	Polar Ant
1	7323.000M	33.0	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	49.0	54.0 Ant2_2441MHz_Q PSK_Y	-5.0	Vert
2	7323.000M	32.9	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	48.9	54.0 Ant2_2441MHz_G FSK_Z	-5.1	Horiz
3	7440.000M	32.3	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.8	54.0 Ant2_2480MHz_8 DPSK_Y	-5.2	Horiz
4	7323.000M	32.8	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	48.8	54.0 Ant2_2441MHz_8 DPSK_X	-5.2	Vert
5	7323.000M	32.7	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	48.7	54.0 Ant2_2441MHz_8 DPSK_Y	-5.3	Horiz
6	7439.600M	32.1	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.6	54.0 Ant2_2480MHz_Q PSK_Y	-5.4	Vert
7	7439.600M	32.0	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.5	54.0 Ant2_2480MHz_8 DPSK_X	-5.5	Vert
8	7323.000M	32.4	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	48.4	54.0 Ant2_2441MHz_G FSK_Y	-5.6	Horiz
9	7323.000M	32.4	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	48.4	54.0 Ant2_2441MHz_G FSK_X	-5.6	Vert
10	7323.000M	32.4	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	48.4	54.0 Ant2_2441MHz_G FSK_Y	-5.6	Vert
11	7440.000M	31.8	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.3	54.0 Ant2_2480MHz_8 DPSK_Z	-5.7	Vert
12	7205.600M	32.7	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	48.3	54.0 Ant2_2402MHz_Q PSK_Z	-5.7	Horiz
13	7440.000M	31.8	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.3	54.0 Ant2_2480MHz_8 DPSK_Y	-5.7	Vert
14	7206.230M	32.6	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	48.2	54.0 Ant2_2402MHz_G FSK_Z	-5.8	Vert
15	7439.700M	31.7	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.2	54.0 Ant2_2480MHz_Q PSK_X	-5.8	Horiz
16	7439.600M	31.7	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.2	54.0 Ant2_2480MHz_Q PSK_Z	-5.8	Horiz

17	7205.900M	32.5	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	48.1	54.0 Ant2_2402MHz_8 DPSK_Z	-5.9	Horiz
18	7440.100M	31.6	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.1	54.0 Ant2_2480MHz_G FSK_X	-5.9	Horiz
19	7439.700M	31.6	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.1	54.0 Ant2_2480MHz_Q PSK_X	-5.9	Vert
20	7323.000M	32.1	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	48.1	54.0 Ant2_2441MHz_Q PSK_X	-5.9	Vert
21	7439.600M	31.6	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.1	54.0 Ant2_2480MHz_Q PSK_Z	-5.9	Vert
22	7440.000M	31.5	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	48.0	54.0 Ant2_2480MHz_8 DPSK_Z	-6.0	Horiz
23	7323.000M	32.0	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	48.0	54.0 Ant2_2441MHz_Q PSK_Z	-6.0	Horiz
24	7205.900M	32.4	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	48.0	54.0 Ant2_2402MHz_8 DPSK_Y	-6.0	Vert
25	7439.600M	31.4	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	47.9	54.0 Ant2_2480MHz_Q PSK_Y	-6.1	Horiz
26	7439.600M	31.4	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	47.9	54.0 Ant2_2480MHz_8 DPSK_X	-6.1	Horiz
27	7205.600M	32.3	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.9	54.0 Ant2_2402MHz_8 DPSK_X	-6.1	Horiz
28	7439.600M	31.3	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	47.8	54.0 Ant2_2480MHz_G FSK_Y	-6.2	Vert
29	7323.000M	31.8	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	47.8	54.0 Ant2_2441MHz_Q PSK_X	-6.2	Horiz
30	7439.600M	31.3	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	47.8	54.0 Ant2_2480MHz_G FSK_Z	-6.2	Vert
31	7440.100M	31.2	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	47.7	54.0 Ant2_2480MHz_G FSK_X	-6.3	Vert
32	7323.000M	31.7	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	47.7	54.0 Ant2_2441MHz_Q PSK_Y	-6.3	Horiz
33	7323.000M	31.6	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	47.6	54.0 Ant2_2441MHz_Q PSK_Z	-6.4	Vert

34	7205.600M	32.0	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.6	54.0	-6.4	Horiz	Ant2_2402MHz_Q PSK_Y
35	7206.200M	31.9	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.5	54.0	-6.5	Horiz	Ant2_2402MHz_G FSK_Y
36	7206.400M	31.9	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.5	54.0	-6.5	Vert	Ant2_2402MHz_G FSK_Y
37	7205.900M	31.9	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.5	54.0	-6.5	Horiz	Ant2_2402MHz_8 DPSK_Y
38	7205.600M	31.9	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.5	54.0	-6.5	Vert	Ant2_2402MHz_Q PSK_Y
39	7323.000M	31.4	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	47.4	54.0	-6.6	Vert	Ant2_2441MHz_8 DPSK_Y
40	7323.000M	31.4	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	47.4	54.0	-6.6	Vert	Ant2_2441MHz_8 DPSK_Z
41	7323.000M	31.4	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	47.4	54.0	-6.6	Vert	Ant2_2441MHz_G FSK_Z
42	7205.600M	31.8	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.4	54.0	-6.6	Vert	Ant2_2402MHz_Q PSK_Z
43	7439.600M	30.8	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	47.3	54.0	-6.7	Horiz	Ant2_2480MHz_G FSK_Y
44	7323.000M	31.2	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	47.2	54.0	-6.8	Horiz	Ant2_2441MHz_8 DPSK_X
45	7206.400M	31.6	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.2	54.0	-6.8	Horiz	Ant2_2402MHz_Q PSK_X
46	7206.600M	31.6	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.2	54.0	-6.8	Vert	Ant2_2402MHz_G FSK_X
47	7323.000M	31.1	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	47.1	54.0	-6.9	Horiz	Ant2_2441MHz_G FSK_X
48	7205.600M	31.5	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.1	54.0	-6.9	Vert	Ant2_2402MHz_8 DPSK_X
49	7439.600M	30.6	+0.0 +7.6	+37.3 +11.2	+0.8	-40.4	+0.0	47.1	54.0	-6.9	Horiz	Ant2_2480MHz_G FSK_Z
50	7323.000M	31.0	+0.0 +7.5	+36.9 +11.1	+0.8	-40.3	+0.0	47.0	54.0	-7.0	Horiz	Ant2_2441MHz_8 DPSK_Z

51	7205.500M	31.4	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	47.0	54.0	-7.0	Vert
									Ant2_2402MHz_Q PSK_X		
52	7205.900M	31.3	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	46.9	54.0	-7.1	Vert
									Ant2_2402MHz_8 DPSK_Z		
53	7206.230M	31.3	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	46.9	54.0	-7.1	Horiz
									Ant2_2402MHz_G FSK_Z		
54	7206.600M	30.8	+0.0 +7.5	+36.6 +11.0	+0.8	-40.3	+0.0	46.4	54.0	-7.6	Horiz
									Ant2_2402MHz_G FSK_X		
55	2400.000M	47.7	+0.0 +4.0	+28.3 +5.6	+0.5	-39.8	+0.0	46.3	54.0	-7.7	Vert
									Ant2_2402MHz_G FSK_Y_Bandedge_ L_-20dBc		
56	2483.500M	46.8	+0.0 +4.1	+28.2 +5.7	+0.5	-39.9	+0.0	45.4	54.0	-8.6	Vert
									Ant2_2480MHz_8 DPSK_Y_Bandedg e_H		
57	2483.500M	46.2	+0.0 +4.1	+28.2 +5.7	+0.5	-39.9	+0.0	44.8	54.0	-9.2	Vert
									Ant2_2480MHz_Q PSK_Y_bandedge_ H		
58	4959.730M	35.6	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	44.7	54.0	-9.3	Vert
									Ant2_2480MHz_G FSK_Y		
59	4960.000M	35.4	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	44.5	54.0	-9.5	Vert
									Ant2_2480MHz_8 DPSK_Y		
60	4960.070M	35.2	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	44.3	54.0	-9.7	Horiz
									Ant2_2480MHz_G FSK_X		
61	4804.130M	35.6	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	44.1	54.0	-9.9	Horiz
									Ant2_2402MHz_G FSK_Y		
62	4959.730M	34.9	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	44.0	54.0	-10.0	Horiz
									Ant2_2480MHz_Q PSK_Y		
63	4803.730M	35.5	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	44.0	54.0	-10.0	Vert
									Ant2_2402MHz_Q PSK_Y		
64	4959.730M	34.8	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	43.9	54.0	-10.1	Vert
									Ant2_2480MHz_Q PSK_Y		
65	4960.070M	34.7	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	43.8	54.0	-10.2	Vert
									Ant2_2480MHz_G FSK_X		
66	4959.730M	34.7	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	43.8	54.0	-10.2	Vert
									Ant2_2480MHz_G FSK_Z		

67	4803.730M	35.3	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	43.8	54.0	-10.2	Vert	Ant2_2402MHz_8 DPSK_X
68	4804.270M	35.3	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	43.8	54.0	-10.2	Vert	Ant2_2402MHz_G FSK_Y
69	4960.000M	34.6	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	43.7	54.0	-10.3	Horiz	Ant2_2480MHz_8 DPSK_Z
70	4959.730M	34.6	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	43.7	54.0	-10.3	Vert	Ant2_2480MHz_8 DPSK_X
71	4960.000M	34.6	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	43.7	54.0	-10.3	Horiz	Ant2_2480MHz_8 DPSK_Y
72	4882.000M	34.6	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	43.6	54.0	-10.4	Horiz	Ant2_2441MHz_Q PSK_Z
73	4803.670M	35.1	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	43.6	54.0	-10.4	Vert	Ant2_2402MHz_Q PSK_X
74	4959.730M	34.5	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	43.6	54.0	-10.4	Vert	Ant2_2480MHz_Q PSK_Z
75	4959.730M	34.4	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	43.5	54.0	-10.5	Horiz	Ant2_2480MHz_Q PSK_Z
76	4803.930M	35.0	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	43.5	54.0	-10.5	Horiz	Ant2_2402MHz_8 DPSK_Y
77	4882.000M	34.5	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	43.5	54.0	-10.5	Vert	Ant2_2441MHz_G FSK_Y
78	4804.170M	34.9	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	43.4	54.0	-10.6	Horiz	Ant2_2402MHz_G FSK_Z
79	4959.730M	34.3	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	43.4	54.0	-10.6	Horiz	Ant2_2480MHz_8 DPSK_X
80	4803.730M	34.9	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	43.4	54.0	-10.6	Horiz	Ant2_2402MHz_Q PSK_Z
81	4804.400M	34.9	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	43.4	54.0	-10.6	Horiz	Ant2_2402MHz_G FSK_X
82	4803.730M	34.8	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	43.3	54.0	-10.7	Vert	Ant2_2402MHz_Q PSK_Z
83	4803.730M	34.8	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	43.3	54.0	-10.7	Horiz	Ant2_2402MHz_8 DPSK_X

84	4959.830M	34.2	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	43.3	54.0	-10.7	Horiz	Ant2_2480MHz_Q PSK_X
85	4882.000M	34.2	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	43.2	54.0	-10.8	Vert	Ant2_2441MHz_8 DPSK_Z
86	4804.400M	34.7	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	43.2	54.0	-10.8	Vert	Ant2_2402MHz_G FSK_X
87	4882.000M	34.2	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	43.2	54.0	-10.8	Vert	Ant2_2441MHz_Q PSK_Y
88	4882.000M	34.1	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	43.1	54.0	-10.9	Horiz	Ant2_2441MHz_Q PSK_Y
89	4803.930M	34.6	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	43.1	54.0	-10.9	Vert	Ant2_2402MHz_8 DPSK_Z
90	4959.830M	34.0	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	43.1	54.0	-10.9	Vert	Ant2_2480MHz_Q PSK_X
91	4959.730M	34.0	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	43.1	54.0	-10.9	Horiz	Ant2_2480MHz_G FSK_Z
92	4882.000M	34.0	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	43.0	54.0	-11.0	Vert	Ant2_2441MHz_Q PSK_X
93	4804.170M	34.5	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	43.0	54.0	-11.0	Vert	Ant2_2402MHz_G FSK_Z
94	4960.000M	33.9	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	43.0	54.0	-11.0	Vert	Ant2_2480MHz_8 DPSK_Z
95	4882.000M	34.0	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	43.0	54.0	-11.0	Vert	Ant2_2441MHz_8 DPSK_Y
96	4959.730M	33.8	+0.0 +5.9	+33.8 +8.6	+0.7	-39.9	+0.0	42.9	54.0	-11.1	Horiz	Ant2_2480MHz_G FSK_Y
97	4882.000M	33.9	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	42.9	54.0	-11.1	Horiz	Ant2_2441MHz_Q PSK_X
98	4803.930M	34.4	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	42.9	54.0	-11.1	Vert	Ant2_2402MHz_8 DPSK_Y
99	4882.000M	33.9	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	42.9	54.0	-11.1	Vert	Ant2_2441MHz_G FSK_Z
100	4882.000M	33.8	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	42.8	54.0	-11.2	Horiz	Ant2_2441MHz_G FSK_Z

101	4882.000M	33.6	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	42.6	54.0	-11.4	Horiz
									Ant2_2441MHz_8 DPSK_Y		
102	4882.000M	33.6	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	42.6	54.0	-11.4	Vert
									Ant2_2441MHz_G FSK_X		
103	4803.730M	34.0	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	42.5	54.0	-11.5	Horiz
									Ant2_2402MHz_Q PSK_Y		
104	4882.000M	33.4	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	42.4	54.0	-11.6	Horiz
									Ant2_2441MHz_8 DPSK_X		
105	4882.000M	33.4	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	42.4	54.0	-11.6	Horiz
									Ant2_2441MHz_G FSK_Y		
106	4882.000M	33.3	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	42.3	54.0	-11.7	Horiz
									Ant2_2441MHz_G FSK_X		
107	4882.000M	33.2	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	42.2	54.0	-11.8	Vert
									Ant2_2441MHz_Q PSK_Z		
108	4803.930M	33.6	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	42.1	54.0	-11.9	Horiz
									Ant2_2402MHz_8 DPSK_Z		
109	4804.270M	33.5	+0.0 +5.8	+33.5 +8.5	+0.7	-40.0	+0.0	42.0	54.0	-12.0	Horiz
									Ant2_2402MHz_Q PSK_X		
110	4882.000M	33.0	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	42.0	54.0	-12.0	Vert
									Ant2_2441MHz_8 DPSK_X		
111	4882.000M	32.9	+0.0 +5.9	+33.7 +8.6	+0.7	-39.9	+0.0	41.9	54.0	-12.1	Horiz
									Ant2_2441MHz_8 DPSK_Z		
112	2483.500M	41.4	+0.0 +4.1	+28.2 +5.7	+0.5	-39.9	+0.0	40.0	54.0	-14.0	Vert
									Ant2_2480MHz_G FSK_Y_bandedge_ H		
113	2400.000M	56.7	+0.0 +4.0	+28.3 +5.6	+0.5	-39.8	+0.0	55.3	70.4	-15.1	Vert
									Ant2_2402MHz_Q PSK_Y_Bandedge_ L_-20dBc		
114	2400.000M	57.1	+0.0 +4.0	+28.3 +5.6	+0.5	-39.8	+0.0	55.7	70.8	-15.1	Vert
									Ant2_2402MHz_8 DPSK_Y_Bandedg e_L_-20dBc		

115	2390.000M	28.0	+0.0	+28.3	+0.5	-39.8	+0.0	26.6	54.0	-27.4	Vert
	Ave		+4.0	+5.6					Ant2_2402MHz_8 DPSK_Y_Bandedg e_L		
^	2390.000M	52.9	+0.0	+28.3	+0.5	-39.8	+0.0	51.5	54.0	-2.5	Vert
			+4.0	+5.6					Ant2_2402MHz_8 DPSK_Y_Bandedg e_L		
^	2390.000M	51.1	+0.0	+28.3	+0.5	-39.8	+0.0	49.7	54.0	-4.3	Vert
			+4.0	+5.6					Ant2_2402MHz_Q PSK_Y_Bandedge_ L		
^	2390.000M	47.0	+0.0	+28.3	+0.5	-39.8	+0.0	45.6	54.0	-8.4	Vert
			+4.0	+5.6					Ant2_2402MHz_G FSK_Y_Bandedge_ L		
119	2402.000M	92.2	+0.0	+28.3	+0.5	-39.8	+0.0	90.8	125.2	-34.4	Vert
			+4.0	+5.6					Ant2_2402MHz_8 DPSK_Y_fundame ntal		
120	2401.930M	91.8	+0.0	+28.3	+0.5	-39.8	+0.0	90.4	125.2	-34.8	Vert
			+4.0	+5.6					Ant2_2402MHz_Q PSK_Y_Fundament al		
121	2402.200M	90.8	+0.0	+28.3	+0.5	-39.8	+0.0	89.4	125.2	-35.8	Vert
			+4.0	+5.6					Ant2_2402MHz_G FSK_Y _fundamental		

Band Edge Summary					
Antenna 1 Operating Mode: Single Channel (Low and High)					
Frequency (MHz)	Modulation	Ant. Type	Field Strength (dBuV/m @3m)	Limit (dBuV/m @3m)	Results
2390.0	GFSK	PCB Trace *	46.8	<54	Pass
2400.0	GFSK	PCB Trace *	50.7	<76.3	Pass
2483.5	GFSK	PCB Trace *	43.3	<54	Pass
2390.0	$\pi/4$ QPSK	PCB Trace *	43.5	<54	Pass
2400.0	$\pi/4$ QPSK	PCB Trace *	63.6	<74.2	Pass
2483.5	$\pi/4$ QPSK	PCB Trace *	43.1	<54	Pass
2390.0	8DPSK	PCB Trace *	45.4	<54	Pass
2400.0	8DPSK	PCB Trace *	63.8	<77.9	Pass
2483.5	8DPSK	PCB Trace *	46.4	<54	Pass

* antennas listed in equipment general product information.



Antenna 2					
Frequency (MHz)	Modulation	Ant. Type	Field Strength (dBuV/m @3m)	Limit (dBuV/m @3m)	Results
2390.0	GFSK	PCB Trace *	45.6	<54	Pass
2400.0	GFSK	PCB Trace *	46.3	< 69.4	Pass
2483.5	GFSK	PCB Trace *	40.0	<54	Pass
2390.0	$\pi/4$ QPSK	PCB Trace *	49.7	<54	Pass
2400.0	$\pi/4$ QPSK	PCB Trace *	55.3	<70.4	Pass
2483.5	$\pi/4$ QPSK	PCB Trace *	44.8	<54	Pass
2390.0	8DPSK	PCB Trace *	51.5	<54	Pass
2400.0	8DPSK	PCB Trace *	55.7	<70.8	Pass
2483.5	8DPSK	PCB Trace *	54.5	<54	Pass



* antennas listed in equipment general product information.



Band Edge Summary					
Operating Mode: Hopping					
Frequency (MHz)	Modulation	Ant. Type	Field Strength (dBuV/m @3m)	Limit (dBuV/m @3m)	Results
2390.0	NA	NA	NA	<54	NA*
2400.0	NA	NA	NA	<	NA*
2483.5	NA	NA	NA	<54	NA*



*Not Applicable, original grant tested at higher power level, passed with good margin in Hopping mode.



Band Edge Plots















Test Setup Photo(s)



General Test Setup



Below 1GHz



Below 1GHz



Above 1GHz



Above 1GHz



X Axis



Y Axis



Z Axis

SUPPLEMENTAL INFORMATION

Measurement Uncertainty

Uncertainty Value	Parameter
4.73 dB	Radiated Emissions
3.34 dB	Mains Conducted Emissions
3.30 dB	Disturbance Power

Uncertainties reported are worst case for all CKC Laboratories’ sites and represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k=2. Compliance is deemed to occur provided measurements are below the specified limits.

Emissions Test Details

TESTING PARAMETERS

Unless otherwise indicated, the following configuration parameters are used for equipment setup: The cables were routed consistent with the typical application by varying the configuration of the test sample. Interface cables were connected to the available ports of the test unit. The effect of varying the position of the cables was investigated to find the configuration that produced maximum emissions. Cables were of the type and length specified in the individual requirements. The length of cable that produced maximum emissions was selected.

The equipment under test (EUT) was set up in a manner that represented its normal use, as shown in the setup photographs. Any special conditions required for the EUT to operate normally are identified in the comments that accompany the emissions tables.

The emissions data was taken with a spectrum analyzer or receiver. Incorporating the applicable correction factors for distance, antenna, cable loss and amplifier gain, the data was reduced as shown in the table below. The corrected data was then compared to the applicable emission limits. Preliminary and final measurements were taken in order to ensure that all emissions from the EUT were found and maximized.

CORRECTION FACTORS

The basic spectrum analyzer reading was converted using correction factors as shown in the highest emissions readings in the tables. For radiated emissions in dBμV/m, the spectrum analyzer reading in dBμV was corrected by using the following formula. This reading was then compared to the applicable specification limit. Individual measurements were compared with the displayed limit value in the margin column. The margin was calculated based on subtracting the limit value from the corrected measurement value; a positive margin represents a measurement exceeding the limit, while a negative margin represents a measurement less than the limit.

SAMPLE CALCULATIONS		
	Meter reading	(dBμV)
+	Antenna Factor	(dB/m)
+	Cable Loss	(dB)
-	Distance Correction	(dB)
-	Preamplifier Gain	(dB)
=	Corrected Reading	(dBμV/m)

TEST INSTRUMENTATION AND ANALYZER SETTINGS

The test instrumentation and equipment listed were used to collect the emissions data. A spectrum analyzer or receiver was used for all measurements. Unless otherwise specified, the following table shows the measuring equipment bandwidth settings that were used in designated frequency bands. For testing emissions, an appropriate reference level and a vertical scale size of 10 dB per division were used.

MEASURING EQUIPMENT BANDWIDTH SETTINGS PER FREQUENCY RANGE			
TEST	BEGINNING FREQUENCY	ENDING FREQUENCY	BANDWIDTH SETTING
CONDUCTED EMISSIONS	150 kHz	30 MHz	9 kHz
RADIATED EMISSIONS	9 kHz	150 kHz	200 Hz
RADIATED EMISSIONS	150 kHz	30 MHz	9 kHz
RADIATED EMISSIONS	30 MHz	1000 MHz	120 kHz
RADIATED EMISSIONS	1000 MHz	>1 GHz	1 MHz

SPECTRUM ANALYZER/RECEIVER DETECTOR FUNCTIONS

The notes that accompany the measurements contained in the emissions tables indicate the type of detector function used to obtain the given readings. Unless otherwise noted, all readings were made in the "positive peak" detector mode. Whenever a "quasi-peak" or "average" reading was recorded, the measurement was annotated with a "QP" or an "Ave" on the appropriate rows of the data sheets. In cases where quasi-peak or average limits were employed and data exists for multiple measurement types for the same frequency then the peak measurement was retained in the report for reference, however the numbering for the affected row was removed and an arrow or caret ("^") was placed in the far left-hand column indicating that the row above takes precedence for comparison to the limit. The following paragraphs describe in more detail the detector functions and when they were used to obtain the emissions data.

Peak

In this mode, the spectrum analyzer or receiver recorded all emissions at their peak value as the frequency band selected was scanned. By combining this function with another feature called "peak hold," the measurement device had the ability to measure intermittent or low duty cycle transient emission peak levels. In this mode the measuring device made a slow scan across the frequency band selected and measured the peak emission value found at each frequency across the band.

Quasi-Peak

Quasi-peak measurements were taken using the quasi-peak detector when the true peak values exceeded or were within 2 dB of a quasi-peak specification limit. Additional QP measurements may have been taken at the discretion of the operator.

Average

Average measurements were taken using the average detector when the true peak values exceeded or were within 2 dB of an average specification limit. Additional average measurements may have been taken at the discretion of the operator. If the specification or test procedure requires trace averaging, then the averaging was performed using 100 samples or as required by the specification. All other average measurements are performed using video bandwidth averaging. To make these measurements, the test engineer reduces the video bandwidth on the measuring device until the modulation of the signal is filtered out. At this point the measuring device is set into the linear mode and the scan time is reduced.