

Remote Control

Operation Manual

1. Product instruction

This product is a wireless remote control, and is generous and attractive in appearance with scientific internal circuit design. With SMT chip components, it has the characteristics of high stability, low power consumption, etc.



Features of remote control:

- (1) Compact and attractive in appearance, full panel slide cover design to avoid false triggering;
- (2) Wireless RF technology, long transmission distance, non-directional, high transmission sensitivity, no signal blocking;
- (3) The shell is made of high-quality ABS flame retardant material, being safe and reliable to use;
- (4) With LED working state indication.

2. Button operation instruction

1 Exposure control

Continuously press the exposure control button to enter the remote control exposure process.

2 Beam limiter control

Beam limiter light field lamp control button.

3 Inching control

Press the forward control button, then the whole machine moves slightly forwards; press the backward control button, then the whole machine moves slightly backwards; when the trolley handle or the ox-head inching control button is enabled, the remote control inching is disabled.

3. Technical parameters

Main technical parameters:

Technical Parameters	
Working voltage	DC12V
Working frequency	433.90Mhz ±250KHz
Size	120mm * 52mm * 18mm
Power supply (dry cell)	[Model] 8LR932 [Voltage] 12v [Specification] Diameter 10mm*Height 28mm [Exp.] Long service life of 3 years

FCC Regulations:

FCC ID: U72MTMGLM

- This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
- This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
 - Reorient or relocate the receiving antenna.
 - Increase the separation between the equipment and receiver.
 - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
 - Consult the dealer or an experienced radio/ TV technician for help.
- Changes or modifications not expressly approved by the manufacturer could void the user's authority to operate the equipment.

IC Notice

This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions:

- (1) this device may not cause interference, and
- (2) this device must accept any interference, including interference that may cause undesired operation of the device.

This Class B digital apparatus complies with Canadian ICES-003.

IC:7027A- MTMGLM

Remarque IC

Cet appareil est conforme aux Normes RSS d'Industry Canada. Son utilisation est soumise à deux conditions:

- (1) Ce dispositif ne peut pas provoquer d'interférences, et
- (2) Ce dispositif doit accepter toutes les interférences reçues, y compris les interférences susceptibles de provoquer un fonctionnement non souhaité.

Cet appareil de classe B est conforme à la norme canadienne ICES-003.

IC:7027A- MTMGLM