Dynawave

Manual Model: 21079814




June 2018 Version 004C

Content

1.Installation Guide	2
2.Operation Guide	2
3 Transactions Guide	3


1.Installation Guide

Dynawave is fixed on the front panel. Through the cable and Micro USB is connected to the host.



2.Operation Guide

To use a NFC card, Place the card near the NFC ymbol on the case.



3. Transactions Guide

Refer to the guide of the software.

FCC Compliance

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.
- -- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

The distance between user and products should be no less than 20cm.

The operating temperature of the device between 0° C to 40° C.

This product can be used across EU member states.

We declare that this device is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU.



RF Operation Frequency: 13.56MHz

NFC Maximum Power: 40.81dBuA/m at 10m

Manufacturer: Magtek Incorporated

Address of Manufacturer: 1710 Apollo Court, Seal Beach, California 90740, United States