

## UK Statement for Pepwave Routers (MAX BR2 Pro)

# **UK DECLARATION OF CONFORMITY**

Name of manufacturer	PISMO LABS TECHNOLOGY LIMITED
Contact information of the manufacturer	A8, 5/F, HK Spinners Ind. Bldg., Phase 6, 481 Castle Peak Road, Cheung Sha Wan, Kowloon, Hong Kong tel. (852) 2990 7600, fax. (852) 3007 0588 e-mail: cs@peplink.com
Description of the appliance	PEPWAVE / PEPLINK Wireless Product
Model name of the appliance	MAX BR2 Pro MAX-BR2-PRO-5GD-T-PRM
Trade name of the appliance	PEPWAVE / PEPLINK



We declare under sole responsibilities that the above product conforms to the applicable requirements of following relevant UK legislation and designed standards.

#### **UK** legislation

Radio Equipment Regulations 2017

#### UK Designed Standard

EN 301 908-1 V15.1.1 EN 300 328 V2.2.2 EN 301 893 V2.1.1 EN 303 413 V1.2.1

#### Other Standards Applied

EN 62311: 2020 EN 301 489-1 V2.2.3 EN 301 489-17 V3.2.4 EN 301 489-52 V1.2.1 Draft EN 301 489-19 V2.2.0 EN 55032: 2015 + A11:2020 EN 55035: 2017 + A11:2020 EN 61000-3-2: 2014 EN 61000-3-3: 2013 EN 62368-1:2020 + A11:2020

Yours sincerely,

Antony Chong Director of Hardware Engineering Peplink International Limited





CE Statement for Pepwave Routers (UBR Plus)

# **DECLARATION OF CONFORMITY**

We affirm the electrical equipment manufactured by us fulfils the requirements of the Radio Equipment Directive 2014/53/EU.

Name of manufacturer	PISMO LABS TECHNOLOGY LIMITED
Contact information of the manufacturer	A8, 5/F, HK Spinners Industrial. Building., Phase 6, 481 Castle Peak Road, Cheung Sha Wan,Kowloon, Hong Kong tel. (852) 2990 7600, fax. (852) 3007 0588 e-mail: cs@peplink.com
Description of the appliance	PEPLINK PEPWAVE Wireless Product
Model name of the appliance	UBR Plus UBR-PLUS-LTEA-B-T-PRM
Trade name of the appliance	PEPWAVE / PEPLINK



The construction of the appliance is in accordance with the following standards:

EN 301 908-1 V15.1.1 EN 300 328 V2.2.2 EN 301 893 V2.1.1 EN 303 413 V1.2.1 EN 62311: 2020 EN 301 489-1 V2.2.3 EN 301 489-17 V3.2.4 EN 301 489-52 V1.2.1 EN 301 489-19 V2.2.1 EN 55032: 2015 + A11:2020 EN 55035: 2017 + A11:2020 EN 61000-3-2: 2019 + A1:2021 EN 61000-3-3: 2013 + A1:2019 EN 62368-1:2020 + A11:2020

Yours sincerely,



Antony Chong Director of Hardware Engineering

Peplink International Limited

# **peplink** | PEPWAVE

AT	BE	BG	HR	СҮ	cz	DK	EE	FI	FR	DE	EL	HU	IE
IT	LV	LT	LU	мт	NL	PL	РТ	RO	SK	SI	ES	SE	UK(NI)

## <u>2.4GHz (2412 - 2472 MHz) : 19.84 dBm</u>

### <u>5GHz ( 5150 - 5250 MHz ) : 22.76 dBm</u>

### WWAN : Refer 3GPP TS 36.521 -1 (UE Power class )

Band	Power class					
3G WCDMA	Class 3 (0.2W)					
LTE All Bands (except B41)	Class 3 (0.2W)					
LTE Band41 (HPUE support)	Class 2 (0.4W)					

This equipment complies with CE radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator & your body.

This equipment is restricted to indoor use only when operating in the 5150 to 5250 MHz frequency range in above countries.

contact as: https://www.peplink.com/



UK Statement for Pepwave Routers (UBR Plus)

## **UK DECLARATION OF CONFORMITY**

Name of manufacturer	PISMO LABS TECHNOLOGY LIMITED
Contact information of the manufacturer	A8, 5/F, HK Spinners Industrial. Building., Phase 6, 481 Castle Peak Road, Cheung Sha Wan,Kowloon, Hong Kong tel. (852) 2990 7600, fax. (852) 3007 0588 e-mail: cs@peplink.com
Description of the appliance	PEPLINK PEPWAVE Wireless Product
Model name of the appliance	UBR Plus UBR-PLUS-LTEA-B-T-PRM
Trade name of the appliance	PEPWAVE / PEPLINK

# **peplink** | PEPWAVE

We declare under sole responsibilities that the above product conforms to the applicable requirements of following relevant UK legislation and designed standards.

#### **UK legislation**

Radio Equipment Regulations 2017

#### UK Designed Standard

EN 301 908-1 V15.1.1 EN 300 328 V2.2.2 EN 301 893 V2.1.1 EN 303 413 V1.2.1

#### Other Standards Applied

EN 62311: 2020 EN 301 489-1 V2.2.3 EN 301 489-17 V3.2.4 EN 301 489-52 V1.2.1 EN 301 489-19 V2.2.1 EN 55032: 2015 + A11:2020 EN 55035: 2017 + A11:2020 EN 61000-3-2: 2019 + A1:2021 EN 61000-3-3: 2013 + A1:2019 EN 62368-1:2020 + A11:2020

Yours sincerely,

Antony Chong Director of Hardware Engineering Peplink International Limited



# **peplink** | PEPWAVE

### **USB WAN Modem Port Specification**

#### **MAX Series**

	MAX 700	MAX HD2 / MAX HD2 Media Fast	MAX HD2 Mini	MAX HD2 / HD4 MBX	MAX BR1 ENT	MAX HD4 / MAX HD4 Media Fast / MediaFast 200	MAX BR2 Pro
Output Rating	5V DC, 2A	5V DC, 2A	5V DC, 2A	5V DC, 0.5A	5V DC, 2A	5V DC, 2A	5V DC, 2A



## FCC Requirements for Operation in the United States Federal Communications Commission (FCC) Compliance Notice:

#### For MAX Adapter

#### **Federal Communication Commission Interference Statement**

Any changes or modifications not expressly approved by the party responsible for compliance could void your authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, it may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference, in which case the user will be required to correct the interference at his own expense.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) this device may not cause harmful interference and

(2) this device must accept any interference received, including interference that may cause undesired operation.

#### **Radiation Exposure Statement**

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20 cm between the radiator and your body.