













Label and Label Location:

	<p>Peplink</p> <p>Model: CX4 Product Code: MAX-CX4-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00</p> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <p style="text-align: right;">    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B)</p> <p style="font-size: small;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>
	<p>Model: CX4 Product Code: MAX-CX4-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <p style="text-align: right;">    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B)</p> <p style="font-size: small;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>
	<p>Model: MAX CX4 Product Code: MAX-CX4-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00</p> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <p style="text-align: right;">    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B)</p> <p style="font-size: small;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>

	<p>Model: MAX CX4</p> <p>Product Code: MAX-CX4-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <div style="text-align: right;">    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B)</div> <p style="font-size: small;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>
	<p>Model: MAX Transit Quad</p> <p>Product Code: MAX-CX4-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <div style="text-align: right;">    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B)</div> <p style="font-size: small;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>
	<p>Model: MAX Transit Quad</p> <p>Product Code: MAX-TST-QUAD-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <div style="text-align: right;">    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B)</div> <p style="font-size: small;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>

	<p>Model: MAX Transit Quad</p> <p>Product Code: MAX-TST-QUAD-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <p style="text-align: right;">    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B)</p> <p style="font-size: small;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>
	<p>Model: MAX Transit Quad LTE</p> <p>Product Code: MAX-CX4-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD3180000</p> <div style="border: 1px solid black; padding: 5px;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <p style="text-align: right;">    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B)</p> <p style="font-size: small;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>
	<p>Model: MAX Transit Quad LTEA</p> <p>Product Code: MAX-CX4-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <p style="text-align: right;">    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B)</p> <p style="font-size: small;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>






	<p>Model: MAX Transit Quad LTEA</p> <p>Product Code: MAX-TST-QUAD-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <div style="text-align: right;">    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B)</div> <p style="font-size: small;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>
	<p>Model: Pismo817</p> <p>Product Code: MAX-CX4-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <div style="text-align: right;">    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B)</div> <p style="font-size: small;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>
	<p>Model: Pismo817</p> <p>Product Code: MAX-CX4-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <div style="text-align: right;">    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B)</div> <p style="font-size: small;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>

	<p>Model: Pismo817</p> <p>Product Code: MAX-TST-QUAD-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px; display: inline-block;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Input: 12-56V \equiv 3A</p> <p>Made in Taiwan</p>  <p>M?</p> <div style="text-align: right;">    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B)</div> <p style="font-size: small;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>
	<p>Model: Pismo817</p> <p>Product Code: MAX-TST-QUAD-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px; display: inline-block;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan</p>  <p>M?</p> <div style="text-align: right;">    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B)</div> <p style="font-size: small;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>
	<p>Model: Pismo 817</p> <p>Product Code: MAX-CX4-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px; display: inline-block;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan</p>  <p>M?</p> <div style="text-align: right;">    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B)</div> <p style="font-size: small;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>

	<p>Model: Pismo 817</p> <p>Product Code: MAX-CX4-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD3180000</p> <div style="border: 1px solid black; padding: 5px;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <p style="text-align: right;">    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B)</p> <p style="font-size: small;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>
	<p>Model: Pismo 817</p> <p>Product Code: MAX-TST-QUAD-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Input: 12-56V $\overline{=}$ 3A</p> <p>Made in Taiwan  M?</p> <p style="text-align: right;">    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B)</p> <p style="font-size: small;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>
	<p>Model: Pismo 817</p> <p>Product Code: MAX-TST-QUAD-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <p style="text-align: right;">    FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B)</p> <p style="font-size: small;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>

	<p>Pepwave</p> <div style="border: 1px solid black; padding: 5px;"> <p>Model: CX4 Product Code: MAX-CX4-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00</p> <div style="border: 1px solid black; padding: 2px; margin: 5px 0;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> </div> <div style="text-align: right; margin-top: 10px;"> <p>PEP WAVE  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B)</p> <p>This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p> </div>
	<div style="border: 1px solid black; padding: 5px;"> <p>Model: CX4 Product Code: MAX-CX4-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 2px; margin: 5px 0;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> </div> <div style="text-align: right; margin-top: 10px;"> <p>PEP WAVE  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B)</p> <p>This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p> </div>
	<div style="border: 1px solid black; padding: 5px;"> <p>Model: MAX CX4 Product Code: MAX-CX4-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 2px; margin: 5px 0;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> </div> <div style="text-align: right; margin-top: 10px;"> <p>PEP WAVE  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B)</p> <p>This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p> </div>

	<p>Model: MAX CX4</p> <p>Product Code: MAX-CX4-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <p style="text-align: right;">PEPWAVE  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B)</p> <p style="text-align: right;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>
	<p>Model: MAX Transit Quad</p> <p>Product Code: MAX-CX4-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <p style="text-align: right;">PEPWAVE  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B)</p> <p style="text-align: right;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>
	<p>Model: MAX Transit Quad</p> <p>Product Code: MAX-TST-QUAD-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <p style="text-align: right;">PEPWAVE  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B)</p> <p style="text-align: right;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>

	<p>Model: MAX Transit Quad</p> <p>Product Code: MAX-TST-QUAD-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <p style="text-align: right;">PEPWAVE  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B)</p> <p style="text-align: right;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>
	<p>Model: MAX Transit Quad LTE</p> <p>Product Code: MAX-CX4-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD3180000</p> <div style="border: 1px solid black; padding: 5px;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <p style="text-align: right;">PEPWAVE  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B)</p> <p style="text-align: right;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>
	<p>Model: MAX Transit Quad LTEA</p> <p>Product Code: MAX-CX4-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <p style="text-align: right;">PEPWAVE  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B)</p> <p style="text-align: right;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>

	<p>Model: MAX Transit Quad LTEA</p> <p>Product Code: MAX-TST-QUAD-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <p style="text-align: right;">PEPWAVE  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B)</p> <p style="text-align: right; font-size: small;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>
	<p>Model: Pismo817</p> <p>Product Code: MAX-CX4-LTEA-W-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <p style="text-align: right;">PEPWAVE  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7455 IC: 20682-P1817 Contains IC: 2417C-MC7455 CAN ICES-3(B)/NMB-3(B)</p> <p style="text-align: right; font-size: small;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>
	<p>Model: Pismo817</p> <p>Product Code: MAX-CX4-LTE-US-T Serial No.: 2934-45E0-5EEF LAN MAC: 00-1A-DD-31-80-00 AP Password: DD318000</p> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <p>Default Access Username: admin http://192.168.50.1 Password: admin</p> </div> <p>Made in Taiwan  M?</p> <p style="text-align: right;">PEPWAVE  FCC ID: U8G-P1817 Contains FCC ID: N7NMC7355 IC: 20682-P1817 Contains IC: 2417C-MC7355 CAN ICES-3(B)/NMB-3(B)</p> <p style="text-align: right; font-size: small;">This device complies with Part 15 of the FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>