

Model: AC0P

Product Code:APO-AC-MINI

Serial No.:2931-8478-5333

LAN MAC:00-1A-DD-D9-52-00

AP Password:DDD95200

Default Access

Username: admin

<https://192.168.0.3>

Password: public



FCC ID: U8G-P1AC0P

IC: 20682-P1AC0P

CAN ICES-3(B)/NMB-3(B)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: AC0P

Product Code:APO-AC-MINI

Serial No.:2931-8478-5333

LAN MAC:00-1A-DD-D9-52-00

AP Password:DDD95200

Default Access	Username: admin
-----------------------	-----------------

https://192.168.0.3	Password: public
---------------------	------------------

PEPWAVE



FCC ID: U8G-P1AC0P

IC: 20682-P1AC0P

CAN ICES-3(B)/NMB-3(B)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: AP One AC Mini

Product Code:APO-AC-MINI

Serial No.:2931-8478-5333

LAN MAC:00-1A-DD-D9-52-00

AP Password:DDD95200

Default Access

Username: admin

<https://192.168.0.3>

Password: public



FCC ID: U8G-P1AC0P

IC: 20682-P1AC0P

CAN ICES-3(B)/NMB-3(B)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: AP One AC Mini

Product Code:APO-AC-MINI

Serial No.:2931-8478-5333

LAN MAC:00-1A-DD-D9-52-00

AP Password:DDD95200

Default Access	Username: admin
https://192.168.0.3	Password: public



FCC ID: U8G-P1AC0P
IC: 20682-P1AC0P
CAN ICES-3(B)/NMB-3(B)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: AP One series

Product Code:APO-AC-MINI

Serial No.:2931-8478-5333

LAN MAC:00-1A-DD-D9-52-00

AP Password:DDD95200

Default Access	Username: admin
https://192.168.0.3	Password: public



FCC ID: U8G-P1AC0P

IC: 20682-P1AC0P

CAN ICES-3(B)/NMB-3(B)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: AP One series

Product Code:APO-AC-MINI

Serial No.:2931-8478-5333

LAN MAC:00-1A-DD-D9-52-00

AP Password:DDD95200

Default Access	Username: admin
-----------------------	-----------------

https://192.168.0.3	Password: public
---------------------	------------------

PEPWAVE



FCC ID: U8G-P1AC0P

IC: 20682-P1AC0P

CAN ICES-3(B)/NMB-3(B)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: APO-AC-MINI

Product Code:APO-AC-MINI

Serial No.:2931-8478-5333

LAN MAC:00-1A-DD-D9-52-00

AP Password:DDD95200

Default Access

Username: admin

<https://192.168.0.3>

Password: public



FCC ID: U8G-P1AC0P

IC: 20682-P1AC0P

CAN ICES-3(B)/NMB-3(B)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: APO-AC-MINI

Product Code:APO-AC-MINI

Serial No.:2931-8478-5333

LAN MAC:00-1A-DD-D9-52-00

AP Password:DDD95200

Default Access	Username: admin
-----------------------	-----------------

https://192.168.0.3	Password: public
---------------------	------------------

PEPWAVE



FCC ID: U8G-P1AC0P

IC: 20682-P1AC0P

CAN ICES-3(B)/NMB-3(B)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: PismoAC0P

Product Code:APO-AC-MINI

Serial No.:2931-8478-5333

LAN MAC:00-1A-DD-D9-52-00

AP Password:DDD95200

Default Access

Username: admin

https://192.168.0.3

Password: public



FCC ID: U8G-P1AC0P

IC: 20682-P1AC0P

CAN ICES-3(B)/NMB-3(B)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: PismoAC0P

Product Code:APO-AC-MINI

Serial No.:2931-8478-5333

LAN MAC:00-1A-DD-D9-52-00

AP Password:DDD95200

Default Access	Username: admin
https://192.168.0.3	Password: public

PEPWAVE



FCC ID: U8G-P1AC0P

IC: 20682-P1AC0P

CAN ICES-3(B)/NMB-3(B)

Made in Taiwan



M8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

AC One AC Mini

