

MAX HD1

Product Code: MAX-HD1-5GH-T

Serial No.:192F-FBED-6997

LAN MAC:10-56-CA-A8-40-A0

AP Password:CAA840A0

Default Access

Username: admin

<https://192.168.50.1>

Password: admin

Input : 12-56V DC, 180W max (Power Port)

Input : 12-56V DC, 210W max (Terminal Block)

Output : 5V DC, 2A (USB Port)



FCC ID: U8G-P1AX17

Contains FCC ID: N7NEM91

IC: 20682-P1AX17

Contains IC: 2417C-EM91

HVIN: MAX-HD1-5GH-T

CAN ICES-003(A) / NMB-003(A)

Made in Taiwan



M8 HW4

MAX HD1

Product Code: MAX-HD1-5GH-T

Serial No.:192F-FBED-6997

LAN MAC:10-56-CA-A8-40-A0

AP Password:CAA840A0

Default Access	Username: admin
https://192.168.50.1	Password: admin

Input : 12-56V DC, 180W max (Power Port)
Input : 12-56V DC, 210W max (Terminal Block)
Output : 5V DC, 2A (USB Port)

Made in Taiwan



M8 HW4

PEP WAVE



FCC ID: U8G-P1AX17

Contains FCC ID: N7NEM91

IC: 20682-P1AX17

Contains IC: 2417C-EM91

HVIN: MAX-HD1-5GH-T

CAN ICES-003(A) / NMB-003(A)

MAX HD2

Product Code:MAX-HD2-5GH-T

Serial No.:192E-DA14-A612

LAN MAC:10-56-CA-84-05-80

AP Password:CA840580

Default Access

Username: admin

<https://192.168.50.1>

Password: admin

Input : 12-56V DC, 180W max (Power Port)

Input : 12-56V DC, 210W max (Terminal Block)

Output : 5V DC, 2A (USB Port)



FCC ID: U8G-P1AX17

Contains FCC ID: N7NEM91

IC: 20682-P1AX17

Contains IC: 2417C-EM91

HVIN: MAX-HD2-5GH-T

CAN ICES-003(A) / NMB-003(A)

Made in Taiwan



M8 HW4

MAX HD2

Product Code:MAX-HD2-5GH-T

Serial No.:192E-DA14-A612

LAN MAC:10-56-CA-84-05-80

AP Password:CA840580

Default Access	Username: admin
https://192.168.50.1	Password: admin

Input : 12-56V DC, 180W max (Power Port)

Input : 12-56V DC, 210W max (Terminal Block)

Output : 5V DC, 2A (USB Port)

PEP WAVE



FCC ID: U8G-P1AX17

Contains FCC ID: N7NEM91

IC: 20682-P1AX17

Contains IC: 2417C-EM91

HVIN: MAX-HD2-5GH-T
CAN ICES-003(A) / NMB-003(A)

Made in Taiwan



M8 HW4

Label location

