


Label location



Model: MAX BR1 Mini M2M



Product Code: MAX-BR1-MINI-M2M-LTEA-US-T-PRM

Serial No.:192E-D5B6-0335

LAN MAC:10-56-CA-83-79-C0

AP Password:CA8379C0

Default Access

Username: admin

<https://192.168.50.1>

Password: admin

FCC ID: U8G-P1MT01DB9
Contains FCC ID: N7NEM74B

Input : 10-30V DC, 18W max (Power Port)

Made in Taiwan



M8 HW3

Model: MAX BR1 Mini M2M

PEPWAVE

Product Code: MAX-BR1-MINI-M2M-LTEA-US-T-PRM

Serial No.:192E-D5B6-0335

LAN MAC:10-56-CA-83-79-C0

AP Password:CA8379C0

Default Access

Username: admin

<https://192.168.50.1>

Password: admin

FCC ID: U8G-P1MT01DB9
Contains FCC ID: N7NEM74B

Input : 10-30V DC, 18W max (Power Port)

Made in Taiwan



M8 HW3

Model: MAX BR1 Mini M2M



Product Code: MAX-BR1-MINI-M2M-LTE-US-T-PRM

Serial No.:192E-D5B6-0335

LAN MAC:10-56-CA-83-79-C0

AP Password:CA8379C0

Default Access	Username: admin
https://192.168.50.1	Password: admin

FCC ID: U8G-P1MT01DB9
Contains FCC ID: RI7LE910CXNF

Input : 10-30V DC, 18W max (Power Port)

Made in Taiwan



M8 HW3

Model: MAX BR1 Mini M2M

PEPWAVE

Product Code: MAX-BR1-MINI-M2M-LTE-US-T-PRM

Serial No.:192E-D5B6-0335

LAN MAC:10-56-CA-83-79-C0

AP Password:CA8379C0

Default Access	Username: admin
https://192.168.50.1	Password: admin

FCC ID: U8G-P1MT01DB9
Contains FCC ID: RI7LE910CXNF

Input : 10-30V DC, 18W max (Power Port)

Made in Taiwan



M8 HW3