

Table of Contents

1. -26dB and 99% Emission Bandwidth 2

2. Duty Cycle 23

3. Maximum Conducted Output Power 34

4. Power Spectral Density 55

5. Frequency Stability 85

1. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	-26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5180.00	19.75	16.25
NVNT	ANT1	802.11a	5200.00	19.53	16.25
NVNT	ANT1	802.11a	5240.00	19.79	16.28
NVNT	ANT1	802.11n(HT20)	5180.00	20.67	17.50
NVNT	ANT1	802.11n(HT20)	5200.00	20.75	17.49
NVNT	ANT1	802.11n(HT20)	5240.00	20.54	17.51
NVNT	ANT1	802.11ac(VHT20)	5180.00	20.46	17.50
NVNT	ANT1	802.11ac(VHT20)	5200.00	20.74	17.52
NVNT	ANT1	802.11ac(VHT20)	5240.00	20.35	17.51
NVNT	ANT1	802.11ax(HE20)	5180.00	21.31	18.86
NVNT	ANT1	802.11ax(HE20)	5200.00	20.79	18.85
NVNT	ANT1	802.11ax(HE20)	5240.00	21.02	18.85
NVNT	ANT1	802.11n(HT40)	5190.00	40.44	35.91
NVNT	ANT1	802.11n(HT40)	5230.00	40.19	35.83
NVNT	ANT1	802.11ac(VHT40)	5190.00	40.45	35.88
NVNT	ANT1	802.11ac(VHT40)	5230.00	40.37	35.85
NVNT	ANT1	802.11ax(HE40)	5190.00	40.89	37.61
NVNT	ANT1	802.11ax(HE40)	5230.00	40.57	37.58
NVNT	ANT1	802.11ac(VHT80)	5210.00	81.19	74.82
NVNT	ANT1	802.11ax(HE80)	5210.00	82.54	76.53


99%_OCB_NVNT_ANT1_802_11a_5180



-26BW_NVNT_ANT1_802_11a_5180




99%_OCB_NVNT_ANT1_802_11a_5200




-26BW_NVNT_ANT1_802_11a_5200



99%_OCB_NVNT_ANT1_802_11a_5240








99%_OCB_NVNT_ANT1_802_11n(HT20)_5200





99%_OCB_NVNT_ANT1_802_11n(HT20)_5240



-26BW_NVNT_ANT1_802_11n(HT20)_5240




99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5180



-26BW_NVNT_ANT1_802_11ac(VHT20)_5180




99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5200



-26BW_NVNT_ANT1_802_11ac(VHT20)_5200




99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5240



-26BW_NVNT_ANT1_802_11ac(VHT20)_5240



99%_OCB_NVNT_ANT1_802_11ax(HE20)_5180



-26BW_NVNT_ANT1_802_11ax(HE20)_5180



99%_OCB_NVNT_ANT1_802_11ax(HE20)_5200





99%_OCB_NVNT_ANT1_802_11ax(HE20)_5240



-26BW_NVNT_ANT1_802_11ax(HE20)_5240




99%_OCB_NVNT_ANT1_802_11n(HT40)_5190



-26BW_NVNT_ANT1_802_11n(HT40)_5190




99%_OCB_NVNT_ANT1_802_11n(HT40)_5230



-26BW_NVNT_ANT1_802_11n(HT40)_5230




99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5190






99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5230




-26BW_NVNT_ANT1_802_11ac(VHT40)_5230



99%_OCB_NVNT_ANT1_802_11ax(HE40)_5190




-26BW_NVNT_ANT1_802_11ax(HE40)_5190





99%_OCB_NVNT_ANT1_802_11ac(VHT80)_5210



-26BW_NVNT_ANT1_802_11ac(VHT80)_5210



99%_OCB_NVNT_ANT1_802_11ax(HE80)_5210







2. Duty Cycle

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5180.00	94.23	0.26
NVNT	ANT1	802.11a	5200.00	94.29	0.26
NVNT	ANT1	802.11a	5240.00	94.29	0.26
NVNT	ANT1	802.11n(HT20)	5180.00	91.55	0.38
NVNT	ANT1	802.11n(HT20)	5200.00	90.67	0.43
NVNT	ANT1	802.11n(HT20)	5240.00	91.89	0.37
NVNT	ANT1	802.11ac(VHT20)	5180.00	92.20	0.35
NVNT	ANT1	802.11ac(VHT20)	5200.00	89.74	0.47
NVNT	ANT1	802.11ac(VHT20)	5240.00	91.58	0.38
NVNT	ANT1	802.11ax(HE20)	5180.00	91.28	0.40
NVNT	ANT1	802.11ax(HE20)	5200.00	91.28	0.40
NVNT	ANT1	802.11ax(HE20)	5240.00	92.20	0.35
NVNT	ANT1	802.11n(HT40)	5190.00	84.16	0.75
NVNT	ANT1	802.11n(HT40)	5230.00	91.55	0.38
NVNT	ANT1	802.11ac(VHT40)	5190.00	91.55	0.38
NVNT	ANT1	802.11ac(VHT40)	5230.00	91.25	0.40
NVNT	ANT1	802.11ax(HE40)	5190.00	91.92	0.37
NVNT	ANT1	802.11ax(HE40)	5230.00	91.89	0.37
NVNT	ANT1	802.11ac(VHT80)	5210.00	88.85	0.51
NVNT	ANT1	802.11ax(HE80)	5210.00	92.20	0.35


Duty_Cycle_NVNT_ANT1_802_11a_5180




Duty_Cycle_NVNT_ANT1_802_11a_5200




Duty Cycle NVNT_ANT1_802_11a_5240




Duty Cycle NVNT_ANT1_802_11n(HT20)_5180




Duty Cycle_NVNT_ANT1_802_11n(HT20)_5200




Duty Cycle_NVNT_ANT1_802_11n(HT20)_5240




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5180




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5200




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5240




Duty_Cycle_NVNT_ANT1_802_11ax(HE20)_5180




Duty Cycle_NVNT_ANT1_802_11ax(HE20)_5200




Duty Cycle_NVNT_ANT1_802_11ax(HE20)_5240




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5190




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5230




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5190




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5230




Duty Cycle_NVNT_ANT1_802_11ax(HE40)_5190




Duty Cycle_NVNT_ANT1_802_11ax(HE40)_5230



Duty_Cycle_NVNT_ANT1_802_11ac(VHT80)_5210



Duty_Cycle_NVNT_ANT1_802_11ax(HE80)_5210



3. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	15.74	0.21	15.95	30	Pass
NVNT	ANT2	802.11a	5180.00	18.92	0.30	19.22	30	Pass
NVNT	ANT1	802.11a	5200.00	15.64	0.26	15.90	30	Pass
NVNT	ANT2	802.11a	5200.00	19.11	0.34	19.45	30	Pass
NVNT	ANT1	802.11a	5240.00	15.73	0.30	16.03	30	Pass
NVNT	ANT2	802.11a	5240.00	19.99	0.26	20.25	30	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	15.08	0.38	15.46	30	Pass
NVNT	ANT2	802.11n(HT20)	5180.00	18.32	0.37	18.69	30	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	15.06	0.51	15.57	30	Pass
NVNT	ANT2	802.11n(HT20)	5200.00	18.39	0.44	18.83	30	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	15.04	0.44	15.48	30	Pass
NVNT	ANT2	802.11n(HT20)	5240.00	19.35	0.41	19.76	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	15.18	0.48	15.66	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5180.00	18.23	0.47	18.70	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	15.02	0.38	15.40	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5200.00	18.29	0.40	18.69	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	14.95	0.40	15.35	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5240.00	19.38	0.47	19.85	30	Pass
NVHT	ANT1	802.11ax(HE20)	5180.00	11.23	0.37	11.60	30	Pass
NVHT	ANT2	802.11ax(HE20)	5180.00	14.43	0.38	14.81	30	Pass
NVHT	ANT1	802.11ax(HE20)	5200.00	11.03	0.37	11.40	30	Pass
NVHT	ANT2	802.11ax(HE20)	5200.00	14.56	0.37	14.93	30	Pass
NVHT	ANT1	802.11ax(HE20)	5240.00	11.14	0.40	11.54	30	Pass
NVHT	ANT2	802.11ax(HE20)	5240.00	15.61	0.38	15.99	30	Pass
NVHT	ANT1	802.11n(HT40)	5190.00	11.63	0.47	12.10	30	Pass
NVHT	ANT2	802.11n(HT40)	5190.00	15.63	0.71	16.34	30	Pass
NVHT	ANT1	802.11n(HT40)	5230.00	11.74	0.50	12.24	30	Pass
NVHT	ANT2	802.11n(HT40)	5230.00	16.18	0.75	16.93	30	Pass
NVHT	ANT1	802.11ac(VHT40)	5190.00	11.55	0.50	12.05	30	Pass
NVHT	ANT2	802.11ac(VHT40)	5190.00	15.61	0.73	16.34	30	Pass
NVHT	ANT1	802.11ac(VHT40)	5230.00	11.65	0.50	12.15	30	Pass
NVHT	ANT2	802.11ac(VHT40)	5230.00	16.13	0.37	16.50	30	Pass
NVHT	ANT1	802.11ax(HE40)	5190.00	11.73	0.38	12.11	30	Pass
NVHT	ANT2	802.11ax(HE40)	5190.00	15.43	0.40	15.83	30	Pass
NVHT	ANT1	802.11ax(HE40)	5230.00	11.28	0.38	11.66	30	Pass
NVHT	ANT2	802.11ax(HE40)	5230.00	15.90	0.40	16.30	30	Pass
NVHT	ANT1	802.11ac(VHT80)	5210.00	11.44	0.50	11.94	30	Pass
NVHT	ANT2	802.11ac(VHT80)	5210.00	15.22	0.86	16.08	30	Pass
NVNT	ANT1	802.11ax(HE80)	5210.00	15.69	0.38	16.07	30	Pass
NVNT	ANT2	802.11ax(HE80)	5210.00	19.15	0.40	19.55	30	Pass

Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5180_20M




Maximum_Conducted_Output_Power_NVNT_ANT2_802_11a_5180_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5200_20M



Maximum_Conducted_Output_Power_NVNT_ANT2_802_11a_5200_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5240_20M



Maximum_Conducted_Output_Power_NVNT_ANT2_802_11a_5240_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5180_20M




Maximum_Conducted_Output_Power_NVNT_ANT2_802_11n(HT20)_5180_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5200_20M



Maximum_Conducted_Output_Power_NVNT_ANT2_802_11n(HT20)_5200_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5240_20M



Maximum_Conducted_Output_Power_NVNT_ANT2_802_11n(HT20)_5240_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5180_20M




Maximum_Conducted_Output_Power_NVNT_ANT2_802_11ac(VHT20)_5180_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5200_20M



Maximum_Conducted_Output_Power_NVNT_ANT2_802_11ac(VHT20)_5200_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5240_20M



Maximum_Conducted_Output_Power_NVNT_ANT2_802_11ac(VHT20)_5240_20M




Maximum_Conducted_Output_Power_NVHT_ANT1_802_11ax(HE20)_5180_20M



Maximum Conducted Output Power NVHT ANT2_802_11ax(HE20) 5180 20M




Maximum Conducted Output Power NVHT ANT1_802_11ax(HE20) 5200 20M



Maximum Conducted Output Power NVHT ANT2_802_11ax(HE20)_5200_20M



Maximum Conducted Output Power NVHT ANT1_802_11ax(HE20)_5240_20M



Maximum Conducted Output Power NVHT ANT2_802_11ax(HE20) 5240 20M



Maximum Conducted Output Power NVHT ANT1_802_11n(HT40) 5190 40M



Maximum_Conducted_Output_Power_NVHT_ANT2_802_11n(HT40)_5190_40M



Maximum_Conducted_Output_Power_NVHT_ANT1_802_11n(HT40)_5230_40M




Maximum_Conducted_Output_Power_NVHT_ANT2_802_11n(HT40)_5230_40M



Maximum_Conducted_Output_Power_NVHT_ANT1_802_11ac(VHT40)_5190_40M



Maximum_Conducted_Output_Power_NVHT_ANT2_802_11ac(VHT40)_5190_40M



Maximum_Conducted_Output_Power_NVHT_ANT1_802_11ac(VHT40)_5230_40M



Maximum_Conducted_Output_Power_NVHT_ANT2_802_11ac(VHT40)_5230_40M



Maximum_Conducted_Output_Power_NVHT_ANT1_802_11ax(HE40)_5190_40M



Maximum Conducted Output Power NVHT ANT2_802_11ax(HE40) 5190_40M



Maximum Conducted Output Power NVHT ANT1_802_11ax(HE40) 5230_40M



Maximum Conducted Output Power NVHT ANT2_802_11ax(HE40) 5230_40M




Maximum Conducted Output Power NVHT ANT1_802_11ac(VHT80) 5210_80M



Maximum_Conducted_Output_Power_NVHT_ANT2_802_11ac(VHT80)_5210_80M



Maximum_Conducted_Output_Power_NVHT_ANT2_802_11ac(VHT80)_5210_80M



Maximum Conducted Output Power NVNT ANT2_802_11ax(HE80) 5210 80M



Condition	Antenna	Mode	Frequency(MHz)	MIMO_Conducted_Power(dBm)	Limit(dBm)	Result
NVNT	MIMO_TX	802.11n(HT20)	5180.00	20.38	30	Pass
NVNT	MIMO_TX	802.11n(HT20)	5200.00	20.51	30	Pass
NVNT	MIMO_TX	802.11n(HT20)	5240.00	21.14	30	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5180.00	20.45	30	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5200.00	20.36	30	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5240.00	21.17	30	Pass
NVHT	MIMO_TX	802.11ax(HE20)	5180.00	16.50	30	Pass
NVHT	MIMO_TX	802.11ax(HE20)	5200.00	16.52	30	Pass
NVHT	MIMO_TX	802.11ax(HE20)	5240.00	17.32	30	Pass
NVHT	MIMO_TX	802.11n(HT40)	5190.00	17.73	30	Pass
NVHT	MIMO_TX	802.11n(HT40)	5230.00	18.20	30	Pass
NVHT	MIMO_TX	802.11ac(VHT40)	5190.00	17.71	30	Pass
NVHT	MIMO_TX	802.11ac(VHT40)	5230.00	17.86	30	Pass
NVHT	MIMO_TX	802.11ax(HE40)	5190.00	17.37	30	Pass
NVHT	MIMO_TX	802.11ax(HE40)	5230.00	17.59	30	Pass
NVHT	MIMO_TX	802.11ac(VHT80)	5210.00	17.50	30	Pass
NVNT	MIMO_TX	802.11ax(HE80)	5210.00	21.16	30	Pass

4. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD(dBm/MHz)	Duty factor(dB)	Total PSD(dBm/MHz)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	6.26	0.21	6.47	11	Pass
NVNT	ANT2	802.11a	5180.00	9.21	0.30	9.51	11	Pass
NVNT	ANT1	802.11a	5200.00	5.90	0.26	6.16	11	Pass
NVNT	ANT2	802.11a	5200.00	9.35	0.34	9.69	11	Pass
NVNT	ANT1	802.11a	5240.00	6.22	0.30	6.52	11	Pass
NVNT	ANT2	802.11a	5240.00	10.27	0.26	10.53	11	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	4.97	0.38	5.35	11	Pass
NVNT	ANT2	802.11n(HT20)	5180.00	8.21	0.37	8.58	11	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	5.04	0.51	5.55	11	Pass
NVNT	ANT2	802.11n(HT20)	5200.00	8.38	0.44	8.82	11	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	5.15	0.44	5.59	11	Pass
NVNT	ANT2	802.11n(HT20)	5240.00	8.91	0.41	9.32	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	5.32	0.48	5.80	11	Pass
NVNT	ANT2	802.11ac(VHT20)	5180.00	8.40	0.47	8.87	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	5.06	0.38	5.44	11	Pass
NVNT	ANT2	802.11ac(VHT20)	5200.00	8.37	0.40	8.77	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	5.31	0.40	5.71	11	Pass
NVNT	ANT2	802.11ac(VHT20)	5240.00	9.11	0.47	9.58	11	Pass
NVHT	ANT1	802.11ax(HE20)	5180.00	1.56	0.37	1.94	11	Pass
NVHT	ANT2	802.11ax(HE20)	5180.00	4.06	0.38	4.44	11	Pass
NVHT	ANT1	802.11ax(HE20)	5200.00	1.13	0.37	1.50	11	Pass
NVHT	ANT2	802.11ax(HE20)	5200.00	4.26	0.37	4.63	11	Pass
NVHT	ANT1	802.11ax(HE20)	5240.00	1.38	0.40	1.78	11	Pass
NVHT	ANT2	802.11ax(HE20)	5240.00	5.22	0.38	5.60	11	Pass
NVHT	ANT1	802.11n(HT40)	5190.00	-0.86	0.47	-0.39	11	Pass
NVHT	ANT2	802.11n(HT40)	5190.00	2.68	0.71	3.39	11	Pass
NVHT	ANT1	802.11n(HT40)	5230.00	-1.27	0.50	-0.77	11	Pass
NVHT	ANT2	802.11n(HT40)	5230.00	3.31	0.75	4.06	11	Pass
NVHT	ANT1	802.11ac(VHT40)	5190.00	-0.79	0.50	-0.29	11	Pass
NVHT	ANT2	802.11ac(VHT40)	5190.00	2.57	0.73	3.30	11	Pass
NVHT	ANT1	802.11ac(VHT40)	5230.00	-1.17	0.50	-0.67	11	Pass
NVHT	ANT2	802.11ac(VHT40)	5230.00	3.29	0.37	3.66	11	Pass
NVHT	ANT1	802.11ax(HE40)	5190.00	-1.28	0.38	-0.90	11	Pass
NVHT	ANT2	802.11ax(HE40)	5190.00	2.26	0.40	2.66	11	Pass
NVHT	ANT1	802.11ax(HE40)	5230.00	-1.67	0.38	-1.29	11	Pass
NVHT	ANT2	802.11ax(HE40)	5230.00	2.85	0.40	3.25	11	Pass
NVHT	ANT1	802.11ac(VHT80)	5210.00	-4.17	0.50	-3.67	11	Pass
NVHT	ANT2	802.11ac(VHT80)	5210.00	-0.27	0.86	0.59	11	Pass
NVNT	ANT1	802.11ax(HE80)	5210.00	0.12	0.38	0.50	11	Pass
NVNT	ANT2	802.11ax(HE80)	5210.00	3.32	0.40	3.72	11	Pass

Power_Spectral_Density_NVNT_ANT1_802_11a_5180



Power_Spectral_Density_NVNT_ANT2_802_11a_5180



Power_Spectral_Density_NVNT_ANT1_802_11a_5200



Power Spectral Density NVNT_ANT2_802_11a_5200



Power Spectral Density NVNT_ANT1_802_11a_5240



Power_Spectral_Density_NVNT_ANT2_802_11a_5240



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5180



Power Spectral Density NVNT ANT2_802_11n(HT20)_5180



Power Spectral Density NVNT ANT1_802_11n(HT20)_5200



Power Spectral Density NVNT ANT2_802_11n(HT20)_5200



Power Spectral Density NVNT ANT1_802_11n(HT20)_5240



Power Spectral Density NVNT ANT2_802_11n(HT20)_5240



Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5180



Power Spectral Density NVNT_ANT2_802_11ac(VHT20)_5180



Power Spectral Density NVNT_ANT1_802_11ac(VHT20)_5200



Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT20)_5200



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5240



Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT20)_5240



Power_Spectral_Density_NVHT_ANT1_802_11ax(HE20)_5180



Power Spectral Density NVHT_ANT2 802_11ax(HE20)_5180



Power Spectral Density NVHT_ANT1 802_11ax(HE20)_5200



Power_Spectral_Density_NVHT_ANT2_802_11ax(HE20)_5200



Power_Spectral_Density_NVHT_ANT1_802_11ax(HE20)_5240



Power Spectral Density NVHT_ANT2_802_11ax(HE20)_5240



Power Spectral Density NVHT_ANT1_802_11n(HT40)_5190



Power Spectral Density NVHT ANT2_802_11n(HT40)_5190



Power Spectral Density NVHT ANT1_802_11n(HT40)_5230



Power Spectral Density NVHT ANT2_802_11n(HT40)_5230



Power Spectral Density NVHT ANT1_802_11ac(VHT40)_5190



Power Spectral Density NVHT_ANT2_802_11ac(VHT40)_5190



Power Spectral Density NVHT_ANT1_802_11ac(VHT40)_5230



Power_Spectral_Density_NVHT_ANT2_802_11ac(VHT40)_5230



Power_Spectral_Density_NVHT_ANT1_802_11ax(HE40)_5190



Power Spectral Density NVHT_ANT2 802_11ax(HE40) 5190



Power Spectral Density NVHT_ANT1 802_11ax(HE40) 5230



Power Spectral Density NVHT_ANT2 802_11ax(HE40) 5230



Power Spectral Density NVHT_ANT1 802_11ac(VHT80) 5210



Power_Spectral_Density_NVHT_ANT2_802_11ac(VHT80)_5210






Power_Spectral_Density_NVHT_ANT1_802_11ac(HE80)_5210









Power Spectral Density NVNT ANT2 802.11ax(HE80) 5210









Condition	Antenna	Mode	Frequency (MHz)	MIMO PSD(dBm/MHz)	Limit(dBm/MHz)	Result
NVNT	MIMO_TX	802.11n(HT20)	5180.00	10.24	11	Pass
NVNT	MIMO_TX	802.11n(HT20)	5200.00	10.48	11	Pass
NVNT	MIMO_TX	802.11n(HT20)	5240.00	10.81	11	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5180.00	10.45	11	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5200.00	10.31	11	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5240.00	10.91	11	Pass
NVHT	MIMO_TX	802.11ax(HE20)	5180.00	6.17	11	Pass
NVHT	MIMO_TX	802.11ax(HE20)	5200.00	6.23	11	Pass
NVHT	MIMO_TX	802.11ax(HE20)	5240.00	6.85	11	Pass
NVHT	MIMO_TX	802.11n(HT40)	5190.00	4.74	11	Pass
NVHT	MIMO_TX	802.11n(HT40)	5230.00	5.17	11	Pass
NVHT	MIMO_TX	802.11ac(VHT40)	5190.00	4.79	11	Pass
NVHT	MIMO_TX	802.11ac(VHT40)	5230.00	5.02	11	Pass
NVHT	MIMO_TX	802.11ax(HE40)	5190.00	4.16	11	Pass
NVHT	MIMO_TX	802.11ax(HE40)	5230.00	4.47	11	Pass
NVHT	MIMO_TX	802.11ac(VHT80)	5210.00	1.77	11	Pass
NVNT	MIMO_TX	802.11ax(HE80)	5210.00	5.20	11	Pass






















NVHT_MIMO_TX_802_11ac(VHT40)_Power_Spectral_Density_5230







5. Frequency Stability

Reference Frequency: 802. 11ac channel=36 frequency=5180MHz					
Voltage (V)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
12.0	-20	128.64	0.02483	Within the band of operation	Pass
	-10	117.28	0.02264		
	0	131.45	0.02538		
	10	126.19	0.02436		
	20	121.87	0.02353		
	30	116.52	0.02249		
	40	122.71	0.02369		
	50	128.93	0.02489		
	55	133.05	0.02569		
13.2	25	134.17	0.02590		
10.8	25	131.82	0.02545		