

Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700120801

Page: 140 of 189

3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)		Verdict
					ANT1	Limit	
802.11b	SISO	2412	/	/	15.32	<=30	Pass
		2437	/	/	16.32	<=30	Pass
		2462	/	/	16.05	<=30	Pass
802.11g	SISO	2412	/	/	13.90	<=30	Pass
		2437	/	/	14.66	<=30	Pass
		2462	/	/	13.87	<=30	Pass
802.11n (HT20)	SISO	2412	/	/	13.51	<=30	Pass
		2437	/	/	14.02	<=30	Pass
		2462	/	/	13.58	<=30	Pass
802.11n (HT40)	SISO	2422	/	/	11.11	<=30	Pass
		2437	/	/	12.10	<=30	Pass
		2452	/	/	11.79	<=30	Pass
802.11ax (HEW20)	SISO	2412	RU242	Left	13.45	<=30	Pass
		2437	RU242	Left	14.17	<=30	Pass
		2462	RU242	Left	13.59	<=30	Pass
802.11ax (HEW40)	SISO	2422	RU484	Left	11.04	<=30	Pass
		2437	RU484	Left	12.00	<=30	Pass
		2452	RU484	Left	11.73	<=30	Pass


Note1: Antenna Gain: Ant1: 1.16dBi;

3.1.2 EIRP


Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)		Verdict
					ANT1	Limit	
802.11b	SISO	2412	/	/	16.48	<=36.02	Pass
		2437	/	/	17.48	<=36.02	Pass
		2462	/	/	17.21	<=36.02	Pass
802.11g	SISO	2412	/	/	15.06	<=36.02	Pass
		2437	/	/	15.82	<=36.02	Pass
		2462	/	/	15.03	<=36.02	Pass
802.11n (HT20)	SISO	2412	/	/	14.67	<=36.02	Pass
		2437	/	/	15.18	<=36.02	Pass
		2462	/	/	14.74	<=36.02	Pass
802.11n	SISO	2422	/	/	12.27	<=36.02	Pass

3.2 Test Graph


3.2.1 Power




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV




802.11ax(HEW20)_LCH_2412MHz_RU242_Left_Ant1 (SISO)_NTNV




802.11ax(HEW20)_MCH_2437MHz_RU242_Left_Ant1 (SISO)_NTNV




802.11ax(HEW20)_HCH_2462MHz_RU242_Left_Ant1 (SISO)_NTNV




802.11ax(HEW40)_LCH_2422MHz_RU484_Left_Ant1 (SISO)_NTNV



802.11ax(HEW40)_MCH_2437MHz_RU484_Left_Ant1 (SISO)_NTNV




802.11ax(HEW40)_HCH_2452MHz_RU484_Left_Ant1 (SISO)_NTNV



Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/3kHz)		Verdict
					ANT1	Limit	
802.11b	SISO	2412	/	/	-7.07	<=8	Pass
		2437	/	/	-6.40	<=8	Pass
		2462	/	/	-7.65	<=8	Pass
802.11g	SISO	2412	/	/	-10.63	<=8	Pass
		2437	/	/	-9.54	<=8	Pass
		2462	/	/	-10.78	<=8	Pass
802.11n (HT20)	SISO	2412	/	/	-10.43	<=8	Pass
		2437	/	/	-10.37	<=8	Pass
		2462	/	/	-11.74	<=8	Pass
802.11n (HT40)	SISO	2422	/	/	-16.99	<=8	Pass
		2437	/	/	-15.21	<=8	Pass
		2452	/	/	-16.46	<=8	Pass
802.11ax (HEW20)	SISO	2412	RU242	Left	-12.01	<=8	Pass
		2437	RU242	Left	-11.52	<=8	Pass
		2462	RU242	Left	-12.69	<=8	Pass
802.11ax (HEW40)	SISO	2422	RU484	Left	-17.75	<=8	Pass
		2437	RU484	Left	-17.28	<=8	Pass
		2452	RU484	Left	-17.35	<=8	Pass
Note1: Antenna Gain: Ant1: 1.16dBi;							

4.2 Test Graph

4.2.1 PSD






Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240700120801

Page: 153 of 189

802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240700120801

Page: 154 of 189


802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV






Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240700120801

Page: 158 of 189


802.11ax(HEW20)_LCH_2412MHz_RU242_Left_Ant1 (SISO)_NTNV




802.11ax(HEW20)_MCH_2437MHz_RU242_Left_Ant1 (SISO)_NTNV




802.11ax(HEW20)_HCH_2462MHz_RU242_Left_Ant1 (SISO)_NTNV




802.11ax(HEW40)_LCH_2422MHz_RU484_Left_Ant1 (SISO)_NTNV



802.11ax(HEW40)_MCH_2437MHz_RU484_Left_Ant1 (SISO)_NTNV



802.11ax(HEW40)_HCH_2452MHz_RU484_Left_Ant1 (SISO)_NTNV



5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Test Result

5.1.1 Ref

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Reference (dBm)
802.11b	SISO	2412	/	/	1	7.22
		2437	/	/	1	8.09
		2462	/	/	1	7.43
802.11g	SISO	2412	/	/	1	3.71
		2437	/	/	1	3.58
		2462	/	/	1	3.73
802.11n (HT20)	SISO	2412	/	/	1	3.09
		2437	/	/	1	4.08
		2462	/	/	1	3.50
802.11n (HT40)	SISO	2422	/	/	1	-8.91
		2437	/	/	1	-1.28
		2452	/	/	1	-1.68
802.11ax (HEW20)	SISO	2412	RU242	Left	1	3.52
		2437	RU242	Left	1	4.25
		2462	RU242	Left	1	3.08
802.11ax (HEW40)	SISO	2422	RU484	Left	1	-2.23
		2437	RU484	Left	1	-1.30
		2452	RU484	Left	1	-1.61

Note1: Refer to RSS-247 Issue 2 section 5.5 and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

5.1.2 CSE

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	/	/	1	8.09	-21.91	Pass
		2437	/	/	1	8.09	-21.91	Pass
		2462	/	/	1	8.09	-21.91	Pass
802.11g	SISO	2412	/	/	1	3.73	-26.27	Pass
		2437	/	/	1	3.73	-26.27	Pass
		2462	/	/	1	3.73	-26.27	Pass



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700120801


Page: 162 of 189

802.11n (HT20)	SISO	2412	/	/	1	4.08	-25.92	Pass
		2437	/	/	1	4.08	-25.92	Pass
		2462	/	/	1	4.08	-25.92	Pass
802.11n (HT40)	SISO	2422	/	/	1	-1.28	-31.28	Pass
		2437	/	/	1	-1.28	-31.28	Pass
		2452	/	/	1	-1.28	-31.28	Pass
802.11ax (HEW20)	SISO	2412	RU242	Left	1	4.25	-25.75	Pass
		2437	RU242	Left	1	4.25	-25.75	Pass
		2462	RU242	Left	1	4.25	-25.75	Pass
802.11ax (HEW40)	SISO	2422	RU484	Left	1	-1.30	-31.30	Pass
		2437	RU484	Left	1	-1.30	-31.30	Pass
		2452	RU484	Left	1	-1.30	-31.30	Pass

Note1: Refer to RSS-247 Issue 2 section 5.5 and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

5.2 Test Graph

5.2.1 Ref




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240700120801

Page: 164 of 189


802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240700120801

Page: 166 of 189


802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV






Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240700120801

Page: 168 of 189

802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240700120801

Page: 169 of 189


802.11ax(HEW20)_LCH_2412MHz_RU242_Left_Ant1 (SISO)_NTNV




802.11ax(HEW20)_MCH_2437MHz_RU242_Left_Ant1 (SISO)_NTNV




802.11ax(HEW20)_HCH_2462MHz_RU242_Left_Ant1 (SISO)_NTNV




802.11ax(HEW40)_LCH_2422MHz_RU484_Left_Ant1 (SISO)_NTNV




802.11ax(HEW40)_MCH_2437MHz_RU484_Left_Ant1 (SISO)_NTNV




802.11ax(HEW40)_HCH_2452MHz_RU484_Left_Ant1 (SISO)_NTNV




5.2.2 CSE




802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240700120801

Page: 178 of 189


802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240700120801

Page: 182 of 189

802.11ax(HEW20)_LCH_2412MHz_RU242_Left_Ant1 (SISO)_NTNV



802.11ax(HEW20)_LCH_2412MHz_RU242_Left_Ant1 (SISO)_NTNV




Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240700120801

Page: 183 of 189


802.11ax(HEW20)_MCH_2437MHz_RU242_Left_Ant1 (SISO)_NTNV




802.11ax(HEW20)_HCH_2462MHz_RU242_Left_Ant1 (SISO)_NTNV




802.11ax(HEW20)_HCH_2462MHz_RU242_Left_Ant1 (SISO)_NTNV




802.11ax(HEW40)_LCH_2422MHz_RU484_Left_Ant1 (SISO)_NTNV




802.11ax(HEW40)_LCH_2422MHz_RU484_Left_Ant1 (SISO)_NTNV




802.11ax(HEW40)_MCH_2437MHz_RU484_Left_Ant1 (SISO)_NTNV



802.11ax(HEW40)_HCH_2452MHz_RU484_Left_Ant1 (SISO)_NTNV



802.11ax(HEW40)_HCH_2452MHz_RU484_Left_Ant1 (SISO)_NTNV



6. Frequency Error

6.1 Test Result

6.1.1 Ant1

Ant1									
Mode	Tx Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11b	SISO	2412	/	/	20	102	2412.020	2406.247 to 2417.753	Pass
						120	2412.020	2406.247 to 2417.753	Pass
						138	2412.020	2406.247 to 2417.753	Pass
					-20	120	2412.020	2406.247 to 2417.753	Pass
					50	120	2412.020	2406.247 to 2417.753	Pass
		2437	/	/	20	102	2437.040	2431.234 to 2442.766	Pass
						120	2437.040	2431.234 to 2442.766	Pass
						138	2437.040	2431.234 to 2442.766	Pass
					-20	120	2437.040	2431.234 to 2442.766	Pass
					50	120	2437.040	2431.234 to 2442.766	Pass
		2462	/	/	20	102	2462.000	2456.224 to 2467.776	Pass
						120	2462.000	2456.224 to 2467.776	Pass
						138	2462.000	2456.224 to 2467.776	Pass
					-20	120	2462.000	2456.224 to 2467.776	Pass
					50	120	2462.000	2456.224 to 2467.776	Pass
802.11g	SISO	2412	/	/	20	102	2411.980	2404.533 to 2419.467	Pass
						120	2412.020	2404.533 to 2419.467	Pass
						138	2412.020	2404.533 to 2419.467	Pass
					-20	120	2412.020	2404.533 to 2419.467	Pass
					50	120	2412.000	2404.533 to 2419.467	Pass
		2437	/	/	20	102	2437.040	2429.516 to 2444.484	Pass
						120	2437.000	2429.516 to 2444.484	Pass
						138	2436.980	2429.516 to 2444.484	Pass
					-20	120	2436.960	2429.516 to 2444.484	Pass
					50	120	2437.040	2429.516 to 2444.484	Pass
		2462	/	/	20	102	2461.980	2454.455 to 2469.545	Pass
						120	2461.980	2454.455 to 2469.545	Pass
						138	2461.960	2454.455 to 2469.545	Pass
					-20	120	2462.020	2454.455 to 2469.545	Pass
					50	120	2462.040	2454.455 to 2469.545	Pass
802.11n (HT20)	SISO	2412	/	/	20	102	2412.040	2404.068 to 2419.932	Pass
						120	2411.980	2404.068 to 2419.932	Pass
						138	2412.040	2404.068 to 2419.932	Pass

Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700120801

Page: 188 of 189

		2437	/	/	-20	120	2412.000	2404.068 to 2419.932	Pass
					50	120	2411.960	2404.068 to 2419.932	Pass
					20	102	2437.000	2429.069 to 2444.931	Pass
						120	2437.020	2429.069 to 2444.931	Pass
						138	2437.000	2429.069 to 2444.931	Pass
					-20	120	2437.000	2429.069 to 2444.931	Pass
		2462	/	/	50	120	2437.080	2429.069 to 2444.931	Pass
					20	102	2462.000	2454.063 to 2469.937	Pass
						120	2461.960	2454.063 to 2469.937	Pass
						138	2462.020	2454.063 to 2469.937	Pass
					-20	120	2461.980	2454.063 to 2469.937	Pass
					50	120	2461.980	2454.063 to 2469.937	Pass
802.11n (HT40)	SISO	2422	/	/	20	102	2422.000	2406.584 to 2437.416	Pass
						120	2422.040	2406.584 to 2437.416	Pass
						138	2422.080	2406.584 to 2437.416	Pass
					-20	120	2422.040	2406.584 to 2437.416	Pass
		2437	/	/	20	102	2437.040	2421.584 to 2452.416	Pass
						120	2436.920	2421.584 to 2452.416	Pass
						138	2437.040	2421.584 to 2452.416	Pass
					-20	120	2437.040	2421.584 to 2452.416	Pass
		2452	/	/	20	102	2452.040	2436.544 to 2467.456	Pass
						120	2452.000	2436.544 to 2467.456	Pass
						138	2451.960	2436.544 to 2467.456	Pass
					-20	120	2452.040	2436.544 to 2467.456	Pass
802.11ax (HEW20)	SISO	2412	RU242	Left	20	102	2412.020	2403.994 to 2420.006	Pass
						120	2412.040	2403.994 to 2420.006	Pass
						138	2411.940	2403.994 to 2420.006	Pass
					-20	120	2412.000	2403.994 to 2420.006	Pass
		2437	RU242	Left	20	102	2437.060	2428.995 to 2445.005	Pass
						120	2436.960	2428.995 to 2445.005	Pass
						138	2436.980	2428.995 to 2445.005	Pass
					-20	120	2436.980	2428.995 to 2445.005	Pass
		2462	RU242	Left	20	102	2437.020	2428.995 to 2445.005	Pass
						120	2462.000	2453.954 to 2470.046	Pass
						138	2462.040	2453.954 to 2470.046	Pass
					-20	120	2462.000	2453.954 to 2470.046	Pass
802.11ax (HEW40)	SISO	2422	RU484	Left	20	102	2461.980	2453.954 to 2470.046	Pass
						120	2461.980	2453.954 to 2470.046	Pass



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700120801

Page: 189 of 189

						138	2421.960	2406.415 to 2437.585	Pass
					-20	120	2422.000	2406.415 to 2437.585	Pass
					50	120	2422.000	2406.415 to 2437.585	Pass
		2437	RU484	Left	20	102	2437.040	2421.42 to 2452.58	Pass
						120	2436.960	2421.42 to 2452.58	Pass
						138	2437.000	2421.42 to 2452.58	Pass
					-20	120	2437.040	2421.42 to 2452.58	Pass
					50	120	2437.040	2421.42 to 2452.58	Pass
		2452	RU484	Left	20	102	2452.000	2436.431 to 2467.569	Pass
						120	2452.040	2436.431 to 2467.569	Pass
						138	2452.040	2436.431 to 2467.569	Pass
					-20	120	2452.080	2436.431 to 2467.569	Pass
					50	120	2452.080	2436.431 to 2467.569	Pass

- End of the Report -