


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47979G	53.96	68.20	-14.24	15.07	3	Horizontal	198	1.90	-	38.89	39.52	10.35	34.80



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7482G	98.97	Inf	-Inf	5.43	3	Vertical	3	1.44	-	93.54	32.25	7.64	34.46
PK	5.6078G	56.46	68.20	-11.74	5.17	3	Vertical	3	1.44	-	51.29	32.05	7.55	34.43
PK	5.747G	111.77	Inf	-Inf	5.43	3	Vertical	3	1.44	-	106.34	32.25	7.64	34.46
PK	5.9402G	56.91	68.20	-11.29	5.77	3	Vertical	3	1.44	-	51.14	32.52	7.76	34.51



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.747G	114.04	Inf	-Inf	5.43	3	Horizontal	18	1.65	-	108.61	32.25	7.64	34.46
PK	5.6366G	66.48	68.20	-1.72	5.21	3	Horizontal	18	1.65	-	61.27	32.09	7.56	34.44
PK	5.747G	127.80	Inf	-Inf	5.43	3	Horizontal	18	1.65	-	122.37	32.25	7.64	34.46
PK	5.9438G	61.57	68.20	-6.63	5.77	3	Horizontal	18	1.65	-	55.80	32.52	7.76	34.51



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48993G	40.73	54.00	-13.27	15.79	3	Vertical	209	2.05	-	24.94	39.61	10.68	34.50
PK	11.49243G	54.11	74.00	-19.89	15.79	3	Vertical	209	2.05	-	38.32	39.61	10.68	34.50



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48895G	39.60	54.00	-14.40	15.79	3	Horizontal	111	2.46	-	23.81	39.61	10.68	34.50
PK	11.49015G	53.41	74.00	-20.59	15.79	3	Horizontal	111	2.46	-	37.62	39.61	10.68	34.50



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	99.64	Inf	-Inf	5.48	3	Vertical	353	1.47	-	94.16	32.30	7.66	34.48
PK	5.5934G	56.42	68.20	-11.78	5.14	3	Vertical	353	1.47	-	51.28	32.03	7.54	34.43
PK	5.7842G	111.66	Inf	-Inf	5.48	3	Vertical	353	1.47	-	106.18	32.30	7.66	34.48
PK	5.9366G	57.02	68.20	-11.18	5.76	3	Vertical	353	1.47	-	51.26	32.51	7.76	34.51



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

5785MHz_TX



Legend for the spectrum plot:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink line)
- AV (Green line)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7866G	113.54	Inf	-Inf	5.48	3	Horizontal	26	1.66	-	108.06	32.30	7.66	34.48
PK	5.5886G	60.31	68.20	-7.89	5.12	3	Horizontal	26	1.66	-	55.19	32.02	7.53	34.43
PK	5.7842G	128.29	Inf	-Inf	5.48	3	Horizontal	26	1.66	-	122.81	32.30	7.66	34.48
PK	5.9258G	60.68	68.20	-7.52	5.74	3	Horizontal	26	1.66	-	54.94	32.50	7.75	34.51



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56993G	40.39	54.00	-13.61	15.72	3	Vertical	127	2.58	-	24.67	39.52	10.72	34.52
PK	11.56872G	53.40	74.00	-20.60	15.72	3	Vertical	127	2.58	-	37.68	39.52	10.72	34.52



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56992G	39.89	54.00	-14.11	15.72	3	Horizontal	175	1.49	-	24.17	39.52	10.72	34.52
PK	11.57004G	54.12	74.00	-19.88	15.72	3	Horizontal	175	1.49	-	38.40	39.52	10.72	34.52



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	101.06	Inf	-Inf	5.55	3	Vertical	353	1.50	-	95.51	32.35	7.68	34.48
PK	5.5538G	55.85	68.20	-12.35	5.07	3	Vertical	353	1.50	-	50.78	31.98	7.51	34.42
PK	5.831G	113.66	Inf	-Inf	5.56	3	Vertical	353	1.50	-	108.10	32.36	7.69	34.49
PK	5.9378G	61.54	68.20	-6.66	5.76	3	Vertical	353	1.50	-	55.78	32.51	7.76	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	101.28	Inf	-Inf	5.56	3	Horizontal	22	1.73	-	95.72	32.36	7.69	34.49
PK	5.621G	56.60	68.20	-11.60	5.19	3	Horizontal	22	1.73	-	51.41	32.07	7.55	34.43
PK	5.8286G	113.90	Inf	-Inf	5.56	3	Horizontal	22	1.73	-	108.34	32.36	7.69	34.49
PK	5.9402G	60.52	68.20	-7.68	5.77	3	Horizontal	22	1.73	-	54.75	32.52	7.76	34.51



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65G	41.05	54.00	-12.95	15.63	3	Vertical	173	2.99	-	25.42	39.42	10.76	34.55
PK	11.65026G	53.94	74.00	-20.06	15.63	3	Vertical	173	2.99	-	38.31	39.42	10.76	34.55



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64852G	40.08	54.00	-13.92	15.63	3	Horizontal	178	1.85	-	24.45	39.42	10.76	34.55
PK	11.64989G	53.86	74.00	-20.14	15.63	3	Horizontal	178	1.85	-	38.23	39.42	10.76	34.55



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.55	54.00	-1.45	4.37	3	Vertical	351	1.67	-	48.18	31.76	7.04	34.43
AV	5.1786G	107.99	Inf	-Inf	4.42	3	Vertical	351	1.67	-	103.57	31.77	7.07	34.42
PK	5.149G	71.17	74.00	-2.83	4.37	3	Vertical	351	1.67	-	66.80	31.76	7.04	34.43
PK	5.179G	121.15	Inf	-Inf	4.42	3	Vertical	351	1.67	-	116.73	31.77	7.07	34.42



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	52.32	54.00	-1.68	4.36	3	Horizontal	0	1.65	-	47.96	31.76	7.03	34.43
AV	5.178G	108.87	Inf	-Inf	4.42	3	Horizontal	0	1.65	-	104.45	31.77	7.07	34.42
PK	5.1494G	72.79	74.00	-1.21	4.37	3	Horizontal	0	1.65	-	68.42	31.76	7.04	34.43
PK	5.1792G	121.92	Inf	-Inf	4.42	3	Horizontal	0	1.65	-	117.50	31.77	7.07	34.42



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36012G	53.48	68.20	-14.72	14.80	3	Vertical	317	1.81	-	38.68	39.37	10.33	34.90



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36618G	53.19	68.20	-15.01	14.81	3	Horizontal	225	1.04	-	38.38	39.38	10.33	34.90



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.93	54.00	-3.07	4.37	3	Vertical	353	1.77	-	46.56	31.76	7.04	34.43
AV	5.1988G	109.41	Inf	-Inf	4.46	3	Vertical	353	1.77	-	104.95	31.78	7.10	34.42
PK	5.1496G	65.23	74.00	-8.77	4.37	3	Vertical	353	1.77	-	60.86	31.76	7.04	34.43
PK	5.1992G	122.81	Inf	-Inf	4.46	3	Vertical	353	1.77	-	118.35	31.78	7.10	34.42



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.27	54.00	-3.73	4.37	3	Horizontal	10	1.55	-	45.90	31.76	7.04	34.43
AV	5.2036G	110.48	Inf	-Inf	4.46	3	Horizontal	10	1.55	-	106.02	31.78	7.10	34.42
PK	5.1496G	65.75	74.00	-8.25	4.37	3	Horizontal	10	1.55	-	61.38	31.76	7.04	34.43
PK	5.1948G	123.45	Inf	-Inf	4.45	3	Horizontal	10	1.55	-	119.00	31.78	7.09	34.42



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41482G	53.61	68.20	-14.59	14.92	3	Vertical	264	1.91	-	38.69	39.44	10.34	34.86



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41158G	53.41	68.20	-14.79	14.92	3	Horizontal	99	1.63	-	38.49	39.44	10.34	34.86



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.34	54.00	-8.66	4.37	3	Vertical	353	1.80	-	40.97	31.76	7.04	34.43
AV	5.2388G	110.78	Inf	-Inf	4.53	3	Vertical	353	1.80	-	106.25	31.80	7.15	34.42
AV	5.3762G	46.24	54.00	-7.76	4.76	3	Vertical	353	1.80	-	41.48	31.85	7.32	34.41
PK	5.141G	57.57	74.00	-16.43	4.36	3	Vertical	353	1.80	-	53.21	31.76	7.03	34.43
PK	5.2412G	123.53	Inf	-Inf	4.53	3	Vertical	353	1.80	-	119.00	31.80	7.15	34.42
PK	5.3582G	58.20	74.00	-15.80	4.73	3	Vertical	353	1.80	-	53.47	31.84	7.30	34.41



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	45.43	54.00	-8.57	4.36	3	Horizontal	0	1.71	-	41.07	31.76	7.03	34.43
AV	5.243G	111.98	Inf	-Inf	4.53	3	Horizontal	0	1.71	-	107.45	31.80	7.15	34.42
AV	5.351G	46.20	54.00	-7.80	4.72	3	Horizontal	0	1.71	-	41.48	31.84	7.29	34.41
PK	5.15G	57.66	74.00	-16.34	4.37	3	Horizontal	0	1.71	-	53.29	31.76	7.04	34.43
PK	5.246G	124.91	Inf	-Inf	4.54	3	Horizontal	0	1.71	-	120.37	31.80	7.16	34.42
PK	5.3798G	58.37	74.00	-15.63	4.77	3	Horizontal	0	1.71	-	53.60	31.85	7.33	34.41



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46962G	54.09	68.20	-14.11	15.05	3	Vertical	68	1.14	-	39.04	39.51	10.35	34.81



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48846G	54.13	68.20	-14.07	15.09	3	Horizontal	228	1.63	-	39.04	39.53	10.35	34.79



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	111.17	Inf	-Inf	5.41	3	Vertical	17	1.69	-	105.76	32.24	7.63	34.46
PK	5.6502G	61.93	68.35	-6.42	5.24	3	Vertical	17	1.69	-	56.69	32.11	7.57	34.44
PK	5.7438G	124.12	Inf	-Inf	5.41	3	Vertical	17	1.69	-	118.71	32.24	7.63	34.46
PK	5.9382G	59.52	68.20	-8.68	5.76	3	Vertical	17	1.69	-	53.76	32.51	7.76	34.51



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	114.33	Inf	-Inf	5.41	3	Horizontal	18	1.69	-	108.92	32.24	7.63	34.46
PK	5.649G	66.77	68.20	-1.43	5.24	3	Horizontal	18	1.69	-	61.53	32.11	7.57	34.44
PK	5.7498G	128.20	Inf	-Inf	5.43	3	Horizontal	18	1.69	-	122.77	32.25	7.64	34.46
PK	5.9322G	61.79	68.20	-6.41	5.75	3	Horizontal	18	1.69	-	56.04	32.51	7.75	34.51

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48088G	39.66	54.00	-14.34	15.80	3	Vertical	225	1.26	-	23.86	39.62	10.68	34.50
PK	11.4765G	53.47	74.00	-20.53	15.81	3	Vertical	225	1.26	-	37.66	39.63	10.68	34.50



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.47734G	39.71	54.00	-14.29	15.81	3	Horizontal	203	2.46	-	23.90	39.63	10.68	34.50
PK	11.50062G	53.06	74.00	-20.94	15.78	3	Horizontal	203	2.46	-	37.28	39.60	10.69	34.51



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	111.26	Inf	-Inf	5.48	3	Vertical	16	1.68	-	105.78	32.30	7.66	34.48
PK	5.6422G	62.18	68.20	-6.02	5.23	3	Vertical	16	1.68	-	56.95	32.10	7.57	34.44
PK	5.7838G	124.49	Inf	-Inf	5.48	3	Vertical	16	1.68	-	119.01	32.30	7.66	34.48
PK	5.9362G	59.31	68.20	-8.89	5.76	3	Vertical	16	1.68	-	53.55	32.51	7.76	34.51



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.791G	114.97	Inf	-Inf	5.49	3	Horizontal	18	1.73	-	109.48	32.31	7.66	34.48
PK	5.647G	66.48	68.20	-1.72	5.24	3	Horizontal	18	1.73	-	61.24	32.11	7.57	34.44
PK	5.7802G	132.45	Inf	-Inf	5.48	3	Horizontal	18	1.73	-	126.97	32.29	7.66	34.47
PK	5.923G	65.58	69.68	-4.10	5.74	3	Horizontal	18	1.73	-	59.84	32.49	7.75	34.50



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57078G	39.95	54.00	-14.05	15.72	3	Vertical	180	1.61	-	24.23	39.52	10.72	34.52
PK	11.56052G	53.53	74.00	-20.47	15.73	3	Vertical	180	1.61	-	37.80	39.53	10.72	34.52



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56316G	39.63	54.00	-14.37	15.72	3	Horizontal	113	2.50	-	23.91	39.52	10.72	34.52
PK	11.5559G	53.37	74.00	-20.63	15.72	3	Horizontal	113	2.50	-	37.65	39.53	10.71	34.52



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	110.33	Inf	-Inf	5.55	3	Vertical	345	1.77	-	104.78	32.35	7.68	34.48
PK	5.6294G	58.02	68.20	-10.18	5.20	3	Vertical	345	1.77	-	52.82	32.08	7.56	34.44
PK	5.8214G	122.67	Inf	-Inf	5.55	3	Vertical	345	1.77	-	117.12	32.35	7.68	34.48
PK	5.945G	59.94	68.20	-8.26	5.77	3	Vertical	345	1.77	-	54.17	32.52	7.76	34.51



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	113.67	Inf	-Inf	5.56	3	Horizontal	21	1.79	-	108.11	32.36	7.69	34.49
PK	5.6402G	59.20	68.20	-9.00	5.23	3	Horizontal	21	1.79	-	53.97	32.10	7.57	34.44
PK	5.8262G	128.64	Inf	-Inf	5.56	3	Horizontal	21	1.79	-	123.08	32.36	7.69	34.49
PK	5.9294G	66.76	68.20	-1.44	5.74	3	Horizontal	21	1.79	-	61.02	32.50	7.75	34.51



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64976G	41.21	54.00	-12.79	15.63	3	Vertical	174	2.97	-	25.58	39.42	10.76	34.55
PK	11.64106G	54.23	74.00	-19.77	15.65	3	Vertical	174	2.97	-	38.58	39.43	10.76	34.54



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.656G	40.03	54.00	-13.97	15.62	3	Horizontal	267	1.96	-	24.41	39.41	10.76	34.55
PK	11.63566G	53.38	74.00	-20.62	15.65	3	Horizontal	267	1.96	-	37.73	39.44	10.75	34.54



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14G	42.95	54.00	-11.05	4.35	3	Vertical	344	1.39	-	38.60	31.76	7.02	34.43
AV	5.1856G	86.93	Inf	-Inf	4.43	3	Vertical	344	1.39	-	82.50	31.77	7.08	34.42
PK	5.1044G	55.48	74.00	-18.52	4.29	3	Vertical	344	1.39	-	51.19	31.74	6.98	34.43
PK	5.1808G	99.83	Inf	-Inf	4.43	3	Vertical	344	1.39	-	95.40	31.77	7.08	34.42



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.47	54.00	-2.53	4.37	3	Horizontal	9	1.59	-	47.10	31.76	7.04	34.43
AV	5.1924G	103.08	Inf	-Inf	4.45	3	Horizontal	9	1.59	-	98.63	31.78	7.09	34.42
PK	5.148G	67.40	74.00	-6.60	4.36	3	Horizontal	9	1.59	-	63.04	31.76	7.03	34.43
PK	5.2004G	116.10	Inf	-Inf	4.46	3	Horizontal	9	1.59	-	111.64	31.78	7.10	34.42



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37992G	54.08	68.20	-14.12	14.84	3	Vertical	199	2.20	-	39.24	39.39	10.33	34.88



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37959G	53.78	68.20	-14.42	14.84	3	Horizontal	196	1.86	-	38.94	39.39	10.33	34.88

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	43.32	54.00	-10.68	4.36	3	Vertical	356	1.30	-	38.96	31.76	7.03	34.43
AV	5.226G	88.75	Inf	-Inf	4.50	3	Vertical	356	1.30	-	84.25	31.79	7.13	34.42
PK	5.1408G	55.89	74.00	-18.11	4.35	3	Vertical	356	1.30	-	51.54	31.76	7.02	34.43
PK	5.2228G	101.36	Inf	-Inf	4.50	3	Vertical	356	1.30	-	96.86	31.79	7.13	34.42

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.87	54.00	-2.13	4.37	3	Horizontal	7	1.69	-	47.50	31.76	7.04	34.43
AV	5.2284G	106.84	Inf	-Inf	4.50	3	Horizontal	7	1.69	-	102.34	31.79	7.13	34.42
PK	5.1492G	66.31	74.00	-7.69	4.37	3	Horizontal	7	1.69	-	61.94	31.76	7.04	34.43
PK	5.226G	119.83	Inf	-Inf	4.50	3	Horizontal	7	1.69	-	115.33	31.79	7.13	34.42



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45998G	53.37	68.20	-14.83	15.03	3	Vertical	198	2.31	-	38.34	39.50	10.35	34.82



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45987G	53.53	68.20	-14.67	15.03	3	Horizontal	198	1.85	-	38.50	39.50	10.35	34.82

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7526G	93.69	Inf	-Inf	5.42	3	Vertical	4	1.43	-	88.27	32.25	7.64	34.47
PK	5.6254G	57.11	68.20	-11.09	5.20	3	Vertical	4	1.43	-	51.91	32.08	7.56	34.44
PK	5.7538G	106.08	Inf	-Inf	5.43	3	Vertical	4	1.43	-	100.65	32.26	7.64	34.47
PK	5.9578G	57.25	68.20	-10.95	5.80	3	Vertical	4	1.43	-	51.45	32.54	7.77	34.51



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7562G	108.41	Inf	-Inf	5.43	3	Horizontal	16	1.66	-	102.98	32.26	7.64	34.47
PK	5.6518G	68.42	69.53	-1.11	5.24	3	Horizontal	16	1.66	-	63.18	32.11	7.57	34.44
PK	5.7562G	122.00	Inf	-Inf	5.43	3	Horizontal	16	1.66	-	116.57	32.26	7.64	34.47
PK	5.9482G	60.20	68.20	-8.00	5.78	3	Horizontal	16	1.66	-	54.42	32.53	7.76	34.51



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50984G	41.29	54.00	-12.71	15.77	3	Vertical	204	2.96	-	25.52	39.59	10.69	34.51
PK	11.51005G	53.78	74.00	-20.22	15.77	3	Vertical	204	2.96	-	38.01	39.59	10.69	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5111G	39.64	54.00	-14.36	15.77	3	Horizontal	315	2.32	-	23.87	39.59	10.69	34.51
PK	11.50935G	53.39	74.00	-20.61	15.77	3	Horizontal	315	2.32	-	37.62	39.59	10.69	34.51



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	94.69	Inf	-Inf	5.51	3	Vertical	352	1.49	-	89.18	32.32	7.67	34.48
PK	5.6306G	56.51	68.20	-11.69	5.20	3	Vertical	352	1.49	-	51.31	32.08	7.56	34.44
PK	5.801G	107.32	Inf	-Inf	5.51	3	Vertical	352	1.49	-	101.81	32.32	7.67	34.48
PK	5.9258G	58.30	68.20	-9.90	5.74	3	Vertical	352	1.49	-	52.56	32.50	7.75	34.51



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	108.27	Inf	-Inf	5.51	3	Horizontal	19	1.64	-	102.76	32.32	7.67	34.48
PK	5.6462G	63.26	68.20	-4.94	5.23	3	Horizontal	19	1.64	-	58.03	32.10	7.57	34.44
PK	5.801G	120.70	Inf	-Inf	5.51	3	Horizontal	19	1.64	-	115.19	32.32	7.67	34.48
PK	5.9258G	66.80	68.20	-1.40	5.74	3	Horizontal	19	1.64	-	61.06	32.50	7.75	34.51



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59048G	39.90	54.00	-14.10	15.69	3	Vertical	76	2.12	-	24.21	39.49	10.73	34.53
PK	11.59083G	53.84	74.00	-20.16	15.69	3	Vertical	76	2.12	-	38.15	39.49	10.73	34.53



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58981G	39.90	54.00	-14.10	15.69	3	Horizontal	175	1.41	-	24.21	39.49	10.73	34.53
PK	11.59029G	54.21	74.00	-19.79	15.69	3	Horizontal	175	1.41	-	38.52	39.49	10.73	34.53



802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.70	54.00	-2.30	4.37	3	Vertical	353	1.72	-	47.33	31.76	7.04	34.43
AV	5.188G	102.81	Inf	-Inf	4.44	3	Vertical	353	1.72	-	98.37	31.78	7.08	34.42
PK	5.1496G	65.45	74.00	-8.55	4.37	3	Vertical	353	1.72	-	61.08	31.76	7.04	34.43
PK	5.188G	115.84	Inf	-Inf	4.44	3	Vertical	353	1.72	-	111.40	31.78	7.08	34.42

802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.12	54.00	-2.88	4.37	3	Horizontal	5	1.64	-	46.75	31.76	7.04	34.43
AV	5.1936G	104.05	Inf	-Inf	4.45	3	Horizontal	5	1.64	-	99.60	31.78	7.09	34.42
PK	5.1408G	65.70	74.00	-8.30	4.35	3	Horizontal	5	1.64	-	61.35	31.76	7.02	34.43
PK	5.1824G	116.45	Inf	-Inf	4.43	3	Horizontal	5	1.64	-	112.02	31.77	7.08	34.42



802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38108G	53.03	68.20	-15.17	14.85	3	Vertical	75	1.48	-	38.18	39.40	10.33	34.88



802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38156G	53.05	68.20	-15.15	14.85	3	Horizontal	63	2.38	-	38.20	39.40	10.33	34.88



802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.34	54.00	-2.66	4.37	3	Vertical	348	1.67	-	46.97	31.76	7.04	34.43
AV	5.2248G	106.43	Inf	-Inf	4.50	3	Vertical	348	1.67	-	101.93	31.79	7.13	34.42
PK	5.1424G	66.86	74.00	-7.14	4.36	3	Vertical	348	1.67	-	62.50	31.76	7.03	34.43
PK	5.2352G	119.53	Inf	-Inf	4.51	3	Vertical	348	1.67	-	115.02	31.79	7.14	34.42

802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	52.08	54.00	-1.92	4.36	3	Horizontal	360	1.66	-	47.72	31.76	7.03	34.43
AV	5.228G	107.70	Inf	-Inf	4.50	3	Horizontal	360	1.66	-	103.20	31.79	7.13	34.42
PK	5.148G	66.61	74.00	-7.39	4.36	3	Horizontal	360	1.66	-	62.25	31.76	7.03	34.43
PK	5.2284G	120.57	Inf	-Inf	4.50	3	Horizontal	360	1.66	-	116.07	31.79	7.13	34.42



802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46858G	53.75	68.20	-14.45	15.05	3	Vertical	248	2.01	-	38.70	39.51	10.35	34.81



802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45664G	54.27	68.20	-13.93	15.02	3	Horizontal	296	1.71	-	39.25	39.49	10.35	34.82



802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7586G	106.75	Inf	-Inf	5.43	3	Vertical	16	1.67	-	101.32	32.26	7.64	34.47
PK	5.635G	60.12	68.20	-8.08	5.21	3	Vertical	16	1.67	-	54.91	32.09	7.56	34.44
PK	5.7694G	118.84	Inf	-Inf	5.46	3	Vertical	16	1.67	-	113.38	32.28	7.65	34.47
PK	5.9314G	58.75	68.20	-9.45	5.74	3	Vertical	16	1.67	-	53.01	32.50	7.75	34.51



802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7562G	110.49	Inf	-Inf	5.43	3	Horizontal	23	1.68	-	105.06	32.26	7.64	34.47
PK	5.6482G	65.23	68.20	-2.97	5.24	3	Horizontal	23	1.68	-	59.99	32.11	7.57	34.44
PK	5.7466G	123.70	Inf	-Inf	5.42	3	Horizontal	23	1.68	-	118.28	32.25	7.63	34.46
PK	5.9746G	60.36	68.20	-7.84	5.83	3	Horizontal	23	1.68	-	54.53	32.56	7.78	34.51



802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4983G	39.64	54.00	-14.36	15.79	3	Vertical	27	1.75	-	23.85	39.60	10.69	34.50
PK	11.52464G	52.81	74.00	-21.19	15.76	3	Vertical	27	1.75	-	37.05	39.57	10.70	34.51



802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4959G	39.62	54.00	-14.38	15.78	3	Horizontal	58	2.30	-	23.84	39.60	10.68	34.50
PK	11.52488G	53.49	74.00	-20.51	15.76	3	Horizontal	58	2.30	-	37.73	39.57	10.70	34.51



802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	106.88	Inf	-Inf	5.51	3	Vertical	0	1.74	-	101.37	32.32	7.67	34.48
PK	5.6426G	58.49	68.20	-9.71	5.23	3	Vertical	0	1.74	-	53.26	32.10	7.57	34.44
PK	5.7902G	118.94	Inf	-Inf	5.49	3	Vertical	0	1.74	-	113.45	32.31	7.66	34.48
PK	5.9294G	59.55	68.20	-8.65	5.74	3	Vertical	0	1.74	-	53.81	32.50	7.75	34.51



802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7962G	110.02	Inf	-Inf	5.50	3	Horizontal	24	1.74	-	104.52	32.31	7.67	34.48
PK	5.6498G	61.62	68.20	-6.58	5.24	3	Horizontal	24	1.74	-	56.38	32.11	7.57	34.44
PK	5.7962G	121.95	Inf	-Inf	5.50	3	Horizontal	24	1.74	-	116.45	32.31	7.67	34.48
PK	5.9306G	65.20	68.20	-3.00	5.74	3	Horizontal	24	1.74	-	59.46	32.50	7.75	34.51



802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6038G	39.81	54.00	-14.19	15.69	3	Vertical	36	1.37	-	24.12	39.48	10.74	34.53
PK	11.60368G	54.35	74.00	-19.65	15.69	3	Vertical	36	1.37	-	38.66	39.48	10.74	34.53



802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.60326G	39.85	54.00	-14.15	15.69	3	Horizontal	15	1.54	-	24.16	39.48	10.74	34.53
PK	11.60194G	53.72	74.00	-20.28	15.69	3	Horizontal	15	1.54	-	38.03	39.48	10.74	34.53

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	43.17	54.00	-10.83	4.36	3	Vertical	355	1.35	-	38.81	31.76	7.03	34.43
AV	5.201G	83.04	Inf	-Inf	4.46	3	Vertical	355	1.35	-	78.58	31.78	7.10	34.42
AV	5.446G	43.60	54.00	-10.40	4.88	3	Vertical	355	1.35	-	38.72	31.88	7.41	34.41
PK	5.089G	55.98	74.00	-18.02	4.27	3	Vertical	355	1.35	-	51.71	31.74	6.96	34.43
PK	5.202G	95.68	Inf	-Inf	4.46	3	Vertical	355	1.35	-	91.22	31.78	7.10	34.42
PK	5.409G	56.40	74.00	-17.60	4.81	3	Vertical	355	1.35	-	51.59	31.86	7.36	34.41

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.51	54.00	-1.49	4.37	3	Horizontal	9	1.74	-	48.14	31.76	7.04	34.43
AV	5.207G	99.92	Inf	-Inf	4.47	3	Horizontal	9	1.74	-	95.45	31.78	7.11	34.42
AV	5.35G	46.74	54.00	-7.26	4.72	3	Horizontal	9	1.74	-	42.02	31.84	7.29	34.41
PK	5.127G	65.84	74.00	-8.16	4.33	3	Horizontal	9	1.74	-	61.51	31.75	7.01	34.43
PK	5.223G	113.44	Inf	-Inf	4.50	3	Horizontal	9	1.74	-	108.94	31.79	7.13	34.42
PK	5.35G	58.81	74.00	-15.19	4.72	3	Horizontal	9	1.74	-	54.09	31.84	7.29	34.41



802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41993G	54.14	68.20	-14.06	14.94	3	Vertical	271	2.32	-	39.20	39.45	10.34	34.85



802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41958G	53.63	68.20	-14.57	14.94	3	Horizontal	360	1.50	-	38.69	39.45	10.34	34.85



802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8038G	87.92	Inf	-Inf	5.52	3	Vertical	7	1.36	-	82.40	32.33	7.67	34.48
PK	5.6274G	57.10	68.20	-11.10	5.20	3	Vertical	7	1.36	-	51.90	32.08	7.56	34.44
PK	5.8098G	100.78	Inf	-Inf	5.53	3	Vertical	7	1.36	-	95.25	32.33	7.68	34.48
PK	5.9622G	57.22	68.20	-10.98	5.81	3	Vertical	7	1.36	-	51.41	32.55	7.77	34.51



802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5775MHz_TX



Legend for the spectrum plot:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink line)
- AV (Green line)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7822G	101.72	Inf	-Inf	5.49	3	Horizontal	19	1.65	-	96.23	32.30	7.66	34.47
PK	5.6478G	66.30	68.20	-1.90	5.24	3	Horizontal	19	1.65	-	61.06	32.11	7.57	34.44
PK	5.7942G	115.13	Inf	-Inf	5.50	3	Horizontal	19	1.65	-	109.63	32.31	7.67	34.48
PK	5.9262G	61.13	68.20	-7.07	5.74	3	Horizontal	19	1.65	-	55.39	32.50	7.75	34.51



802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54989G	40.94	54.00	-13.06	15.73	3	Vertical	202	2.40	-	25.21	39.54	10.71	34.52
PK	11.54971G	53.64	74.00	-20.36	15.73	3	Vertical	202	2.40	-	37.91	39.54	10.71	34.52



802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

09/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55181G	39.61	54.00	-14.39	15.73	3	Horizontal	282	1.50	-	23.88	39.54	10.71	34.52
PK	11.55229G	53.28	74.00	-20.72	15.73	3	Horizontal	282	1.50	-	37.55	39.54	10.71	34.52

802.11ax HEW80_Nss1,(MCS0)_2TX

10/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.95	54.00	-3.05	4.37	3	Vertical	354	1.74	-	46.58	31.76	7.04	34.43
AV	5.225G	99.60	Inf	-Inf	4.50	3	Vertical	354	1.74	-	95.10	31.79	7.13	34.42
AV	5.376G	45.93	54.00	-8.07	4.76	3	Vertical	354	1.74	-	41.17	31.85	7.32	34.41
PK	5.09G	66.28	74.00	-7.72	4.27	3	Vertical	354	1.74	-	62.01	31.74	6.96	34.43
PK	5.205G	113.27	Inf	-Inf	4.47	3	Vertical	354	1.74	-	108.80	31.78	7.11	34.42
PK	5.396G	58.43	74.00	-15.57	4.80	3	Vertical	354	1.74	-	53.63	31.86	7.35	34.41



802.11ax HEW80_Nss1,(MCS0)_2TX

10/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	51.94	54.00	-2.06	4.36	3	Horizontal	8	1.71	-	47.58	31.76	7.03	34.43
AV	5.229G	100.35	Inf	-Inf	4.51	3	Horizontal	8	1.71	-	95.84	31.79	7.14	34.42
AV	5.351G	47.22	54.00	-6.78	4.72	3	Horizontal	8	1.71	-	42.50	31.84	7.29	34.41
PK	5.147G	66.55	74.00	-7.45	4.36	3	Horizontal	8	1.71	-	62.19	31.76	7.03	34.43
PK	5.218G	112.81	Inf	-Inf	4.49	3	Horizontal	8	1.71	-	108.32	31.79	7.12	34.42
PK	5.35G	59.24	74.00	-14.76	4.72	3	Horizontal	8	1.71	-	54.52	31.84	7.29	34.41



802.11ax HEW80_Nss1,(MCS0)_2TX

10/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4338G	53.84	68.20	-14.36	14.96	3	Vertical	174	2.40	-	38.88	39.46	10.34	34.84



802.11ax HEW80_Nss1,(MCS0)_2TX

10/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.43068G	52.59	68.20	-15.61	14.96	3	Horizontal	254	1.35	-	37.63	39.46	10.34	34.84



802.11ax HEW80_Nss1,(MCS0)_2TX

10/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7894G	101.10	Inf	-Inf	5.49	3	Vertical	0	1.69	-	95.61	32.31	7.66	34.48
PK	5.6538G	65.29	71.01	-5.72	5.26	3	Vertical	0	1.69	-	60.03	32.12	7.58	34.44
PK	5.7714G	113.23	Inf	-Inf	5.46	3	Vertical	0	1.69	-	107.77	32.28	7.65	34.47
PK	5.9322G	59.56	68.20	-8.64	5.75	3	Vertical	0	1.69	-	53.81	32.51	7.75	34.51



802.11ax HEW80_Nss1,(MCS0)_2TX

10/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7762G	104.12	Inf	-Inf	5.47	3	Horizontal	22	1.71	-	98.65	32.29	7.65	34.47
PK	5.6502G	66.43	68.35	-1.92	5.24	3	Horizontal	22	1.71	-	61.19	32.11	7.57	34.44
PK	5.7858G	117.45	Inf	-Inf	5.48	3	Horizontal	22	1.71	-	111.97	32.30	7.66	34.48
PK	5.9262G	61.07	68.20	-7.13	5.74	3	Horizontal	22	1.71	-	55.33	32.50	7.75	34.51



802.11ax HEW80_Nss1,(MCS0)_2TX

10/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55042G	39.43	54.00	-14.57	15.73	3	Vertical	321	1.44	-	23.70	39.54	10.71	34.52
PK	11.5356G	53.14	74.00	-20.86	15.75	3	Vertical	321	1.44	-	37.39	39.56	10.70	34.51



802.11ax HEW80_Nss1,(MCS0)_2TX

10/08/2019

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54652G	39.47	54.00	-14.53	15.73	3	Horizontal	70	1.92	-	23.74	39.54	10.71	34.52
PK	11.5605G	54.21	74.00	-19.79	15.73	3	Horizontal	70	1.92	-	38.48	39.53	10.72	34.52



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	15.7191G	52.82	54.00	-1.18	3	Vertical	205	2.64	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	52.66	54.00	-1.34	3	Vertical	13	1.48	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	15.72144G	52.49	54.00	-1.51	3	Vertical	206	2.91	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.1498G	52.96	54.00	-1.04	3	Horizontal	345	1.50	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.15G	52.74	54.00	-1.26	3	Horizontal	11	1.23	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.11	54.00	-1.89	3	Horizontal	360	1.25	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.15G	51.29	54.00	-2.71	3	Horizontal	11	1.39	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.93	54.00	-1.07	3	Vertical	360	1.30	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	PK	17.47038G	65.46	68.20	-2.74	3	Vertical	165	2.13	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	17.4666G	65.67	68.20	-2.53	3	Vertical	189	1.91	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.9246G	67.00	68.50	-1.50	3	Horizontal	360	1.58	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.6478G	66.92	68.20	-1.28	3	Vertical	10	1.57	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.6482G	66.97	68.20	-1.23	3	Horizontal	0	1.19	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.9318G	67.10	68.20	-1.10	3	Vertical	11	1.39	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.6502G	65.97	68.35	-2.38	3	Horizontal	0	1.71	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.649G	67.17	68.20	-1.03	3	Vertical	13	1.30	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1_(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.149G	44.39	54.00	-9.61	3	Vertical	61	1.65	-
5180MHz	Pass	AV	5.1824G	93.41	Inf	-Inf	3	Vertical	61	1.65	-
5180MHz	Pass	PK	5.1496G	56.05	74.00	-17.95	3	Vertical	61	1.65	-
5180MHz	Pass	PK	5.176G	101.26	Inf	-Inf	3	Vertical	61	1.65	-
5180MHz	Pass	AV	5.15G	52.39	54.00	-1.61	3	Horizontal	29	1.60	-
5180MHz	Pass	AV	5.1824G	105.10	Inf	-Inf	3	Horizontal	29	1.60	-
5180MHz	Pass	PK	5.1498G	65.75	74.00	-8.25	3	Horizontal	29	1.60	-
5180MHz	Pass	PK	5.1756G	113.25	Inf	-Inf	3	Horizontal	29	1.60	-
5180MHz	Pass	AV	15.53712G	48.42	54.00	-5.58	3	Vertical	209	3.00	-
5180MHz	Pass	PK	10.3603G	56.83	68.20	-11.37	3	Vertical	219	1.56	-
5180MHz	Pass	PK	15.54126G	61.52	74.00	-12.48	3	Vertical	209	3.00	-
5180MHz	Pass	AV	15.54018G	45.20	54.00	-8.80	3	Horizontal	181	1.25	-
5180MHz	Pass	PK	10.35286G	56.41	68.20	-11.79	3	Horizontal	224	1.50	-
5180MHz	Pass	PK	15.53688G	57.84	74.00	-16.16	3	Horizontal	181	1.25	-
5200MHz	Pass	AV	5.1472G	44.19	54.00	-9.81	3	Vertical	307	1.63	-
5200MHz	Pass	AV	5.2028G	96.46	Inf	-Inf	3	Vertical	307	1.63	-
5200MHz	Pass	PK	5.1492G	55.57	74.00	-18.43	3	Vertical	307	1.63	-
5200MHz	Pass	PK	5.2024G	104.60	Inf	-Inf	3	Vertical	307	1.63	-
5200MHz	Pass	AV	5.15G	51.78	54.00	-2.22	3	Horizontal	30	1.49	-
5200MHz	Pass	AV	5.2028G	108.16	Inf	-Inf	3	Horizontal	30	1.49	-
5200MHz	Pass	PK	5.1496G	65.58	74.00	-8.42	3	Horizontal	30	1.49	-
5200MHz	Pass	PK	5.2032G	116.76	Inf	-Inf	3	Horizontal	30	1.49	-
5200MHz	Pass	AV	15.5991G	50.27	54.00	-3.73	3	Vertical	209	2.66	-
5200MHz	Pass	PK	10.40258G	56.25	68.20	-11.95	3	Vertical	237	1.74	-
5200MHz	Pass	PK	15.6075G	62.26	74.00	-11.74	3	Vertical	209	2.66	-
5200MHz	Pass	AV	15.6006G	45.10	54.00	-8.90	3	Horizontal	34	1.71	-
5200MHz	Pass	PK	10.40504G	55.69	68.20	-12.51	3	Horizontal	255	2.34	-
5200MHz	Pass	PK	15.58902G	57.12	74.00	-16.88	3	Horizontal	34	1.71	-
5240MHz	Pass	AV	5.1446G	43.66	54.00	-10.34	3	Vertical	60	1.37	-
5240MHz	Pass	AV	5.2364G	95.82	Inf	-Inf	3	Vertical	60	1.37	-
5240MHz	Pass	AV	5.363G	43.47	54.00	-10.53	3	Vertical	60	1.37	-
5240MHz	Pass	PK	5.0942G	55.64	74.00	-18.36	3	Vertical	60	1.37	-
5240MHz	Pass	PK	5.2382G	104.67	Inf	-Inf	3	Vertical	60	1.37	-
5240MHz	Pass	PK	5.363G	55.22	74.00	-18.78	3	Vertical	60	1.37	-
5240MHz	Pass	AV	5.1482G	44.96	54.00	-9.04	3	Horizontal	29	1.38	-
5240MHz	Pass	AV	5.237G	108.04	Inf	-Inf	3	Horizontal	29	1.38	-
5240MHz	Pass	AV	5.3798G	44.55	54.00	-9.45	3	Horizontal	29	1.38	-
5240MHz	Pass	PK	5.1458G	57.17	74.00	-16.83	3	Horizontal	29	1.38	-
5240MHz	Pass	PK	5.2382G	116.87	Inf	-Inf	3	Horizontal	29	1.38	-
5240MHz	Pass	PK	5.3882G	56.22	74.00	-17.78	3	Horizontal	29	1.38	-
5240MHz	Pass	AV	15.7191G	52.82	54.00	-1.18	3	Vertical	205	2.64	-
5240MHz	Pass	PK	10.48018G	57.35	68.20	-10.85	3	Vertical	212	2.45	-
5240MHz	Pass	PK	15.72078G	65.44	74.00	-8.56	3	Vertical	205	2.64	-
5240MHz	Pass	AV	15.71742G	44.65	54.00	-9.35	3	Horizontal	151	2.02	-
5240MHz	Pass	PK	10.48114G	55.73	68.20	-12.47	3	Horizontal	62	2.19	-
5240MHz	Pass	PK	15.72918G	57.34	74.00	-16.66	3	Horizontal	151	2.02	-
5745MHz	Pass	AV	5.7474G	100.05	Inf	-Inf	3	Vertical	299	1.60	-



RSE TX above 1GHz_Group 3

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.5566G	55.68	68.20	-12.52	3	Vertical	299	1.60	-
5745MHz	Pass	PK	5.7486G	108.75	Inf	-Inf	3	Vertical	299	1.60	-
5745MHz	Pass	PK	5.9742G	56.70	68.20	-11.50	3	Vertical	299	1.60	-
5745MHz	Pass	AV	5.7486G	109.41	Inf	-Inf	3	Horizontal	9	1.44	-
5745MHz	Pass	PK	5.649G	57.99	68.20	-10.21	3	Horizontal	9	1.44	-
5745MHz	Pass	PK	5.7486G	118.22	Inf	-Inf	3	Horizontal	9	1.44	-
5745MHz	Pass	PK	5.9382G	57.23	68.20	-10.97	3	Horizontal	9	1.44	-
5745MHz	Pass	AV	11.48994G	46.54	54.00	-7.46	3	Vertical	147	2.70	-
5745MHz	Pass	PK	11.48658G	58.34	74.00	-15.66	3	Vertical	147	2.70	-
5745MHz	Pass	PK	17.22996G	65.01	68.20	-3.19	3	Vertical	152	2.44	-
5745MHz	Pass	AV	11.48772G	44.73	54.00	-9.27	3	Horizontal	147	2.98	-
5745MHz	Pass	PK	11.48646G	56.65	74.00	-17.35	3	Horizontal	147	2.98	-
5745MHz	Pass	PK	17.24448G	61.22	68.20	-6.98	3	Horizontal	25	1.14	-
5785MHz	Pass	AV	5.7874G	100.63	Inf	-Inf	3	Vertical	300	1.62	-
5785MHz	Pass	PK	5.5054G	57.01	68.20	-11.19	3	Vertical	300	1.62	-
5785MHz	Pass	PK	5.7886G	109.27	Inf	-Inf	3	Vertical	300	1.62	-
5785MHz	Pass	PK	5.9434G	56.24	68.20	-11.96	3	Vertical	300	1.62	-
5785MHz	Pass	AV	5.7814G	108.54	Inf	-Inf	3	Horizontal	359	1.50	-
5785MHz	Pass	PK	5.5234G	56.86	68.20	-11.34	3	Horizontal	359	1.50	-
5785MHz	Pass	PK	5.7838G	117.15	Inf	-Inf	3	Horizontal	359	1.50	-
5785MHz	Pass	PK	5.9866G	56.89	68.20	-11.31	3	Horizontal	359	1.50	-
5785MHz	Pass	AV	11.56988G	45.86	54.00	-8.14	3	Vertical	235	1.98	-
5785MHz	Pass	PK	11.57066G	58.14	74.00	-15.86	3	Vertical	235	1.98	-
5785MHz	Pass	PK	17.3544G	64.12	68.20	-4.08	3	Vertical	158	2.02	-
5785MHz	Pass	AV	11.5808G	44.21	54.00	-9.79	3	Horizontal	246	1.11	-
5785MHz	Pass	PK	11.57876G	57.01	74.00	-16.99	3	Horizontal	246	1.11	-
5785MHz	Pass	PK	17.3532G	62.39	68.20	-5.81	3	Horizontal	65	2.87	-
5825MHz	Pass	AV	5.8286G	101.25	Inf	-Inf	3	Vertical	300	1.60	-
5825MHz	Pass	PK	5.6174G	55.84	68.20	-12.36	3	Vertical	300	1.60	-
5825MHz	Pass	PK	5.8286G	110.09	Inf	-Inf	3	Vertical	300	1.60	-
5825MHz	Pass	PK	5.9678G	56.55	68.20	-11.65	3	Vertical	300	1.60	-
5825MHz	Pass	AV	5.8274G	108.46	Inf	-Inf	3	Horizontal	360	1.50	-
5825MHz	Pass	PK	5.6474G	56.95	68.20	-11.25	3	Horizontal	360	1.50	-
5825MHz	Pass	PK	5.8274G	117.24	Inf	-Inf	3	Horizontal	360	1.50	-
5825MHz	Pass	PK	5.9222G	60.50	70.27	-9.77	3	Horizontal	360	1.50	-
5825MHz	Pass	AV	11.6482G	45.70	54.00	-8.30	3	Vertical	235	2.16	-
5825MHz	Pass	PK	11.64886G	57.33	74.00	-16.67	3	Vertical	235	2.16	-
5825MHz	Pass	PK	17.47038G	65.46	68.20	-2.74	3	Vertical	165	2.13	-
5825MHz	Pass	AV	11.65594G	44.32	54.00	-9.68	3	Horizontal	148	2.63	-
5825MHz	Pass	PK	11.65318G	56.36	74.00	-17.64	3	Horizontal	148	2.63	-
5825MHz	Pass	PK	17.48292G	63.36	68.20	-4.84	3	Horizontal	157	2.98	-
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	52.66	54.00	-1.34	3	Vertical	13	1.48	-
5180MHz	Pass	AV	5.1816G	105.30	Inf	-Inf	3	Vertical	13	1.48	-
5180MHz	Pass	PK	5.15G	66.05	74.00	-7.95	3	Vertical	13	1.48	-
5180MHz	Pass	PK	5.1826G	113.81	Inf	-Inf	3	Vertical	13	1.48	-
5180MHz	Pass	AV	5.15G	50.27	54.00	-3.73	3	Horizontal	347	1.43	-
5180MHz	Pass	AV	5.182G	104.95	Inf	-Inf	3	Horizontal	347	1.43	-
5180MHz	Pass	PK	5.15G	63.30	74.00	-10.70	3	Horizontal	347	1.43	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	PK	5.182G	114.14	Inf	-Inf	3	Horizontal	347	1.43	-
5180MHz	Pass	PK	10.36042G	56.93	68.20	-11.27	3	Vertical	154	1.97	-
5180MHz	Pass	PK	10.35886G	55.76	68.20	-12.44	3	Horizontal	254	1.86	-
5200MHz	Pass	AV	5.15G	51.44	54.00	-2.56	3	Vertical	16	1.49	-
5200MHz	Pass	AV	5.1968G	109.02	Inf	-Inf	3	Vertical	16	1.49	-
5200MHz	Pass	PK	5.1496G	64.81	74.00	-9.19	3	Vertical	16	1.49	-
5200MHz	Pass	PK	5.1956G	117.48	Inf	-Inf	3	Vertical	16	1.49	-
5200MHz	Pass	AV	5.1472G	47.85	54.00	-6.15	3	Horizontal	360	1.50	-
5200MHz	Pass	AV	5.202G	107.73	Inf	-Inf	3	Horizontal	360	1.50	-
5200MHz	Pass	PK	5.1464G	59.94	74.00	-14.06	3	Horizontal	360	1.50	-
5200MHz	Pass	PK	5.202G	116.95	Inf	-Inf	3	Horizontal	360	1.50	-
5200MHz	Pass	AV	15.597G	48.82	54.00	-5.18	3	Vertical	209	2.32	-
5200MHz	Pass	PK	10.39988G	56.45	68.20	-11.75	3	Vertical	238	1.64	-
5200MHz	Pass	PK	15.60162G	60.90	74.00	-13.10	3	Vertical	209	2.32	-
5200MHz	Pass	AV	15.59626G	45.00	54.00	-9.00	3	Horizontal	38	2.00	-
5200MHz	Pass	PK	10.40202G	55.65	68.20	-12.55	3	Horizontal	115	2.29	-
5200MHz	Pass	PK	15.60474G	56.95	74.00	-17.05	3	Horizontal	38	2.00	-
5240MHz	Pass	AV	5.1494G	45.06	54.00	-8.94	3	Vertical	16	1.52	-
5240MHz	Pass	AV	5.2412G	110.29	Inf	-Inf	3	Vertical	16	1.52	-
5240MHz	Pass	AV	5.3762G	46.63	54.00	-7.37	3	Vertical	16	1.52	-
5240MHz	Pass	PK	5.1212G	58.40	74.00	-15.60	3	Vertical	16	1.52	-
5240MHz	Pass	PK	5.2418G	119.04	Inf	-Inf	3	Vertical	16	1.52	-
5240MHz	Pass	PK	5.3588G	61.06	74.00	-12.94	3	Vertical	16	1.52	-
5240MHz	Pass	AV	5.1452G	44.48	54.00	-9.52	3	Horizontal	360	1.50	-
5240MHz	Pass	AV	5.237G	107.64	Inf	-Inf	3	Horizontal	360	1.50	-
5240MHz	Pass	AV	5.3852G	44.85	54.00	-9.15	3	Horizontal	360	1.50	-
5240MHz	Pass	PK	5.114G	56.59	74.00	-17.41	3	Horizontal	360	1.50	-
5240MHz	Pass	PK	5.2418G	116.67	Inf	-Inf	3	Horizontal	360	1.50	-
5240MHz	Pass	PK	5.3654G	56.59	74.00	-17.41	3	Horizontal	360	1.50	-
5240MHz	Pass	AV	15.7193G	52.32	54.00	-1.68	3	Vertical	178	2.83	-
5240MHz	Pass	PK	15.7145G	64.40	74.00	-9.60	3	Vertical	178	2.83	-
5240MHz	Pass	AV	15.7249G	44.82	54.00	-9.18	3	Horizontal	160	1.50	-
5240MHz	Pass	PK	15.7213G	56.31	74.00	-17.69	3	Horizontal	160	1.50	-
5745MHz	Pass	AV	5.7486G	110.76	Inf	-Inf	3	Vertical	8	1.57	-
5745MHz	Pass	PK	5.625G	58.08	68.20	-10.12	3	Vertical	8	1.57	-
5745MHz	Pass	PK	5.7486G	119.50	Inf	-Inf	3	Vertical	8	1.57	-
5745MHz	Pass	PK	5.9322G	58.64	68.20	-9.56	3	Vertical	8	1.57	-
5745MHz	Pass	AV	5.7486G	109.49	Inf	-Inf	3	Horizontal	0	1.50	-
5745MHz	Pass	PK	5.5518G	57.24	68.20	-10.96	3	Horizontal	0	1.50	-
5745MHz	Pass	PK	5.739G	118.25	Inf	-Inf	3	Horizontal	0	1.50	-
5745MHz	Pass	PK	5.9358G	56.98	68.20	-11.22	3	Horizontal	0	1.50	-
5745MHz	Pass	AV	11.4896G	47.23	54.00	-6.77	3	Vertical	207	1.60	-
5745MHz	Pass	PK	11.4857G	58.40	74.00	-15.60	3	Vertical	207	1.60	-
5745MHz	Pass	PK	17.2299G	64.66	68.20	-3.54	3	Vertical	216	2.70	-
5745MHz	Pass	AV	11.48964G	45.06	54.00	-8.94	3	Horizontal	144	1.48	-
5745MHz	Pass	PK	11.4852G	56.62	74.00	-17.38	3	Horizontal	144	1.48	-
5745MHz	Pass	PK	17.24352G	61.33	68.20	-6.87	3	Horizontal	181	1.50	-
5785MHz	Pass	AV	5.7862G	109.86	Inf	-Inf	3	Vertical	0	1.50	-
5785MHz	Pass	PK	5.5702G	57.16	68.20	-11.04	3	Vertical	0	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	5.791G	118.21	Inf	-Inf	3	Vertical	0	1.50	-
5785MHz	Pass	PK	5.9746G	57.62	68.20	-10.58	3	Vertical	0	1.50	-
5785MHz	Pass	AV	5.7874G	108.85	Inf	-Inf	3	Horizontal	0	1.40	-
5785MHz	Pass	PK	5.6494G	56.71	68.20	-11.49	3	Horizontal	0	1.40	-
5785MHz	Pass	PK	5.7862G	117.54	Inf	-Inf	3	Horizontal	0	1.40	-
5785MHz	Pass	PK	5.9302G	57.00	68.20	-11.20	3	Horizontal	0	1.40	-
5785MHz	Pass	AV	11.5681G	47.86	54.00	-6.14	3	Vertical	77	1.71	-
5785MHz	Pass	PK	11.56776G	58.76	74.00	-15.24	3	Vertical	77	1.71	-
5785MHz	Pass	PK	17.36322G	64.23	68.20	-3.97	3	Vertical	25	1.85	-
5785MHz	Pass	AV	11.57014G	45.17	54.00	-8.83	3	Horizontal	173	1.95	-
5785MHz	Pass	PK	11.5709G	56.56	74.00	-17.44	3	Horizontal	173	1.95	-
5785MHz	Pass	PK	17.35152G	62.19	68.20	-6.01	3	Horizontal	147	1.50	-
5825MHz	Pass	AV	5.8286G	111.29	Inf	-Inf	3	Vertical	14	1.43	-
5825MHz	Pass	PK	5.6354G	57.75	68.20	-10.45	3	Vertical	14	1.43	-
5825MHz	Pass	PK	5.8286G	120.16	Inf	-Inf	3	Vertical	14	1.43	-
5825MHz	Pass	PK	5.9246G	60.65	68.50	-7.85	3	Vertical	14	1.43	-
5825MHz	Pass	AV	5.8286G	108.74	Inf	-Inf	3	Horizontal	0	1.50	-
5825MHz	Pass	PK	5.6306G	57.66	68.20	-10.54	3	Horizontal	0	1.50	-
5825MHz	Pass	PK	5.8298G	117.50	Inf	-Inf	3	Horizontal	0	1.50	-
5825MHz	Pass	PK	5.9294G	57.47	68.20	-10.73	3	Horizontal	0	1.50	-
5825MHz	Pass	AV	11.64982G	48.10	54.00	-5.90	3	Vertical	339	1.25	-
5825MHz	Pass	PK	11.65198G	59.83	74.00	-14.17	3	Vertical	339	1.25	-
5825MHz	Pass	PK	17.4666G	65.67	68.20	-2.53	3	Vertical	189	1.91	-
5825MHz	Pass	AV	11.63824G	45.23	54.00	-8.77	3	Horizontal	147	1.40	-
5825MHz	Pass	PK	11.66188G	56.06	74.00	-17.94	3	Horizontal	147	1.40	-
5825MHz	Pass	PK	17.46324G	63.05	68.20	-5.15	3	Horizontal	175	1.52	-
802.11ax HEW20_Nss1_(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	44.30	54.00	-9.70	3	Vertical	62	1.63	-
5180MHz	Pass	AV	5.1782G	91.98	Inf	-Inf	3	Vertical	62	1.63	-
5180MHz	Pass	PK	5.1468G	56.68	74.00	-17.32	3	Vertical	62	1.63	-
5180MHz	Pass	PK	5.1816G	104.54	Inf	-Inf	3	Vertical	62	1.63	-
5180MHz	Pass	AV	5.1498G	51.65	54.00	-2.35	3	Horizontal	29	1.58	-
5180MHz	Pass	AV	5.1774G	103.73	Inf	-Inf	3	Horizontal	29	1.58	-
5180MHz	Pass	PK	5.15G	66.35	74.00	-7.65	3	Horizontal	29	1.58	-
5180MHz	Pass	PK	5.1746G	115.95	Inf	-Inf	3	Horizontal	29	1.58	-
5180MHz	Pass	AV	15.5373G	44.86	54.00	-9.14	3	Vertical	162	2.99	-
5180MHz	Pass	PK	10.35988G	56.53	68.20	-11.67	3	Vertical	145	1.71	-
5180MHz	Pass	PK	15.53778G	57.51	74.00	-16.49	3	Vertical	162	2.99	-
5180MHz	Pass	AV	15.52566G	44.67	54.00	-9.33	3	Horizontal	345	1.60	-
5180MHz	Pass	PK	10.37104G	55.81	68.20	-12.39	3	Horizontal	144	2.38	-
5180MHz	Pass	PK	15.53574G	56.96	74.00	-17.04	3	Horizontal	345	1.60	-
5200MHz	Pass	AV	5.1496G	43.89	54.00	-10.11	3	Vertical	307	1.62	-
5200MHz	Pass	AV	5.2016G	95.05	Inf	-Inf	3	Vertical	307	1.62	-
5200MHz	Pass	PK	5.1492G	56.30	74.00	-17.70	3	Vertical	307	1.62	-
5200MHz	Pass	PK	5.1948G	106.96	Inf	-Inf	3	Vertical	307	1.62	-
5200MHz	Pass	AV	5.15G	50.85	54.00	-3.15	3	Horizontal	29	1.54	-
5200MHz	Pass	AV	5.198G	106.81	Inf	-Inf	3	Horizontal	29	1.54	-
5200MHz	Pass	PK	5.1488G	65.36	74.00	-8.64	3	Horizontal	29	1.54	-
5200MHz	Pass	PK	5.1976G	118.88	Inf	-Inf	3	Horizontal	29	1.54	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5200MHz	Pass	AV	15.60036G	50.08	54.00	-3.92	3	Vertical	209	2.64	-
5200MHz	Pass	PK	10.40012G	57.96	68.20	-10.24	3	Vertical	276	1.83	-
5200MHz	Pass	PK	15.603G	64.48	74.00	-9.52	3	Vertical	209	2.64	-
5200MHz	Pass	AV	15.59964G	44.75	54.00	-9.25	3	Horizontal	125	1.43	-
5200MHz	Pass	PK	10.39502G	55.93	68.20	-12.27	3	Horizontal	95	1.81	-
5200MHz	Pass	PK	15.59034G	58.72	74.00	-15.28	3	Horizontal	125	1.43	-
5240MHz	Pass	AV	5.15G	43.57	54.00	-10.43	3	Vertical	59	1.37	-
5240MHz	Pass	AV	5.2376G	94.64	Inf	-Inf	3	Vertical	59	1.37	-
5240MHz	Pass	AV	5.3582G	43.22	54.00	-10.78	3	Vertical	59	1.37	-
5240MHz	Pass	PK	5.15G	55.55	74.00	-18.45	3	Vertical	59	1.37	-
5240MHz	Pass	PK	5.2376G	106.57	Inf	-Inf	3	Vertical	59	1.37	-
5240MHz	Pass	PK	5.3516G	54.88	74.00	-19.12	3	Vertical	59	1.37	-
5240MHz	Pass	AV	5.15G	49.26	54.00	-4.74	3	Horizontal	29	1.40	-
5240MHz	Pass	AV	5.2382G	106.64	Inf	-Inf	3	Horizontal	29	1.40	-
5240MHz	Pass	AV	5.3504G	47.37	54.00	-6.63	3	Horizontal	29	1.40	-
5240MHz	Pass	PK	5.1494G	62.61	74.00	-11.39	3	Horizontal	29	1.40	-
5240MHz	Pass	PK	5.2376G	118.42	Inf	-Inf	3	Horizontal	29	1.40	-
5240MHz	Pass	PK	5.35G	60.45	74.00	-13.55	3	Horizontal	29	1.40	-
5240MHz	Pass	AV	15.72144G	52.49	54.00	-1.51	3	Vertical	206	2.91	-
5240MHz	Pass	PK	10.48024G	57.35	68.20	-10.85	3	Vertical	143	3.00	-
5240MHz	Pass	PK	15.7269G	66.94	74.00	-7.06	3	Vertical	206	2.91	-
5240MHz	Pass	AV	15.72042G	44.15	54.00	-9.85	3	Horizontal	278	2.34	-
5240MHz	Pass	PK	10.48384G	56.02	68.20	-12.18	3	Horizontal	30	2.01	-
5240MHz	Pass	PK	15.71454G	57.42	74.00	-16.58	3	Horizontal	278	2.34	-
5745MHz	Pass	AV	5.751G	99.66	Inf	-Inf	3	Vertical	301	1.55	-
5745MHz	Pass	PK	5.6502G	58.43	68.35	-9.92	3	Vertical	301	1.55	-
5745MHz	Pass	PK	5.7438G	110.86	Inf	-Inf	3	Vertical	301	1.55	-
5745MHz	Pass	PK	5.9502G	57.50	68.20	-10.70	3	Vertical	301	1.55	-
5745MHz	Pass	AV	5.7474G	108.51	Inf	-Inf	3	Horizontal	10	1.50	-
5745MHz	Pass	PK	5.649G	64.07	68.20	-4.13	3	Horizontal	10	1.50	-
5745MHz	Pass	PK	5.7486G	119.56	Inf	-Inf	3	Horizontal	10	1.50	-
5745MHz	Pass	PK	5.9382G	57.52	68.20	-10.68	3	Horizontal	10	1.50	-
5745MHz	Pass	AV	11.48724G	45.38	54.00	-8.62	3	Vertical	147	2.63	-
5745MHz	Pass	PK	11.48514G	57.45	74.00	-16.55	3	Vertical	147	2.63	-
5745MHz	Pass	PK	17.22936G	63.50	68.20	-4.70	3	Vertical	161	2.12	-
5745MHz	Pass	AV	11.4897G	43.92	54.00	-10.08	3	Horizontal	108	1.35	-
5745MHz	Pass	PK	11.4882G	56.34	74.00	-17.66	3	Horizontal	108	1.35	-
5745MHz	Pass	PK	17.24322G	60.92	68.20	-7.28	3	Horizontal	350	1.08	-
5785MHz	Pass	AV	5.7874G	100.06	Inf	-Inf	3	Vertical	301	1.61	-
5785MHz	Pass	PK	5.569G	56.20	68.20	-12.00	3	Vertical	301	1.61	-
5785MHz	Pass	PK	5.7898G	111.67	Inf	-Inf	3	Vertical	301	1.61	-
5785MHz	Pass	PK	5.9398G	56.94	68.20	-11.26	3	Vertical	301	1.61	-
5785MHz	Pass	AV	5.7838G	108.13	Inf	-Inf	3	Horizontal	360	1.50	-
5785MHz	Pass	PK	5.6398G	57.84	68.20	-10.36	3	Horizontal	360	1.50	-
5785MHz	Pass	PK	5.7802G	120.27	Inf	-Inf	3	Horizontal	360	1.50	-
5785MHz	Pass	PK	5.9458G	57.34	68.20	-10.86	3	Horizontal	360	1.50	-
5785MHz	Pass	AV	11.56904G	45.18	54.00	-8.82	3	Vertical	236	1.93	-
5785MHz	Pass	PK	11.56928G	57.28	74.00	-16.72	3	Vertical	236	1.93	-
5785MHz	Pass	PK	17.36244G	63.95	68.20	-4.25	3	Vertical	157	2.25	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	11.57756G	43.74	54.00	-10.26	3	Horizontal	229	1.76	-
5785MHz	Pass	PK	11.56448G	56.70	74.00	-17.30	3	Horizontal	229	1.76	-
5785MHz	Pass	PK	17.3613G	62.13	68.20	-6.07	3	Horizontal	85	2.09	-
5825MHz	Pass	AV	5.8286G	100.58	Inf	-Inf	3	Vertical	303	1.60	-
5825MHz	Pass	PK	5.627G	55.77	68.20	-12.43	3	Vertical	303	1.60	-
5825MHz	Pass	PK	5.8202G	112.53	Inf	-Inf	3	Vertical	303	1.60	-
5825MHz	Pass	PK	5.9246G	59.11	68.50	-9.39	3	Vertical	303	1.60	-
5825MHz	Pass	AV	5.8274G	108.02	Inf	-Inf	3	Horizontal	360	1.58	-
5825MHz	Pass	PK	5.6498G	58.81	68.20	-9.39	3	Horizontal	360	1.58	-
5825MHz	Pass	PK	5.819G	119.85	Inf	-Inf	3	Horizontal	360	1.58	-
5825MHz	Pass	PK	5.9246G	67.00	68.50	-1.50	3	Horizontal	360	1.58	-
5825MHz	Pass	AV	11.65294G	43.98	54.00	-10.02	3	Vertical	233	1.50	-
5825MHz	Pass	PK	11.63992G	57.05	74.00	-16.95	3	Vertical	233	1.50	-
5825MHz	Pass	PK	17.47008G	64.74	68.20	-3.46	3	Vertical	183	2.97	-
5825MHz	Pass	AV	11.65702G	43.61	54.00	-10.39	3	Horizontal	127	1.13	-
5825MHz	Pass	PK	11.66008G	55.77	74.00	-18.23	3	Horizontal	127	1.13	-
5825MHz	Pass	PK	17.48496G	63.54	68.20	-4.66	3	Horizontal	131	2.17	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	50.66	54.00	-3.34	3	Vertical	12	1.48	-
5180MHz	Pass	AV	5.1832G	105.08	Inf	-Inf	3	Vertical	12	1.48	-
5180MHz	Pass	PK	5.1484G	68.22	74.00	-5.78	3	Vertical	12	1.48	-
5180MHz	Pass	PK	5.1824G	116.81	Inf	-Inf	3	Vertical	12	1.48	-
5180MHz	Pass	AV	5.1498G	52.96	54.00	-1.04	3	Horizontal	345	1.50	-
5180MHz	Pass	AV	5.1834G	105.17	Inf	-Inf	3	Horizontal	345	1.50	-
5180MHz	Pass	PK	5.15G	72.17	74.00	-1.83	3	Horizontal	345	1.50	-
5180MHz	Pass	PK	5.1852G	117.32	Inf	-Inf	3	Horizontal	345	1.50	-
5180MHz	Pass	AV	15.53466G	44.62	54.00	-9.38	3	Vertical	30	1.23	-
5180MHz	Pass	PK	10.36426G	55.78	68.20	-12.42	3	Vertical	357	1.18	-
5180MHz	Pass	PK	15.53268G	57.68	74.00	-16.32	3	Vertical	30	1.23	-
5180MHz	Pass	AV	15.52578G	44.55	54.00	-9.45	3	Horizontal	191	2.08	-
5180MHz	Pass	PK	10.34824G	56.07	68.20	-12.13	3	Horizontal	132	2.73	-
5180MHz	Pass	PK	15.52668G	57.74	74.00	-16.26	3	Horizontal	191	2.08	-
5200MHz	Pass	AV	5.1496G	48.55	54.00	-5.45	3	Vertical	17	1.38	-
5200MHz	Pass	AV	5.2028G	106.62	Inf	-Inf	3	Vertical	17	1.38	-
5200MHz	Pass	PK	5.1484G	61.83	74.00	-12.17	3	Vertical	17	1.38	-
5200MHz	Pass	PK	5.1948G	118.55	Inf	-Inf	3	Vertical	17	1.38	-
5200MHz	Pass	AV	5.1492G	48.36	54.00	-5.64	3	Horizontal	0	1.36	-
5200MHz	Pass	AV	5.204G	105.76	Inf	-Inf	3	Horizontal	0	1.36	-
5200MHz	Pass	PK	5.1496G	65.60	74.00	-8.40	3	Horizontal	0	1.36	-
5200MHz	Pass	PK	5.1948G	117.54	Inf	-Inf	3	Horizontal	0	1.36	-
5200MHz	Pass	AV	15.5946G	46.41	54.00	-7.59	3	Vertical	209	2.11	-
5200MHz	Pass	PK	10.40066G	56.50	68.20	-11.70	3	Vertical	237	1.70	-
5200MHz	Pass	PK	15.59448G	62.59	74.00	-11.41	3	Vertical	209	2.11	-
5200MHz	Pass	AV	15.59958G	44.63	54.00	-9.37	3	Horizontal	238	1.50	-
5200MHz	Pass	PK	10.3871G	56.20	68.20	-12.00	3	Horizontal	266	1.73	-
5200MHz	Pass	PK	15.60936G	57.62	74.00	-16.38	3	Horizontal	238	1.50	-
5240MHz	Pass	AV	5.15G	52.16	54.00	-1.84	3	Vertical	15	1.52	-
5240MHz	Pass	AV	5.2436G	109.74	Inf	-Inf	3	Vertical	15	1.52	-
5240MHz	Pass	AV	5.35G	48.86	54.00	-5.14	3	Vertical	15	1.52	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	5.147G	66.38	74.00	-7.62	3	Vertical	15	1.52	-
5240MHz	Pass	PK	5.2346G	121.80	Inf	-Inf	3	Vertical	15	1.52	-
5240MHz	Pass	PK	5.3522G	61.54	74.00	-12.46	3	Vertical	15	1.52	-
5240MHz	Pass	AV	5.15G	48.91	54.00	-5.09	3	Horizontal	4	1.45	-
5240MHz	Pass	AV	5.243G	106.96	Inf	-Inf	3	Horizontal	4	1.45	-
5240MHz	Pass	AV	5.35G	47.30	54.00	-6.70	3	Horizontal	4	1.45	-
5240MHz	Pass	PK	5.1428G	62.72	74.00	-11.28	3	Horizontal	4	1.45	-
5240MHz	Pass	PK	5.2424G	117.90	Inf	-Inf	3	Horizontal	4	1.45	-
5240MHz	Pass	PK	5.351G	59.78	74.00	-14.22	3	Horizontal	4	1.45	-
5240MHz	Pass	AV	15.72342G	52.24	54.00	-1.76	3	Vertical	177	2.77	-
5240MHz	Pass	PK	10.48006G	57.06	68.20	-11.14	3	Vertical	213	2.41	-
5240MHz	Pass	PK	15.72348G	66.87	74.00	-7.13	3	Vertical	177	2.77	-
5240MHz	Pass	AV	15.72378G	44.94	54.00	-9.06	3	Horizontal	160	2.96	-
5240MHz	Pass	PK	10.46962G	55.83	68.20	-12.37	3	Horizontal	36	1.82	-
5240MHz	Pass	PK	15.72342G	57.33	74.00	-16.67	3	Horizontal	160	2.96	-
5745MHz	Pass	AV	5.7414G	110.04	Inf	-Inf	3	Vertical	10	1.57	-
5745MHz	Pass	PK	5.6478G	66.92	68.20	-1.28	3	Vertical	10	1.57	-
5745MHz	Pass	PK	5.751G	121.07	Inf	-Inf	3	Vertical	10	1.57	-
5745MHz	Pass	PK	5.9406G	57.86	68.20	-10.34	3	Vertical	10	1.57	-
5745MHz	Pass	AV	5.7426G	109.08	Inf	-Inf	3	Horizontal	10	1.52	-
5745MHz	Pass	PK	5.6526G	68.56	70.12	-1.56	3	Horizontal	10	1.52	-
5745MHz	Pass	PK	5.7438G	120.57	Inf	-Inf	3	Horizontal	10	1.52	-
5745MHz	Pass	PK	5.9262G	56.68	68.20	-11.52	3	Horizontal	10	1.52	-
5745MHz	Pass	AV	11.48886G	46.63	54.00	-7.37	3	Vertical	207	1.66	-
5745MHz	Pass	PK	11.49024G	58.30	74.00	-15.70	3	Vertical	207	1.66	-
5745MHz	Pass	PK	17.23818G	64.23	68.20	-3.97	3	Vertical	216	2.43	-
5745MHz	Pass	AV	11.47566G	43.80	54.00	-10.20	3	Horizontal	83	1.27	-
5745MHz	Pass	PK	11.48412G	56.18	74.00	-17.82	3	Horizontal	83	1.27	-
5745MHz	Pass	PK	17.2383G	60.67	68.20	-7.53	3	Horizontal	176	1.09	-
5785MHz	Pass	AV	5.7814G	109.42	Inf	-Inf	3	Vertical	0	1.49	-
5785MHz	Pass	PK	5.6482G	61.41	68.20	-6.79	3	Vertical	0	1.49	-
5785MHz	Pass	PK	5.7838G	121.09	Inf	-Inf	3	Vertical	0	1.49	-
5785MHz	Pass	PK	5.9338G	58.96	68.20	-9.24	3	Vertical	0	1.49	-
5785MHz	Pass	AV	5.7826G	108.36	Inf	-Inf	3	Horizontal	0	1.50	-
5785MHz	Pass	PK	5.6458G	58.89	68.20	-9.31	3	Horizontal	0	1.50	-
5785MHz	Pass	PK	5.7838G	119.76	Inf	-Inf	3	Horizontal	0	1.50	-
5785MHz	Pass	PK	5.9302G	57.02	68.20	-11.18	3	Horizontal	0	1.50	-
5785MHz	Pass	AV	11.56964G	47.61	54.00	-6.39	3	Vertical	205	1.59	-
5785MHz	Pass	PK	11.56958G	59.46	74.00	-14.54	3	Vertical	205	1.59	-
5785MHz	Pass	PK	17.34972G	64.31	68.20	-3.89	3	Vertical	156	2.87	-
5785MHz	Pass	AV	11.56868G	45.29	54.00	-8.71	3	Horizontal	218	1.84	-
5785MHz	Pass	PK	11.5697G	57.47	74.00	-16.53	3	Horizontal	218	1.84	-
5785MHz	Pass	PK	17.36262G	63.16	68.20	-5.04	3	Horizontal	30	1.96	-
5825MHz	Pass	AV	5.8274G	109.22	Inf	-Inf	3	Vertical	0	1.50	-
5825MHz	Pass	PK	5.6402G	58.57	68.20	-9.63	3	Vertical	0	1.50	-
5825MHz	Pass	PK	5.8274G	121.11	Inf	-Inf	3	Vertical	0	1.50	-
5825MHz	Pass	PK	5.9246G	65.72	68.50	-2.78	3	Vertical	0	1.50	-
5825MHz	Pass	AV	5.8286G	107.99	Inf	-Inf	3	Horizontal	7	1.50	-
5825MHz	Pass	PK	5.6498G	58.04	68.20	-10.16	3	Horizontal	7	1.50	-



RSE TX above 1GHz_Group 3

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	5.8202G	119.92	Inf	-Inf	3	Horizontal	7	1.50	-
5825MHz	Pass	PK	5.9234G	63.17	69.38	-6.21	3	Horizontal	7	1.50	-
5825MHz	Pass	AV	11.65258G	45.19	54.00	-8.81	3	Vertical	141	1.80	-
5825MHz	Pass	PK	11.65492G	57.64	74.00	-16.36	3	Vertical	141	1.80	-
5825MHz	Pass	PK	17.46516G	64.93	68.20	-3.27	3	Vertical	183	2.97	-
5825MHz	Pass	AV	11.64958G	43.88	54.00	-10.12	3	Horizontal	217	2.42	-
5825MHz	Pass	PK	11.64256G	56.54	74.00	-17.46	3	Horizontal	217	2.42	-
5825MHz	Pass	PK	17.48838G	63.57	68.20	-4.63	3	Horizontal	147	3.00	-
802.11ax HEW40_Nss1_(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	45.36	54.00	-8.64	3	Vertical	57	2.45	-
5190MHz	Pass	AV	5.1928G	89.00	Inf	-Inf	3	Vertical	57	2.45	-
5190MHz	Pass	PK	5.15G	58.29	74.00	-15.71	3	Vertical	57	2.45	-
5190MHz	Pass	PK	5.2004G	100.42	Inf	-Inf	3	Vertical	57	2.45	-
5190MHz	Pass	AV	5.1488G	51.64	54.00	-2.36	3	Horizontal	16	1.73	-
5190MHz	Pass	AV	5.1956G	99.02	Inf	-Inf	3	Horizontal	16	1.73	-
5190MHz	Pass	PK	5.1496G	66.08	74.00	-7.92	3	Horizontal	16	1.73	-
5190MHz	Pass	PK	5.1852G	110.77	Inf	-Inf	3	Horizontal	16	1.73	-
5190MHz	Pass	AV	15.57492G	44.57	54.00	-9.43	3	Vertical	305	1.50	-
5190MHz	Pass	PK	10.38018G	55.99	68.20	-12.21	3	Vertical	217	1.67	-
5190MHz	Pass	PK	15.56142G	56.87	74.00	-17.13	3	Vertical	305	1.50	-
5190MHz	Pass	AV	15.56712G	44.60	54.00	-9.40	3	Horizontal	56	2.19	-
5190MHz	Pass	PK	10.3842G	56.38	68.20	-11.82	3	Horizontal	128	1.86	-
5190MHz	Pass	PK	15.56394G	57.62	74.00	-16.38	3	Horizontal	56	2.19	-
5230MHz	Pass	AV	5.1488G	44.80	54.00	-9.20	3	Vertical	54	1.49	-
5230MHz	Pass	AV	5.2368G	89.61	Inf	-Inf	3	Vertical	54	1.49	-
5230MHz	Pass	PK	5.15G	57.54	74.00	-16.46	3	Vertical	54	1.49	-
5230MHz	Pass	PK	5.2368G	101.55	Inf	-Inf	3	Vertical	54	1.49	-
5230MHz	Pass	AV	5.15G	52.74	54.00	-1.26	3	Horizontal	11	1.23	-
5230MHz	Pass	AV	5.2344G	101.51	Inf	-Inf	3	Horizontal	11	1.23	-
5230MHz	Pass	PK	5.1492G	66.52	74.00	-7.48	3	Horizontal	11	1.23	-
5230MHz	Pass	PK	5.2412G	113.55	Inf	-Inf	3	Horizontal	11	1.23	-
5230MHz	Pass	AV	15.6804G	44.27	54.00	-9.73	3	Vertical	328	2.63	-
5230MHz	Pass	PK	10.46002G	56.47	68.20	-11.73	3	Vertical	37	2.32	-
5230MHz	Pass	PK	15.68928G	56.57	74.00	-17.43	3	Vertical	328	2.63	-
5230MHz	Pass	AV	15.68628G	44.24	54.00	-9.76	3	Horizontal	307	1.86	-
5230MHz	Pass	PK	10.45979G	56.06	68.20	-12.14	3	Horizontal	221	1.98	-
5230MHz	Pass	PK	15.70068G	57.13	74.00	-16.87	3	Horizontal	307	1.86	-
5755MHz	Pass	AV	5.7538G	95.31	Inf	-Inf	3	Vertical	306	1.55	-
5755MHz	Pass	PK	5.6482G	57.53	68.20	-10.67	3	Vertical	306	1.55	-
5755MHz	Pass	PK	5.7634G	106.81	Inf	-Inf	3	Vertical	306	1.55	-
5755MHz	Pass	PK	5.941G	55.72	68.20	-12.48	3	Vertical	306	1.55	-
5755MHz	Pass	AV	5.7526G	103.57	Inf	-Inf	3	Horizontal	0	1.19	-
5755MHz	Pass	PK	5.6482G	66.97	68.20	-1.23	3	Horizontal	0	1.19	-
5755MHz	Pass	PK	5.7526G	114.91	Inf	-Inf	3	Horizontal	0	1.19	-
5755MHz	Pass	PK	5.9254G	57.81	68.20	-10.39	3	Horizontal	0	1.19	-
5755MHz	Pass	AV	11.51G	44.43	54.00	-9.57	3	Vertical	226	1.81	-
5755MHz	Pass	PK	11.49968G	56.32	74.00	-17.68	3	Vertical	226	1.81	-
5755MHz	Pass	PK	17.26338G	61.88	68.20	-6.32	3	Vertical	61	1.91	-
5755MHz	Pass	AV	11.50816G	43.85	54.00	-10.15	3	Horizontal	227	2.53	-



RSE TX above 1GHz_Group 3

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5755MHz	Pass	PK	11.50796G	56.45	74.00	-17.55	3	Horizontal	227	2.53	-
5755MHz	Pass	PK	17.2764G	60.86	68.20	-7.34	3	Horizontal	199	1.08	-
5795MHz	Pass	AV	5.8022G	96.82	Inf	-Inf	3	Vertical	305	1.54	-
5795MHz	Pass	PK	5.6462G	56.93	68.20	-11.27	3	Vertical	305	1.54	-
5795MHz	Pass	PK	5.8034G	108.24	Inf	-Inf	3	Vertical	305	1.54	-
5795MHz	Pass	PK	5.9258G	58.27	68.20	-9.93	3	Vertical	305	1.54	-
5795MHz	Pass	AV	5.7914G	104.45	Inf	-Inf	3	Horizontal	0	1.92	-
5795MHz	Pass	PK	5.6498G	64.47	68.20	-3.73	3	Horizontal	0	1.92	-
5795MHz	Pass	PK	5.7926G	116.57	Inf	-Inf	3	Horizontal	0	1.92	-
5795MHz	Pass	PK	5.9258G	66.40	68.20	-1.80	3	Horizontal	0	1.92	-
5795MHz	Pass	AV	11.58989G	45.01	54.00	-8.99	3	Vertical	26	2.25	-
5795MHz	Pass	PK	11.59014G	56.81	74.00	-17.19	3	Vertical	26	2.25	-
5795MHz	Pass	PK	17.3862G	62.34	68.20	-5.86	3	Vertical	119	1.67	-
5795MHz	Pass	AV	11.58706G	43.63	54.00	-10.37	3	Horizontal	306	1.17	-
5795MHz	Pass	PK	11.59078G	56.05	74.00	-17.95	3	Horizontal	306	1.17	-
5795MHz	Pass	PK	17.38422G	63.30	68.20	-4.90	3	Horizontal	108	1.70	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	51.38	54.00	-2.62	3	Vertical	22	1.35	-
5190MHz	Pass	AV	5.1912G	100.85	Inf	-Inf	3	Vertical	22	1.35	-
5190MHz	Pass	PK	5.1492G	68.41	74.00	-5.59	3	Vertical	22	1.35	-
5190MHz	Pass	PK	5.1912G	112.20	Inf	-Inf	3	Vertical	22	1.35	-
5190MHz	Pass	AV	5.15G	52.11	54.00	-1.89	3	Horizontal	360	1.25	-
5190MHz	Pass	AV	5.1944G	100.36	Inf	-Inf	3	Horizontal	360	1.25	-
5190MHz	Pass	PK	5.142G	65.54	74.00	-8.46	3	Horizontal	360	1.25	-
5190MHz	Pass	PK	5.1936G	112.63	Inf	-Inf	3	Horizontal	360	1.25	-
5190MHz	Pass	AV	15.57546G	44.57	54.00	-9.43	3	Vertical	248	1.85	-
5190MHz	Pass	PK	10.38014G	57.09	68.20	-11.11	3	Vertical	217	1.66	-
5190MHz	Pass	PK	15.57312G	57.45	74.00	-16.55	3	Vertical	248	1.85	-
5190MHz	Pass	AV	15.57264G	44.58	54.00	-9.42	3	Horizontal	91	1.28	-
5190MHz	Pass	PK	10.37936G	56.28	68.20	-11.92	3	Horizontal	127	2.11	-
5190MHz	Pass	PK	15.57246G	57.22	74.00	-16.78	3	Horizontal	91	1.28	-
5230MHz	Pass	AV	5.15G	48.61	54.00	-5.39	3	Vertical	360	1.20	-
5230MHz	Pass	AV	5.2348G	103.74	Inf	-Inf	3	Vertical	360	1.20	-
5230MHz	Pass	PK	5.1492G	61.79	74.00	-12.21	3	Vertical	360	1.20	-
5230MHz	Pass	PK	5.2256G	115.02	Inf	-Inf	3	Vertical	360	1.20	-
5230MHz	Pass	AV	5.15G	46.05	54.00	-7.95	3	Horizontal	360	1.22	-
5230MHz	Pass	AV	5.2352G	102.12	Inf	-Inf	3	Horizontal	360	1.22	-
5230MHz	Pass	PK	5.1492G	57.88	74.00	-16.12	3	Horizontal	360	1.22	-
5230MHz	Pass	PK	5.2336G	113.96	Inf	-Inf	3	Horizontal	360	1.22	-
5230MHz	Pass	AV	15.69336G	44.20	54.00	-9.80	3	Vertical	336	1.70	-
5230MHz	Pass	PK	10.45949G	59.03	68.20	-9.17	3	Vertical	236	3.00	-
5230MHz	Pass	PK	15.6804G	56.46	74.00	-17.54	3	Vertical	336	1.70	-
5230MHz	Pass	AV	15.69258G	44.20	54.00	-9.80	3	Horizontal	310	2.50	-
5230MHz	Pass	PK	10.45974G	55.80	68.20	-12.40	3	Horizontal	222	1.99	-
5230MHz	Pass	PK	15.68922G	56.42	74.00	-17.58	3	Horizontal	310	2.50	-
5755MHz	Pass	AV	5.7538G	104.71	Inf	-Inf	3	Vertical	0	1.50	-
5755MHz	Pass	PK	5.6506G	67.17	68.64	-1.47	3	Vertical	0	1.50	-
5755MHz	Pass	PK	5.7526G	116.12	Inf	-Inf	3	Vertical	0	1.50	-
5755MHz	Pass	PK	5.9278G	61.12	68.20	-7.08	3	Vertical	0	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5755MHz	Pass	AV	5.7574G	104.32	Inf	-Inf	3	Horizontal	3	1.26	-
5755MHz	Pass	PK	5.6458G	66.46	68.20	-1.74	3	Horizontal	3	1.26	-
5755MHz	Pass	PK	5.7478G	115.72	Inf	-Inf	3	Horizontal	3	1.26	-
5755MHz	Pass	PK	5.9326G	58.03	68.20	-10.17	3	Horizontal	3	1.26	-
5755MHz	Pass	AV	11.5091G	45.73	54.00	-8.27	3	Vertical	206	1.81	-
5755MHz	Pass	PK	11.51024G	57.87	74.00	-16.13	3	Vertical	206	1.81	-
5755MHz	Pass	PK	17.26602G	61.24	68.20	-6.96	3	Vertical	40	2.49	-
5755MHz	Pass	AV	11.51318G	43.93	54.00	-10.07	3	Horizontal	222	2.11	-
5755MHz	Pass	PK	11.5016G	56.29	74.00	-17.71	3	Horizontal	222	2.11	-
5755MHz	Pass	PK	17.25252G	60.69	68.20	-7.51	3	Horizontal	319	1.34	-
5795MHz	Pass	AV	5.7914G	105.49	Inf	-Inf	3	Vertical	11	1.39	-
5795MHz	Pass	PK	5.6486G	65.08	68.20	-3.12	3	Vertical	11	1.39	-
5795MHz	Pass	PK	5.7926G	117.31	Inf	-Inf	3	Vertical	11	1.39	-
5795MHz	Pass	PK	5.9318G	67.10	68.20	-1.10	3	Vertical	11	1.39	-
5795MHz	Pass	AV	5.8022G	104.50	Inf	-Inf	3	Horizontal	0	1.22	-
5795MHz	Pass	PK	5.6498G	60.22	68.20	-7.98	3	Horizontal	0	1.22	-
5795MHz	Pass	PK	5.7914G	115.63	Inf	-Inf	3	Horizontal	0	1.22	-
5795MHz	Pass	PK	5.9306G	61.80	68.20	-6.40	3	Horizontal	0	1.22	-
5795MHz	Pass	AV	11.58994G	45.52	54.00	-8.48	3	Vertical	207	2.72	-
5795MHz	Pass	PK	11.58238G	57.02	74.00	-16.98	3	Vertical	207	2.72	-
5795MHz	Pass	PK	17.39292G	62.58	68.20	-5.62	3	Vertical	171	2.34	-
5795MHz	Pass	AV	11.5897G	44.12	54.00	-9.88	3	Horizontal	217	1.42	-
5795MHz	Pass	PK	11.58916G	56.26	74.00	-17.74	3	Horizontal	217	1.42	-
5795MHz	Pass	PK	17.38722G	62.48	68.20	-5.72	3	Horizontal	325	2.18	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	44.00	54.00	-10.00	3	Vertical	54	1.43	-
5210MHz	Pass	AV	5.214G	83.62	Inf	-Inf	3	Vertical	54	1.43	-
5210MHz	Pass	AV	5.417G	43.32	54.00	-10.68	3	Vertical	54	1.43	-
5210MHz	Pass	PK	5.071G	55.45	74.00	-18.55	3	Vertical	54	1.43	-
5210MHz	Pass	PK	5.211G	95.55	Inf	-Inf	3	Vertical	54	1.43	-
5210MHz	Pass	PK	5.428G	55.59	74.00	-18.41	3	Vertical	54	1.43	-
5210MHz	Pass	AV	5.15G	51.29	54.00	-2.71	3	Horizontal	11	1.39	-
5210MHz	Pass	AV	5.22G	95.89	Inf	-Inf	3	Horizontal	11	1.39	-
5210MHz	Pass	AV	5.351G	45.06	54.00	-8.94	3	Horizontal	11	1.39	-
5210MHz	Pass	PK	5.144G	64.93	74.00	-9.07	3	Horizontal	11	1.39	-
5210MHz	Pass	PK	5.231G	106.92	Inf	-Inf	3	Horizontal	11	1.39	-
5210MHz	Pass	PK	5.372G	57.09	74.00	-16.91	3	Horizontal	11	1.39	-
5210MHz	Pass	AV	15.61794G	44.56	54.00	-9.44	3	Vertical	11	2.27	-
5210MHz	Pass	PK	10.41994G	56.04	68.20	-12.16	3	Vertical	219	1.50	-
5210MHz	Pass	PK	15.62952G	57.10	74.00	-16.90	3	Vertical	11	2.27	-
5210MHz	Pass	AV	15.6189G	44.44	54.00	-9.56	3	Horizontal	254	2.08	-
5210MHz	Pass	PK	10.41802G	56.11	68.20	-12.09	3	Horizontal	177	2.27	-
5210MHz	Pass	PK	15.6399G	57.51	74.00	-16.49	3	Horizontal	254	2.08	-
5775MHz	Pass	AV	5.769G	90.34	Inf	-Inf	3	Vertical	305	1.50	-
5775MHz	Pass	PK	5.6406G	57.70	68.20	-10.50	3	Vertical	305	1.50	-
5775MHz	Pass	PK	5.7726G	102.25	Inf	-Inf	3	Vertical	305	1.50	-
5775MHz	Pass	PK	5.9286G	56.66	68.20	-11.54	3	Vertical	305	1.50	-
5775MHz	Pass	AV	5.7702G	98.23	Inf	-Inf	3	Horizontal	0	1.71	-
5775MHz	Pass	PK	5.6502G	65.97	68.35	-2.38	3	Horizontal	0	1.71	-



RSE TX above 1GHz_Group 3

Appendix E.2


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	PK	5.7714G	111.30	Inf	-Inf	3	Horizontal	0	1.71	-
5775MHz	Pass	PK	5.9274G	61.70	68.20	-6.50	3	Horizontal	0	1.71	-
5775MHz	Pass	AV	11.54982G	44.64	54.00	-9.36	3	Vertical	27	2.54	-
5775MHz	Pass	PK	11.54688G	56.44	74.00	-17.56	3	Vertical	27	2.54	-
5775MHz	Pass	PK	17.33328G	61.97	68.20	-6.23	3	Vertical	251	1.49	-
5775MHz	Pass	AV	11.54034G	43.63	54.00	-10.37	3	Horizontal	233	1.57	-
5775MHz	Pass	PK	11.5403G	55.92	74.00	-18.08	3	Horizontal	233	1.57	-
5775MHz	Pass	PK	17.33586G	62.02	68.20	-6.18	3	Horizontal	304	1.34	-
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	52.93	54.00	-1.07	3	Vertical	360	1.30	-
5210MHz	Pass	AV	5.22G	97.94	Inf	-Inf	3	Vertical	360	1.30	-
5210MHz	Pass	AV	5.35G	46.20	54.00	-7.80	3	Vertical	360	1.30	-
5210MHz	Pass	PK	5.15G	67.85	74.00	-6.15	3	Vertical	360	1.30	-
5210MHz	Pass	PK	5.208G	108.53	Inf	-Inf	3	Vertical	360	1.30	-
5210MHz	Pass	PK	5.363G	58.07	74.00	-15.93	3	Vertical	360	1.30	-
5210MHz	Pass	AV	5.15G	50.13	54.00	-3.87	3	Horizontal	360	1.42	-
5210MHz	Pass	AV	5.218G	96.54	Inf	-Inf	3	Horizontal	360	1.42	-
5210MHz	Pass	AV	5.35G	45.15	54.00	-8.85	3	Horizontal	360	1.42	-
5210MHz	Pass	PK	5.149G	63.79	74.00	-10.21	3	Horizontal	360	1.42	-
5210MHz	Pass	PK	5.219G	108.06	Inf	-Inf	3	Horizontal	360	1.42	-
5210MHz	Pass	PK	5.353G	56.19	74.00	-17.81	3	Horizontal	360	1.42	-
5210MHz	Pass	AV	15.6201G	44.43	54.00	-9.57	3	Vertical	83	1.57	-
5210MHz	Pass	PK	10.42006G	55.87	68.20	-12.33	3	Vertical	218	1.50	-
5210MHz	Pass	PK	15.64272G	57.11	74.00	-16.89	3	Vertical	83	1.57	-
5210MHz	Pass	AV	15.63132G	44.40	54.00	-9.60	3	Horizontal	272	1.69	-
5210MHz	Pass	PK	10.41346G	55.63	68.20	-12.57	3	Horizontal	127	1.50	-
5210MHz	Pass	PK	15.62622G	56.63	74.00	-17.37	3	Horizontal	272	1.69	-
5775MHz	Pass	AV	5.787G	99.92	Inf	-Inf	3	Vertical	13	1.30	-
5775MHz	Pass	PK	5.649G	67.17	68.20	-1.03	3	Vertical	13	1.30	-
5775MHz	Pass	PK	5.7954G	111.32	Inf	-Inf	3	Vertical	13	1.30	-
5775MHz	Pass	PK	5.9274G	63.50	68.20	-4.70	3	Vertical	13	1.30	-
5775MHz	Pass	AV	5.7774G	98.19	Inf	-Inf	3	Horizontal	0	1.13	-
5775MHz	Pass	PK	5.6478G	64.30	68.20	-3.90	3	Horizontal	0	1.13	-
5775MHz	Pass	PK	5.7678G	109.57	Inf	-Inf	3	Horizontal	0	1.13	-
5775MHz	Pass	PK	5.9286G	57.22	68.20	-10.98	3	Horizontal	0	1.13	-
5775MHz	Pass	AV	11.54994G	45.28	54.00	-8.72	3	Vertical	27	2.53	-
5775MHz	Pass	PK	11.55G	56.34	74.00	-17.66	3	Vertical	27	2.53	-
5775MHz	Pass	PK	17.33664G	61.40	68.20	-6.80	3	Vertical	178	1.71	-
5775MHz	Pass	AV	11.54968G	43.84	54.00	-10.16	3	Horizontal	217	1.47	-
5775MHz	Pass	PK	11.54536G	57.23	74.00	-16.77	3	Horizontal	217	1.47	-
5775MHz	Pass	PK	17.3394G	62.22	68.20	-5.98	3	Horizontal	316	2.12	-



802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	44.39	54.00	-9.61	7.96	3	Vertical	61	1.65	-	36.43	31.70	6.00	29.74
AV	5.1824G	93.41	Inf	-Inf	7.93	3	Vertical	61	1.65	-	85.48	31.64	6.02	29.73
PK	5.1496G	56.05	74.00	-17.95	7.96	3	Vertical	61	1.65	-	48.09	31.70	6.00	29.74
PK	5.176G	101.26	Inf	-Inf	7.94	3	Vertical	61	1.65	-	93.32	31.65	6.02	29.73

802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.39	54.00	-1.61	7.96	3	Horizontal	29	1.60	-	44.43	31.70	6.00	29.74
AV	5.1824G	105.10	Inf	-Inf	7.93	3	Horizontal	29	1.60	-	97.17	31.64	6.02	29.73
PK	5.1498G	65.75	74.00	-8.25	7.96	3	Horizontal	29	1.60	-	57.79	31.70	6.00	29.74
PK	5.1756G	113.25	Inf	-Inf	7.93	3	Horizontal	29	1.60	-	105.32	31.65	6.01	29.73



802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53712G	48.42	54.00	-5.58	17.59	3	Vertical	209	3.00	-	30.83	38.59	10.81	31.81
PK	10.3603G	56.83	68.20	-11.37	17.14	3	Vertical	219	1.56	-	39.69	39.37	8.70	30.93
PK	15.54126G	61.52	74.00	-12.48	17.57	3	Vertical	209	3.00	-	43.95	38.57	10.81	31.81



802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54018G	45.20	54.00	-8.80	17.58	3	Horizontal	181	1.25	-	27.62	38.58	10.81	31.81
PK	10.35286G	56.41	68.20	-11.79	17.12	3	Horizontal	224	1.50	-	39.29	39.36	8.69	30.93
PK	15.53688G	57.84	74.00	-16.16	17.59	3	Horizontal	181	1.25	-	40.25	38.59	10.81	31.81

802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	44.19	54.00	-9.81	7.97	3	Vertical	307	1.63	-	36.22	31.71	6.00	29.74
AV	5.2028G	96.46	Inf	-Inf	7.89	3	Vertical	307	1.63	-	88.57	31.59	6.03	29.73
PK	5.1492G	55.57	74.00	-18.43	7.96	3	Vertical	307	1.63	-	47.61	31.70	6.00	29.74
PK	5.2024G	104.60	Inf	-Inf	7.89	3	Vertical	307	1.63	-	96.71	31.59	6.03	29.73

802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.78	54.00	-2.22	7.96	3	Horizontal	30	1.49	-	43.82	31.70	6.00	29.74
AV	5.2028G	108.16	Inf	-Inf	7.89	3	Horizontal	30	1.49	-	100.27	31.59	6.03	29.73
PK	5.1496G	65.58	74.00	-8.42	7.96	3	Horizontal	30	1.49	-	57.62	31.70	6.00	29.74
PK	5.2032G	116.76	Inf	-Inf	7.89	3	Horizontal	30	1.49	-	108.87	31.59	6.03	29.73



802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5991G	50.27	54.00	-3.73	17.32	3	Vertical	209	2.66	-	32.95	38.32	10.83	31.83
PK	10.40258G	56.25	68.20	-11.95	17.20	3	Vertical	237	1.74	-	39.05	39.42	8.72	30.94
PK	15.6075G	62.26	74.00	-11.74	17.30	3	Vertical	209	2.66	-	44.96	38.29	10.84	31.83



802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6006G	45.10	54.00	-8.90	17.32	3	Horizontal	34	1.71	-	27.78	38.32	10.83	31.83
PK	10.40504G	55.69	68.20	-12.51	17.22	3	Horizontal	255	2.34	-	38.47	39.43	8.73	30.94
PK	15.58902G	57.12	74.00	-16.88	17.37	3	Horizontal	34	1.71	-	39.75	38.37	10.83	31.83

802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1446G	43.66	54.00	-10.34	7.97	3	Vertical	60	1.37	-	35.69	31.71	6.00	29.74
AV	5.2364G	95.82	Inf	-Inf	7.81	3	Vertical	60	1.37	-	88.01	31.49	6.05	29.73
AV	5.363G	43.47	54.00	-10.53	7.84	3	Vertical	60	1.37	-	35.63	31.43	6.12	29.71
PK	5.0942G	55.64	74.00	-18.36	8.00	3	Vertical	60	1.37	-	47.64	31.78	5.97	29.75
PK	5.2382G	104.67	Inf	-Inf	7.81	3	Vertical	60	1.37	-	96.86	31.49	6.05	29.73
PK	5.363G	55.22	74.00	-18.78	7.84	3	Vertical	60	1.37	-	47.38	31.43	6.12	29.71



802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	44.96	54.00	-9.04	7.96	3	Horizontal	29	1.38	-	37.00	31.70	6.00	29.74
AV	5.237G	108.04	Inf	-Inf	7.81	3	Horizontal	29	1.38	-	100.23	31.49	6.05	29.73
AV	5.3798G	44.55	54.00	-9.45	7.89	3	Horizontal	29	1.38	-	36.66	31.46	6.13	29.70
PK	5.1458G	57.17	74.00	-16.83	7.97	3	Horizontal	29	1.38	-	49.20	31.71	6.00	29.74
PK	5.2382G	116.87	Inf	-Inf	7.81	3	Horizontal	29	1.38	-	109.06	31.49	6.05	29.73
PK	5.3882G	56.22	74.00	-17.78	7.91	3	Horizontal	29	1.38	-	48.31	31.48	6.13	29.70



802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7191G	52.82	54.00	-1.18	16.83	3	Vertical	205	2.64	-	35.99	37.81	10.88	31.86
PK	10.48018G	57.35	68.20	-10.85	17.34	3	Vertical	212	2.45	-	40.01	39.52	8.78	30.96
PK	15.72078G	65.44	74.00	-8.56	16.82	3	Vertical	205	2.64	-	48.62	37.80	10.88	31.86



802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71742G	44.65	54.00	-9.35	16.84	3	Horizontal	151	2.02	-	27.81	37.82	10.88	31.86
PK	10.48114G	55.73	68.20	-12.47	17.35	3	Horizontal	62	2.19	-	38.38	39.53	8.78	30.96
PK	15.72918G	57.34	74.00	-16.66	16.78	3	Horizontal	151	2.02	-	40.56	37.76	10.88	31.86



802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	100.05	Inf	-Inf	8.51	3	Vertical	299	1.60	-	91.54	31.89	6.39	29.77
PK	5.5566G	55.68	68.20	-12.52	8.32	3	Vertical	299	1.60	-	47.36	31.79	6.24	29.71
PK	5.7486G	108.75	Inf	-Inf	8.52	3	Vertical	299	1.60	-	100.23	31.90	6.39	29.77
PK	5.9742G	56.70	68.20	-11.50	9.00	3	Vertical	299	1.60	-	47.70	32.27	6.57	29.84



802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	109.41	Inf	-Inf	8.52	3	Horizontal	9	1.44	-	100.89	31.90	6.39	29.77
PK	5.649G	57.99	68.20	-10.21	8.33	3	Horizontal	9	1.44	-	49.66	31.75	6.31	29.73
PK	5.7486G	118.22	Inf	-Inf	8.52	3	Horizontal	9	1.44	-	109.70	31.90	6.39	29.77
PK	5.9382G	57.23	68.20	-10.97	8.95	3	Horizontal	9	1.44	-	48.28	32.24	6.54	29.83

802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48994G	46.54	54.00	-7.46	17.92	3	Vertical	147	2.70	-	28.62	39.47	9.47	31.02
PK	11.48658G	58.34	74.00	-15.66	17.92	3	Vertical	147	2.70	-	40.42	39.47	9.47	31.02
PK	17.22996G	65.01	68.20	-3.19	21.34	3	Vertical	152	2.44	-	43.67	41.62	11.40	31.68

802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48772G	44.73	54.00	-9.27	17.92	3	Horizontal	147	2.98	-	26.81	39.47	9.47	31.02
PK	11.48646G	56.65	74.00	-17.35	17.92	3	Horizontal	147	2.98	-	38.73	39.47	9.47	31.02
PK	17.24448G	61.22	68.20	-6.98	21.44	3	Horizontal	25	1.14	-	39.78	41.71	11.40	31.67



802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	100.63	Inf	-Inf	8.61	3	Vertical	300	1.62	-	92.02	31.97	6.42	29.78
PK	5.5054G	57.01	68.20	-11.19	8.39	3	Vertical	300	1.62	-	48.62	31.89	6.19	29.69
PK	5.7886G	109.27	Inf	-Inf	8.61	3	Vertical	300	1.62	-	100.66	31.98	6.42	29.79
PK	5.9434G	56.24	68.20	-11.96	8.95	3	Vertical	300	1.62	-	47.29	32.24	6.54	29.83



802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5785MHz_TX




Lim.PK
 PK
 Lim.AV
 AV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	108.54	Inf	-Inf	8.60	3	Horizontal	359	1.50	-	99.94	31.96	6.42	29.78
PK	5.5234G	56.86	68.20	-11.34	8.36	3	Horizontal	359	1.50	-	48.50	31.85	6.21	29.70
PK	5.7838G	117.15	Inf	-Inf	8.61	3	Horizontal	359	1.50	-	108.54	31.97	6.42	29.78
PK	5.9866G	56.89	68.20	-11.31	9.02	3	Horizontal	359	1.50	-	47.87	32.29	6.58	29.85

802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56988G	45.86	54.00	-8.14	17.86	3	Vertical	235	1.98	-	28.00	39.35	9.52	31.01
PK	11.57066G	58.14	74.00	-15.86	17.85	3	Vertical	235	1.98	-	40.29	39.34	9.52	31.01
PK	17.3544G	64.12	68.20	-4.08	22.25	3	Vertical	158	2.02	-	41.87	42.44	11.44	31.63



802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5808G	44.21	54.00	-9.79	17.85	3	Horizontal	246	1.11	-	26.36	39.33	9.53	31.01
PK	11.57876G	57.01	74.00	-16.99	17.85	3	Horizontal	246	1.11	-	39.16	39.33	9.53	31.01
PK	17.3532G	62.39	68.20	-5.81	22.24	3	Horizontal	65	2.87	-	40.15	42.43	11.44	31.63



802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	101.25	Inf	-Inf	8.71	3	Vertical	300	1.60	-	92.54	32.06	6.45	29.80
PK	5.6174G	55.84	68.20	-12.36	8.27	3	Vertical	300	1.60	-	47.57	31.72	6.28	29.73
PK	5.8286G	110.09	Inf	-Inf	8.71	3	Vertical	300	1.60	-	101.38	32.06	6.45	29.80
PK	5.9678G	56.55	68.20	-11.65	8.99	3	Vertical	300	1.60	-	47.56	32.27	6.56	29.84



802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	108.46	Inf	-Inf	8.70	3	Horizontal	360	1.50	-	99.76	32.05	6.45	29.80
PK	5.6474G	56.95	68.20	-11.25	8.33	3	Horizontal	360	1.50	-	48.62	31.75	6.31	29.73
PK	5.8274G	117.24	Inf	-Inf	8.70	3	Horizontal	360	1.50	-	108.54	32.05	6.45	29.80
PK	5.9222G	60.50	70.27	-9.77	8.92	3	Horizontal	360	1.50	-	51.58	32.22	6.53	29.83



802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6482G	45.70	54.00	-8.30	17.81	3	Vertical	235	2.16	-	27.89	39.23	9.58	31.00
PK	11.64886G	57.33	74.00	-16.67	17.81	3	Vertical	235	2.16	-	39.52	39.23	9.58	31.00
PK	17.47038G	65.46	68.20	-2.74	23.09	3	Vertical	165	2.13	-	42.37	43.20	11.48	31.59



802.11a_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65594G	44.32	54.00	-9.68	17.80	3	Horizontal	148	2.63	-	26.52	39.22	9.58	31.00
PK	11.65318G	56.36	74.00	-17.64	17.80	3	Horizontal	148	2.63	-	38.56	39.22	9.58	31.00
PK	17.48292G	63.36	68.20	-4.84	23.19	3	Horizontal	157	2.98	-	40.17	43.29	11.48	31.58



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.66	54.00	-1.34	7.96	3	Vertical	13	1.48	-	44.70	31.70	6.00	29.74
AV	5.1816G	105.30	Inf	-Inf	7.93	3	Vertical	13	1.48	-	97.37	31.64	6.02	29.73
PK	5.15G	66.05	74.00	-7.95	7.96	3	Vertical	13	1.48	-	58.09	31.70	6.00	29.74
PK	5.1826G	113.81	Inf	-Inf	7.92	3	Vertical	13	1.48	-	105.89	31.63	6.02	29.73



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.27	54.00	-3.73	7.96	3	Horizontal	347	1.43	-	42.31	31.70	6.00	29.74
AV	5.182G	104.95	Inf	-Inf	7.93	3	Horizontal	347	1.43	-	97.02	31.64	6.02	29.73
PK	5.15G	63.30	74.00	-10.70	7.96	3	Horizontal	347	1.43	-	55.34	31.70	6.00	29.74
PK	5.182G	114.14	Inf	-Inf	7.93	3	Horizontal	347	1.43	-	106.21	31.64	6.02	29.73



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36042G	56.93	68.20	-11.27	17.14	3	Vertical	154	1.97	-	39.79	39.37	8.70	30.93



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35886G	55.76	68.20	-12.44	17.13	3	Horizontal	254	1.86	-	38.63	39.37	8.69	30.93

802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.44	54.00	-2.56	7.96	3	Vertical	16	1.49	-	43.48	31.70	6.00	29.74
AV	5.1968G	109.02	Inf	-Inf	7.91	3	Vertical	16	1.49	-	101.11	31.61	6.03	29.73
PK	5.1496G	64.81	74.00	-9.19	7.96	3	Vertical	16	1.49	-	56.85	31.70	6.00	29.74
PK	5.1956G	117.48	Inf	-Inf	7.91	3	Vertical	16	1.49	-	109.57	31.61	6.03	29.73



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	47.85	54.00	-6.15	7.97	3	Horizontal	360	1.50	-	39.88	31.71	6.00	29.74
AV	5.202G	107.73	Inf	-Inf	7.89	3	Horizontal	360	1.50	-	99.84	31.59	6.03	29.73
PK	5.1464G	59.94	74.00	-14.06	7.97	3	Horizontal	360	1.50	-	51.97	31.71	6.00	29.74
PK	5.202G	116.95	Inf	-Inf	7.89	3	Horizontal	360	1.50	-	109.06	31.59	6.03	29.73



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.597G	48.82	54.00	-5.18	17.33	3	Vertical	209	2.32	-	31.49	38.33	10.83	31.83
PK	10.39988G	56.45	68.20	-11.75	17.20	3	Vertical	238	1.64	-	39.25	39.42	8.72	30.94
PK	15.60162G	60.90	74.00	-13.10	17.31	3	Vertical	209	2.32	-	43.59	38.31	10.83	31.83



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59626G	45.00	54.00	-9.00	17.34	3	Horizontal	38	2.00	-	27.66	38.34	10.83	31.83
PK	10.40202G	55.65	68.20	-12.55	17.20	3	Horizontal	115	2.29	-	38.45	39.42	8.72	30.94
PK	15.60474G	56.95	74.00	-17.05	17.31	3	Horizontal	38	2.00	-	39.64	38.30	10.84	31.83



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	45.06	54.00	-8.94	7.96	3	Vertical	16	1.52	-	37.10	31.70	6.00	29.74
AV	5.2412G	110.29	Inf	-Inf	7.80	3	Vertical	16	1.52	-	102.49	31.48	6.05	29.73
AV	5.3762G	46.63	54.00	-7.37	7.87	3	Vertical	16	1.52	-	38.76	31.45	6.12	29.70
PK	5.1212G	58.40	74.00	-15.60	8.00	3	Vertical	16	1.52	-	50.40	31.76	5.99	29.75
PK	5.2418G	119.04	Inf	-Inf	7.79	3	Vertical	16	1.52	-	111.25	31.47	6.05	29.73
PK	5.3588G	61.06	74.00	-12.94	7.82	3	Vertical	16	1.52	-	53.24	31.42	6.11	29.71



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1452G	44.48	54.00	-9.52	7.97	3	Horizontal	360	1.50	-	36.51	31.71	6.00	29.74
AV	5.237G	107.64	Inf	-Inf	7.81	3	Horizontal	360	1.50	-	99.83	31.49	6.05	29.73
AV	5.3852G	44.85	54.00	-9.15	7.90	3	Horizontal	360	1.50	-	36.95	31.47	6.13	29.70
PK	5.114G	56.59	74.00	-17.41	8.00	3	Horizontal	360	1.50	-	48.59	31.77	5.98	29.75
PK	5.2418G	116.67	Inf	-Inf	7.79	3	Horizontal	360	1.50	-	108.88	31.47	6.05	29.73
PK	5.3654G	56.59	74.00	-17.41	7.84	3	Horizontal	360	1.50	-	48.75	31.43	6.12	29.71



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7193G	52.32	54.00	-1.68	16.83	3	Vertical	178	2.83	-	35.49	37.81	10.88	31.86
PK	15.7145G	64.40	74.00	-9.60	16.86	3	Vertical	178	2.83	-	47.54	37.83	10.88	31.85



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7249G	44.82	54.00	-9.18	16.80	3	Horizontal	160	1.50	-	28.02	37.78	10.88	31.86
PK	15.7213G	56.31	74.00	-17.69	16.82	3	Horizontal	160	1.50	-	39.49	37.80	10.88	31.86



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	110.76	Inf	-Inf	8.52	3	Vertical	8	1.57	-	102.24	31.90	6.39	29.77
PK	5.625G	58.08	68.20	-10.12	8.29	3	Vertical	8	1.57	-	49.79	31.73	6.29	29.73
PK	5.7486G	119.50	Inf	-Inf	8.52	3	Vertical	8	1.57	-	110.98	31.90	6.39	29.77
PK	5.9322G	58.64	68.20	-9.56	8.94	3	Vertical	8	1.57	-	49.70	32.23	6.54	29.83



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	109.49	Inf	-Inf	8.52	3	Horizontal	0	1.50	-	100.97	31.90	6.39	29.77
PK	5.5518G	57.24	68.20	-10.96	8.32	3	Horizontal	0	1.50	-	48.92	31.80	6.23	29.71
PK	5.739G	118.25	Inf	-Inf	8.49	3	Horizontal	0	1.50	-	109.76	31.88	6.38	29.77
PK	5.9358G	56.98	68.20	-11.22	8.95	3	Horizontal	0	1.50	-	48.03	32.24	6.54	29.83



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4896G	47.23	54.00	-6.77	17.92	3	Vertical	207	1.60	-	29.31	39.47	9.47	31.02
PK	11.4857G	58.40	74.00	-15.60	17.92	3	Vertical	207	1.60	-	40.48	39.47	9.47	31.02
PK	17.2299G	64.66	68.20	-3.54	21.34	3	Vertical	216	2.70	-	43.32	41.62	11.40	31.68



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48964G	45.06	54.00	-8.94	17.92	3	Horizontal	144	1.48	-	27.14	39.47	9.47	31.02
PK	11.4852G	56.62	74.00	-17.38	17.91	3	Horizontal	144	1.48	-	38.71	39.47	9.46	31.02
PK	17.24352G	61.33	68.20	-6.87	21.43	3	Horizontal	181	1.50	-	39.90	41.71	11.40	31.68



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	109.86	Inf	-Inf	8.61	3	Vertical	0	1.50	-	101.25	31.97	6.42	29.78
PK	5.5702G	57.16	68.20	-11.04	8.30	3	Vertical	0	1.50	-	48.86	31.76	6.25	29.71
PK	5.791G	118.21	Inf	-Inf	8.61	3	Vertical	0	1.50	-	109.60	31.98	6.42	29.79
PK	5.9746G	57.62	68.20	-10.58	9.00	3	Vertical	0	1.50	-	48.62	32.27	6.57	29.84



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	108.85	Inf	-Inf	8.61	3	Horizontal	0	1.40	-	100.24	31.97	6.42	29.78
PK	5.6494G	56.71	68.20	-11.49	8.33	3	Horizontal	0	1.40	-	48.38	31.75	6.31	29.73
PK	5.7862G	117.54	Inf	-Inf	8.61	3	Horizontal	0	1.40	-	108.93	31.97	6.42	29.78
PK	5.9302G	57.00	68.20	-11.20	8.93	3	Horizontal	0	1.40	-	48.07	32.23	6.53	29.83



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5681G	47.86	54.00	-6.14	17.86	3	Vertical	77	1.71	-	30.00	39.35	9.52	31.01
PK	11.56776G	58.76	74.00	-15.24	17.86	3	Vertical	77	1.71	-	40.90	39.35	9.52	31.01
PK	17.36322G	64.23	68.20	-3.97	22.31	3	Vertical	25	1.85	-	41.92	42.50	11.44	31.63



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57014G	45.17	54.00	-8.83	17.85	3	Horizontal	173	1.95	-	27.32	39.34	9.52	31.01
PK	11.5709G	56.56	74.00	-17.44	17.85	3	Horizontal	173	1.95	-	38.71	39.34	9.52	31.01
PK	17.35152G	62.19	68.20	-6.01	22.23	3	Horizontal	147	1.50	-	39.96	42.42	11.44	31.63



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	111.29	Inf	-Inf	8.71	3	Vertical	14	1.43	-	102.58	32.06	6.45	29.80
PK	5.6354G	57.75	68.20	-10.45	8.31	3	Vertical	14	1.43	-	49.44	31.74	6.30	29.73
PK	5.8286G	120.16	Inf	-Inf	8.71	3	Vertical	14	1.43	-	111.45	32.06	6.45	29.80
PK	5.9246G	60.65	68.50	-7.85	8.92	3	Vertical	14	1.43	-	51.73	32.22	6.53	29.83



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	108.74	Inf	-Inf	8.71	3	Horizontal	0	1.50	-	100.03	32.06	6.45	29.80
PK	5.6306G	57.66	68.20	-10.54	8.29	3	Horizontal	0	1.50	-	49.37	31.73	6.29	29.73
PK	5.8298G	117.50	Inf	-Inf	8.71	3	Horizontal	0	1.50	-	108.79	32.06	6.45	29.80
PK	5.9294G	57.47	68.20	-10.73	8.93	3	Horizontal	0	1.50	-	48.54	32.23	6.53	29.83



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64982G	48.10	54.00	-5.90	17.81	3	Vertical	339	1.25	-	30.29	39.23	9.58	31.00
PK	11.65198G	59.83	74.00	-14.17	17.80	3	Vertical	339	1.25	-	42.03	39.22	9.58	31.00
PK	17.4666G	65.67	68.20	-2.53	23.06	3	Vertical	189	1.91	-	42.61	43.18	11.47	31.59



802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63824G	45.23	54.00	-8.77	17.81	3	Horizontal	147	1.40	-	27.42	39.24	9.57	31.00
PK	11.66188G	56.06	74.00	-17.94	17.80	3	Horizontal	147	1.40	-	38.26	39.21	9.59	31.00
PK	17.46324G	63.05	68.20	-5.15	23.04	3	Horizontal	175	1.52	-	40.01	43.16	11.47	31.59

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.30	54.00	-9.70	7.96	3	Vertical	62	1.63	-	36.34	31.70	6.00	29.74
AV	5.1782G	91.98	Inf	-Inf	7.93	3	Vertical	62	1.63	-	84.05	31.64	6.02	29.73
PK	5.1468G	56.68	74.00	-17.32	7.97	3	Vertical	62	1.63	-	48.71	31.71	6.00	29.74
PK	5.1816G	104.54	Inf	-Inf	7.93	3	Vertical	62	1.63	-	96.61	31.64	6.02	29.73

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	51.65	54.00	-2.35	7.96	3	Horizontal	29	1.58	-	43.69	31.70	6.00	29.74
AV	5.1774G	103.73	Inf	-Inf	7.94	3	Horizontal	29	1.58	-	95.79	31.65	6.02	29.73
PK	5.15G	66.35	74.00	-7.65	7.96	3	Horizontal	29	1.58	-	58.39	31.70	6.00	29.74
PK	5.1746G	115.95	Inf	-Inf	7.92	3	Horizontal	29	1.58	-	108.03	31.65	6.01	29.74



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5373G	44.86	54.00	-9.14	17.59	3	Vertical	162	2.99	-	27.27	38.59	10.81	31.81
PK	10.35988G	56.53	68.20	-11.67	17.13	3	Vertical	145	1.71	-	39.40	39.37	8.69	30.93
PK	15.53778G	57.51	74.00	-16.49	17.59	3	Vertical	162	2.99	-	39.92	38.59	10.81	31.81



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52566G	44.67	54.00	-9.33	17.64	3	Horizontal	345	1.60	-	27.03	38.64	10.81	31.81
PK	10.37104G	55.81	68.20	-12.39	17.14	3	Horizontal	144	2.38	-	38.67	39.38	8.70	30.94
PK	15.53574G	56.96	74.00	-17.04	17.60	3	Horizontal	345	1.60	-	39.36	38.60	10.81	31.81



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	43.89	54.00	-10.11	7.96	3	Vertical	307	1.62	-	35.93	31.70	6.00	29.74
AV	5.2016G	95.05	Inf	-Inf	7.90	3	Vertical	307	1.62	-	87.15	31.60	6.03	29.73
PK	5.1492G	56.30	74.00	-17.70	7.96	3	Vertical	307	1.62	-	48.34	31.70	6.00	29.74
PK	5.1948G	106.96	Inf	-Inf	7.91	3	Vertical	307	1.62	-	99.05	31.61	6.03	29.73



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.85	54.00	-3.15	7.96	3	Horizontal	29	1.54	-	42.89	31.70	6.00	29.74
AV	5.198G	106.81	Inf	-Inf	7.90	3	Horizontal	29	1.54	-	98.91	31.60	6.03	29.73
PK	5.1488G	65.36	74.00	-8.64	7.96	3	Horizontal	29	1.54	-	57.40	31.70	6.00	29.74
PK	5.1976G	118.88	Inf	-Inf	7.90	3	Horizontal	29	1.54	-	110.98	31.60	6.03	29.73



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60036G	50.08	54.00	-3.92	17.32	3	Vertical	209	2.64	-	32.76	38.32	10.83	31.83
PK	10.40012G	57.96	68.20	-10.24	17.20	3	Vertical	276	1.83	-	40.76	39.42	8.72	30.94
PK	15.603G	64.48	74.00	-9.52	17.32	3	Vertical	209	2.64	-	47.16	38.31	10.84	31.83



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59964G	44.75	54.00	-9.25	17.32	3	Horizontal	125	1.43	-	27.43	38.32	10.83	31.83
PK	10.39502G	55.93	68.20	-12.27	17.19	3	Horizontal	95	1.81	-	38.74	39.41	8.72	30.94
PK	15.59034G	58.72	74.00	-15.28	17.36	3	Horizontal	125	1.43	-	41.36	38.36	10.83	31.83



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1374G	43.19	54.00	-10.81	7.98	3	Vertical	59	1.37	-	35.21	31.73	5.99	29.74
AV	5.2382G	95.21	Inf	-Inf	7.81	3	Vertical	59	1.37	-	87.40	31.49	6.05	29.73
AV	5.3804G	43.05	54.00	-10.95	7.89	3	Vertical	59	1.37	-	35.16	31.46	6.13	29.70
PK	5.0972G	54.73	74.00	-19.27	8.01	3	Vertical	59	1.37	-	46.72	31.79	5.97	29.75
PK	5.2406G	107.65	Inf	-Inf	7.80	3	Vertical	59	1.37	-	99.85	31.48	6.05	29.73
PK	5.375G	55.38	74.00	-18.62	7.87	3	Vertical	59	1.37	-	47.51	31.45	6.12	29.70



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	44.97	54.00	-9.03	7.96	3	Horizontal	29	1.40	-	37.01	31.70	6.00	29.74
AV	5.237G	107.25	Inf	-Inf	7.81	3	Horizontal	29	1.40	-	99.44	31.49	6.05	29.73
AV	5.3516G	44.37	54.00	-9.63	7.80	3	Horizontal	29	1.40	-	36.57	31.40	6.11	29.71
PK	5.1458G	57.03	74.00	-16.97	7.97	3	Horizontal	29	1.40	-	49.06	31.71	6.00	29.74
PK	5.2346G	119.62	Inf	-Inf	7.82	3	Horizontal	29	1.40	-	111.80	31.50	6.05	29.73
PK	5.3504G	57.29	74.00	-16.71	7.80	3	Horizontal	29	1.40	-	49.49	31.40	6.11	29.71



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72144G	52.49	54.00	-1.51	16.82	3	Vertical	206	2.91	-	35.67	37.80	10.88	31.86
PK	10.48024G	57.35	68.20	-10.85	17.34	3	Vertical	143	3.00	-	40.01	39.52	8.78	30.96
PK	15.7269G	66.94	74.00	-7.06	16.79	3	Vertical	206	2.91	-	50.15	37.77	10.88	31.86

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72042G	44.15	54.00	-9.85	16.82	3	Horizontal	278	2.34	-	27.33	37.80	10.88	31.86
PK	10.48384G	56.02	68.20	-12.18	17.35	3	Horizontal	30	2.01	-	38.67	39.53	8.78	30.96
PK	15.71454G	57.42	74.00	-16.58	16.86	3	Horizontal	278	2.34	-	40.56	37.83	10.88	31.85

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	99.66	Inf	-Inf	8.52	3	Vertical	301	1.55	-	91.14	31.90	6.39	29.77
PK	5.6502G	58.43	68.35	-9.92	8.32	3	Vertical	301	1.55	-	50.11	31.75	6.31	29.74
PK	5.7438G	110.86	Inf	-Inf	8.51	3	Vertical	301	1.55	-	102.35	31.89	6.39	29.77
PK	5.9502G	57.50	68.20	-10.70	8.96	3	Vertical	301	1.55	-	48.54	32.25	6.55	29.84



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	108.51	Inf	-Inf	8.51	3	Horizontal	10	1.50	-	100.00	31.89	6.39	29.77
PK	5.649G	64.07	68.20	-4.13	8.33	3	Horizontal	10	1.50	-	55.74	31.75	6.31	29.73
PK	5.7486G	119.56	Inf	-Inf	8.52	3	Horizontal	10	1.50	-	111.04	31.90	6.39	29.77
PK	5.9382G	57.52	68.20	-10.68	8.95	3	Horizontal	10	1.50	-	48.57	32.24	6.54	29.83



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48724G	45.38	54.00	-8.62	17.92	3	Vertical	147	2.63	-	27.46	39.47	9.47	31.02
PK	11.48514G	57.45	74.00	-16.55	17.91	3	Vertical	147	2.63	-	39.54	39.47	9.46	31.02
PK	17.22936G	63.50	68.20	-4.70	21.33	3	Vertical	161	2.12	-	42.17	41.61	11.40	31.68



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4897G	43.92	54.00	-10.08	17.92	3	Horizontal	108	1.35	-	26.00	39.47	9.47	31.02
PK	11.4882G	56.34	74.00	-17.66	17.92	3	Horizontal	108	1.35	-	38.42	39.47	9.47	31.02
PK	17.24322G	60.92	68.20	-7.28	21.43	3	Horizontal	350	1.08	-	39.49	41.71	11.40	31.68

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	100.06	Inf	-Inf	8.61	3	Vertical	301	1.61	-	91.45	31.97	6.42	29.78
PK	5.569G	56.20	68.20	-12.00	8.30	3	Vertical	301	1.61	-	47.90	31.76	6.25	29.71
PK	5.7898G	111.67	Inf	-Inf	8.61	3	Vertical	301	1.61	-	103.06	31.98	6.42	29.79
PK	5.9398G	56.94	68.20	-11.26	8.95	3	Vertical	301	1.61	-	47.99	32.24	6.54	29.83



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	108.13	Inf	-Inf	8.61	3	Horizontal	360	1.50	-	99.52	31.97	6.42	29.78
PK	5.6398G	57.84	68.20	-10.36	8.31	3	Horizontal	360	1.50	-	49.53	31.74	6.30	29.73
PK	5.7802G	120.27	Inf	-Inf	8.59	3	Horizontal	360	1.50	-	111.68	31.96	6.41	29.78
PK	5.9458G	57.34	68.20	-10.86	8.97	3	Horizontal	360	1.50	-	48.37	32.25	6.55	29.83



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56904G	45.18	54.00	-8.82	17.86	3	Vertical	236	1.93	-	27.32	39.35	9.52	31.01
PK	11.56928G	57.28	74.00	-16.72	17.86	3	Vertical	236	1.93	-	39.42	39.35	9.52	31.01
PK	17.36244G	63.95	68.20	-4.25	22.30	3	Vertical	157	2.25	-	41.65	42.49	11.44	31.63



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57756G	43.74	54.00	-10.26	17.85	3	Horizontal	229	1.76	-	25.89	39.33	9.53	31.01
PK	11.56448G	56.70	74.00	-17.30	17.86	3	Horizontal	229	1.76	-	38.84	39.35	9.52	31.01
PK	17.3613G	62.13	68.20	-6.07	22.29	3	Horizontal	85	2.09	-	39.84	42.48	11.44	31.63



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	100.58	Inf	-Inf	8.71	3	Vertical	303	1.60	-	91.87	32.06	6.45	29.80
PK	5.627G	55.77	68.20	-12.43	8.29	3	Vertical	303	1.60	-	47.48	31.73	6.29	29.73
PK	5.8202G	112.53	Inf	-Inf	8.69	3	Vertical	303	1.60	-	103.84	32.04	6.45	29.80
PK	5.9246G	59.11	68.50	-9.39	8.92	3	Vertical	303	1.60	-	50.19	32.22	6.53	29.83



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	108.02	Inf	-Inf	8.70	3	Horizontal	360	1.58	-	99.32	32.05	6.45	29.80
PK	5.6498G	58.81	68.20	-9.39	8.33	3	Horizontal	360	1.58	-	50.48	31.75	6.31	29.73
PK	5.819G	119.85	Inf	-Inf	8.69	3	Horizontal	360	1.58	-	111.16	32.04	6.45	29.80
PK	5.9246G	67.00	68.50	-1.50	8.92	3	Horizontal	360	1.58	-	58.08	32.22	6.53	29.83



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65294G	43.98	54.00	-10.02	17.80	3	Vertical	233	1.50	-	26.18	39.22	9.58	31.00
PK	11.63992G	57.05	74.00	-16.95	17.81	3	Vertical	233	1.50	-	39.24	39.24	9.57	31.00
PK	17.47008G	64.74	68.20	-3.46	23.09	3	Vertical	183	2.97	-	41.65	43.20	11.48	31.59



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65702G	43.61	54.00	-10.39	17.79	3	Horizontal	127	1.13	-	25.82	39.21	9.58	31.00
PK	11.66008G	55.77	74.00	-18.23	17.80	3	Horizontal	127	1.13	-	37.97	39.21	9.59	31.00
PK	17.48496G	63.54	68.20	-4.66	23.20	3	Horizontal	131	2.17	-	40.34	43.30	11.48	31.58



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.66	54.00	-3.34	7.96	3	Vertical	12	1.48	-	42.70	31.70	6.00	29.74
AV	5.1832G	105.08	Inf	-Inf	7.92	3	Vertical	12	1.48	-	97.16	31.63	6.02	29.73
PK	5.1484G	68.22	74.00	-5.78	7.96	3	Vertical	12	1.48	-	60.26	31.70	6.00	29.74
PK	5.1824G	116.81	Inf	-Inf	7.93	3	Vertical	12	1.48	-	108.88	31.64	6.02	29.73

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	52.96	54.00	-1.04	7.96	3	Horizontal	345	1.50	-	45.00	31.70	6.00	29.74
AV	5.1834G	105.17	Inf	-Inf	7.92	3	Horizontal	345	1.50	-	97.25	31.63	6.02	29.73
PK	5.15G	72.17	74.00	-1.83	7.96	3	Horizontal	345	1.50	-	64.21	31.70	6.00	29.74
PK	5.1852G	117.32	Inf	-Inf	7.92	3	Horizontal	345	1.50	-	109.40	31.63	6.02	29.73



802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53466G	44.62	54.00	-9.38	17.60	3	Vertical	30	1.23	-	27.02	38.60	10.81	31.81
PK	10.36426G	55.78	68.20	-12.42	17.14	3	Vertical	357	1.18	-	38.64	39.37	8.70	30.93
PK	15.53268G	57.68	74.00	-16.32	17.61	3	Vertical	30	1.23	-	40.07	38.61	10.81	31.81



802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52578G	44.55	54.00	-9.45	17.64	3	Horizontal	191	2.08	-	26.91	38.64	10.81	31.81
PK	10.34824G	56.07	68.20	-12.13	17.11	3	Horizontal	132	2.73	-	38.96	39.35	8.69	30.93
PK	15.52668G	57.74	74.00	-16.26	17.64	3	Horizontal	191	2.08	-	40.10	38.64	10.81	31.81



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	48.55	54.00	-5.45	7.96	3	Vertical	17	1.38	-	40.59	31.70	6.00	29.74
AV	5.2028G	106.62	Inf	-Inf	7.89	3	Vertical	17	1.38	-	98.73	31.59	6.03	29.73
PK	5.1484G	61.83	74.00	-12.17	7.96	3	Vertical	17	1.38	-	53.87	31.70	6.00	29.74
PK	5.1948G	118.55	Inf	-Inf	7.91	3	Vertical	17	1.38	-	110.64	31.61	6.03	29.73



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	48.36	54.00	-5.64	7.96	3	Horizontal	0	1.36	-	40.40	31.70	6.00	29.74
AV	5.204G	105.76	Inf	-Inf	7.89	3	Horizontal	0	1.36	-	97.87	31.59	6.03	29.73
PK	5.1496G	65.60	74.00	-8.40	7.96	3	Horizontal	0	1.36	-	57.64	31.70	6.00	29.74
PK	5.1948G	117.54	Inf	-Inf	7.91	3	Horizontal	0	1.36	-	109.63	31.61	6.03	29.73

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5946G	46.41	54.00	-7.59	17.34	3	Vertical	209	2.11	-	29.07	38.34	10.83	31.83
PK	10.40066G	56.50	68.20	-11.70	17.20	3	Vertical	237	1.70	-	39.30	39.42	8.72	30.94
PK	15.59448G	62.59	74.00	-11.41	17.34	3	Vertical	209	2.11	-	45.25	38.34	10.83	31.83



802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59958G	44.63	54.00	-9.37	17.32	3	Horizontal	238	1.50	-	27.31	38.32	10.83	31.83
PK	10.3871G	56.20	68.20	-12.00	17.17	3	Horizontal	266	1.73	-	39.03	39.40	8.71	30.94
PK	15.60936G	57.62	74.00	-16.38	17.29	3	Horizontal	238	1.50	-	40.33	38.28	10.84	31.83



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.16	54.00	-1.84	7.96	3	Vertical	15	1.52	-	44.20	31.70	6.00	29.74
AV	5.2436G	109.74	Inf	-Inf	7.79	3	Vertical	15	1.52	-	101.95	31.47	6.05	29.73
AV	5.35G	48.86	54.00	-5.14	7.80	3	Vertical	15	1.52	-	41.06	31.40	6.11	29.71
PK	5.147G	66.38	74.00	-7.62	7.97	3	Vertical	15	1.52	-	58.41	31.71	6.00	29.74
PK	5.2346G	121.80	Inf	-Inf	7.82	3	Vertical	15	1.52	-	113.98	31.50	6.05	29.73
PK	5.3522G	61.54	74.00	-12.46	7.80	3	Vertical	15	1.52	-	53.74	31.40	6.11	29.71



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.91	54.00	-5.09	7.96	3	Horizontal	4	1.45	-	40.95	31.70	6.00	29.74
AV	5.243G	106.96	Inf	-Inf	7.79	3	Horizontal	4	1.45	-	99.17	31.47	6.05	29.73
AV	5.35G	47.30	54.00	-6.70	7.80	3	Horizontal	4	1.45	-	39.50	31.40	6.11	29.71
PK	5.1428G	62.72	74.00	-11.28	7.97	3	Horizontal	4	1.45	-	54.75	31.71	6.00	29.74
PK	5.2424G	117.90	Inf	-Inf	7.79	3	Horizontal	4	1.45	-	110.11	31.47	6.05	29.73
PK	5.351G	59.78	74.00	-14.22	7.80	3	Horizontal	4	1.45	-	51.98	31.40	6.11	29.71



802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72342G	52.24	54.00	-1.76	16.81	3	Vertical	177	2.77	-	35.43	37.79	10.88	31.86
PK	10.48006G	57.06	68.20	-11.14	17.34	3	Vertical	213	2.41	-	39.72	39.52	8.78	30.96
PK	15.72348G	66.87	74.00	-7.13	16.81	3	Vertical	177	2.77	-	50.06	37.79	10.88	31.86



802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72378G	44.94	54.00	-9.06	16.81	3	Horizontal	160	2.96	-	28.13	37.79	10.88	31.86
PK	10.46962G	55.83	68.20	-12.37	17.32	3	Horizontal	36	1.82	-	38.51	39.51	8.77	30.96
PK	15.72342G	57.33	74.00	-16.67	16.81	3	Horizontal	160	2.96	-	40.52	37.79	10.88	31.86



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	110.04	Inf	-Inf	8.49	3	Vertical	10	1.57	-	101.55	31.88	6.38	29.77
PK	5.6478G	66.92	68.20	-1.28	8.33	3	Vertical	10	1.57	-	58.59	31.75	6.31	29.73
PK	5.751G	121.07	Inf	-Inf	8.52	3	Vertical	10	1.57	-	112.55	31.90	6.39	29.77
PK	5.9406G	57.86	68.20	-10.34	8.95	3	Vertical	10	1.57	-	48.91	32.24	6.54	29.83



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	109.08	Inf	-Inf	8.50	3	Horizontal	10	1.52	-	100.58	31.89	6.38	29.77
PK	5.6526G	68.56	70.12	-1.56	8.32	3	Horizontal	10	1.52	-	60.24	31.75	6.31	29.74
PK	5.7438G	120.57	Inf	-Inf	8.51	3	Horizontal	10	1.52	-	112.06	31.89	6.39	29.77
PK	5.9262G	56.68	68.20	-11.52	8.93	3	Horizontal	10	1.52	-	47.75	32.23	6.53	29.83



802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48886G	46.63	54.00	-7.37	17.92	3	Vertical	207	1.66	-	28.71	39.47	9.47	31.02
PK	11.49024G	58.30	74.00	-15.70	17.91	3	Vertical	207	1.66	-	40.39	39.46	9.47	31.02
PK	17.23818G	64.23	68.20	-3.97	21.39	3	Vertical	216	2.43	-	42.84	41.67	11.40	31.68



802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.47566G	43.80	54.00	-10.20	17.93	3	Horizontal	83	1.27	-	25.87	39.49	9.46	31.02
PK	11.48412G	56.18	74.00	-17.82	17.91	3	Horizontal	83	1.27	-	38.27	39.47	9.46	31.02
PK	17.2383G	60.67	68.20	-7.53	21.39	3	Horizontal	176	1.09	-	39.28	41.67	11.40	31.68



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	109.42	Inf	-Inf	8.60	3	Vertical	0	1.49	-	100.82	31.96	6.42	29.78
PK	5.6482G	61.41	68.20	-6.79	8.33	3	Vertical	0	1.49	-	53.08	31.75	6.31	29.73
PK	5.7838G	121.09	Inf	-Inf	8.61	3	Vertical	0	1.49	-	112.48	31.97	6.42	29.78
PK	5.9338G	58.96	68.20	-9.24	8.94	3	Vertical	0	1.49	-	50.02	32.23	6.54	29.83



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	108.36	Inf	-Inf	8.61	3	Horizontal	0	1.50	-	99.75	31.97	6.42	29.78
PK	5.6458G	58.89	68.20	-9.31	8.33	3	Horizontal	0	1.50	-	50.56	31.75	6.31	29.73
PK	5.7838G	119.76	Inf	-Inf	8.61	3	Horizontal	0	1.50	-	111.15	31.97	6.42	29.78
PK	5.9302G	57.02	68.20	-11.18	8.93	3	Horizontal	0	1.50	-	48.09	32.23	6.53	29.83



802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56964G	47.61	54.00	-6.39	17.86	3	Vertical	205	1.59	-	29.75	39.35	9.52	31.01
PK	11.56958G	59.46	74.00	-14.54	17.86	3	Vertical	205	1.59	-	41.60	39.35	9.52	31.01
PK	17.34972G	64.31	68.20	-3.89	22.22	3	Vertical	156	2.87	-	42.09	42.41	11.44	31.63



802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56868G	45.29	54.00	-8.71	17.86	3	Horizontal	218	1.84	-	27.43	39.35	9.52	31.01
PK	11.5697G	57.47	74.00	-16.53	17.86	3	Horizontal	218	1.84	-	39.61	39.35	9.52	31.01
PK	17.36262G	63.16	68.20	-5.04	22.30	3	Horizontal	30	1.96	-	40.86	42.49	11.44	31.63



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	109.22	Inf	-Inf	8.70	3	Vertical	0	1.50	-	100.52	32.05	6.45	29.80
PK	5.6402G	58.57	68.20	-9.63	8.31	3	Vertical	0	1.50	-	50.26	31.74	6.30	29.73
PK	5.8274G	121.11	Inf	-Inf	8.70	3	Vertical	0	1.50	-	112.41	32.05	6.45	29.80
PK	5.9246G	65.72	68.50	-2.78	8.92	3	Vertical	0	1.50	-	56.80	32.22	6.53	29.83



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	107.99	Inf	-Inf	8.71	3	Horizontal	7	1.50	-	99.28	32.06	6.45	29.80
PK	5.6498G	58.04	68.20	-10.16	8.33	3	Horizontal	7	1.50	-	49.71	31.75	6.31	29.73
PK	5.8202G	119.92	Inf	-Inf	8.69	3	Horizontal	7	1.50	-	111.23	32.04	6.45	29.80
PK	5.9234G	63.17	69.38	-6.21	8.92	3	Horizontal	7	1.50	-	54.25	32.22	6.53	29.83



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65258G	45.19	54.00	-8.81	17.80	3	Vertical	141	1.80	-	27.39	39.22	9.58	31.00
PK	11.65492G	57.64	74.00	-16.36	17.80	3	Vertical	141	1.80	-	39.84	39.22	9.58	31.00
PK	17.46516G	64.93	68.20	-3.27	23.05	3	Vertical	183	2.97	-	41.88	43.17	11.47	31.59



802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64958G	43.88	54.00	-10.12	17.81	3	Horizontal	217	2.42	-	26.07	39.23	9.58	31.00
PK	11.64256G	56.54	74.00	-17.46	17.81	3	Horizontal	217	2.42	-	38.73	39.24	9.57	31.00
PK	17.48838G	63.57	68.20	-4.63	23.22	3	Horizontal	147	3.00	-	40.35	43.32	11.48	31.58

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.36	54.00	-8.64	7.96	3	Vertical	57	2.45	-	37.40	31.70	6.00	29.74
AV	5.1928G	89.00	Inf	-Inf	7.90	3	Vertical	57	2.45	-	81.10	31.61	6.02	29.73
PK	5.15G	58.29	74.00	-15.71	7.96	3	Vertical	57	2.45	-	50.33	31.70	6.00	29.74
PK	5.2004G	100.42	Inf	-Inf	7.90	3	Vertical	57	2.45	-	92.52	31.60	6.03	29.73



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	51.64	54.00	-2.36	7.96	3	Horizontal	16	1.73	-	43.68	31.70	6.00	29.74
AV	5.1956G	99.02	Inf	-Inf	7.91	3	Horizontal	16	1.73	-	91.11	31.61	6.03	29.73
PK	5.1496G	66.08	74.00	-7.92	7.96	3	Horizontal	16	1.73	-	58.12	31.70	6.00	29.74
PK	5.1852G	110.77	Inf	-Inf	7.92	3	Horizontal	16	1.73	-	102.85	31.63	6.02	29.73



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57492G	44.57	54.00	-9.43	17.43	3	Vertical	305	1.50	-	27.14	38.43	10.82	31.82
PK	10.38018G	55.99	68.20	-12.21	17.16	3	Vertical	217	1.67	-	38.83	39.39	8.71	30.94
PK	15.56142G	56.87	74.00	-17.13	17.49	3	Vertical	305	1.50	-	39.38	38.49	10.82	31.82



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56712G	44.60	54.00	-9.40	17.46	3	Horizontal	56	2.19	-	27.14	38.46	10.82	31.82
PK	10.3842G	56.38	68.20	-11.82	17.17	3	Horizontal	128	1.86	-	39.21	39.40	8.71	30.94
PK	15.56394G	57.62	74.00	-16.38	17.48	3	Horizontal	56	2.19	-	40.14	38.48	10.82	31.82

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	44.80	54.00	-9.20	7.96	3	Vertical	54	1.49	-	36.84	31.70	6.00	29.74
AV	5.2368G	89.61	Inf	-Inf	7.81	3	Vertical	54	1.49	-	81.80	31.49	6.05	29.73
PK	5.15G	57.54	74.00	-16.46	7.96	3	Vertical	54	1.49	-	49.58	31.70	6.00	29.74
PK	5.2368G	101.55	Inf	-Inf	7.81	3	Vertical	54	1.49	-	93.74	31.49	6.05	29.73



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.74	54.00	-1.26	7.96	3	Horizontal	11	1.23	-	44.78	31.70	6.00	29.74
AV	5.2344G	101.51	Inf	-Inf	7.82	3	Horizontal	11	1.23	-	93.69	31.50	6.05	29.73
PK	5.1492G	66.52	74.00	-7.48	7.96	3	Horizontal	11	1.23	-	58.56	31.70	6.00	29.74
PK	5.2412G	113.55	Inf	-Inf	7.80	3	Horizontal	11	1.23	-	105.75	31.48	6.05	29.73



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6804G	44.27	54.00	-9.73	16.99	3	Vertical	328	2.63	-	27.28	37.97	10.87	31.85
PK	10.46002G	56.47	68.20	-11.73	17.30	3	Vertical	37	2.32	-	39.17	39.50	8.76	30.96
PK	15.68928G	56.57	74.00	-17.43	16.96	3	Vertical	328	2.63	-	39.61	37.94	10.87	31.85



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68628G	44.24	54.00	-9.76	16.97	3	Horizontal	307	1.86	-	27.27	37.95	10.87	31.85
PK	10.45979G	56.06	68.20	-12.14	17.30	3	Horizontal	221	1.98	-	38.76	39.50	8.76	30.96
PK	15.70068G	57.13	74.00	-16.87	16.91	3	Horizontal	307	1.86	-	40.22	37.89	10.87	31.85



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	95.31	Inf	-Inf	8.53	3	Vertical	306	1.55	-	86.78	31.91	6.39	29.77
PK	5.6482G	57.53	68.20	-10.67	8.33	3	Vertical	306	1.55	-	49.20	31.75	6.31	29.73
PK	5.7634G	106.81	Inf	-Inf	8.55	3	Vertical	306	1.55	-	98.26	31.93	6.40	29.78
PK	5.941G	55.72	68.20	-12.48	8.95	3	Vertical	306	1.55	-	46.77	32.24	6.54	29.83



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7526G	103.57	Inf	-Inf	8.53	3	Horizontal	0	1.19	-	95.04	31.91	6.39	29.77
PK	5.6482G	66.97	68.20	-1.23	8.33	3	Horizontal	0	1.19	-	58.64	31.75	6.31	29.73
PK	5.7526G	114.91	Inf	-Inf	8.53	3	Horizontal	0	1.19	-	106.38	31.91	6.39	29.77
PK	5.9254G	57.81	68.20	-10.39	8.93	3	Horizontal	0	1.19	-	48.88	32.23	6.53	29.83



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51G	44.43	54.00	-9.57	17.89	3	Vertical	226	1.81	-	26.54	39.43	9.48	31.02
PK	11.49968G	56.32	74.00	-17.68	17.90	3	Vertical	226	1.81	-	38.42	39.45	9.47	31.02
PK	17.26338G	61.88	68.20	-6.32	21.58	3	Vertical	61	1.91	-	40.30	41.84	11.41	31.67



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50816G	43.85	54.00	-10.15	17.90	3	Horizontal	227	2.53	-	25.95	39.44	9.48	31.02
PK	11.50796G	56.45	74.00	-17.55	17.90	3	Horizontal	227	2.53	-	38.55	39.44	9.48	31.02
PK	17.2764G	60.86	68.20	-7.34	21.67	3	Horizontal	199	1.08	-	39.19	41.92	11.41	31.66



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8022G	96.82	Inf	-Inf	8.64	3	Vertical	305	1.54	-	88.18	32.00	6.43	29.79
PK	5.6462G	56.93	68.20	-11.27	8.33	3	Vertical	305	1.54	-	48.60	31.75	6.31	29.73
PK	5.8034G	108.24	Inf	-Inf	8.65	3	Vertical	305	1.54	-	99.59	32.01	6.43	29.79
PK	5.9258G	58.27	68.20	-9.93	8.93	3	Vertical	305	1.54	-	49.34	32.23	6.53	29.83



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7914G	104.45	Inf	-Inf	8.61	3	Horizontal	0	1.92	-	95.84	31.98	6.42	29.79
PK	5.6498G	64.47	68.20	-3.73	8.33	3	Horizontal	0	1.92	-	56.14	31.75	6.31	29.73
PK	5.7926G	116.57	Inf	-Inf	8.62	3	Horizontal	0	1.92	-	107.95	31.99	6.42	29.79
PK	5.9258G	66.40	68.20	-1.80	8.93	3	Horizontal	0	1.92	-	57.47	32.23	6.53	29.83



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58989G	45.01	54.00	-8.99	17.85	3	Vertical	26	2.25	-	27.16	39.32	9.54	31.01
PK	11.59014G	56.81	74.00	-17.19	17.84	3	Vertical	26	2.25	-	38.97	39.31	9.54	31.01
PK	17.3862G	62.34	68.20	-5.86	22.48	3	Vertical	119	1.67	-	39.86	42.65	11.45	31.62



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58706G	43.63	54.00	-10.37	17.85	3	Horizontal	306	1.17	-	25.78	39.32	9.54	31.01
PK	11.59078G	56.05	74.00	-17.95	17.84	3	Horizontal	306	1.17	-	38.21	39.31	9.54	31.01
PK	17.38422G	63.30	68.20	-4.90	22.47	3	Horizontal	108	1.70	-	40.83	42.64	11.45	31.62



802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	51.38	54.00	-2.62	7.96	3	Vertical	22	1.35	-	43.42	31.70	6.00	29.74
AV	5.1912G	100.85	Inf	-Inf	7.91	3	Vertical	22	1.35	-	92.94	31.62	6.02	29.73
PK	5.1492G	68.41	74.00	-5.59	7.96	3	Vertical	22	1.35	-	60.45	31.70	6.00	29.74
PK	5.1912G	112.20	Inf	-Inf	7.91	3	Vertical	22	1.35	-	104.29	31.62	6.02	29.73



802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.11	54.00	-1.89	7.96	3	Horizontal	360	1.25	-	44.15	31.70	6.00	29.74
AV	5.1944G	100.36	Inf	-Inf	7.90	3	Horizontal	360	1.25	-	92.46	31.61	6.02	29.73
PK	5.142G	65.54	74.00	-8.46	7.98	3	Horizontal	360	1.25	-	57.56	31.72	6.00	29.74
PK	5.1936G	112.63	Inf	-Inf	7.90	3	Horizontal	360	1.25	-	104.73	31.61	6.02	29.73



802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57546G	44.57	54.00	-9.43	17.43	3	Vertical	248	1.85	-	27.14	38.43	10.82	31.82
PK	10.38014G	57.09	68.20	-11.11	17.16	3	Vertical	217	1.66	-	39.93	39.39	8.71	30.94
PK	15.57312G	57.45	74.00	-16.55	17.44	3	Vertical	248	1.85	-	40.01	38.44	10.82	31.82



802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57264G	44.58	54.00	-9.42	17.44	3	Horizontal	91	1.28	-	27.14	38.44	10.82	31.82
PK	10.37936G	56.28	68.20	-11.92	17.16	3	Horizontal	127	2.11	-	39.12	39.39	8.71	30.94
PK	15.57246G	57.22	74.00	-16.78	17.44	3	Horizontal	91	1.28	-	39.78	38.44	10.82	31.82

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.61	54.00	-5.39	7.96	3	Vertical	360	1.20	-	40.65	31.70	6.00	29.74
AV	5.2348G	103.74	Inf	-Inf	7.82	3	Vertical	360	1.20	-	95.92	31.50	6.05	29.73
PK	5.1492G	61.79	74.00	-12.21	7.96	3	Vertical	360	1.20	-	53.83	31.70	6.00	29.74
PK	5.2256G	115.02	Inf	-Inf	7.83	3	Vertical	360	1.20	-	107.19	31.52	6.04	29.73

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.05	54.00	-7.95	7.96	3	Horizontal	360	1.22	-	38.09	31.70	6.00	29.74
AV	5.2352G	102.12	Inf	-Inf	7.81	3	Horizontal	360	1.22	-	94.31	31.49	6.05	29.73
PK	5.1492G	57.88	74.00	-16.12	7.96	3	Horizontal	360	1.22	-	49.92	31.70	6.00	29.74
PK	5.2336G	113.96	Inf	-Inf	7.82	3	Horizontal	360	1.22	-	106.14	31.50	6.05	29.73



802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69336G	44.20	54.00	-9.80	16.94	3	Vertical	336	1.70	-	27.26	37.92	10.87	31.85
PK	10.45949G	59.03	68.20	-9.17	17.30	3	Vertical	236	3.00	-	41.73	39.50	8.76	30.96
PK	15.6804G	56.46	74.00	-17.54	16.99	3	Vertical	336	1.70	-	39.47	37.97	10.87	31.85

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69258G	44.20	54.00	-9.80	16.94	3	Horizontal	310	2.50	-	27.26	37.92	10.87	31.85
PK	10.45974G	55.80	68.20	-12.40	17.30	3	Horizontal	222	1.99	-	38.50	39.50	8.76	30.96
PK	15.68922G	56.42	74.00	-17.58	16.96	3	Horizontal	310	2.50	-	39.46	37.94	10.87	31.85

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	104.71	Inf	-Inf	8.53	3	Vertical	0	1.50	-	96.18	31.91	6.39	29.77
PK	5.6506G	67.17	68.64	-1.47	8.32	3	Vertical	0	1.50	-	58.85	31.75	6.31	29.74
PK	5.7526G	116.12	Inf	-Inf	8.53	3	Vertical	0	1.50	-	107.59	31.91	6.39	29.77
PK	5.9278G	61.12	68.20	-7.08	8.93	3	Vertical	0	1.50	-	52.19	32.23	6.53	29.83



802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7574G	104.32	Inf	-Inf	8.54	3	Horizontal	3	1.26	-	95.78	31.91	6.40	29.77
PK	5.6458G	66.46	68.20	-1.74	8.33	3	Horizontal	3	1.26	-	58.13	31.75	6.31	29.73
PK	5.7478G	115.72	Inf	-Inf	8.52	3	Horizontal	3	1.26	-	107.20	31.90	6.39	29.77
PK	5.9326G	58.03	68.20	-10.17	8.94	3	Horizontal	3	1.26	-	49.09	32.23	6.54	29.83



802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5091G	45.73	54.00	-8.27	17.90	3	Vertical	206	1.81	-	27.83	39.44	9.48	31.02
PK	11.51024G	57.87	74.00	-16.13	17.89	3	Vertical	206	1.81	-	39.98	39.43	9.48	31.02
PK	17.26602G	61.24	68.20	-6.96	21.60	3	Vertical	40	2.49	-	39.64	41.86	11.41	31.67



802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51318G	43.93	54.00	-10.07	17.89	3	Horizontal	222	2.11	-	26.04	39.43	9.48	31.02
PK	11.5016G	56.29	74.00	-17.71	17.91	3	Horizontal	222	2.11	-	38.38	39.45	9.48	31.02
PK	17.25252G	60.69	68.20	-7.51	21.50	3	Horizontal	319	1.34	-	39.19	41.77	11.40	31.67



802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7914G	105.49	Inf	-Inf	8.61	3	Vertical	11	1.39	-	96.88	31.98	6.42	29.79
PK	5.6486G	65.08	68.20	-3.12	8.33	3	Vertical	11	1.39	-	56.75	31.75	6.31	29.73
PK	5.7926G	117.31	Inf	-Inf	8.62	3	Vertical	11	1.39	-	108.69	31.99	6.42	29.79
PK	5.9318G	67.10	68.20	-1.10	8.94	3	Vertical	11	1.39	-	58.16	32.23	6.54	29.83



802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8022G	104.50	Inf	-Inf	8.64	3	Horizontal	0	1.22	-	95.86	32.00	6.43	29.79
PK	5.6498G	60.22	68.20	-7.98	8.33	3	Horizontal	0	1.22	-	51.89	31.75	6.31	29.73
PK	5.7914G	115.63	Inf	-Inf	8.61	3	Horizontal	0	1.22	-	107.02	31.98	6.42	29.79
PK	5.9306G	61.80	68.20	-6.40	8.93	3	Horizontal	0	1.22	-	52.87	32.23	6.53	29.83



802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58994G	45.52	54.00	-8.48	17.85	3	Vertical	207	2.72	-	27.67	39.32	9.54	31.01
PK	11.58238G	57.02	74.00	-16.98	17.85	3	Vertical	207	2.72	-	39.17	39.33	9.53	31.01
PK	17.39292G	62.58	68.20	-5.62	22.52	3	Vertical	171	2.34	-	40.06	42.69	11.45	31.62



802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5897G	44.12	54.00	-9.88	17.85	3	Horizontal	217	1.42	-	26.27	39.32	9.54	31.01
PK	11.58916G	56.26	74.00	-17.74	17.85	3	Horizontal	217	1.42	-	38.41	39.32	9.54	31.01
PK	17.38722G	62.48	68.20	-5.72	22.49	3	Horizontal	325	2.18	-	39.99	42.66	11.45	31.62

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.00	54.00	-10.00	7.96	3	Vertical	54	1.43	-	36.04	31.70	6.00	29.74
AV	5.214G	83.62	Inf	-Inf	7.87	3	Vertical	54	1.43	-	75.75	31.56	6.04	29.73
AV	5.417G	43.32	54.00	-10.68	8.02	3	Vertical	54	1.43	-	35.30	31.57	6.15	29.70
PK	5.071G	55.45	74.00	-18.55	7.92	3	Vertical	54	1.43	-	47.53	31.71	5.96	29.75
PK	5.211G	95.55	Inf	-Inf	7.87	3	Vertical	54	1.43	-	87.68	31.57	6.03	29.73
PK	5.428G	55.59	74.00	-18.41	8.06	3	Vertical	54	1.43	-	47.53	31.61	6.15	29.70

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.29	54.00	-2.71	7.96	3	Horizontal	11	1.39	-	43.33	31.70	6.00	29.74
AV	5.22G	95.89	Inf	-Inf	7.85	3	Horizontal	11	1.39	-	88.04	31.54	6.04	29.73
AV	5.351G	45.06	54.00	-8.94	7.80	3	Horizontal	11	1.39	-	37.26	31.40	6.11	29.71
PK	5.144G	64.93	74.00	-9.07	7.97	3	Horizontal	11	1.39	-	56.96	31.71	6.00	29.74
PK	5.231G	106.92	Inf	-Inf	7.82	3	Horizontal	11	1.39	-	99.10	31.51	6.04	29.73
PK	5.372G	57.09	74.00	-16.91	7.85	3	Horizontal	11	1.39	-	49.24	31.44	6.12	29.71



802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61794G	44.56	54.00	-9.44	17.25	3	Vertical	11	2.27	-	27.31	38.24	10.84	31.83
PK	10.41994G	56.04	68.20	-12.16	17.24	3	Vertical	219	1.50	-	38.80	39.45	8.74	30.95
PK	15.62952G	57.10	74.00	-16.90	17.21	3	Vertical	11	2.27	-	39.89	38.19	10.85	31.83



802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6189G	44.44	54.00	-9.56	17.25	3	Horizontal	254	2.08	-	27.19	38.24	10.84	31.83
PK	10.41802G	56.11	68.20	-12.09	17.22	3	Horizontal	177	2.27	-	38.89	39.44	8.73	30.95
PK	15.6399G	57.51	74.00	-16.49	17.16	3	Horizontal	254	2.08	-	40.35	38.15	10.85	31.84



802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5775MHz_TX



Lim.PK
 PK
 Lim.AV
 AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.769G	90.34	Inf	-Inf	8.57	3	Vertical	305	1.50	-	81.77	31.94	6.41	29.78
PK	5.6406G	57.70	68.20	-10.50	8.31	3	Vertical	305	1.50	-	49.39	31.74	6.30	29.73
PK	5.7726G	102.25	Inf	-Inf	8.58	3	Vertical	305	1.50	-	93.67	31.95	6.41	29.78
PK	5.9286G	56.66	68.20	-11.54	8.93	3	Vertical	305	1.50	-	47.73	32.23	6.53	29.83



802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7702G	98.23	Inf	-Inf	8.57	3	Horizontal	0	1.71	-	89.66	31.94	6.41	29.78
PK	5.6502G	65.97	68.35	-2.38	8.32	3	Horizontal	0	1.71	-	57.65	31.75	6.31	29.74
PK	5.7714G	111.30	Inf	-Inf	8.57	3	Horizontal	0	1.71	-	102.73	31.94	6.41	29.78
PK	5.9274G	61.70	68.20	-6.50	8.93	3	Horizontal	0	1.71	-	52.77	32.23	6.53	29.83

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54982G	44.64	54.00	-9.36	17.88	3	Vertical	27	2.54	-	26.76	39.38	9.51	31.01
PK	11.54688G	56.44	74.00	-17.56	17.88	3	Vertical	27	2.54	-	38.56	39.38	9.51	31.01
PK	17.33328G	61.97	68.20	-6.23	22.09	3	Vertical	251	1.49	-	39.88	42.30	11.43	31.64



802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54034G	43.63	54.00	-10.37	17.87	3	Horizontal	233	1.57	-	25.76	39.39	9.50	31.02
PK	11.5403G	55.92	74.00	-18.08	17.88	3	Horizontal	233	1.57	-	38.04	39.40	9.50	31.02
PK	17.33586G	62.02	68.20	-6.18	22.11	3	Horizontal	304	1.34	-	39.91	42.32	11.43	31.64



802.11ax HEW80_Nss1,(MCS0)_2TX

11/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.93	54.00	-1.07	7.96	3	Vertical	360	1.30	-	44.97	31.70	6.00	29.74
AV	5.22G	97.94	Inf	-Inf	7.85	3	Vertical	360	1.30	-	90.09	31.54	6.04	29.73
AV	5.35G	46.20	54.00	-7.80	7.80	3	Vertical	360	1.30	-	38.40	31.40	6.11	29.71
PK	5.15G	67.85	74.00	-6.15	7.96	3	Vertical	360	1.30	-	59.89	31.70	6.00	29.74
PK	5.208G	108.53	Inf	-Inf	7.88	3	Vertical	360	1.30	-	100.65	31.58	6.03	29.73
PK	5.363G	58.07	74.00	-15.93	7.84	3	Vertical	360	1.30	-	50.23	31.43	6.12	29.71



802.11ax HEW80_Nss1,(MCS0)_2TX

11/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.13	54.00	-3.87	7.96	3	Horizontal	360	1.42	-	42.17	31.70	6.00	29.74
AV	5.218G	96.54	Inf	-Inf	7.86	3	Horizontal	360	1.42	-	88.68	31.55	6.04	29.73
AV	5.35G	45.15	54.00	-8.85	7.80	3	Horizontal	360	1.42	-	37.35	31.40	6.11	29.71
PK	5.149G	63.79	74.00	-10.21	7.96	3	Horizontal	360	1.42	-	55.83	31.70	6.00	29.74
PK	5.219G	108.06	Inf	-Inf	7.85	3	Horizontal	360	1.42	-	100.21	31.54	6.04	29.73
PK	5.353G	56.19	74.00	-17.81	7.81	3	Horizontal	360	1.42	-	48.38	31.41	6.11	29.71

802.11ax HEW80_Nss1,(MCS0)_2TX

11/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6201G	44.43	54.00	-9.57	17.24	3	Vertical	83	1.57	-	27.19	38.23	10.84	31.83
PK	10.42006G	55.87	68.20	-12.33	17.24	3	Vertical	218	1.50	-	38.63	39.45	8.74	30.95
PK	15.64272G	57.11	74.00	-16.89	17.15	3	Vertical	83	1.57	-	39.96	38.14	10.85	31.84



802.11ax HEW80_Nss1,(MCS0)_2TX

11/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63132G	44.40	54.00	-9.60	17.20	3	Horizontal	272	1.69	-	27.20	38.19	10.85	31.84
PK	10.41346G	55.63	68.20	-12.57	17.22	3	Horizontal	127	1.50	-	38.41	39.44	8.73	30.95
PK	15.62622G	56.63	74.00	-17.37	17.22	3	Horizontal	272	1.69	-	39.41	38.21	10.84	31.83



802.11ax HEW80_Nss1,(MCS0)_2TX

11/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.787G	99.92	Inf	-Inf	8.61	3	Vertical	13	1.30	-	91.31	31.97	6.42	29.78
PK	5.649G	67.17	68.20	-1.03	8.33	3	Vertical	13	1.30	-	58.84	31.75	6.31	29.73
PK	5.7954G	111.32	Inf	-Inf	8.63	3	Vertical	13	1.30	-	102.69	31.99	6.43	29.79
PK	5.9274G	63.50	68.20	-4.70	8.93	3	Vertical	13	1.30	-	54.57	32.23	6.53	29.83



802.11ax HEW80_Nss1,(MCS0)_2TX

11/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7774G	98.19	Inf	-Inf	8.58	3	Horizontal	0	1.13	-	89.61	31.95	6.41	29.78
PK	5.6478G	64.30	68.20	-3.90	8.33	3	Horizontal	0	1.13	-	55.97	31.75	6.31	29.73
PK	5.7678G	109.57	Inf	-Inf	8.56	3	Horizontal	0	1.13	-	101.01	31.94	6.40	29.78
PK	5.9286G	57.22	68.20	-10.98	8.93	3	Horizontal	0	1.13	-	48.29	32.23	6.53	29.83



802.11ax HEW80_Nss1,(MCS0)_2TX

11/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54994G	45.28	54.00	-8.72	17.88	3	Vertical	27	2.53	-	27.40	39.38	9.51	31.01
PK	11.55G	56.34	74.00	-17.66	17.88	3	Vertical	27	2.53	-	38.46	39.38	9.51	31.01
PK	17.33664G	61.40	68.20	-6.80	22.11	3	Vertical	178	1.71	-	39.29	42.32	11.43	31.64



802.11ax HEW80_Nss1,(MCS0)_2TX

11/08/2019

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54968G	43.84	54.00	-10.16	17.88	3	Horizontal	217	1.47	-	25.96	39.38	9.51	31.01
PK	11.54536G	57.23	74.00	-16.77	17.88	3	Horizontal	217	1.47	-	39.35	39.38	9.51	31.01
PK	17.3394G	62.22	68.20	-5.98	22.13	3	Horizontal	316	2.12	-	40.09	42.34	11.43	31.64



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	5.15G	52.91	54.00	-1.09	3	Horizontal	0	1.49	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1496G	52.98	54.00	-1.02	3	Horizontal	356	1.54	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.1456G	72.87	74.00	-1.13	3	Horizontal	357	1.58	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	51.41	54.00	-2.59	3	Horizontal	339	1.54	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.15G	52.17	54.00	-1.83	3	Horizontal	0	1.51	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.70	54.00	-1.30	3	Vertical	24	1.67	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.148G	52.63	54.00	-1.37	3	Horizontal	360	1.49	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.78	54.00	-1.22	3	Horizontal	0	1.78	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	PK	5.649G	66.80	68.20	-1.40	3	Horizontal	1	1.50	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.9222G	67.38	70.27	-2.89	3	Horizontal	360	1.50	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.6422G	66.83	68.20	-1.37	3	Horizontal	360	1.54	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.649G	66.34	68.20	-1.86	3	Horizontal	350	1.59	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.6482G	66.64	68.20	-1.56	3	Horizontal	0	1.49	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.9234G	68.23	69.38	-1.15	3	Horizontal	346	1.54	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.649G	66.80	68.20	-1.40	3	Horizontal	355	1.49	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.925G	66.80	68.20	-1.40	3	Horizontal	354	1.76	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1_(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1482G	42.70	54.00	-11.30	3	Vertical	34	1.10	-
5180MHz_TX	Pass	AV	5.1774G	84.54	Inf	-Inf	3	Vertical	34	1.10	-
5180MHz_TX	Pass	PK	5.1404G	56.02	74.00	-17.98	3	Vertical	34	1.10	-
5180MHz_TX	Pass	PK	5.176G	94.16	Inf	-Inf	3	Vertical	34	1.10	-
5180MHz_TX	Pass	AV	5.15G	52.77	54.00	-1.23	3	Horizontal	356	1.60	-
5180MHz_TX	Pass	AV	5.1832G	106.45	Inf	-Inf	3	Horizontal	356	1.60	-
5180MHz_TX	Pass	PK	5.1476G	66.90	74.00	-7.10	3	Horizontal	356	1.60	-
5180MHz_TX	Pass	PK	5.182G	116.98	Inf	-Inf	3	Horizontal	356	1.60	-
5180MHz_TX	Pass	PK	10.35993G	53.97	68.20	-14.23	3	Vertical	199	2.46	-
5180MHz_TX	Pass	PK	10.35878G	53.15	68.20	-15.05	3	Horizontal	183	1.00	-
5200MHz_TX	Pass	AV	5.1476G	42.73	54.00	-11.27	3	Vertical	27	1.15	-
5200MHz_TX	Pass	AV	5.2032G	88.75	Inf	-Inf	3	Vertical	27	1.15	-
5200MHz_TX	Pass	PK	5.1296G	55.42	74.00	-18.58	3	Vertical	27	1.15	-
5200MHz_TX	Pass	PK	5.2024G	98.36	Inf	-Inf	3	Vertical	27	1.15	-
5200MHz_TX	Pass	AV	5.15G	52.91	54.00	-1.09	3	Horizontal	0	1.49	-
5200MHz_TX	Pass	AV	5.2032G	110.38	Inf	-Inf	3	Horizontal	0	1.49	-
5200MHz_TX	Pass	PK	5.1476G	67.15	74.00	-6.85	3	Horizontal	0	1.49	-
5200MHz_TX	Pass	PK	5.2036G	120.86	Inf	-Inf	3	Horizontal	0	1.49	-
5200MHz_TX	Pass	PK	10.39987G	54.14	68.20	-14.06	3	Vertical	195	2.12	-
5200MHz_TX	Pass	PK	10.39826G	53.74	68.20	-14.46	3	Horizontal	207	2.16	-
5240MHz_TX	Pass	AV	5.1338G	42.99	54.00	-11.01	3	Vertical	24	1.29	-
5240MHz_TX	Pass	AV	5.243G	89.38	Inf	-Inf	3	Vertical	24	1.29	-
5240MHz_TX	Pass	AV	5.3726G	43.10	54.00	-10.90	3	Vertical	24	1.29	-
5240MHz_TX	Pass	PK	5.1296G	55.55	74.00	-18.45	3	Vertical	24	1.29	-
5240MHz_TX	Pass	PK	5.2424G	98.90	Inf	-Inf	3	Vertical	24	1.29	-
5240MHz_TX	Pass	PK	5.3576G	55.13	74.00	-18.87	3	Vertical	24	1.29	-
5240MHz_TX	Pass	AV	5.15G	46.82	54.00	-7.18	3	Horizontal	0	1.49	-
5240MHz_TX	Pass	AV	5.243G	112.22	Inf	-Inf	3	Horizontal	0	1.49	-
5240MHz_TX	Pass	AV	5.351G	45.63	54.00	-8.37	3	Horizontal	0	1.49	-
5240MHz_TX	Pass	PK	5.1452G	60.60	74.00	-13.40	3	Horizontal	0	1.49	-
5240MHz_TX	Pass	PK	5.2436G	122.03	Inf	-Inf	3	Horizontal	0	1.49	-
5240MHz_TX	Pass	PK	5.3732G	58.71	74.00	-15.29	3	Horizontal	0	1.49	-
5240MHz_TX	Pass	PK	10.48012G	55.31	68.20	-12.89	3	Vertical	225	2.98	-
5240MHz_TX	Pass	PK	10.47894G	53.11	68.20	-15.09	3	Horizontal	199	1.08	-
5745MHz_TX	Pass	AV	5.7474G	94.81	Inf	-Inf	3	Vertical	330	1.23	-
5745MHz_TX	Pass	PK	5.5662G	55.89	68.20	-12.31	3	Vertical	330	1.23	-
5745MHz_TX	Pass	PK	5.7486G	104.81	Inf	-Inf	3	Vertical	330	1.23	-
5745MHz_TX	Pass	PK	5.9502G	56.18	68.20	-12.02	3	Vertical	330	1.23	-
5745MHz_TX	Pass	AV	5.7474G	112.70	Inf	-Inf	3	Horizontal	1	1.50	-
5745MHz_TX	Pass	PK	5.649G	66.80	68.20	-1.40	3	Horizontal	1	1.50	-
5745MHz_TX	Pass	PK	5.7522G	122.77	Inf	-Inf	3	Horizontal	1	1.50	-
5745MHz_TX	Pass	PK	5.9346G	58.35	68.20	-9.85	3	Horizontal	1	1.50	-
5745MHz_TX	Pass	AV	11.48978G	41.59	54.00	-12.41	3	Vertical	210	2.38	-
5745MHz_TX	Pass	PK	11.49014G	54.74	74.00	-19.26	3	Vertical	210	2.38	-
5745MHz_TX	Pass	AV	11.49129G	39.80	54.00	-14.20	3	Horizontal	212	1.50	-
5745MHz_TX	Pass	PK	11.49047G	53.05	74.00	-20.95	3	Horizontal	212	1.50	-
5785MHz_TX	Pass	AV	5.7838G	95.63	Inf	-Inf	3	Vertical	329	1.20	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz_TX	Pass	PK	5.6062G	56.47	68.20	-11.73	3	Vertical	329	1.20	-
5785MHz_TX	Pass	PK	5.7886G	105.43	Inf	-Inf	3	Vertical	329	1.20	-
5785MHz_TX	Pass	PK	5.9254G	56.63	68.20	-11.57	3	Vertical	329	1.20	-
5785MHz_TX	Pass	AV	5.7886G	112.77	Inf	-Inf	3	Horizontal	356	1.55	-
5785MHz_TX	Pass	PK	5.593G	58.55	68.20	-9.65	3	Horizontal	356	1.55	-
5785MHz_TX	Pass	PK	5.7922G	122.99	Inf	-Inf	3	Horizontal	356	1.55	-
5785MHz_TX	Pass	PK	5.9254G	61.05	68.20	-7.15	3	Horizontal	356	1.55	-
5785MHz_TX	Pass	AV	11.56984G	40.26	54.00	-13.74	3	Vertical	16	2.98	-
5785MHz_TX	Pass	PK	11.57178G	53.06	74.00	-20.94	3	Vertical	16	2.98	-
5785MHz_TX	Pass	AV	11.57245G	39.72	54.00	-14.28	3	Horizontal	163	2.76	-
5785MHz_TX	Pass	PK	11.57074G	52.75	74.00	-21.25	3	Horizontal	163	2.76	-
5825MHz_TX	Pass	AV	5.8286G	95.96	Inf	-Inf	3	Vertical	333	1.14	-
5825MHz_TX	Pass	PK	5.6066G	56.10	68.20	-12.10	3	Vertical	333	1.14	-
5825MHz_TX	Pass	PK	5.8286G	106.16	Inf	-Inf	3	Vertical	333	1.14	-
5825MHz_TX	Pass	PK	5.9882G	56.42	68.20	-11.78	3	Vertical	333	1.14	-
5825MHz_TX	Pass	AV	5.8274G	112.85	Inf	-Inf	3	Horizontal	349	1.49	-
5825MHz_TX	Pass	PK	5.6234G	58.48	68.20	-9.72	3	Horizontal	349	1.49	-
5825MHz_TX	Pass	PK	5.8238G	123.00	Inf	-Inf	3	Horizontal	349	1.49	-
5825MHz_TX	Pass	PK	5.9222G	67.73	70.27	-2.54	3	Horizontal	349	1.49	-
5825MHz_TX	Pass	AV	11.64997G	40.65	54.00	-13.35	3	Vertical	25	2.41	-
5825MHz_TX	Pass	PK	11.65025G	53.73	74.00	-20.27	3	Vertical	25	2.41	-
5825MHz_TX	Pass	AV	11.64948G	40.28	54.00	-13.72	3	Horizontal	19	1.50	-
5825MHz_TX	Pass	PK	11.64823G	53.45	74.00	-20.55	3	Horizontal	19	1.50	-
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.15G	51.90	54.00	-2.10	3	Vertical	12	1.49	-
5180MHz_TX	Pass	AV	5.182G	106.38	Inf	-Inf	3	Vertical	12	1.49	-
5180MHz_TX	Pass	PK	5.1476G	66.81	74.00	-7.19	3	Vertical	12	1.49	-
5180MHz_TX	Pass	PK	5.1826G	116.93	Inf	-Inf	3	Vertical	12	1.49	-
5180MHz_TX	Pass	AV	5.1496G	52.98	54.00	-1.02	3	Horizontal	356	1.54	-
5180MHz_TX	Pass	AV	5.1826G	107.72	Inf	-Inf	3	Horizontal	356	1.54	-
5180MHz_TX	Pass	PK	5.149G	67.10	74.00	-6.90	3	Horizontal	356	1.54	-
5180MHz_TX	Pass	PK	5.1832G	117.99	Inf	-Inf	3	Horizontal	356	1.54	-
5180MHz_TX	Pass	PK	10.35994G	56.27	68.20	-11.93	3	Vertical	179	2.30	-
5180MHz_TX	Pass	PK	10.35634G	55.45	68.20	-12.75	3	Horizontal	194	1.72	-
5200MHz_TX	Pass	AV	5.15G	50.55	54.00	-3.45	3	Vertical	11	1.49	-
5200MHz_TX	Pass	AV	5.2028G	109.95	Inf	-Inf	3	Vertical	11	1.49	-
5200MHz_TX	Pass	PK	5.15G	66.35	74.00	-7.65	3	Vertical	11	1.49	-
5200MHz_TX	Pass	PK	5.2024G	120.88	Inf	-Inf	3	Vertical	11	1.49	-
5200MHz_TX	Pass	AV	5.1496G	51.02	54.00	-2.98	3	Horizontal	348	1.49	-
5200MHz_TX	Pass	AV	5.2032G	110.89	Inf	-Inf	3	Horizontal	348	1.49	-
5200MHz_TX	Pass	PK	5.1496G	65.50	74.00	-8.50	3	Horizontal	348	1.49	-
5200MHz_TX	Pass	PK	5.1936G	121.21	Inf	-Inf	3	Horizontal	348	1.49	-
5200MHz_TX	Pass	PK	10.3997G	55.93	68.20	-12.27	3	Vertical	194	2.31	-
5200MHz_TX	Pass	PK	10.3907G	55.92	68.20	-12.28	3	Horizontal	93	2.27	-
5240MHz_TX	Pass	AV	5.15G	48.32	54.00	-5.68	3	Vertical	16	1.49	-
5240MHz_TX	Pass	AV	5.2388G	112.58	Inf	-Inf	3	Vertical	16	1.49	-
5240MHz_TX	Pass	AV	5.3762G	46.14	54.00	-7.86	3	Vertical	16	1.49	-
5240MHz_TX	Pass	PK	5.1446G	62.86	74.00	-11.14	3	Vertical	16	1.49	-
5240MHz_TX	Pass	PK	5.2436G	122.95	Inf	-Inf	3	Vertical	16	1.49	-



RSE TX above 1GHz_Group 4

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz_TX	Pass	PK	5.3606G	63.71	74.00	-10.29	3	Vertical	16	1.49	-
5240MHz_TX	Pass	AV	5.1482G	47.62	54.00	-6.38	3	Horizontal	3	1.49	-
5240MHz_TX	Pass	AV	5.2436G	113.09	Inf	-Inf	3	Horizontal	3	1.49	-
5240MHz_TX	Pass	AV	5.351G	46.48	54.00	-7.52	3	Horizontal	3	1.49	-
5240MHz_TX	Pass	PK	5.147G	61.24	74.00	-12.76	3	Horizontal	3	1.49	-
5240MHz_TX	Pass	PK	5.2424G	123.57	Inf	-Inf	3	Horizontal	3	1.49	-
5240MHz_TX	Pass	PK	5.366G	58.80	74.00	-15.20	3	Horizontal	3	1.49	-
5240MHz_TX	Pass	PK	10.48072G	55.69	68.20	-12.51	3	Vertical	174	1.68	-
5240MHz_TX	Pass	PK	10.4794G	55.79	68.20	-12.41	3	Horizontal	136	2.54	-
5745MHz_TX	Pass	AV	5.7462G	114.10	Inf	-Inf	3	Vertical	360	1.66	-
5745MHz_TX	Pass	PK	5.6502G	61.72	68.35	-6.63	3	Vertical	360	1.66	-
5745MHz_TX	Pass	PK	5.7462G	122.68	Inf	-Inf	3	Vertical	360	1.66	-
5745MHz_TX	Pass	PK	5.931G	59.15	68.20	-9.05	3	Vertical	360	1.66	-
5745MHz_TX	Pass	AV	5.7474G	114.15	Inf	-Inf	3	Horizontal	347	1.50	-
5745MHz_TX	Pass	PK	5.6502G	65.14	68.35	-3.21	3	Horizontal	347	1.50	-
5745MHz_TX	Pass	PK	5.7474G	123.57	Inf	-Inf	3	Horizontal	347	1.50	-
5745MHz_TX	Pass	PK	5.937G	58.49	68.20	-9.71	3	Horizontal	347	1.50	-
5745MHz_TX	Pass	AV	11.4897G	45.61	54.00	-8.39	3	Vertical	206	2.22	-
5745MHz_TX	Pass	PK	11.49006G	57.13	74.00	-16.87	3	Vertical	206	2.22	-
5745MHz_TX	Pass	AV	11.49996G	44.02	54.00	-9.98	3	Horizontal	36	1.91	-
5745MHz_TX	Pass	PK	11.47848G	56.31	74.00	-17.69	3	Horizontal	36	1.91	-
5785MHz_TX	Pass	AV	5.7838G	113.83	Inf	-Inf	3	Vertical	360	1.57	-
5785MHz_TX	Pass	PK	5.593G	58.35	68.20	-9.85	3	Vertical	360	1.57	-
5785MHz_TX	Pass	PK	5.7838G	122.65	Inf	-Inf	3	Vertical	360	1.57	-
5785MHz_TX	Pass	PK	5.9722G	57.89	68.20	-10.31	3	Vertical	360	1.57	-
5785MHz_TX	Pass	AV	5.7874G	113.77	Inf	-Inf	3	Horizontal	340	1.64	-
5785MHz_TX	Pass	PK	5.587G	58.92	68.20	-9.28	3	Horizontal	340	1.64	-
5785MHz_TX	Pass	PK	5.7874G	123.33	Inf	-Inf	3	Horizontal	340	1.64	-
5785MHz_TX	Pass	PK	5.9362G	58.28	68.20	-9.92	3	Horizontal	340	1.64	-
5785MHz_TX	Pass	AV	11.57012G	45.29	54.00	-8.71	3	Vertical	213	3.00	-
5785MHz_TX	Pass	PK	11.564G	56.87	74.00	-17.13	3	Vertical	213	3.00	-
5785MHz_TX	Pass	AV	11.56622G	44.50	54.00	-9.50	3	Horizontal	166	2.57	-
5785MHz_TX	Pass	PK	11.57444G	57.18	74.00	-16.82	3	Horizontal	166	2.57	-
5825MHz_TX	Pass	AV	5.8214G	112.51	Inf	-Inf	3	Vertical	0	1.60	-
5825MHz_TX	Pass	PK	5.6366G	58.26	68.20	-9.94	3	Vertical	0	1.60	-
5825MHz_TX	Pass	PK	5.8214G	120.88	Inf	-Inf	3	Vertical	0	1.60	-
5825MHz_TX	Pass	PK	5.945G	61.35	68.20	-6.85	3	Vertical	0	1.60	-
5825MHz_TX	Pass	AV	5.8286G	113.38	Inf	-Inf	3	Horizontal	360	1.50	-
5825MHz_TX	Pass	PK	5.5898G	58.46	68.20	-9.74	3	Horizontal	360	1.50	-
5825MHz_TX	Pass	PK	5.8274G	122.55	Inf	-Inf	3	Horizontal	360	1.50	-
5825MHz_TX	Pass	PK	5.9222G	67.38	70.27	-2.89	3	Horizontal	360	1.50	-
5825MHz_TX	Pass	AV	11.65G	45.51	54.00	-8.49	3	Vertical	232	2.46	-
5825MHz_TX	Pass	PK	11.63716G	56.84	74.00	-17.16	3	Vertical	232	2.46	-
5825MHz_TX	Pass	AV	11.6614G	44.43	54.00	-9.57	3	Horizontal	282	1.50	-
5825MHz_TX	Pass	PK	11.64226G	56.49	74.00	-17.51	3	Horizontal	282	1.50	-
802.11ax HEW20_Nss1_(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1494G	42.71	54.00	-11.29	3	Vertical	259	2.33	-
5180MHz_TX	Pass	AV	5.1818G	84.28	Inf	-Inf	3	Vertical	259	2.33	-
5180MHz_TX	Pass	PK	5.15G	55.19	74.00	-18.81	3	Vertical	259	2.33	-



RSE TX above 1GHz_Group 4

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz_TX	Pass	PK	5.1766G	97.55	Inf	-Inf	3	Vertical	259	2.33	-
5180MHz_TX	Pass	AV	5.1498G	52.01	54.00	-1.99	3	Horizontal	357	1.58	-
5180MHz_TX	Pass	AV	5.1816G	106.57	Inf	-Inf	3	Horizontal	357	1.58	-
5180MHz_TX	Pass	PK	5.1456G	72.87	74.00	-1.13	3	Horizontal	357	1.58	-
5180MHz_TX	Pass	PK	5.1806G	120.58	Inf	-Inf	3	Horizontal	357	1.58	-
5180MHz_TX	Pass	PK	10.35989G	54.18	68.20	-14.02	3	Vertical	203	2.36	-
5180MHz_TX	Pass	PK	10.36039G	53.21	68.20	-14.99	3	Horizontal	183	1.50	-
5200MHz_TX	Pass	AV	5.15G	42.92	54.00	-11.08	3	Vertical	261	2.20	-
5200MHz_TX	Pass	AV	5.1984G	86.93	Inf	-Inf	3	Vertical	261	2.20	-
5200MHz_TX	Pass	PK	5.1428G	55.95	74.00	-18.05	3	Vertical	261	2.20	-
5200MHz_TX	Pass	PK	5.1948G	100.24	Inf	-Inf	3	Vertical	261	2.20	-
5200MHz_TX	Pass	AV	5.15G	52.27	54.00	-1.73	3	Horizontal	357	1.50	-
5200MHz_TX	Pass	AV	5.2044G	108.57	Inf	-Inf	3	Horizontal	357	1.50	-
5200MHz_TX	Pass	PK	5.1496G	70.36	74.00	-3.64	3	Horizontal	357	1.50	-
5200MHz_TX	Pass	PK	5.2024G	121.53	Inf	-Inf	3	Horizontal	357	1.50	-
5200MHz_TX	Pass	PK	10.39999G	53.55	68.20	-14.65	3	Vertical	203	2.45	-
5200MHz_TX	Pass	PK	10.39959G	52.89	68.20	-15.31	3	Horizontal	184	1.50	-
5240MHz_TX	Pass	AV	5.1326G	42.64	54.00	-11.36	3	Vertical	26	1.29	-
5240MHz_TX	Pass	AV	5.2436G	86.51	Inf	-Inf	3	Vertical	26	1.29	-
5240MHz_TX	Pass	AV	5.3672G	43.06	54.00	-10.94	3	Vertical	26	1.29	-
5240MHz_TX	Pass	PK	5.138G	55.89	74.00	-18.11	3	Vertical	26	1.29	-
5240MHz_TX	Pass	PK	5.2418G	100.17	Inf	-Inf	3	Vertical	26	1.29	-
5240MHz_TX	Pass	PK	5.3858G	55.59	74.00	-18.41	3	Vertical	26	1.29	-
5240MHz_TX	Pass	AV	5.15G	52.11	54.00	-1.89	3	Horizontal	0	1.73	-
5240MHz_TX	Pass	AV	5.2418G	109.69	Inf	-Inf	3	Horizontal	0	1.73	-
5240MHz_TX	Pass	AV	5.3522G	48.82	54.00	-5.18	3	Horizontal	0	1.73	-
5240MHz_TX	Pass	PK	5.1476G	66.89	74.00	-7.11	3	Horizontal	0	1.73	-
5240MHz_TX	Pass	PK	5.2424G	123.18	Inf	-Inf	3	Horizontal	0	1.73	-
5240MHz_TX	Pass	PK	5.351G	62.29	74.00	-11.71	3	Horizontal	0	1.73	-
5240MHz_TX	Pass	PK	10.4799G	53.89	68.20	-14.31	3	Vertical	179	1.50	-
5240MHz_TX	Pass	PK	10.47988G	53.44	68.20	-14.76	3	Horizontal	201	1.95	-
5745MHz_TX	Pass	AV	5.7438G	93.14	Inf	-Inf	3	Vertical	324	1.21	-
5745MHz_TX	Pass	PK	5.6502G	56.33	68.35	-12.02	3	Vertical	324	1.21	-
5745MHz_TX	Pass	PK	5.7402G	106.42	Inf	-Inf	3	Vertical	324	1.21	-
5745MHz_TX	Pass	PK	5.9706G	56.10	68.20	-12.10	3	Vertical	324	1.21	-
5745MHz_TX	Pass	AV	5.7474G	110.74	Inf	-Inf	3	Horizontal	1	1.49	-
5745MHz_TX	Pass	PK	5.643G	66.63	68.20	-1.57	3	Horizontal	1	1.49	-
5745MHz_TX	Pass	PK	5.7498G	123.09	Inf	-Inf	3	Horizontal	1	1.49	-
5745MHz_TX	Pass	PK	5.9358G	60.57	68.20	-7.63	3	Horizontal	1	1.49	-
5745MHz_TX	Pass	AV	11.48998G	41.62	54.00	-12.38	3	Vertical	205	2.86	-
5745MHz_TX	Pass	PK	11.48981G	54.32	74.00	-19.68	3	Vertical	205	2.86	-
5745MHz_TX	Pass	AV	11.4916G	39.50	54.00	-14.50	3	Horizontal	216	2.12	-
5745MHz_TX	Pass	PK	11.48977G	53.69	74.00	-20.31	3	Horizontal	216	2.12	-
5785MHz_TX	Pass	AV	5.7886G	94.14	Inf	-Inf	3	Vertical	329	1.15	-
5785MHz_TX	Pass	PK	5.5906G	56.62	68.20	-11.58	3	Vertical	329	1.15	-
5785MHz_TX	Pass	PK	5.7898G	105.59	Inf	-Inf	3	Vertical	329	1.15	-
5785MHz_TX	Pass	PK	5.9482G	56.74	68.20	-11.46	3	Vertical	329	1.15	-
5785MHz_TX	Pass	AV	5.7886G	110.96	Inf	-Inf	3	Horizontal	360	1.54	-
5785MHz_TX	Pass	PK	5.6422G	66.83	68.20	-1.37	3	Horizontal	360	1.54	-



RSE TX above 1GHz_Group 4

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz_TX	Pass	PK	5.791G	123.72	Inf	-Inf	3	Horizontal	360	1.54	-
5785MHz_TX	Pass	PK	5.9254G	64.63	68.20	-3.57	3	Horizontal	360	1.54	-
5785MHz_TX	Pass	AV	11.56989G	40.67	54.00	-13.33	3	Vertical	172	2.91	-
5785MHz_TX	Pass	PK	11.57006G	54.30	74.00	-19.70	3	Vertical	172	2.91	-
5785MHz_TX	Pass	AV	11.57011G	39.54	54.00	-14.46	3	Horizontal	238	2.04	-
5785MHz_TX	Pass	PK	11.56872G	53.38	74.00	-20.62	3	Horizontal	238	2.04	-
5825MHz_TX	Pass	AV	5.8274G	94.57	Inf	-Inf	3	Vertical	330	1.13	-
5825MHz_TX	Pass	PK	5.621G	55.94	68.20	-12.26	3	Vertical	330	1.13	-
5825MHz_TX	Pass	PK	5.8226G	106.41	Inf	-Inf	3	Vertical	330	1.13	-
5825MHz_TX	Pass	PK	5.9738G	56.32	68.20	-11.88	3	Vertical	330	1.13	-
5825MHz_TX	Pass	AV	5.8214G	111.18	Inf	-Inf	3	Horizontal	354	1.49	-
5825MHz_TX	Pass	PK	5.6474G	60.15	68.20	-8.05	3	Horizontal	354	1.49	-
5825MHz_TX	Pass	PK	5.8238G	124.52	Inf	-Inf	3	Horizontal	354	1.49	-
5825MHz_TX	Pass	PK	5.9306G	66.28	68.20	-1.92	3	Horizontal	354	1.49	-
5825MHz_TX	Pass	AV	11.64994G	41.31	54.00	-12.69	3	Vertical	171	2.75	-
5825MHz_TX	Pass	PK	11.65013G	53.86	74.00	-20.14	3	Vertical	171	2.75	-
5825MHz_TX	Pass	AV	11.64771G	39.75	54.00	-14.25	3	Horizontal	12	2.05	-
5825MHz_TX	Pass	PK	11.64843G	53.81	74.00	-20.19	3	Horizontal	12	2.05	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1494G	50.41	54.00	-3.59	3	Vertical	12	1.50	-
5180MHz_TX	Pass	AV	5.1836G	107.09	Inf	-Inf	3	Vertical	12	1.50	-
5180MHz_TX	Pass	PK	5.1478G	68.15	74.00	-5.85	3	Vertical	12	1.50	-
5180MHz_TX	Pass	PK	5.1746G	118.94	Inf	-Inf	3	Vertical	12	1.50	-
5180MHz_TX	Pass	AV	5.1488G	49.67	54.00	-4.33	3	Horizontal	341	1.58	-
5180MHz_TX	Pass	AV	5.178G	107.90	Inf	-Inf	3	Horizontal	341	1.58	-
5180MHz_TX	Pass	PK	5.1492G	66.79	74.00	-7.21	3	Horizontal	341	1.58	-
5180MHz_TX	Pass	PK	5.1788G	119.40	Inf	-Inf	3	Horizontal	341	1.58	-
5180MHz_TX	Pass	PK	10.35736G	57.00	68.20	-11.20	3	Vertical	323	1.61	-
5180MHz_TX	Pass	PK	10.37266G	56.66	68.20	-11.54	3	Horizontal	357	2.24	-
5200MHz_TX	Pass	AV	5.15G	50.95	54.00	-3.05	3	Vertical	9	1.65	-
5200MHz_TX	Pass	AV	5.1956G	109.34	Inf	-Inf	3	Vertical	9	1.65	-
5200MHz_TX	Pass	PK	5.1472G	67.39	74.00	-6.61	3	Vertical	9	1.65	-
5200MHz_TX	Pass	PK	5.1948G	121.52	Inf	-Inf	3	Vertical	9	1.65	-
5200MHz_TX	Pass	AV	5.15G	51.41	54.00	-2.59	3	Horizontal	339	1.54	-
5200MHz_TX	Pass	AV	5.1984G	109.96	Inf	-Inf	3	Horizontal	339	1.54	-
5200MHz_TX	Pass	PK	5.148G	66.23	74.00	-7.77	3	Horizontal	339	1.54	-
5200MHz_TX	Pass	PK	5.1988G	121.62	Inf	-Inf	3	Horizontal	339	1.54	-
5200MHz_TX	Pass	PK	10.412G	56.18	68.20	-12.02	3	Vertical	109	2.47	-
5200MHz_TX	Pass	PK	10.40354G	55.75	68.20	-12.45	3	Horizontal	208	1.55	-
5240MHz_TX	Pass	AV	5.1494G	45.16	54.00	-8.84	3	Vertical	0	1.64	-
5240MHz_TX	Pass	AV	5.2364G	110.49	Inf	-Inf	3	Vertical	0	1.64	-
5240MHz_TX	Pass	AV	5.3762G	45.98	54.00	-8.02	3	Vertical	0	1.64	-
5240MHz_TX	Pass	PK	5.138G	56.70	74.00	-17.30	3	Vertical	0	1.64	-
5240MHz_TX	Pass	PK	5.2394G	121.87	Inf	-Inf	3	Vertical	0	1.64	-
5240MHz_TX	Pass	PK	5.3588G	58.38	74.00	-15.62	3	Vertical	0	1.64	-
5240MHz_TX	Pass	AV	5.15G	45.43	54.00	-8.57	3	Horizontal	337	1.62	-
5240MHz_TX	Pass	AV	5.2382G	110.43	Inf	-Inf	3	Horizontal	337	1.62	-
5240MHz_TX	Pass	AV	5.3726G	45.03	54.00	-8.97	3	Horizontal	337	1.62	-
5240MHz_TX	Pass	PK	5.1458G	57.47	74.00	-16.53	3	Horizontal	337	1.62	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz_TX	Pass	PK	5.2376G	122.39	Inf	-Inf	3	Horizontal	337	1.62	-
5240MHz_TX	Pass	PK	5.3708G	57.00	74.00	-17.00	3	Horizontal	337	1.62	-
5240MHz_TX	Pass	PK	10.47982G	55.76	68.20	-12.44	3	Vertical	141	1.86	-
5240MHz_TX	Pass	PK	10.49236G	56.28	68.20	-11.92	3	Horizontal	350	1.07	-
5745MHz_TX	Pass	AV	5.7462G	111.51	Inf	-Inf	3	Vertical	360	1.67	-
5745MHz_TX	Pass	PK	5.637G	62.07	68.20	-6.13	3	Vertical	360	1.67	-
5745MHz_TX	Pass	PK	5.7486G	122.41	Inf	-Inf	3	Vertical	360	1.67	-
5745MHz_TX	Pass	PK	5.9418G	59.94	68.20	-8.26	3	Vertical	360	1.67	-
5745MHz_TX	Pass	AV	5.7414G	112.15	Inf	-Inf	3	Horizontal	350	1.59	-
5745MHz_TX	Pass	PK	5.649G	66.34	68.20	-1.86	3	Horizontal	350	1.59	-
5745MHz_TX	Pass	PK	5.7402G	124.70	Inf	-Inf	3	Horizontal	350	1.59	-
5745MHz_TX	Pass	PK	5.9646G	60.10	68.20	-8.10	3	Horizontal	350	1.59	-
5745MHz_TX	Pass	AV	11.50446G	43.82	54.00	-10.18	3	Vertical	329	1.17	-
5745MHz_TX	Pass	PK	11.4834G	56.70	74.00	-17.30	3	Vertical	329	1.17	-
5745MHz_TX	Pass	AV	11.50482G	43.83	54.00	-10.17	3	Horizontal	16	2.00	-
5745MHz_TX	Pass	PK	11.49114G	56.55	74.00	-17.45	3	Horizontal	16	2.00	-
5785MHz_TX	Pass	AV	5.7862G	112.60	Inf	-Inf	3	Vertical	4	1.65	-
5785MHz_TX	Pass	PK	5.647G	63.36	68.20	-4.84	3	Vertical	4	1.65	-
5785MHz_TX	Pass	PK	5.7838G	124.03	Inf	-Inf	3	Vertical	4	1.65	-
5785MHz_TX	Pass	PK	5.9254G	63.63	68.20	-4.57	3	Vertical	4	1.65	-
5785MHz_TX	Pass	AV	5.7886G	113.04	Inf	-Inf	3	Horizontal	340	1.59	-
5785MHz_TX	Pass	PK	5.6494G	64.60	68.20	-3.60	3	Horizontal	340	1.59	-
5785MHz_TX	Pass	PK	5.7802G	123.92	Inf	-Inf	3	Horizontal	340	1.59	-
5785MHz_TX	Pass	PK	5.9242G	65.45	68.79	-3.34	3	Horizontal	340	1.59	-
5785MHz_TX	Pass	AV	11.56922G	44.42	54.00	-9.58	3	Vertical	240	1.50	-
5785MHz_TX	Pass	PK	11.56934G	56.79	74.00	-17.21	3	Vertical	240	1.50	-
5785MHz_TX	Pass	AV	11.58422G	44.12	54.00	-9.88	3	Horizontal	50	1.50	-
5785MHz_TX	Pass	PK	11.57852G	56.45	74.00	-17.55	3	Horizontal	50	1.50	-
5825MHz_TX	Pass	AV	5.8274G	111.06	Inf	-Inf	3	Vertical	0	1.57	-
5825MHz_TX	Pass	PK	5.6294G	58.19	68.20	-10.01	3	Vertical	0	1.57	-
5825MHz_TX	Pass	PK	5.8202G	122.38	Inf	-Inf	3	Vertical	0	1.57	-
5825MHz_TX	Pass	PK	5.945G	59.25	68.20	-8.95	3	Vertical	0	1.57	-
5825MHz_TX	Pass	AV	5.8286G	112.13	Inf	-Inf	3	Horizontal	345	1.57	-
5825MHz_TX	Pass	PK	5.6354G	57.72	68.20	-10.48	3	Horizontal	345	1.57	-
5825MHz_TX	Pass	PK	5.8238G	123.93	Inf	-Inf	3	Horizontal	345	1.57	-
5825MHz_TX	Pass	PK	5.9294G	64.17	68.20	-4.03	3	Horizontal	345	1.57	-
5825MHz_TX	Pass	AV	11.64274G	44.40	54.00	-9.60	3	Vertical	29	2.10	-
5825MHz_TX	Pass	PK	11.65066G	57.00	74.00	-17.00	3	Vertical	29	2.10	-
5825MHz_TX	Pass	AV	11.66134G	44.31	54.00	-9.69	3	Horizontal	22	1.30	-
5825MHz_TX	Pass	PK	11.64148G	57.15	74.00	-16.85	3	Horizontal	22	1.30	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5190MHz_TX	Pass	AV	5.1484G	42.71	54.00	-11.29	3	Vertical	31	1.00	-
5190MHz_TX	Pass	AV	5.184G	80.66	Inf	-Inf	3	Vertical	31	1.00	-
5190MHz_TX	Pass	PK	5.1064G	56.00	74.00	-18.00	3	Vertical	31	1.00	-
5190MHz_TX	Pass	PK	5.1872G	93.63	Inf	-Inf	3	Vertical	31	1.00	-
5190MHz_TX	Pass	AV	5.15G	52.17	54.00	-1.83	3	Horizontal	0	1.51	-
5190MHz_TX	Pass	AV	5.194G	102.03	Inf	-Inf	3	Horizontal	0	1.51	-
5190MHz_TX	Pass	PK	5.1452G	67.34	74.00	-6.66	3	Horizontal	0	1.51	-
5190MHz_TX	Pass	PK	5.2008G	115.29	Inf	-Inf	3	Horizontal	0	1.51	-



RSE TX above 1GHz_Group 4

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5190MHz_TX	Pass	PK	10.37628G	53.09	68.20	-15.11	3	Vertical	302	1.50	-
5190MHz_TX	Pass	PK	10.38436G	52.95	68.20	-15.25	3	Horizontal	0	1.50	-
5230MHz_TX	Pass	AV	5.15G	42.66	54.00	-11.34	3	Vertical	27	1.14	-
5230MHz_TX	Pass	AV	5.222G	82.88	Inf	-Inf	3	Vertical	27	1.14	-
5230MHz_TX	Pass	PK	5.1496G	55.07	74.00	-18.93	3	Vertical	27	1.14	-
5230MHz_TX	Pass	PK	5.2248G	95.42	Inf	-Inf	3	Vertical	27	1.14	-
5230MHz_TX	Pass	AV	5.15G	51.20	54.00	-2.80	3	Horizontal	2	1.48	-
5230MHz_TX	Pass	AV	5.24G	105.24	Inf	-Inf	3	Horizontal	2	1.48	-
5230MHz_TX	Pass	PK	5.1452G	65.18	74.00	-8.82	3	Horizontal	2	1.48	-
5230MHz_TX	Pass	PK	5.222G	118.18	Inf	-Inf	3	Horizontal	2	1.48	-
5230MHz_TX	Pass	PK	10.45998G	55.03	68.20	-13.17	3	Vertical	226	2.96	-
5230MHz_TX	Pass	PK	10.45772G	53.17	68.20	-15.03	3	Horizontal	199	1.49	-
5755MHz_TX	Pass	AV	5.7634G	89.35	Inf	-Inf	3	Vertical	329	1.26	-
5755MHz_TX	Pass	PK	5.6326G	56.03	68.20	-12.17	3	Vertical	329	1.26	-
5755MHz_TX	Pass	PK	5.7658G	102.02	Inf	-Inf	3	Vertical	329	1.26	-
5755MHz_TX	Pass	PK	5.9446G	56.31	68.20	-11.89	3	Vertical	329	1.26	-
5755MHz_TX	Pass	AV	5.7538G	107.25	Inf	-Inf	3	Horizontal	0	1.49	-
5755MHz_TX	Pass	PK	5.6482G	66.64	68.20	-1.56	3	Horizontal	0	1.49	-
5755MHz_TX	Pass	PK	5.7538G	119.77	Inf	-Inf	3	Horizontal	0	1.49	-
5755MHz_TX	Pass	PK	5.9422G	59.41	68.20	-8.79	3	Horizontal	0	1.49	-
5755MHz_TX	Pass	AV	11.50987G	40.65	54.00	-13.35	3	Vertical	208	2.64	-
5755MHz_TX	Pass	PK	11.51037G	53.45	74.00	-20.55	3	Vertical	208	2.64	-
5755MHz_TX	Pass	AV	11.50947G	39.40	54.00	-14.60	3	Horizontal	171	2.17	-
5755MHz_TX	Pass	PK	11.51084G	53.11	74.00	-20.89	3	Horizontal	171	2.17	-
5795MHz_TX	Pass	AV	5.7926G	89.72	Inf	-Inf	3	Vertical	330	1.15	-
5795MHz_TX	Pass	PK	5.555G	56.61	68.20	-11.59	3	Vertical	330	1.15	-
5795MHz_TX	Pass	PK	5.7938G	102.68	Inf	-Inf	3	Vertical	330	1.15	-
5795MHz_TX	Pass	PK	5.9234G	58.06	69.38	-11.32	3	Vertical	330	1.15	-
5795MHz_TX	Pass	AV	5.7938G	106.46	Inf	-Inf	3	Horizontal	355	1.49	-
5795MHz_TX	Pass	PK	5.6498G	64.92	68.20	-3.28	3	Horizontal	355	1.49	-
5795MHz_TX	Pass	PK	5.7842G	118.55	Inf	-Inf	3	Horizontal	355	1.49	-
5795MHz_TX	Pass	PK	5.9294G	66.32	68.20	-1.88	3	Horizontal	355	1.49	-
5795MHz_TX	Pass	AV	11.59G	39.58	54.00	-14.42	3	Vertical	39	1.48	-
5795MHz_TX	Pass	PK	11.5824G	54.20	74.00	-19.80	3	Vertical	39	1.48	-
5795MHz_TX	Pass	AV	11.59284G	39.45	54.00	-14.55	3	Horizontal	163	2.56	-
5795MHz_TX	Pass	PK	11.59572G	53.37	74.00	-20.63	3	Horizontal	163	2.56	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz_TX	Pass	AV	5.1468G	49.11	54.00	-4.89	3	Vertical	9	1.57	-
5190MHz_TX	Pass	AV	5.1944G	103.74	Inf	-Inf	3	Vertical	9	1.57	-
5190MHz_TX	Pass	PK	5.1428G	67.88	74.00	-6.12	3	Vertical	9	1.57	-
5190MHz_TX	Pass	PK	5.194G	115.23	Inf	-Inf	3	Vertical	9	1.57	-
5190MHz_TX	Pass	AV	5.15G	52.51	54.00	-1.49	3	Horizontal	352	1.60	-
5190MHz_TX	Pass	AV	5.1956G	104.16	Inf	-Inf	3	Horizontal	352	1.60	-
5190MHz_TX	Pass	PK	5.1408G	65.35	74.00	-8.65	3	Horizontal	352	1.60	-
5190MHz_TX	Pass	PK	5.1964G	115.07	Inf	-Inf	3	Horizontal	352	1.60	-
5190MHz_TX	Pass	PK	10.38414G	55.89	68.20	-12.31	3	Vertical	44	1.50	-
5190MHz_TX	Pass	PK	10.38816G	55.83	68.20	-12.37	3	Horizontal	152	1.50	-
5230MHz_TX	Pass	AV	5.15G	52.70	54.00	-1.30	3	Vertical	24	1.67	-
5230MHz_TX	Pass	AV	5.2288G	106.10	Inf	-Inf	3	Vertical	24	1.67	-



RSE TX above 1GHz_Group 4

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz_TX	Pass	PK	5.1468G	65.77	74.00	-8.23	3	Vertical	24	1.67	-
5230MHz_TX	Pass	PK	5.2384G	117.81	Inf	-Inf	3	Vertical	24	1.67	-
5230MHz_TX	Pass	AV	5.15G	50.80	54.00	-3.20	3	Horizontal	340	1.50	-
5230MHz_TX	Pass	AV	5.2332G	106.61	Inf	-Inf	3	Horizontal	340	1.50	-
5230MHz_TX	Pass	PK	5.144G	63.40	74.00	-10.60	3	Horizontal	340	1.50	-
5230MHz_TX	Pass	PK	5.222G	117.93	Inf	-Inf	3	Horizontal	340	1.50	-
5230MHz_TX	Pass	PK	10.44722G	55.79	68.20	-12.41	3	Vertical	140	1.82	-
5230MHz_TX	Pass	PK	10.44836G	56.05	68.20	-12.15	3	Horizontal	12	1.17	-
5755MHz_TX	Pass	AV	5.761G	107.36	Inf	-Inf	3	Vertical	360	1.66	-
5755MHz_TX	Pass	PK	5.6338G	61.11	68.20	-7.09	3	Vertical	360	1.66	-
5755MHz_TX	Pass	PK	5.7622G	118.01	Inf	-Inf	3	Vertical	360	1.66	-
5755MHz_TX	Pass	PK	5.9614G	57.96	68.20	-10.24	3	Vertical	360	1.66	-
5755MHz_TX	Pass	AV	5.7466G	107.94	Inf	-Inf	3	Horizontal	357	1.54	-
5755MHz_TX	Pass	PK	5.6494G	66.74	68.20	-1.46	3	Horizontal	357	1.54	-
5755MHz_TX	Pass	PK	5.7622G	119.08	Inf	-Inf	3	Horizontal	357	1.54	-
5755MHz_TX	Pass	PK	5.9386G	58.32	68.20	-9.88	3	Horizontal	357	1.54	-
5755MHz_TX	Pass	AV	11.51203G	41.62	54.00	-12.38	3	Vertical	18	2.11	-
5755MHz_TX	Pass	PK	11.50789G	55.18	74.00	-18.82	3	Vertical	18	2.11	-
5755MHz_TX	Pass	AV	11.50947G	41.67	54.00	-12.33	3	Horizontal	29	1.50	-
5755MHz_TX	Pass	PK	11.50797G	56.27	74.00	-17.73	3	Horizontal	29	1.50	-
5795MHz_TX	Pass	AV	5.7962G	107.56	Inf	-Inf	3	Vertical	3	1.61	-
5795MHz_TX	Pass	PK	5.6474G	59.08	68.20	-9.12	3	Vertical	3	1.61	-
5795MHz_TX	Pass	PK	5.8046G	118.34	Inf	-Inf	3	Vertical	3	1.61	-
5795MHz_TX	Pass	PK	5.9258G	60.65	68.20	-7.55	3	Vertical	3	1.61	-
5795MHz_TX	Pass	AV	5.7986G	108.04	Inf	-Inf	3	Horizontal	346	1.54	-
5795MHz_TX	Pass	PK	5.6462G	63.91	68.20	-4.29	3	Horizontal	346	1.54	-
5795MHz_TX	Pass	PK	5.7902G	119.26	Inf	-Inf	3	Horizontal	346	1.54	-
5795MHz_TX	Pass	PK	5.9234G	68.23	69.38	-1.15	3	Horizontal	346	1.54	-
5795MHz_TX	Pass	AV	11.58797G	51.90	54.00	-2.10	3	Vertical	223	1.50	-
5795MHz_TX	Pass	PK	11.5924G	65.33	74.00	-8.67	3	Vertical	223	1.50	-
5795MHz_TX	Pass	AV	11.58768G	41.90	54.00	-12.10	3	Horizontal	240	1.50	-
5795MHz_TX	Pass	PK	11.59027G	55.44	74.00	-18.56	3	Horizontal	240	1.50	-
802.11ax HEW80_Nss1_(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.148G	42.75	54.00	-11.25	3	Vertical	29	1.13	-
5210MHz_TX	Pass	AV	5.221G	76.89	Inf	-Inf	3	Vertical	29	1.13	-
5210MHz_TX	Pass	AV	5.406G	43.21	54.00	-10.79	3	Vertical	29	1.13	-
5210MHz_TX	Pass	PK	5.146G	54.97	74.00	-19.03	3	Vertical	29	1.13	-
5210MHz_TX	Pass	PK	5.226G	88.38	Inf	-Inf	3	Vertical	29	1.13	-
5210MHz_TX	Pass	PK	5.428G	55.93	74.00	-18.07	3	Vertical	29	1.13	-
5210MHz_TX	Pass	AV	5.148G	52.63	54.00	-1.37	3	Horizontal	360	1.49	-
5210MHz_TX	Pass	AV	5.207G	98.74	Inf	-Inf	3	Horizontal	360	1.49	-
5210MHz_TX	Pass	AV	5.35G	46.07	54.00	-7.93	3	Horizontal	360	1.49	-
5210MHz_TX	Pass	PK	5.13G	66.96	74.00	-7.04	3	Horizontal	360	1.49	-
5210MHz_TX	Pass	PK	5.203G	111.31	Inf	-Inf	3	Horizontal	360	1.49	-
5210MHz_TX	Pass	PK	5.365G	58.29	74.00	-15.71	3	Horizontal	360	1.49	-
5210MHz_TX	Pass	PK	10.41988G	52.88	68.20	-15.32	3	Vertical	37	2.99	-
5210MHz_TX	Pass	PK	10.4227G	53.32	68.20	-14.88	3	Horizontal	201	1.24	-
5775MHz_TX	Pass	AV	5.7918G	83.82	Inf	-Inf	3	Vertical	329	1.15	-
5775MHz_TX	Pass	PK	5.6094G	56.24	68.20	-11.96	3	Vertical	329	1.15	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz_TX	Pass	PK	5.7978G	96.03	Inf	-Inf	3	Vertical	329	1.15	-
5775MHz_TX	Pass	PK	5.943G	56.62	68.20	-11.58	3	Vertical	329	1.15	-
5775MHz_TX	Pass	AV	5.7906G	100.60	Inf	-Inf	3	Horizontal	355	1.49	-
5775MHz_TX	Pass	PK	5.649G	66.80	68.20	-1.40	3	Horizontal	355	1.49	-
5775MHz_TX	Pass	PK	5.7894G	113.89	Inf	-Inf	3	Horizontal	355	1.49	-
5775MHz_TX	Pass	PK	5.9274G	63.82	68.20	-4.38	3	Horizontal	355	1.49	-
5775MHz_TX	Pass	AV	11.5499G	39.54	54.00	-14.46	3	Vertical	145	1.49	-
5775MHz_TX	Pass	PK	11.54938G	53.54	74.00	-20.46	3	Vertical	145	1.49	-
5775MHz_TX	Pass	AV	11.5401G	39.24	54.00	-14.76	3	Horizontal	7	1.68	-
5775MHz_TX	Pass	PK	11.5476G	53.14	74.00	-20.86	3	Horizontal	7	1.68	-
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.15G	50.59	54.00	-3.41	3	Vertical	7	1.79	-
5210MHz_TX	Pass	AV	5.203G	99.03	Inf	-Inf	3	Vertical	7	1.79	-
5210MHz_TX	Pass	AV	5.376G	45.86	54.00	-8.14	3	Vertical	7	1.79	-
5210MHz_TX	Pass	PK	5.149G	66.96	74.00	-7.04	3	Vertical	7	1.79	-
5210MHz_TX	Pass	PK	5.204G	110.99	Inf	-Inf	3	Vertical	7	1.79	-
5210MHz_TX	Pass	PK	5.378G	58.55	74.00	-15.45	3	Vertical	7	1.79	-
5210MHz_TX	Pass	AV	5.15G	52.78	54.00	-1.22	3	Horizontal	0	1.78	-
5210MHz_TX	Pass	AV	5.217G	99.18	Inf	-Inf	3	Horizontal	0	1.78	-
5210MHz_TX	Pass	AV	5.35G	46.10	54.00	-7.90	3	Horizontal	0	1.78	-
5210MHz_TX	Pass	PK	5.15G	69.30	74.00	-4.70	3	Horizontal	0	1.78	-
5210MHz_TX	Pass	PK	5.214G	111.67	Inf	-Inf	3	Horizontal	0	1.78	-
5210MHz_TX	Pass	PK	5.358G	58.13	74.00	-15.87	3	Horizontal	0	1.78	-
5210MHz_TX	Pass	PK	10.41992G	54.75	68.20	-13.45	3	Vertical	200	1.98	-
5210MHz_TX	Pass	PK	10.4202G	53.17	68.20	-15.03	3	Horizontal	199	1.90	-
5775MHz_TX	Pass	AV	5.7882G	100.86	Inf	-Inf	3	Vertical	11	1.85	-
5775MHz_TX	Pass	PK	5.6502G	61.81	68.35	-6.54	3	Vertical	11	1.85	-
5775MHz_TX	Pass	PK	5.7882G	113.45	Inf	-Inf	3	Vertical	11	1.85	-
5775MHz_TX	Pass	PK	5.9394G	59.96	68.20	-8.24	3	Vertical	11	1.85	-
5775MHz_TX	Pass	AV	5.7894G	101.46	Inf	-Inf	3	Horizontal	354	1.76	-
5775MHz_TX	Pass	PK	5.649G	66.42	68.20	-1.78	3	Horizontal	354	1.76	-
5775MHz_TX	Pass	PK	5.7918G	113.82	Inf	-Inf	3	Horizontal	354	1.76	-
5775MHz_TX	Pass	PK	5.925G	66.80	68.20	-1.40	3	Horizontal	354	1.76	-
5775MHz_TX	Pass	AV	11.54978G	39.37	54.00	-14.63	3	Vertical	245	1.50	-
5775MHz_TX	Pass	PK	11.54823G	53.34	74.00	-20.66	3	Vertical	245	1.50	-
5775MHz_TX	Pass	AV	11.54994G	39.42	54.00	-14.58	3	Horizontal	213	1.57	-
5775MHz_TX	Pass	PK	11.54794G	52.73	74.00	-21.27	3	Horizontal	213	1.57	-



802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	42.70	54.00	-11.30	4.36	3	Vertical	34	1.10	-	38.34	31.76	7.03	34.43
AV	5.1774G	84.54	Inf	-Inf	4.42	3	Vertical	34	1.10	-	80.12	31.77	7.07	34.42
PK	5.1404G	56.02	74.00	-17.98	4.35	3	Vertical	34	1.10	-	51.67	31.76	7.02	34.43
PK	5.176G	94.16	Inf	-Inf	4.42	3	Vertical	34	1.10	-	89.74	31.77	7.07	34.42



802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.77	54.00	-1.23	4.37	3	Horizontal	356	1.60	-	48.40	31.76	7.04	34.43
AV	5.1832G	106.45	Inf	-Inf	4.43	3	Horizontal	356	1.60	-	102.02	31.77	7.08	34.42
PK	5.1476G	66.90	74.00	-7.10	4.36	3	Horizontal	356	1.60	-	62.54	31.76	7.03	34.43
PK	5.182G	116.98	Inf	-Inf	4.43	3	Horizontal	356	1.60	-	112.55	31.77	7.08	34.42



802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35993G	53.97	68.20	-14.23	14.80	3	Vertical	199	2.46	-	39.17	39.37	10.33	34.90



802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35878G	53.15	68.20	-15.05	14.80	3	Horizontal	183	1.00	-	38.35	39.37	10.33	34.90

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	42.73	54.00	-11.27	4.36	3	Vertical	27	1.15	-	38.37	31.76	7.03	34.43
AV	5.2032G	88.75	Inf	-Inf	4.46	3	Vertical	27	1.15	-	84.29	31.78	7.10	34.42
PK	5.1296G	55.42	74.00	-18.58	4.33	3	Vertical	27	1.15	-	51.09	31.75	7.01	34.43
PK	5.2024G	98.36	Inf	-Inf	4.46	3	Vertical	27	1.15	-	93.90	31.78	7.10	34.42

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.91	54.00	-1.09	4.37	3	Horizontal	0	1.49	-	48.54	31.76	7.04	34.43
AV	5.2032G	110.38	Inf	-Inf	4.46	3	Horizontal	0	1.49	-	105.92	31.78	7.10	34.42
PK	5.1476G	67.15	74.00	-6.85	4.36	3	Horizontal	0	1.49	-	62.79	31.76	7.03	34.43
PK	5.2036G	120.86	Inf	-Inf	4.46	3	Horizontal	0	1.49	-	116.40	31.78	7.10	34.42



802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39987G	54.14	68.20	-14.06	14.88	3	Vertical	195	2.12	-	39.26	39.42	10.33	34.87



802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39826G	53.74	68.20	-14.46	14.88	3	Horizontal	207	2.16	-	38.86	39.42	10.33	34.87



802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1338G	42.99	54.00	-11.01	4.34	3	Vertical	24	1.29	-	38.65	31.75	7.02	34.43
AV	5.243G	89.38	Inf	-Inf	4.53	3	Vertical	24	1.29	-	84.85	31.80	7.15	34.42
AV	5.3726G	43.10	54.00	-10.90	4.76	3	Vertical	24	1.29	-	38.34	31.85	7.32	34.41
PK	5.1296G	55.55	74.00	-18.45	4.33	3	Vertical	24	1.29	-	51.22	31.75	7.01	34.43
PK	5.2424G	98.90	Inf	-Inf	4.53	3	Vertical	24	1.29	-	94.37	31.80	7.15	34.42
PK	5.3576G	55.13	74.00	-18.87	4.73	3	Vertical	24	1.29	-	50.40	31.84	7.30	34.41



802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.82	54.00	-7.18	4.37	3	Horizontal	0	1.49	-	42.45	31.76	7.04	34.43
AV	5.243G	112.22	Inf	-Inf	4.53	3	Horizontal	0	1.49	-	107.69	31.80	7.15	34.42
AV	5.351G	45.63	54.00	-8.37	4.72	3	Horizontal	0	1.49	-	40.91	31.84	7.29	34.41
PK	5.1452G	60.60	74.00	-13.40	4.36	3	Horizontal	0	1.49	-	56.24	31.76	7.03	34.43
PK	5.2436G	122.03	Inf	-Inf	4.53	3	Horizontal	0	1.49	-	117.50	31.80	7.15	34.42
PK	5.3732G	58.71	74.00	-15.29	4.76	3	Horizontal	0	1.49	-	53.95	31.85	7.32	34.41



802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48012G	55.31	68.20	-12.89	15.07	3	Vertical	225	2.98	-	40.24	39.52	10.35	34.80



802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47894G	53.11	68.20	-15.09	15.07	3	Horizontal	199	1.08	-	38.04	39.52	10.35	34.80



802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	94.81	Inf	-Inf	5.43	3	Vertical	330	1.23	-	89.38	32.25	7.64	34.46
PK	5.5662G	55.89	68.20	-12.31	5.09	3	Vertical	330	1.23	-	50.80	31.99	7.52	34.42
PK	5.7486G	104.81	Inf	-Inf	5.43	3	Vertical	330	1.23	-	99.38	32.25	7.64	34.46
PK	5.9502G	56.18	68.20	-12.02	5.79	3	Vertical	330	1.23	-	50.39	32.53	7.77	34.51



802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	112.70	Inf	-Inf	5.43	3	Horizontal	1	1.50	-	107.27	32.25	7.64	34.46
PK	5.649G	66.80	68.20	-1.40	5.24	3	Horizontal	1	1.50	-	61.56	32.11	7.57	34.44
PK	5.7522G	122.77	Inf	-Inf	5.42	3	Horizontal	1	1.50	-	117.35	32.25	7.64	34.47
PK	5.9346G	58.35	68.20	-9.85	5.76	3	Horizontal	1	1.50	-	52.59	32.51	7.76	34.51



802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48978G	41.59	54.00	-12.41	15.79	3	Vertical	210	2.38	-	25.80	39.61	10.68	34.50
PK	11.49014G	54.74	74.00	-19.26	15.79	3	Vertical	210	2.38	-	38.95	39.61	10.68	34.50



802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49129G	39.80	54.00	-14.20	15.79	3	Horizontal	212	1.50	-	24.01	39.61	10.68	34.50
PK	11.49047G	53.05	74.00	-20.95	15.79	3	Horizontal	212	1.50	-	37.26	39.61	10.68	34.50

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	95.63	Inf	-Inf	5.48	3	Vertical	329	1.20	-	90.15	32.30	7.66	34.48
PK	5.6062G	56.47	68.20	-11.73	5.16	3	Vertical	329	1.20	-	51.31	32.05	7.54	34.43
PK	5.7886G	105.43	Inf	-Inf	5.48	3	Vertical	329	1.20	-	99.95	32.30	7.66	34.48
PK	5.9254G	56.63	68.20	-11.57	5.74	3	Vertical	329	1.20	-	50.89	32.50	7.75	34.51



802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5785MHz_TX



Legend for plot:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink line)
- AV (Green line)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	112.77	Inf	-Inf	5.48	3	Horizontal	356	1.55	-	107.29	32.30	7.66	34.48
PK	5.593G	58.55	68.20	-9.65	5.14	3	Horizontal	356	1.55	-	53.41	32.03	7.54	34.43
PK	5.7922G	122.99	Inf	-Inf	5.49	3	Horizontal	356	1.55	-	117.50	32.31	7.66	34.48
PK	5.9254G	61.05	68.20	-7.15	5.74	3	Horizontal	356	1.55	-	55.31	32.50	7.75	34.51



802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56984G	40.26	54.00	-13.74	15.72	3	Vertical	16	2.98	-	24.54	39.52	10.72	34.52
PK	11.57178G	53.06	74.00	-20.94	15.71	3	Vertical	16	2.98	-	37.35	39.51	10.72	34.52



802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57245G	39.72	54.00	-14.28	15.71	3	Horizontal	163	2.76	-	24.01	39.51	10.72	34.52
PK	11.57074G	52.75	74.00	-21.25	15.72	3	Horizontal	163	2.76	-	37.03	39.52	10.72	34.52

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	95.96	Inf	-Inf	5.56	3	Vertical	333	1.14	-	90.40	32.36	7.69	34.49
PK	5.6066G	56.10	68.20	-12.10	5.16	3	Vertical	333	1.14	-	50.94	32.05	7.54	34.43
PK	5.8286G	106.16	Inf	-Inf	5.56	3	Vertical	333	1.14	-	100.60	32.36	7.69	34.49
PK	5.9882G	56.42	68.20	-11.78	5.85	3	Vertical	333	1.14	-	50.57	32.58	7.79	34.52



802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5825MHz_TX



Legend for the plot:

- Lim.PK: Red line with a peak icon
- PK: Blue line with a peak icon
- Lim.AV: Red line with a peak icon
- AV: Red line with a peak icon


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	112.85	Inf	-Inf	5.56	3	Horizontal	349	1.49	-	107.29	32.36	7.69	34.49
PK	5.6234G	58.48	68.20	-9.72	5.20	3	Horizontal	349	1.49	-	53.28	32.07	7.56	34.43
PK	5.8238G	123.00	Inf	-Inf	5.55	3	Horizontal	349	1.49	-	117.45	32.35	7.68	34.48
PK	5.9222G	67.73	70.27	-2.54	5.74	3	Horizontal	349	1.49	-	61.99	32.49	7.75	34.50



802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64997G	40.65	54.00	-13.35	15.63	3	Vertical	25	2.41	-	25.02	39.42	10.76	34.55
PK	11.65025G	53.73	74.00	-20.27	15.63	3	Vertical	25	2.41	-	38.10	39.42	10.76	34.55



802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64948G	40.28	54.00	-13.72	15.63	3	Horizontal	19	1.50	-	24.65	39.42	10.76	34.55
PK	11.64823G	53.45	74.00	-20.55	15.63	3	Horizontal	19	1.50	-	37.82	39.42	10.76	34.55



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.90	54.00	-2.10	4.37	3	Vertical	12	1.49	-	47.53	31.76	7.04	34.43
AV	5.182G	106.38	Inf	-Inf	4.43	3	Vertical	12	1.49	-	101.95	31.77	7.08	34.42
PK	5.1476G	66.81	74.00	-7.19	4.36	3	Vertical	12	1.49	-	62.45	31.76	7.03	34.43
PK	5.1826G	116.93	Inf	-Inf	4.43	3	Vertical	12	1.49	-	112.50	31.77	7.08	34.42

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.98	54.00	-1.02	4.37	3	Horizontal	356	1.54	-	48.61	31.76	7.04	34.43
AV	5.1826G	107.72	Inf	-Inf	4.43	3	Horizontal	356	1.54	-	103.29	31.77	7.08	34.42
PK	5.149G	67.10	74.00	-6.90	4.37	3	Horizontal	356	1.54	-	62.73	31.76	7.04	34.43
PK	5.1832G	117.99	Inf	-Inf	4.43	3	Horizontal	356	1.54	-	113.56	31.77	7.08	34.42



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35994G	56.27	68.20	-11.93	17.13	3	Vertical	179	2.30	-	39.14	39.37	8.69	30.93



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35634G	55.45	68.20	-12.75	17.12	3	Horizontal	194	1.72	-	38.33	39.36	8.69	30.93

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.55	54.00	-3.45	4.37	3	Vertical	11	1.49	-	46.18	31.76	7.04	34.43
AV	5.2028G	109.95	Inf	-Inf	4.46	3	Vertical	11	1.49	-	105.49	31.78	7.10	34.42
PK	5.15G	66.35	74.00	-7.65	4.37	3	Vertical	11	1.49	-	61.98	31.76	7.04	34.43
PK	5.2024G	120.88	Inf	-Inf	4.46	3	Vertical	11	1.49	-	116.42	31.78	7.10	34.42



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	51.02	54.00	-2.98	4.37	3	Horizontal	348	1.49	-	46.65	31.76	7.04	34.43
AV	5.2032G	110.89	Inf	-Inf	4.46	3	Horizontal	348	1.49	-	106.43	31.78	7.10	34.42
PK	5.1496G	65.50	74.00	-8.50	4.37	3	Horizontal	348	1.49	-	61.13	31.76	7.04	34.43
PK	5.1936G	121.21	Inf	-Inf	4.45	3	Horizontal	348	1.49	-	116.76	31.78	7.09	34.42



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3997G	55.93	68.20	-12.27	17.20	3	Vertical	194	2.31	-	38.73	39.42	8.72	30.94



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3907G	55.92	68.20	-12.28	17.19	3	Horizontal	93	2.27	-	38.73	39.41	8.72	30.94



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.32	54.00	-5.68	4.37	3	Vertical	16	1.49	-	43.95	31.76	7.04	34.43
AV	5.2388G	112.58	Inf	-Inf	4.53	3	Vertical	16	1.49	-	108.05	31.80	7.15	34.42
AV	5.3762G	46.14	54.00	-7.86	4.76	3	Vertical	16	1.49	-	41.38	31.85	7.32	34.41
PK	5.1446G	62.86	74.00	-11.14	4.36	3	Vertical	16	1.49	-	58.50	31.76	7.03	34.43
PK	5.2436G	122.95	Inf	-Inf	4.53	3	Vertical	16	1.49	-	118.42	31.80	7.15	34.42
PK	5.3606G	63.71	74.00	-10.29	4.73	3	Vertical	16	1.49	-	58.98	31.84	7.30	34.41



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	47.62	54.00	-6.38	4.36	3	Horizontal	3	1.49	-	43.26	31.76	7.03	34.43
AV	5.2436G	113.09	Inf	-Inf	4.53	3	Horizontal	3	1.49	-	108.56	31.80	7.15	34.42
AV	5.351G	46.48	54.00	-7.52	4.72	3	Horizontal	3	1.49	-	41.76	31.84	7.29	34.41
PK	5.147G	61.24	74.00	-12.76	4.36	3	Horizontal	3	1.49	-	56.88	31.76	7.03	34.43
PK	5.2424G	123.57	Inf	-Inf	4.53	3	Horizontal	3	1.49	-	119.04	31.80	7.15	34.42
PK	5.366G	58.80	74.00	-15.20	4.75	3	Horizontal	3	1.49	-	54.05	31.85	7.31	34.41



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48072G	55.69	68.20	-12.51	17.34	3	Vertical	174	1.68	-	38.35	39.52	8.78	30.96



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4794G	55.79	68.20	-12.41	17.34	3	Horizontal	136	2.54	-	38.45	39.52	8.78	30.96



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	114.10	Inf	-Inf	8.51	3	Vertical	360	1.66	-	105.59	31.89	6.39	29.77
PK	5.6502G	61.72	68.35	-6.63	8.32	3	Vertical	360	1.66	-	53.40	31.75	6.31	29.74
PK	5.7462G	122.68	Inf	-Inf	8.51	3	Vertical	360	1.66	-	114.17	31.89	6.39	29.77
PK	5.931G	59.15	68.20	-9.05	8.93	3	Vertical	360	1.66	-	50.22	32.23	6.53	29.83



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	114.15	Inf	-Inf	8.51	3	Horizontal	347	1.50	-	105.64	31.89	6.39	29.77
PK	5.6502G	65.14	68.35	-3.21	8.32	3	Horizontal	347	1.50	-	56.82	31.75	6.31	29.74
PK	5.7474G	123.57	Inf	-Inf	8.51	3	Horizontal	347	1.50	-	115.06	31.89	6.39	29.77
PK	5.937G	58.49	68.20	-9.71	8.95	3	Horizontal	347	1.50	-	49.54	32.24	6.54	29.83



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4897G	45.61	54.00	-8.39	17.92	3	Vertical	206	2.22	-	27.69	39.47	9.47	31.02
PK	11.49006G	57.13	74.00	-16.87	17.91	3	Vertical	206	2.22	-	39.22	39.46	9.47	31.02



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49996G	44.02	54.00	-9.98	17.90	3	Horizontal	36	1.91	-	26.12	39.45	9.47	31.02
PK	11.47848G	56.31	74.00	-17.69	17.92	3	Horizontal	36	1.91	-	38.39	39.48	9.46	31.02



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	113.83	Inf	-Inf	8.61	3	Vertical	360	1.57	-	105.22	31.97	6.42	29.78
PK	5.593G	58.35	68.20	-9.85	8.25	3	Vertical	360	1.57	-	50.10	31.71	6.26	29.72
PK	5.7838G	122.65	Inf	-Inf	8.61	3	Vertical	360	1.57	-	114.04	31.97	6.42	29.78
PK	5.9722G	57.89	68.20	-10.31	9.00	3	Vertical	360	1.57	-	48.89	32.27	6.57	29.84



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	113.77	Inf	-Inf	8.61	3	Horizontal	340	1.64	-	105.16	31.97	6.42	29.78
PK	5.5874G	58.92	68.20	-9.28	8.27	3	Horizontal	340	1.64	-	50.65	31.73	6.26	29.72
PK	5.7874G	123.33	Inf	-Inf	8.61	3	Horizontal	340	1.64	-	114.72	31.97	6.42	29.78
PK	5.9362G	58.28	68.20	-9.92	8.95	3	Horizontal	340	1.64	-	49.33	32.24	6.54	29.83



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57012G	45.29	54.00	-8.71	17.85	3	Vertical	213	3.00	-	27.44	39.34	9.52	31.01
PK	11.564G	56.87	74.00	-17.13	17.86	3	Vertical	213	3.00	-	39.01	39.35	9.52	31.01



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56622G	44.50	54.00	-9.50	17.86	3	Horizontal	166	2.57	-	26.64	39.35	9.52	31.01
PK	11.57444G	57.18	74.00	-16.82	17.86	3	Horizontal	166	2.57	-	39.32	39.34	9.53	31.01



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5825MHz_TX



Legend for the spectrum plot:

- Lim.PK: Red line with a peak icon
- PK: Blue line with a peak icon
- Lim.AV: Red line with a valley icon
- AV: Blue line with a valley icon


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	112.51	Inf	-Inf	8.69	3	Vertical	0	1.60	-	103.82	32.04	6.45	29.80
PK	5.6366G	58.26	68.20	-9.94	8.31	3	Vertical	0	1.60	-	49.95	31.74	6.30	29.73
PK	5.8214G	120.88	Inf	-Inf	8.69	3	Vertical	0	1.60	-	112.19	32.04	6.45	29.80
PK	5.945G	61.35	68.20	-6.85	8.96	3	Vertical	0	1.60	-	52.39	32.24	6.55	29.83



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	113.38	Inf	-Inf	8.71	3	Horizontal	360	1.50	-	104.67	32.06	6.45	29.80
PK	5.5898G	58.46	68.20	-9.74	8.26	3	Horizontal	360	1.50	-	50.20	31.72	6.26	29.72
PK	5.8274G	122.55	Inf	-Inf	8.70	3	Horizontal	360	1.50	-	113.85	32.05	6.45	29.80
PK	5.9222G	67.38	70.27	-2.89	8.92	3	Horizontal	360	1.50	-	58.46	32.22	6.53	29.83



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65G	45.51	54.00	-8.49	17.80	3	Vertical	232	2.46	-	27.71	39.22	9.58	31.00
PK	11.63716G	56.84	74.00	-17.16	17.81	3	Vertical	232	2.46	-	39.03	39.24	9.57	31.00



802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6614G	44.43	54.00	-9.57	17.80	3	Horizontal	282	1.50	-	26.63	39.21	9.59	31.00
PK	11.64226G	56.49	74.00	-17.51	17.81	3	Horizontal	282	1.50	-	38.68	39.24	9.57	31.00

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	42.71	54.00	-11.29	4.37	3	Vertical	259	2.33	-	38.34	31.76	7.04	34.43
AV	5.1818G	84.28	Inf	-Inf	4.43	3	Vertical	259	2.33	-	79.85	31.77	7.08	34.42
PK	5.15G	55.19	74.00	-18.81	4.37	3	Vertical	259	2.33	-	50.82	31.76	7.04	34.43
PK	5.1766G	97.55	Inf	-Inf	4.42	3	Vertical	259	2.33	-	93.13	31.77	7.07	34.42

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	52.01	54.00	-1.99	4.37	3	Horizontal	357	1.58	-	47.64	31.76	7.04	34.43
AV	5.1816G	106.57	Inf	-Inf	4.43	3	Horizontal	357	1.58	-	102.14	31.77	7.08	34.42
PK	5.1456G	72.87	74.00	-1.13	4.36	3	Horizontal	357	1.58	-	68.51	31.76	7.03	34.43
PK	5.1806G	120.58	Inf	-Inf	4.42	3	Horizontal	357	1.58	-	116.16	31.77	7.07	34.42



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35989G	54.18	68.20	-14.02	14.80	3	Vertical	203	2.36	-	39.38	39.37	10.33	34.90



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36039G	53.21	68.20	-14.99	14.80	3	Horizontal	183	1.50	-	38.41	39.37	10.33	34.90

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.92	54.00	-11.08	4.37	3	Vertical	261	2.20	-	38.55	31.76	7.04	34.43
AV	5.1984G	86.93	Inf	-Inf	4.46	3	Vertical	261	2.20	-	82.47	31.78	7.10	34.42
PK	5.1428G	55.95	74.00	-18.05	4.36	3	Vertical	261	2.20	-	51.59	31.76	7.03	34.43
PK	5.1948G	100.24	Inf	-Inf	4.45	3	Vertical	261	2.20	-	95.79	31.78	7.09	34.42



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.27	54.00	-1.73	4.37	3	Horizontal	357	1.50	-	47.90	31.76	7.04	34.43
AV	5.2044G	108.57	Inf	-Inf	4.46	3	Horizontal	357	1.50	-	104.11	31.78	7.10	34.42
PK	5.1496G	70.36	74.00	-3.64	4.37	3	Horizontal	357	1.50	-	65.99	31.76	7.04	34.43
PK	5.2024G	121.53	Inf	-Inf	4.46	3	Horizontal	357	1.50	-	117.07	31.78	7.10	34.42



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39999G	53.55	68.20	-14.65	14.88	3	Vertical	203	2.45	-	38.67	39.42	10.33	34.87



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39959G	52.89	68.20	-15.31	14.88	3	Horizontal	184	1.50	-	38.01	39.42	10.33	34.87



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1326G	42.64	54.00	-11.36	4.33	3	Vertical	26	1.29	-	38.31	31.75	7.01	34.43
AV	5.2436G	86.51	Inf	-Inf	4.53	3	Vertical	26	1.29	-	81.98	31.80	7.15	34.42
AV	5.3672G	43.06	54.00	-10.94	4.75	3	Vertical	26	1.29	-	38.31	31.85	7.31	34.41
PK	5.138G	55.89	74.00	-18.11	4.35	3	Vertical	26	1.29	-	51.54	31.76	7.02	34.43
PK	5.2418G	100.17	Inf	-Inf	4.53	3	Vertical	26	1.29	-	95.64	31.80	7.15	34.42
PK	5.3858G	55.59	74.00	-18.41	4.77	3	Vertical	26	1.29	-	50.82	31.85	7.33	34.41



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.11	54.00	-1.89	4.37	3	Horizontal	0	1.73	-	47.74	31.76	7.04	34.43
AV	5.2418G	109.69	Inf	-Inf	4.53	3	Horizontal	0	1.73	-	105.16	31.80	7.15	34.42
AV	5.3522G	48.82	54.00	-5.18	4.72	3	Horizontal	0	1.73	-	44.10	31.84	7.29	34.41
PK	5.1476G	66.89	74.00	-7.11	4.36	3	Horizontal	0	1.73	-	62.53	31.76	7.03	34.43
PK	5.2424G	123.18	Inf	-Inf	4.53	3	Horizontal	0	1.73	-	118.65	31.80	7.15	34.42
PK	5.351G	62.29	74.00	-11.71	4.72	3	Horizontal	0	1.73	-	57.57	31.84	7.29	34.41



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4799G	53.89	68.20	-14.31	15.07	3	Vertical	179	1.50	-	38.82	39.52	10.35	34.80



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47988G	53.44	68.20	-14.76	15.07	3	Horizontal	201	1.95	-	38.37	39.52	10.35	34.80



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	93.14	Inf	-Inf	5.41	3	Vertical	324	1.21	-	87.73	32.24	7.63	34.46
PK	5.6502G	56.33	68.35	-12.02	5.24	3	Vertical	324	1.21	-	51.09	32.11	7.57	34.44
PK	5.7402G	106.42	Inf	-Inf	5.41	3	Vertical	324	1.21	-	101.01	32.24	7.63	34.46
PK	5.9706G	56.10	68.20	-12.10	5.83	3	Vertical	324	1.21	-	50.27	32.56	7.78	34.51



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	110.74	Inf	-Inf	5.43	3	Horizontal	1	1.49	-	105.31	32.25	7.64	34.46
PK	5.643G	66.63	68.20	-1.57	5.23	3	Horizontal	1	1.49	-	61.40	32.10	7.57	34.44
PK	5.7498G	123.09	Inf	-Inf	5.43	3	Horizontal	1	1.49	-	117.66	32.25	7.64	34.46
PK	5.9358G	60.57	68.20	-7.63	5.76	3	Horizontal	1	1.49	-	54.81	32.51	7.76	34.51



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48998G	41.62	54.00	-12.38	15.79	3	Vertical	205	2.86	-	25.83	39.61	10.68	34.50
PK	11.48981G	54.32	74.00	-19.68	15.79	3	Vertical	205	2.86	-	38.53	39.61	10.68	34.50



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4916G	39.50	54.00	-14.50	15.79	3	Horizontal	216	2.12	-	23.71	39.61	10.68	34.50
PK	11.48977G	53.69	74.00	-20.31	15.79	3	Horizontal	216	2.12	-	37.90	39.61	10.68	34.50



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	94.14	Inf	-Inf	5.48	3	Vertical	329	1.15	-	88.66	32.30	7.66	34.48
PK	5.5906G	56.62	68.20	-11.58	5.13	3	Vertical	329	1.15	-	51.49	32.03	7.53	34.43
PK	5.7898G	105.59	Inf	-Inf	5.49	3	Vertical	329	1.15	-	100.10	32.31	7.66	34.48
PK	5.9482G	56.74	68.20	-11.46	5.78	3	Vertical	329	1.15	-	50.96	32.53	7.76	34.51



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	110.96	Inf	-Inf	5.48	3	Horizontal	360	1.54	-	105.48	32.30	7.66	34.48
PK	5.6422G	66.83	68.20	-1.37	5.23	3	Horizontal	360	1.54	-	61.60	32.10	7.57	34.44
PK	5.791G	123.72	Inf	-Inf	5.49	3	Horizontal	360	1.54	-	118.23	32.31	7.66	34.48
PK	5.9254G	64.63	68.20	-3.57	5.74	3	Horizontal	360	1.54	-	58.89	32.50	7.75	34.51



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56989G	40.67	54.00	-13.33	15.72	3	Vertical	172	2.91	-	24.95	39.52	10.72	34.52
PK	11.57006G	54.30	74.00	-19.70	15.72	3	Vertical	172	2.91	-	38.58	39.52	10.72	34.52



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57011G	39.54	54.00	-14.46	15.72	3	Horizontal	238	2.04	-	23.82	39.52	10.72	34.52
PK	11.56872G	53.38	74.00	-20.62	15.72	3	Horizontal	238	2.04	-	37.66	39.52	10.72	34.52



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	94.57	Inf	-Inf	5.56	3	Vertical	330	1.13	-	89.01	32.36	7.69	34.49
PK	5.621G	55.94	68.20	-12.26	5.19	3	Vertical	330	1.13	-	50.75	32.07	7.55	34.43
PK	5.8226G	106.41	Inf	-Inf	5.55	3	Vertical	330	1.13	-	100.86	32.35	7.68	34.48
PK	5.9738G	56.32	68.20	-11.88	5.83	3	Vertical	330	1.13	-	50.49	32.56	7.78	34.51



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	111.18	Inf	-Inf	5.55	3	Horizontal	354	1.49	-	105.63	32.35	7.68	34.48
PK	5.6474G	60.15	68.20	-8.05	5.24	3	Horizontal	354	1.49	-	54.91	32.11	7.57	34.44
PK	5.8238G	124.52	Inf	-Inf	5.55	3	Horizontal	354	1.49	-	118.97	32.35	7.68	34.48
PK	5.9306G	66.28	68.20	-1.92	5.74	3	Horizontal	354	1.49	-	60.54	32.50	7.75	34.51



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64994G	41.31	54.00	-12.69	15.63	3	Vertical	171	2.75	-	25.68	39.42	10.76	34.55
PK	11.65013G	53.86	74.00	-20.14	15.63	3	Vertical	171	2.75	-	38.23	39.42	10.76	34.55



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64771G	39.75	54.00	-14.25	15.64	3	Horizontal	12	2.05	-	24.11	39.42	10.76	34.54
PK	11.64843G	53.81	74.00	-20.19	15.63	3	Horizontal	12	2.05	-	38.18	39.42	10.76	34.55



802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	50.41	54.00	-3.59	7.96	3	Vertical	12	1.50	-	42.45	31.70	6.00	29.74
AV	5.1836G	107.09	Inf	-Inf	7.92	3	Vertical	12	1.50	-	99.17	31.63	6.02	29.73
PK	5.1478G	68.15	74.00	-5.85	7.96	3	Vertical	12	1.50	-	60.19	31.70	6.00	29.74
PK	5.1746G	118.94	Inf	-Inf	7.92	3	Vertical	12	1.50	-	111.02	31.65	6.01	29.74



802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	49.67	54.00	-4.33	7.96	3	Horizontal	341	1.58	-	41.71	31.70	6.00	29.74
AV	5.178G	107.90	Inf	-Inf	7.93	3	Horizontal	341	1.58	-	99.97	31.64	6.02	29.73
PK	5.1492G	66.79	74.00	-7.21	7.96	3	Horizontal	341	1.58	-	58.83	31.70	6.00	29.74
PK	5.1788G	119.40	Inf	-Inf	7.93	3	Horizontal	341	1.58	-	111.47	31.64	6.02	29.73



802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35736G	57.00	68.20	-11.20	17.12	3	Vertical	323	1.61	-	39.88	39.36	8.69	30.93



802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37266G	56.66	68.20	-11.54	17.14	3	Horizontal	357	2.24	-	39.52	39.38	8.70	30.94