



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	5.6002G	61.12	68.20	-7.08	3	Vertical	359	1.50	-
5785MHz	Pass	PK	5.7886G	119.14	Inf	-Inf	3	Vertical	359	1.50	-
5785MHz	Pass	PK	5.983G	61.94	68.20	-6.26	3	Vertical	359	1.50	-
5785MHz	Pass	AV	5.7862G	110.72	Inf	-Inf	3	Horizontal	7	1.42	-
5785MHz	Pass	PK	5.5858G	61.74	68.20	-6.46	3	Horizontal	7	1.42	-
5785MHz	Pass	PK	5.7874G	120.33	Inf	-Inf	3	Horizontal	7	1.42	-
5785MHz	Pass	PK	5.9278G	61.99	68.20	-6.21	3	Horizontal	7	1.42	-
5785MHz	Pass	AV	11.56995G	50.19	54.00	-3.81	3	Vertical	327	1.97	-
5785MHz	Pass	PK	11.56977G	64.39	74.00	-9.61	3	Vertical	327	1.97	-
5785MHz	Pass	AV	11.57168G	48.74	54.00	-5.26	3	Horizontal	360	2.23	-
5785MHz	Pass	PK	11.57083G	61.92	74.00	-12.08	3	Horizontal	360	2.23	-
5825MHz	Pass	AV	5.8226G	108.60	Inf	-Inf	3	Vertical	355	1.50	-
5825MHz	Pass	PK	5.6474G	61.34	68.20	-6.86	3	Vertical	355	1.50	-
5825MHz	Pass	PK	5.8298G	119.81	Inf	-Inf	3	Vertical	355	1.50	-
5825MHz	Pass	PK	5.9558G	62.46	68.20	-5.74	3	Vertical	355	1.50	-
5825MHz	Pass	AV	5.8286G	110.39	Inf	-Inf	3	Horizontal	7	1.63	-
5825MHz	Pass	PK	5.5922G	61.62	68.20	-6.58	3	Horizontal	7	1.63	-
5825MHz	Pass	PK	5.8286G	120.45	Inf	-Inf	3	Horizontal	7	1.63	-
5825MHz	Pass	PK	5.9438G	62.71	68.20	-5.49	3	Horizontal	7	1.63	-
5825MHz	Pass	AV	11.65007G	50.20	54.00	-3.80	3	Vertical	327	2.01	-
5825MHz	Pass	PK	11.6497G	63.27	74.00	-10.73	3	Vertical	327	2.01	-
5825MHz	Pass	AV	11.65099G	48.41	54.00	-5.59	3	Horizontal	44	1.50	-
5825MHz	Pass	PK	11.6521G	61.60	74.00	-12.40	3	Horizontal	44	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	50.42	54.00	-3.58	3	Vertical	348	1.50	-
5190MHz	Pass	AV	5.1956G	104.11	Inf	-Inf	3	Vertical	348	1.50	-
5190MHz	Pass	PK	5.15G	72.17	74.00	-1.83	3	Vertical	348	1.50	-
5190MHz	Pass	PK	5.1956G	114.91	Inf	-Inf	3	Vertical	348	1.50	-
5190MHz	Pass	AV	5.1484G	50.35	54.00	-3.65	3	Horizontal	1	1.13	-
5190MHz	Pass	AV	5.1984G	107.78	Inf	-Inf	3	Horizontal	1	1.13	-
5190MHz	Pass	PK	5.1472G	69.05	74.00	-4.95	3	Horizontal	1	1.13	-
5190MHz	Pass	PK	5.1988G	117.06	Inf	-Inf	3	Horizontal	1	1.13	-
5190MHz	Pass	PK	10.38225G	61.07	68.20	-7.13	3	Vertical	271	2.08	-
5190MHz	Pass	PK	10.38055G	60.65	68.20	-7.55	3	Horizontal	228	2.52	-
5230MHz	Pass	AV	5.1488G	50.66	54.00	-3.34	3	Vertical	360	1.50	-
5230MHz	Pass	AV	5.2244G	106.76	Inf	-Inf	3	Vertical	360	1.50	-
5230MHz	Pass	PK	5.1336G	65.92	74.00	-8.08	3	Vertical	360	1.50	-
5230MHz	Pass	PK	5.2248G	118.04	Inf	-Inf	3	Vertical	360	1.50	-
5230MHz	Pass	AV	5.1468G	50.18	54.00	-3.82	3	Horizontal	340	1.47	-
5230MHz	Pass	AV	5.2128G	111.30	Inf	-Inf	3	Horizontal	340	1.47	-
5230MHz	Pass	PK	5.1488G	65.86	74.00	-8.14	3	Horizontal	340	1.47	-
5230MHz	Pass	PK	5.2136G	120.90	Inf	-Inf	3	Horizontal	340	1.47	-
5230MHz	Pass	PK	10.46155G	61.08	68.20	-7.12	3	Vertical	176	1.50	-
5230MHz	Pass	PK	10.46057G	60.96	68.20	-7.24	3	Horizontal	1	1.50	-
5755MHz	Pass	AV	5.7598G	107.03	Inf	-Inf	3	Vertical	334	1.50	-
5755MHz	Pass	PK	5.5966G	62.44	68.20	-5.76	3	Vertical	334	1.50	-
5755MHz	Pass	PK	5.749G	116.53	Inf	-Inf	3	Vertical	334	1.50	-
5755MHz	Pass	PK	5.9482G	62.45	68.20	-5.75	3	Vertical	334	1.50	-
5755MHz	Pass	AV	5.7598G	113.06	Inf	-Inf	3	Horizontal	7	1.64	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5755MHz	Pass	PK	5.635G	67.20	68.20	-1.00	3	Horizontal	7	1.64	-
5755MHz	Pass	PK	5.7694G	121.00	Inf	-Inf	3	Horizontal	7	1.64	-
5755MHz	Pass	PK	5.959G	61.88	68.20	-6.32	3	Horizontal	7	1.64	-
5755MHz	Pass	AV	11.50993G	49.90	54.00	-4.10	3	Vertical	159	3.00	-
5755MHz	Pass	PK	11.51228G	61.67	74.00	-12.33	3	Vertical	159	3.00	-
5755MHz	Pass	AV	11.51054G	48.42	54.00	-5.58	3	Horizontal	29	1.82	-
5755MHz	Pass	PK	11.50911G	61.03	74.00	-12.97	3	Horizontal	29	1.82	-
5795MHz	Pass	AV	5.8058G	105.67	Inf	-Inf	3	Vertical	356	1.50	-
5795MHz	Pass	PK	5.6414G	60.98	68.20	-7.22	3	Vertical	356	1.50	-
5795MHz	Pass	PK	5.8046G	116.18	Inf	-Inf	3	Vertical	356	1.50	-
5795MHz	Pass	PK	5.9402G	61.92	68.20	-6.28	3	Vertical	356	1.50	-
5795MHz	Pass	AV	5.801G	109.00	Inf	-Inf	3	Horizontal	10	1.67	-
5795MHz	Pass	PK	5.6306G	61.74	68.20	-6.46	3	Horizontal	10	1.67	-
5795MHz	Pass	PK	5.7818G	119.22	Inf	-Inf	3	Horizontal	10	1.67	-
5795MHz	Pass	PK	5.9594G	62.06	68.20	-6.14	3	Horizontal	10	1.67	-
5795MHz	Pass	AV	11.58975G	49.16	54.00	-4.84	3	Vertical	121	1.89	-
5795MHz	Pass	PK	11.59182G	61.76	74.00	-12.24	3	Vertical	121	1.89	-
5795MHz	Pass	AV	11.59173G	48.81	54.00	-5.19	3	Horizontal	4	2.07	-
5795MHz	Pass	PK	11.58928G	61.72	74.00	-12.28	3	Horizontal	4	2.07	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	52.53	54.00	-1.47	3	Vertical	0	1.50	-
5210MHz	Pass	AV	5.184G	104.83	Inf	-Inf	3	Vertical	0	1.50	-
5210MHz	Pass	AV	5.456G	48.86	54.00	-5.14	3	Vertical	0	1.50	-
5210MHz	Pass	PK	5.09G	71.79	74.00	-2.21	3	Vertical	0	1.50	-
5210MHz	Pass	PK	5.22G	111.53	Inf	-Inf	3	Vertical	0	1.50	-
5210MHz	Pass	PK	5.367G	60.97	74.00	-13.03	3	Vertical	0	1.50	-
5210MHz	Pass	AV	5.148G	50.86	54.00	-3.14	3	Horizontal	0	1.93	-
5210MHz	Pass	AV	5.205G	103.83	Inf	-Inf	3	Horizontal	0	1.93	-
5210MHz	Pass	AV	5.46G	48.82	54.00	-5.18	3	Horizontal	0	1.93	-
5210MHz	Pass	PK	5.089G	69.18	74.00	-4.82	3	Horizontal	0	1.93	-
5210MHz	Pass	PK	5.215G	112.66	Inf	-Inf	3	Horizontal	0	1.93	-
5210MHz	Pass	PK	5.4G	61.51	74.00	-12.49	3	Horizontal	0	1.93	-
5210MHz	Pass	PK	10.42142G	61.45	68.20	-6.75	3	Vertical	239	2.89	-
5210MHz	Pass	PK	10.42224G	60.35	68.20	-7.85	3	Horizontal	353	1.50	-
5775MHz	Pass	AV	5.7426G	99.91	Inf	-Inf	3	Vertical	357	1.50	-
5775MHz	Pass	PK	5.6022G	61.70	68.20	-6.50	3	Vertical	357	1.50	-
5775MHz	Pass	PK	5.769G	108.11	Inf	-Inf	3	Vertical	357	1.50	-
5775MHz	Pass	PK	5.937G	61.77	68.20	-6.43	3	Vertical	357	1.50	-
5775MHz	Pass	AV	5.7594G	107.56	Inf	-Inf	3	Horizontal	6	1.43	-
5775MHz	Pass	PK	5.6538G	70.38	71.01	-0.63	3	Horizontal	6	1.43	-
5775MHz	Pass	PK	5.7474G	115.16	Inf	-Inf	3	Horizontal	6	1.43	-
5775MHz	Pass	PK	5.9274G	62.38	68.20	-5.82	3	Horizontal	6	1.43	-
5775MHz	Pass	AV	11.54992G	48.70	54.00	-5.30	3	Vertical	168	1.75	-
5775MHz	Pass	PK	11.54974G	61.49	74.00	-12.51	3	Vertical	168	1.75	-
5775MHz	Pass	AV	11.5519G	48.39	54.00	-5.61	3	Horizontal	326	1.54	-
5775MHz	Pass	PK	11.54852G	61.65	74.00	-12.35	3	Horizontal	326	1.54	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	51.36	54.00	-2.64	7.93	3	Vertical	340	1.50	-	43.43	31.90	10.08	34.05
AV	5.1834G	107.98	Inf	-Inf	7.73	3	Vertical	340	1.50	-	100.25	31.70	10.08	34.05
PK	5.1438G	62.27	74.00	-11.73	7.94	3	Vertical	340	1.50	-	54.33	31.91	10.08	34.05
PK	5.1828G	118.05	Inf	-Inf	7.73	3	Vertical	340	1.50	-	110.32	31.70	10.08	34.05

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.45	54.00	-1.55	7.93	3	Horizontal	7	1.44	-	44.52	31.90	10.08	34.05
AV	5.1716G	113.92	Inf	-Inf	7.80	3	Horizontal	7	1.44	-	106.12	31.77	10.08	34.05
PK	5.1494G	67.06	74.00	-6.94	7.93	3	Horizontal	7	1.44	-	59.13	31.90	10.08	34.05
PK	5.1738G	122.63	Inf	-Inf	7.79	3	Horizontal	7	1.44	-	114.84	31.76	10.08	34.05



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35985G	60.99	68.20	-7.21	18.02	3	Vertical	271	1.50	-	42.97	39.44	12.96	34.38



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36095G	60.85	68.20	-7.35	18.02	3	Horizontal	50	1.00	-	42.83	39.44	12.96	34.38

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	49.66	54.00	-4.34	7.94	3	Vertical	354	1.50	-	41.72	31.91	10.08	34.05
AV	5.2024G	108.88	Inf	-Inf	7.62	3	Vertical	354	1.50	-	101.26	31.59	10.08	34.05
PK	5.1036G	61.50	74.00	-12.50	8.02	3	Vertical	354	1.50	-	53.48	31.99	10.08	34.05
PK	5.202G	119.74	Inf	-Inf	7.62	3	Vertical	354	1.50	-	112.12	31.59	10.08	34.05

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	49.84	54.00	-4.16	7.93	3	Horizontal	11	1.48	-	41.91	31.90	10.08	34.05
AV	5.202G	115.41	Inf	-Inf	7.62	3	Horizontal	11	1.48	-	107.79	31.59	10.08	34.05
PK	5.1088G	62.10	74.00	-11.90	8.01	3	Horizontal	11	1.48	-	54.09	31.98	10.08	34.05
PK	5.2012G	122.37	Inf	-Inf	7.62	3	Horizontal	11	1.48	-	114.75	31.59	10.08	34.05






802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39994G	61.28	68.20	-6.92	18.25	3	Vertical	127	2.07	-	43.03	39.60	12.99	34.34



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40182G	60.85	68.20	-7.35	18.26	3	Horizontal	190	1.50	-	42.59	39.60	12.99	34.33

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1104G	49.47	54.00	-4.53	8.01	3	Vertical	359	1.50	-	41.46	31.98	10.08	34.05
AV	5.2412G	108.31	Inf	-Inf	7.40	3	Vertical	359	1.50	-	100.91	31.35	10.10	34.05
AV	5.354G	48.07	54.00	-5.93	7.32	3	Vertical	359	1.50	-	40.75	31.22	10.16	34.06
PK	5.1338G	62.00	74.00	-12.00	7.96	3	Vertical	359	1.50	-	54.04	31.93	10.08	34.05
PK	5.2412G	119.53	Inf	-Inf	7.40	3	Vertical	359	1.50	-	112.13	31.35	10.10	34.05
PK	5.3594G	60.26	74.00	-13.74	7.36	3	Vertical	359	1.50	-	52.90	31.26	10.16	34.06

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0912G	49.51	54.00	-4.49	8.01	3	Horizontal	343	1.50	-	41.50	31.98	10.08	34.05
AV	5.2358G	113.76	Inf	-Inf	7.44	3	Horizontal	343	1.50	-	106.32	31.39	10.10	34.05
AV	5.3714G	48.20	54.00	-5.80	7.44	3	Horizontal	343	1.50	-	40.76	31.33	10.17	34.06
PK	5.1212G	65.24	74.00	-8.76	7.99	3	Horizontal	343	1.50	-	57.25	31.96	10.08	34.05
PK	5.2382G	122.72	Inf	-Inf	7.42	3	Horizontal	343	1.50	-	115.30	31.37	10.10	34.05
PK	5.3594G	61.70	74.00	-12.30	7.36	3	Horizontal	343	1.50	-	54.34	31.26	10.16	34.06



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48186G	61.05	68.20	-7.15	18.46	3	Vertical	172	1.79	-	42.59	39.68	13.03	34.25



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48091G	60.67	68.20	-7.53	18.46	3	Horizontal	120	1.50	-	42.21	39.68	13.03	34.25

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	108.08	Inf	-Inf	8.24	3	Vertical	357	1.50	-	99.84	31.89	10.42	34.07
PK	5.6286G	61.47	68.20	-6.73	7.87	3	Vertical	357	1.50	-	53.60	31.66	10.28	34.07
PK	5.7426G	118.58	Inf	-Inf	8.24	3	Vertical	357	1.50	-	110.34	31.89	10.42	34.07
PK	5.931G	61.17	68.20	-7.03	8.87	3	Vertical	357	1.50	-	52.30	32.40	10.55	34.08

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	108.73	Inf	-Inf	8.25	3	Horizontal	20	1.70	-	100.48	31.90	10.43	34.08
PK	5.625G	64.01	68.20	-4.19	7.85	3	Horizontal	20	1.70	-	56.16	31.65	10.27	34.07
PK	5.7486G	117.93	Inf	-Inf	8.25	3	Horizontal	20	1.70	-	109.68	31.90	10.42	34.07
PK	5.931G	62.39	68.20	-5.81	8.87	3	Horizontal	20	1.70	-	53.52	32.40	10.55	34.08



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48912G	50.53	54.00	-3.47	19.40	3	Vertical	219	2.84	-	31.13	39.89	13.62	34.11
PK	11.48986G	63.84	74.00	-10.16	19.40	3	Vertical	219	2.84	-	44.44	39.89	13.62	34.11

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49105G	48.41	54.00	-5.59	19.40	3	Horizontal	245	1.16	-	29.01	39.89	13.62	34.11
PK	11.4879G	61.12	74.00	-12.88	19.40	3	Horizontal	245	1.16	-	41.72	39.89	13.62	34.11

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7898G	108.28	Inf	-Inf	8.45	3	Vertical	359	1.50	-	99.83	32.06	10.47	34.08
PK	5.6002G	61.12	68.20	-7.08	7.77	3	Vertical	359	1.50	-	53.35	31.60	10.24	34.07
PK	5.7886G	119.14	Inf	-Inf	8.44	3	Vertical	359	1.50	-	110.70	32.05	10.47	34.08
PK	5.983G	61.94	68.20	-6.26	8.90	3	Vertical	359	1.50	-	53.04	32.40	10.58	34.08

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	110.72	Inf	-Inf	8.43	3	Horizontal	7	1.42	-	102.29	32.04	10.47	34.08
PK	5.5858G	61.74	68.20	-6.46	7.80	3	Horizontal	7	1.42	-	53.94	31.63	10.24	34.07
PK	5.7874G	120.33	Inf	-Inf	8.44	3	Horizontal	7	1.42	-	111.89	32.05	10.47	34.08
PK	5.9278G	61.99	68.20	-6.21	8.87	3	Horizontal	7	1.42	-	53.12	32.40	10.55	34.08

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56995G	50.19	54.00	-3.81	19.37	3	Vertical	327	1.97	-	30.82	39.83	13.67	34.13
PK	11.56977G	64.39	74.00	-9.61	19.36	3	Vertical	327	1.97	-	45.03	39.83	13.66	34.13

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57168G	48.74	54.00	-5.26	19.37	3	Horizontal	360	2.23	-	29.37	39.83	13.67	34.13
PK	11.57083G	61.92	74.00	-12.08	19.37	3	Horizontal	360	2.23	-	42.55	39.83	13.67	34.13

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	108.60	Inf	-Inf	8.61	3	Vertical	355	1.50	-	99.99	32.19	10.50	34.08
PK	5.6474G	61.34	68.20	-6.86	7.92	3	Vertical	355	1.50	-	53.42	31.69	10.30	34.07
PK	5.8298G	119.81	Inf	-Inf	8.64	3	Vertical	355	1.50	-	111.17	32.22	10.50	34.08
PK	5.9558G	62.46	68.20	-5.74	8.88	3	Vertical	355	1.50	-	53.58	32.40	10.56	34.08

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	110.39	Inf	-Inf	8.63	3	Horizontal	7	1.63	-	101.76	32.21	10.50	34.08
PK	5.5922G	61.62	68.20	-6.58	7.79	3	Horizontal	7	1.63	-	53.83	31.62	10.24	34.07
PK	5.8286G	120.45	Inf	-Inf	8.63	3	Horizontal	7	1.63	-	111.82	32.21	10.50	34.08
PK	5.9438G	62.71	68.20	-5.49	8.88	3	Horizontal	7	1.63	-	53.83	32.40	10.56	34.08



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65007G	50.20	54.00	-3.80	19.07	3	Vertical	327	2.01	-	31.13	39.50	13.71	34.14
PK	11.6497G	63.27	74.00	-10.73	19.07	3	Vertical	327	2.01	-	44.20	39.50	13.71	34.14

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65099G	48.41	54.00	-5.59	19.06	3	Horizontal	44	1.50	-	29.35	39.49	13.71	34.14
PK	11.6521G	61.60	74.00	-12.40	19.06	3	Horizontal	44	1.50	-	42.54	39.49	13.71	34.14

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.42	54.00	-3.58	7.93	3	Vertical	348	1.50	-	42.49	31.90	10.08	34.05
AV	5.1956G	104.11	Inf	-Inf	7.66	3	Vertical	348	1.50	-	96.45	31.63	10.08	34.05
PK	5.15G	72.17	74.00	-1.83	7.93	3	Vertical	348	1.50	-	64.24	31.90	10.08	34.05
PK	5.1956G	114.91	Inf	-Inf	7.66	3	Vertical	348	1.50	-	107.25	31.63	10.08	34.05

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	50.35	54.00	-3.65	7.93	3	Horizontal	1	1.13	-	42.42	31.90	10.08	34.05
AV	5.1984G	107.78	Inf	-Inf	7.64	3	Horizontal	1	1.13	-	100.14	31.61	10.08	34.05
PK	5.1472G	69.05	74.00	-4.95	7.94	3	Horizontal	1	1.13	-	61.11	31.91	10.08	34.05
PK	5.1988G	117.06	Inf	-Inf	7.64	3	Horizontal	1	1.13	-	109.42	31.61	10.08	34.05

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38225G	61.07	68.20	-7.13	18.16	3	Vertical	271	2.08	-	42.91	39.53	12.98	34.35



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38055G	60.65	68.20	-7.55	18.14	3	Horizontal	228	2.52	-	42.51	39.52	12.98	34.36

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	50.66	54.00	-3.34	7.93	3	Vertical	360	1.50	-	42.73	31.90	10.08	34.05
AV	5.2244G	106.76	Inf	-Inf	7.49	3	Vertical	360	1.50	-	99.27	31.45	10.09	34.05
PK	5.1336G	65.92	74.00	-8.08	7.96	3	Vertical	360	1.50	-	57.96	31.93	10.08	34.05
PK	5.2248G	118.04	Inf	-Inf	7.49	3	Vertical	360	1.50	-	110.55	31.45	10.09	34.05

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	50.18	54.00	-3.82	7.94	3	Horizontal	340	1.47	-	42.24	31.91	10.08	34.05
AV	5.2128G	111.30	Inf	-Inf	7.55	3	Horizontal	340	1.47	-	103.75	31.52	10.08	34.05
PK	5.1488G	65.86	74.00	-8.14	7.93	3	Horizontal	340	1.47	-	57.93	31.90	10.08	34.05
PK	5.2136G	120.90	Inf	-Inf	7.56	3	Horizontal	340	1.47	-	113.34	31.52	10.09	34.05



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.461555G	61.08	68.20	-7.12	18.41	3	Vertical	176	1.50	-	42.67	39.66	13.02	34.27

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46057G	60.96	68.20	-7.24	18.41	3	Horizontal	1	1.50	-	42.55	39.66	13.02	34.27

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	107.03	Inf	-Inf	8.30	3	Vertical	334	1.50	-	98.73	31.94	10.44	34.08
PK	5.5966G	62.44	68.20	-5.76	7.78	3	Vertical	334	1.50	-	54.66	31.61	10.24	34.07
PK	5.749G	116.53	Inf	-Inf	8.25	3	Vertical	334	1.50	-	108.28	31.90	10.42	34.07
PK	5.9482G	62.45	68.20	-5.75	8.88	3	Vertical	334	1.50	-	53.57	32.40	10.56	34.08

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	113.06	Inf	-Inf	8.30	3	Horizontal	7	1.64	-	104.76	31.94	10.44	34.08
PK	5.635G	67.20	68.20	-1.00	7.89	3	Horizontal	7	1.64	-	59.31	31.67	10.29	34.07
PK	5.7694G	121.00	Inf	-Inf	8.35	3	Horizontal	7	1.64	-	112.65	31.98	10.45	34.08
PK	5.959G	61.88	68.20	-6.32	8.88	3	Horizontal	7	1.64	-	53.00	32.40	10.56	34.08

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50993G	49.90	54.00	-4.10	19.41	3	Vertical	159	3.00	-	30.49	39.89	13.63	34.11
PK	11.51228G	61.67	74.00	-12.33	19.41	3	Vertical	159	3.00	-	42.26	39.89	13.63	34.11

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51054G	48.42	54.00	-5.58	19.41	3	Horizontal	29	1.82	-	29.01	39.89	13.63	34.11
PK	11.50911G	61.03	74.00	-12.97	19.41	3	Horizontal	29	1.82	-	41.62	39.89	13.63	34.11

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8058G	105.67	Inf	-Inf	8.53	3	Vertical	356	1.50	-	97.14	32.12	10.49	34.08
PK	5.6414G	60.98	68.20	-7.22	7.90	3	Vertical	356	1.50	-	53.08	31.68	10.29	34.07
PK	5.8046G	116.18	Inf	-Inf	8.53	3	Vertical	356	1.50	-	107.65	32.12	10.49	34.08
PK	5.9402G	61.92	68.20	-6.28	8.87	3	Vertical	356	1.50	-	53.05	32.40	10.55	34.08

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	109.00	Inf	-Inf	8.51	3	Horizontal	10	1.67	-	100.49	32.10	10.49	34.08
PK	5.6306G	61.74	68.20	-6.46	7.87	3	Horizontal	10	1.67	-	53.87	31.66	10.28	34.07
PK	5.7818G	119.22	Inf	-Inf	8.41	3	Horizontal	10	1.67	-	110.81	32.03	10.46	34.08
PK	5.9594G	62.06	68.20	-6.14	8.88	3	Horizontal	10	1.67	-	53.18	32.40	10.56	34.08



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58975G	49.16	54.00	-4.84	19.36	3	Vertical	121	1.89	-	29.80	39.81	13.68	34.13
PK	11.59182G	61.76	74.00	-12.24	19.36	3	Vertical	121	1.89	-	42.40	39.81	13.68	34.13

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59173G	48.81	54.00	-5.19	19.36	3	Horizontal	4	2.07	-	29.45	39.81	13.68	34.13
PK	11.58928G	61.72	74.00	-12.28	19.36	3	Horizontal	4	2.07	-	42.36	39.81	13.68	34.13

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	52.53	54.00	-1.47	7.93	3	Vertical	0	1.50	-	44.60	31.90	10.08	34.05
AV	5.184G	104.83	Inf	-Inf	7.73	3	Vertical	0	1.50	-	97.10	31.70	10.08	34.05
AV	5.456G	48.86	54.00	-5.14	7.75	3	Vertical	0	1.50	-	41.11	31.62	10.20	34.07
PK	5.09G	71.79	74.00	-2.21	8.01	3	Vertical	0	1.50	-	63.78	31.98	10.08	34.05
PK	5.22G	111.53	Inf	-Inf	7.52	3	Vertical	0	1.50	-	104.01	31.48	10.09	34.05
PK	5.367G	60.97	74.00	-13.03	7.41	3	Vertical	0	1.50	-	53.56	31.30	10.17	34.06

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	50.86	54.00	-3.14	7.93	3	Horizontal	0	1.93	-	42.93	31.90	10.08	34.05
AV	5.205G	103.83	Inf	-Inf	7.60	3	Horizontal	0	1.93	-	96.23	31.57	10.08	34.05
AV	5.46G	48.82	54.00	-5.18	7.77	3	Horizontal	0	1.93	-	41.05	31.64	10.20	34.07
PK	5.089G	69.18	74.00	-4.82	8.01	3	Horizontal	0	1.93	-	61.17	31.98	10.08	34.05
PK	5.215G	112.66	Inf	-Inf	7.55	3	Horizontal	0	1.93	-	105.11	31.51	10.09	34.05
PK	5.4G	61.51	74.00	-12.49	7.63	3	Horizontal	0	1.93	-	53.88	31.50	10.19	34.06

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42142G	61.45	68.20	-6.75	18.31	3	Vertical	239	2.89	-	43.14	39.62	13.00	34.31

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42224G	60.35	68.20	-7.85	18.31	3	Horizontal	353	1.50	-	42.04	39.62	13.00	34.31

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	99.91	Inf	-Inf	8.24	3	Vertical	357	1.50	-	91.67	31.89	10.42	34.07
PK	5.6022G	61.70	68.20	-6.50	7.78	3	Vertical	357	1.50	-	53.92	31.60	10.25	34.07
PK	5.769G	108.11	Inf	-Inf	8.35	3	Vertical	357	1.50	-	99.76	31.98	10.45	34.08
PK	5.937G	61.77	68.20	-6.43	8.87	3	Vertical	357	1.50	-	52.90	32.40	10.55	34.08

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7594G	107.56	Inf	-Inf	8.30	3	Horizontal	6	1.43	-	99.26	31.94	10.44	34.08
PK	5.6538G	70.38	71.01	-0.63	7.95	3	Horizontal	6	1.43	-	62.43	31.71	10.31	34.07
PK	5.7474G	115.16	Inf	-Inf	8.24	3	Horizontal	6	1.43	-	106.92	31.89	10.42	34.07
PK	5.9274G	62.38	68.20	-5.82	8.87	3	Horizontal	6	1.43	-	53.51	32.40	10.55	34.08



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54992G	48.70	54.00	-5.30	19.38	3	Vertical	168	1.75	-	29.32	39.85	13.65	34.12
PK	11.54974G	61.49	74.00	-12.51	19.38	3	Vertical	168	1.75	-	42.11	39.85	13.65	34.12

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

11/09/2019

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5519G	48.39	54.00	-5.61	19.38	3	Horizontal	326	1.54	-	29.01	39.85	13.65	34.12
PK	11.54852G	61.65	74.00	-12.35	19.38	3	Horizontal	326	1.54	-	42.27	39.85	13.65	34.12



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	50.96	54.00	-3.04	3	Horizontal	347	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.31	54.00	-1.69	3	Horizontal	340	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.149G	52.01	54.00	-1.99	3	Horizontal	319	1.50	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	11.57069G	50.57	54.00	-3.43	3	Horizontal	286	1.00	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	11.59183G	50.07	54.00	-3.93	3	Vertical	322	2.09	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	11.54998G	49.87	54.00	-4.13	3	Vertical	158	2.94	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	49.65	54.00	-4.35	3	Vertical	0	1.50	-
5180MHz	Pass	AV	5.1806G	109.93	Inf	-Inf	3	Vertical	0	1.50	-
5180MHz	Pass	PK	5.1458G	62.70	74.00	-11.30	3	Vertical	0	1.50	-
5180MHz	Pass	PK	5.181G	118.75	Inf	-Inf	3	Vertical	0	1.50	-
5180MHz	Pass	AV	5.15G	50.96	54.00	-3.04	3	Horizontal	347	1.50	-
5180MHz	Pass	AV	5.1826G	104.10	Inf	-Inf	3	Horizontal	347	1.50	-
5180MHz	Pass	PK	5.1496G	65.20	74.00	-8.80	3	Horizontal	347	1.50	-
5180MHz	Pass	PK	5.1826G	115.48	Inf	-Inf	3	Horizontal	347	1.50	-
5180MHz	Pass	PK	10.36014G	61.28	68.20	-6.92	3	Vertical	266	2.05	-
5180MHz	Pass	PK	10.36202G	60.43	68.20	-7.77	3	Horizontal	37	2.21	-
5200MHz	Pass	AV	5.15G	49.22	54.00	-4.78	3	Vertical	14	1.11	-
5200MHz	Pass	AV	5.2048G	111.34	Inf	-Inf	3	Vertical	14	1.11	-
5200MHz	Pass	PK	5.1492G	61.06	74.00	-12.94	3	Vertical	14	1.11	-
5200MHz	Pass	PK	5.2076G	118.17	Inf	-Inf	3	Vertical	14	1.11	-
5200MHz	Pass	AV	5.1248G	49.05	54.00	-4.95	3	Horizontal	336	1.50	-
5200MHz	Pass	AV	5.2024G	104.07	Inf	-Inf	3	Horizontal	336	1.50	-
5200MHz	Pass	PK	5.1492G	61.58	74.00	-12.42	3	Horizontal	336	1.50	-
5200MHz	Pass	PK	5.204G	115.01	Inf	-Inf	3	Horizontal	336	1.50	-
5200MHz	Pass	PK	10.40093G	61.03	68.20	-7.17	3	Vertical	170	1.59	-
5200MHz	Pass	PK	10.40006G	61.08	68.20	-7.12	3	Horizontal	109	1.50	-
5240MHz	Pass	AV	5.0912G	49.27	54.00	-4.73	3	Vertical	2	1.43	-
5240MHz	Pass	AV	5.2424G	113.16	Inf	-Inf	3	Vertical	2	1.43	-
5240MHz	Pass	AV	5.3756G	47.61	54.00	-6.39	3	Vertical	2	1.43	-
5240MHz	Pass	PK	5.144G	61.47	74.00	-12.53	3	Vertical	2	1.43	-
5240MHz	Pass	PK	5.2418G	121.62	Inf	-Inf	3	Vertical	2	1.43	-
5240MHz	Pass	PK	5.3618G	62.64	74.00	-11.36	3	Vertical	2	1.43	-
5240MHz	Pass	AV	5.09G	49.02	54.00	-4.98	3	Horizontal	342	1.50	-
5240MHz	Pass	AV	5.2382G	103.00	Inf	-Inf	3	Horizontal	342	1.50	-
5240MHz	Pass	AV	5.3534G	47.33	54.00	-6.67	3	Horizontal	342	1.50	-
5240MHz	Pass	PK	5.0948G	61.23	74.00	-12.77	3	Horizontal	342	1.50	-
5240MHz	Pass	PK	5.237G	113.52	Inf	-Inf	3	Horizontal	342	1.50	-
5240MHz	Pass	PK	5.3642G	59.84	74.00	-14.16	3	Horizontal	342	1.50	-
5240MHz	Pass	PK	10.48183G	61.04	68.20	-7.16	3	Vertical	267	1.72	-
5240MHz	Pass	PK	10.48122G	61.40	68.20	-6.80	3	Horizontal	222	1.86	-
5745MHz	Pass	AV	5.739G	110.47	Inf	-Inf	3	Vertical	357	1.36	-
5745MHz	Pass	PK	5.5662G	60.66	68.20	-7.54	3	Vertical	357	1.36	-
5745MHz	Pass	PK	5.745G	118.29	Inf	-Inf	3	Vertical	357	1.36	-
5745MHz	Pass	PK	5.9586G	62.04	68.20	-6.16	3	Vertical	357	1.36	-
5745MHz	Pass	AV	5.7414G	103.38	Inf	-Inf	3	Horizontal	4	1.50	-
5745MHz	Pass	PK	5.4726G	60.83	68.20	-7.37	3	Horizontal	4	1.50	-
5745MHz	Pass	PK	5.7498G	114.13	Inf	-Inf	3	Horizontal	4	1.50	-
5745MHz	Pass	PK	5.9322G	61.56	68.20	-6.64	3	Horizontal	4	1.50	-
5745MHz	Pass	AV	11.49001G	49.96	54.00	-4.04	3	Vertical	162	2.97	-
5745MHz	Pass	PK	11.49196G	63.32	74.00	-10.68	3	Vertical	162	2.97	-
5745MHz	Pass	AV	11.49063G	48.33	54.00	-5.67	3	Horizontal	122	1.50	-
5745MHz	Pass	PK	11.48887G	61.43	74.00	-12.57	3	Horizontal	122	1.50	-
5785MHz	Pass	AV	5.7874G	105.97	Inf	-Inf	3	Vertical	347	1.38	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	5.575G	61.16	68.20	-7.04	3	Vertical	347	1.38	-
5785MHz	Pass	PK	5.7802G	116.00	Inf	-Inf	3	Vertical	347	1.38	-
5785MHz	Pass	PK	5.9866G	61.62	68.20	-6.58	3	Vertical	347	1.38	-
5785MHz	Pass	AV	5.7826G	103.70	Inf	-Inf	3	Horizontal	325	1.50	-
5785MHz	Pass	PK	5.5342G	61.12	68.20	-7.08	3	Horizontal	325	1.50	-
5785MHz	Pass	PK	5.7874G	115.06	Inf	-Inf	3	Horizontal	325	1.50	-
5785MHz	Pass	PK	5.977G	61.16	68.20	-7.04	3	Horizontal	325	1.50	-
5785MHz	Pass	AV	11.5709G	50.48	54.00	-3.52	3	Vertical	286	1.00	-
5785MHz	Pass	PK	11.56906G	63.43	74.00	-10.57	3	Vertical	286	1.00	-
5785MHz	Pass	AV	11.57069G	50.57	54.00	-3.43	3	Horizontal	286	1.00	-
5785MHz	Pass	PK	11.57046G	63.50	74.00	-10.50	3	Horizontal	286	1.00	-
5825MHz	Pass	AV	5.8226G	106.44	Inf	-Inf	3	Vertical	352	1.50	-
5825MHz	Pass	PK	5.5286G	60.27	68.20	-7.93	3	Vertical	352	1.50	-
5825MHz	Pass	PK	5.8202G	117.37	Inf	-Inf	3	Vertical	352	1.50	-
5825MHz	Pass	PK	5.9486G	61.68	68.20	-6.52	3	Vertical	352	1.50	-
5825MHz	Pass	AV	5.8286G	102.99	Inf	-Inf	3	Horizontal	328	1.50	-
5825MHz	Pass	PK	5.5358G	61.10	68.20	-7.10	3	Horizontal	328	1.50	-
5825MHz	Pass	PK	5.8214G	114.03	Inf	-Inf	3	Horizontal	328	1.50	-
5825MHz	Pass	PK	5.951G	61.61	68.20	-6.59	3	Horizontal	328	1.50	-
5825MHz	Pass	AV	11.64912G	49.89	54.00	-4.11	3	Vertical	288	1.00	-
5825MHz	Pass	PK	11.6518G	62.90	74.00	-11.10	3	Vertical	288	1.00	-
5825MHz	Pass	AV	11.65024G	48.39	54.00	-5.61	3	Horizontal	194	1.65	-
5825MHz	Pass	PK	11.6513G	61.12	74.00	-12.88	3	Horizontal	194	1.65	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1472G	49.67	54.00	-4.33	3	Vertical	352	1.00	-
5190MHz	Pass	AV	5.184G	107.57	Inf	-Inf	3	Vertical	352	1.00	-
5190MHz	Pass	PK	5.1472G	68.42	74.00	-5.58	3	Vertical	352	1.00	-
5190MHz	Pass	PK	5.2076G	112.56	Inf	-Inf	3	Vertical	352	1.00	-
5190MHz	Pass	AV	5.15G	52.31	54.00	-1.69	3	Horizontal	340	1.50	-
5190MHz	Pass	AV	5.1956G	101.39	Inf	-Inf	3	Horizontal	340	1.50	-
5190MHz	Pass	PK	5.1428G	67.15	74.00	-6.85	3	Horizontal	340	1.50	-
5190MHz	Pass	PK	5.2068G	113.48	Inf	-Inf	3	Horizontal	340	1.50	-
5190MHz	Pass	PK	10.38028G	62.15	68.20	-6.05	3	Vertical	164	1.72	-
5190MHz	Pass	PK	10.38086G	60.86	68.20	-7.34	3	Horizontal	180	1.97	-
5230MHz	Pass	AV	5.148G	48.90	54.00	-5.10	3	Vertical	359	1.42	-
5230MHz	Pass	AV	5.2128G	108.88	Inf	-Inf	3	Vertical	359	1.42	-
5230MHz	Pass	PK	5.1496G	64.06	74.00	-9.94	3	Vertical	359	1.42	-
5230MHz	Pass	PK	5.2136G	118.02	Inf	-Inf	3	Vertical	359	1.42	-
5230MHz	Pass	AV	5.1428G	48.99	54.00	-5.01	3	Horizontal	343	1.14	-
5230MHz	Pass	AV	5.2276G	100.33	Inf	-Inf	3	Horizontal	343	1.14	-
5230MHz	Pass	PK	5.1316G	61.60	74.00	-12.40	3	Horizontal	343	1.14	-
5230MHz	Pass	PK	5.2232G	111.51	Inf	-Inf	3	Horizontal	343	1.14	-
5230MHz	Pass	PK	10.46006G	61.54	68.20	-6.66	3	Vertical	167	1.67	-
5230MHz	Pass	PK	10.45957G	61.08	68.20	-7.12	3	Horizontal	48	1.50	-
5755MHz	Pass	AV	5.7598G	110.32	Inf	-Inf	3	Vertical	14	1.63	-
5755MHz	Pass	PK	5.5066G	61.21	68.20	-6.99	3	Vertical	14	1.63	-
5755MHz	Pass	PK	5.7598G	117.21	Inf	-Inf	3	Vertical	14	1.63	-
5755MHz	Pass	PK	5.9374G	62.13	68.20	-6.07	3	Vertical	14	1.63	-
5755MHz	Pass	AV	5.7406G	100.50	Inf	-Inf	3	Horizontal	7	1.50	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5755MHz	Pass	PK	5.629G	61.06	68.20	-7.14	3	Horizontal	7	1.50	-
5755MHz	Pass	PK	5.7478G	110.63	Inf	-Inf	3	Horizontal	7	1.50	-
5755MHz	Pass	PK	5.9434G	61.08	68.20	-7.12	3	Horizontal	7	1.50	-
5755MHz	Pass	AV	11.50979G	49.55	54.00	-4.45	3	Vertical	160	2.93	-
5755MHz	Pass	PK	11.51026G	61.82	74.00	-12.18	3	Vertical	160	2.93	-
5755MHz	Pass	AV	11.51189G	48.33	54.00	-5.67	3	Horizontal	71	1.25	-
5755MHz	Pass	PK	11.51138G	61.46	74.00	-12.54	3	Horizontal	71	1.25	-
5795MHz	Pass	AV	5.8106G	107.68	Inf	-Inf	3	Vertical	359	1.07	-
5795MHz	Pass	PK	5.6186G	60.75	68.20	-7.45	3	Vertical	359	1.07	-
5795MHz	Pass	PK	5.8106G	117.58	Inf	-Inf	3	Vertical	359	1.07	-
5795MHz	Pass	PK	5.9282G	62.53	68.20	-5.67	3	Vertical	359	1.07	-
5795MHz	Pass	AV	5.789G	102.13	Inf	-Inf	3	Horizontal	354	1.50	-
5795MHz	Pass	PK	5.6438G	61.11	68.20	-7.09	3	Horizontal	354	1.50	-
5795MHz	Pass	PK	5.789G	112.19	Inf	-Inf	3	Horizontal	354	1.50	-
5795MHz	Pass	PK	5.9318G	61.38	68.20	-6.82	3	Horizontal	354	1.50	-
5795MHz	Pass	AV	11.59183G	50.07	54.00	-3.93	3	Vertical	322	2.09	-
5795MHz	Pass	PK	11.58785G	62.87	74.00	-11.13	3	Vertical	322	2.09	-
5795MHz	Pass	AV	11.59077G	48.51	54.00	-5.49	3	Horizontal	213	1.50	-
5795MHz	Pass	PK	11.58757G	61.49	74.00	-12.51	3	Horizontal	213	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.125G	50.81	54.00	-3.19	3	Vertical	346	1.00	-
5210MHz	Pass	AV	5.184G	103.58	Inf	-Inf	3	Vertical	346	1.00	-
5210MHz	Pass	AV	5.457G	47.88	54.00	-6.12	3	Vertical	346	1.00	-
5210MHz	Pass	PK	5.09G	67.09	74.00	-6.91	3	Vertical	346	1.00	-
5210MHz	Pass	PK	5.208G	111.18	Inf	-Inf	3	Vertical	346	1.00	-
5210MHz	Pass	PK	5.444G	60.54	74.00	-13.46	3	Vertical	346	1.00	-
5210MHz	Pass	AV	5.149G	52.01	54.00	-1.99	3	Horizontal	319	1.50	-
5210MHz	Pass	AV	5.205G	99.29	Inf	-Inf	3	Horizontal	319	1.50	-
5210MHz	Pass	AV	5.42G	47.79	54.00	-6.21	3	Horizontal	319	1.50	-
5210MHz	Pass	PK	5.147G	65.30	74.00	-8.70	3	Horizontal	319	1.50	-
5210MHz	Pass	PK	5.207G	109.21	Inf	-Inf	3	Horizontal	319	1.50	-
5210MHz	Pass	PK	5.438G	59.92	74.00	-14.08	3	Horizontal	319	1.50	-
5210MHz	Pass	PK	10.41995G	60.35	68.20	-7.85	3	Vertical	269	2.56	-
5210MHz	Pass	PK	10.42023G	60.78	68.20	-7.42	3	Horizontal	18	1.39	-
5775MHz	Pass	AV	5.7606G	106.84	Inf	-Inf	3	Vertical	334	1.35	-
5775MHz	Pass	PK	5.655G	67.11	71.90	-4.79	3	Vertical	334	1.35	-
5775MHz	Pass	PK	5.7714G	113.12	Inf	-Inf	3	Vertical	334	1.35	-
5775MHz	Pass	PK	5.9382G	61.67	68.20	-6.53	3	Vertical	334	1.35	-
5775MHz	Pass	AV	5.7498G	100.49	Inf	-Inf	3	Horizontal	4	1.50	-
5775MHz	Pass	PK	5.6214G	60.95	68.20	-7.25	3	Horizontal	4	1.50	-
5775MHz	Pass	PK	5.7666G	107.20	Inf	-Inf	3	Horizontal	4	1.50	-
5775MHz	Pass	PK	5.9406G	61.14	68.20	-7.06	3	Horizontal	4	1.50	-
5775MHz	Pass	AV	11.54998G	49.87	54.00	-4.13	3	Vertical	158	2.94	-
5775MHz	Pass	PK	11.55012G	61.98	74.00	-12.02	3	Vertical	158	2.94	-
5775MHz	Pass	AV	11.54906G	48.18	54.00	-5.82	3	Horizontal	193	1.50	-
5775MHz	Pass	PK	11.54958G	61.67	74.00	-12.33	3	Horizontal	193	1.50	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	49.65	54.00	-4.35	7.93	3	Vertical	0	1.50	-	41.72	31.90	10.08	34.05
AV	5.1806G	109.93	Inf	-Inf	7.75	3	Vertical	0	1.50	-	102.18	31.72	10.08	34.05
PK	5.1458G	62.70	74.00	-11.30	7.94	3	Vertical	0	1.50	-	54.76	31.91	10.08	34.05
PK	5.181G	118.75	Inf	-Inf	7.74	3	Vertical	0	1.50	-	111.01	31.71	10.08	34.05

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.96	54.00	-3.04	7.93	3	Horizontal	347	1.50	-	43.03	31.90	10.08	34.05
AV	5.1826G	104.10	Inf	-Inf	7.73	3	Horizontal	347	1.50	-	96.37	31.70	10.08	34.05
PK	5.1496G	65.20	74.00	-8.80	7.93	3	Horizontal	347	1.50	-	57.27	31.90	10.08	34.05
PK	5.1826G	115.48	Inf	-Inf	7.73	3	Horizontal	347	1.50	-	107.75	31.70	10.08	34.05






802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36014G	61.28	68.20	-6.92	18.02	3	Vertical	266	2.05	-	43.26	39.44	12.96	34.38

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36202G	60.43	68.20	-7.77	18.04	3	Horizontal	37	2.21	-	42.39	39.45	12.97	34.38

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.22	54.00	-4.78	7.93	3	Vertical	14	1.11	-	41.29	31.90	10.08	34.05
AV	5.2048G	111.34	Inf	-Inf	7.60	3	Vertical	14	1.11	-	103.74	31.57	10.08	34.05
PK	5.1492G	61.06	74.00	-12.94	7.93	3	Vertical	14	1.11	-	53.13	31.90	10.08	34.05
PK	5.2076G	118.17	Inf	-Inf	7.58	3	Vertical	14	1.11	-	110.59	31.55	10.08	34.05

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1248G	49.05	54.00	-4.95	7.98	3	Horizontal	336	1.50	-	41.07	31.95	10.08	34.05
AV	5.2024G	104.07	Inf	-Inf	7.62	3	Horizontal	336	1.50	-	96.45	31.59	10.08	34.05
PK	5.1492G	61.58	74.00	-12.42	7.93	3	Horizontal	336	1.50	-	53.65	31.90	10.08	34.05
PK	5.204G	115.01	Inf	-Inf	7.61	3	Horizontal	336	1.50	-	107.40	31.58	10.08	34.05



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40093G	61.03	68.20	-7.17	18.25	3	Vertical	170	1.59	-	42.78	39.60	12.99	34.34

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40006G	61.08	68.20	-7.12	18.25	3	Horizontal	109	1.50	-	42.83	39.60	12.99	34.34

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0912G	49.27	54.00	-4.73	8.01	3	Vertical	2	1.43	-	41.26	31.98	10.08	34.05
AV	5.2424G	113.16	Inf	-Inf	7.40	3	Vertical	2	1.43	-	105.76	31.35	10.10	34.05
AV	5.3756G	47.61	54.00	-6.39	7.46	3	Vertical	2	1.43	-	40.15	31.35	10.17	34.06
PK	5.144G	61.47	74.00	-12.53	7.94	3	Vertical	2	1.43	-	53.53	31.91	10.08	34.05
PK	5.2418G	121.62	Inf	-Inf	7.40	3	Vertical	2	1.43	-	114.22	31.35	10.10	34.05
PK	5.3618G	62.64	74.00	-11.36	7.38	3	Vertical	2	1.43	-	55.26	31.27	10.17	34.06

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.09G	49.02	54.00	-4.98	8.01	3	Horizontal	342	1.50	-	41.01	31.98	10.08	34.05
AV	5.2382G	103.00	Inf	-Inf	7.42	3	Horizontal	342	1.50	-	95.58	31.37	10.10	34.05
AV	5.3534G	47.33	54.00	-6.67	7.32	3	Horizontal	342	1.50	-	40.01	31.22	10.16	34.06
PK	5.0948G	61.23	74.00	-12.77	8.02	3	Horizontal	342	1.50	-	53.21	31.99	10.08	34.05
PK	5.237G	113.52	Inf	-Inf	7.43	3	Horizontal	342	1.50	-	106.09	31.38	10.10	34.05
PK	5.3642G	59.84	74.00	-14.16	7.40	3	Horizontal	342	1.50	-	52.44	31.29	10.17	34.06






802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48183G	61.04	68.20	-7.16	18.46	3	Vertical	267	1.72	-	42.58	39.68	13.03	34.25



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.481222G	61.40	68.20	-6.80	18.46	3	Horizontal	222	1.86	-	42.94	39.68	13.03	34.25

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	110.47	Inf	-Inf	8.22	3	Vertical	357	1.36	-	102.25	31.88	10.41	34.07
PK	5.5662G	60.66	68.20	-7.54	7.83	3	Vertical	357	1.36	-	52.83	31.67	10.23	34.07
PK	5.745G	118.29	Inf	-Inf	8.24	3	Vertical	357	1.36	-	110.05	31.89	10.42	34.07
PK	5.9586G	62.04	68.20	-6.16	8.88	3	Vertical	357	1.36	-	53.16	32.40	10.56	34.08

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	103.38	Inf	-Inf	8.23	3	Horizontal	4	1.50	-	95.15	31.88	10.42	34.07
PK	5.4726G	60.83	68.20	-7.37	7.83	3	Horizontal	4	1.50	-	53.00	31.69	10.21	34.07
PK	5.7498G	114.13	Inf	-Inf	8.26	3	Horizontal	4	1.50	-	105.87	31.90	10.43	34.07
PK	5.9322G	61.56	68.20	-6.64	8.87	3	Horizontal	4	1.50	-	52.69	32.40	10.55	34.08

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49001G	49.96	54.00	-4.04	19.40	3	Vertical	162	2.97	-	30.56	39.89	13.62	34.11
PK	11.49196G	63.32	74.00	-10.68	19.40	3	Vertical	162	2.97	-	43.92	39.89	13.62	34.11

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49063G	48.33	54.00	-5.67	19.40	3	Horizontal	122	1.50	-	28.93	39.89	13.62	34.11
PK	11.48887G	61.43	74.00	-12.57	19.40	3	Horizontal	122	1.50	-	42.03	39.89	13.62	34.11

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	105.97	Inf	-Inf	8.44	3	Vertical	347	1.38	-	97.53	32.05	10.47	34.08
PK	5.575G	61.16	68.20	-7.04	7.82	3	Vertical	347	1.38	-	53.34	31.65	10.24	34.07
PK	5.7802G	116.00	Inf	-Inf	8.40	3	Vertical	347	1.38	-	107.60	32.02	10.46	34.08
PK	5.9866G	61.62	68.20	-6.58	8.90	3	Vertical	347	1.38	-	52.72	32.40	10.58	34.08

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	103.70	Inf	-Inf	8.42	3	Horizontal	325	1.50	-	95.28	32.03	10.47	34.08
PK	5.5342G	61.12	68.20	-7.08	7.88	3	Horizontal	325	1.50	-	53.24	31.73	10.22	34.07
PK	5.7874G	115.06	Inf	-Inf	8.44	3	Horizontal	325	1.50	-	106.62	32.05	10.47	34.08
PK	5.977G	61.16	68.20	-7.04	8.89	3	Horizontal	325	1.50	-	52.27	32.40	10.57	34.08



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5709G	50.48	54.00	-3.52	19.37	3	Vertical	286	1.00	-	31.11	39.83	13.67	34.13
PK	11.56906G	63.43	74.00	-10.57	19.36	3	Vertical	286	1.00	-	44.07	39.83	13.66	34.13



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57069G	50.57	54.00	-3.43	19.37	3	Horizontal	286	1.00	-	31.20	39.83	13.67	34.13
PK	11.57046G	63.50	74.00	-10.50	19.37	3	Horizontal	286	1.00	-	44.13	39.83	13.67	34.13

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	106.44	Inf	-Inf	8.61	3	Vertical	352	1.50	-	97.83	32.19	10.50	34.08
PK	5.5286G	60.27	68.20	-7.93	7.89	3	Vertical	352	1.50	-	52.38	31.74	10.22	34.07
PK	5.8202G	117.37	Inf	-Inf	8.60	3	Vertical	352	1.50	-	108.77	32.18	10.50	34.08
PK	5.9486G	61.68	68.20	-6.52	8.88	3	Vertical	352	1.50	-	52.80	32.40	10.56	34.08

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	102.99	Inf	-Inf	8.63	3	Horizontal	328	1.50	-	94.36	32.21	10.50	34.08
PK	5.5358G	61.10	68.20	-7.10	7.89	3	Horizontal	328	1.50	-	53.21	31.73	10.23	34.07
PK	5.8214G	114.03	Inf	-Inf	8.61	3	Horizontal	328	1.50	-	105.42	32.19	10.50	34.08
PK	5.951G	61.61	68.20	-6.59	8.88	3	Horizontal	328	1.50	-	52.73	32.40	10.56	34.08

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64912G	49.89	54.00	-4.11	19.08	3	Vertical	288	1.00	-	30.81	39.51	13.71	34.14
PK	11.6518G	62.90	74.00	-11.10	19.06	3	Vertical	288	1.00	-	43.84	39.49	13.71	34.14

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65024G	48.39	54.00	-5.61	19.07	3	Horizontal	194	1.65	-	29.32	39.50	13.71	34.14
PK	11.6513G	61.12	74.00	-12.88	19.06	3	Horizontal	194	1.65	-	42.06	39.49	13.71	34.14

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	49.67	54.00	-4.33	7.94	3	Vertical	352	1.00	-	41.73	31.91	10.08	34.05
AV	5.184G	107.57	Inf	-Inf	7.73	3	Vertical	352	1.00	-	99.84	31.70	10.08	34.05
PK	5.1472G	68.42	74.00	-5.58	7.94	3	Vertical	352	1.00	-	60.48	31.91	10.08	34.05
PK	5.2076G	112.56	Inf	-Inf	7.58	3	Vertical	352	1.00	-	104.98	31.55	10.08	34.05

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.31	54.00	-1.69	7.93	3	Horizontal	340	1.50	-	44.38	31.90	10.08	34.05
AV	5.1956G	101.39	Inf	-Inf	7.66	3	Horizontal	340	1.50	-	93.73	31.63	10.08	34.05
PK	5.1428G	67.15	74.00	-6.85	7.94	3	Horizontal	340	1.50	-	59.21	31.91	10.08	34.05
PK	5.2068G	113.48	Inf	-Inf	7.59	3	Horizontal	340	1.50	-	105.89	31.56	10.08	34.05



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38028G	62.15	68.20	-6.05	18.14	3	Vertical	164	1.72	-	44.01	39.52	12.98	34.36

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38086G	60.86	68.20	-7.34	18.14	3	Horizontal	180	1.97	-	42.72	39.52	12.98	34.36

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	48.90	54.00	-5.10	7.93	3	Vertical	359	1.42	-	40.97	31.90	10.08	34.05
AV	5.2128G	108.88	Inf	-Inf	7.55	3	Vertical	359	1.42	-	101.33	31.52	10.08	34.05
PK	5.1496G	64.06	74.00	-9.94	7.93	3	Vertical	359	1.42	-	56.13	31.90	10.08	34.05
PK	5.2136G	118.02	Inf	-Inf	7.56	3	Vertical	359	1.42	-	110.46	31.52	10.09	34.05

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1428G	48.99	54.00	-5.01	7.94	3	Horizontal	343	1.14	-	41.05	31.91	10.08	34.05
AV	5.2276G	100.33	Inf	-Inf	7.47	3	Horizontal	343	1.14	-	92.86	31.43	10.09	34.05
PK	5.1316G	61.60	74.00	-12.40	7.97	3	Horizontal	343	1.14	-	53.63	31.94	10.08	34.05
PK	5.2232G	111.51	Inf	-Inf	7.50	3	Horizontal	343	1.14	-	104.01	31.46	10.09	34.05

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46006G	61.54	68.20	-6.66	18.41	3	Vertical	167	1.67	-	43.13	39.66	13.02	34.27

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45957G	61.08	68.20	-7.12	18.41	3	Horizontal	48	1.50	-	42.67	39.66	13.02	34.27

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	110.32	Inf	-Inf	8.30	3	Vertical	14	1.63	-	102.02	31.94	10.44	34.08
PK	5.5066G	61.21	68.20	-6.99	7.94	3	Vertical	14	1.63	-	53.27	31.79	10.22	34.07
PK	5.7598G	117.21	Inf	-Inf	8.30	3	Vertical	14	1.63	-	108.91	31.94	10.44	34.08
PK	5.9374G	62.13	68.20	-6.07	8.87	3	Vertical	14	1.63	-	53.26	32.40	10.55	34.08

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7406G	100.50	Inf	-Inf	8.22	3	Horizontal	7	1.50	-	92.28	31.88	10.41	34.07
PK	5.629G	61.06	68.20	-7.14	7.87	3	Horizontal	7	1.50	-	53.19	31.66	10.28	34.07
PK	5.7478G	110.63	Inf	-Inf	8.25	3	Horizontal	7	1.50	-	102.38	31.90	10.42	34.07
PK	5.9434G	61.08	68.20	-7.12	8.88	3	Horizontal	7	1.50	-	52.20	32.40	10.56	34.08



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50979G	49.55	54.00	-4.45	19.41	3	Vertical	160	2.93	-	30.14	39.89	13.63	34.11
PK	11.51026G	61.82	74.00	-12.18	19.41	3	Vertical	160	2.93	-	42.41	39.89	13.63	34.11

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51189G	48.33	54.00	-5.67	19.41	3	Horizontal	71	1.25	-	28.92	39.89	13.63	34.11
PK	11.51138G	61.46	74.00	-12.54	19.41	3	Horizontal	71	1.25	-	42.05	39.89	13.63	34.11

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8106G	107.68	Inf	-Inf	8.55	3	Vertical	359	1.07	-	99.13	32.14	10.49	34.08
PK	5.6186G	60.75	68.20	-7.45	7.84	3	Vertical	359	1.07	-	52.91	31.64	10.27	34.07
PK	5.8106G	117.58	Inf	-Inf	8.55	3	Vertical	359	1.07	-	109.03	32.14	10.49	34.08
PK	5.9282G	62.53	68.20	-5.67	8.87	3	Vertical	359	1.07	-	53.66	32.40	10.55	34.08

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	102.13	Inf	-Inf	8.45	3	Horizontal	354	1.50	-	93.68	32.06	10.47	34.08
PK	5.6438G	61.11	68.20	-7.09	7.92	3	Horizontal	354	1.50	-	53.19	31.69	10.30	34.07
PK	5.789G	112.19	Inf	-Inf	8.45	3	Horizontal	354	1.50	-	103.74	32.06	10.47	34.08
PK	5.9318G	61.38	68.20	-6.82	8.87	3	Horizontal	354	1.50	-	52.51	32.40	10.55	34.08

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59183G	50.07	54.00	-3.93	19.36	3	Vertical	322	2.09	-	30.71	39.81	13.68	34.13
PK	11.58785G	62.87	74.00	-11.13	19.36	3	Vertical	322	2.09	-	43.51	39.81	13.68	34.13

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59077G	48.51	54.00	-5.49	19.36	3	Horizontal	213	1.50	-	29.15	39.81	13.68	34.13
PK	11.58757G	61.49	74.00	-12.51	19.36	3	Horizontal	213	1.50	-	42.13	39.81	13.68	34.13

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.125G	50.81	54.00	-3.19	7.98	3	Vertical	346	1.00	-	42.83	31.95	10.08	34.05
AV	5.184G	103.58	Inf	-Inf	7.73	3	Vertical	346	1.00	-	95.85	31.70	10.08	34.05
AV	5.457G	47.88	54.00	-6.12	7.76	3	Vertical	346	1.00	-	40.12	31.63	10.20	34.07
PK	5.09G	67.09	74.00	-6.91	8.01	3	Vertical	346	1.00	-	59.08	31.98	10.08	34.05
PK	5.208G	111.18	Inf	-Inf	7.58	3	Vertical	346	1.00	-	103.60	31.55	10.08	34.05
PK	5.444G	60.54	74.00	-13.46	7.72	3	Vertical	346	1.00	-	52.82	31.59	10.20	34.07

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	52.01	54.00	-1.99	7.93	3	Horizontal	319	1.50	-	44.08	31.90	10.08	34.05
AV	5.205G	99.29	Inf	-Inf	7.60	3	Horizontal	319	1.50	-	91.69	31.57	10.08	34.05
AV	5.42G	47.79	54.00	-6.21	7.66	3	Horizontal	319	1.50	-	40.13	31.54	10.19	34.07
PK	5.147G	65.30	74.00	-8.70	7.94	3	Horizontal	319	1.50	-	57.36	31.91	10.08	34.05
PK	5.207G	109.21	Inf	-Inf	7.59	3	Horizontal	319	1.50	-	101.62	31.56	10.08	34.05
PK	5.438G	59.92	74.00	-14.08	7.71	3	Horizontal	319	1.50	-	52.21	31.58	10.20	34.07






802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41995G	60.35	68.20	-7.85	18.31	3	Vertical	269	2.56	-	42.04	39.62	13.00	34.31



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42023G	60.78	68.20	-7.42	18.31	3	Horizontal	18	1.39	-	42.47	39.62	13.00	34.31



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7606G	106.84	Inf	-Inf	8.30	3	Vertical	334	1.35	-	98.54	31.94	10.44	34.08
PK	5.655G	67.11	71.90	-4.79	7.95	3	Vertical	334	1.35	-	59.16	31.71	10.31	34.07
PK	5.7714G	113.12	Inf	-Inf	8.36	3	Vertical	334	1.35	-	104.76	31.99	10.45	34.08
PK	5.9382G	61.67	68.20	-6.53	8.87	3	Vertical	334	1.35	-	52.80	32.40	10.55	34.08

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7498G	100.49	Inf	-Inf	8.26	3	Horizontal	4	1.50	-	92.23	31.90	10.43	34.07
PK	5.6214G	60.95	68.20	-7.25	7.84	3	Horizontal	4	1.50	-	53.11	31.64	10.27	34.07
PK	5.7666G	107.20	Inf	-Inf	8.34	3	Horizontal	4	1.50	-	98.86	31.97	10.45	34.08
PK	5.9406G	61.14	68.20	-7.06	8.88	3	Horizontal	4	1.50	-	52.26	32.40	10.56	34.08

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54998G	49.87	54.00	-4.13	19.38	3	Vertical	158	2.94	-	30.49	39.85	13.65	34.12
PK	11.55012G	61.98	74.00	-12.02	19.38	3	Vertical	158	2.94	-	42.60	39.85	13.65	34.12

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

12/09/2019

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54906G	48.18	54.00	-5.82	19.38	3	Horizontal	193	1.50	-	28.80	39.85	13.65	34.12
PK	11.54958G	61.67	74.00	-12.33	19.38	3	Horizontal	193	1.50	-	42.29	39.85	13.65	34.12



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	51.70	54.00	-2.30	3	Horizontal	2	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.1428G	73.67	74.00	-0.33	3	Horizontal	349	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.14G	53.23	54.00	-0.77	3	Vertical	0	1.78	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	11.56778G	49.96	54.00	-4.04	3	Vertical	333	2.06	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.635G	67.11	68.20	-1.09	3	Horizontal	336	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.655G	68.75	71.90	-3.15	3	Horizontal	326	1.50	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1496G	50.57	54.00	-3.43	3	Vertical	343	1.50	-
5180MHz	Pass	AV	5.1796G	110.26	Inf	-Inf	3	Vertical	343	1.50	-
5180MHz	Pass	PK	5.1488G	66.17	74.00	-7.83	3	Vertical	343	1.50	-
5180MHz	Pass	PK	5.1796G	116.35	Inf	-Inf	3	Vertical	343	1.50	-
5180MHz	Pass	AV	5.1476G	50.67	54.00	-3.33	3	Horizontal	4	1.50	-
5180MHz	Pass	AV	5.1778G	107.83	Inf	-Inf	3	Horizontal	4	1.50	-
5180MHz	Pass	PK	5.1482G	64.31	74.00	-9.69	3	Horizontal	4	1.50	-
5180MHz	Pass	PK	5.1764G	119.20	Inf	-Inf	3	Horizontal	4	1.50	-
5180MHz	Pass	PK	10.35976G	60.72	68.20	-7.48	3	Vertical	132	2.94	-
5180MHz	Pass	PK	10.36009G	61.25	68.20	-6.95	3	Horizontal	133	1.72	-
5200MHz	Pass	AV	5.1492G	49.39	54.00	-4.61	3	Vertical	354	1.50	-
5200MHz	Pass	AV	5.192G	111.14	Inf	-Inf	3	Vertical	354	1.50	-
5200MHz	Pass	PK	5.1488G	61.67	74.00	-12.33	3	Vertical	354	1.50	-
5200MHz	Pass	PK	5.192G	119.40	Inf	-Inf	3	Vertical	354	1.50	-
5200MHz	Pass	AV	5.15G	51.70	54.00	-2.30	3	Horizontal	2	1.50	-
5200MHz	Pass	AV	5.198G	107.84	Inf	-Inf	3	Horizontal	2	1.50	-
5200MHz	Pass	PK	5.146G	64.78	74.00	-9.22	3	Horizontal	2	1.50	-
5200MHz	Pass	PK	5.202G	118.81	Inf	-Inf	3	Horizontal	2	1.50	-
5200MHz	Pass	PK	10.39835G	61.54	68.20	-6.66	3	Vertical	176	1.50	-
5200MHz	Pass	PK	10.39759G	60.70	68.20	-7.50	3	Horizontal	93	1.50	-
5240MHz	Pass	AV	5.0972G	49.28	54.00	-4.72	3	Vertical	359	1.79	-
5240MHz	Pass	AV	5.2466G	113.87	Inf	-Inf	3	Vertical	359	1.79	-
5240MHz	Pass	AV	5.3528G	48.05	54.00	-5.95	3	Vertical	359	1.79	-
5240MHz	Pass	PK	5.1236G	61.74	74.00	-12.26	3	Vertical	359	1.79	-
5240MHz	Pass	PK	5.2448G	122.27	Inf	-Inf	3	Vertical	359	1.79	-
5240MHz	Pass	PK	5.3582G	60.11	74.00	-13.89	3	Vertical	359	1.79	-
5240MHz	Pass	AV	5.0906G	49.43	54.00	-4.57	3	Horizontal	353	1.50	-
5240MHz	Pass	AV	5.2364G	107.17	Inf	-Inf	3	Horizontal	353	1.50	-
5240MHz	Pass	AV	5.3702G	47.93	54.00	-6.07	3	Horizontal	353	1.50	-
5240MHz	Pass	PK	5.1224G	62.97	74.00	-11.03	3	Horizontal	353	1.50	-
5240MHz	Pass	PK	5.2376G	118.14	Inf	-Inf	3	Horizontal	353	1.50	-
5240MHz	Pass	PK	5.3582G	64.35	74.00	-9.65	3	Horizontal	353	1.50	-
5240MHz	Pass	PK	10.47898G	60.97	68.20	-7.23	3	Vertical	206	1.99	-
5240MHz	Pass	PK	10.49242G	60.09	68.20	-8.11	3	Horizontal	313	1.50	-
5745MHz	Pass	AV	5.7474G	112.23	Inf	-Inf	3	Vertical	359	1.67	-
5745MHz	Pass	PK	5.529G	61.91	68.20	-6.29	3	Vertical	359	1.67	-
5745MHz	Pass	PK	5.7474G	120.49	Inf	-Inf	3	Vertical	359	1.67	-
5745MHz	Pass	PK	5.9382G	63.01	68.20	-5.19	3	Vertical	359	1.67	-
5745MHz	Pass	AV	5.7378G	107.69	Inf	-Inf	3	Horizontal	332	1.66	-
5745MHz	Pass	PK	5.5458G	61.55	68.20	-6.65	3	Horizontal	332	1.66	-
5745MHz	Pass	PK	5.7438G	119.04	Inf	-Inf	3	Horizontal	332	1.66	-
5745MHz	Pass	PK	5.9262G	61.97	68.20	-6.23	3	Horizontal	332	1.66	-
5745MHz	Pass	AV	11.49324G	49.62	54.00	-4.38	3	Vertical	333	1.96	-
5745MHz	Pass	PK	11.4909G	62.80	74.00	-11.20	3	Vertical	333	1.96	-
5745MHz	Pass	AV	11.50374G	48.31	54.00	-5.69	3	Horizontal	17	1.00	-
5745MHz	Pass	PK	11.4849G	60.93	74.00	-13.07	3	Horizontal	17	1.00	-
5785MHz	Pass	AV	5.7778G	111.28	Inf	-Inf	3	Vertical	351	1.50	-





Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	5.5882G	60.81	68.20	-7.39	3	Vertical	351	1.50	-
5785MHz	Pass	PK	5.7778G	120.34	Inf	-Inf	3	Vertical	351	1.50	-
5785MHz	Pass	PK	5.9698G	61.48	68.20	-6.72	3	Vertical	351	1.50	-
5785MHz	Pass	AV	5.7886G	106.99	Inf	-Inf	3	Horizontal	330	1.50	-
5785MHz	Pass	PK	5.6314G	61.23	68.20	-6.97	3	Horizontal	330	1.50	-
5785MHz	Pass	PK	5.791G	117.64	Inf	-Inf	3	Horizontal	330	1.50	-
5785MHz	Pass	PK	5.9326G	61.68	68.20	-6.52	3	Horizontal	330	1.50	-
5785MHz	Pass	AV	11.56778G	49.96	54.00	-4.04	3	Vertical	333	2.06	-
5785MHz	Pass	PK	11.57402G	63.00	74.00	-11.00	3	Vertical	333	2.06	-
5785MHz	Pass	AV	11.58608G	47.89	54.00	-6.11	3	Horizontal	147	1.50	-
5785MHz	Pass	PK	11.56958G	61.03	74.00	-12.97	3	Horizontal	147	1.50	-
5825MHz	Pass	AV	5.8214G	111.22	Inf	-Inf	3	Vertical	6	1.67	-
5825MHz	Pass	PK	5.5982G	62.00	68.20	-6.20	3	Vertical	6	1.67	-
5825MHz	Pass	PK	5.8214G	120.34	Inf	-Inf	3	Vertical	6	1.67	-
5825MHz	Pass	PK	5.9582G	61.16	68.20	-7.04	3	Vertical	6	1.67	-
5825MHz	Pass	AV	5.8274G	107.56	Inf	-Inf	3	Horizontal	338	1.63	-
5825MHz	Pass	PK	5.6258G	60.60	68.20	-7.60	3	Horizontal	338	1.63	-
5825MHz	Pass	PK	5.8274G	118.25	Inf	-Inf	3	Horizontal	338	1.63	-
5825MHz	Pass	PK	5.9606G	61.32	68.20	-6.88	3	Horizontal	338	1.63	-
5825MHz	Pass	AV	11.65G	49.32	54.00	-4.68	3	Vertical	334	1.93	-
5825MHz	Pass	PK	11.64868G	62.02	74.00	-11.98	3	Vertical	334	1.93	-
5825MHz	Pass	AV	11.65046G	47.77	54.00	-6.23	3	Horizontal	166	1.34	-
5825MHz	Pass	PK	11.64916G	60.90	74.00	-13.10	3	Horizontal	166	1.34	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.148G	49.92	54.00	-4.08	3	Vertical	16	1.50	-
5190MHz	Pass	AV	5.184G	105.04	Inf	-Inf	3	Vertical	16	1.50	-
5190MHz	Pass	PK	5.148G	72.29	74.00	-1.71	3	Vertical	16	1.50	-
5190MHz	Pass	PK	5.184G	114.77	Inf	-Inf	3	Vertical	16	1.50	-
5190MHz	Pass	AV	5.1484G	50.22	54.00	-3.78	3	Horizontal	349	1.50	-
5190MHz	Pass	AV	5.198G	102.94	Inf	-Inf	3	Horizontal	349	1.50	-
5190MHz	Pass	PK	5.1428G	73.67	74.00	-0.33	3	Horizontal	349	1.50	-
5190MHz	Pass	PK	5.1984G	114.57	Inf	-Inf	3	Horizontal	349	1.50	-
5190MHz	Pass	PK	10.37976G	60.59	68.20	-7.61	3	Vertical	124	2.22	-
5190MHz	Pass	PK	10.37112G	60.09	68.20	-8.11	3	Horizontal	344	2.91	-
5230MHz	Pass	AV	5.15G	49.72	54.00	-4.28	3	Vertical	350	1.74	-
5230MHz	Pass	AV	5.2292G	112.08	Inf	-Inf	3	Vertical	350	1.74	-
5230MHz	Pass	PK	5.1496G	65.65	74.00	-8.35	3	Vertical	350	1.74	-
5230MHz	Pass	PK	5.2288G	121.61	Inf	-Inf	3	Vertical	350	1.74	-
5230MHz	Pass	AV	5.1488G	50.03	54.00	-3.97	3	Horizontal	344	1.50	-
5230MHz	Pass	AV	5.226G	106.04	Inf	-Inf	3	Horizontal	344	1.50	-
5230MHz	Pass	PK	5.1492G	66.28	74.00	-7.72	3	Horizontal	344	1.50	-
5230MHz	Pass	PK	5.224G	116.37	Inf	-Inf	3	Horizontal	344	1.50	-
5230MHz	Pass	PK	10.47212G	60.68	68.20	-7.52	3	Vertical	155	1.00	-
5230MHz	Pass	PK	10.45016G	60.17	68.20	-8.03	3	Horizontal	302	1.50	-
5755MHz	Pass	AV	5.7454G	112.78	Inf	-Inf	3	Vertical	4	1.69	-
5755MHz	Pass	PK	5.6422G	65.16	68.20	-3.04	3	Vertical	4	1.69	-
5755MHz	Pass	PK	5.7454G	121.82	Inf	-Inf	3	Vertical	4	1.69	-
5755MHz	Pass	PK	5.941G	63.29	68.20	-4.91	3	Vertical	4	1.69	-
5755MHz	Pass	AV	5.7478G	106.86	Inf	-Inf	3	Horizontal	336	1.50	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5755MHz	Pass	PK	5.635G	67.11	68.20	-1.09	3	Horizontal	336	1.50	-
5755MHz	Pass	PK	5.7466G	118.98	Inf	-Inf	3	Horizontal	336	1.50	-
5755MHz	Pass	PK	5.9818G	63.10	68.20	-5.10	3	Horizontal	336	1.50	-
5755MHz	Pass	AV	11.51G	48.31	54.00	-5.69	3	Vertical	168	2.74	-
5755MHz	Pass	PK	11.5016G	61.10	74.00	-12.90	3	Vertical	168	2.74	-
5755MHz	Pass	AV	11.51894G	47.90	54.00	-6.10	3	Horizontal	41	1.93	-
5755MHz	Pass	PK	11.52086G	61.10	74.00	-12.90	3	Horizontal	41	1.93	-
5795MHz	Pass	AV	5.777G	109.05	Inf	-Inf	3	Vertical	348	1.50	-
5795MHz	Pass	PK	5.6378G	61.31	68.20	-6.89	3	Vertical	348	1.50	-
5795MHz	Pass	PK	5.7782G	118.63	Inf	-Inf	3	Vertical	348	1.50	-
5795MHz	Pass	PK	5.9474G	62.27	68.20	-5.93	3	Vertical	348	1.50	-
5795MHz	Pass	AV	5.7974G	104.23	Inf	-Inf	3	Horizontal	0	1.50	-
5795MHz	Pass	PK	5.5718G	61.86	68.20	-6.34	3	Horizontal	0	1.50	-
5795MHz	Pass	PK	5.7866G	116.13	Inf	-Inf	3	Horizontal	0	1.50	-
5795MHz	Pass	PK	5.9366G	62.79	68.20	-5.41	3	Horizontal	0	1.50	-
5795MHz	Pass	AV	11.59094G	48.64	54.00	-5.36	3	Vertical	272	1.50	-
5795MHz	Pass	PK	11.59044G	61.48	74.00	-12.52	3	Vertical	272	1.50	-
5795MHz	Pass	AV	11.59276G	47.83	54.00	-6.17	3	Horizontal	253	1.28	-
5795MHz	Pass	PK	11.59062G	60.59	74.00	-13.41	3	Horizontal	253	1.28	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.14G	53.23	54.00	-0.77	3	Vertical	0	1.78	-
5210MHz	Pass	AV	5.195G	104.39	Inf	-Inf	3	Vertical	0	1.78	-
5210MHz	Pass	AV	5.362G	48.51	54.00	-5.49	3	Vertical	0	1.78	-
5210MHz	Pass	PK	5.129G	67.03	74.00	-6.97	3	Vertical	0	1.78	-
5210MHz	Pass	PK	5.196G	116.21	Inf	-Inf	3	Vertical	0	1.78	-
5210MHz	Pass	PK	5.408G	60.80	74.00	-13.20	3	Vertical	0	1.78	-
5210MHz	Pass	AV	5.124G	51.76	54.00	-2.24	3	Horizontal	3	1.50	-
5210MHz	Pass	AV	5.208G	102.98	Inf	-Inf	3	Horizontal	3	1.50	-
5210MHz	Pass	AV	5.369G	48.03	54.00	-5.97	3	Horizontal	3	1.50	-
5210MHz	Pass	PK	5.09G	71.36	74.00	-2.64	3	Horizontal	3	1.50	-
5210MHz	Pass	PK	5.204G	111.84	Inf	-Inf	3	Horizontal	3	1.50	-
5210MHz	Pass	PK	5.378G	60.50	74.00	-13.50	3	Horizontal	3	1.50	-
5210MHz	Pass	PK	10.41979G	61.11	68.20	-7.09	3	Vertical	130	3.00	-
5210MHz	Pass	PK	10.4217G	60.46	68.20	-7.74	3	Horizontal	228	2.33	-
5775MHz	Pass	AV	5.7402G	105.58	Inf	-Inf	3	Vertical	357	1.61	-
5775MHz	Pass	PK	5.6442G	63.84	68.20	-4.36	3	Vertical	357	1.61	-
5775MHz	Pass	PK	5.7822G	112.78	Inf	-Inf	3	Vertical	357	1.61	-
5775MHz	Pass	PK	5.9262G	63.16	68.20	-5.04	3	Vertical	357	1.61	-
5775MHz	Pass	AV	5.7426G	105.53	Inf	-Inf	3	Horizontal	326	1.50	-
5775MHz	Pass	PK	5.655G	68.75	71.90	-3.15	3	Horizontal	326	1.50	-
5775MHz	Pass	PK	5.7474G	115.18	Inf	-Inf	3	Horizontal	326	1.50	-
5775MHz	Pass	PK	5.9838G	62.19	68.20	-6.01	3	Horizontal	326	1.50	-
5775MHz	Pass	AV	11.54983G	48.31	54.00	-5.69	3	Vertical	206	1.50	-
5775MHz	Pass	PK	11.55048G	61.24	74.00	-12.76	3	Vertical	206	1.50	-
5775MHz	Pass	AV	11.54936G	48.23	54.00	-5.77	3	Horizontal	220	1.99	-
5775MHz	Pass	PK	11.55024G	61.36	74.00	-12.64	3	Horizontal	220	1.99	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.57	54.00	-3.43	7.93	3	Vertical	343	1.50	-	42.64	31.90	10.08	34.05
AV	5.1796G	110.26	Inf	-Inf	7.75	3	Vertical	343	1.50	-	102.51	31.72	10.08	34.05
PK	5.1488G	66.17	74.00	-7.83	7.93	3	Vertical	343	1.50	-	58.24	31.90	10.08	34.05
PK	5.1796G	116.35	Inf	-Inf	7.75	3	Vertical	343	1.50	-	108.60	31.72	10.08	34.05

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	50.67	54.00	-3.33	7.93	3	Horizontal	4	1.50	-	42.74	31.90	10.08	34.05
AV	5.1778G	107.83	Inf	-Inf	7.76	3	Horizontal	4	1.50	-	100.07	31.73	10.08	34.05
PK	5.1482G	64.31	74.00	-9.69	7.93	3	Horizontal	4	1.50	-	56.38	31.90	10.08	34.05
PK	5.1764G	119.20	Inf	-Inf	7.77	3	Horizontal	4	1.50	-	111.43	31.74	10.08	34.05



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35976G	60.72	68.20	-7.48	18.02	3	Vertical	132	2.94	-	42.70	39.44	12.96	34.38



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36009G	61.25	68.20	-6.95	18.02	3	Horizontal	133	1.72	-	43.23	39.44	12.96	34.38

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	49.39	54.00	-4.61	7.93	3	Vertical	354	1.50	-	41.46	31.90	10.08	34.05
AV	5.192G	111.14	Inf	-Inf	7.68	3	Vertical	354	1.50	-	103.46	31.65	10.08	34.05
PK	5.1488G	61.67	74.00	-12.33	7.93	3	Vertical	354	1.50	-	53.74	31.90	10.08	34.05
PK	5.192G	119.40	Inf	-Inf	7.68	3	Vertical	354	1.50	-	111.72	31.65	10.08	34.05

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.70	54.00	-2.30	7.93	3	Horizontal	2	1.50	-	43.77	31.90	10.08	34.05
AV	5.198G	107.84	Inf	-Inf	7.64	3	Horizontal	2	1.50	-	100.20	31.61	10.08	34.05
PK	5.146G	64.78	74.00	-9.22	7.94	3	Horizontal	2	1.50	-	56.84	31.91	10.08	34.05
PK	5.202G	118.81	Inf	-Inf	7.62	3	Horizontal	2	1.50	-	111.19	31.59	10.08	34.05



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39835G	61.54	68.20	-6.66	18.24	3	Vertical	176	1.50	-	43.30	39.59	12.99	34.34

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39759G	60.70	68.20	-7.50	18.24	3	Horizontal	93	1.50	-	42.46	39.59	12.99	34.34

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0972G	49.28	54.00	-4.72	8.02	3	Vertical	359	1.79	-	41.26	31.99	10.08	34.05
AV	5.2466G	113.87	Inf	-Inf	7.37	3	Vertical	359	1.79	-	106.50	31.32	10.10	34.05
AV	5.3528G	48.05	54.00	-5.95	7.32	3	Vertical	359	1.79	-	40.73	31.22	10.16	34.06
PK	5.1236G	61.74	74.00	-12.26	7.98	3	Vertical	359	1.79	-	53.76	31.95	10.08	34.05
PK	5.2448G	122.27	Inf	-Inf	7.38	3	Vertical	359	1.79	-	114.89	31.33	10.10	34.05
PK	5.3582G	60.11	74.00	-13.89	7.35	3	Vertical	359	1.79	-	52.76	31.25	10.16	34.06

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0906G	49.43	54.00	-4.57	8.01	3	Horizontal	353	1.50	-	41.42	31.98	10.08	34.05
AV	5.2364G	107.17	Inf	-Inf	7.43	3	Horizontal	353	1.50	-	99.74	31.38	10.10	34.05
AV	5.3702G	47.93	54.00	-6.07	7.43	3	Horizontal	353	1.50	-	40.50	31.32	10.17	34.06
PK	5.1224G	62.97	74.00	-11.03	7.99	3	Horizontal	353	1.50	-	54.98	31.96	10.08	34.05
PK	5.2376G	118.14	Inf	-Inf	7.42	3	Horizontal	353	1.50	-	110.72	31.37	10.10	34.05
PK	5.3582G	64.35	74.00	-9.65	7.35	3	Horizontal	353	1.50	-	57.00	31.25	10.16	34.06



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47898G	60.97	68.20	-7.23	18.46	3	Vertical	206	1.99	-	42.51	39.68	13.03	34.25

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.49242G	60.09	68.20	-8.11	18.49	3	Horizontal	313	1.50	-	41.60	39.69	13.04	34.24

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	112.23	Inf	-Inf	8.24	3	Vertical	359	1.67	-	103.99	31.89	10.42	34.07
PK	5.529G	61.91	68.20	-6.29	7.89	3	Vertical	359	1.67	-	54.02	31.74	10.22	34.07
PK	5.7474G	120.49	Inf	-Inf	8.24	3	Vertical	359	1.67	-	112.25	31.89	10.42	34.07
PK	5.9382G	63.01	68.20	-5.19	8.87	3	Vertical	359	1.67	-	54.14	32.40	10.55	34.08

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	107.69	Inf	-Inf	8.22	3	Horizontal	332	1.66	-	99.47	31.88	10.41	34.07
PK	5.5458G	61.55	68.20	-6.65	7.87	3	Horizontal	332	1.66	-	53.68	31.71	10.23	34.07
PK	5.7438G	119.04	Inf	-Inf	8.24	3	Horizontal	332	1.66	-	110.80	31.89	10.42	34.07
PK	5.9262G	61.97	68.20	-6.23	8.87	3	Horizontal	332	1.66	-	53.10	32.40	10.55	34.08



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49324G	49.62	54.00	-4.38	19.40	3	Vertical	333	1.96	-	30.22	39.89	13.62	34.11
PK	11.4909G	62.80	74.00	-11.20	19.40	3	Vertical	333	1.96	-	43.40	39.89	13.62	34.11

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50374G	48.31	54.00	-5.69	19.42	3	Horizontal	17	1.00	-	28.89	39.90	13.63	34.11
PK	11.4849G	60.93	74.00	-13.07	19.39	3	Horizontal	17	1.00	-	41.54	39.88	13.62	34.11

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	111.28	Inf	-Inf	8.39	3	Vertical	351	1.50	-	102.89	32.01	10.46	34.08
PK	5.5882G	60.81	68.20	-7.39	7.79	3	Vertical	351	1.50	-	53.02	31.62	10.24	34.07
PK	5.7778G	120.34	Inf	-Inf	8.39	3	Vertical	351	1.50	-	111.95	32.01	10.46	34.08
PK	5.9698G	61.48	68.20	-6.72	8.89	3	Vertical	351	1.50	-	52.59	32.40	10.57	34.08

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	106.99	Inf	-Inf	8.44	3	Horizontal	330	1.50	-	98.55	32.05	10.47	34.08
PK	5.6314G	61.23	68.20	-6.97	7.87	3	Horizontal	330	1.50	-	53.36	31.66	10.28	34.07
PK	5.791G	117.64	Inf	-Inf	8.46	3	Horizontal	330	1.50	-	109.18	32.06	10.48	34.08
PK	5.9326G	61.68	68.20	-6.52	8.87	3	Horizontal	330	1.50	-	52.81	32.40	10.55	34.08

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56778G	49.96	54.00	-4.04	19.37	3	Vertical	333	2.06	-	30.59	39.83	13.66	34.12
PK	11.57402G	63.00	74.00	-11.00	19.37	3	Vertical	333	2.06	-	43.63	39.83	13.67	34.13

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58608G	47.89	54.00	-6.11	19.35	3	Horizontal	147	1.50	-	28.54	39.81	13.67	34.13
PK	11.56958G	61.03	74.00	-12.97	19.36	3	Horizontal	147	1.50	-	41.67	39.83	13.66	34.13

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	111.22	Inf	-Inf	8.61	3	Vertical	6	1.67	-	102.61	32.19	10.50	34.08
PK	5.5982G	62.00	68.20	-6.20	7.77	3	Vertical	6	1.67	-	54.23	31.60	10.24	34.07
PK	5.8214G	120.34	Inf	-Inf	8.61	3	Vertical	6	1.67	-	111.73	32.19	10.50	34.08
PK	5.9582G	61.16	68.20	-7.04	8.88	3	Vertical	6	1.67	-	52.28	32.40	10.56	34.08

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	107.56	Inf	-Inf	8.63	3	Horizontal	338	1.63	-	98.93	32.21	10.50	34.08
PK	5.6258G	60.60	68.20	-7.60	7.85	3	Horizontal	338	1.63	-	52.75	31.65	10.27	34.07
PK	5.8274G	118.25	Inf	-Inf	8.63	3	Horizontal	338	1.63	-	109.62	32.21	10.50	34.08
PK	5.9606G	61.32	68.20	-6.88	8.88	3	Horizontal	338	1.63	-	52.44	32.40	10.56	34.08



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65G	49.32	54.00	-4.68	19.07	3	Vertical	334	1.93	-	30.25	39.50	13.71	34.14
PK	11.64868G	62.02	74.00	-11.98	19.08	3	Vertical	334	1.93	-	42.94	39.51	13.71	34.14

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65046G	47.77	54.00	-6.23	19.07	3	Horizontal	166	1.34	-	28.70	39.50	13.71	34.14
PK	11.64916G	60.90	74.00	-13.10	19.08	3	Horizontal	166	1.34	-	41.82	39.51	13.71	34.14

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	49.92	54.00	-4.08	7.93	3	Vertical	16	1.50	-	41.99	31.90	10.08	34.05
AV	5.184G	105.04	Inf	-Inf	7.73	3	Vertical	16	1.50	-	97.31	31.70	10.08	34.05
PK	5.148G	72.29	74.00	-1.71	7.93	3	Vertical	16	1.50	-	64.36	31.90	10.08	34.05
PK	5.184G	114.77	Inf	-Inf	7.73	3	Vertical	16	1.50	-	107.04	31.70	10.08	34.05

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	50.22	54.00	-3.78	7.93	3	Horizontal	349	1.50	-	42.29	31.90	10.08	34.05
AV	5.198G	102.94	Inf	-Inf	7.64	3	Horizontal	349	1.50	-	95.30	31.61	10.08	34.05
PK	5.1428G	73.67	74.00	-0.33	7.94	3	Horizontal	349	1.50	-	65.73	31.91	10.08	34.05
PK	5.1984G	114.57	Inf	-Inf	7.64	3	Horizontal	349	1.50	-	106.93	31.61	10.08	34.05

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37976G	60.59	68.20	-7.61	18.14	3	Vertical	124	2.22	-	42.45	39.52	12.98	34.36

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37112G	60.09	68.20	-8.11	18.08	3	Horizontal	344	2.91	-	42.01	39.48	12.97	34.37

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.72	54.00	-4.28	7.93	3	Vertical	350	1.74	-	41.79	31.90	10.08	34.05
AV	5.2292G	112.08	Inf	-Inf	7.46	3	Vertical	350	1.74	-	104.62	31.42	10.09	34.05
PK	5.1496G	65.65	74.00	-8.35	7.93	3	Vertical	350	1.74	-	57.72	31.90	10.08	34.05
PK	5.2288G	121.61	Inf	-Inf	7.47	3	Vertical	350	1.74	-	114.14	31.43	10.09	34.05

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	50.03	54.00	-3.97	7.93	3	Horizontal	344	1.50	-	42.10	31.90	10.08	34.05
AV	5.226G	106.04	Inf	-Inf	7.48	3	Horizontal	344	1.50	-	98.56	31.44	10.09	34.05
PK	5.1492G	66.28	74.00	-7.72	7.93	3	Horizontal	344	1.50	-	58.35	31.90	10.08	34.05
PK	5.224G	116.37	Inf	-Inf	7.50	3	Horizontal	344	1.50	-	108.87	31.46	10.09	34.05






802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47212G	60.68	68.20	-7.52	18.44	3	Vertical	155	1.00	-	42.24	39.67	13.03	34.26

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45016G	60.17	68.20	-8.03	18.39	3	Horizontal	302	1.50	-	41.78	39.65	13.02	34.28

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7454G	112.78	Inf	-Inf	8.24	3	Vertical	4	1.69	-	104.54	31.89	10.42	34.07
PK	5.6422G	65.16	68.20	-3.04	7.90	3	Vertical	4	1.69	-	57.26	31.68	10.29	34.07
PK	5.7454G	121.82	Inf	-Inf	8.24	3	Vertical	4	1.69	-	113.58	31.89	10.42	34.07
PK	5.941G	63.29	68.20	-4.91	8.88	3	Vertical	4	1.69	-	54.41	32.40	10.56	34.08

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7478G	106.86	Inf	-Inf	8.25	3	Horizontal	336	1.50	-	98.61	31.90	10.42	34.07
PK	5.635G	67.11	68.20	-1.09	7.89	3	Horizontal	336	1.50	-	59.22	31.67	10.29	34.07
PK	5.7466G	118.98	Inf	-Inf	8.24	3	Horizontal	336	1.50	-	110.74	31.89	10.42	34.07
PK	5.9818G	63.10	68.20	-5.10	8.90	3	Horizontal	336	1.50	-	54.20	32.40	10.58	34.08

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51G	48.31	54.00	-5.69	19.41	3	Vertical	168	2.74	-	28.90	39.89	13.63	34.11
PK	11.5016G	61.10	74.00	-12.90	19.42	3	Vertical	168	2.74	-	41.68	39.90	13.63	34.11

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51894G	47.90	54.00	-6.10	19.41	3	Horizontal	41	1.93	-	28.49	39.88	13.64	34.11
PK	11.52086G	61.10	74.00	-12.90	19.41	3	Horizontal	41	1.93	-	41.69	39.88	13.64	34.11

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.777G	109.05	Inf	-Inf	8.39	3	Vertical	348	1.50	-	100.66	32.01	10.46	34.08
PK	5.6378G	61.31	68.20	-6.89	7.90	3	Vertical	348	1.50	-	53.41	31.68	10.29	34.07
PK	5.7782G	118.63	Inf	-Inf	8.39	3	Vertical	348	1.50	-	110.24	32.01	10.46	34.08
PK	5.9474G	62.27	68.20	-5.93	8.88	3	Vertical	348	1.50	-	53.39	32.40	10.56	34.08

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7974G	104.23	Inf	-Inf	8.49	3	Horizontal	0	1.50	-	95.74	32.09	10.48	34.08
PK	5.5718G	61.86	68.20	-6.34	7.83	3	Horizontal	0	1.50	-	54.03	31.66	10.24	34.07
PK	5.7866G	116.13	Inf	-Inf	8.44	3	Horizontal	0	1.50	-	107.69	32.05	10.47	34.08
PK	5.9366G	62.79	68.20	-5.41	8.87	3	Horizontal	0	1.50	-	53.92	32.40	10.55	34.08



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59094G	48.64	54.00	-5.36	19.36	3	Vertical	272	1.50	-	29.28	39.81	13.68	34.13
PK	11.59044G	61.48	74.00	-12.52	19.36	3	Vertical	272	1.50	-	42.12	39.81	13.68	34.13

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59276G	47.83	54.00	-6.17	19.36	3	Horizontal	253	1.28	-	28.47	39.81	13.68	34.13
PK	11.59062G	60.59	74.00	-13.41	19.36	3	Horizontal	253	1.28	-	41.23	39.81	13.68	34.13

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14G	53.23	54.00	-0.77	7.95	3	Vertical	0	1.78	-	45.28	31.92	10.08	34.05
AV	5.195G	104.39	Inf	-Inf	7.66	3	Vertical	0	1.78	-	96.73	31.63	10.08	34.05
AV	5.362G	48.51	54.00	-5.49	7.38	3	Vertical	0	1.78	-	41.13	31.27	10.17	34.06
PK	5.129G	67.03	74.00	-6.97	7.97	3	Vertical	0	1.78	-	59.06	31.94	10.08	34.05
PK	5.196G	116.21	Inf	-Inf	7.65	3	Vertical	0	1.78	-	108.56	31.62	10.08	34.05
PK	5.408G	60.80	74.00	-13.20	7.65	3	Vertical	0	1.78	-	53.15	31.52	10.19	34.06

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.124G	51.76	54.00	-2.24	7.98	3	Horizontal	3	1.50	-	43.78	31.95	10.08	34.05
AV	5.208G	102.98	Inf	-Inf	7.58	3	Horizontal	3	1.50	-	95.40	31.55	10.08	34.05
AV	5.369G	48.03	54.00	-5.97	7.42	3	Horizontal	3	1.50	-	40.61	31.31	10.17	34.06
PK	5.09G	71.36	74.00	-2.64	8.01	3	Horizontal	3	1.50	-	63.35	31.98	10.08	34.05
PK	5.204G	111.84	Inf	-Inf	7.61	3	Horizontal	3	1.50	-	104.23	31.58	10.08	34.05
PK	5.378G	60.50	74.00	-13.50	7.49	3	Horizontal	3	1.50	-	53.01	31.37	10.18	34.06

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41979G	61.11	68.20	-7.09	18.30	3	Vertical	130	3.00	-	42.81	39.62	13.00	34.32

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4217G	60.46	68.20	-7.74	18.31	3	Horizontal	228	2.33	-	42.15	39.62	13.00	34.31

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	105.58	Inf	-Inf	8.22	3	Vertical	357	1.61	-	97.36	31.88	10.41	34.07
PK	5.6442G	63.84	68.20	-4.36	7.92	3	Vertical	357	1.61	-	55.92	31.69	10.30	34.07
PK	5.7822G	112.78	Inf	-Inf	8.42	3	Vertical	357	1.61	-	104.36	32.03	10.47	34.08
PK	5.9262G	63.16	68.20	-5.04	8.87	3	Vertical	357	1.61	-	54.29	32.40	10.55	34.08

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	105.53	Inf	-Inf	8.24	3	Horizontal	326	1.50	-	97.29	31.89	10.42	34.07
PK	5.655G	68.75	71.90	-3.15	7.95	3	Horizontal	326	1.50	-	60.80	31.71	10.31	34.07
PK	5.7474G	115.18	Inf	-Inf	8.24	3	Horizontal	326	1.50	-	106.94	31.89	10.42	34.07
PK	5.9838G	62.19	68.20	-6.01	8.90	3	Horizontal	326	1.50	-	53.29	32.40	10.58	34.08



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54983G	48.31	54.00	-5.69	19.38	3	Vertical	206	1.50	-	28.93	39.85	13.65	34.12
PK	11.55048G	61.24	74.00	-12.76	19.38	3	Vertical	206	1.50	-	41.86	39.85	13.65	34.12

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

13/09/2019

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54936G	48.23	54.00	-5.77	19.38	3	Horizontal	220	1.99	-	28.85	39.85	13.65	34.12
PK	11.55024G	61.36	74.00	-12.64	19.38	3	Horizontal	220	1.99	-	41.98	39.85	13.65	34.12




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.8723G	51.77	54.00	-2.23	Horizontal
Mode 2	Pass	PK	10.59685G	63.95	68.20	-4.25	Horizontal

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.82766G	33.62	54.00	-20.38	3	Vertical	162	1.48	-
Mode 1	Pass	AV	4.8726G	47.44	54.00	-6.56	3	Vertical	322	1.63	-
Mode 1	Pass	AV	4.962G	36.52	54.00	-17.48	3	Vertical	348	1.08	-
Mode 1	Pass	AV	7.43861G	37.88	54.00	-16.12	3	Vertical	339	1.46	-
Mode 1	Pass	PK	4.8223G	47.61	74.00	-26.39	3	Vertical	162	1.48	-
Mode 1	Pass	PK	4.8716G	60.48	74.00	-13.52	3	Vertical	322	1.63	-
Mode 1	Pass	PK	4.9608G	47.85	74.00	-26.15	3	Vertical	348	1.08	-
Mode 1	Pass	PK	7.44628G	51.38	74.00	-22.62	3	Vertical	339	1.46	-
Mode 1	Pass	PK	10.4836G	56.66	68.20	-11.54	3	Vertical	0	1.58	-
Mode 1	Pass	AV	4.82652G	32.36	54.00	-21.64	3	Horizontal	183	1.49	-
Mode 1	Pass	AV	4.8723G	51.77	54.00	-2.23	3	Horizontal	27	1.48	-
Mode 1	Pass	AV	4.96227G	37.42	54.00	-16.58	3	Horizontal	166	2.58	-
Mode 1	Pass	AV	7.44138G	35.73	54.00	-18.27	3	Horizontal	66	1.12	-
Mode 1	Pass	PK	4.82225G	44.52	74.00	-29.48	3	Horizontal	183	1.49	-
Mode 1	Pass	PK	4.8719G	66.52	74.00	-7.48	3	Horizontal	27	1.48	-
Mode 1	Pass	PK	4.95631G	49.62	74.00	-24.38	3	Horizontal	166	2.58	-
Mode 1	Pass	PK	7.4389G	53.77	74.00	-20.23	3	Horizontal	66	1.12	-
Mode 1	Pass	PK	10.4836G	54.68	68.20	-13.52	3	Horizontal	17	2.16	-
Mode 2	Pass	AV	4.82765G	33.34	54.00	-20.66	3	Vertical	186	1.22	-
Mode 2	Pass	AV	4.96277G	36.77	54.00	-17.23	3	Vertical	360	1.08	-
Mode 2	Pass	AV	7.43865G	37.52	54.00	-16.48	3	Vertical	332	1.77	-
Mode 2	Pass	PK	4.8227G	47.44	74.00	-26.56	3	Vertical	186	1.22	-
Mode 2	Pass	PK	4.96084G	48.58	74.00	-25.42	3	Vertical	360	1.08	-
Mode 2	Pass	PK	7.44666G	51.76	74.00	-22.24	3	Vertical	332	1.77	-
Mode 2	Pass	PK	10.48387G	56.58	68.20	-11.62	3	Vertical	6	1.58	-
Mode 2	Pass	PK	10.60848G	61.95	74.00	-12.05	3	Vertical	360	1.50	-
Mode 2	Pass	AV	4.82663G	32.38	54.00	-21.62	3	Horizontal	72	1.58	-
Mode 2	Pass	AV	4.96258G	38.62	54.00	-15.38	3	Horizontal	163	2.28	-
Mode 2	Pass	AV	7.44132G	37.44	54.00	-16.56	3	Horizontal	348	1.08	-
Mode 2	Pass	PK	4.82224G	44.15	74.00	-29.85	3	Horizontal	72	1.58	-
Mode 2	Pass	PK	4.95638G	48.73	74.00	-25.27	3	Horizontal	163	2.28	-
Mode 2	Pass	PK	7.43896G	51.18	74.00	-22.82	3	Horizontal	348	1.08	-
Mode 2	Pass	PK	10.4834G	56.66	68.20	-11.54	3	Horizontal	29	2.27	-
Mode 2	Pass	PK	10.59685G	63.95	68.20	-4.25	3	Horizontal	48	1.13	-

Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82757G	33.62	54.00	-20.38	7.87	3	Vertical	162	1.48	-	25.75	32.37	9.68	34.18
AV	4.87248G	47.44	54.00	-6.56	8.12	3	Vertical	322	1.63	-	39.32	32.59	9.70	34.17
AV	4.96222G	36.52	54.00	-17.48	8.65	3	Vertical	348	1.08	-	27.87	33.05	9.73	34.13
AV	7.43871G	37.88	54.00	-16.12	13.19	3	Vertical	339	1.46	-	24.69	36.40	11.30	34.51
PK	4.8223G	47.61	74.00	-26.39	7.83	3	Vertical	162	1.48	-	39.78	32.33	9.68	34.18
PK	4.8718G	60.48	74.00	-13.52	8.12	3	Vertical	322	1.63	-	52.36	32.59	9.70	34.17
PK	4.9607G	47.85	74.00	-26.15	8.64	3	Vertical	348	1.08	-	39.21	33.04	9.73	34.13
PK	7.44627G	51.38	74.00	-22.62	13.18	3	Vertical	339	1.46	-	38.20	36.40	11.29	34.51
PK	10.4832G	56.66	68.20	-11.54	17.10	3	Vertical	0	1.58	-	39.56	38.90	12.72	34.52

Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82654G	32.36	54.00	-21.64	7.86	3	Horizontal	183	1.49	-	24.50	32.36	9.68	34.18
AV	4.8726G	51.77	54.00	-2.23	8.12	3	Horizontal	27	1.48	-	43.65	32.59	9.70	34.17
AV	4.9628G	37.42	54.00	-16.58	8.65	3	Horizontal	166	2.58	-	28.77	33.05	9.73	34.13
AV	7.4418G	35.73	54.00	-18.27	13.19	3	Horizontal	66	1.12	-	22.54	36.40	11.30	34.51
PK	4.82228G	44.52	74.00	-29.48	7.83	3	Horizontal	183	1.49	-	36.69	32.33	9.68	34.18
PK	4.87178G	66.52	74.00	-7.48	8.12	3	Horizontal	27	1.48	-	58.40	32.59	9.70	34.17
PK	4.95635G	49.62	74.00	-24.38	8.62	3	Horizontal	166	2.58	-	41.00	33.03	9.73	34.14
PK	7.43858G	53.77	74.00	-20.23	13.19	3	Horizontal	66	1.12	-	40.58	36.40	11.30	34.51
PK	10.4836G	54.68	68.20	-13.52	17.10	3	Horizontal	17	2.16	-	37.58	38.90	12.72	34.52

### Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82765G	33.34	54.00	-20.66	7.87	3	Vertical	186	1.22	-	25.47	32.37	9.68	34.18
AV	4.96277G	36.77	54.00	-17.23	8.65	3	Vertical	360	1.08	-	28.12	33.05	9.73	34.13
AV	7.43865G	37.52	54.00	-16.48	13.19	3	Vertical	332	1.77	-	24.33	36.40	11.30	34.51
PK	4.8227G	47.44	74.00	-26.56	7.83	3	Vertical	186	1.22	-	39.61	32.33	9.68	34.18
PK	4.96084G	48.58	74.00	-25.42	8.64	3	Vertical	360	1.08	-	39.94	33.04	9.73	34.13
PK	7.44666G	51.76	74.00	-22.24	13.18	3	Vertical	332	1.77	-	38.58	36.40	11.29	34.51
PK	10.48387G	56.58	68.20	-11.62	17.10	3	Vertical	6	1.58	-	39.48	38.90	12.72	34.52
PK	10.60848G	61.95	74.00	-12.05	17.27	3	Vertical	360	1.50	-	44.68	38.93	12.77	34.43

### Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82663G	32.38	54.00	-21.62	7.86	3	Horizontal	72	1.58	-	24.52	32.36	9.68	34.18
AV	4.96258G	38.62	54.00	-15.38	8.65	3	Horizontal	163	2.28	-	29.97	33.05	9.73	34.13
AV	7.44132G	37.44	54.00	-16.56	13.19	3	Horizontal	348	1.08	-	24.25	36.40	11.30	34.51
PK	4.82224G	44.15	74.00	-29.85	7.83	3	Horizontal	72	1.58	-	36.32	32.33	9.68	34.18
PK	4.95638G	48.73	74.00	-25.27	8.62	3	Horizontal	163	2.28	-	40.11	33.03	9.73	34.14
PK	7.43896G	51.18	74.00	-22.82	13.19	3	Horizontal	348	1.08	-	37.99	36.40	11.30	34.51
PK	10.4834G	56.66	68.20	-11.54	17.10	3	Horizontal	29	2.27	-	39.56	38.90	12.72	34.52
PK	10.59685G	63.95	68.20	-4.25	17.22	3	Horizontal	48	1.13	-	46.73	38.90	12.76	34.44