


802.11a_Nss1,(6Mbps)_2TX

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63824G	45.93	54.00	-8.07	18.51	3	Horizontal	147	1.40	-	27.42	39.45	10.09	31.03
PK	11.66188G	56.68	74.00	-17.32	18.42	3	Horizontal	147	1.40	-	38.26	39.35	10.10	31.03
PK	17.46324G	61.95	68.20	-6.25	21.94	3	Horizontal	175	1.52	-	40.01	40.89	12.65	31.60

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.54	54.00	-9.46	8.20	3	Vertical	62	1.63	-	36.34	31.90	6.04	29.74
AV	5.1782G	92.10	Inf	-Inf	8.05	3	Vertical	62	1.63	-	84.05	31.73	6.06	29.74
PK	5.1468G	56.89	74.00	-17.11	8.18	3	Vertical	62	1.63	-	48.71	31.89	6.03	29.74
PK	5.1816G	104.65	Inf	-Inf	8.04	3	Vertical	62	1.63	-	96.61	31.71	6.06	29.73

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	51.88	54.00	-2.12	8.19	3	Horizontal	29	1.58	-	43.69	31.90	6.03	29.74
AV	5.1774G	103.85	Inf	-Inf	8.06	3	Horizontal	29	1.58	-	95.79	31.74	6.06	29.74
PK	5.15G	66.59	74.00	-7.41	8.20	3	Horizontal	29	1.58	-	58.39	31.90	6.04	29.74
PK	5.1746G	116.10	Inf	-Inf	8.07	3	Horizontal	29	1.58	-	108.03	31.75	6.06	29.74

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5373G	45.36	54.00	-8.64	18.09	3	Vertical	162	2.99	-	27.27	38.08	11.90	31.89
PK	10.35988G	57.03	68.20	-11.17	17.63	3	Vertical	145	1.71	-	39.40	39.36	9.23	30.96
PK	15.53778G	58.00	74.00	-16.00	18.08	3	Vertical	162	2.99	-	39.92	38.07	11.90	31.89

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52566G	45.18	54.00	-8.82	18.15	3	Horizontal	345	1.60	-	27.03	38.15	11.89	31.89
PK	10.37104G	56.38	68.20	-11.82	17.71	3	Horizontal	144	2.38	-	38.67	39.43	9.24	30.96
PK	15.53574G	57.46	74.00	-16.54	18.10	3	Horizontal	345	1.60	-	39.36	38.09	11.90	31.89

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	44.12	54.00	-9.88	8.19	3	Vertical	307	1.62	-	35.93	31.90	6.03	29.74
AV	5.2016G	95.09	Inf	-Inf	7.94	3	Vertical	307	1.62	-	87.15	31.59	6.08	29.73
PK	5.1492G	56.53	74.00	-17.47	8.19	3	Vertical	307	1.62	-	48.34	31.90	6.03	29.74
PK	5.1948G	107.03	Inf	-Inf	7.98	3	Vertical	307	1.62	-	99.05	31.63	6.08	29.73

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.09	54.00	-2.91	8.20	3	Horizontal	29	1.54	-	42.89	31.90	6.04	29.74
AV	5.198G	106.87	Inf	-Inf	7.96	3	Horizontal	29	1.54	-	98.91	31.61	6.08	29.73
PK	5.1488G	65.59	74.00	-8.41	8.19	3	Horizontal	29	1.54	-	57.40	31.90	6.03	29.74
PK	5.1976G	118.94	Inf	-Inf	7.96	3	Horizontal	29	1.54	-	110.98	31.61	6.08	29.73

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60036G	50.49	54.00	-3.51	17.73	3	Vertical	209	2.64	-	32.76	37.70	11.93	31.90
PK	10.40012G	58.65	68.20	-9.55	17.89	3	Vertical	276	1.83	-	40.76	39.60	9.26	30.97
PK	15.603G	64.89	74.00	-9.11	17.73	3	Vertical	209	2.64	-	47.16	37.69	11.94	31.90

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59964G	45.16	54.00	-8.84	17.73	3	Horizontal	125	1.43	-	27.43	37.70	11.93	31.90
PK	10.39502G	56.59	68.20	-11.61	17.85	3	Horizontal	95	1.81	-	38.74	39.57	9.25	30.97
PK	15.59034G	59.15	74.00	-14.85	17.79	3	Horizontal	125	1.43	-	41.36	37.76	11.93	31.90

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.81	54.00	-10.19	8.20	3	Vertical	59	1.37	-	35.61	31.90	6.04	29.74
AV	5.2376G	94.56	Inf	-Inf	7.73	3	Vertical	59	1.37	-	86.83	31.37	6.09	29.73
AV	5.3582G	43.06	54.00	-10.94	7.66	3	Vertical	59	1.37	-	35.40	31.25	6.12	29.71
PK	5.15G	55.79	74.00	-18.21	8.20	3	Vertical	59	1.37	-	47.59	31.90	6.04	29.74
PK	5.2376G	106.49	Inf	-Inf	7.73	3	Vertical	59	1.37	-	98.76	31.37	6.09	29.73
PK	5.3516G	54.70	74.00	-19.30	7.62	3	Vertical	59	1.37	-	47.08	31.21	6.12	29.71

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.50	54.00	-4.50	8.20	3	Horizontal	29	1.40	-	41.30	31.90	6.04	29.74
AV	5.2382G	106.56	Inf	-Inf	7.73	3	Horizontal	29	1.40	-	98.83	31.37	6.09	29.73
AV	5.3504G	47.18	54.00	-6.82	7.61	3	Horizontal	29	1.40	-	39.57	31.20	6.12	29.71
PK	5.1494G	62.84	74.00	-11.16	8.19	3	Horizontal	29	1.40	-	54.65	31.90	6.03	29.74
PK	5.2376G	118.34	Inf	-Inf	7.73	3	Horizontal	29	1.40	-	110.61	31.37	6.09	29.73
PK	5.35G	60.26	74.00	-13.74	7.61	3	Horizontal	29	1.40	-	52.65	31.20	6.12	29.71

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72144G	53.05	54.00	-0.95	17.38	3	Vertical	206	2.91	-	35.67	37.28	12.00	31.90
PK	10.48024G	58.01	68.20	-10.19	18.00	3	Vertical	143	3.00	-	40.01	39.68	9.31	30.99
PK	15.7269G	67.53	74.00	-6.47	17.38	3	Vertical	206	2.91	-	50.15	37.27	12.01	31.90

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72042G	44.71	54.00	-9.29	17.38	3	Horizontal	278	2.34	-	27.33	37.28	12.00	31.90
PK	10.48384G	56.66	68.20	-11.54	17.99	3	Horizontal	30	2.01	-	38.67	39.68	9.31	31.00
PK	15.71454G	57.95	74.00	-16.05	17.39	3	Horizontal	278	2.34	-	40.56	37.29	12.00	31.90

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	99.47	Inf	-Inf	8.33	3	Vertical	301	1.55	-	91.14	31.90	6.20	29.77
PK	5.6502G	58.16	68.35	-10.19	8.05	3	Vertical	301	1.55	-	50.11	31.60	6.19	29.74
PK	5.7438G	110.67	Inf	-Inf	8.32	3	Vertical	301	1.55	-	102.35	31.89	6.20	29.77
PK	5.9502G	57.48	68.20	-10.72	8.94	3	Vertical	301	1.55	-	48.54	32.30	6.47	29.83

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	108.32	Inf	-Inf	8.32	3	Horizontal	10	1.50	-	100.00	31.89	6.20	29.77
PK	5.649G	63.79	68.20	-4.41	8.05	3	Horizontal	10	1.50	-	55.74	31.60	6.19	29.74
PK	5.7486G	119.37	Inf	-Inf	8.33	3	Horizontal	10	1.50	-	111.04	31.90	6.20	29.77
PK	5.9382G	57.46	68.20	-10.74	8.89	3	Horizontal	10	1.50	-	48.57	32.28	6.44	29.83

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48724G	46.19	54.00	-7.81	18.73	3	Vertical	147	2.63	-	27.46	39.80	9.99	31.06
PK	11.48514G	58.27	74.00	-15.73	18.73	3	Vertical	147	2.63	-	39.54	39.80	9.99	31.06
PK	17.22936G	63.22	68.20	-4.98	21.05	3	Vertical	161	2.12	-	42.17	40.17	12.57	31.69

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4897G	44.73	54.00	-9.27	18.73	3	Horizontal	108	1.35	-	26.00	39.80	9.99	31.06
PK	11.4882G	57.15	74.00	-16.85	18.73	3	Horizontal	108	1.35	-	38.42	39.80	9.99	31.06
PK	17.24322G	60.55	68.20	-7.65	21.06	3	Horizontal	350	1.08	-	39.49	40.16	12.58	31.68

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	99.85	Inf	-Inf	8.40	3	Vertical	301	1.61	-	91.45	31.97	6.21	29.78
PK	5.569G	56.00	68.20	-12.20	8.10	3	Vertical	301	1.61	-	47.90	31.64	6.17	29.71
PK	5.7898G	111.47	Inf	-Inf	8.41	3	Vertical	301	1.61	-	103.06	31.98	6.21	29.78
PK	5.9398G	56.89	68.20	-11.31	8.90	3	Vertical	301	1.61	-	47.99	32.28	6.45	29.83

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	107.92	Inf	-Inf	8.40	3	Horizontal	360	1.50	-	99.52	31.97	6.21	29.78
PK	5.6398G	57.61	68.20	-10.59	8.08	3	Horizontal	360	1.50	-	49.53	31.62	6.19	29.73
PK	5.7802G	120.07	Inf	-Inf	8.39	3	Horizontal	360	1.50	-	111.68	31.96	6.21	29.78
PK	5.9458G	57.29	68.20	-10.91	8.92	3	Horizontal	360	1.50	-	48.37	32.29	6.46	29.83

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56904G	45.97	54.00	-8.03	18.65	3	Vertical	236	1.93	-	27.32	39.66	10.04	31.05
PK	11.56928G	58.07	74.00	-15.93	18.65	3	Vertical	236	1.93	-	39.42	39.66	10.04	31.05
PK	17.36244G	63.10	68.20	-5.10	21.45	3	Vertical	157	2.25	-	41.65	40.47	12.62	31.64

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57756G	44.54	54.00	-9.46	18.65	3	Horizontal	229	1.76	-	25.89	39.64	10.05	31.04
PK	11.56448G	57.50	74.00	-16.50	18.66	3	Horizontal	229	1.76	-	38.84	39.67	10.04	31.05
PK	17.3613G	61.29	68.20	-6.91	21.45	3	Horizontal	85	2.09	-	39.84	40.47	12.62	31.64

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	100.33	Inf	-Inf	8.46	3	Vertical	303	1.60	-	91.87	32.00	6.26	29.80
PK	5.627G	55.58	68.20	-12.62	8.10	3	Vertical	303	1.60	-	47.48	31.65	6.18	29.73
PK	5.8202G	112.29	Inf	-Inf	8.45	3	Vertical	303	1.60	-	103.84	32.00	6.24	29.79
PK	5.9246G	59.03	68.50	-9.47	8.84	3	Vertical	303	1.60	-	50.19	32.25	6.42	29.83

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	107.79	Inf	-Inf	8.47	3	Horizontal	360	1.58	-	99.32	32.00	6.26	29.79
PK	5.6498G	58.53	68.20	-9.67	8.05	3	Horizontal	360	1.58	-	50.48	31.60	6.19	29.74
PK	5.819G	119.61	Inf	-Inf	8.45	3	Horizontal	360	1.58	-	111.16	32.00	6.24	29.79
PK	5.9246G	66.92	68.50	-1.58	8.84	3	Horizontal	360	1.58	-	58.08	32.25	6.42	29.83

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65294G	44.64	54.00	-9.36	18.46	3	Vertical	233	1.50	-	26.18	39.39	10.10	31.03
PK	11.63992G	57.74	74.00	-16.26	18.50	3	Vertical	233	1.50	-	39.24	39.44	10.09	31.03
PK	17.47008G	63.61	68.20	-4.59	21.96	3	Vertical	183	2.97	-	41.65	40.91	12.65	31.60

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65702G	44.26	54.00	-9.74	18.44	3	Horizontal	127	1.13	-	25.82	39.37	10.10	31.03
PK	11.66008G	56.40	74.00	-17.60	18.43	3	Horizontal	127	1.13	-	37.97	39.36	10.10	31.03
PK	17.48496G	62.35	68.20	-5.85	22.01	3	Horizontal	131	2.17	-	40.34	40.95	12.66	31.60

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.90	54.00	-3.10	8.20	3	Vertical	12	1.48	-	42.70	31.90	6.04	29.74
AV	5.1832G	105.19	Inf	-Inf	8.03	3	Vertical	12	1.48	-	97.16	31.70	6.06	29.73
PK	5.1484G	68.45	74.00	-5.55	8.19	3	Vertical	12	1.48	-	60.26	31.90	6.03	29.74
PK	5.1824G	116.92	Inf	-Inf	8.04	3	Vertical	12	1.48	-	108.88	31.71	6.06	29.73

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	53.19	54.00	-0.81	8.19	3	Horizontal	345	1.50	-	45.00	31.90	6.03	29.74
AV	5.1834G	105.29	Inf	-Inf	8.04	3	Horizontal	345	1.50	-	97.25	31.70	6.07	29.73
PK	5.15G	72.41	74.00	-1.59	8.20	3	Horizontal	345	1.50	-	64.21	31.90	6.04	29.74
PK	5.1852G	117.43	Inf	-Inf	8.03	3	Horizontal	345	1.50	-	109.40	31.69	6.07	29.73

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53466G	45.12	54.00	-8.88	18.10	3	Vertical	30	1.23	-	27.02	38.09	11.90	31.89
PK	10.36426G	56.30	68.20	-11.90	17.66	3	Vertical	357	1.18	-	38.64	39.39	9.23	30.96
PK	15.53268G	58.18	74.00	-15.82	18.11	3	Vertical	30	1.23	-	40.07	38.10	11.90	31.89

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52578G	45.06	54.00	-8.94	18.15	3	Horizontal	191	2.08	-	26.91	38.15	11.89	31.89
PK	10.34824G	56.52	68.20	-11.68	17.56	3	Horizontal	132	2.73	-	38.96	39.29	9.22	30.95
PK	15.52668G	58.24	74.00	-15.76	18.14	3	Horizontal	191	2.08	-	40.10	38.14	11.89	31.89

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	48.78	54.00	-5.22	8.19	3	Vertical	17	1.38	-	40.59	31.90	6.03	29.74
AV	5.2028G	106.66	Inf	-Inf	7.93	3	Vertical	17	1.38	-	98.73	31.58	6.08	29.73
PK	5.1484G	62.06	74.00	-11.94	8.19	3	Vertical	17	1.38	-	53.87	31.90	6.03	29.74
PK	5.1948G	118.62	Inf	-Inf	7.98	3	Vertical	17	1.38	-	110.64	31.63	6.08	29.73

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	48.59	54.00	-5.41	8.19	3	Horizontal	0	1.36	-	40.40	31.90	6.03	29.74
AV	5.204G	105.80	Inf	-Inf	7.93	3	Horizontal	0	1.36	-	97.87	31.58	6.08	29.73
PK	5.1496G	65.83	74.00	-8.17	8.19	3	Horizontal	0	1.36	-	57.64	31.90	6.03	29.74
PK	5.1948G	117.61	Inf	-Inf	7.98	3	Horizontal	0	1.36	-	109.63	31.63	6.08	29.73

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5946G	46.83	54.00	-7.17	17.76	3	Vertical	209	2.11	-	29.07	37.73	11.93	31.90
PK	10.40066G	57.19	68.20	-11.01	17.89	3	Vertical	237	1.70	-	39.30	39.60	9.26	30.97
PK	15.59448G	63.01	74.00	-10.99	17.76	3	Vertical	209	2.11	-	45.25	37.73	11.93	31.90

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59958G	45.04	54.00	-8.96	17.73	3	Horizontal	238	1.50	-	27.31	37.70	11.93	31.90
PK	10.3871G	56.83	68.20	-11.37	17.80	3	Horizontal	266	1.73	-	39.03	39.52	9.25	30.97
PK	15.60936G	58.03	74.00	-15.97	17.70	3	Horizontal	238	1.50	-	40.33	37.66	11.94	31.90

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.40	54.00	-1.60	8.20	3	Vertical	15	1.52	-	44.20	31.90	6.04	29.74
AV	5.2436G	109.65	Inf	-Inf	7.70	3	Vertical	15	1.52	-	101.95	31.34	6.09	29.73
AV	5.35G	48.67	54.00	-5.33	7.61	3	Vertical	15	1.52	-	41.06	31.20	6.12	29.71
PK	5.147G	66.59	74.00	-7.41	8.18	3	Vertical	15	1.52	-	58.41	31.89	6.03	29.74
PK	5.2346G	121.73	Inf	-Inf	7.75	3	Vertical	15	1.52	-	113.98	31.39	6.09	29.73
PK	5.3522G	61.36	74.00	-12.64	7.62	3	Vertical	15	1.52	-	53.74	31.21	6.12	29.71

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.15	54.00	-4.85	8.20	3	Horizontal	4	1.45	-	40.95	31.90	6.04	29.74
AV	5.243G	106.87	Inf	-Inf	7.70	3	Horizontal	4	1.45	-	99.17	31.34	6.09	29.73
AV	5.35G	47.11	54.00	-6.89	7.61	3	Horizontal	4	1.45	-	39.50	31.20	6.12	29.71
PK	5.1428G	62.93	74.00	-11.07	8.18	3	Horizontal	4	1.45	-	54.75	31.89	6.03	29.74
PK	5.2424G	117.82	Inf	-Inf	7.71	3	Horizontal	4	1.45	-	110.11	31.35	6.09	29.73
PK	5.351G	59.60	74.00	-14.40	7.62	3	Horizontal	4	1.45	-	51.98	31.21	6.12	29.71

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72342G	52.81	54.00	-1.19	17.38	3	Vertical	177	2.77	-	35.43	37.28	12.00	31.90
PK	10.48006G	57.72	68.20	-10.48	18.00	3	Vertical	213	2.41	-	39.72	39.68	9.31	30.99
PK	15.72348G	67.44	74.00	-6.56	17.38	3	Vertical	177	2.77	-	50.06	37.28	12.00	31.90

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72378G	45.51	54.00	-8.49	17.38	3	Horizontal	160	2.96	-	28.13	37.28	12.00	31.90
PK	10.46962G	56.49	68.20	-11.71	17.98	3	Horizontal	36	1.82	-	38.51	39.67	9.30	30.99
PK	15.72342G	57.90	74.00	-16.10	17.38	3	Horizontal	160	2.96	-	40.52	37.28	12.00	31.90

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	109.86	Inf	-Inf	8.31	3	Vertical	10	1.57	-	101.55	31.88	6.20	29.77
PK	5.6478G	66.64	68.20	-1.56	8.05	3	Vertical	10	1.57	-	58.59	31.60	6.19	29.74
PK	5.751G	120.88	Inf	-Inf	8.33	3	Vertical	10	1.57	-	112.55	31.90	6.20	29.77
PK	5.9406G	57.81	68.20	-10.39	8.90	3	Vertical	10	1.57	-	48.91	32.28	6.45	29.83

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	108.90	Inf	-Inf	8.32	3	Horizontal	10	1.52	-	100.58	31.89	6.20	29.77
PK	5.6526G	68.30	70.12	-1.82	8.06	3	Horizontal	10	1.52	-	60.24	31.61	6.19	29.74
PK	5.7438G	120.38	Inf	-Inf	8.32	3	Horizontal	10	1.52	-	112.06	31.89	6.20	29.77
PK	5.9262G	56.59	68.20	-11.61	8.84	3	Horizontal	10	1.52	-	47.75	32.25	6.42	29.83

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48886G	47.44	54.00	-6.56	18.73	3	Vertical	207	1.66	-	28.71	39.80	9.99	31.06
PK	11.49024G	59.12	74.00	-14.88	18.73	3	Vertical	207	1.66	-	40.39	39.80	9.99	31.06
PK	17.23818G	63.89	68.20	-4.31	21.05	3	Vertical	216	2.43	-	42.84	40.16	12.57	31.68

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.47566G	44.59	54.00	-9.41	18.72	3	Horizontal	83	1.27	-	25.87	39.80	9.98	31.06
PK	11.48412G	56.99	74.00	-17.01	18.72	3	Horizontal	83	1.27	-	38.27	39.80	9.98	31.06
PK	17.2383G	60.33	68.20	-7.87	21.05	3	Horizontal	176	1.09	-	39.28	40.16	12.57	31.68

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	109.21	Inf	-Inf	8.39	3	Vertical	0	1.49	-	100.82	31.96	6.21	29.78
PK	5.6482G	61.13	68.20	-7.07	8.05	3	Vertical	0	1.49	-	53.08	31.60	6.19	29.74
PK	5.7838G	120.88	Inf	-Inf	8.40	3	Vertical	0	1.49	-	112.48	31.97	6.21	29.78
PK	5.9338G	58.90	68.20	-9.30	8.88	3	Vertical	0	1.49	-	50.02	32.27	6.44	29.83

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	108.15	Inf	-Inf	8.40	3	Horizontal	0	1.50	-	99.75	31.97	6.21	29.78
PK	5.6458G	58.62	68.20	-9.58	8.06	3	Horizontal	0	1.50	-	50.56	31.61	6.19	29.74
PK	5.7838G	119.55	Inf	-Inf	8.40	3	Horizontal	0	1.50	-	111.15	31.97	6.21	29.78
PK	5.9302G	56.95	68.20	-11.25	8.86	3	Horizontal	0	1.50	-	48.09	32.26	6.43	29.83

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56964G	48.40	54.00	-5.60	18.65	3	Vertical	205	1.59	-	29.75	39.66	10.04	31.05
PK	11.56958G	60.25	74.00	-13.75	18.65	3	Vertical	205	1.59	-	41.60	39.66	10.04	31.05
PK	17.34972G	63.46	68.20	-4.74	21.37	3	Vertical	156	2.87	-	42.09	40.40	12.61	31.64

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56868G	46.08	54.00	-7.92	18.65	3	Horizontal	218	1.84	-	27.43	39.66	10.04	31.05
PK	11.5697G	58.26	74.00	-15.74	18.65	3	Horizontal	218	1.84	-	39.61	39.66	10.04	31.05
PK	17.36262G	62.32	68.20	-5.88	21.46	3	Horizontal	30	1.96	-	40.86	40.48	12.62	31.64

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	108.99	Inf	-Inf	8.47	3	Vertical	0	1.50	-	100.52	32.00	6.26	29.79
PK	5.6402G	58.34	68.20	-9.86	8.08	3	Vertical	0	1.50	-	50.26	31.62	6.19	29.73
PK	5.8274G	120.88	Inf	-Inf	8.47	3	Vertical	0	1.50	-	112.41	32.00	6.26	29.79
PK	5.9246G	65.64	68.50	-2.86	8.84	3	Vertical	0	1.50	-	56.80	32.25	6.42	29.83

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	107.74	Inf	-Inf	8.46	3	Horizontal	7	1.50	-	99.28	32.00	6.26	29.80
PK	5.6498G	57.76	68.20	-10.44	8.05	3	Horizontal	7	1.50	-	49.71	31.60	6.19	29.74
PK	5.8202G	119.68	Inf	-Inf	8.45	3	Horizontal	7	1.50	-	111.23	32.00	6.24	29.79
PK	5.9234G	63.09	69.38	-6.29	8.84	3	Horizontal	7	1.50	-	54.25	32.25	6.42	29.83

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65258G	45.85	54.00	-8.15	18.46	3	Vertical	141	1.80	-	27.39	39.39	10.10	31.03
PK	11.65492G	58.29	74.00	-15.71	18.45	3	Vertical	141	1.80	-	39.84	39.38	10.10	31.03
PK	17.46516G	63.83	68.20	-4.37	21.95	3	Vertical	183	2.97	-	41.88	40.90	12.65	31.60

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64958G	44.54	54.00	-9.46	18.47	3	Horizontal	217	2.42	-	26.07	39.40	10.10	31.03
PK	11.64256G	57.22	74.00	-16.78	18.49	3	Horizontal	217	2.42	-	38.73	39.43	10.09	31.03
PK	17.48838G	62.39	68.20	-5.81	22.04	3	Horizontal	147	3.00	-	40.35	40.97	12.66	31.59

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.60	54.00	-8.40	8.20	3	Vertical	57	2.45	-	37.40	31.90	6.04	29.74
AV	5.1928G	89.08	Inf	-Inf	7.98	3	Vertical	57	2.45	-	81.10	31.64	6.07	29.73
PK	5.15G	58.53	74.00	-15.47	8.20	3	Vertical	57	2.45	-	50.33	31.90	6.04	29.74
PK	5.2004G	100.47	Inf	-Inf	7.95	3	Vertical	57	2.45	-	92.52	31.60	6.08	29.73

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	51.87	54.00	-2.13	8.19	3	Horizontal	16	1.73	-	43.68	31.90	6.03	29.74
AV	5.1956G	99.09	Inf	-Inf	7.98	3	Horizontal	16	1.73	-	91.11	31.63	6.08	29.73
PK	5.1496G	66.31	74.00	-7.69	8.19	3	Horizontal	16	1.73	-	58.12	31.90	6.03	29.74
PK	5.1852G	110.88	Inf	-Inf	8.03	3	Horizontal	16	1.73	-	102.85	31.69	6.07	29.73

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57492G	45.02	54.00	-8.98	17.88	3	Vertical	305	1.50	-	27.14	37.85	11.92	31.89
PK	10.38018G	56.59	68.20	-11.61	17.76	3	Vertical	217	1.67	-	38.83	39.48	9.24	30.96
PK	15.56142G	57.33	74.00	-16.67	17.95	3	Vertical	305	1.50	-	39.38	37.93	11.91	31.89

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56712G	45.07	54.00	-8.93	17.93	3	Horizontal	56	2.19	-	27.14	37.90	11.92	31.89
PK	10.3842G	57.00	68.20	-11.20	17.79	3	Horizontal	128	1.86	-	39.21	39.51	9.25	30.97
PK	15.56394G	58.08	74.00	-15.92	17.94	3	Horizontal	56	2.19	-	40.14	37.92	11.91	31.89

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	45.03	54.00	-8.97	8.19	3	Vertical	54	1.49	-	36.84	31.90	6.03	29.74
AV	5.2368G	89.54	Inf	-Inf	7.74	3	Vertical	54	1.49	-	81.80	31.38	6.09	29.73
PK	5.15G	57.78	74.00	-16.22	8.20	3	Vertical	54	1.49	-	49.58	31.90	6.04	29.74
PK	5.2368G	101.48	Inf	-Inf	7.74	3	Vertical	54	1.49	-	93.74	31.38	6.09	29.73

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.98	54.00	-1.02	8.20	3	Horizontal	11	1.23	-	44.78	31.90	6.04	29.74
AV	5.2344G	101.44	Inf	-Inf	7.75	3	Horizontal	11	1.23	-	93.69	31.39	6.09	29.73
PK	5.1492G	66.75	74.00	-7.25	8.19	3	Horizontal	11	1.23	-	58.56	31.90	6.03	29.74
PK	5.2412G	113.46	Inf	-Inf	7.71	3	Horizontal	11	1.23	-	105.75	31.35	6.09	29.73

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6804G	44.74	54.00	-9.26	17.46	3	Vertical	328	2.63	-	27.28	37.38	11.98	31.90
PK	10.46002G	57.14	68.20	-11.06	17.97	3	Vertical	37	2.32	-	39.17	39.66	9.30	30.99
PK	15.68928G	57.03	74.00	-16.97	17.42	3	Vertical	328	2.63	-	39.61	37.34	11.98	31.90

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68628G	44.70	54.00	-9.30	17.43	3	Horizontal	307	1.86	-	27.27	37.35	11.98	31.90
PK	10.45979G	56.73	68.20	-11.47	17.97	3	Horizontal	221	1.98	-	38.76	39.66	9.30	30.99
PK	15.70068G	57.61	74.00	-16.39	17.39	3	Horizontal	307	1.86	-	40.22	37.30	11.99	31.90

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	95.12	Inf	-Inf	8.34	3	Vertical	306	1.55	-	86.78	31.91	6.20	29.77
PK	5.6482G	57.25	68.20	-10.95	8.05	3	Vertical	306	1.55	-	49.20	31.60	6.19	29.74
PK	5.7634G	106.62	Inf	-Inf	8.36	3	Vertical	306	1.55	-	98.26	31.93	6.20	29.77
PK	5.941G	55.67	68.20	-12.53	8.90	3	Vertical	306	1.55	-	46.77	32.28	6.45	29.83

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7526G	103.38	Inf	-Inf	8.34	3	Horizontal	0	1.19	-	95.04	31.91	6.20	29.77
PK	5.6482G	66.69	68.20	-1.51	8.05	3	Horizontal	0	1.19	-	58.64	31.60	6.19	29.74
PK	5.7526G	114.72	Inf	-Inf	8.34	3	Horizontal	0	1.19	-	106.38	31.91	6.20	29.77
PK	5.9254G	57.72	68.20	-10.48	8.84	3	Horizontal	0	1.19	-	48.88	32.25	6.42	29.83

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51G	45.26	54.00	-8.74	18.72	3	Vertical	226	1.81	-	26.54	39.78	10.00	31.06
PK	11.49968G	57.15	74.00	-16.85	18.73	3	Vertical	226	1.81	-	38.42	39.80	9.99	31.06
PK	17.26338G	61.34	68.20	-6.86	21.04	3	Vertical	61	1.91	-	40.30	40.14	12.58	31.68

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50816G	44.67	54.00	-9.33	18.72	3	Horizontal	227	2.53	-	25.95	39.78	10.00	31.06
PK	11.50796G	57.27	74.00	-16.73	18.72	3	Horizontal	227	2.53	-	38.55	39.78	10.00	31.06
PK	17.2764G	60.23	68.20	-7.97	21.04	3	Horizontal	199	1.08	-	39.19	40.12	12.59	31.67

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8022G	96.60	Inf	-Inf	8.42	3	Vertical	305	1.54	-	88.18	32.00	6.21	29.79
PK	5.6462G	56.66	68.20	-11.54	8.06	3	Vertical	305	1.54	-	48.60	31.61	6.19	29.74
PK	5.8034G	108.02	Inf	-Inf	8.43	3	Vertical	305	1.54	-	99.59	32.00	6.22	29.79
PK	5.9258G	58.18	68.20	-10.02	8.84	3	Vertical	305	1.54	-	49.34	32.25	6.42	29.83

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7914G	104.25	Inf	-Inf	8.41	3	Horizontal	0	1.92	-	95.84	31.98	6.21	29.78
PK	5.6498G	64.19	68.20	-4.01	8.05	3	Horizontal	0	1.92	-	56.14	31.60	6.19	29.74
PK	5.7926G	116.37	Inf	-Inf	8.42	3	Horizontal	0	1.92	-	107.95	31.99	6.21	29.78
PK	5.9258G	66.31	68.20	-1.89	8.84	3	Horizontal	0	1.92	-	57.47	32.25	6.42	29.83

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58989G	45.80	54.00	-8.20	18.64	3	Vertical	26	2.25	-	27.16	39.62	10.06	31.04
PK	11.59014G	57.61	74.00	-16.39	18.64	3	Vertical	26	2.25	-	38.97	39.62	10.06	31.04
PK	17.3862G	61.47	68.20	-6.73	21.61	3	Vertical	119	1.67	-	39.86	40.62	12.62	31.63

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58706G	44.42	54.00	-9.58	18.64	3	Horizontal	306	1.17	-	25.78	39.63	10.05	31.04
PK	11.59078G	56.85	74.00	-17.15	18.64	3	Horizontal	306	1.17	-	38.21	39.62	10.06	31.04
PK	17.38422G	62.43	68.20	-5.77	21.60	3	Horizontal	108	1.70	-	40.83	40.61	12.62	31.63

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	51.61	54.00	-2.39	8.19	3	Vertical	22	1.35	-	43.42	31.90	6.03	29.74
AV	5.1912G	100.93	Inf	-Inf	7.99	3	Vertical	22	1.35	-	92.94	31.65	6.07	29.73
PK	5.1492G	68.64	74.00	-5.36	8.19	3	Vertical	22	1.35	-	60.45	31.90	6.03	29.74
PK	5.1912G	112.28	Inf	-Inf	7.99	3	Vertical	22	1.35	-	104.29	31.65	6.07	29.73

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.35	54.00	-1.65	8.20	3	Horizontal	360	1.25	-	44.15	31.90	6.04	29.74
AV	5.1944G	100.43	Inf	-Inf	7.97	3	Horizontal	360	1.25	-	92.46	31.63	6.07	29.73
PK	5.142G	65.73	74.00	-8.27	8.17	3	Horizontal	360	1.25	-	57.56	31.88	6.03	29.74
PK	5.1936G	112.71	Inf	-Inf	7.98	3	Horizontal	360	1.25	-	104.73	31.64	6.07	29.73

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57546G	45.02	54.00	-8.98	17.88	3	Vertical	248	1.85	-	27.14	37.85	11.92	31.89
PK	10.38014G	57.69	68.20	-10.51	17.76	3	Vertical	217	1.66	-	39.93	39.48	9.24	30.96
PK	15.57312G	57.90	74.00	-16.10	17.89	3	Vertical	248	1.85	-	40.01	37.86	11.92	31.89

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57264G	45.03	54.00	-8.97	17.89	3	Horizontal	91	1.28	-	27.14	37.86	11.92	31.89
PK	10.37936G	56.88	68.20	-11.32	17.76	3	Horizontal	127	2.11	-	39.12	39.48	9.24	30.96
PK	15.57246G	57.68	74.00	-16.32	17.90	3	Horizontal	91	1.28	-	39.78	37.87	11.92	31.89

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.85	54.00	-5.15	8.20	3	Vertical	360	1.20	-	40.65	31.90	6.04	29.74
AV	5.2348G	103.67	Inf	-Inf	7.75	3	Vertical	360	1.20	-	95.92	31.39	6.09	29.73
PK	5.1492G	62.02	74.00	-11.98	8.19	3	Vertical	360	1.20	-	53.83	31.90	6.03	29.74
PK	5.2256G	115.00	Inf	-Inf	7.81	3	Vertical	360	1.20	-	107.19	31.45	6.09	29.73

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.29	54.00	-7.71	8.20	3	Horizontal	360	1.22	-	38.09	31.90	6.04	29.74
AV	5.2352G	102.06	Inf	-Inf	7.75	3	Horizontal	360	1.22	-	94.31	31.39	6.09	29.73
PK	5.1492G	58.11	74.00	-15.89	8.19	3	Horizontal	360	1.22	-	49.92	31.90	6.03	29.74
PK	5.2336G	113.90	Inf	-Inf	7.76	3	Horizontal	360	1.22	-	106.14	31.40	6.09	29.73

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69336G	44.68	54.00	-9.32	17.42	3	Vertical	336	1.70	-	27.26	37.33	11.99	31.90
PK	10.45949G	59.70	68.20	-8.50	17.97	3	Vertical	236	3.00	-	41.73	39.66	9.30	30.99
PK	15.6804G	56.93	74.00	-17.07	17.46	3	Vertical	336	1.70	-	39.47	37.38	11.98	31.90

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69258G	44.68	54.00	-9.32	17.42	3	Horizontal	310	2.50	-	27.26	37.33	11.99	31.90
PK	10.45974G	56.47	68.20	-11.73	17.97	3	Horizontal	222	1.99	-	38.50	39.66	9.30	30.99
PK	15.68922G	56.88	74.00	-17.12	17.42	3	Horizontal	310	2.50	-	39.46	37.34	11.98	31.90

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	104.52	Inf	-Inf	8.34	3	Vertical	0	1.50	-	96.18	31.91	6.20	29.77
PK	5.6506G	66.90	68.64	-1.74	8.05	3	Vertical	0	1.50	-	58.85	31.60	6.19	29.74
PK	5.7526G	115.93	Inf	-Inf	8.34	3	Vertical	0	1.50	-	107.59	31.91	6.20	29.77
PK	5.9278G	61.05	68.20	-7.15	8.86	3	Vertical	0	1.50	-	52.19	32.26	6.43	29.83

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7574G	104.12	Inf	-Inf	8.34	3	Horizontal	3	1.26	-	95.78	31.91	6.20	29.77
PK	5.6458G	66.19	68.20	-2.01	8.06	3	Horizontal	3	1.26	-	58.13	31.61	6.19	29.74
PK	5.7478G	115.53	Inf	-Inf	8.33	3	Horizontal	3	1.26	-	107.20	31.90	6.20	29.77
PK	5.9326G	57.97	68.20	-10.23	8.88	3	Horizontal	3	1.26	-	49.09	32.27	6.44	29.83

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5091G	46.55	54.00	-7.45	18.72	3	Vertical	206	1.81	-	27.83	39.78	10.00	31.06
PK	11.51024G	58.70	74.00	-15.30	18.72	3	Vertical	206	1.81	-	39.98	39.78	10.00	31.06
PK	17.26602G	60.68	68.20	-7.52	21.04	3	Vertical	40	2.49	-	39.64	40.13	12.58	31.67

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51318G	44.75	54.00	-9.25	18.71	3	Horizontal	222	2.11	-	26.04	39.77	10.00	31.06
PK	11.5016G	57.12	74.00	-16.88	18.74	3	Horizontal	222	2.11	-	38.38	39.80	10.00	31.06
PK	17.25252G	60.24	68.20	-7.96	21.05	3	Horizontal	319	1.34	-	39.19	40.15	12.58	31.68

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7914G	105.29	Inf	-Inf	8.41	3	Vertical	11	1.39	-	96.88	31.98	6.21	29.78
PK	5.6486G	64.80	68.20	-3.40	8.05	3	Vertical	11	1.39	-	56.75	31.60	6.19	29.74
PK	5.7926G	117.11	Inf	-Inf	8.42	3	Vertical	11	1.39	-	108.69	31.99	6.21	29.78
PK	5.9318G	67.02	68.20	-1.18	8.86	3	Vertical	11	1.39	-	58.16	32.26	6.43	29.83

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8022G	104.28	Inf	-Inf	8.42	3	Horizontal	0	1.22	-	95.86	32.00	6.21	29.79
PK	5.6498G	59.94	68.20	-8.26	8.05	3	Horizontal	0	1.22	-	51.89	31.60	6.19	29.74
PK	5.7914G	115.43	Inf	-Inf	8.41	3	Horizontal	0	1.22	-	107.02	31.98	6.21	29.78
PK	5.9306G	61.73	68.20	-6.47	8.86	3	Horizontal	0	1.22	-	52.87	32.26	6.43	29.83

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58994G	46.31	54.00	-7.69	18.64	3	Vertical	207	2.72	-	27.67	39.62	10.06	31.04
PK	11.58238G	57.82	74.00	-16.18	18.65	3	Vertical	207	2.72	-	39.17	39.64	10.05	31.04
PK	17.39292G	61.72	68.20	-6.48	21.66	3	Vertical	171	2.34	-	40.06	40.66	12.63	31.63

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5897G	44.91	54.00	-9.09	18.64	3	Horizontal	217	1.42	-	26.27	39.62	10.06	31.04
PK	11.58916G	57.04	74.00	-16.96	18.63	3	Horizontal	217	1.42	-	38.41	39.62	10.05	31.04
PK	17.38722G	61.60	68.20	-6.60	21.61	3	Horizontal	325	2.18	-	39.99	40.62	12.62	31.63

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.24	54.00	-9.76	8.20	3	Vertical	54	1.43	-	36.04	31.90	6.04	29.74
AV	5.214G	83.62	Inf	-Inf	7.87	3	Vertical	54	1.43	-	75.75	31.52	6.08	29.73
AV	5.417G	43.26	54.00	-10.74	7.96	3	Vertical	54	1.43	-	35.30	31.53	6.13	29.70
PK	5.071G	55.42	74.00	-18.58	7.89	3	Vertical	54	1.43	-	47.53	31.68	5.96	29.75
PK	5.211G	95.56	Inf	-Inf	7.88	3	Vertical	54	1.43	-	87.68	31.53	6.08	29.73
PK	5.428G	55.53	74.00	-18.47	8.00	3	Vertical	54	1.43	-	47.53	31.56	6.14	29.70

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.53	54.00	-2.47	8.20	3	Horizontal	11	1.39	-	43.33	31.90	6.04	29.74
AV	5.22G	95.87	Inf	-Inf	7.83	3	Horizontal	11	1.39	-	88.04	31.48	6.08	29.73
AV	5.351G	44.88	54.00	-9.12	7.62	3	Horizontal	11	1.39	-	37.26	31.21	6.12	29.71
PK	5.144G	65.14	74.00	-8.86	8.18	3	Horizontal	11	1.39	-	56.96	31.89	6.03	29.74
PK	5.231G	106.87	Inf	-Inf	7.77	3	Horizontal	11	1.39	-	99.10	31.41	6.09	29.73
PK	5.372G	56.98	74.00	-17.02	7.74	3	Horizontal	11	1.39	-	49.24	31.33	6.12	29.71

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61794G	44.98	54.00	-9.02	17.67	3	Vertical	11	2.27	-	27.31	37.63	11.94	31.90
PK	10.41994G	56.71	68.20	-11.49	17.91	3	Vertical	219	1.50	-	38.80	39.62	9.27	30.98
PK	15.62952G	57.52	74.00	-16.48	17.63	3	Vertical	11	2.27	-	39.89	37.58	11.95	31.90

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6189G	44.85	54.00	-9.15	17.66	3	Horizontal	254	2.08	-	27.19	37.62	11.94	31.90
PK	10.41802G	56.80	68.20	-11.40	17.91	3	Horizontal	177	2.27	-	38.89	39.62	9.27	30.98
PK	15.6399G	57.95	74.00	-16.05	17.60	3	Horizontal	254	2.08	-	40.35	37.54	11.96	31.90

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.769G	90.14	Inf	-Inf	8.37	3	Vertical	305	1.50	-	81.77	31.94	6.21	29.78
PK	5.6406G	57.47	68.20	-10.73	8.08	3	Vertical	305	1.50	-	49.39	31.62	6.19	29.73
PK	5.7726G	102.05	Inf	-Inf	8.38	3	Vertical	305	1.50	-	93.67	31.95	6.21	29.78
PK	5.9286G	56.59	68.20	-11.61	8.86	3	Vertical	305	1.50	-	47.73	32.26	6.43	29.83

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7702G	98.03	Inf	-Inf	8.37	3	Horizontal	0	1.71	-	89.66	31.94	6.21	29.78
PK	5.6502G	65.70	68.35	-2.65	8.05	3	Horizontal	0	1.71	-	57.65	31.60	6.19	29.74
PK	5.7714G	111.10	Inf	-Inf	8.37	3	Horizontal	0	1.71	-	102.73	31.94	6.21	29.78
PK	5.9274G	61.62	68.20	-6.58	8.85	3	Horizontal	0	1.71	-	52.77	32.25	6.43	29.83

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54982G	45.44	54.00	-8.56	18.68	3	Vertical	27	2.54	-	26.76	39.70	10.03	31.05
PK	11.54688G	57.25	74.00	-16.75	18.69	3	Vertical	27	2.54	-	38.56	39.71	10.03	31.05
PK	17.33328G	61.14	68.20	-7.06	21.26	3	Vertical	251	1.49	-	39.88	40.30	12.61	31.65

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

11/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54034G	44.45	54.00	-9.55	18.69	3	Horizontal	233	1.57	-	25.76	39.72	10.02	31.05
PK	11.5403G	56.73	74.00	-17.27	18.69	3	Horizontal	233	1.57	-	38.04	39.72	10.02	31.05
PK	17.33586G	61.19	68.20	-7.01	21.28	3	Horizontal	304	1.34	-	39.91	40.32	12.61	31.65

802.11ax HEW80_Nss1,(MCS0)_2TX

11/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.17	54.00	-0.83	8.20	3	Vertical	360	1.30	-	44.97	31.90	6.04	29.74
AV	5.22G	97.92	Inf	-Inf	7.83	3	Vertical	360	1.30	-	90.09	31.48	6.08	29.73
AV	5.35G	46.01	54.00	-7.99	7.61	3	Vertical	360	1.30	-	38.40	31.20	6.12	29.71
PK	5.15G	68.09	74.00	-5.91	8.20	3	Vertical	360	1.30	-	59.89	31.90	6.04	29.74
PK	5.208G	108.55	Inf	-Inf	7.90	3	Vertical	360	1.30	-	100.65	31.55	6.08	29.73
PK	5.363G	57.92	74.00	-16.08	7.69	3	Vertical	360	1.30	-	50.23	31.28	6.12	29.71

802.11ax HEW80_Nss1,(MCS0)_2TX

11/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.37	54.00	-3.63	8.20	3	Horizontal	360	1.42	-	42.17	31.90	6.04	29.74
AV	5.218G	96.52	Inf	-Inf	7.84	3	Horizontal	360	1.42	-	88.68	31.49	6.08	29.73
AV	5.35G	44.96	54.00	-9.04	7.61	3	Horizontal	360	1.42	-	37.35	31.20	6.12	29.71
PK	5.149G	64.02	74.00	-9.98	8.19	3	Horizontal	360	1.42	-	55.83	31.90	6.03	29.74
PK	5.219G	108.05	Inf	-Inf	7.84	3	Horizontal	360	1.42	-	100.21	31.49	6.08	29.73
PK	5.353G	56.01	74.00	-17.99	7.63	3	Horizontal	360	1.42	-	48.38	31.22	6.12	29.71

802.11ax HEW80_Nss1,(MCS0)_2TX

11/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6201G	44.86	54.00	-9.14	17.67	3	Vertical	83	1.57	-	27.19	37.62	11.95	31.90
PK	10.42006G	56.54	68.20	-11.66	17.91	3	Vertical	218	1.50	-	38.63	39.62	9.27	30.98
PK	15.64272G	57.55	74.00	-16.45	17.59	3	Vertical	83	1.57	-	39.96	37.53	11.96	31.90

802.11ax HEW80_Nss1,(MCS0)_2TX

11/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63132G	44.82	54.00	-9.18	17.62	3	Horizontal	272	1.69	-	27.20	37.57	11.95	31.90
PK	10.41346G	56.32	68.20	-11.88	17.91	3	Horizontal	127	1.50	-	38.41	39.61	9.27	30.97
PK	15.62622G	57.06	74.00	-16.94	17.65	3	Horizontal	272	1.69	-	39.41	37.60	11.95	31.90

802.11ax HEW80_Nss1,(MCS0)_2TX

11/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.787G	99.71	Inf	-Inf	8.40	3	Vertical	13	1.30	-	91.31	31.97	6.21	29.78
PK	5.649G	66.89	68.20	-1.31	8.05	3	Vertical	13	1.30	-	58.84	31.60	6.19	29.74
PK	5.7954G	111.11	Inf	-Inf	8.42	3	Vertical	13	1.30	-	102.69	31.99	6.21	29.78
PK	5.9274G	63.42	68.20	-4.78	8.85	3	Vertical	13	1.30	-	54.57	32.25	6.43	29.83

802.11ax HEW80_Nss1,(MCS0)_2TX

11/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7774G	97.99	Inf	-Inf	8.38	3	Horizontal	0	1.13	-	89.61	31.95	6.21	29.78
PK	5.6478G	64.02	68.20	-4.18	8.05	3	Horizontal	0	1.13	-	55.97	31.60	6.19	29.74
PK	5.7678G	109.38	Inf	-Inf	8.37	3	Horizontal	0	1.13	-	101.01	31.94	6.21	29.78
PK	5.9286G	57.15	68.20	-11.05	8.86	3	Horizontal	0	1.13	-	48.29	32.26	6.43	29.83

802.11ax HEW80_Nss1,(MCS0)_2TX

11/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54994G	46.08	54.00	-7.92	18.68	3	Vertical	27	2.53	-	27.40	39.70	10.03	31.05
PK	11.55G	57.14	74.00	-16.86	18.68	3	Vertical	27	2.53	-	38.46	39.70	10.03	31.05
PK	17.33664G	60.57	68.20	-7.63	21.28	3	Vertical	178	1.71	-	39.29	40.32	12.61	31.65

802.11ax HEW80_Nss1,(MCS0)_2TX

11/08/2019

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54968G	44.64	54.00	-9.36	18.68	3	Horizontal	217	1.47	-	25.96	39.70	10.03	31.05
PK	11.54536G	58.04	74.00	-15.96	18.69	3	Horizontal	217	1.47	-	39.35	39.71	10.03	31.05
PK	17.3394G	61.39	68.20	-6.81	21.30	3	Horizontal	316	2.12	-	40.09	40.34	12.61	31.65



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	5.15G	53.43	54.00	-0.57	3	Horizontal	0	1.49	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1496G	53.50	54.00	-0.50	3	Horizontal	356	1.54	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.1456G	73.39	74.00	-0.61	3	Horizontal	357	1.58	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	51.65	54.00	-2.35	3	Horizontal	339	1.54	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.15G	52.69	54.00	-1.31	3	Horizontal	0	1.51	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.94	54.00	-1.06	3	Vertical	24	1.67	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.148G	53.15	54.00	-0.85	3	Horizontal	360	1.49	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.30	54.00	-0.70	3	Horizontal	0	1.78	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	PK	5.649G	66.23	68.20	-1.97	3	Horizontal	1	1.50	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.9222G	67.29	70.27	-2.98	3	Horizontal	360	1.50	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.9306G	66.85	68.20	-1.35	3	Horizontal	354	1.49	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.649G	66.06	68.20	-2.14	3	Horizontal	350	1.59	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.9294G	66.89	68.20	-1.31	3	Horizontal	355	1.49	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.9234G	68.15	69.38	-1.23	3	Horizontal	346	1.54	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.649G	66.23	68.20	-1.97	3	Horizontal	355	1.49	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.925G	67.35	68.20	-0.85	3	Horizontal	354	1.76	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1482G	43.22	54.00	-10.78	3	Vertical	34	1.10	-
5180MHz	Pass	AV	5.1774G	84.95	Inf	-Inf	3	Vertical	34	1.10	-
5180MHz	Pass	PK	5.1404G	56.54	74.00	-17.46	3	Vertical	34	1.10	-
5180MHz	Pass	PK	5.176G	94.58	Inf	-Inf	3	Vertical	34	1.10	-
5180MHz	Pass	AV	5.15G	53.29	54.00	-0.71	3	Horizontal	356	1.60	-
5180MHz	Pass	AV	5.1832G	106.85	Inf	-Inf	3	Horizontal	356	1.60	-
5180MHz	Pass	PK	5.1476G	67.42	74.00	-6.58	3	Horizontal	356	1.60	-
5180MHz	Pass	PK	5.182G	117.37	Inf	-Inf	3	Horizontal	356	1.60	-
5180MHz	Pass	PK	10.35993G	54.29	68.20	-13.91	3	Vertical	199	2.46	-
5180MHz	Pass	PK	10.35878G	53.47	68.20	-14.73	3	Horizontal	183	1.00	-
5200MHz	Pass	AV	5.1476G	43.25	54.00	-10.75	3	Vertical	27	1.15	-
5200MHz	Pass	AV	5.2032G	89.06	Inf	-Inf	3	Vertical	27	1.15	-
5200MHz	Pass	PK	5.1296G	55.94	74.00	-18.06	3	Vertical	27	1.15	-
5200MHz	Pass	PK	5.2024G	98.68	Inf	-Inf	3	Vertical	27	1.15	-
5200MHz	Pass	AV	5.15G	53.43	54.00	-0.57	3	Horizontal	0	1.49	-
5200MHz	Pass	AV	5.2032G	110.69	Inf	-Inf	3	Horizontal	0	1.49	-
5200MHz	Pass	PK	5.1476G	67.67	74.00	-6.33	3	Horizontal	0	1.49	-
5200MHz	Pass	PK	5.2036G	121.17	Inf	-Inf	3	Horizontal	0	1.49	-
5200MHz	Pass	PK	10.39987G	54.56	68.20	-13.64	3	Vertical	195	2.12	-
5200MHz	Pass	PK	10.39826G	54.15	68.20	-14.05	3	Horizontal	207	2.16	-
5240MHz	Pass	AV	5.1338G	43.50	54.00	-10.50	3	Vertical	24	1.29	-
5240MHz	Pass	AV	5.243G	89.41	Inf	-Inf	3	Vertical	24	1.29	-
5240MHz	Pass	AV	5.3726G	42.88	54.00	-11.12	3	Vertical	24	1.29	-
5240MHz	Pass	PK	5.1296G	56.07	74.00	-17.93	3	Vertical	24	1.29	-
5240MHz	Pass	PK	5.2424G	98.94	Inf	-Inf	3	Vertical	24	1.29	-
5240MHz	Pass	PK	5.3576G	54.84	74.00	-19.16	3	Vertical	24	1.29	-
5240MHz	Pass	AV	5.15G	47.34	54.00	-6.66	3	Horizontal	0	1.49	-
5240MHz	Pass	AV	5.243G	112.25	Inf	-Inf	3	Horizontal	0	1.49	-
5240MHz	Pass	AV	5.351G	45.31	54.00	-8.69	3	Horizontal	0	1.49	-
5240MHz	Pass	PK	5.1452G	61.12	74.00	-12.88	3	Horizontal	0	1.49	-
5240MHz	Pass	PK	5.2436G	122.06	Inf	-Inf	3	Horizontal	0	1.49	-
5240MHz	Pass	PK	5.3732G	58.49	74.00	-15.51	3	Horizontal	0	1.49	-
5240MHz	Pass	PK	10.48012G	55.84	68.20	-12.36	3	Vertical	225	2.98	-
5240MHz	Pass	PK	10.47894G	53.64	68.20	-14.56	3	Horizontal	199	1.08	-
5745MHz	Pass	AV	5.7474G	94.74	Inf	-Inf	3	Vertical	330	1.23	-
5745MHz	Pass	PK	5.5662G	55.42	68.20	-12.78	3	Vertical	330	1.23	-
5745MHz	Pass	PK	5.7486G	104.74	Inf	-Inf	3	Vertical	330	1.23	-
5745MHz	Pass	PK	5.9502G	56.74	68.20	-11.46	3	Vertical	330	1.23	-
5745MHz	Pass	AV	5.7474G	112.63	Inf	-Inf	3	Horizontal	1	1.50	-
5745MHz	Pass	PK	5.649G	66.23	68.20	-1.97	3	Horizontal	1	1.50	-
5745MHz	Pass	PK	5.7522G	122.74	Inf	-Inf	3	Horizontal	1	1.50	-
5745MHz	Pass	PK	5.9346G	58.90	68.20	-9.30	3	Horizontal	1	1.50	-
5745MHz	Pass	AV	11.48978G	43.11	54.00	-10.89	3	Vertical	210	2.38	-
5745MHz	Pass	PK	11.49014G	56.26	74.00	-17.74	3	Vertical	210	2.38	-
5745MHz	Pass	AV	11.49129G	41.32	54.00	-12.68	3	Horizontal	212	1.50	-
5745MHz	Pass	PK	11.49047G	54.57	74.00	-19.43	3	Horizontal	212	1.50	-
5785MHz	Pass	AV	5.7838G	95.80	Inf	-Inf	3	Vertical	329	1.20	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	5.6062G	55.81	68.20	-12.39	3	Vertical	329	1.20	-
5785MHz	Pass	PK	5.7886G	105.63	Inf	-Inf	3	Vertical	329	1.20	-
5785MHz	Pass	PK	5.9254G	57.18	68.20	-11.02	3	Vertical	329	1.20	-
5785MHz	Pass	AV	5.7886G	112.97	Inf	-Inf	3	Horizontal	356	1.55	-
5785MHz	Pass	PK	5.593G	57.91	68.20	-10.29	3	Horizontal	356	1.55	-
5785MHz	Pass	PK	5.7922G	123.22	Inf	-Inf	3	Horizontal	356	1.55	-
5785MHz	Pass	PK	5.9254G	61.60	68.20	-6.60	3	Horizontal	356	1.55	-
5785MHz	Pass	AV	11.56984G	41.70	54.00	-12.30	3	Vertical	16	2.98	-
5785MHz	Pass	PK	11.57178G	54.49	74.00	-19.51	3	Vertical	16	2.98	-
5785MHz	Pass	AV	11.57245G	41.15	54.00	-12.85	3	Horizontal	163	2.76	-
5785MHz	Pass	PK	11.57074G	54.18	74.00	-19.82	3	Horizontal	163	2.76	-
5825MHz	Pass	AV	5.8286G	96.31	Inf	-Inf	3	Vertical	333	1.14	-
5825MHz	Pass	PK	5.6066G	55.44	68.20	-12.76	3	Vertical	333	1.14	-
5825MHz	Pass	PK	5.8286G	106.51	Inf	-Inf	3	Vertical	333	1.14	-
5825MHz	Pass	PK	5.9882G	57.10	68.20	-11.10	3	Vertical	333	1.14	-
5825MHz	Pass	AV	5.8274G	113.19	Inf	-Inf	3	Horizontal	349	1.49	-
5825MHz	Pass	PK	5.6234G	57.84	68.20	-10.36	3	Horizontal	349	1.49	-
5825MHz	Pass	PK	5.8238G	123.34	Inf	-Inf	3	Horizontal	349	1.49	-
5825MHz	Pass	PK	5.9222G	68.28	70.27	-1.99	3	Horizontal	349	1.49	-
5825MHz	Pass	AV	11.64997G	41.87	54.00	-12.13	3	Vertical	25	2.41	-
5825MHz	Pass	PK	11.65025G	54.94	74.00	-19.06	3	Vertical	25	2.41	-
5825MHz	Pass	AV	11.64948G	41.50	54.00	-12.50	3	Horizontal	19	1.50	-
5825MHz	Pass	PK	11.64823G	54.68	74.00	-19.32	3	Horizontal	19	1.50	-
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	52.42	54.00	-1.58	3	Vertical	12	1.49	-
5180MHz	Pass	AV	5.182G	106.77	Inf	-Inf	3	Vertical	12	1.49	-
5180MHz	Pass	PK	5.1476G	67.33	74.00	-6.67	3	Vertical	12	1.49	-
5180MHz	Pass	PK	5.1826G	117.32	Inf	-Inf	3	Vertical	12	1.49	-
5180MHz	Pass	AV	5.1496G	53.50	54.00	-0.50	3	Horizontal	356	1.54	-
5180MHz	Pass	AV	5.1826G	108.11	Inf	-Inf	3	Horizontal	356	1.54	-
5180MHz	Pass	PK	5.149G	67.62	74.00	-6.38	3	Horizontal	356	1.54	-
5180MHz	Pass	PK	5.1832G	118.39	Inf	-Inf	3	Horizontal	356	1.54	-
5180MHz	Pass	PK	10.35994G	56.77	68.20	-11.43	3	Vertical	179	2.30	-
5180MHz	Pass	PK	10.35634G	55.94	68.20	-12.26	3	Horizontal	194	1.72	-
5200MHz	Pass	AV	5.15G	51.07	54.00	-2.93	3	Vertical	11	1.49	-
5200MHz	Pass	AV	5.2028G	110.26	Inf	-Inf	3	Vertical	11	1.49	-
5200MHz	Pass	PK	5.15G	66.87	74.00	-7.13	3	Vertical	11	1.49	-
5200MHz	Pass	PK	5.2024G	121.20	Inf	-Inf	3	Vertical	11	1.49	-
5200MHz	Pass	AV	5.1496G	51.54	54.00	-2.46	3	Horizontal	348	1.49	-
5200MHz	Pass	AV	5.2032G	111.20	Inf	-Inf	3	Horizontal	348	1.49	-
5200MHz	Pass	PK	5.1496G	66.02	74.00	-7.98	3	Horizontal	348	1.49	-
5200MHz	Pass	PK	5.1936G	121.57	Inf	-Inf	3	Horizontal	348	1.49	-
5200MHz	Pass	PK	10.3997G	56.62	68.20	-11.58	3	Vertical	194	2.31	-
5200MHz	Pass	PK	10.3907G	56.55	68.20	-11.65	3	Horizontal	93	2.27	-
5240MHz	Pass	AV	5.15G	48.84	54.00	-5.16	3	Vertical	16	1.49	-
5240MHz	Pass	AV	5.2388G	112.64	Inf	-Inf	3	Vertical	16	1.49	-
5240MHz	Pass	AV	5.3762G	45.95	54.00	-8.05	3	Vertical	16	1.49	-
5240MHz	Pass	PK	5.1446G	63.38	74.00	-10.62	3	Vertical	16	1.49	-
5240MHz	Pass	PK	5.2436G	122.98	Inf	-Inf	3	Vertical	16	1.49	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	5.3606G	63.43	74.00	-10.57	3	Vertical	16	1.49	-
5240MHz	Pass	AV	5.1482G	48.14	54.00	-5.86	3	Horizontal	3	1.49	-
5240MHz	Pass	AV	5.2436G	113.12	Inf	-Inf	3	Horizontal	3	1.49	-
5240MHz	Pass	AV	5.351G	46.16	54.00	-7.84	3	Horizontal	3	1.49	-
5240MHz	Pass	PK	5.147G	61.76	74.00	-12.24	3	Horizontal	3	1.49	-
5240MHz	Pass	PK	5.2424G	123.61	Inf	-Inf	3	Horizontal	3	1.49	-
5240MHz	Pass	PK	5.366G	58.55	74.00	-15.45	3	Horizontal	3	1.49	-
5240MHz	Pass	PK	10.48072G	56.35	68.20	-11.85	3	Vertical	174	1.68	-
5240MHz	Pass	PK	10.4794G	56.45	68.20	-11.75	3	Horizontal	136	2.54	-
5745MHz	Pass	AV	5.7462G	113.91	Inf	-Inf	3	Vertical	360	1.66	-
5745MHz	Pass	PK	5.6502G	61.45	68.35	-6.90	3	Vertical	360	1.66	-
5745MHz	Pass	PK	5.7462G	122.49	Inf	-Inf	3	Vertical	360	1.66	-
5745MHz	Pass	PK	5.931G	59.08	68.20	-9.12	3	Vertical	360	1.66	-
5745MHz	Pass	AV	5.7474G	113.96	Inf	-Inf	3	Horizontal	347	1.50	-
5745MHz	Pass	PK	5.6502G	64.87	68.35	-3.48	3	Horizontal	347	1.50	-
5745MHz	Pass	PK	5.7474G	123.38	Inf	-Inf	3	Horizontal	347	1.50	-
5745MHz	Pass	PK	5.937G	58.42	68.20	-9.78	3	Horizontal	347	1.50	-
5745MHz	Pass	AV	11.4897G	46.42	54.00	-7.58	3	Vertical	206	2.22	-
5745MHz	Pass	PK	11.49006G	57.95	74.00	-16.05	3	Vertical	206	2.22	-
5745MHz	Pass	AV	11.49996G	44.85	54.00	-9.15	3	Horizontal	36	1.91	-
5745MHz	Pass	PK	11.47848G	57.11	74.00	-16.89	3	Horizontal	36	1.91	-
5785MHz	Pass	AV	5.7838G	113.62	Inf	-Inf	3	Vertical	360	1.57	-
5785MHz	Pass	PK	5.593G	58.25	68.20	-9.95	3	Vertical	360	1.57	-
5785MHz	Pass	PK	5.7838G	122.44	Inf	-Inf	3	Vertical	360	1.57	-
5785MHz	Pass	PK	5.9722G	57.85	68.20	-10.35	3	Vertical	360	1.57	-
5785MHz	Pass	AV	5.7874G	113.56	Inf	-Inf	3	Horizontal	340	1.64	-
5785MHz	Pass	PK	5.587G	58.78	68.20	-9.42	3	Horizontal	340	1.64	-
5785MHz	Pass	PK	5.7874G	123.12	Inf	-Inf	3	Horizontal	340	1.64	-
5785MHz	Pass	PK	5.9362G	58.21	68.20	-9.99	3	Horizontal	340	1.64	-
5785MHz	Pass	AV	11.57012G	46.09	54.00	-7.91	3	Vertical	213	3.00	-
5785MHz	Pass	PK	11.564G	57.67	74.00	-16.33	3	Vertical	213	3.00	-
5785MHz	Pass	AV	11.56622G	45.30	54.00	-8.70	3	Horizontal	166	2.57	-
5785MHz	Pass	PK	11.57444G	57.96	74.00	-16.04	3	Horizontal	166	2.57	-
5825MHz	Pass	AV	5.8214G	112.28	Inf	-Inf	3	Vertical	0	1.60	-
5825MHz	Pass	PK	5.6366G	58.04	68.20	-10.16	3	Vertical	0	1.60	-
5825MHz	Pass	PK	5.8214G	120.65	Inf	-Inf	3	Vertical	0	1.60	-
5825MHz	Pass	PK	5.945G	61.31	68.20	-6.89	3	Vertical	0	1.60	-
5825MHz	Pass	AV	5.8286G	113.13	Inf	-Inf	3	Horizontal	360	1.50	-
5825MHz	Pass	PK	5.5898G	58.34	68.20	-9.86	3	Horizontal	360	1.50	-
5825MHz	Pass	PK	5.8274G	122.32	Inf	-Inf	3	Horizontal	360	1.50	-
5825MHz	Pass	PK	5.9222G	67.29	70.27	-2.98	3	Horizontal	360	1.50	-
5825MHz	Pass	AV	11.65G	46.18	54.00	-7.82	3	Vertical	232	2.46	-
5825MHz	Pass	PK	11.63716G	57.54	74.00	-16.46	3	Vertical	232	2.46	-
5825MHz	Pass	AV	11.6614G	45.05	54.00	-8.95	3	Horizontal	282	1.50	-
5825MHz	Pass	PK	11.64226G	57.17	74.00	-16.83	3	Horizontal	282	1.50	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	43.23	54.00	-10.77	3	Vertical	259	2.33	-
5180MHz	Pass	AV	5.1818G	84.67	Inf	-Inf	3	Vertical	259	2.33	-
5180MHz	Pass	PK	5.15G	55.71	74.00	-18.29	3	Vertical	259	2.33	-



RSE TX above 1GHz_Group 4_Non-Beamforming

Appendix E.2.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	PK	5.1766G	97.96	Inf	-Inf	3	Vertical	259	2.33	-
5180MHz	Pass	AV	5.1498G	52.53	54.00	-1.47	3	Horizontal	357	1.58	-
5180MHz	Pass	AV	5.1816G	106.96	Inf	-Inf	3	Horizontal	357	1.58	-
5180MHz	Pass	PK	5.1456G	73.39	74.00	-0.61	3	Horizontal	357	1.58	-
5180MHz	Pass	PK	5.1806G	120.99	Inf	-Inf	3	Horizontal	357	1.58	-
5180MHz	Pass	PK	10.35989G	54.50	68.20	-13.70	3	Vertical	203	2.36	-
5180MHz	Pass	PK	10.36039G	53.53	68.20	-14.67	3	Horizontal	183	1.50	-
5200MHz	Pass	AV	5.15G	43.44	54.00	-10.56	3	Vertical	261	2.20	-
5200MHz	Pass	AV	5.1984G	87.27	Inf	-Inf	3	Vertical	261	2.20	-
5200MHz	Pass	PK	5.1428G	56.46	74.00	-17.54	3	Vertical	261	2.20	-
5200MHz	Pass	PK	5.1948G	100.59	Inf	-Inf	3	Vertical	261	2.20	-
5200MHz	Pass	AV	5.15G	52.79	54.00	-1.21	3	Horizontal	357	1.50	-
5200MHz	Pass	AV	5.2044G	108.87	Inf	-Inf	3	Horizontal	357	1.50	-
5200MHz	Pass	PK	5.1496G	70.88	74.00	-3.12	3	Horizontal	357	1.50	-
5200MHz	Pass	PK	5.2024G	121.85	Inf	-Inf	3	Horizontal	357	1.50	-
5200MHz	Pass	PK	10.39999G	53.97	68.20	-14.23	3	Vertical	203	2.45	-
5200MHz	Pass	PK	10.39959G	53.31	68.20	-14.89	3	Horizontal	184	1.50	-
5240MHz	Pass	AV	5.1326G	43.16	54.00	-10.84	3	Vertical	26	1.29	-
5240MHz	Pass	AV	5.2436G	86.54	Inf	-Inf	3	Vertical	26	1.29	-
5240MHz	Pass	AV	5.3672G	42.81	54.00	-11.19	3	Vertical	26	1.29	-
5240MHz	Pass	PK	5.138G	56.40	74.00	-17.60	3	Vertical	26	1.29	-
5240MHz	Pass	PK	5.2418G	100.21	Inf	-Inf	3	Vertical	26	1.29	-
5240MHz	Pass	PK	5.3858G	55.45	74.00	-18.55	3	Vertical	26	1.29	-
5240MHz	Pass	AV	5.15G	52.63	54.00	-1.37	3	Horizontal	0	1.73	-
5240MHz	Pass	AV	5.2418G	109.73	Inf	-Inf	3	Horizontal	0	1.73	-
5240MHz	Pass	AV	5.3522G	48.50	54.00	-5.50	3	Horizontal	0	1.73	-
5240MHz	Pass	PK	5.1476G	67.41	74.00	-6.59	3	Horizontal	0	1.73	-
5240MHz	Pass	PK	5.2424G	123.22	Inf	-Inf	3	Horizontal	0	1.73	-
5240MHz	Pass	PK	5.351G	61.97	74.00	-12.03	3	Horizontal	0	1.73	-
5240MHz	Pass	PK	10.4799G	54.42	68.20	-13.78	3	Vertical	179	1.50	-
5240MHz	Pass	PK	10.47988G	53.97	68.20	-14.23	3	Horizontal	201	1.95	-
5745MHz	Pass	AV	5.7438G	93.06	Inf	-Inf	3	Vertical	324	1.21	-
5745MHz	Pass	PK	5.6502G	55.76	68.35	-12.59	3	Vertical	324	1.21	-
5745MHz	Pass	PK	5.7402G	106.31	Inf	-Inf	3	Vertical	324	1.21	-
5745MHz	Pass	PK	5.9706G	56.72	68.20	-11.48	3	Vertical	324	1.21	-
5745MHz	Pass	AV	5.7474G	110.67	Inf	-Inf	3	Horizontal	1	1.49	-
5745MHz	Pass	PK	5.643G	66.04	68.20	-2.16	3	Horizontal	1	1.49	-
5745MHz	Pass	PK	5.7498G	123.04	Inf	-Inf	3	Horizontal	1	1.49	-
5745MHz	Pass	PK	5.9358G	61.12	68.20	-7.08	3	Horizontal	1	1.49	-
5745MHz	Pass	AV	11.48998G	43.14	54.00	-10.86	3	Vertical	205	2.86	-
5745MHz	Pass	PK	11.48981G	55.84	74.00	-18.16	3	Vertical	205	2.86	-
5745MHz	Pass	AV	11.4916G	41.02	54.00	-12.98	3	Horizontal	216	2.12	-
5745MHz	Pass	PK	11.48977G	55.21	74.00	-18.79	3	Horizontal	216	2.12	-
5785MHz	Pass	AV	5.7886G	94.34	Inf	-Inf	3	Vertical	329	1.15	-
5785MHz	Pass	PK	5.5906G	56.00	68.20	-12.20	3	Vertical	329	1.15	-
5785MHz	Pass	PK	5.7898G	105.80	Inf	-Inf	3	Vertical	329	1.15	-
5785MHz	Pass	PK	5.9482G	57.31	68.20	-10.89	3	Vertical	329	1.15	-
5785MHz	Pass	AV	5.7886G	111.16	Inf	-Inf	3	Horizontal	360	1.54	-
5785MHz	Pass	PK	5.6422G	66.24	68.20	-1.96	3	Horizontal	360	1.54	-



RSE TX above 1GHz_Group 4_Non-Beamforming

Appendix E.2.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	5.791G	123.93	Inf	-Inf	3	Horizontal	360	1.54	-
5785MHz	Pass	PK	5.9254G	65.18	68.20	-3.02	3	Horizontal	360	1.54	-
5785MHz	Pass	AV	11.56989G	42.11	54.00	-11.89	3	Vertical	172	2.91	-
5785MHz	Pass	PK	11.57006G	55.73	74.00	-18.27	3	Vertical	172	2.91	-
5785MHz	Pass	AV	11.57011G	40.97	54.00	-13.03	3	Horizontal	238	2.04	-
5785MHz	Pass	PK	11.56872G	54.82	74.00	-19.18	3	Horizontal	238	2.04	-
5825MHz	Pass	AV	5.8274G	94.91	Inf	-Inf	3	Vertical	330	1.13	-
5825MHz	Pass	PK	5.621G	55.30	68.20	-12.90	3	Vertical	330	1.13	-
5825MHz	Pass	PK	5.8226G	106.74	Inf	-Inf	3	Vertical	330	1.13	-
5825MHz	Pass	PK	5.9738G	56.96	68.20	-11.24	3	Vertical	330	1.13	-
5825MHz	Pass	AV	5.8214G	111.50	Inf	-Inf	3	Horizontal	354	1.49	-
5825MHz	Pass	PK	5.6474G	59.57	68.20	-8.63	3	Horizontal	354	1.49	-
5825MHz	Pass	PK	5.8238G	124.86	Inf	-Inf	3	Horizontal	354	1.49	-
5825MHz	Pass	PK	5.9306G	66.85	68.20	-1.35	3	Horizontal	354	1.49	-
5825MHz	Pass	AV	11.64994G	42.53	54.00	-11.47	3	Vertical	171	2.75	-
5825MHz	Pass	PK	11.65013G	55.07	74.00	-18.93	3	Vertical	171	2.75	-
5825MHz	Pass	AV	11.64771G	40.97	54.00	-13.03	3	Horizontal	12	2.05	-
5825MHz	Pass	PK	11.64843G	55.04	74.00	-18.96	3	Horizontal	12	2.05	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	50.64	54.00	-3.36	3	Vertical	12	1.50	-
5180MHz	Pass	AV	5.1836G	107.21	Inf	-Inf	3	Vertical	12	1.50	-
5180MHz	Pass	PK	5.1478G	68.38	74.00	-5.62	3	Vertical	12	1.50	-
5180MHz	Pass	PK	5.1746G	119.09	Inf	-Inf	3	Vertical	12	1.50	-
5180MHz	Pass	AV	5.1488G	49.90	54.00	-4.10	3	Horizontal	341	1.58	-
5180MHz	Pass	AV	5.178G	108.02	Inf	-Inf	3	Horizontal	341	1.58	-
5180MHz	Pass	PK	5.1492G	67.02	74.00	-6.98	3	Horizontal	341	1.58	-
5180MHz	Pass	PK	5.1788G	119.53	Inf	-Inf	3	Horizontal	341	1.58	-
5180MHz	Pass	PK	10.35736G	57.49	68.20	-10.71	3	Vertical	323	1.61	-
5180MHz	Pass	PK	10.37266G	57.24	68.20	-10.96	3	Horizontal	357	2.24	-
5200MHz	Pass	AV	5.15G	51.19	54.00	-2.81	3	Vertical	9	1.65	-
5200MHz	Pass	AV	5.1956G	109.41	Inf	-Inf	3	Vertical	9	1.65	-
5200MHz	Pass	PK	5.1472G	67.60	74.00	-6.40	3	Vertical	9	1.65	-
5200MHz	Pass	PK	5.1948G	121.59	Inf	-Inf	3	Vertical	9	1.65	-
5200MHz	Pass	AV	5.15G	51.65	54.00	-2.35	3	Horizontal	339	1.54	-
5200MHz	Pass	AV	5.1984G	110.02	Inf	-Inf	3	Horizontal	339	1.54	-
5200MHz	Pass	PK	5.148G	66.46	74.00	-7.54	3	Horizontal	339	1.54	-
5200MHz	Pass	PK	5.1988G	121.68	Inf	-Inf	3	Horizontal	339	1.54	-
5200MHz	Pass	PK	10.412G	56.86	68.20	-11.34	3	Vertical	109	2.47	-
5200MHz	Pass	PK	10.40354G	56.44	68.20	-11.76	3	Horizontal	208	1.55	-
5240MHz	Pass	AV	5.1494G	45.39	54.00	-8.61	3	Vertical	0	1.64	-
5240MHz	Pass	AV	5.2364G	110.42	Inf	-Inf	3	Vertical	0	1.64	-
5240MHz	Pass	AV	5.3762G	45.88	54.00	-8.12	3	Vertical	0	1.64	-
5240MHz	Pass	PK	5.138G	56.89	74.00	-17.11	3	Vertical	0	1.64	-
5240MHz	Pass	PK	5.2394G	121.79	Inf	-Inf	3	Vertical	0	1.64	-
5240MHz	Pass	PK	5.3588G	58.22	74.00	-15.78	3	Vertical	0	1.64	-
5240MHz	Pass	AV	5.15G	45.67	54.00	-8.33	3	Horizontal	337	1.62	-
5240MHz	Pass	AV	5.2382G	110.35	Inf	-Inf	3	Horizontal	337	1.62	-
5240MHz	Pass	AV	5.3726G	44.92	54.00	-9.08	3	Horizontal	337	1.62	-
5240MHz	Pass	PK	5.1458G	57.68	74.00	-16.32	3	Horizontal	337	1.62	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	5.2376G	122.31	Inf	-Inf	3	Horizontal	337	1.62	-
5240MHz	Pass	PK	5.3708G	56.88	74.00	-17.12	3	Horizontal	337	1.62	-
5240MHz	Pass	PK	10.47982G	56.42	68.20	-11.78	3	Vertical	141	1.86	-
5240MHz	Pass	PK	10.49236G	56.93	68.20	-11.27	3	Horizontal	350	1.07	-
5745MHz	Pass	AV	5.7462G	111.32	Inf	-Inf	3	Vertical	360	1.67	-
5745MHz	Pass	PK	5.637G	61.85	68.20	-6.35	3	Vertical	360	1.67	-
5745MHz	Pass	PK	5.7486G	122.22	Inf	-Inf	3	Vertical	360	1.67	-
5745MHz	Pass	PK	5.9418G	59.89	68.20	-8.31	3	Vertical	360	1.67	-
5745MHz	Pass	AV	5.7414G	111.97	Inf	-Inf	3	Horizontal	350	1.59	-
5745MHz	Pass	PK	5.649G	66.06	68.20	-2.14	3	Horizontal	350	1.59	-
5745MHz	Pass	PK	5.7402G	124.52	Inf	-Inf	3	Horizontal	350	1.59	-
5745MHz	Pass	PK	5.9646G	60.07	68.20	-8.13	3	Horizontal	350	1.59	-
5745MHz	Pass	AV	11.50446G	44.65	54.00	-9.35	3	Vertical	329	1.17	-
5745MHz	Pass	PK	11.4834G	57.51	74.00	-16.49	3	Vertical	329	1.17	-
5745MHz	Pass	AV	11.50482G	44.66	54.00	-9.34	3	Horizontal	16	2.00	-
5745MHz	Pass	PK	11.49114G	57.37	74.00	-16.63	3	Horizontal	16	2.00	-
5785MHz	Pass	AV	5.7862G	112.39	Inf	-Inf	3	Vertical	4	1.65	-
5785MHz	Pass	PK	5.647G	63.09	68.20	-5.11	3	Vertical	4	1.65	-
5785MHz	Pass	PK	5.7838G	123.82	Inf	-Inf	3	Vertical	4	1.65	-
5785MHz	Pass	PK	5.9254G	63.54	68.20	-4.66	3	Vertical	4	1.65	-
5785MHz	Pass	AV	5.7886G	112.84	Inf	-Inf	3	Horizontal	340	1.59	-
5785MHz	Pass	PK	5.6494G	64.32	68.20	-3.88	3	Horizontal	340	1.59	-
5785MHz	Pass	PK	5.7802G	123.72	Inf	-Inf	3	Horizontal	340	1.59	-
5785MHz	Pass	PK	5.9242G	65.37	68.79	-3.42	3	Horizontal	340	1.59	-
5785MHz	Pass	AV	11.56922G	45.21	54.00	-8.79	3	Vertical	240	1.50	-
5785MHz	Pass	PK	11.56934G	57.58	74.00	-16.42	3	Vertical	240	1.50	-
5785MHz	Pass	AV	11.58422G	44.92	54.00	-9.08	3	Horizontal	50	1.50	-
5785MHz	Pass	PK	11.57852G	57.25	74.00	-16.75	3	Horizontal	50	1.50	-
5825MHz	Pass	AV	5.8274G	110.83	Inf	-Inf	3	Vertical	0	1.57	-
5825MHz	Pass	PK	5.6294G	57.99	68.20	-10.21	3	Vertical	0	1.57	-
5825MHz	Pass	PK	5.8202G	122.14	Inf	-Inf	3	Vertical	0	1.57	-
5825MHz	Pass	PK	5.945G	59.21	68.20	-8.99	3	Vertical	0	1.57	-
5825MHz	Pass	AV	5.8286G	111.88	Inf	-Inf	3	Horizontal	345	1.57	-
5825MHz	Pass	PK	5.6354G	57.50	68.20	-10.70	3	Horizontal	345	1.57	-
5825MHz	Pass	PK	5.8238G	123.69	Inf	-Inf	3	Horizontal	345	1.57	-
5825MHz	Pass	PK	5.9294G	64.10	68.20	-4.10	3	Horizontal	345	1.57	-
5825MHz	Pass	AV	11.64274G	45.08	54.00	-8.92	3	Vertical	29	2.10	-
5825MHz	Pass	PK	11.65066G	57.67	74.00	-16.33	3	Vertical	29	2.10	-
5825MHz	Pass	AV	11.66134G	44.93	54.00	-9.07	3	Horizontal	22	1.30	-
5825MHz	Pass	PK	11.64148G	57.83	74.00	-16.17	3	Horizontal	22	1.30	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1484G	43.23	54.00	-10.77	3	Vertical	31	1.00	-
5190MHz	Pass	AV	5.184G	81.05	Inf	-Inf	3	Vertical	31	1.00	-
5190MHz	Pass	PK	5.1064G	56.50	74.00	-17.50	3	Vertical	31	1.00	-
5190MHz	Pass	PK	5.1872G	94.01	Inf	-Inf	3	Vertical	31	1.00	-
5190MHz	Pass	AV	5.15G	52.69	54.00	-1.31	3	Horizontal	0	1.51	-
5190MHz	Pass	AV	5.194G	102.38	Inf	-Inf	3	Horizontal	0	1.51	-
5190MHz	Pass	PK	5.1452G	67.86	74.00	-6.14	3	Horizontal	0	1.51	-
5190MHz	Pass	PK	5.2008G	115.62	Inf	-Inf	3	Horizontal	0	1.51	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5190MHz	Pass	PK	10.37628G	53.45	68.20	-14.75	3	Vertical	302	1.50	-
5190MHz	Pass	PK	10.38436G	53.33	68.20	-14.87	3	Horizontal	0	1.50	-
5230MHz	Pass	AV	5.15G	43.18	54.00	-10.82	3	Vertical	27	1.14	-
5230MHz	Pass	AV	5.222G	83.05	Inf	-Inf	3	Vertical	27	1.14	-
5230MHz	Pass	PK	5.1496G	55.59	74.00	-18.41	3	Vertical	27	1.14	-
5230MHz	Pass	PK	5.2248G	95.58	Inf	-Inf	3	Vertical	27	1.14	-
5230MHz	Pass	AV	5.15G	51.72	54.00	-2.28	3	Horizontal	2	1.48	-
5230MHz	Pass	AV	5.24G	105.29	Inf	-Inf	3	Horizontal	2	1.48	-
5230MHz	Pass	PK	5.1452G	65.70	74.00	-8.30	3	Horizontal	2	1.48	-
5230MHz	Pass	PK	5.222G	118.35	Inf	-Inf	3	Horizontal	2	1.48	-
5230MHz	Pass	PK	10.45998G	55.53	68.20	-12.67	3	Vertical	226	2.96	-
5230MHz	Pass	PK	10.45772G	53.67	68.20	-14.53	3	Horizontal	199	1.49	-
5755MHz	Pass	AV	5.7634G	89.37	Inf	-Inf	3	Vertical	329	1.26	-
5755MHz	Pass	PK	5.6326G	55.42	68.20	-12.78	3	Vertical	329	1.26	-
5755MHz	Pass	PK	5.7658G	102.06	Inf	-Inf	3	Vertical	329	1.26	-
5755MHz	Pass	PK	5.9446G	56.88	68.20	-11.32	3	Vertical	329	1.26	-
5755MHz	Pass	AV	5.7538G	107.22	Inf	-Inf	3	Horizontal	0	1.49	-
5755MHz	Pass	PK	5.6482G	66.06	68.20	-2.14	3	Horizontal	0	1.49	-
5755MHz	Pass	PK	5.7538G	119.74	Inf	-Inf	3	Horizontal	0	1.49	-
5755MHz	Pass	PK	5.9422G	59.97	68.20	-8.23	3	Horizontal	0	1.49	-
5755MHz	Pass	AV	11.50987G	42.20	54.00	-11.80	3	Vertical	208	2.64	-
5755MHz	Pass	PK	11.51037G	54.99	74.00	-19.01	3	Vertical	208	2.64	-
5755MHz	Pass	AV	11.50947G	40.95	54.00	-13.05	3	Horizontal	171	2.17	-
5755MHz	Pass	PK	11.51084G	54.65	74.00	-19.35	3	Horizontal	171	2.17	-
5795MHz	Pass	AV	5.7926G	89.95	Inf	-Inf	3	Vertical	330	1.15	-
5795MHz	Pass	PK	5.555G	56.21	68.20	-11.99	3	Vertical	330	1.15	-
5795MHz	Pass	PK	5.7938G	102.91	Inf	-Inf	3	Vertical	330	1.15	-
5795MHz	Pass	PK	5.9234G	58.61	69.38	-10.77	3	Vertical	330	1.15	-
5795MHz	Pass	AV	5.7938G	106.69	Inf	-Inf	3	Horizontal	355	1.49	-
5795MHz	Pass	PK	5.6498G	64.35	68.20	-3.85	3	Horizontal	355	1.49	-
5795MHz	Pass	PK	5.7842G	118.72	Inf	-Inf	3	Horizontal	355	1.49	-
5795MHz	Pass	PK	5.9294G	66.89	68.20	-1.31	3	Horizontal	355	1.49	-
5795MHz	Pass	AV	11.59G	40.99	54.00	-13.01	3	Vertical	39	1.48	-
5795MHz	Pass	PK	11.5824G	55.62	74.00	-18.38	3	Vertical	39	1.48	-
5795MHz	Pass	AV	11.59284G	40.85	54.00	-13.15	3	Horizontal	163	2.56	-
5795MHz	Pass	PK	11.59572G	54.76	74.00	-19.24	3	Horizontal	163	2.56	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1468G	49.32	54.00	-4.68	3	Vertical	9	1.57	-
5190MHz	Pass	AV	5.1944G	103.81	Inf	-Inf	3	Vertical	9	1.57	-
5190MHz	Pass	PK	5.1428G	68.09	74.00	-5.91	3	Vertical	9	1.57	-
5190MHz	Pass	PK	5.194G	115.31	Inf	-Inf	3	Vertical	9	1.57	-
5190MHz	Pass	AV	5.15G	52.75	54.00	-1.25	3	Horizontal	352	1.60	-
5190MHz	Pass	AV	5.1956G	104.23	Inf	-Inf	3	Horizontal	352	1.60	-
5190MHz	Pass	PK	5.1408G	65.54	74.00	-8.46	3	Horizontal	352	1.60	-
5190MHz	Pass	PK	5.1964G	115.13	Inf	-Inf	3	Horizontal	352	1.60	-
5190MHz	Pass	PK	10.38414G	56.50	68.20	-11.70	3	Vertical	44	1.50	-
5190MHz	Pass	PK	10.38816G	56.47	68.20	-11.73	3	Horizontal	152	1.50	-
5230MHz	Pass	AV	5.15G	52.94	54.00	-1.06	3	Vertical	24	1.67	-
5230MHz	Pass	AV	5.2288G	106.07	Inf	-Inf	3	Vertical	24	1.67	-



RSE TX above 1GHz_Group 4_Non-Beamforming

Appendix E.2.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	PK	5.1468G	65.98	74.00	-8.02	3	Vertical	24	1.67	-
5230MHz	Pass	PK	5.2384G	117.74	Inf	-Inf	3	Vertical	24	1.67	-
5230MHz	Pass	AV	5.15G	51.04	54.00	-2.96	3	Horizontal	340	1.50	-
5230MHz	Pass	AV	5.2332G	106.55	Inf	-Inf	3	Horizontal	340	1.50	-
5230MHz	Pass	PK	5.144G	63.61	74.00	-10.39	3	Horizontal	340	1.50	-
5230MHz	Pass	PK	5.222G	117.92	Inf	-Inf	3	Horizontal	340	1.50	-
5230MHz	Pass	PK	10.44722G	56.47	68.20	-11.73	3	Vertical	140	1.82	-
5230MHz	Pass	PK	10.44836G	56.73	68.20	-11.47	3	Horizontal	12	1.17	-
5755MHz	Pass	AV	5.761G	107.16	Inf	-Inf	3	Vertical	360	1.66	-
5755MHz	Pass	PK	5.6338G	60.90	68.20	-7.30	3	Vertical	360	1.66	-
5755MHz	Pass	PK	5.7622G	117.81	Inf	-Inf	3	Vertical	360	1.66	-
5755MHz	Pass	PK	5.9614G	57.92	68.20	-10.28	3	Vertical	360	1.66	-
5755MHz	Pass	AV	5.7466G	107.75	Inf	-Inf	3	Horizontal	357	1.54	-
5755MHz	Pass	PK	5.6494G	66.46	68.20	-1.74	3	Horizontal	357	1.54	-
5755MHz	Pass	PK	5.7622G	118.88	Inf	-Inf	3	Horizontal	357	1.54	-
5755MHz	Pass	PK	5.9386G	58.27	68.20	-9.93	3	Horizontal	357	1.54	-
5755MHz	Pass	AV	11.51203G	42.45	54.00	-11.55	3	Vertical	18	2.11	-
5755MHz	Pass	PK	11.50789G	56.00	74.00	-18.00	3	Vertical	18	2.11	-
5755MHz	Pass	AV	11.50947G	42.49	54.00	-11.51	3	Horizontal	29	1.50	-
5755MHz	Pass	PK	11.50797G	57.09	74.00	-16.91	3	Horizontal	29	1.50	-
5795MHz	Pass	AV	5.7962G	107.35	Inf	-Inf	3	Vertical	3	1.61	-
5795MHz	Pass	PK	5.6474G	58.81	68.20	-9.39	3	Vertical	3	1.61	-
5795MHz	Pass	PK	5.8046G	118.12	Inf	-Inf	3	Vertical	3	1.61	-
5795MHz	Pass	PK	5.9258G	60.56	68.20	-7.64	3	Vertical	3	1.61	-
5795MHz	Pass	AV	5.7986G	107.82	Inf	-Inf	3	Horizontal	346	1.54	-
5795MHz	Pass	PK	5.6462G	63.64	68.20	-4.56	3	Horizontal	346	1.54	-
5795MHz	Pass	PK	5.7902G	119.06	Inf	-Inf	3	Horizontal	346	1.54	-
5795MHz	Pass	PK	5.9234G	68.15	69.38	-1.23	3	Horizontal	346	1.54	-
5795MHz	Pass	AV	11.58797G	52.68	54.00	-1.32	3	Vertical	223	1.50	-
5795MHz	Pass	PK	11.5924G	66.13	74.00	-7.87	3	Vertical	223	1.50	-
5795MHz	Pass	AV	11.58768G	42.68	54.00	-11.32	3	Horizontal	240	1.50	-
5795MHz	Pass	PK	11.59027G	56.24	74.00	-17.76	3	Horizontal	240	1.50	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	43.27	54.00	-10.73	3	Vertical	29	1.13	-
5210MHz	Pass	AV	5.221G	77.06	Inf	-Inf	3	Vertical	29	1.13	-
5210MHz	Pass	AV	5.406G	43.14	54.00	-10.86	3	Vertical	29	1.13	-
5210MHz	Pass	PK	5.146G	55.49	74.00	-18.51	3	Vertical	29	1.13	-
5210MHz	Pass	PK	5.226G	88.53	Inf	-Inf	3	Vertical	29	1.13	-
5210MHz	Pass	PK	5.428G	55.86	74.00	-18.14	3	Vertical	29	1.13	-
5210MHz	Pass	AV	5.148G	53.15	54.00	-0.85	3	Horizontal	360	1.49	-
5210MHz	Pass	AV	5.207G	99.02	Inf	-Inf	3	Horizontal	360	1.49	-
5210MHz	Pass	AV	5.35G	45.74	54.00	-8.26	3	Horizontal	360	1.49	-
5210MHz	Pass	PK	5.13G	67.48	74.00	-6.52	3	Horizontal	360	1.49	-
5210MHz	Pass	PK	5.203G	111.62	Inf	-Inf	3	Horizontal	360	1.49	-
5210MHz	Pass	PK	5.365G	58.03	74.00	-15.97	3	Horizontal	360	1.49	-
5210MHz	Pass	PK	10.41988G	53.32	68.20	-14.88	3	Vertical	37	2.99	-
5210MHz	Pass	PK	10.4227G	53.77	68.20	-14.43	3	Horizontal	201	1.24	-
5775MHz	Pass	AV	5.7918G	84.05	Inf	-Inf	3	Vertical	329	1.15	-
5775MHz	Pass	PK	5.6094G	55.58	68.20	-12.62	3	Vertical	329	1.15	-



RSE TX above 1GHz_Group 4_Non-Beamforming


Appendix E.2.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	PK	5.7978G	96.27	Inf	-Inf	3	Vertical	329	1.15	-
5775MHz	Pass	PK	5.943G	57.18	68.20	-11.02	3	Vertical	329	1.15	-
5775MHz	Pass	AV	5.7906G	100.81	Inf	-Inf	3	Horizontal	355	1.49	-
5775MHz	Pass	PK	5.649G	66.23	68.20	-1.97	3	Horizontal	355	1.49	-
5775MHz	Pass	PK	5.7894G	114.09	Inf	-Inf	3	Horizontal	355	1.49	-
5775MHz	Pass	PK	5.9274G	64.38	68.20	-3.82	3	Horizontal	355	1.49	-
5775MHz	Pass	AV	11.5499G	41.02	54.00	-12.98	3	Vertical	145	1.49	-
5775MHz	Pass	PK	11.54938G	55.02	74.00	-18.98	3	Vertical	145	1.49	-
5775MHz	Pass	AV	11.5401G	40.73	54.00	-13.27	3	Horizontal	7	1.68	-
5775MHz	Pass	PK	11.5476G	54.63	74.00	-19.37	3	Horizontal	7	1.68	-
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	51.11	54.00	-2.89	3	Vertical	7	1.79	-
5210MHz	Pass	AV	5.203G	99.34	Inf	-Inf	3	Vertical	7	1.79	-
5210MHz	Pass	AV	5.376G	45.67	54.00	-8.33	3	Vertical	7	1.79	-
5210MHz	Pass	PK	5.149G	67.48	74.00	-6.52	3	Vertical	7	1.79	-
5210MHz	Pass	PK	5.204G	111.30	Inf	-Inf	3	Vertical	7	1.79	-
5210MHz	Pass	PK	5.378G	58.38	74.00	-15.62	3	Vertical	7	1.79	-
5210MHz	Pass	AV	5.15G	53.30	54.00	-0.70	3	Horizontal	0	1.78	-
5210MHz	Pass	AV	5.217G	99.39	Inf	-Inf	3	Horizontal	0	1.78	-
5210MHz	Pass	AV	5.35G	45.77	54.00	-8.23	3	Horizontal	0	1.78	-
5210MHz	Pass	PK	5.15G	69.82	74.00	-4.18	3	Horizontal	0	1.78	-
5210MHz	Pass	PK	5.214G	111.90	Inf	-Inf	3	Horizontal	0	1.78	-
5210MHz	Pass	PK	5.358G	57.84	74.00	-16.16	3	Horizontal	0	1.78	-
5210MHz	Pass	PK	10.41992G	55.19	68.20	-13.01	3	Vertical	200	1.98	-
5210MHz	Pass	PK	10.4202G	53.61	68.20	-14.59	3	Horizontal	199	1.90	-
5775MHz	Pass	AV	5.7882G	101.06	Inf	-Inf	3	Vertical	11	1.85	-
5775MHz	Pass	PK	5.6502G	61.24	68.35	-7.11	3	Vertical	11	1.85	-
5775MHz	Pass	PK	5.7882G	113.65	Inf	-Inf	3	Vertical	11	1.85	-
5775MHz	Pass	PK	5.9394G	60.51	68.20	-7.69	3	Vertical	11	1.85	-
5775MHz	Pass	AV	5.7894G	101.66	Inf	-Inf	3	Horizontal	354	1.76	-
5775MHz	Pass	PK	5.649G	65.85	68.20	-2.35	3	Horizontal	354	1.76	-
5775MHz	Pass	PK	5.7918G	114.05	Inf	-Inf	3	Horizontal	354	1.76	-
5775MHz	Pass	PK	5.925G	67.35	68.20	-0.85	3	Horizontal	354	1.76	-
5775MHz	Pass	AV	11.54978G	40.85	54.00	-13.15	3	Vertical	245	1.50	-
5775MHz	Pass	PK	11.54823G	54.83	74.00	-19.17	3	Vertical	245	1.50	-
5775MHz	Pass	AV	11.54994G	40.90	54.00	-13.10	3	Horizontal	213	1.57	-
5775MHz	Pass	PK	11.54794G	54.22	74.00	-19.78	3	Horizontal	213	1.57	-

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	43.22	54.00	-10.78	4.88	3	Vertical	34	1.10	-	38.34	32.00	7.30	34.42
AV	5.1774G	84.95	Inf	-Inf	4.83	3	Vertical	34	1.10	-	80.12	31.89	7.36	34.42
PK	5.1404G	56.54	74.00	-17.46	4.87	3	Vertical	34	1.10	-	51.67	32.00	7.29	34.42
PK	5.176G	94.58	Inf	-Inf	4.84	3	Vertical	34	1.10	-	89.74	31.90	7.36	34.42

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.29	54.00	-0.71	4.89	3	Horizontal	356	1.60	-	48.40	32.00	7.31	34.42
AV	5.1832G	106.85	Inf	-Inf	4.83	3	Horizontal	356	1.60	-	102.02	31.87	7.38	34.42
PK	5.1476G	67.42	74.00	-6.58	4.88	3	Horizontal	356	1.60	-	62.54	32.00	7.30	34.42
PK	5.182G	117.37	Inf	-Inf	4.82	3	Horizontal	356	1.60	-	112.55	31.87	7.37	34.42

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35993G	54.29	68.20	-13.91	15.12	3	Vertical	199	2.46	-	39.17	39.38	10.62	34.88

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35878G	53.47	68.20	-14.73	15.12	3	Horizontal	183	1.00	-	38.35	39.38	10.62	34.88

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	43.25	54.00	-10.75	4.88	3	Vertical	27	1.15	-	38.37	32.00	7.30	34.42
AV	5.2032G	89.06	Inf	-Inf	4.77	3	Vertical	27	1.15	-	84.29	31.78	7.41	34.42
PK	5.1296G	55.94	74.00	-18.06	4.85	3	Vertical	27	1.15	-	51.09	32.00	7.27	34.42
PK	5.2024G	98.68	Inf	-Inf	4.78	3	Vertical	27	1.15	-	93.90	31.79	7.41	34.42

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.43	54.00	-0.57	4.89	3	Horizontal	0	1.49	-	48.54	32.00	7.31	34.42
AV	5.2032G	110.69	Inf	-Inf	4.77	3	Horizontal	0	1.49	-	105.92	31.78	7.41	34.42
PK	5.1476G	67.67	74.00	-6.33	4.88	3	Horizontal	0	1.49	-	62.79	32.00	7.30	34.42
PK	5.2036G	121.17	Inf	-Inf	4.77	3	Horizontal	0	1.49	-	116.40	31.78	7.41	34.42

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39987G	54.56	68.20	-13.64	15.30	3	Vertical	195	2.12	-	39.26	39.50	10.65	34.85

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39826G	54.15	68.20	-14.05	15.29	3	Horizontal	207	2.16	-	38.86	39.49	10.65	34.85

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1338G	43.50	54.00	-10.50	4.85	3	Vertical	24	1.29	-	38.65	32.00	7.27	34.42
AV	5.243G	89.41	Inf	-Inf	4.56	3	Vertical	24	1.29	-	84.85	31.54	7.44	34.42
AV	5.3726G	42.88	54.00	-11.12	4.54	3	Vertical	24	1.29	-	38.34	31.44	7.52	34.42
PK	5.1296G	56.07	74.00	-17.93	4.85	3	Vertical	24	1.29	-	51.22	32.00	7.27	34.42
PK	5.2424G	98.94	Inf	-Inf	4.57	3	Vertical	24	1.29	-	94.37	31.55	7.44	34.42
PK	5.3576G	54.84	74.00	-19.16	4.44	3	Vertical	24	1.29	-	50.40	31.35	7.51	34.42

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.34	54.00	-6.66	4.89	3	Horizontal	0	1.49	-	42.45	32.00	7.31	34.42
AV	5.243G	112.25	Inf	-Inf	4.56	3	Horizontal	0	1.49	-	107.69	31.54	7.44	34.42
AV	5.351G	45.31	54.00	-8.69	4.40	3	Horizontal	0	1.49	-	40.91	31.31	7.51	34.42
PK	5.1452G	61.12	74.00	-12.88	4.88	3	Horizontal	0	1.49	-	56.24	32.00	7.30	34.42
PK	5.2436G	122.06	Inf	-Inf	4.56	3	Horizontal	0	1.49	-	117.50	31.54	7.44	34.42
PK	5.3732G	58.49	74.00	-15.51	4.54	3	Horizontal	0	1.49	-	53.95	31.44	7.52	34.42

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48012G	55.84	68.20	-12.36	15.60	3	Vertical	225	2.98	-	40.24	39.66	10.72	34.78

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47894G	53.64	68.20	-14.56	15.60	3	Horizontal	199	1.08	-	38.04	39.66	10.72	34.78

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	94.74	Inf	-Inf	5.36	3	Vertical	330	1.23	-	89.38	32.09	7.73	34.46
PK	5.5662G	55.42	68.20	-12.78	4.62	3	Vertical	330	1.23	-	50.80	31.87	7.17	34.42
PK	5.7486G	104.74	Inf	-Inf	5.36	3	Vertical	330	1.23	-	99.38	32.09	7.73	34.46
PK	5.9502G	56.74	68.20	-11.46	6.35	3	Vertical	330	1.23	-	50.39	32.50	8.36	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	112.63	Inf	-Inf	5.36	3	Horizontal	1	1.50	-	107.27	32.09	7.73	34.46
PK	5.649G	66.23	68.20	-1.97	4.67	3	Horizontal	1	1.50	-	61.56	31.80	7.31	34.44
PK	5.7522G	122.74	Inf	-Inf	5.39	3	Horizontal	1	1.50	-	117.35	32.11	7.75	34.47
PK	5.9346G	58.90	68.20	-9.30	6.31	3	Horizontal	1	1.50	-	52.59	32.50	8.32	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48978G	43.11	54.00	-10.89	17.31	3	Vertical	210	2.38	-	25.80	40.08	11.62	34.39
PK	11.49014G	56.26	74.00	-17.74	17.31	3	Vertical	210	2.38	-	38.95	40.08	11.62	34.39

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49129G	41.32	54.00	-12.68	17.31	3	Horizontal	212	1.50	-	24.01	40.08	11.62	34.39
PK	11.49047G	54.57	74.00	-19.43	17.31	3	Horizontal	212	1.50	-	37.26	40.08	11.62	34.39

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	95.80	Inf	-Inf	5.65	3	Vertical	329	1.20	-	90.15	32.24	7.88	34.47
PK	5.6062G	55.81	68.20	-12.39	4.50	3	Vertical	329	1.20	-	51.31	31.80	7.13	34.43
PK	5.7886G	105.63	Inf	-Inf	5.68	3	Vertical	329	1.20	-	99.95	32.25	7.90	34.47
PK	5.9254G	57.18	68.20	-11.02	6.29	3	Vertical	329	1.20	-	50.89	32.50	8.29	34.50

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	112.97	Inf	-Inf	5.68	3	Horizontal	356	1.55	-	107.29	32.25	7.90	34.47
PK	5.593G	57.91	68.20	-10.29	4.50	3	Horizontal	356	1.55	-	53.41	31.81	7.12	34.43
PK	5.7922G	123.22	Inf	-Inf	5.72	3	Horizontal	356	1.55	-	117.50	32.27	7.92	34.47
PK	5.9254G	61.60	68.20	-6.60	6.29	3	Horizontal	356	1.55	-	55.31	32.50	8.29	34.50

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56984G	41.70	54.00	-12.30	17.16	3	Vertical	16	2.98	-	24.54	39.89	11.69	34.42
PK	11.57178G	54.49	74.00	-19.51	17.14	3	Vertical	16	2.98	-	37.35	39.88	11.69	34.43

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57245G	41.15	54.00	-12.85	17.14	3	Horizontal	163	2.76	-	24.01	39.88	11.69	34.43
PK	11.57074G	54.18	74.00	-19.82	17.15	3	Horizontal	163	2.76	-	37.03	39.89	11.69	34.43

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	96.31	Inf	-Inf	5.91	3	Vertical	333	1.14	-	90.40	32.36	8.03	34.48
PK	5.6066G	55.44	68.20	-12.76	4.50	3	Vertical	333	1.14	-	50.94	31.80	7.13	34.43
PK	5.8286G	106.51	Inf	-Inf	5.91	3	Vertical	333	1.14	-	100.60	32.36	8.03	34.48
PK	5.9882G	57.10	68.20	-11.10	6.53	3	Vertical	333	1.14	-	50.57	32.58	8.47	34.52

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	113.19	Inf	-Inf	5.90	3	Horizontal	349	1.49	-	107.29	32.35	8.03	34.48
PK	5.6234G	57.84	68.20	-10.36	4.56	3	Horizontal	349	1.49	-	53.28	31.80	7.20	34.44
PK	5.8238G	123.34	Inf	-Inf	5.89	3	Horizontal	349	1.49	-	117.45	32.35	8.02	34.48
PK	5.9222G	68.28	70.27	-1.99	6.29	3	Horizontal	349	1.49	-	61.99	32.50	8.29	34.50

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64997G	41.87	54.00	-12.13	16.85	3	Vertical	25	2.41	-	25.02	39.55	11.76	34.46
PK	11.65025G	54.94	74.00	-19.06	16.84	3	Vertical	25	2.41	-	38.10	39.55	11.76	34.47

802.11a_Nss1,(6Mbps)_1TX(Port2)

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64948G	41.50	54.00	-12.50	16.85	3	Horizontal	19	1.50	-	24.65	39.55	11.76	34.46
PK	11.64823G	54.68	74.00	-19.32	16.86	3	Horizontal	19	1.50	-	37.82	39.56	11.76	34.46

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.42	54.00	-1.58	4.89	3	Vertical	12	1.49	-	47.53	32.00	7.31	34.42
AV	5.182G	106.77	Inf	-Inf	4.82	3	Vertical	12	1.49	-	101.95	31.87	7.37	34.42
PK	5.1476G	67.33	74.00	-6.67	4.88	3	Vertical	12	1.49	-	62.45	32.00	7.30	34.42
PK	5.1826G	117.32	Inf	-Inf	4.82	3	Vertical	12	1.49	-	112.50	31.87	7.37	34.42

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.50	54.00	-0.50	4.89	3	Horizontal	356	1.54	-	48.61	32.00	7.31	34.42
AV	5.1826G	108.11	Inf	-Inf	4.82	3	Horizontal	356	1.54	-	103.29	31.87	7.37	34.42
PK	5.149G	67.62	74.00	-6.38	4.89	3	Horizontal	356	1.54	-	62.73	32.00	7.31	34.42
PK	5.1832G	118.39	Inf	-Inf	4.83	3	Horizontal	356	1.54	-	113.56	31.87	7.38	34.42

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35994G	56.77	68.20	-11.43	17.63	3	Vertical	179	2.30	-	39.14	39.36	9.23	30.96

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35634G	55.94	68.20	-12.26	17.61	3	Horizontal	194	1.72	-	38.33	39.34	9.23	30.96

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.07	54.00	-2.93	4.89	3	Vertical	11	1.49	-	46.18	32.00	7.31	34.42
AV	5.2028G	110.26	Inf	-Inf	4.77	3	Vertical	11	1.49	-	105.49	31.78	7.41	34.42
PK	5.15G	66.87	74.00	-7.13	4.89	3	Vertical	11	1.49	-	61.98	32.00	7.31	34.42
PK	5.2024G	121.20	Inf	-Inf	4.78	3	Vertical	11	1.49	-	116.42	31.79	7.41	34.42

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	51.54	54.00	-2.46	4.89	3	Horizontal	348	1.49	-	46.65	32.00	7.31	34.42
AV	5.2032G	111.20	Inf	-Inf	4.77	3	Horizontal	348	1.49	-	106.43	31.78	7.41	34.42
PK	5.1496G	66.02	74.00	-7.98	4.89	3	Horizontal	348	1.49	-	61.13	32.00	7.31	34.42
PK	5.1936G	121.57	Inf	-Inf	4.81	3	Horizontal	348	1.49	-	116.76	31.83	7.40	34.42

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3997G	56.62	68.20	-11.58	17.89	3	Vertical	194	2.31	-	38.73	39.60	9.26	30.97

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3907G	56.55	68.20	-11.65	17.82	3	Horizontal	93	2.27	-	38.73	39.54	9.25	30.97

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.84	54.00	-5.16	4.89	3	Vertical	16	1.49	-	43.95	32.00	7.31	34.42
AV	5.2388G	112.64	Inf	-Inf	4.59	3	Vertical	16	1.49	-	108.05	31.57	7.44	34.42
AV	5.3762G	45.95	54.00	-8.05	4.57	3	Vertical	16	1.49	-	41.38	31.46	7.52	34.41
PK	5.1446G	63.38	74.00	-10.62	4.88	3	Vertical	16	1.49	-	58.50	32.00	7.30	34.42
PK	5.2436G	122.98	Inf	-Inf	4.56	3	Vertical	16	1.49	-	118.42	31.54	7.44	34.42
PK	5.3606G	63.43	74.00	-10.57	4.45	3	Vertical	16	1.49	-	58.98	31.36	7.51	34.42

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	48.14	54.00	-5.86	4.88	3	Horizontal	3	1.49	-	43.26	32.00	7.30	34.42
AV	5.2436G	113.12	Inf	-Inf	4.56	3	Horizontal	3	1.49	-	108.56	31.54	7.44	34.42
AV	5.351G	46.16	54.00	-7.84	4.40	3	Horizontal	3	1.49	-	41.76	31.31	7.51	34.42
PK	5.147G	61.76	74.00	-12.24	4.88	3	Horizontal	3	1.49	-	56.88	32.00	7.30	34.42
PK	5.2424G	123.61	Inf	-Inf	4.57	3	Horizontal	3	1.49	-	119.04	31.55	7.44	34.42
PK	5.366G	58.55	74.00	-15.45	4.50	3	Horizontal	3	1.49	-	54.05	31.40	7.52	34.42

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48072G	56.35	68.20	-11.85	18.00	3	Vertical	174	1.68	-	38.35	39.68	9.31	30.99

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4794G	56.45	68.20	-11.75	18.00	3	Horizontal	136	2.54	-	38.45	39.68	9.31	30.99

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	113.91	Inf	-Inf	8.32	3	Vertical	360	1.66	-	105.59	31.89	6.20	29.77
PK	5.6502G	61.45	68.35	-6.90	8.05	3	Vertical	360	1.66	-	53.40	31.60	6.19	29.74
PK	5.7462G	122.49	Inf	-Inf	8.32	3	Vertical	360	1.66	-	114.17	31.89	6.20	29.77
PK	5.931G	59.08	68.20	-9.12	8.86	3	Vertical	360	1.66	-	50.22	32.26	6.43	29.83

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	113.96	Inf	-Inf	8.32	3	Horizontal	347	1.50	-	105.64	31.89	6.20	29.77
PK	5.6502G	64.87	68.35	-3.48	8.05	3	Horizontal	347	1.50	-	56.82	31.60	6.19	29.74
PK	5.7474G	123.38	Inf	-Inf	8.32	3	Horizontal	347	1.50	-	115.06	31.89	6.20	29.77
PK	5.937G	58.42	68.20	-9.78	8.88	3	Horizontal	347	1.50	-	49.54	32.27	6.44	29.83

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4897G	46.42	54.00	-7.58	18.73	3	Vertical	206	2.22	-	27.69	39.80	9.99	31.06
PK	11.49006G	57.95	74.00	-16.05	18.73	3	Vertical	206	2.22	-	39.22	39.80	9.99	31.06

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49996G	44.85	54.00	-9.15	18.73	3	Horizontal	36	1.91	-	26.12	39.80	9.99	31.06
PK	11.47848G	57.11	74.00	-16.89	18.72	3	Horizontal	36	1.91	-	38.39	39.80	9.98	31.06

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	113.62	Inf	-Inf	8.40	3	Vertical	360	1.57	-	105.22	31.97	6.21	29.78
PK	5.593G	58.25	68.20	-9.95	8.15	3	Vertical	360	1.57	-	50.10	31.69	6.18	29.72
PK	5.7838G	122.44	Inf	-Inf	8.40	3	Vertical	360	1.57	-	114.04	31.97	6.21	29.78
PK	5.9722G	57.85	68.20	-10.35	8.96	3	Vertical	360	1.57	-	48.89	32.30	6.50	29.84

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	113.56	Inf	-Inf	8.40	3	Horizontal	340	1.64	-	105.16	31.97	6.21	29.78
PK	5.587G	58.78	68.20	-9.42	8.13	3	Horizontal	340	1.64	-	50.65	31.67	6.18	29.72
PK	5.7874G	123.12	Inf	-Inf	8.40	3	Horizontal	340	1.64	-	114.72	31.97	6.21	29.78
PK	5.9362G	58.21	68.20	-9.99	8.88	3	Horizontal	340	1.64	-	49.33	32.27	6.44	29.83

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57012G	46.09	54.00	-7.91	18.65	3	Vertical	213	3.00	-	27.44	39.66	10.04	31.05
PK	11.564G	57.67	74.00	-16.33	18.66	3	Vertical	213	3.00	-	39.01	39.67	10.04	31.05

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56622G	45.30	54.00	-8.70	18.66	3	Horizontal	166	2.57	-	26.64	39.67	10.04	31.05
PK	11.57444G	57.96	74.00	-16.04	18.64	3	Horizontal	166	2.57	-	39.32	39.65	10.04	31.05

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	112.28	Inf	-Inf	8.46	3	Vertical	0	1.60	-	103.82	32.00	6.25	29.79
PK	5.6366G	58.04	68.20	-10.16	8.09	3	Vertical	0	1.60	-	49.95	31.63	6.19	29.73
PK	5.8214G	120.65	Inf	-Inf	8.46	3	Vertical	0	1.60	-	112.19	32.00	6.25	29.79
PK	5.945G	61.31	68.20	-6.89	8.92	3	Vertical	0	1.60	-	52.39	32.29	6.46	29.83

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	113.13	Inf	-Inf	8.46	3	Horizontal	360	1.50	-	104.67	32.00	6.26	29.80
PK	5.5898G	58.34	68.20	-9.86	8.14	3	Horizontal	360	1.50	-	50.20	31.68	6.18	29.72
PK	5.8274G	122.32	Inf	-Inf	8.47	3	Horizontal	360	1.50	-	113.85	32.00	6.26	29.79
PK	5.9222G	67.29	70.27	-2.98	8.83	3	Horizontal	360	1.50	-	58.46	32.24	6.42	29.83

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65G	46.18	54.00	-7.82	18.47	3	Vertical	232	2.46	-	27.71	39.40	10.10	31.03
PK	11.63716G	57.54	74.00	-16.46	18.51	3	Vertical	232	2.46	-	39.03	39.45	10.09	31.03

802.11a_Nss1,(6Mbps)_2TX

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6614G	45.05	54.00	-8.95	18.42	3	Horizontal	282	1.50	-	26.63	39.35	10.10	31.03
PK	11.64226G	57.17	74.00	-16.83	18.49	3	Horizontal	282	1.50	-	38.68	39.43	10.09	31.03

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	43.23	54.00	-10.77	4.89	3	Vertical	259	2.33	-	38.34	32.00	7.31	34.42
AV	5.1818G	84.67	Inf	-Inf	4.82	3	Vertical	259	2.33	-	79.85	31.87	7.37	34.42
PK	5.15G	55.71	74.00	-18.29	4.89	3	Vertical	259	2.33	-	50.82	32.00	7.31	34.42
PK	5.1766G	97.96	Inf	-Inf	4.83	3	Vertical	259	2.33	-	93.13	31.89	7.36	34.42

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	52.53	54.00	-1.47	4.89	3	Horizontal	357	1.58	-	47.64	32.00	7.31	34.42
AV	5.1816G	106.96	Inf	-Inf	4.82	3	Horizontal	357	1.58	-	102.14	31.87	7.37	34.42
PK	5.1456G	73.39	74.00	-0.61	4.88	3	Horizontal	357	1.58	-	68.51	32.00	7.30	34.42
PK	5.1806G	120.99	Inf	-Inf	4.83	3	Horizontal	357	1.58	-	116.16	31.88	7.37	34.42

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35989G	54.50	68.20	-13.70	15.12	3	Vertical	203	2.36	-	39.38	39.38	10.62	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36039G	53.53	68.20	-14.67	15.12	3	Horizontal	183	1.50	-	38.41	39.38	10.62	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.44	54.00	-10.56	4.89	3	Vertical	261	2.20	-	38.55	32.00	7.31	34.42
AV	5.1984G	87.27	Inf	-Inf	4.80	3	Vertical	261	2.20	-	82.47	31.81	7.41	34.42
PK	5.1428G	56.46	74.00	-17.54	4.87	3	Vertical	261	2.20	-	51.59	32.00	7.29	34.42
PK	5.1948G	100.59	Inf	-Inf	4.80	3	Vertical	261	2.20	-	95.79	31.82	7.40	34.42

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.79	54.00	-1.21	4.89	3	Horizontal	357	1.50	-	47.90	32.00	7.31	34.42
AV	5.2044G	108.87	Inf	-Inf	4.76	3	Horizontal	357	1.50	-	104.11	31.77	7.41	34.42
PK	5.1496G	70.88	74.00	-3.12	4.89	3	Horizontal	357	1.50	-	65.99	32.00	7.31	34.42
PK	5.2024G	121.85	Inf	-Inf	4.78	3	Horizontal	357	1.50	-	117.07	31.79	7.41	34.42

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39999G	53.97	68.20	-14.23	15.30	3	Vertical	203	2.45	-	38.67	39.50	10.65	34.85

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39959G	53.31	68.20	-14.89	15.30	3	Horizontal	184	1.50	-	38.01	39.50	10.65	34.85

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1326G	43.16	54.00	-10.84	4.85	3	Vertical	26	1.29	-	38.31	32.00	7.27	34.42
AV	5.2436G	86.54	Inf	-Inf	4.56	3	Vertical	26	1.29	-	81.98	31.54	7.44	34.42
AV	5.3672G	42.81	54.00	-11.19	4.50	3	Vertical	26	1.29	-	38.31	31.40	7.52	34.42
PK	5.138G	56.40	74.00	-17.60	4.86	3	Vertical	26	1.29	-	51.54	32.00	7.28	34.42
PK	5.2418G	100.21	Inf	-Inf	4.57	3	Vertical	26	1.29	-	95.64	31.55	7.44	34.42
PK	5.3858G	55.45	74.00	-18.55	4.63	3	Vertical	26	1.29	-	50.82	31.51	7.53	34.41

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.63	54.00	-1.37	4.89	3	Horizontal	0	1.73	-	47.74	32.00	7.31	34.42
AV	5.2418G	109.73	Inf	-Inf	4.57	3	Horizontal	0	1.73	-	105.16	31.55	7.44	34.42
AV	5.3522G	48.50	54.00	-5.50	4.40	3	Horizontal	0	1.73	-	44.10	31.31	7.51	34.42
PK	5.1476G	67.41	74.00	-6.59	4.88	3	Horizontal	0	1.73	-	62.53	32.00	7.30	34.42
PK	5.2424G	123.22	Inf	-Inf	4.57	3	Horizontal	0	1.73	-	118.65	31.55	7.44	34.42
PK	5.351G	61.97	74.00	-12.03	4.40	3	Horizontal	0	1.73	-	57.57	31.31	7.51	34.42

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4799G	54.42	68.20	-13.78	15.60	3	Vertical	179	1.50	-	38.82	39.66	10.72	34.78

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47988G	53.97	68.20	-14.23	15.60	3	Horizontal	201	1.95	-	38.37	39.66	10.72	34.78

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	93.06	Inf	-Inf	5.33	3	Vertical	324	1.21	-	87.73	32.08	7.71	34.46
PK	5.6502G	55.76	68.35	-12.59	4.67	3	Vertical	324	1.21	-	51.09	31.80	7.31	34.44
PK	5.7402G	106.31	Inf	-Inf	5.30	3	Vertical	324	1.21	-	101.01	32.06	7.70	34.46
PK	5.9706G	56.72	68.20	-11.48	6.45	3	Vertical	324	1.21	-	50.27	32.54	8.42	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	110.67	Inf	-Inf	5.36	3	Horizontal	1	1.49	-	105.31	32.09	7.73	34.46
PK	5.643G	66.04	68.20	-2.16	4.64	3	Horizontal	1	1.49	-	61.40	31.80	7.28	34.44
PK	5.7498G	123.04	Inf	-Inf	5.38	3	Horizontal	1	1.49	-	117.66	32.10	7.74	34.46
PK	5.9358G	61.12	68.20	-7.08	6.31	3	Horizontal	1	1.49	-	54.81	32.50	8.32	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48998G	43.14	54.00	-10.86	17.31	3	Vertical	205	2.86	-	25.83	40.08	11.62	34.39
PK	11.48981G	55.84	74.00	-18.16	17.31	3	Vertical	205	2.86	-	38.53	40.08	11.62	34.39

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4916G	41.02	54.00	-12.98	17.31	3	Horizontal	216	2.12	-	23.71	40.08	11.62	34.39
PK	11.48977G	55.21	74.00	-18.79	17.31	3	Horizontal	216	2.12	-	37.90	40.08	11.62	34.39

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	94.34	Inf	-Inf	5.68	3	Vertical	329	1.15	-	88.66	32.25	7.90	34.47
PK	5.5906G	56.00	68.20	-12.20	4.51	3	Vertical	329	1.15	-	51.49	31.82	7.12	34.43
PK	5.7898G	105.80	Inf	-Inf	5.70	3	Vertical	329	1.15	-	100.10	32.26	7.91	34.47
PK	5.9482G	57.31	68.20	-10.89	6.35	3	Vertical	329	1.15	-	50.96	32.50	8.36	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	111.16	Inf	-Inf	5.68	3	Horizontal	360	1.54	-	105.48	32.25	7.90	34.47
PK	5.6422G	66.24	68.20	-1.96	4.64	3	Horizontal	360	1.54	-	61.60	31.80	7.28	34.44
PK	5.791G	123.93	Inf	-Inf	5.70	3	Horizontal	360	1.54	-	118.23	32.26	7.91	34.47
PK	5.9254G	65.18	68.20	-3.02	6.29	3	Horizontal	360	1.54	-	58.89	32.50	8.29	34.50

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56989G	42.11	54.00	-11.89	17.16	3	Vertical	172	2.91	-	24.95	39.89	11.69	34.42
PK	11.57006G	55.73	74.00	-18.27	17.15	3	Vertical	172	2.91	-	38.58	39.89	11.69	34.43

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57011G	40.97	54.00	-13.03	17.15	3	Horizontal	238	2.04	-	23.82	39.89	11.69	34.43
PK	11.56872G	54.82	74.00	-19.18	17.16	3	Horizontal	238	2.04	-	37.66	39.89	11.69	34.42

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	94.91	Inf	-Inf	5.90	3	Vertical	330	1.13	-	89.01	32.35	8.03	34.48
PK	5.621G	55.30	68.20	-12.90	4.55	3	Vertical	330	1.13	-	50.75	31.80	7.19	34.44
PK	5.8226G	106.74	Inf	-Inf	5.88	3	Vertical	330	1.13	-	100.86	32.35	8.01	34.48
PK	5.9738G	56.96	68.20	-11.24	6.47	3	Vertical	330	1.13	-	50.49	32.55	8.43	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	111.50	Inf	-Inf	5.87	3	Horizontal	354	1.49	-	105.63	32.34	8.01	34.48
PK	5.6474G	59.57	68.20	-8.63	4.66	3	Horizontal	354	1.49	-	54.91	31.80	7.30	34.44
PK	5.8238G	124.86	Inf	-Inf	5.89	3	Horizontal	354	1.49	-	118.97	32.35	8.02	34.48
PK	5.9306G	66.85	68.20	-1.35	6.31	3	Horizontal	354	1.49	-	60.54	32.50	8.31	34.50

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64994G	42.53	54.00	-11.47	16.85	3	Vertical	171	2.75	-	25.68	39.55	11.76	34.46
PK	11.65013G	55.07	74.00	-18.93	16.84	3	Vertical	171	2.75	-	38.23	39.55	11.76	34.47

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64771G	40.97	54.00	-13.03	16.86	3	Horizontal	12	2.05	-	24.11	39.56	11.76	34.46
PK	11.64843G	55.04	74.00	-18.96	16.86	3	Horizontal	12	2.05	-	38.18	39.56	11.76	34.46

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	50.64	54.00	-3.36	8.19	3	Vertical	12	1.50	-	42.45	31.90	6.03	29.74
AV	5.1836G	107.21	Inf	-Inf	8.04	3	Vertical	12	1.50	-	99.17	31.70	6.07	29.73
PK	5.1478G	68.38	74.00	-5.62	8.19	3	Vertical	12	1.50	-	60.19	31.90	6.03	29.74
PK	5.1746G	119.09	Inf	-Inf	8.07	3	Vertical	12	1.50	-	111.02	31.75	6.06	29.74

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	49.90	54.00	-4.10	8.19	3	Horizontal	341	1.58	-	41.71	31.90	6.03	29.74
AV	5.178G	108.02	Inf	-Inf	8.05	3	Horizontal	341	1.58	-	99.97	31.73	6.06	29.74
PK	5.1492G	67.02	74.00	-6.98	8.19	3	Horizontal	341	1.58	-	58.83	31.90	6.03	29.74
PK	5.1788G	119.53	Inf	-Inf	8.06	3	Horizontal	341	1.58	-	111.47	31.73	6.06	29.73

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.357366G	57.49	68.20	-10.71	17.61	3	Vertical	323	1.61	-	39.88	39.34	9.23	30.96

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37266G	57.24	68.20	-10.96	17.72	3	Horizontal	357	2.24	-	39.52	39.44	9.24	30.96

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.19	54.00	-2.81	8.20	3	Vertical	9	1.65	-	42.99	31.90	6.04	29.74
AV	5.1956G	109.41	Inf	-Inf	7.98	3	Vertical	9	1.65	-	101.43	31.63	6.08	29.73
PK	5.1472G	67.60	74.00	-6.40	8.18	3	Vertical	9	1.65	-	59.42	31.89	6.03	29.74
PK	5.1948G	121.59	Inf	-Inf	7.98	3	Vertical	9	1.65	-	113.61	31.63	6.08	29.73

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.65	54.00	-2.35	8.20	3	Horizontal	339	1.54	-	43.45	31.90	6.04	29.74
AV	5.1984G	110.02	Inf	-Inf	7.96	3	Horizontal	339	1.54	-	102.06	31.61	6.08	29.73
PK	5.148G	66.46	74.00	-7.54	8.19	3	Horizontal	339	1.54	-	58.27	31.90	6.03	29.74
PK	5.1988G	121.68	Inf	-Inf	7.96	3	Horizontal	339	1.54	-	113.72	31.61	6.08	29.73

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.412G	56.86	68.20	-11.34	17.91	3	Vertical	109	2.47	-	38.95	39.61	9.27	30.97

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40354G	56.44	68.20	-11.76	17.89	3	Horizontal	208	1.55	-	38.55	39.60	9.26	30.97

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	45.39	54.00	-8.61	8.19	3	Vertical	0	1.64	-	37.20	31.90	6.03	29.74
AV	5.2364G	110.42	Inf	-Inf	7.74	3	Vertical	0	1.64	-	102.68	31.38	6.09	29.73
AV	5.3762G	45.88	54.00	-8.12	7.77	3	Vertical	0	1.64	-	38.11	31.36	6.12	29.71
PK	5.138G	56.89	74.00	-17.11	8.16	3	Vertical	0	1.64	-	48.73	31.88	6.02	29.74
PK	5.2394G	121.79	Inf	-Inf	7.72	3	Vertical	0	1.64	-	114.07	31.36	6.09	29.73
PK	5.3588G	58.22	74.00	-15.78	7.66	3	Vertical	0	1.64	-	50.56	31.25	6.12	29.71

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.67	54.00	-8.33	8.20	3	Horizontal	337	1.62	-	37.47	31.90	6.04	29.74
AV	5.2382G	110.35	Inf	-Inf	7.73	3	Horizontal	337	1.62	-	102.62	31.37	6.09	29.73
AV	5.3726G	44.92	54.00	-9.08	7.75	3	Horizontal	337	1.62	-	37.17	31.34	6.12	29.71
PK	5.1458G	57.68	74.00	-16.32	8.18	3	Horizontal	337	1.62	-	49.50	31.89	6.03	29.74
PK	5.2376G	122.31	Inf	-Inf	7.73	3	Horizontal	337	1.62	-	114.58	31.37	6.09	29.73
PK	5.3708G	56.88	74.00	-17.12	7.73	3	Horizontal	337	1.62	-	49.15	31.32	6.12	29.71

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47982G	56.42	68.20	-11.78	18.00	3	Vertical	141	1.86	-	38.42	39.68	9.31	30.99

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.492366G	56.93	68.20	-11.27	18.01	3	Horizontal	350	1.07	-	38.92	39.69	9.32	31.00

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	111.32	Inf	-Inf	8.32	3	Vertical	360	1.67	-	103.00	31.89	6.20	29.77
PK	5.637G	61.85	68.20	-6.35	8.09	3	Vertical	360	1.67	-	53.76	31.63	6.19	29.73
PK	5.7486G	122.22	Inf	-Inf	8.33	3	Vertical	360	1.67	-	113.89	31.90	6.20	29.77
PK	5.9418G	59.89	68.20	-8.31	8.90	3	Vertical	360	1.67	-	50.99	32.28	6.45	29.83

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	111.97	Inf	-Inf	8.31	3	Horizontal	350	1.59	-	103.66	31.88	6.20	29.77
PK	5.649G	66.06	68.20	-2.14	8.05	3	Horizontal	350	1.59	-	58.01	31.60	6.19	29.74
PK	5.7402G	124.52	Inf	-Inf	8.31	3	Horizontal	350	1.59	-	116.21	31.88	6.20	29.77
PK	5.9646G	60.07	68.20	-8.13	8.95	3	Horizontal	350	1.59	-	51.12	32.30	6.49	29.84

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50446G	44.65	54.00	-9.35	18.73	3	Vertical	329	1.17	-	25.92	39.79	10.00	31.06
PK	11.4834G	57.51	74.00	-16.49	18.72	3	Vertical	329	1.17	-	38.79	39.80	9.98	31.06

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50482G	44.66	54.00	-9.34	18.73	3	Horizontal	16	2.00	-	25.93	39.79	10.00	31.06
PK	11.49114G	57.37	74.00	-16.63	18.73	3	Horizontal	16	2.00	-	38.64	39.80	9.99	31.06

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	112.39	Inf	-Inf	8.40	3	Vertical	4	1.65	-	103.99	31.97	6.21	29.78
PK	5.647G	63.09	68.20	-5.11	8.06	3	Vertical	4	1.65	-	55.03	31.61	6.19	29.74
PK	5.7838G	123.82	Inf	-Inf	8.40	3	Vertical	4	1.65	-	115.42	31.97	6.21	29.78
PK	5.9254G	63.54	68.20	-4.66	8.84	3	Vertical	4	1.65	-	54.70	32.25	6.42	29.83

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	112.84	Inf	-Inf	8.41	3	Horizontal	340	1.59	-	104.43	31.98	6.21	29.78
PK	5.6494G	64.32	68.20	-3.88	8.05	3	Horizontal	340	1.59	-	56.27	31.60	6.19	29.74
PK	5.7802G	123.72	Inf	-Inf	8.39	3	Horizontal	340	1.59	-	115.33	31.96	6.21	29.78
PK	5.9242G	65.37	68.79	-3.42	8.84	3	Horizontal	340	1.59	-	56.53	32.25	6.42	29.83

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56922G	45.21	54.00	-8.79	18.65	3	Vertical	240	1.50	-	26.56	39.66	10.04	31.05
PK	11.56934G	57.58	74.00	-16.42	18.65	3	Vertical	240	1.50	-	38.93	39.66	10.04	31.05

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58422G	44.92	54.00	-9.08	18.64	3	Horizontal	50	1.50	-	26.28	39.63	10.05	31.04
PK	11.57852G	57.25	74.00	-16.75	18.65	3	Horizontal	50	1.50	-	38.60	39.64	10.05	31.04

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	110.83	Inf	-Inf	8.47	3	Vertical	0	1.57	-	102.36	32.00	6.26	29.79
PK	5.6294G	57.99	68.20	-10.21	8.09	3	Vertical	0	1.57	-	49.90	31.64	6.18	29.73
PK	5.8202G	122.14	Inf	-Inf	8.45	3	Vertical	0	1.57	-	113.69	32.00	6.24	29.79
PK	5.9455G	59.21	68.20	-8.99	8.92	3	Vertical	0	1.57	-	50.29	32.29	6.46	29.83

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	111.88	Inf	-Inf	8.46	3	Horizontal	345	1.57	-	103.42	32.00	6.26	29.80
PK	5.6354G	57.50	68.20	-10.70	8.09	3	Horizontal	345	1.57	-	49.41	31.63	6.19	29.73
PK	5.8238G	123.69	Inf	-Inf	8.46	3	Horizontal	345	1.57	-	115.23	32.00	6.25	29.79
PK	5.9294G	64.10	68.20	-4.10	8.86	3	Horizontal	345	1.57	-	55.24	32.26	6.43	29.83

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64274G	45.08	54.00	-8.92	18.49	3	Vertical	29	2.10	-	26.59	39.43	10.09	31.03
PK	11.65066G	57.67	74.00	-16.33	18.47	3	Vertical	29	2.10	-	39.20	39.40	10.10	31.03

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66134G	44.93	54.00	-9.07	18.42	3	Horizontal	22	1.30	-	26.51	39.35	10.10	31.03
PK	11.64148G	57.83	74.00	-16.17	18.49	3	Horizontal	22	1.30	-	39.34	39.43	10.09	31.03

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	43.23	54.00	-10.77	4.88	3	Vertical	31	1.00	-	38.35	32.00	7.30	34.42
AV	5.184G	81.05	Inf	-Inf	4.82	3	Vertical	31	1.00	-	76.23	31.86	7.38	34.42
PK	5.1064G	56.50	74.00	-17.50	4.79	3	Vertical	31	1.00	-	51.71	32.00	7.22	34.43
PK	5.1872G	94.01	Inf	-Inf	4.81	3	Vertical	31	1.00	-	89.20	31.85	7.38	34.42

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.69	54.00	-1.31	4.89	3	Horizontal	0	1.51	-	47.80	32.00	7.31	34.42
AV	5.194G	102.38	Inf	-Inf	4.80	3	Horizontal	0	1.51	-	97.58	31.82	7.40	34.42
PK	5.1452G	67.86	74.00	-6.14	4.88	3	Horizontal	0	1.51	-	62.98	32.00	7.30	34.42
PK	5.2008G	115.62	Inf	-Inf	4.79	3	Horizontal	0	1.51	-	110.83	31.80	7.41	34.42

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37628G	53.45	68.20	-14.75	15.19	3	Vertical	302	1.50	-	38.26	39.43	10.63	34.87

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38436G	53.33	68.20	-14.87	15.23	3	Horizontal	0	1.50	-	38.10	39.45	10.64	34.86

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.18	54.00	-10.82	4.89	3	Vertical	27	1.14	-	38.29	32.00	7.31	34.42
AV	5.222G	83.05	Inf	-Inf	4.67	3	Vertical	27	1.14	-	78.38	31.67	7.42	34.42
PK	5.1496G	55.59	74.00	-18.41	4.89	3	Vertical	27	1.14	-	50.70	32.00	7.31	34.42
PK	5.2248G	95.58	Inf	-Inf	4.66	3	Vertical	27	1.14	-	90.92	31.65	7.43	34.42

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.72	54.00	-2.28	4.89	3	Horizontal	2	1.48	-	46.83	32.00	7.31	34.42
AV	5.24G	105.29	Inf	-Inf	4.58	3	Horizontal	2	1.48	-	100.71	31.56	7.44	34.42
PK	5.1452G	65.70	74.00	-8.30	4.88	3	Horizontal	2	1.48	-	60.82	32.00	7.30	34.42
PK	5.222G	118.35	Inf	-Inf	4.67	3	Horizontal	2	1.48	-	113.68	31.67	7.42	34.42

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45998G	55.53	68.20	-12.67	15.53	3	Vertical	226	2.96	-	40.00	39.62	10.71	34.80

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45772G	53.67	68.20	-14.53	15.53	3	Horizontal	199	1.49	-	38.14	39.62	10.71	34.80

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7634G	89.37	Inf	-Inf	5.47	3	Vertical	329	1.26	-	83.90	32.15	7.79	34.47
PK	5.6326G	55.42	68.20	-12.78	4.60	3	Vertical	329	1.26	-	50.82	31.80	7.24	34.44
PK	5.7658G	102.06	Inf	-Inf	5.49	3	Vertical	329	1.26	-	96.57	32.16	7.80	34.47
PK	5.9446G	56.88	68.20	-11.32	6.34	3	Vertical	329	1.26	-	50.54	32.50	8.35	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	107.22	Inf	-Inf	5.40	3	Horizontal	0	1.49	-	101.82	32.12	7.75	34.47
PK	5.6482G	66.06	68.20	-2.14	4.66	3	Horizontal	0	1.49	-	61.40	31.80	7.30	34.44
PK	5.7538G	119.74	Inf	-Inf	5.40	3	Horizontal	0	1.49	-	114.34	32.12	7.75	34.47
PK	5.9422G	59.97	68.20	-8.23	6.33	3	Horizontal	0	1.49	-	53.64	32.50	8.34	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50987G	42.20	54.00	-11.80	17.32	3	Vertical	208	2.64	-	24.88	40.07	11.64	34.39
PK	11.51037G	54.99	74.00	-19.01	17.31	3	Vertical	208	2.64	-	37.68	40.07	11.64	34.40

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50947G	40.95	54.00	-13.05	17.32	3	Horizontal	171	2.17	-	23.63	40.07	11.64	34.39
PK	11.51084G	54.65	74.00	-19.35	17.31	3	Horizontal	171	2.17	-	37.34	40.07	11.64	34.40

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7926G	89.95	Inf	-Inf	5.72	3	Vertical	330	1.15	-	84.23	32.27	7.92	34.47
PK	5.555G	56.21	68.20	-11.99	4.67	3	Vertical	330	1.15	-	51.54	31.89	7.20	34.42
PK	5.7938G	102.91	Inf	-Inf	5.73	3	Vertical	330	1.15	-	97.18	32.28	7.92	34.47
PK	5.9234G	58.61	69.38	-10.77	6.29	3	Vertical	330	1.15	-	52.32	32.50	8.29	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	106.69	Inf	-Inf	5.73	3	Horizontal	355	1.49	-	100.96	32.28	7.92	34.47
PK	5.6498G	64.35	68.20	-3.85	4.67	3	Horizontal	355	1.49	-	59.68	31.80	7.31	34.44
PK	5.7842G	118.72	Inf	-Inf	5.65	3	Horizontal	355	1.49	-	113.07	32.24	7.88	34.47
PK	5.9294G	66.89	68.20	-1.31	6.31	3	Horizontal	355	1.49	-	60.58	32.50	8.31	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59G	40.99	54.00	-13.01	17.10	3	Vertical	39	1.48	-	23.89	39.83	11.71	34.44
PK	11.5824G	55.62	74.00	-18.38	17.12	3	Vertical	39	1.48	-	38.50	39.85	11.70	34.43

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59284G	40.85	54.00	-13.15	17.09	3	Horizontal	163	2.56	-	23.76	39.82	11.71	34.44
PK	11.59572G	54.76	74.00	-19.24	17.08	3	Horizontal	163	2.56	-	37.68	39.81	11.71	34.44

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	49.32	54.00	-4.68	8.18	3	Vertical	9	1.57	-	41.14	31.89	6.03	29.74
AV	5.1944G	103.81	Inf	-Inf	7.97	3	Vertical	9	1.57	-	95.84	31.63	6.07	29.73
PK	5.1428G	68.09	74.00	-5.91	8.18	3	Vertical	9	1.57	-	59.91	31.89	6.03	29.74
PK	5.194G	115.31	Inf	-Inf	7.98	3	Vertical	9	1.57	-	107.33	31.64	6.07	29.73

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.75	54.00	-1.25	8.20	3	Horizontal	352	1.60	-	44.55	31.90	6.04	29.74
AV	5.1956G	104.23	Inf	-Inf	7.98	3	Horizontal	352	1.60	-	96.25	31.63	6.08	29.73
PK	5.1408G	65.54	74.00	-8.46	8.17	3	Horizontal	352	1.60	-	57.37	31.88	6.03	29.74
PK	5.1964G	115.13	Inf	-Inf	7.97	3	Horizontal	352	1.60	-	107.16	31.62	6.08	29.73

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38414G	56.50	68.20	-11.70	17.78	3	Vertical	44	1.50	-	38.72	39.50	9.25	30.97

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38816G	56.47	68.20	-11.73	17.81	3	Horizontal	152	1.50	-	38.66	39.53	9.25	30.97

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.94	54.00	-1.06	8.20	3	Vertical	24	1.67	-	44.74	31.90	6.04	29.74
AV	5.2288G	106.07	Inf	-Inf	7.79	3	Vertical	24	1.67	-	98.28	31.43	6.09	29.73
PK	5.1468G	65.98	74.00	-8.02	8.18	3	Vertical	24	1.67	-	57.80	31.89	6.03	29.74
PK	5.2384G	117.74	Inf	-Inf	7.73	3	Vertical	24	1.67	-	110.01	31.37	6.09	29.73

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.04	54.00	-2.96	8.20	3	Horizontal	340	1.50	-	42.84	31.90	6.04	29.74
AV	5.2332G	106.55	Inf	-Inf	7.76	3	Horizontal	340	1.50	-	98.79	31.40	6.09	29.73
PK	5.144G	63.61	74.00	-10.39	8.18	3	Horizontal	340	1.50	-	55.43	31.89	6.03	29.74
PK	5.222G	117.92	Inf	-Inf	7.83	3	Horizontal	340	1.50	-	110.09	31.47	6.09	29.73

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.44722G	56.47	68.20	-11.73	17.96	3	Vertical	140	1.82	-	38.51	39.65	9.29	30.98

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.448366G	56.73	68.20	-11.47	17.96	3	Horizontal	12	1.17	-	38.77	39.65	9.29	30.98

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.761G	107.16	Inf	-Inf	8.35	3	Vertical	360	1.66	-	98.81	31.92	6.20	29.77
PK	5.6338G	60.90	68.20	-7.30	8.09	3	Vertical	360	1.66	-	52.81	31.63	6.19	29.73
PK	5.7622G	117.81	Inf	-Inf	8.35	3	Vertical	360	1.66	-	109.46	31.92	6.20	29.77
PK	5.9614G	57.92	68.20	-10.28	8.94	3	Vertical	360	1.66	-	48.98	32.30	6.48	29.84

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2019

5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7466G	107.75	Inf	-Inf	8.32	3	Horizontal	357	1.54	-	99.43	31.89	6.20	29.77
PK	5.6494G	66.46	68.20	-1.74	8.05	3	Horizontal	357	1.54	-	58.41	31.60	6.19	29.74
PK	5.7622G	118.88	Inf	-Inf	8.35	3	Horizontal	357	1.54	-	110.53	31.92	6.20	29.77
PK	5.9386G	58.27	68.20	-9.93	8.90	3	Horizontal	357	1.54	-	49.37	32.28	6.45	29.83

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51203G	42.45	54.00	-11.55	18.72	3	Vertical	18	2.11	-	23.73	39.78	10.00	31.06
PK	11.50789G	56.00	74.00	-18.00	18.72	3	Vertical	18	2.11	-	37.28	39.78	10.00	31.06

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50947G	42.49	54.00	-11.51	18.72	3	Horizontal	29	1.50	-	23.77	39.78	10.00	31.06
PK	11.50797G	57.09	74.00	-16.91	18.72	3	Horizontal	29	1.50	-	38.37	39.78	10.00	31.06

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7962G	107.35	Inf	-Inf	8.42	3	Vertical	3	1.61	-	98.93	31.99	6.21	29.78
PK	5.6474G	58.81	68.20	-9.39	8.06	3	Vertical	3	1.61	-	50.75	31.61	6.19	29.74
PK	5.8046G	118.12	Inf	-Inf	8.43	3	Vertical	3	1.61	-	109.69	32.00	6.22	29.79
PK	5.9258G	60.56	68.20	-7.64	8.84	3	Vertical	3	1.61	-	51.72	32.25	6.42	29.83

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	107.82	Inf	-Inf	8.42	3	Horizontal	346	1.54	-	99.40	32.00	6.21	29.79
PK	5.6462G	63.64	68.20	-4.56	8.06	3	Horizontal	346	1.54	-	55.58	31.61	6.19	29.74
PK	5.7902G	119.06	Inf	-Inf	8.41	3	Horizontal	346	1.54	-	110.65	31.98	6.21	29.78
PK	5.9234G	68.15	69.38	-1.23	8.84	3	Horizontal	346	1.54	-	59.31	32.25	6.42	29.83

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58797G	52.68	54.00	-1.32	18.63	3	Vertical	223	1.50	-	34.05	39.62	10.05	31.04
PK	11.5924G	66.13	74.00	-7.87	18.64	3	Vertical	223	1.50	-	47.49	39.62	10.06	31.04

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58768G	42.68	54.00	-11.32	18.63	3	Horizontal	240	1.50	-	24.05	39.62	10.05	31.04
PK	11.59027G	56.24	74.00	-17.76	18.64	3	Horizontal	240	1.50	-	37.60	39.62	10.06	31.04

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	43.27	54.00	-10.73	4.88	3	Vertical	29	1.13	-	38.39	32.00	7.30	34.42
AV	5.221G	77.06	Inf	-Inf	4.67	3	Vertical	29	1.13	-	72.39	31.67	7.42	34.42
AV	5.406G	43.14	54.00	-10.86	4.74	3	Vertical	29	1.13	-	38.40	31.62	7.53	34.41
PK	5.146G	55.49	74.00	-18.51	4.88	3	Vertical	29	1.13	-	50.61	32.00	7.30	34.42
PK	5.226G	88.53	Inf	-Inf	4.65	3	Vertical	29	1.13	-	83.88	31.64	7.43	34.42
PK	5.428G	55.86	74.00	-18.14	4.78	3	Vertical	29	1.13	-	51.08	31.71	7.48	34.41

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.15	54.00	-0.85	4.88	3	Horizontal	360	1.49	-	48.27	32.00	7.30	34.42
AV	5.207G	99.02	Inf	-Inf	4.75	3	Horizontal	360	1.49	-	94.27	31.76	7.41	34.42
AV	5.35G	45.74	54.00	-8.26	4.39	3	Horizontal	360	1.49	-	41.35	31.30	7.51	34.42
PK	5.13G	67.48	74.00	-6.52	4.85	3	Horizontal	360	1.49	-	62.63	32.00	7.27	34.42
PK	5.203G	111.62	Inf	-Inf	4.77	3	Horizontal	360	1.49	-	106.85	31.78	7.41	34.42
PK	5.365G	58.03	74.00	-15.97	4.49	3	Horizontal	360	1.49	-	53.54	31.39	7.52	34.42

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41988G	53.32	68.20	-14.88	15.38	3	Vertical	37	2.99	-	37.94	39.54	10.67	34.83

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4227G	53.77	68.20	-14.43	15.39	3	Horizontal	201	1.24	-	38.38	39.55	10.67	34.83

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7918G	84.05	Inf	-Inf	5.72	3	Vertical	329	1.15	-	78.33	32.27	7.92	34.47
PK	5.6094G	55.58	68.20	-12.62	4.51	3	Vertical	329	1.15	-	51.07	31.80	7.14	34.43
PK	5.7978G	96.27	Inf	-Inf	5.75	3	Vertical	329	1.15	-	90.52	32.29	7.94	34.48
PK	5.943G	57.18	68.20	-11.02	6.33	3	Vertical	329	1.15	-	50.85	32.50	8.34	34.51

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7906G	100.81	Inf	-Inf	5.70	3	Horizontal	355	1.49	-	95.11	32.26	7.91	34.47
PK	5.649G	66.23	68.20	-1.97	4.67	3	Horizontal	355	1.49	-	61.56	31.80	7.31	34.44
PK	5.7894G	114.09	Inf	-Inf	5.69	3	Horizontal	355	1.49	-	108.40	32.26	7.90	34.47
PK	5.9274G	64.38	68.20	-3.82	6.30	3	Horizontal	355	1.49	-	58.08	32.50	8.30	34.50

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54999G	41.02	54.00	-12.98	17.21	3	Vertical	145	1.49	-	23.81	39.95	11.67	34.41
PK	11.54938G	55.02	74.00	-18.98	17.21	3	Vertical	145	1.49	-	37.81	39.95	11.67	34.41

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

12/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5401G	40.73	54.00	-13.27	17.23	3	Horizontal	7	1.68	-	23.50	39.98	11.66	34.41
PK	11.5476G	54.63	74.00	-19.37	17.22	3	Horizontal	7	1.68	-	37.41	39.96	11.67	34.41

802.11ax HEW80_Nss1,(MCS0)_2TX

13/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.11	54.00	-2.89	4.89	3	Vertical	7	1.79	-	46.22	32.00	7.31	34.42
AV	5.203G	99.34	Inf	-Inf	4.77	3	Vertical	7	1.79	-	94.57	31.78	7.41	34.42
AV	5.376G	45.67	54.00	-8.33	4.57	3	Vertical	7	1.79	-	41.10	31.46	7.52	34.41
PK	5.149G	67.48	74.00	-6.52	4.89	3	Vertical	7	1.79	-	62.59	32.00	7.31	34.42
PK	5.204G	111.30	Inf	-Inf	4.77	3	Vertical	7	1.79	-	106.53	31.78	7.41	34.42
PK	5.378G	58.38	74.00	-15.62	4.59	3	Vertical	7	1.79	-	53.79	31.47	7.53	34.41

802.11ax HEW80_Nss1,(MCS0)_2TX

13/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.30	54.00	-0.70	4.89	3	Horizontal	0	1.78	-	48.41	32.00	7.31	34.42
AV	5.217G	99.39	Inf	-Inf	4.70	3	Horizontal	0	1.78	-	94.69	31.70	7.42	34.42
AV	5.35G	45.77	54.00	-8.23	4.39	3	Horizontal	0	1.78	-	41.38	31.30	7.51	34.42
PK	5.15G	69.82	74.00	-4.18	4.89	3	Horizontal	0	1.78	-	64.93	32.00	7.31	34.42
PK	5.214G	111.90	Inf	-Inf	4.72	3	Horizontal	0	1.78	-	107.18	31.72	7.42	34.42
PK	5.358G	57.84	74.00	-16.16	4.44	3	Horizontal	0	1.78	-	53.40	31.35	7.51	34.42

802.11ax HEW80_Nss1,(MCS0)_2TX

13/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41992G	55.19	68.20	-13.01	15.38	3	Vertical	200	1.98	-	39.81	39.54	10.67	34.83

802.11ax HEW80_Nss1,(MCS0)_2TX

13/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4202G	53.61	68.20	-14.59	15.38	3	Horizontal	199	1.90	-	38.23	39.54	10.67	34.83

802.11ax HEW80_Nss1,(MCS0)_2TX

13/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7882G	101.06	Inf	-Inf	5.68	3	Vertical	11	1.85	-	95.38	32.25	7.90	34.47
PK	5.6502G	61.24	68.35	-7.11	4.67	3	Vertical	11	1.85	-	56.57	31.80	7.31	34.44
PK	5.7882G	113.65	Inf	-Inf	5.68	3	Vertical	11	1.85	-	107.97	32.25	7.90	34.47
PK	5.9394G	60.51	68.20	-7.69	6.32	3	Vertical	11	1.85	-	54.19	32.50	8.33	34.51

802.11ax HEW80_Nss1,(MCS0)_2TX

13/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7894G	101.66	Inf	-Inf	5.69	3	Horizontal	354	1.76	-	95.97	32.26	7.90	34.47
PK	5.649G	65.85	68.20	-2.35	4.67	3	Horizontal	354	1.76	-	61.18	31.80	7.31	34.44
PK	5.7918G	114.05	Inf	-Inf	5.72	3	Horizontal	354	1.76	-	108.33	32.27	7.92	34.47
PK	5.925G	67.35	68.20	-0.85	6.29	3	Horizontal	354	1.76	-	61.06	32.50	8.29	34.50

802.11ax HEW80_Nss1,(MCS0)_2TX

13/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54978G	40.85	54.00	-13.15	17.21	3	Vertical	245	1.50	-	23.64	39.95	11.67	34.41
PK	11.54823G	54.83	74.00	-19.17	17.22	3	Vertical	245	1.50	-	37.61	39.96	11.67	34.41

802.11ax HEW80_Nss1,(MCS0)_2TX

13/08/2019

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54994G	40.90	54.00	-13.10	17.21	3	Horizontal	213	1.57	-	23.69	39.95	11.67	34.41
PK	11.54794G	54.22	74.00	-19.78	17.22	3	Horizontal	213	1.57	-	37.00	39.96	11.67	34.41



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	10.48149G	67.59	68.20	-0.61	3	Vertical	31	1.31	-
802.11ac VHT20_Nss1,(MCS0)_1TX	Pass	PK	10.398G	67.53	68.20	-0.67	3	Horizontal	331	1.50	-
802.11ac VHT40_Nss1,(MCS0)_1TX	Pass	PK	10.45644G	67.65	68.20	-0.55	3	Vertical	31	1.26	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.13	54.00	-0.87	3	Vertical	313	1.66	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	11.48981G	53.94	54.00	-0.06	3	Horizontal	353	1.45	-
802.11ac VHT20_Nss1,(MCS0)_1TX	Pass	AV	11.64978G	53.90	54.00	-0.10	3	Horizontal	350	1.21	-
802.11ac VHT40_Nss1,(MCS0)_1TX	Pass	AV	11.5098G	53.89	54.00	-0.11	3	Horizontal	350	1.29	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	AV	11.54926G	53.88	54.00	-0.12	3	Horizontal	339	1.40	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1499G	46.59	54.00	-7.41	3	Vertical	308	1.67	-
5180MHz	Pass	AV	5.1732G	99.81	Inf	-Inf	3	Vertical	308	1.67	-
5180MHz	Pass	PK	5.1494G	59.10	74.00	-14.90	3	Vertical	308	1.67	-
5180MHz	Pass	PK	5.1737G	109.77	Inf	-Inf	3	Vertical	308	1.67	-
5180MHz	Pass	AV	5.1498G	45.10	54.00	-8.90	3	Horizontal	299	2.51	-
5180MHz	Pass	AV	5.187G	98.40	Inf	-Inf	3	Horizontal	299	2.51	-
5180MHz	Pass	PK	5.1497G	57.77	74.00	-16.23	3	Horizontal	299	2.51	-
5180MHz	Pass	PK	5.1872G	108.02	Inf	-Inf	3	Horizontal	299	2.51	-
5180MHz	Pass	PK	10.36007G	65.77	68.20	-2.43	3	Vertical	20	1.50	-
5180MHz	Pass	PK	10.36168G	66.55	68.20	-1.65	3	Horizontal	332	1.50	-
5200MHz	Pass	AV	5.1262G	44.18	54.00	-9.82	3	Vertical	313	1.65	-
5200MHz	Pass	AV	5.2034G	99.98	Inf	-Inf	3	Vertical	313	1.65	-
5200MHz	Pass	PK	5.1046G	56.15	74.00	-17.85	3	Vertical	313	1.65	-
5200MHz	Pass	PK	5.203G	109.97	Inf	-Inf	3	Vertical	313	1.65	-
5200MHz	Pass	AV	5.1396G	43.85	54.00	-10.15	3	Horizontal	295	2.64	-
5200MHz	Pass	AV	5.2068G	98.30	Inf	-Inf	3	Horizontal	295	2.64	-
5200MHz	Pass	PK	5.1464G	56.27	74.00	-17.73	3	Horizontal	295	2.64	-
5200MHz	Pass	PK	5.203G	108.08	Inf	-Inf	3	Horizontal	295	2.64	-
5200MHz	Pass	PK	10.4016G	65.75	68.20	-2.45	3	Vertical	18	1.28	-
5200MHz	Pass	PK	10.40155G	66.95	68.20	-1.25	3	Horizontal	332	1.50	-
5240MHz	Pass	AV	5.0969G	44.10	54.00	-9.90	3	Vertical	311	1.66	-
5240MHz	Pass	AV	5.2451G	100.09	Inf	-Inf	3	Vertical	311	1.66	-
5240MHz	Pass	AV	5.3894G	43.77	54.00	-10.23	3	Vertical	311	1.66	-
5240MHz	Pass	PK	5.1416G	56.69	74.00	-17.31	3	Vertical	311	1.66	-
5240MHz	Pass	PK	5.243G	110.08	Inf	-Inf	3	Vertical	311	1.66	-
5240MHz	Pass	PK	5.3708G	56.16	74.00	-17.84	3	Vertical	311	1.66	-
5240MHz	Pass	AV	5.1347G	43.79	54.00	-10.21	3	Horizontal	293	2.58	-
5240MHz	Pass	AV	5.2433G	99.09	Inf	-Inf	3	Horizontal	293	2.58	-
5240MHz	Pass	AV	5.3678G	43.69	54.00	-10.31	3	Horizontal	293	2.58	-
5240MHz	Pass	PK	5.0939G	56.60	74.00	-17.40	3	Horizontal	293	2.58	-
5240MHz	Pass	PK	5.243G	109.07	Inf	-Inf	3	Horizontal	293	2.58	-
5240MHz	Pass	PK	5.3534G	56.37	74.00	-17.63	3	Horizontal	293	2.58	-
5240MHz	Pass	PK	10.48149G	67.59	68.20	-0.61	3	Vertical	31	1.31	-
5240MHz	Pass	PK	10.48167G	66.47	68.20	-1.73	3	Horizontal	332	1.48	-
5745MHz	Pass	AV	5.7384G	87.29	Inf	-Inf	3	Vertical	351	1.00	-
5745MHz	Pass	PK	5.6064G	56.41	68.20	-11.79	3	Vertical	351	1.00	-
5745MHz	Pass	PK	5.742G	96.71	Inf	-Inf	3	Vertical	351	1.00	-
5745MHz	Pass	PK	5.958G	57.39	68.20	-10.81	3	Vertical	351	1.00	-
5745MHz	Pass	AV	5.7516G	89.52	Inf	-Inf	3	Horizontal	305	2.35	-
5745MHz	Pass	PK	5.5596G	56.26	68.20	-11.94	3	Horizontal	305	2.35	-
5745MHz	Pass	PK	5.7384G	99.28	Inf	-Inf	3	Horizontal	305	2.35	-
5745MHz	Pass	PK	5.9388G	57.21	68.20	-10.99	3	Horizontal	305	2.35	-
5745MHz	Pass	AV	11.48968G	48.88	54.00	-5.12	3	Vertical	360	2.70	-
5745MHz	Pass	PK	11.49066G	62.12	74.00	-11.88	3	Vertical	360	2.70	-
5745MHz	Pass	AV	11.48981G	53.94	54.00	-0.06	3	Horizontal	353	1.45	-
5745MHz	Pass	PK	11.49158G	67.48	74.00	-6.52	3	Horizontal	353	1.45	-
5785MHz	Pass	AV	5.7796G	87.04	Inf	-Inf	3	Vertical	353	1.00	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	5.623G	55.85	68.20	-12.35	3	Vertical	353	1.00	-
5785MHz	Pass	PK	5.7784G	96.86	Inf	-Inf	3	Vertical	353	1.00	-
5785MHz	Pass	PK	5.9788G	57.51	68.20	-10.69	3	Vertical	353	1.00	-
5785MHz	Pass	AV	5.7784G	89.55	Inf	-Inf	3	Horizontal	298	2.36	-
5785MHz	Pass	PK	5.5138G	56.45	68.20	-11.75	3	Horizontal	298	2.36	-
5785MHz	Pass	PK	5.782G	98.97	Inf	-Inf	3	Horizontal	298	2.36	-
5785MHz	Pass	PK	5.9656G	57.00	68.20	-11.20	3	Horizontal	298	2.36	-
5785MHz	Pass	AV	11.57008G	49.73	54.00	-4.27	3	Vertical	355	2.37	-
5785MHz	Pass	PK	11.57128G	63.02	74.00	-10.98	3	Vertical	355	2.37	-
5785MHz	Pass	AV	11.56993G	53.57	54.00	-0.43	3	Horizontal	353	1.47	-
5785MHz	Pass	PK	11.57042G	66.35	74.00	-7.65	3	Horizontal	353	1.47	-
5825MHz	Pass	AV	5.8184G	88.35	Inf	-Inf	3	Vertical	18	1.01	-
5825MHz	Pass	PK	5.5706G	55.96	68.20	-12.24	3	Vertical	18	1.01	-
5825MHz	Pass	PK	5.8214G	97.79	Inf	-Inf	3	Vertical	18	1.01	-
5825MHz	Pass	PK	5.9582G	57.18	68.20	-11.02	3	Vertical	18	1.01	-
5825MHz	Pass	AV	5.8196G	90.13	Inf	-Inf	3	Horizontal	298	2.40	-
5825MHz	Pass	PK	5.6492G	55.85	68.20	-12.35	3	Horizontal	298	2.40	-
5825MHz	Pass	PK	5.828G	99.93	Inf	-Inf	3	Horizontal	298	2.40	-
5825MHz	Pass	PK	5.9504G	57.96	68.20	-10.24	3	Horizontal	298	2.40	-
5825MHz	Pass	AV	11.6502G	50.32	54.00	-3.68	3	Vertical	352	2.32	-
5825MHz	Pass	PK	11.65129G	63.54	74.00	-10.46	3	Vertical	352	2.32	-
5825MHz	Pass	AV	11.65005G	53.34	54.00	-0.66	3	Horizontal	350	1.15	-
5825MHz	Pass	PK	11.65059G	66.38	74.00	-7.62	3	Horizontal	350	1.15	-
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	47.08	54.00	-6.92	3	Vertical	318	1.76	-
5180MHz	Pass	AV	5.1852G	99.84	Inf	-Inf	3	Vertical	318	1.76	-
5180MHz	Pass	PK	5.148G	61.08	74.00	-12.92	3	Vertical	318	1.76	-
5180MHz	Pass	PK	5.1768G	109.95	Inf	-Inf	3	Vertical	318	1.76	-
5180MHz	Pass	AV	5.15G	45.96	54.00	-8.04	3	Horizontal	304	1.00	-
5180MHz	Pass	AV	5.1852G	97.59	Inf	-Inf	3	Horizontal	304	1.00	-
5180MHz	Pass	PK	5.1498G	57.73	74.00	-16.27	3	Horizontal	304	1.00	-
5180MHz	Pass	PK	5.1862G	107.48	Inf	-Inf	3	Horizontal	304	1.00	-
5180MHz	Pass	PK	10.36254G	65.55	68.20	-2.65	3	Vertical	22	1.50	-
5180MHz	Pass	PK	10.35788G	67.24	68.20	-0.96	3	Horizontal	332	1.50	-
5200MHz	Pass	AV	5.15G	44.25	54.00	-9.75	3	Vertical	316	1.67	-
5200MHz	Pass	AV	5.2052G	99.94	Inf	-Inf	3	Vertical	316	1.67	-
5200MHz	Pass	PK	5.1268G	56.66	74.00	-17.34	3	Vertical	316	1.67	-
5200MHz	Pass	PK	5.2032G	109.90	Inf	-Inf	3	Vertical	316	1.67	-
5200MHz	Pass	AV	5.1228G	43.88	54.00	-10.12	3	Horizontal	297	2.75	-
5200MHz	Pass	AV	5.1944G	98.05	Inf	-Inf	3	Horizontal	297	2.75	-
5200MHz	Pass	PK	5.1392G	56.91	74.00	-17.09	3	Horizontal	297	2.75	-
5200MHz	Pass	PK	5.1956G	107.95	Inf	-Inf	3	Horizontal	297	2.75	-
5200MHz	Pass	PK	10.3978G	66.29	68.20	-1.91	3	Vertical	14	1.38	-
5200MHz	Pass	PK	10.398G	67.53	68.20	-0.67	3	Horizontal	331	1.50	-
5240MHz	Pass	AV	5.147G	44.17	54.00	-9.83	3	Vertical	311	1.62	-
5240MHz	Pass	AV	5.2454G	99.35	Inf	-Inf	3	Vertical	311	1.62	-
5240MHz	Pass	AV	5.3528G	43.64	54.00	-10.36	3	Vertical	311	1.62	-
5240MHz	Pass	PK	5.1374G	56.12	74.00	-17.88	3	Vertical	311	1.62	-
5240MHz	Pass	PK	5.2472G	109.02	Inf	-Inf	3	Vertical	311	1.62	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	5.363G	56.07	74.00	-17.93	3	Vertical	311	1.62	-
5240MHz	Pass	AV	5.1314G	43.91	54.00	-10.09	3	Horizontal	295	2.58	-
5240MHz	Pass	AV	5.2454G	98.52	Inf	-Inf	3	Horizontal	295	2.58	-
5240MHz	Pass	AV	5.35G	43.56	54.00	-10.44	3	Horizontal	295	2.58	-
5240MHz	Pass	PK	5.102G	56.04	74.00	-17.96	3	Horizontal	295	2.58	-
5240MHz	Pass	PK	5.246G	108.50	Inf	-Inf	3	Horizontal	295	2.58	-
5240MHz	Pass	PK	5.3774G	55.99	74.00	-18.01	3	Horizontal	295	2.58	-
5240MHz	Pass	PK	10.4779G	66.49	68.20	-1.71	3	Vertical	33	1.29	-
5240MHz	Pass	PK	10.478G	67.11	68.20	-1.09	3	Horizontal	330	1.47	-
5745MHz	Pass	AV	5.739G	87.43	Inf	-Inf	3	Vertical	43	2.14	-
5745MHz	Pass	PK	5.6214G	56.04	68.20	-12.16	3	Vertical	43	2.14	-
5745MHz	Pass	PK	5.739G	96.92	Inf	-Inf	3	Vertical	43	2.14	-
5745MHz	Pass	PK	5.9706G	57.41	68.20	-10.79	3	Vertical	43	2.14	-
5745MHz	Pass	AV	5.7498G	89.83	Inf	-Inf	3	Horizontal	304	2.38	-
5745MHz	Pass	PK	5.5794G	56.20	68.20	-12.00	3	Horizontal	304	2.38	-
5745MHz	Pass	PK	5.7486G	99.19	Inf	-Inf	3	Horizontal	304	2.38	-
5745MHz	Pass	PK	5.925G	57.14	68.20	-11.06	3	Horizontal	304	2.38	-
5745MHz	Pass	AV	11.48964G	49.55	54.00	-4.45	3	Vertical	355	2.64	-
5745MHz	Pass	PK	11.48774G	64.66	74.00	-9.34	3	Vertical	355	2.64	-
5745MHz	Pass	AV	11.48976G	53.86	54.00	-0.14	3	Horizontal	351	1.45	-
5745MHz	Pass	PK	11.48792G	69.46	74.00	-4.54	3	Horizontal	351	1.45	-
5785MHz	Pass	AV	5.7802G	88.15	Inf	-Inf	3	Vertical	301	2.17	-
5785MHz	Pass	PK	5.533G	55.87	68.20	-12.33	3	Vertical	301	2.17	-
5785MHz	Pass	PK	5.791G	97.78	Inf	-Inf	3	Vertical	301	2.17	-
5785MHz	Pass	PK	5.9518G	56.72	68.20	-11.48	3	Vertical	301	2.17	-
5785MHz	Pass	AV	5.7898G	90.38	Inf	-Inf	3	Horizontal	293	2.43	-
5785MHz	Pass	PK	5.5642G	56.06	68.20	-12.14	3	Horizontal	293	2.43	-
5785MHz	Pass	PK	5.791G	100.04	Inf	-Inf	3	Horizontal	293	2.43	-
5785MHz	Pass	PK	5.959G	57.03	68.20	-11.17	3	Horizontal	293	2.43	-
5785MHz	Pass	AV	11.57G	50.25	54.00	-3.75	3	Vertical	355	2.37	-
5785MHz	Pass	PK	11.5679G	65.35	74.00	-8.65	3	Vertical	355	2.37	-
5785MHz	Pass	AV	11.56976G	53.89	54.00	-0.11	3	Horizontal	352	1.50	-
5785MHz	Pass	PK	11.56778G	69.18	74.00	-4.82	3	Horizontal	352	1.50	-
5825MHz	Pass	AV	5.819G	88.74	Inf	-Inf	3	Vertical	350	1.12	-
5825MHz	Pass	PK	5.6066G	56.81	68.20	-11.39	3	Vertical	350	1.12	-
5825MHz	Pass	PK	5.8286G	98.18	Inf	-Inf	3	Vertical	350	1.12	-
5825MHz	Pass	PK	5.9558G	57.08	68.20	-11.12	3	Vertical	350	1.12	-
5825MHz	Pass	AV	5.819G	91.08	Inf	-Inf	3	Horizontal	297	2.41	-
5825MHz	Pass	PK	5.6066G	55.73	68.20	-12.47	3	Horizontal	297	2.41	-
5825MHz	Pass	PK	5.819G	100.57	Inf	-Inf	3	Horizontal	297	2.41	-
5825MHz	Pass	PK	5.9258G	58.09	68.20	-10.11	3	Horizontal	297	2.41	-
5825MHz	Pass	AV	11.64956G	50.51	54.00	-3.49	3	Vertical	354	2.32	-
5825MHz	Pass	PK	11.648G	65.69	74.00	-8.31	3	Vertical	354	2.32	-
5825MHz	Pass	AV	11.64978G	53.90	54.00	-0.10	3	Horizontal	350	1.21	-
5825MHz	Pass	PK	11.64798G	69.38	74.00	-4.62	3	Horizontal	350	1.21	-
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	52.78	54.00	-1.22	3	Vertical	315	1.65	-
5190MHz	Pass	AV	5.2032G	93.97	Inf	-Inf	3	Vertical	315	1.65	-
5190MHz	Pass	PK	5.15G	66.03	74.00	-7.97	3	Vertical	315	1.65	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5190MHz	Pass	PK	5.2028G	102.95	Inf	-Inf	3	Vertical	315	1.65	-
5190MHz	Pass	AV	5.15G	49.54	54.00	-4.46	3	Horizontal	299	2.51	-
5190MHz	Pass	AV	5.2024G	91.81	Inf	-Inf	3	Horizontal	299	2.51	-
5190MHz	Pass	PK	5.15G	62.30	74.00	-11.70	3	Horizontal	299	2.51	-
5190MHz	Pass	PK	5.2024G	101.01	Inf	-Inf	3	Horizontal	299	2.51	-
5190MHz	Pass	PK	10.37906G	57.49	68.20	-10.71	3	Vertical	20	1.49	-
5190MHz	Pass	PK	10.3802G	58.26	68.20	-9.94	3	Horizontal	331	1.48	-
5230MHz	Pass	AV	5.1496G	48.23	54.00	-5.77	3	Vertical	309	1.62	-
5230MHz	Pass	AV	5.2424G	98.68	Inf	-Inf	3	Vertical	309	1.62	-
5230MHz	Pass	PK	5.1476G	60.19	74.00	-13.81	3	Vertical	309	1.62	-
5230MHz	Pass	PK	5.2436G	108.74	Inf	-Inf	3	Vertical	309	1.62	-
5230MHz	Pass	AV	5.1496G	46.34	54.00	-7.66	3	Horizontal	300	2.57	-
5230MHz	Pass	AV	5.2432G	97.74	Inf	-Inf	3	Horizontal	300	2.57	-
5230MHz	Pass	PK	5.1416G	58.00	74.00	-16.00	3	Horizontal	300	2.57	-
5230MHz	Pass	PK	5.2432G	107.54	Inf	-Inf	3	Horizontal	300	2.57	-
5230MHz	Pass	PK	10.45644G	67.65	68.20	-0.55	3	Vertical	31	1.26	-
5230MHz	Pass	PK	10.4566G	67.51	68.20	-0.69	3	Horizontal	331	1.48	-
5755MHz	Pass	AV	5.7478G	85.71	Inf	-Inf	3	Vertical	352	1.05	-
5755MHz	Pass	PK	5.5018G	56.23	68.20	-11.97	3	Vertical	352	1.05	-
5755MHz	Pass	PK	5.7502G	94.87	Inf	-Inf	3	Vertical	352	1.05	-
5755MHz	Pass	PK	5.9278G	57.19	68.20	-11.01	3	Vertical	352	1.05	-
5755MHz	Pass	AV	5.7562G	87.84	Inf	-Inf	3	Horizontal	304	2.35	-
5755MHz	Pass	PK	5.6242G	56.14	68.20	-12.06	3	Horizontal	304	2.35	-
5755MHz	Pass	PK	5.7562G	96.77	Inf	-Inf	3	Horizontal	304	2.35	-
5755MHz	Pass	PK	5.9794G	57.63	68.20	-10.57	3	Horizontal	304	2.35	-
5755MHz	Pass	AV	11.5098G	49.95	54.00	-4.05	3	Vertical	1	2.74	-
5755MHz	Pass	PK	11.5097G	62.32	74.00	-11.68	3	Vertical	1	2.74	-
5755MHz	Pass	AV	11.5098G	53.89	54.00	-0.11	3	Horizontal	350	1.29	-
5755MHz	Pass	PK	11.5065G	65.91	74.00	-8.09	3	Horizontal	350	1.29	-
5795MHz	Pass	AV	5.7842G	85.71	Inf	-Inf	3	Vertical	353	1.07	-
5795MHz	Pass	PK	5.5478G	56.34	68.20	-11.86	3	Vertical	353	1.07	-
5795MHz	Pass	PK	5.7986G	94.84	Inf	-Inf	3	Vertical	353	1.07	-
5795MHz	Pass	PK	5.9594G	57.11	68.20	-11.09	3	Vertical	353	1.07	-
5795MHz	Pass	AV	5.7842G	88.07	Inf	-Inf	3	Horizontal	301	2.33	-
5795MHz	Pass	PK	5.573G	55.92	68.20	-12.28	3	Horizontal	301	2.33	-
5795MHz	Pass	PK	5.7866G	97.08	Inf	-Inf	3	Horizontal	301	2.33	-
5795MHz	Pass	PK	5.9366G	57.28	68.20	-10.92	3	Horizontal	301	2.33	-
5795MHz	Pass	AV	11.59G	46.89	54.00	-7.11	3	Vertical	346	2.60	-
5795MHz	Pass	PK	11.5904G	58.80	74.00	-15.20	3	Vertical	346	2.60	-
5795MHz	Pass	AV	11.59G	53.46	54.00	-0.54	3	Horizontal	349	1.43	-
5795MHz	Pass	PK	11.5864G	64.94	74.00	-9.06	3	Horizontal	349	1.43	-
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.13	54.00	-0.87	3	Vertical	313	1.66	-
5210MHz	Pass	AV	5.246G	86.30	Inf	-Inf	3	Vertical	313	1.66	-
5210MHz	Pass	AV	5.352G	44.57	54.00	-9.43	3	Vertical	313	1.66	-
5210MHz	Pass	PK	5.149G	65.35	74.00	-8.65	3	Vertical	313	1.66	-
5210MHz	Pass	PK	5.198G	97.81	Inf	-Inf	3	Vertical	313	1.66	-
5210MHz	Pass	PK	5.371G	57.02	74.00	-16.98	3	Vertical	313	1.66	-
5210MHz	Pass	AV	5.15G	49.90	54.00	-4.10	3	Horizontal	299	2.57	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	AV	5.244G	85.59	Inf	-Inf	3	Horizontal	299	2.57	-
5210MHz	Pass	AV	5.411G	44.69	54.00	-9.31	3	Horizontal	299	2.57	-
5210MHz	Pass	PK	5.15G	60.83	74.00	-13.17	3	Horizontal	299	2.57	-
5210MHz	Pass	PK	5.238G	95.17	Inf	-Inf	3	Horizontal	299	2.57	-
5210MHz	Pass	PK	5.427G	56.29	74.00	-17.71	3	Horizontal	299	2.57	-
5210MHz	Pass	PK	10.41576G	54.35	68.20	-13.85	3	Vertical	26	1.00	-
5210MHz	Pass	PK	10.41824G	54.14	68.20	-14.06	3	Horizontal	46	2.17	-
5775MHz	Pass	AV	5.7534G	83.44	Inf	-Inf	3	Vertical	173	1.30	-
5775MHz	Pass	PK	5.6118G	55.60	68.20	-12.60	3	Vertical	113	1.95	-
5775MHz	Pass	PK	5.763G	94.42	Inf	-Inf	3	Vertical	173	1.30	-
5775MHz	Pass	PK	5.949G	57.48	68.20	-10.72	3	Vertical	189	1.55	-
5775MHz	Pass	AV	5.7558G	81.79	Inf	-Inf	3	Horizontal	358	2.10	-
5775MHz	Pass	PK	5.6142G	56.34	68.20	-11.86	3	Horizontal	44	2.26	-
5775MHz	Pass	PK	5.7642G	93.02	Inf	-Inf	3	Horizontal	358	2.10	-
5775MHz	Pass	PK	5.9634G	57.46	68.20	-10.74	3	Horizontal	265	1.99	-
5775MHz	Pass	AV	11.54932G	50.02	54.00	-3.98	3	Vertical	178	1.50	-
5775MHz	Pass	PK	11.54896G	62.30	74.00	-11.70	3	Vertical	193	1.82	-
5775MHz	Pass	AV	11.54926G	53.88	54.00	-0.12	3	Horizontal	339	1.40	-
5775MHz	Pass	PK	11.54986G	66.29	74.00	-7.71	3	Horizontal	231	1.15	-

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.1499G	46.59	54.00	-7.41	4.89	3	Vertical	308	1.67	-	41.70	32.00	7.31	34.42
AV	5.1732G	99.81	Inf	-Inf	4.85	3	Vertical	308	1.67	-	94.96	31.91	7.36	34.42
PK	5.1494G	59.10	74.00	-14.90	4.89	3	Vertical	308	1.67	-	54.21	32.00	7.31	34.42
PK	5.1737G	109.77	Inf	-Inf	4.85	3	Vertical	308	1.67	-	104.92	31.91	7.36	34.42

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	45.10	54.00	-8.90	4.89	3	Horizontal	299	2.51	-	40.21	32.00	7.31	34.42
AV	5.187G	98.40	Inf	-Inf	4.81	3	Horizontal	299	2.51	-	93.59	31.85	7.38	34.42
PK	5.1497G	57.77	74.00	-16.23	4.89	3	Horizontal	299	2.51	-	52.88	32.00	7.31	34.42
PK	5.1872G	108.02	Inf	-Inf	4.81	3	Horizontal	299	2.51	-	103.21	31.85	7.38	34.42

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
PK	10.36007G	65.77	68.20	-2.43	15.12	3	Vertical	20	1.50	-	50.65	39.38	10.62	34.88

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
PK	10.36168G	66.55	68.20	-1.65	15.13	3	Horizontal	332	1.50	-	51.42	39.39	10.62	34.88

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.1262G	44.18	54.00	-9.82	4.84	3	Vertical	313	1.65	-	39.34	32.00	7.26	34.42
AV	5.2034G	99.98	Inf	-Inf	4.77	3	Vertical	313	1.65	-	95.21	31.78	7.41	34.42
PK	5.1046G	56.15	74.00	-17.85	4.78	3	Vertical	313	1.65	-	51.37	32.00	7.21	34.43
PK	5.203G	109.97	Inf	-Inf	4.77	3	Vertical	313	1.65	-	105.20	31.78	7.41	34.42

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.1396G	43.85	54.00	-10.15	4.87	3	Horizontal	295	2.64	-	38.98	32.00	7.29	34.42
AV	5.2068G	98.30	Inf	-Inf	4.75	3	Horizontal	295	2.64	-	93.55	31.76	7.41	34.42
PK	5.1464G	56.27	74.00	-17.73	4.88	3	Horizontal	295	2.64	-	51.39	32.00	7.30	34.42
PK	5.203G	108.08	Inf	-Inf	4.77	3	Horizontal	295	2.64	-	103.31	31.78	7.41	34.42

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
PK	10.4016G	65.75	68.20	-2.45	15.31	3	Vertical	18	1.28	-	50.44	39.50	10.66	34.85

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
PK	10.401555G	66.95	68.20	-1.25	15.31	3	Horizontal	332	1.50	-	51.64	39.50	10.66	34.85

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.0969G	44.10	54.00	-9.90	4.78	3	Vertical	311	1.66	-	39.32	32.01	7.20	34.43
AV	5.2451G	100.09	Inf	-Inf	4.55	3	Vertical	311	1.66	-	95.54	31.53	7.44	34.42
AV	5.3894G	43.77	54.00	-10.23	4.66	3	Vertical	311	1.66	-	39.11	31.54	7.53	34.41
PK	5.1416G	56.69	74.00	-17.31	4.87	3	Vertical	311	1.66	-	51.82	32.00	7.29	34.42
PK	5.243G	110.08	Inf	-Inf	4.56	3	Vertical	311	1.66	-	105.52	31.54	7.44	34.42
PK	5.3708G	56.16	74.00	-17.84	4.52	3	Vertical	311	1.66	-	51.64	31.42	7.52	34.42

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.1347G	43.79	54.00	-10.21	4.86	3	Horizontal	293	2.58	-	38.93	32.00	7.28	34.42
AV	5.2433G	99.09	Inf	-Inf	4.56	3	Horizontal	293	2.58	-	94.53	31.54	7.44	34.42
AV	5.3678G	43.69	54.00	-10.31	4.51	3	Horizontal	293	2.58	-	39.18	31.41	7.52	34.42
PK	5.0939G	56.60	74.00	-17.40	4.77	3	Horizontal	293	2.58	-	51.83	32.01	7.19	34.43
PK	5.243G	109.07	Inf	-Inf	4.56	3	Horizontal	293	2.58	-	104.51	31.54	7.44	34.42
PK	5.3534G	56.37	74.00	-17.63	4.41	3	Horizontal	293	2.58	-	51.96	31.32	7.51	34.42

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
PK	10.48149G	67.59	68.20	-0.61	15.61	3	Vertical	31	1.31	-	51.98	39.66	10.73	34.78

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
PK	10.48167G	66.47	68.20	-1.73	15.61	3	Horizontal	332	1.48	-	50.86	39.66	10.73	34.78

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.7384G	87.29	Inf	-Inf	5.28	3	Vertical	351	1.00	-	82.01	32.05	7.69	34.46
PK	5.6064G	56.41	68.20	-11.79	4.50	3	Vertical	351	1.00	-	51.91	31.80	7.13	34.43
PK	5.742G	96.71	Inf	-Inf	5.31	3	Vertical	351	1.00	-	91.40	32.07	7.70	34.46
PK	5.958G	57.39	68.20	-10.81	6.39	3	Vertical	351	1.00	-	51.00	32.52	8.38	34.51

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.7516G	89.52	Inf	-Inf	5.38	3	Horizontal	305	2.35	-	84.14	32.11	7.74	34.47
PK	5.5596G	56.26	68.20	-11.94	4.65	3	Horizontal	305	2.35	-	51.61	31.88	7.19	34.42
PK	5.7384G	99.28	Inf	-Inf	5.28	3	Horizontal	305	2.35	-	94.00	32.05	7.69	34.46
PK	5.9388G	57.21	68.20	-10.99	6.32	3	Horizontal	305	2.35	-	50.89	32.50	8.33	34.51

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	11.48968G	48.88	54.00	-5.12	17.31	3	Vertical	360	2.70	-	31.57	40.08	11.62	34.39
PK	11.49066G	62.12	74.00	-11.88	17.31	3	Vertical	360	2.70	-	44.81	40.08	11.62	34.39

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	11.48981G	53.94	54.00	-0.06	17.31	3	Horizontal	353	1.45	-	36.63	40.08	11.62	34.39
PK	11.49158G	67.48	74.00	-6.52	17.31	3	Horizontal	353	1.45	-	50.17	40.08	11.62	34.39

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.7796G	87.04	Inf	-Inf	5.61	3	Vertical	353	1.00	-	81.43	32.22	7.86	34.47
PK	5.623G	55.85	68.20	-12.35	4.56	3	Vertical	353	1.00	-	51.29	31.80	7.20	34.44
PK	5.7784G	96.86	Inf	-Inf	5.60	3	Vertical	353	1.00	-	91.26	32.21	7.86	34.47
PK	5.9788G	57.51	68.20	-10.69	6.48	3	Vertical	353	1.00	-	51.03	32.56	8.44	34.52

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.7784G	89.55	Inf	-Inf	5.60	3	Horizontal	298	2.36	-	83.95	32.21	7.86	34.47
PK	5.5138G	56.45	68.20	-11.75	4.78	3	Horizontal	298	2.36	-	51.67	31.90	7.29	34.41
PK	5.782G	98.97	Inf	-Inf	5.63	3	Horizontal	298	2.36	-	93.34	32.23	7.87	34.47
PK	5.9656G	57.00	68.20	-11.20	6.43	3	Horizontal	298	2.36	-	50.57	32.53	8.41	34.51

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	11.57008G	49.73	54.00	-4.27	17.15	3	Vertical	355	2.37	-	32.58	39.89	11.69	34.43
PK	11.57128G	63.02	74.00	-10.98	17.15	3	Vertical	355	2.37	-	45.87	39.89	11.69	34.43

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	11.56993G	53.57	54.00	-0.43	17.16	3	Horizontal	353	1.47	-	36.41	39.89	11.69	34.42
PK	11.57042G	66.35	74.00	-7.65	17.15	3	Horizontal	353	1.47	-	49.20	39.89	11.69	34.43

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.8184G	88.35	Inf	-Inf	5.86	3	Vertical	18	1.01	-	82.49	32.34	8.00	34.48
PK	5.5706G	55.96	68.20	-12.24	4.59	3	Vertical	18	1.01	-	51.37	31.86	7.16	34.43
PK	5.8214G	97.79	Inf	-Inf	5.87	3	Vertical	18	1.01	-	91.92	32.34	8.01	34.48
PK	5.9582G	57.18	68.20	-11.02	6.40	3	Vertical	18	1.01	-	50.78	32.52	8.39	34.51

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.8196G	90.13	Inf	-Inf	5.86	3	Horizontal	298	2.40	-	84.27	32.34	8.00	34.48
PK	5.6492G	55.85	68.20	-12.35	4.67	3	Horizontal	298	2.40	-	51.18	31.80	7.31	34.44
PK	5.828G	99.93	Inf	-Inf	5.91	3	Horizontal	298	2.40	-	94.02	32.36	8.03	34.48
PK	5.9504G	57.96	68.20	-10.24	6.35	3	Horizontal	298	2.40	-	51.61	32.50	8.36	34.51

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	11.6502G	50.32	54.00	-3.68	16.84	3	Vertical	352	2.32	-	33.48	39.55	11.76	34.47
PK	11.65129G	63.54	74.00	-10.46	16.83	3	Vertical	352	2.32	-	46.71	39.54	11.76	34.47

802.11a_Nss1,(6Mbps)_1TX

14/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	11.65005G	53.34	54.00	-0.66	16.84	3	Horizontal	350	1.15	-	36.50	39.55	11.76	34.47
PK	11.65059G	66.38	74.00	-7.62	16.84	3	Horizontal	350	1.15	-	49.54	39.55	11.76	34.47

802.11ac VHT20_Nss1,(MCS0)_1TX

14/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.08	54.00	-6.92	4.89	3	Vertical	318	1.76	-	42.19	32.00	7.31	34.42
AV	5.1852G	99.84	Inf	-Inf	4.82	3	Vertical	318	1.76	-	95.02	31.86	7.38	34.42
PK	5.148G	61.08	74.00	-12.92	4.88	3	Vertical	318	1.76	-	56.20	32.00	7.30	34.42
PK	5.1768G	109.95	Inf	-Inf	4.83	3	Vertical	318	1.76	-	105.12	31.89	7.36	34.42

802.11ac VHT20_Nss1,(MCS0)_1TX

14/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.96	54.00	-8.04	4.89	3	Horizontal	304	1.00	-	41.07	32.00	7.31	34.42
AV	5.1852G	97.59	Inf	-Inf	4.82	3	Horizontal	304	1.00	-	92.77	31.86	7.38	34.42
PK	5.1498G	57.73	74.00	-16.27	4.89	3	Horizontal	304	1.00	-	52.84	32.00	7.31	34.42
PK	5.1862G	107.48	Inf	-Inf	4.82	3	Horizontal	304	1.00	-	102.66	31.86	7.38	34.42

802.11ac VHT20_Nss1,(MCS0)_1TX

14/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
PK	10.36254G	65.55	68.20	-2.65	15.13	3	Vertical	22	1.50	-	50.42	39.39	10.62	34.88

802.11ac VHT20_Nss1,(MCS0)_1TX

14/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
PK	10.35788G	67.24	68.20	-0.96	15.10	3	Horizontal	332	1.50	-	52.14	39.37	10.62	34.89

802.11ac VHT20_Nss1,(MCS0)_1TX

14/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.25	54.00	-9.75	4.89	3	Vertical	316	1.67	-	39.36	32.00	7.31	34.42
AV	5.2052G	99.94	Inf	-Inf	4.76	3	Vertical	316	1.67	-	95.18	31.77	7.41	34.42
PK	5.1268G	56.66	74.00	-17.34	4.84	3	Vertical	316	1.67	-	51.82	32.00	7.26	34.42
PK	5.2032G	109.90	Inf	-Inf	4.77	3	Vertical	316	1.67	-	105.13	31.78	7.41	34.42

802.11ac VHT20_Nss1,(MCS0)_1TX

14/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.1228G	43.88	54.00	-10.12	4.82	3	Horizontal	297	2.75	-	39.06	32.00	7.25	34.43
AV	5.1944G	98.05	Inf	-Inf	4.80	3	Horizontal	297	2.75	-	93.25	31.82	7.40	34.42
PK	5.1392G	56.91	74.00	-17.09	4.87	3	Horizontal	297	2.75	-	52.04	32.00	7.29	34.42
PK	5.1956G	107.95	Inf	-Inf	4.80	3	Horizontal	297	2.75	-	103.15	31.82	7.40	34.42

802.11ac VHT20_Nss1,(MCS0)_1TX

14/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
PK	10.3978G	66.29	68.20	-1.91	15.29	3	Vertical	14	1.38	-	51.00	39.49	10.65	34.85

802.11ac VHT20_Nss1,(MCS0)_1TX

14/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
PK	10.398G	67.53	68.20	-0.67	15.29	3	Horizontal	331	1.50	-	52.24	39.49	10.65	34.85

802.11ac VHT20_Nss1,(MCS0)_1TX

14/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	44.17	54.00	-9.83	4.88	3	Vertical	311	1.62	-	39.29	32.00	7.30	34.42
AV	5.2454G	99.35	Inf	-Inf	4.55	3	Vertical	311	1.62	-	94.80	31.53	7.44	34.42
AV	5.3528G	43.64	54.00	-10.36	4.41	3	Vertical	311	1.62	-	39.23	31.32	7.51	34.42
PK	5.1374G	56.12	74.00	-17.88	4.86	3	Vertical	311	1.62	-	51.26	32.00	7.28	34.42
PK	5.2472G	109.02	Inf	-Inf	4.54	3	Vertical	311	1.62	-	104.48	31.52	7.44	34.42
PK	5.363G	56.07	74.00	-17.93	4.48	3	Vertical	311	1.62	-	51.59	31.38	7.52	34.42

802.11ac VHT20_Nss1,(MCS0)_1TX

14/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.1314G	43.91	54.00	-10.09	4.85	3	Horizontal	295	2.58	-	39.06	32.00	7.27	34.42
AV	5.2454G	98.52	Inf	-Inf	4.55	3	Horizontal	295	2.58	-	93.97	31.53	7.44	34.42
AV	5.35G	43.56	54.00	-10.44	4.39	3	Horizontal	295	2.58	-	39.17	31.30	7.51	34.42
PK	5.102G	56.04	74.00	-17.96	4.78	3	Horizontal	295	2.58	-	51.26	32.00	7.21	34.43
PK	5.246G	108.50	Inf	-Inf	4.54	3	Horizontal	295	2.58	-	103.96	31.52	7.44	34.42
PK	5.3774G	55.99	74.00	-18.01	4.58	3	Horizontal	295	2.58	-	51.41	31.46	7.53	34.41

802.11ac VHT20_Nss1,(MCS0)_1TX

14/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
PK	10.4779G	66.49	68.20	-1.71	15.60	3	Vertical	33	1.29	-	50.89	39.66	10.72	34.78

802.11ac VHT20_Nss1,(MCS0)_1TX

14/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
PK	10.478G	67.11	68.20	-1.09	15.60	3	Horizontal	330	1.47	-	51.51	39.66	10.72	34.78

802.11ac VHT20_Nss1,(MCS0)_1TX

14/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	87.43	Inf	-Inf	5.29	3	Vertical	43	2.14	-	82.14	32.06	7.69	34.46
PK	5.6214G	56.04	68.20	-12.16	4.55	3	Vertical	43	2.14	-	51.49	31.80	7.19	34.44
PK	5.739G	96.92	Inf	-Inf	5.29	3	Vertical	43	2.14	-	91.63	32.06	7.69	34.46
PK	5.9706G	57.41	68.20	-10.79	6.45	3	Vertical	43	2.14	-	50.96	32.54	8.42	34.51

802.11ac VHT20_Nss1,(MCS0)_1TX

14/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.7498G	89.83	Inf	-Inf	5.38	3	Horizontal	304	2.38	-	84.45	32.10	7.74	34.46
PK	5.5794G	56.20	68.20	-12.00	4.56	3	Horizontal	304	2.38	-	51.64	31.84	7.15	34.43
PK	5.7486G	99.19	Inf	-Inf	5.36	3	Horizontal	304	2.38	-	93.83	32.09	7.73	34.46
PK	5.925G	57.14	68.20	-11.06	6.29	3	Horizontal	304	2.38	-	50.85	32.50	8.29	34.50

802.11ac VHT20_Nss1,(MCS0)_1TX

14/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	11.48964G	49.55	54.00	-4.45	17.31	3	Vertical	355	2.64	-	32.24	40.08	11.62	34.39
PK	11.48774G	64.66	74.00	-9.34	17.31	3	Vertical	355	2.64	-	47.35	40.08	11.62	34.39

802.11ac VHT20_Nss1,(MCS0)_1TX

14/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	11.48976G	53.86	54.00	-0.14	17.31	3	Horizontal	351	1.45	-	36.55	40.08	11.62	34.39
PK	11.48792G	69.46	74.00	-4.54	17.31	3	Horizontal	351	1.45	-	52.15	40.08	11.62	34.39

802.11ac VHT20_Nss1,(MCS0)_1TX

07/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	88.15	Inf	-Inf	5.62	3	Vertical	301	2.17	-	82.53	32.22	7.87	34.47
PK	5.533G	55.87	68.20	-12.33	4.73	3	Vertical	301	2.17	-	51.14	31.90	7.25	34.42
PK	5.791G	97.78	Inf	-Inf	5.70	3	Vertical	301	2.17	-	92.08	32.26	7.91	34.47
PK	5.9518G	56.72	68.20	-11.48	6.36	3	Vertical	301	2.17	-	50.36	32.50	8.37	34.51

802.11ac VHT20_Nss1,(MCS0)_1TX

07/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7898G	90.38	Inf	-Inf	5.70	3	Horizontal	293	2.43	-	84.68	32.26	7.91	34.47
PK	5.5642G	56.06	68.20	-12.14	4.63	3	Horizontal	293	2.43	-	51.43	31.87	7.18	34.42
PK	5.791G	100.04	Inf	-Inf	5.70	3	Horizontal	293	2.43	-	94.34	32.26	7.91	34.47
PK	5.959G	57.03	68.20	-11.17	6.40	3	Horizontal	293	2.43	-	50.63	32.52	8.39	34.51

802.11ac VHT20_Nss1,(MCS0)_1TX

07/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57G	50.25	54.00	-3.75	17.16	3	Vertical	355	2.37	-	33.09	39.89	11.69	34.42
PK	11.5679G	65.35	74.00	-8.65	17.17	3	Vertical	355	2.37	-	48.18	39.90	11.69	34.42

802.11ac VHT20_Nss1,(MCS0)_1TX

07/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56976G	53.89	54.00	-0.11	17.16	3	Horizontal	352	1.50	-	36.73	39.89	11.69	34.42
PK	11.56778G	69.18	74.00	-4.82	17.17	3	Horizontal	352	1.50	-	52.01	39.90	11.69	34.42

802.11ac VHT20_Nss1,(MCS0)_1TX

14/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	88.74	Inf	-Inf	5.86	3	Vertical	350	1.12	-	82.88	32.34	8.00	34.48
PK	5.6066G	56.81	68.20	-11.39	4.50	3	Vertical	350	1.12	-	52.31	31.80	7.13	34.43
PK	5.8286G	98.18	Inf	-Inf	5.91	3	Vertical	350	1.12	-	92.27	32.36	8.03	34.48
PK	5.9558G	57.08	68.20	-11.12	6.38	3	Vertical	350	1.12	-	50.70	32.51	8.38	34.51

802.11ac VHT20_Nss1,(MCS0)_1TX

14/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	91.08	Inf	-Inf	5.86	3	Horizontal	297	2.41	-	85.22	32.34	8.00	34.48
PK	5.6066G	55.73	68.20	-12.47	4.50	3	Horizontal	297	2.41	-	51.23	31.80	7.13	34.43
PK	5.819G	100.57	Inf	-Inf	5.86	3	Horizontal	297	2.41	-	94.71	32.34	8.00	34.48
PK	5.9258G	58.09	68.20	-10.11	6.30	3	Horizontal	297	2.41	-	51.79	32.50	8.30	34.50

802.11ac VHT20_Nss1,(MCS0)_1TX

14/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	11.64956G	50.51	54.00	-3.49	16.85	3	Vertical	354	2.32	-	33.66	39.55	11.76	34.46
PK	11.648G	65.69	74.00	-8.31	16.86	3	Vertical	354	2.32	-	48.83	39.56	11.76	34.46

802.11ac VHT20_Nss1,(MCS0)_1TX

14/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	11.64978G	53.90	54.00	-0.10	16.85	3	Horizontal	350	1.21	-	37.05	39.55	11.76	34.46
PK	11.64798G	69.38	74.00	-4.62	16.86	3	Horizontal	350	1.21	-	52.52	39.56	11.76	34.46

802.11ac VHT40_Nss1,(MCS0)_1TX

14/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.78	54.00	-1.22	4.89	3	Vertical	315	1.65	-	47.89	32.00	7.31	34.42
AV	5.2032G	93.97	Inf	-Inf	4.77	3	Vertical	315	1.65	-	89.20	31.78	7.41	34.42
PK	5.15G	66.03	74.00	-7.97	4.89	3	Vertical	315	1.65	-	61.14	32.00	7.31	34.42
PK	5.2028G	102.95	Inf	-Inf	4.77	3	Vertical	315	1.65	-	98.18	31.78	7.41	34.42

802.11ac VHT40_Nss1,(MCS0)_1TX

14/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.54	54.00	-4.46	4.89	3	Horizontal	299	2.51	-	44.65	32.00	7.31	34.42
AV	5.2024G	91.81	Inf	-Inf	4.78	3	Horizontal	299	2.51	-	87.03	31.79	7.41	34.42
PK	5.15G	62.30	74.00	-11.70	4.89	3	Horizontal	299	2.51	-	57.41	32.00	7.31	34.42
PK	5.2024G	101.01	Inf	-Inf	4.78	3	Horizontal	299	2.51	-	96.23	31.79	7.41	34.42

802.11ac VHT40_Nss1,(MCS0)_1TX

14/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
PK	10.37906G	57.49	68.20	-10.71	15.21	3	Vertical	20	1.49	-	42.28	39.44	10.64	34.87

802.11ac VHT40_Nss1,(MCS0)_1TX

14/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
PK	10.3802G	58.26	68.20	-9.94	15.21	3	Horizontal	331	1.48	-	43.05	39.44	10.64	34.87

802.11ac VHT40_Nss1,(MCS0)_1TX

14/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	48.23	54.00	-5.77	4.89	3	Vertical	309	1.62	-	43.34	32.00	7.31	34.42
AV	5.2424G	98.68	Inf	-Inf	4.57	3	Vertical	309	1.62	-	94.11	31.55	7.44	34.42
PK	5.1476G	60.19	74.00	-13.81	4.88	3	Vertical	309	1.62	-	55.31	32.00	7.30	34.42
PK	5.2436G	108.74	Inf	-Inf	4.56	3	Vertical	309	1.62	-	104.18	31.54	7.44	34.42

802.11ac VHT40_Nss1,(MCS0)_1TX

14/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	46.34	54.00	-7.66	4.89	3	Horizontal	300	2.57	-	41.45	32.00	7.31	34.42
AV	5.2432G	97.74	Inf	-Inf	4.56	3	Horizontal	300	2.57	-	93.18	31.54	7.44	34.42
PK	5.1416G	58.00	74.00	-16.00	4.87	3	Horizontal	300	2.57	-	53.13	32.00	7.29	34.42
PK	5.2432G	107.54	Inf	-Inf	4.56	3	Horizontal	300	2.57	-	102.98	31.54	7.44	34.42

802.11ac VHT40_Nss1,(MCS0)_1TX

14/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
PK	10.45644G	67.65	68.20	-0.55	15.51	3	Vertical	31	1.26	-	52.14	39.61	10.70	34.80

802.11ac VHT40_Nss1,(MCS0)_1TX

14/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
PK	10.4566G	67.51	68.20	-0.69	15.51	3	Horizontal	331	1.48	-	52.00	39.61	10.70	34.80

802.11ac VHT40_Nss1,(MCS0)_1TX

14/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.7478G	85.71	Inf	-Inf	5.36	3	Vertical	352	1.05	-	80.35	32.09	7.73	34.46
PK	5.5018G	56.23	68.20	-11.97	4.81	3	Vertical	352	1.05	-	51.42	31.90	7.32	34.41
PK	5.7502G	94.87	Inf	-Inf	5.37	3	Vertical	352	1.05	-	89.50	32.10	7.74	34.47
PK	5.9278G	57.19	68.20	-11.01	6.30	3	Vertical	352	1.05	-	50.89	32.50	8.30	34.50

802.11ac VHT40_Nss1,(MCS0)_1TX

14/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.7562G	87.84	Inf	-Inf	5.41	3	Horizontal	304	2.35	-	82.43	32.12	7.76	34.47
PK	5.6242G	56.14	68.20	-12.06	4.56	3	Horizontal	304	2.35	-	51.58	31.80	7.20	34.44
PK	5.7562G	96.77	Inf	-Inf	5.41	3	Horizontal	304	2.35	-	91.36	32.12	7.76	34.47
PK	5.9794G	57.63	68.20	-10.57	6.48	3	Horizontal	304	2.35	-	51.15	32.56	8.44	34.52

802.11ac VHT40_Nss1,(MCS0)_1TX

14/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	11.5098G	49.95	54.00	-4.05	17.32	3	Vertical	1	2.74	-	32.63	40.07	11.64	34.39
PK	11.5097G	62.32	74.00	-11.68	17.32	3	Vertical	1	2.74	-	45.00	40.07	11.64	34.39

802.11ac VHT40_Nss1,(MCS0)_1TX

14/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	11.5098G	53.89	54.00	-0.11	17.32	3	Horizontal	350	1.29	-	36.57	40.07	11.64	34.39
PK	11.5065G	65.91	74.00	-8.09	17.32	3	Horizontal	350	1.29	-	48.59	40.08	11.63	34.39

802.11ac VHT40_Nss1,(MCS0)_1TX

14/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.7842G	85.71	Inf	-Inf	5.65	3	Vertical	353	1.07	-	80.06	32.24	7.88	34.47
PK	5.5478G	56.34	68.20	-11.86	4.69	3	Vertical	353	1.07	-	51.65	31.90	7.21	34.42
PK	5.7986G	94.84	Inf	-Inf	5.75	3	Vertical	353	1.07	-	89.09	32.29	7.94	34.48
PK	5.9594G	57.11	68.20	-11.09	6.40	3	Vertical	353	1.07	-	50.71	32.52	8.39	34.51

802.11ac VHT40_Nss1,(MCS0)_1TX

14/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.7842G	88.07	Inf	-Inf	5.65	3	Horizontal	301	2.33	-	82.42	32.24	7.88	34.47
PK	5.573G	55.92	68.20	-12.28	4.58	3	Horizontal	301	2.33	-	51.34	31.85	7.16	34.43
PK	5.7866G	97.08	Inf	-Inf	5.67	3	Horizontal	301	2.33	-	91.41	32.25	7.89	34.47
PK	5.9366G	57.28	68.20	-10.92	6.32	3	Horizontal	301	2.33	-	50.96	32.50	8.33	34.51

802.11ac VHT40_Nss1,(MCS0)_1TX

14/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	11.59G	46.89	54.00	-7.11	17.10	3	Vertical	346	2.60	-	29.79	39.83	11.71	34.44
PK	11.5904G	58.80	74.00	-15.20	17.10	3	Vertical	346	2.60	-	41.70	39.83	11.71	34.44

802.11ac VHT40_Nss1,(MCS0)_1TX

14/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	11.59G	53.46	54.00	-0.54	17.10	3	Horizontal	349	1.43	-	36.36	39.83	11.71	34.44
PK	11.5864G	64.94	74.00	-9.06	17.11	3	Horizontal	349	1.43	-	47.83	39.84	11.70	34.43

802.11ac VHT80_Nss1,(MCS0)_1TX

14/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.13	54.00	-0.87	4.89	3	Vertical	313	1.66	-	48.24	32.00	7.31	34.42
AV	5.246G	86.30	Inf	-Inf	4.54	3	Vertical	313	1.66	-	81.76	31.52	7.44	34.42
AV	5.352G	44.57	54.00	-9.43	4.40	3	Vertical	313	1.66	-	40.17	31.31	7.51	34.42
PK	5.149G	65.35	74.00	-8.65	4.89	3	Vertical	313	1.66	-	60.46	32.00	7.31	34.42
PK	5.198G	97.81	Inf	-Inf	4.80	3	Vertical	313	1.66	-	93.01	31.81	7.41	34.42
PK	5.371G	57.02	74.00	-16.98	4.53	3	Vertical	313	1.66	-	52.49	31.43	7.52	34.42

802.11ac VHT80_Nss1,(MCS0)_1TX

14/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.90	54.00	-4.10	4.89	3	Horizontal	299	2.57	-	45.01	32.00	7.31	34.42
AV	5.244G	85.59	Inf	-Inf	4.56	3	Horizontal	299	2.57	-	81.03	31.54	7.44	34.42
AV	5.411G	44.69	54.00	-9.31	4.75	3	Horizontal	299	2.57	-	39.94	31.64	7.52	34.41
PK	5.15G	60.83	74.00	-13.17	4.89	3	Horizontal	299	2.57	-	55.94	32.00	7.31	34.42
PK	5.238G	95.17	Inf	-Inf	4.58	3	Horizontal	299	2.57	-	90.59	31.57	7.43	34.42
PK	5.427G	56.29	74.00	-17.71	4.78	3	Horizontal	299	2.57	-	51.51	31.71	7.48	34.41

802.11ac VHT80_Nss1,(MCS0)_1TX

14/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
PK	10.41576G	54.35	68.20	-13.85	15.37	3	Vertical	26	1.00	-	38.98	39.53	10.67	34.83

802.11ac VHT80_Nss1,(MCS0)_1TX

14/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
PK	10.41824G	54.14	68.20	-14.06	15.38	3	Horizontal	46	2.17	-	38.76	39.54	10.67	34.83

802.11ac VHT80_Nss1,(MCS0)_1TX

14/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.7534G	83.44	Inf	-Inf	5.39	3	Vertical	173	1.30	-	78.05	32.11	7.75	34.47
PK	5.6118G	55.60	68.20	-12.60	4.52	3	Vertical	113	1.95	-	51.08	31.80	7.15	34.43
PK	5.763G	94.42	Inf	-Inf	5.47	3	Vertical	173	1.30	-	88.95	32.15	7.79	34.47
PK	5.949G	57.48	68.20	-10.72	6.35	3	Vertical	189	1.55	-	51.13	32.50	8.36	34.51

802.11ac VHT80_Nss1,(MCS0)_1TX

14/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	5.7558G	81.79	Inf	-Inf	5.41	3	Horizontal	358	2.10	-	76.38	32.12	7.76	34.47
PK	5.6142G	56.34	68.20	-11.86	4.52	3	Horizontal	44	2.26	-	51.82	31.80	7.16	34.44
PK	5.7642G	93.02	Inf	-Inf	5.49	3	Horizontal	358	2.10	-	87.53	32.16	7.80	34.47
PK	5.9634G	57.46	68.20	-10.74	6.42	3	Horizontal	265	1.99	-	51.04	32.53	8.40	34.51

802.11ac VHT80_Nss1,(MCS0)_1TX

14/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	11.54932G	50.02	54.00	-3.98	17.21	3	Vertical	178	1.50	-	32.81	39.95	11.67	34.41
PK	11.54896G	62.30	74.00	-11.70	17.21	3	Vertical	193	1.82	-	45.09	39.95	11.67	34.41

802.11ac VHT80_Nss1,(MCS0)_1TX

14/08/2019

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	11.54926G	53.88	54.00	-0.12	17.21	3	Horizontal	339	1.40	-	36.67	39.95	11.67	34.41
PK	11.54986G	66.29	74.00	-7.71	17.21	3	Horizontal	231	1.15	-	49.08	39.95	11.67	34.41



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.43	54.00	-1.57	3	Vertical	193	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.1468G	73.96	74.00	-0.04	3	Vertical	187	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.149G	52.88	54.00	-1.12	3	Vertical	191	2.05	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	11.57006G	50.86	54.00	-3.14	3	Horizontal	359	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	11.58986G	50.85	54.00	-3.15	3	Horizontal	354	1.62	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.931G	65.91	68.20	-2.29	3	Vertical	41	1.59	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	52.43	54.00	-1.57	3	Vertical	193	1.50	-
5180MHz	Pass	AV	5.1766G	108.90	Inf	-Inf	3	Vertical	193	1.50	-
5180MHz	Pass	PK	5.1488G	66.82	74.00	-7.18	3	Vertical	193	1.50	-
5180MHz	Pass	PK	5.1768G	119.70	Inf	-Inf	3	Vertical	193	1.50	-
5180MHz	Pass	PK	10.35983G	61.91	68.20	-6.29	3	Vertical	336	1.54	-
5180MHz	Pass	PK	10.35886G	62.05	68.20	-6.15	3	Horizontal	4	1.00	-
5200MHz	Pass	AV	5.1296G	48.99	54.00	-5.01	3	Vertical	168	1.50	-
5200MHz	Pass	AV	5.2044G	106.87	Inf	-Inf	3	Vertical	168	1.50	-
5200MHz	Pass	PK	5.1224G	61.50	74.00	-12.50	3	Vertical	168	1.50	-
5200MHz	Pass	PK	5.2044G	117.02	Inf	-Inf	3	Vertical	168	1.50	-
5200MHz	Pass	PK	10.39982G	62.28	68.20	-5.92	3	Vertical	338	1.69	-
5200MHz	Pass	PK	10.40042G	61.84	68.20	-6.36	3	Horizontal	358	1.48	-
5240MHz	Pass	AV	5.0942G	49.47	54.00	-4.53	3	Vertical	38	1.50	-
5240MHz	Pass	AV	5.2478G	106.33	Inf	-Inf	3	Vertical	38	1.50	-
5240MHz	Pass	AV	5.3882G	47.63	54.00	-6.37	3	Vertical	38	1.50	-
5240MHz	Pass	PK	5.1062G	61.51	74.00	-12.49	3	Vertical	38	1.50	-
5240MHz	Pass	PK	5.2466G	115.81	Inf	-Inf	3	Vertical	38	1.50	-
5240MHz	Pass	PK	5.3642G	59.72	74.00	-14.28	3	Vertical	38	1.50	-
5240MHz	Pass	PK	10.47994G	61.38	68.20	-6.82	3	Vertical	336	1.74	-
5240MHz	Pass	PK	10.47754G	61.24	68.20	-6.96	3	Horizontal	334	1.88	-
5745MHz	Pass	AV	5.7474G	108.46	Inf	-Inf	3	Vertical	42	1.50	-
5745MHz	Pass	PK	5.5218G	60.80	68.20	-7.40	3	Vertical	42	1.50	-
5745MHz	Pass	PK	5.7486G	118.84	Inf	-Inf	3	Vertical	42	1.50	-
5745MHz	Pass	PK	5.9418G	61.83	68.20	-6.37	3	Vertical	42	1.50	-
5745MHz	Pass	AV	11.48982G	50.01	54.00	-3.99	3	Vertical	347	3.00	-
5745MHz	Pass	PK	11.49018G	62.50	74.00	-11.50	3	Vertical	347	3.00	-
5745MHz	Pass	AV	11.48946G	49.41	54.00	-4.59	3	Horizontal	19	2.34	-
5745MHz	Pass	PK	11.47926G	62.08	74.00	-11.92	3	Horizontal	19	2.34	-
5785MHz	Pass	AV	5.7826G	108.09	Inf	-Inf	3	Vertical	40	1.50	-
5785MHz	Pass	PK	5.5606G	60.55	68.20	-7.65	3	Vertical	40	1.50	-
5785MHz	Pass	PK	5.7838G	117.96	Inf	-Inf	3	Vertical	40	1.50	-
5785MHz	Pass	PK	5.929G	61.73	68.20	-6.47	3	Vertical	40	1.50	-
5785MHz	Pass	AV	11.57012G	49.89	54.00	-4.11	3	Vertical	9	2.10	-
5785MHz	Pass	PK	11.57138G	62.75	74.00	-11.25	3	Vertical	9	2.10	-
5785MHz	Pass	AV	11.57006G	50.86	54.00	-3.14	3	Horizontal	359	1.50	-
5785MHz	Pass	PK	11.57384G	61.74	74.00	-12.26	3	Horizontal	359	1.50	-
5825MHz	Pass	AV	5.8238G	108.27	Inf	-Inf	3	Vertical	43	1.50	-
5825MHz	Pass	PK	5.6306G	61.28	68.20	-6.92	3	Vertical	43	1.50	-
5825MHz	Pass	PK	5.8238G	119.20	Inf	-Inf	3	Vertical	43	1.50	-
5825MHz	Pass	PK	5.9402G	60.78	68.20	-7.42	3	Vertical	43	1.50	-
5825MHz	Pass	AV	11.65004G	49.16	54.00	-4.84	3	Vertical	359	1.86	-
5825MHz	Pass	PK	11.65608G	61.13	74.00	-12.87	3	Vertical	359	1.86	-
5825MHz	Pass	AV	11.6419G	50.30	54.00	-3.70	3	Horizontal	334	1.50	-
5825MHz	Pass	PK	11.63998G	63.48	74.00	-10.52	3	Horizontal	334	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1492G	50.37	54.00	-3.63	3	Vertical	187	1.50	-
5190MHz	Pass	AV	5.1928G	102.21	Inf	-Inf	3	Vertical	187	1.50	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5190MHz	Pass	PK	5.1468G	73.96	74.00	-0.04	3	Vertical	187	1.50	-
5190MHz	Pass	PK	5.2012G	114.49	Inf	-Inf	3	Vertical	187	1.50	-
5190MHz	Pass	PK	10.38012G	62.32	68.20	-5.88	3	Vertical	336	1.61	-
5190MHz	Pass	PK	10.3801G	61.91	68.20	-6.29	3	Horizontal	324	2.41	-
5230MHz	Pass	AV	5.1424G	49.08	54.00	-4.92	3	Vertical	9	1.50	-
5230MHz	Pass	AV	5.2256G	105.09	Inf	-Inf	3	Vertical	9	1.50	-
5230MHz	Pass	PK	5.1412G	62.25	74.00	-11.75	3	Vertical	9	1.50	-
5230MHz	Pass	PK	5.2288G	115.68	Inf	-Inf	3	Vertical	9	1.50	-
5230MHz	Pass	PK	10.46008G	62.19	68.20	-6.01	3	Vertical	338	1.83	-
5230MHz	Pass	PK	10.4599G	61.78	68.20	-6.42	3	Horizontal	338	1.43	-
5755MHz	Pass	AV	5.749G	105.30	Inf	-Inf	3	Vertical	38	1.50	-
5755MHz	Pass	PK	5.5294G	62.43	68.20	-5.77	3	Vertical	38	1.50	-
5755MHz	Pass	PK	5.7442G	117.26	Inf	-Inf	3	Vertical	38	1.50	-
5755MHz	Pass	PK	5.9878G	62.92	68.20	-5.28	3	Vertical	38	1.50	-
5755MHz	Pass	AV	11.50987G	49.91	54.00	-4.09	3	Vertical	5	1.47	-
5755MHz	Pass	PK	11.50995G	62.19	74.00	-11.81	3	Vertical	5	1.47	-
5755MHz	Pass	AV	11.50996G	50.30	54.00	-3.70	3	Horizontal	33	1.50	-
5755MHz	Pass	PK	11.50995G	62.74	74.00	-11.26	3	Horizontal	33	1.50	-
5795MHz	Pass	AV	5.7998G	106.58	Inf	-Inf	3	Vertical	41	1.49	-
5795MHz	Pass	PK	5.5958G	61.86	68.20	-6.34	3	Vertical	41	1.49	-
5795MHz	Pass	PK	5.7998G	117.98	Inf	-Inf	3	Vertical	41	1.49	-
5795MHz	Pass	PK	5.9534G	62.33	68.20	-5.87	3	Vertical	41	1.49	-
5795MHz	Pass	AV	11.58992G	49.77	54.00	-4.23	3	Vertical	359	1.66	-
5795MHz	Pass	PK	11.58942G	61.93	74.00	-12.07	3	Vertical	359	1.66	-
5795MHz	Pass	AV	11.58986G	50.85	54.00	-3.15	3	Horizontal	354	1.62	-
5795MHz	Pass	PK	11.59118G	63.29	74.00	-10.71	3	Horizontal	354	1.62	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	52.88	54.00	-1.12	3	Vertical	191	2.05	-
5210MHz	Pass	AV	5.197G	102.46	Inf	-Inf	3	Vertical	191	2.05	-
5210MHz	Pass	AV	5.355G	48.19	54.00	-5.81	3	Vertical	191	2.05	-
5210MHz	Pass	PK	5.09G	67.21	74.00	-6.79	3	Vertical	191	2.05	-
5210MHz	Pass	PK	5.228G	110.36	Inf	-Inf	3	Vertical	191	2.05	-
5210MHz	Pass	PK	5.351G	60.65	74.00	-13.35	3	Vertical	191	2.05	-
5210MHz	Pass	PK	10.4166G	61.17	68.20	-7.03	3	Vertical	336	1.72	-
5210MHz	Pass	PK	10.41978G	60.98	68.20	-7.22	3	Horizontal	355	1.36	-
5775MHz	Pass	AV	5.7786G	102.93	Inf	-Inf	3	Vertical	41	1.59	-
5775MHz	Pass	PK	5.6502G	65.00	68.35	-3.35	3	Vertical	41	1.59	-
5775MHz	Pass	PK	5.7702G	113.38	Inf	-Inf	3	Vertical	41	1.59	-
5775MHz	Pass	PK	5.931G	65.91	68.20	-2.29	3	Vertical	41	1.59	-
5775MHz	Pass	AV	11.54998G	49.25	54.00	-4.75	3	Vertical	3	1.48	-
5775MHz	Pass	PK	11.54983G	61.82	74.00	-12.18	3	Vertical	3	1.48	-
5775MHz	Pass	AV	11.54995G	50.17	54.00	-3.83	3	Horizontal	294	1.50	-
5775MHz	Pass	PK	11.54836G	62.40	74.00	-11.60	3	Horizontal	294	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

10/09/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.43	54.00	-1.57	7.93	3	Vertical	193	1.50	-	44.50	31.90	10.08	34.05
AV	5.1766G	108.90	Inf	-Inf	7.77	3	Vertical	193	1.50	-	101.13	31.74	10.08	34.05
PK	5.1488G	66.82	74.00	-7.18	7.93	3	Vertical	193	1.50	-	58.89	31.90	10.08	34.05
PK	5.1768G	119.70	Inf	-Inf	7.77	3	Vertical	193	1.50	-	111.93	31.74	10.08	34.05



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

10/09/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35983G	61.91	68.20	-6.29	18.02	3	Vertical	336	1.54	-	43.89	39.44	12.96	34.38



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

10/09/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.358866G	62.05	68.20	-6.15	18.02	3	Horizontal	4	1.00	-	44.03	39.44	12.96	34.38

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

10/09/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1296G	48.99	54.00	-5.01	7.97	3	Vertical	168	1.50	-	41.02	31.94	10.08	34.05
AV	5.2044G	106.87	Inf	-Inf	7.60	3	Vertical	168	1.50	-	99.27	31.57	10.08	34.05
PK	5.1224G	61.50	74.00	-12.50	7.99	3	Vertical	168	1.50	-	53.51	31.96	10.08	34.05
PK	5.2044G	117.02	Inf	-Inf	7.60	3	Vertical	168	1.50	-	109.42	31.57	10.08	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

10/09/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39982G	62.28	68.20	-5.92	18.25	3	Vertical	338	1.69	-	44.03	39.60	12.99	34.34

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

10/09/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40042G	61.84	68.20	-6.36	18.25	3	Horizontal	358	1.48	-	43.59	39.60	12.99	34.34

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

10/09/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0942G	49.47	54.00	-4.53	8.02	3	Vertical	38	1.50	-	41.45	31.99	10.08	34.05
AV	5.2478G	106.33	Inf	-Inf	7.36	3	Vertical	38	1.50	-	98.97	31.31	10.10	34.05
AV	5.3882G	47.63	54.00	-6.37	7.55	3	Vertical	38	1.50	-	40.08	31.43	10.18	34.06
PK	5.1062G	61.51	74.00	-12.49	8.02	3	Vertical	38	1.50	-	53.49	31.99	10.08	34.05
PK	5.2466G	115.81	Inf	-Inf	7.37	3	Vertical	38	1.50	-	108.44	31.32	10.10	34.05
PK	5.3642G	59.72	74.00	-14.28	7.40	3	Vertical	38	1.50	-	52.32	31.29	10.17	34.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

10/09/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47994G	61.38	68.20	-6.82	18.46	3	Vertical	336	1.74	-	42.92	39.68	13.03	34.25

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

10/09/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47754G	61.24	68.20	-6.96	18.46	3	Horizontal	334	1.88	-	42.78	39.68	13.03	34.25

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

10/09/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	108.46	Inf	-Inf	8.24	3	Vertical	42	1.50	-	100.22	31.89	10.42	34.07
PK	5.5218G	60.80	68.20	-7.40	7.91	3	Vertical	42	1.50	-	52.89	31.76	10.22	34.07
PK	5.7486G	118.84	Inf	-Inf	8.25	3	Vertical	42	1.50	-	110.59	31.90	10.42	34.07
PK	5.9418G	61.83	68.20	-6.37	8.88	3	Vertical	42	1.50	-	52.95	32.40	10.56	34.08



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

10/09/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48982G	50.01	54.00	-3.99	19.40	3	Vertical	347	3.00	-	30.61	39.89	13.62	34.11
PK	11.49018G	62.50	74.00	-11.50	19.40	3	Vertical	347	3.00	-	43.10	39.89	13.62	34.11

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

10/09/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48946G	49.41	54.00	-4.59	19.40	3	Horizontal	19	2.34	-	30.01	39.89	13.62	34.11
PK	11.47926G	62.08	74.00	-11.92	19.38	3	Horizontal	19	2.34	-	42.70	39.88	13.61	34.11



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

10/09/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	108.09	Inf	-Inf	8.42	3	Vertical	40	1.50	-	99.67	32.03	10.47	34.08
PK	5.5606G	60.55	68.20	-7.65	7.84	3	Vertical	40	1.50	-	52.71	31.68	10.23	34.07
PK	5.7838G	117.96	Inf	-Inf	8.43	3	Vertical	40	1.50	-	109.53	32.04	10.47	34.08
PK	5.929G	61.73	68.20	-6.47	8.87	3	Vertical	40	1.50	-	52.86	32.40	10.55	34.08

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

10/09/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57012G	49.89	54.00	-4.11	19.37	3	Vertical	9	2.10	-	30.52	39.83	13.67	34.13
PK	11.57138G	62.75	74.00	-11.25	19.37	3	Vertical	9	2.10	-	43.38	39.83	13.67	34.13

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

10/09/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57006G	50.86	54.00	-3.14	19.37	3	Horizontal	359	1.50	-	31.49	39.83	13.67	34.13
PK	11.57384G	61.74	74.00	-12.26	19.37	3	Horizontal	359	1.50	-	42.37	39.83	13.67	34.13

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

10/09/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	108.27	Inf	-Inf	8.62	3	Vertical	43	1.50	-	99.65	32.20	10.50	34.08
PK	5.6306G	61.28	68.20	-6.92	7.87	3	Vertical	43	1.50	-	53.41	31.66	10.28	34.07
PK	5.8238G	119.20	Inf	-Inf	8.62	3	Vertical	43	1.50	-	110.58	32.20	10.50	34.08
PK	5.9402G	60.78	68.20	-7.42	8.87	3	Vertical	43	1.50	-	51.91	32.40	10.55	34.08

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

10/09/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65004G	49.16	54.00	-4.84	19.07	3	Vertical	359	1.86	-	30.09	39.50	13.71	34.14
PK	11.65608G	61.13	74.00	-12.87	19.03	3	Vertical	359	1.86	-	42.10	39.46	13.71	34.14



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

10/09/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6419G	50.30	54.00	-3.70	19.12	3	Horizontal	334	1.50	-	31.18	39.55	13.71	34.14
PK	11.63998G	63.48	74.00	-10.52	19.13	3	Horizontal	334	1.50	-	44.35	39.56	13.71	34.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

10/09/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	50.37	54.00	-3.63	7.93	3	Vertical	187	1.50	-	42.44	31.90	10.08	34.05
AV	5.1928G	102.21	Inf	-Inf	7.67	3	Vertical	187	1.50	-	94.54	31.64	10.08	34.05
PK	5.1468G	73.96	74.00	-0.04	7.94	3	Vertical	187	1.50	-	66.02	31.91	10.08	34.05
PK	5.2012G	114.49	Inf	-Inf	7.62	3	Vertical	187	1.50	-	106.87	31.59	10.08	34.05

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

10/09/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38012G	62.32	68.20	-5.88	18.14	3	Vertical	336	1.61	-	44.18	39.52	12.98	34.36

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

10/09/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3801G	61.91	68.20	-6.29	18.14	3	Horizontal	324	2.41	-	43.77	39.52	12.98	34.36

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

10/09/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1424G	49.08	54.00	-4.92	7.95	3	Vertical	9	1.50	-	41.13	31.92	10.08	34.05
AV	5.2256G	105.09	Inf	-Inf	7.49	3	Vertical	9	1.50	-	97.60	31.45	10.09	34.05
PK	5.1412G	62.25	74.00	-11.75	7.95	3	Vertical	9	1.50	-	54.30	31.92	10.08	34.05
PK	5.2288G	115.68	Inf	-Inf	7.47	3	Vertical	9	1.50	-	108.21	31.43	10.09	34.05

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

10/09/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46008G	62.19	68.20	-6.01	18.41	3	Vertical	338	1.83	-	43.78	39.66	13.02	34.27

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

10/09/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45999G	61.78	68.20	-6.42	18.41	3	Horizontal	338	1.43	-	43.37	39.66	13.02	34.27

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

10/09/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.749G	105.30	Inf	-Inf	8.25	3	Vertical	38	1.50	-	97.05	31.90	10.42	34.07
PK	5.5294G	62.43	68.20	-5.77	7.89	3	Vertical	38	1.50	-	54.54	31.74	10.22	34.07
PK	5.7442G	117.26	Inf	-Inf	8.24	3	Vertical	38	1.50	-	109.02	31.89	10.42	34.07
PK	5.9878G	62.92	68.20	-5.28	8.90	3	Vertical	38	1.50	-	54.02	32.40	10.58	34.08

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

10/09/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50987G	49.91	54.00	-4.09	19.41	3	Vertical	5	1.47	-	30.50	39.89	13.63	34.11
PK	11.50995G	62.19	74.00	-11.81	19.41	3	Vertical	5	1.47	-	42.78	39.89	13.63	34.11

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

10/09/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50996G	50.30	54.00	-3.70	19.41	3	Horizontal	33	1.50	-	30.89	39.89	13.63	34.11
PK	11.50995G	62.74	74.00	-11.26	19.41	3	Horizontal	33	1.50	-	43.33	39.89	13.63	34.11

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

10/09/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	106.58	Inf	-Inf	8.51	3	Vertical	41	1.49	-	98.07	32.10	10.49	34.08
PK	5.5958G	61.86	68.20	-6.34	7.78	3	Vertical	41	1.49	-	54.08	31.61	10.24	34.07
PK	5.7998G	117.98	Inf	-Inf	8.51	3	Vertical	41	1.49	-	109.47	32.10	10.49	34.08
PK	5.9534G	62.33	68.20	-5.87	8.88	3	Vertical	41	1.49	-	53.45	32.40	10.56	34.08

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

10/09/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58992G	49.77	54.00	-4.23	19.36	3	Vertical	359	1.66	-	30.41	39.81	13.68	34.13
PK	11.58942G	61.93	74.00	-12.07	19.36	3	Vertical	359	1.66	-	42.57	39.81	13.68	34.13

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

10/09/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58986G	50.85	54.00	-3.15	19.36	3	Horizontal	354	1.62	-	31.49	39.81	13.68	34.13
PK	11.59118G	63.29	74.00	-10.71	19.36	3	Horizontal	354	1.62	-	43.93	39.81	13.68	34.13

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

10/09/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	52.88	54.00	-1.12	7.93	3	Vertical	191	2.05	-	44.95	31.90	10.08	34.05
AV	5.197G	102.46	Inf	-Inf	7.65	3	Vertical	191	2.05	-	94.81	31.62	10.08	34.05
AV	5.355G	48.19	54.00	-5.81	7.33	3	Vertical	191	2.05	-	40.86	31.23	10.16	34.06
PK	5.09G	67.21	74.00	-6.79	8.01	3	Vertical	191	2.05	-	59.20	31.98	10.08	34.05
PK	5.228G	110.36	Inf	-Inf	7.47	3	Vertical	191	2.05	-	102.89	31.43	10.09	34.05
PK	5.351G	60.65	74.00	-13.35	7.31	3	Vertical	191	2.05	-	53.34	31.21	10.16	34.06



802.11ax HEW80-BF_Nss1,(MCS0)_2TX

10/09/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41666G	61.17	68.20	-7.03	18.30	3	Vertical	336	1.72	-	42.87	39.62	13.00	34.32



802.11ax HEW80-BF_Nss1,(MCS0)_2TX

10/09/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41978G	60.98	68.20	-7.22	18.30	3	Horizontal	355	1.36	-	42.68	39.62	13.00	34.32



802.11ax HEW80-BF_Nss1,(MCS0)_2TX

10/09/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7786G	102.93	Inf	-Inf	8.39	3	Vertical	41	1.59	-	94.54	32.01	10.46	34.08
PK	5.6502G	65.00	68.35	-3.35	7.93	3	Vertical	41	1.59	-	57.07	31.70	10.30	34.07
PK	5.7702G	113.38	Inf	-Inf	8.35	3	Vertical	41	1.59	-	105.03	31.98	10.45	34.08
PK	5.931G	65.91	68.20	-2.29	8.87	3	Vertical	41	1.59	-	57.04	32.40	10.55	34.08

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

10/09/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54998G	49.25	54.00	-4.75	19.38	3	Vertical	3	1.48	-	29.87	39.85	13.65	34.12
PK	11.54983G	61.82	74.00	-12.18	19.38	3	Vertical	3	1.48	-	42.44	39.85	13.65	34.12

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

10/09/2019

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54995G	50.17	54.00	-3.83	19.38	3	Horizontal	294	1.50	-	30.79	39.85	13.65	34.12
PK	11.54836G	62.40	74.00	-11.60	19.38	3	Horizontal	294	1.50	-	43.02	39.85	13.65	34.12



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.45	54.00	-1.55	3	Horizontal	7	1.44	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.15G	72.17	74.00	-1.83	3	Vertical	348	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.149G	52.53	54.00	-1.47	3	Vertical	0	1.50	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	11.48912G	50.53	54.00	-3.47	3	Vertical	219	2.84	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.635G	67.20	68.20	-1.00	3	Horizontal	7	1.64	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6538G	70.38	71.01	-0.63	3	Horizontal	6	1.43	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1496G	51.36	54.00	-2.64	3	Vertical	340	1.50	-
5180MHz	Pass	AV	5.1834G	107.98	Inf	-Inf	3	Vertical	340	1.50	-
5180MHz	Pass	PK	5.1438G	62.27	74.00	-11.73	3	Vertical	340	1.50	-
5180MHz	Pass	PK	5.1828G	118.05	Inf	-Inf	3	Vertical	340	1.50	-
5180MHz	Pass	AV	5.15G	52.45	54.00	-1.55	3	Horizontal	7	1.44	-
5180MHz	Pass	AV	5.1716G	113.92	Inf	-Inf	3	Horizontal	7	1.44	-
5180MHz	Pass	PK	5.1494G	67.06	74.00	-6.94	3	Horizontal	7	1.44	-
5180MHz	Pass	PK	5.1738G	122.63	Inf	-Inf	3	Horizontal	7	1.44	-
5180MHz	Pass	PK	10.35985G	60.99	68.20	-7.21	3	Vertical	271	1.50	-
5180MHz	Pass	PK	10.36095G	60.85	68.20	-7.35	3	Horizontal	50	1.00	-
5200MHz	Pass	AV	5.1468G	49.66	54.00	-4.34	3	Vertical	354	1.50	-
5200MHz	Pass	AV	5.2024G	108.88	Inf	-Inf	3	Vertical	354	1.50	-
5200MHz	Pass	PK	5.1036G	61.50	74.00	-12.50	3	Vertical	354	1.50	-
5200MHz	Pass	PK	5.202G	119.74	Inf	-Inf	3	Vertical	354	1.50	-
5200MHz	Pass	AV	5.1492G	49.84	54.00	-4.16	3	Horizontal	11	1.48	-
5200MHz	Pass	AV	5.202G	115.41	Inf	-Inf	3	Horizontal	11	1.48	-
5200MHz	Pass	PK	5.1088G	62.10	74.00	-11.90	3	Horizontal	11	1.48	-
5200MHz	Pass	PK	5.2012G	122.37	Inf	-Inf	3	Horizontal	11	1.48	-
5200MHz	Pass	PK	10.39994G	61.28	68.20	-6.92	3	Vertical	127	2.07	-
5200MHz	Pass	PK	10.40182G	60.85	68.20	-7.35	3	Horizontal	190	1.50	-
5240MHz	Pass	AV	5.1104G	49.47	54.00	-4.53	3	Vertical	359	1.50	-
5240MHz	Pass	AV	5.2412G	108.31	Inf	-Inf	3	Vertical	359	1.50	-
5240MHz	Pass	AV	5.354G	48.07	54.00	-5.93	3	Vertical	359	1.50	-
5240MHz	Pass	PK	5.1338G	62.00	74.00	-12.00	3	Vertical	359	1.50	-
5240MHz	Pass	PK	5.2412G	119.53	Inf	-Inf	3	Vertical	359	1.50	-
5240MHz	Pass	PK	5.3594G	60.26	74.00	-13.74	3	Vertical	359	1.50	-
5240MHz	Pass	AV	5.0912G	49.51	54.00	-4.49	3	Horizontal	343	1.50	-
5240MHz	Pass	AV	5.2358G	113.76	Inf	-Inf	3	Horizontal	343	1.50	-
5240MHz	Pass	AV	5.3714G	48.20	54.00	-5.80	3	Horizontal	343	1.50	-
5240MHz	Pass	PK	5.1212G	65.24	74.00	-8.76	3	Horizontal	343	1.50	-
5240MHz	Pass	PK	5.2382G	122.72	Inf	-Inf	3	Horizontal	343	1.50	-
5240MHz	Pass	PK	5.3594G	61.70	74.00	-12.30	3	Horizontal	343	1.50	-
5240MHz	Pass	PK	10.48186G	61.05	68.20	-7.15	3	Vertical	172	1.79	-
5240MHz	Pass	PK	10.48091G	60.67	68.20	-7.53	3	Horizontal	120	1.50	-
5745MHz	Pass	AV	5.7474G	108.08	Inf	-Inf	3	Vertical	357	1.50	-
5745MHz	Pass	PK	5.6286G	61.47	68.20	-6.73	3	Vertical	357	1.50	-
5745MHz	Pass	PK	5.7426G	118.58	Inf	-Inf	3	Vertical	357	1.50	-
5745MHz	Pass	PK	5.931G	61.17	68.20	-7.03	3	Vertical	357	1.50	-
5745MHz	Pass	AV	5.751G	108.73	Inf	-Inf	3	Horizontal	20	1.70	-
5745MHz	Pass	PK	5.625G	64.01	68.20	-4.19	3	Horizontal	20	1.70	-
5745MHz	Pass	PK	5.7486G	117.93	Inf	-Inf	3	Horizontal	20	1.70	-
5745MHz	Pass	PK	5.931G	62.39	68.20	-5.81	3	Horizontal	20	1.70	-
5745MHz	Pass	AV	11.48912G	50.53	54.00	-3.47	3	Vertical	219	2.84	-
5745MHz	Pass	PK	11.48986G	63.84	74.00	-10.16	3	Vertical	219	2.84	-
5745MHz	Pass	AV	11.49105G	48.41	54.00	-5.59	3	Horizontal	245	1.16	-
5745MHz	Pass	PK	11.4879G	61.12	74.00	-12.88	3	Horizontal	245	1.16	-
5785MHz	Pass	AV	5.7898G	108.28	Inf	-Inf	3	Vertical	359	1.50	-