


802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

6705MHz\_TnomVnom




EUTY\_4TX  
Setting 18  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.727G	103.33	Inf	-Inf	94.47	3	Horizontal	17	3.00	-	36.31	5.70	33.15
RMS	6.727G	93.64	Inf	-Inf	84.78	3	Horizontal	17	3.00	-	36.31	5.70	33.15
PK	7.131G	61.12	88.20	-27.08	51.65	3	Horizontal	17	3.00	-	36.95	5.97	33.45
RMS	7.193G	50.63	68.20	-17.57	40.88	3	Horizontal	17	3.00	-	37.27	6.00	33.52

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

#### 6705MHz\_TnomVnom




EUTY\_4TX  
Setting 18  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40944G	56.12	88.20	-32.08	41.92	3	Vertical	280	2.19	-	40.20	8.72	34.72
RMS	13.41026G	42.78	68.20	-25.42	28.58	3	Vertical	280	2.19	-	40.20	8.72	34.72

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

#### 6705MHz\_TnomVnom




EUTY\_4TX  
Setting 18  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40994G	55.75	88.20	-32.45	41.55	3	Horizontal	159	2.19	-	40.20	8.72	34.72
RMS	13.4139G	42.71	68.20	-25.49	28.51	3	Horizontal	159	2.19	-	40.20	8.72	34.72

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

#### 6705MHz\_TnomVnom




EUTY\_4TX  
Setting 18  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11866G	42.24	83.54	-41.30	40.41	1	Vertical	339	1.51	-	37.49	14.09	49.75
AV	20.1184G	29.50	63.54	-34.04	27.67	1	Vertical	339	1.51	-	37.49	14.09	49.75

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

#### 6705MHz\_TnomVnom




EUTY\_4TX  
Setting 18  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11868G	42.59	83.54	-40.95	40.76	1	Horizontal	208	1.50	-	37.49	14.09	49.75
AV	20.11548G	29.50	63.54	-34.04	27.67	1	Horizontal	208	1.50	-	37.49	14.09	49.75

802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

6785MHz\_TnomVnom




EUTY\_4TX  
Setting 18  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7786G	107.78	Inf	-Inf	98.92	3	Vertical	286	1.80	-	36.34	5.70	33.18
RMS	6.7834G	97.68	Inf	-Inf	88.83	3	Vertical	286	1.80	-	36.33	5.70	33.18
PK	7.1722G	60.96	88.20	-27.24	51.28	3	Vertical	286	1.80	-	37.19	5.99	33.50
RMS	7.1514G	50.54	68.20	-17.66	40.92	3	Vertical	286	1.80	-	37.11	5.98	33.47

802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

6785MHz\_TnomVnom




EUTY\_4TX  
Setting 18  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8138G	101.96	Inf	-Inf	93.07	3	Horizontal	21	2.89	-	36.38	5.71	33.20
RMS	6.8122G	91.61	Inf	-Inf	82.73	3	Horizontal	21	2.89	-	36.37	5.71	33.20
PK	7.1466G	61.31	88.20	-26.89	51.74	3	Horizontal	21	2.89	-	37.07	5.97	33.47
RMS	7.137G	50.51	68.20	-17.69	40.99	3	Horizontal	21	2.89	-	37.00	5.97	33.45

802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

6785MHz\_TnomVnom




EUTY\_4TX  
Setting 18  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5678G	55.58	88.20	-32.62	41.44	3	Vertical	15	1.49	-	40.20	8.69	34.75
RMS	13.56806G	42.22	68.20	-25.98	28.08	3	Vertical	15	1.49	-	40.20	8.69	34.75



802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

6785MHz\_TnomVnom




EUTY\_4TX  
Setting 18  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56862G	55.72	88.20	-32.48	41.58	3	Horizontal	162	2.63	-	40.20	8.69	34.75
RMS	13.57132G	42.21	68.20	-25.99	28.07	3	Horizontal	162	2.63	-	40.20	8.69	34.75

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

#### 6785MHz\_TnomVnom




EUTY\_4TX  
Setting 18  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35762G	43.70	83.54	-39.84	41.63	1	Vertical	186	1.51	-	37.64	14.27	49.84
AV	20.35876G	30.69	63.54	-32.85	28.62	1	Vertical	186	1.51	-	37.64	14.27	49.84

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX


#### 6785MHz\_TnomVnom



EUTY\_4TX  
Setting 18  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35888G	44.01	83.54	-39.53	41.94	1	Horizontal	231	1.53	-	37.64	14.27	49.84
AV	20.3585G	30.53	63.54	-33.01	28.46	1	Horizontal	231	1.53	-	37.64	14.27	49.84


**802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUTY\_4TX  
 Setting 20  
 04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8678G	109.88	Inf	-Inf	100.80	3	Vertical	76	1.76	-	36.53	5.77	33.22
RMS	6.8692G	99.68	Inf	-Inf	90.61	3	Vertical	76	1.76	-	36.52	5.77	33.22
PK	7.215G	61.03	88.20	-27.17	51.24	3	Vertical	76	1.76	-	37.33	6.01	33.55
RMS	7.2066G	50.66	68.20	-17.54	40.89	3	Vertical	76	1.76	-	37.31	6.00	33.54

**802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_4TX  
 Setting 20  
 04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.844G	103.12	Inf	-Inf	94.03	3	Horizontal	14	2.86	-	36.56	5.74	33.21
RMS	6.8454G	92.52	Inf	-Inf	83.41	3	Horizontal	14	2.86	-	36.57	5.75	33.21
PK	7.2024G	61.75	88.20	-26.45	51.98	3	Horizontal	14	2.86	-	37.30	6.00	33.53
RMS	7.2038G	50.61	68.20	-17.59	40.83	3	Horizontal	14	2.86	-	37.31	6.00	33.53

802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX


6865MHz Straddle 6.525-6.875GHz\_TnomVnom



EUTY\_4TX  
Setting 20  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73094G	57.38	88.20	-30.82	43.12	3	Vertical	238	2.77	-	40.43	8.65	34.82
RMS	13.72742G	44.14	68.20	-24.06	29.88	3	Vertical	238	2.77	-	40.43	8.65	34.82


**802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUTY\_4TX  
 Setting 20  
 04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7307G	57.83	88.20	-30.37	43.57	3	Horizontal	219	1.30	-	40.43	8.65	34.82
RMS	13.72994G	44.22	68.20	-23.98	29.96	3	Horizontal	219	1.30	-	40.43	8.65	34.82

**802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_4TX  
 Setting 20  
 04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59024G	43.13	83.54	-40.41	40.74	1	Vertical	73	1.53	-	37.81	14.44	49.86
AV	20.5962G	30.12	63.54	-33.42	27.71	1	Vertical	73	1.53	-	37.82	14.45	49.86



802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUTY\_4TX  
Setting 20  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59136G	42.88	83.54	-40.66	40.49	1	Horizontal	26	1.51	-	37.81	14.44	49.86
AV	20.5958G	29.97	63.54	-33.57	27.57	1	Horizontal	26	1.51	-	37.81	14.45	49.86

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

### 6945MHz\_TnomVnom




EUTY\_4TX  
Setting 18  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.939G	108.70	Inf	-Inf	99.41	3	Vertical	82	1.80	-	36.71	5.84	33.26
RMS	6.936G	98.38	Inf	-Inf	89.11	3	Vertical	82	1.80	-	36.69	5.84	33.26
PK	7.151G	61.26	88.20	-26.94	51.65	3	Vertical	82	1.80	-	37.10	5.98	33.47
RMS	7.194G	50.69	68.20	-17.51	40.93	3	Vertical	82	1.80	-	37.28	6.00	33.52

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

#### 6945MHz\_TnomVnom




EUTY\_4TX  
Setting 18  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.924G	102.39	Inf	-Inf	93.23	3	Horizontal	15	2.83	-	36.59	5.82	33.25
RMS	6.929G	92.43	Inf	-Inf	83.22	3	Horizontal	15	2.83	-	36.63	5.83	33.25
PK	7.162G	62.35	88.20	-25.85	52.70	3	Horizontal	15	2.83	-	37.15	5.98	33.48
RMS	7.194G	50.69	68.20	-17.51	40.93	3	Horizontal	15	2.83	-	37.28	6.00	33.52

802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

6945MHz\_TnomVnom




EUTY\_4TX  
Setting 18  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89498G	57.29	88.20	-30.91	42.97	3	Vertical	148	1.56	-	40.59	8.62	34.89
RMS	13.89004G	44.31	68.20	-23.89	29.98	3	Vertical	148	1.56	-	40.59	8.62	34.88

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

#### 6945MHz\_TnomVnom




EUTY\_4TX  
Setting 18  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.891G	57.28	88.20	-30.92	42.95	3	Horizontal	307	2.66	-	40.59	8.62	34.88
RMS	13.89128G	44.19	68.20	-24.01	29.86	3	Horizontal	307	2.66	-	40.59	8.62	34.88

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

#### 6945MHz\_TnomVnom




EUTY\_4TX  
Setting 18  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83482G	43.31	83.54	-40.23	40.59	1	Vertical	239	1.56	-	37.86	14.63	49.77
AV	20.83G	30.35	63.54	-33.19	27.63	1	Vertical	239	1.56	-	37.87	14.62	49.77

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

#### 6945MHz\_TnomVnom




EUTY\_4TX  
Setting 18  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8315G	43.48	83.54	-40.06	40.76	1	Horizontal	202	1.51	-	37.87	14.62	49.77
AV	20.83362G	30.33	63.54	-33.21	27.60	1	Horizontal	202	1.51	-	37.87	14.63	49.77

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

### 7025MHz\_TnomVnom




EUTY\_4TX  
Setting 19  
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0346G	108.89	Inf	-Inf	99.56	3	Vertical	76	1.61	-	36.74	5.92	33.33
RMS	7.033G	98.75	Inf	-Inf	89.43	3	Vertical	76	1.61	-	36.73	5.92	33.33
PK	7.1994G	62.66	88.20	-25.54	52.89	3	Vertical	76	1.61	-	37.30	6.00	33.53
RMS	7.2194G	51.83	68.20	-16.37	42.03	3	Vertical	76	1.61	-	37.34	6.01	33.55



802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

7025MHz\_TnomVnom




EUTY\_4TX  
Setting 19  
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0066G	100.06	Inf	-Inf	90.83	3	Horizontal	0	1.89	-	36.63	5.90	33.30
RMS	7.0034G	89.92	Inf	-Inf	80.70	3	Horizontal	0	1.89	-	36.61	5.90	33.29
PK	7.217G	62.43	88.20	-25.77	52.64	3	Horizontal	0	1.89	-	37.33	6.01	33.55
RMS	7.2154G	51.77	68.20	-16.43	41.98	3	Horizontal	0	1.89	-	37.33	6.01	33.55

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

#### 7025MHz\_TnomVnom




EUTY\_4TX  
Setting 19  
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05486G	57.01	88.20	-31.19	42.42	3	Vertical	246	1.44	-	40.90	8.61	34.92
RMS	14.04596G	44.97	68.20	-23.23	30.38	3	Vertical	246	1.44	-	40.90	8.61	34.92

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

#### 7025MHz\_TnomVnom




EUTY\_4TX  
Setting 19  
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05078G	56.90	88.20	-31.30	42.31	3	Horizontal	210	2.34	-	40.90	8.61	34.92
RMS	14.049G	45.11	68.20	-23.09	30.52	3	Horizontal	210	2.34	-	40.90	8.61	34.92

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

#### 7025MHz\_TnomVnom




EUTY\_4TX  
Setting 19  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07924G	41.92	83.54	-41.62	39.19	1	Vertical	334	1.53	-	37.60	14.81	49.68
AV	21.07384G	29.34	63.54	-34.20	26.62	1	Vertical	334	1.53	-	37.60	14.81	49.69

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

#### 7025MHz\_TnomVnom




EUTY\_4TX  
Setting 19  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07806G	42.77	83.54	-40.77	40.04	1	Horizontal	317	1.55	-	37.60	14.81	49.68
AV	21.07444G	29.29	63.54	-34.25	26.57	1	Horizontal	317	1.55	-	37.60	14.81	49.69

### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

#### 6025MHz\_TnomVnom




EUTY\_4TX  
Setting 16  
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	60.80	88.20	-27.40	53.84	3	Vertical	63	1.77	-	34.95	5.35	33.34
RMS	5.9178G	53.03	68.20	-15.17	46.01	3	Vertical	63	1.77	-	35.01	5.36	33.35
PK	6.0634G	105.62	Inf	-Inf	98.07	3	Vertical	63	1.77	-	35.43	5.46	33.34
RMS	6.0618G	98.99	Inf	-Inf	91.45	3	Vertical	63	1.77	-	35.42	5.46	33.34

### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

#### 6025MHz\_TnomVnom




EUTY\_4TX  
Setting 16  
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	60.63	88.20	-27.57	53.62	3	Horizontal	7	2.72	-	35.00	5.36	33.35
RMS	5.921G	52.68	68.20	-15.52	45.64	3	Horizontal	7	2.72	-	35.03	5.36	33.35
PK	6.0602G	95.72	Inf	-Inf	88.18	3	Horizontal	7	2.72	-	35.42	5.46	33.34
RMS	6.0314G	86.87	Inf	-Inf	79.40	3	Horizontal	7	2.72	-	35.40	5.43	33.36

802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

6025MHz\_TnomVnom




EUTY\_4TX  
Setting 16  
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05136G	55.22	74.00	-18.78	42.26	3	Vertical	60	1.93	-	38.90	8.99	34.93
AV	12.05282G	45.66	54.00	-8.34	32.70	3	Vertical	60	1.93	-	38.90	8.99	34.93



802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

6025MHz\_TnomVnom




EUTY\_4TX  
Setting 16  
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0481G	55.50	74.00	-18.50	42.55	3	Horizontal	270	2.44	-	38.90	8.99	34.94
AV	12.047G	45.46	54.00	-8.54	32.51	3	Horizontal	270	2.44	-	38.90	8.99	34.94

### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

#### 6025MHz\_TnomVnom




EUTY\_4TX  
Setting 16  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07756G	43.68	83.54	-39.86	42.41	1	Vertical	208	1.53	-	37.64	13.90	50.27
AV	18.07834G	32.83	63.54	-30.71	31.56	1	Vertical	208	1.53	-	37.64	13.90	50.27

802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

6025MHz\_TnomVnom




EUTY\_4TX  
Setting 16  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07828G	43.62	83.54	-39.92	42.35	1	Horizontal	45	1.50	-	37.64	13.90	50.27
AV	18.0771G	32.78	63.54	-30.76	31.51	1	Horizontal	45	1.50	-	37.64	13.90	50.27

802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

6185MHz\_TnomVnom




EUTY\_4TX  
Setting 16  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8474G	58.03	88.20	-30.17	51.25	3	Vertical	69	1.88	-	34.78	5.32	33.32
RMS	5.9178G	50.23	68.20	-17.97	43.21	3	Vertical	69	1.88	-	35.01	5.36	33.35
PK	6.1226G	105.64	Inf	-Inf	97.97	3	Vertical	69	1.88	-	35.45	5.52	33.30
RMS	6.1562G	97.81	Inf	-Inf	90.08	3	Vertical	69	1.88	-	35.44	5.56	33.27

### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

#### 6185MHz\_TnomVnom




EUTY\_4TX  
Setting 16  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8922G	57.92	88.20	-30.28	51.03	3	Horizontal	7	3.00	-	34.88	5.35	33.34
RMS	5.9066G	50.17	68.20	-18.03	43.22	3	Horizontal	7	3.00	-	34.94	5.35	33.34
PK	6.2074G	97.81	Inf	-Inf	89.79	3	Horizontal	7	3.00	-	35.66	5.60	33.24
RMS	6.2074G	89.92	Inf	-Inf	81.90	3	Horizontal	7	3.00	-	35.66	5.60	33.24

802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

6185MHz\_TnomVnom




EUTY\_4TX  
Setting 16  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37078G	55.46	74.00	-18.54	42.46	3	Vertical	80	2.03	-	38.91	8.93	34.84
AV	12.3692G	44.21	54.00	-9.79	31.21	3	Vertical	80	2.03	-	38.91	8.93	34.84

802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

6185MHz\_TnomVnom




EUTY\_4TX  
Setting 16  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37268G	55.60	74.00	-18.40	42.59	3	Horizontal	51	1.23	-	38.92	8.93	34.84
AV	12.36784G	43.83	54.00	-10.17	30.84	3	Horizontal	51	1.23	-	38.90	8.93	34.84

### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

### 6185MHz\_TnomVnom




EUTY\_4TX  
Setting 16  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5552G	43.06	83.54	-40.48	41.39	1	Vertical	20	1.50	-	37.78	13.93	50.04
AV	18.55008G	32.40	63.54	-31.14	30.74	1	Vertical	20	1.50	-	37.78	13.93	50.05



### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

#### 6185MHz\_TnomVnom




EUTY\_4TX  
Setting 16  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55714G	42.78	83.54	-40.76	41.11	1	Horizontal	52	1.50	-	37.78	13.93	50.04
AV	18.55002G	32.07	63.54	-31.47	30.41	1	Horizontal	52	1.50	-	37.78	13.93	50.05

### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

#### 6345MHz\_TnomVnom




EUTY\_4TX  
Setting 17  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.879G	58.60	88.20	-29.60	51.73	3	Vertical	72	2.43	-	34.86	5.34	33.33
RMS	5.921G	50.19	68.20	-18.01	43.15	3	Vertical	72	2.43	-	35.03	5.36	33.35
PK	6.377G	101.68	Inf	-Inf	93.46	3	Vertical	72	2.43	-	35.65	5.69	33.12
RMS	6.365G	95.03	Inf	-Inf	86.85	3	Vertical	72	2.43	-	35.63	5.68	33.13

### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

#### 6345MHz\_TnomVnom




EUTY\_4TX  
Setting 17  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.867G	58.84	88.20	-29.36	52.01	3	Horizontal	12	2.95	-	34.83	5.33	33.33
RMS	5.921G	50.14	68.20	-18.06	43.10	3	Horizontal	12	2.95	-	35.03	5.36	33.35
PK	6.311G	99.56	Inf	-Inf	91.47	3	Horizontal	12	2.95	-	35.60	5.66	33.17
RMS	6.313G	92.39	Inf	-Inf	84.30	3	Horizontal	12	2.95	-	35.60	5.66	33.17

### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

#### 6345MHz\_TnomVnom




EUTY\_4TX  
Setting 17  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.693G	54.40	74.00	-19.60	41.03	3	Vertical	47	1.28	-	39.27	8.86	34.76
AV	12.68764G	43.53	54.00	-10.47	30.18	3	Vertical	47	1.28	-	39.25	8.86	34.76

802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

6345MHz\_TnomVnom




EUTY\_4TX  
Setting 17  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69216G	54.38	74.00	-19.62	41.01	3	Horizontal	315	2.65	-	39.27	8.86	34.76
AV	12.69088G	43.58	54.00	-10.42	30.22	3	Horizontal	315	2.65	-	39.26	8.86	34.76

### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

#### 6345MHz\_TnomVnom




EUTY\_4TX  
Setting 17  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0372G	42.99	83.54	-40.55	40.69	1	Vertical	357	1.51	-	37.96	13.95	49.61
AV	19.0306G	31.41	63.54	-32.13	29.11	1	Vertical	357	1.51	-	37.96	13.95	49.61

### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX


### 6345MHz\_TnomVnom



EUTY\_4TX  
Setting 17  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03672G	42.89	83.54	-40.65	40.59	1	Horizontal	59	1.51	-	37.96	13.95	49.61
AV	19.03542G	31.58	63.54	-31.96	29.28	1	Horizontal	59	1.51	-	37.96	13.95	49.61

**802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUTY\_4TX  
 Setting 18  
 04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	57.74	88.20	-30.46	50.69	3	Vertical	290	1.80	-	35.04	5.36	33.35
RMS	5.925G	50.23	68.20	-17.97	43.17	3	Vertical	290	1.80	-	35.05	5.36	33.35
PK	6.4966G	104.58	Inf	-Inf	96.13	3	Vertical	290	1.80	-	35.79	5.70	33.04
RMS	6.5414G	97.62	Inf	-Inf	89.01	3	Vertical	290	1.80	-	35.97	5.70	33.06
PK	7.1854G	60.91	88.20	-27.29	51.19	3	Vertical	290	1.80	-	37.24	5.99	33.51
RMS	7.1742G	53.20	68.20	-15.00	43.51	3	Vertical	290	1.80	-	37.20	5.99	33.50




**802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_V\_4TX  
 Setting 18  
 04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8918G	57.21	88.20	-30.99	50.32	3	Horizontal	3	2.96	-	34.88	5.35	33.34
RMS	5.925G	50.16	68.20	-18.04	43.10	3	Horizontal	3	2.96	-	35.05	5.36	33.35
PK	6.4602G	96.40	Inf	-Inf	88.13	3	Horizontal	3	2.96	-	35.64	5.70	33.07
RMS	6.4602G	88.60	Inf	-Inf	80.33	3	Horizontal	3	2.96	-	35.64	5.70	33.07
PK	7.1574G	60.21	88.20	-27.99	50.58	3	Horizontal	3	2.96	-	37.13	5.98	33.48
RMS	7.1966G	53.20	68.20	-15.00	43.44	3	Horizontal	3	2.96	-	37.29	6.00	33.53


**802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUTY\_4TX  
 Setting 18  
 04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00786G	55.59	88.20	-32.61	41.79	3	Vertical	212	2.63	-	39.70	8.80	34.70
RMS	13.01116G	45.09	68.20	-23.11	31.29	3	Vertical	212	2.63	-	39.70	8.80	34.70


**802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUTY\_4TX  
 Setting 18  
 04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0133G	56.34	88.20	-31.86	42.54	3	Horizontal	121	2.92	-	39.70	8.80	34.70
RMS	13.01436G	45.15	68.20	-23.05	31.35	3	Horizontal	121	2.92	-	39.70	8.80	34.70


**802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUTY\_4TX  
 Setting 18  
 04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51542G	42.51	83.54	-41.03	40.34	1	Vertical	128	1.57	-	37.89	13.98	49.70
AV	19.5185G	31.19	63.54	-32.35	29.02	1	Vertical	128	1.57	-	37.89	13.98	49.70

**802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUTY\_4TX  
 Setting 18  
 04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5132G	42.01	83.54	-41.53	39.84	1	Horizontal	341	1.57	-	37.89	13.98	49.70
AV	19.51922G	31.49	63.54	-32.05	29.32	1	Horizontal	341	1.57	-	37.89	13.98	49.70

### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

#### 6665MHz\_TnomVnom




EUTY\_4TX  
Setting 17  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6782G	104.07	Inf	-Inf	95.30	3	Vertical	69	2.40	-	36.20	5.70	33.13
RMS	6.676G	96.72	Inf	-Inf	87.95	3	Vertical	69	2.40	-	36.20	5.70	33.13
PK	7.1952G	61.65	88.20	-26.55	51.89	3	Vertical	69	2.40	-	37.28	6.00	33.52
RMS	7.1952G	53.33	68.20	-14.87	43.57	3	Vertical	69	2.40	-	37.28	6.00	33.52

### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

#### 6665MHz\_TnomVnom




EUTY\_4TX  
Setting 17  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6386G	98.85	Inf	-Inf	90.08	3	Horizontal	20	3.00	-	36.18	5.70	33.11
RMS	6.6364G	91.80	Inf	-Inf	83.04	3	Horizontal	20	3.00	-	36.17	5.70	33.11
PK	7.2106G	61.01	88.20	-27.19	51.22	3	Horizontal	20	3.00	-	37.32	6.01	33.54
RMS	7.1952G	53.31	68.20	-14.89	43.55	3	Horizontal	20	3.00	-	37.28	6.00	33.52

802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

6665MHz\_TnomVnom




EUTY\_4TX  
Setting 17  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32734G	55.68	74.00	-18.32	41.61	3	Vertical	80	2.43	-	40.05	8.73	34.71
AV	13.33264G	45.35	54.00	-8.65	31.26	3	Vertical	80	2.43	-	40.07	8.73	34.71



### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

### 6665MHz\_TnomVnom




EUTY\_4TX  
Setting 17  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33258G	55.88	74.00	-18.12	41.79	3	Horizontal	158	2.84	-	40.07	8.73	34.71
AV	13.3267G	45.05	54.00	-8.95	30.98	3	Horizontal	158	2.84	-	40.05	8.73	34.71

### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

#### 6665MHz\_TnomVnom




EUTY\_4TX  
Setting 17  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.996G	42.15	83.54	-41.39	40.44	1	Vertical	116	1.54	-	37.41	14.00	49.70
AV	19.99038G	31.67	63.54	-31.87	29.95	1	Vertical	116	1.54	-	37.42	14.00	49.70

802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX


6665MHz\_TnomVnom



EUTY\_4TX  
Setting 17  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99568G	42.21	83.54	-41.33	40.50	1	Horizontal	246	1.56	-	37.41	14.00	49.70
AV	19.996G	31.22	63.54	-32.32	29.51	1	Horizontal	246	1.56	-	37.41	14.00	49.70

**802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_4TX  
 Setting 19  
 04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8218G	106.27	Inf	-Inf	97.32	3	Vertical	75	1.80	-	36.43	5.72	33.20
RMS	6.8202G	98.53	Inf	-Inf	89.59	3	Vertical	75	1.80	-	36.42	5.72	33.20
PK	7.2122G	60.50	88.20	-27.70	50.71	3	Vertical	75	1.80	-	37.32	6.01	33.54
RMS	7.1946G	53.36	68.20	-14.84	43.60	3	Vertical	75	1.80	-	37.28	6.00	33.52

802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX


6825MHz Straddle 6.525-6.875GHz\_TnomVnom



EUTY\_4TX  
Setting 19  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8074G	98.58	Inf	-Inf	89.72	3	Horizontal	14	3.00	-	36.34	5.71	33.19
RMS	6.809G	91.02	Inf	-Inf	82.15	3	Horizontal	14	3.00	-	36.35	5.71	33.19
PK	7.1418G	61.65	88.20	-26.55	52.11	3	Horizontal	14	3.00	-	37.03	5.97	33.46
RMS	7.2074G	53.31	68.20	-14.89	43.54	3	Horizontal	14	3.00	-	37.31	6.00	33.54


**802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUTY\_4TX  
 Setting 19  
 04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65342G	57.32	88.20	-30.88	43.12	3	Vertical	31	1.76	-	40.31	8.67	34.78
RMS	13.65302G	46.56	68.20	-21.64	32.36	3	Vertical	31	1.76	-	40.31	8.67	34.78


**802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUTY\_4TX  
 Setting 19  
 04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65278G	57.61	88.20	-30.59	43.41	3	Horizontal	116	1.26	-	40.31	8.67	34.78
RMS	13.64948G	46.70	68.20	-21.50	32.51	3	Horizontal	116	1.26	-	40.30	8.67	34.78

**802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_4TX  
 Setting 19  
 04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47428G	44.03	83.54	-39.51	41.87	1	Vertical	136	1.57	-	37.69	14.36	49.89
AV	20.4705G	33.17	63.54	-30.37	31.02	1	Vertical	136	1.57	-	37.69	14.35	49.89



**802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_4TX  
 Setting 19  
 04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47384G	43.38	83.54	-40.16	41.22	1	Horizontal	343	1.54	-	37.69	14.36	49.89
AV	20.4762G	32.49	63.54	-31.05	30.33	1	Horizontal	343	1.54	-	37.69	14.36	49.89

802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

6985MHz\_TnomVnom




EUTY\_4TX  
Setting 17  
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.947G	107.10	Inf	-Inf	97.73	3	Vertical	78	1.43	-	36.78	5.85	33.26
RMS	6.951G	97.67	Inf	-Inf	88.29	3	Vertical	78	1.43	-	36.80	5.85	33.27
PK	7.219G	62.74	88.20	-25.46	52.94	3	Vertical	78	1.43	-	37.34	6.01	33.55
RMS	7.235G	54.66	68.20	-13.54	44.84	3	Vertical	78	1.43	-	37.37	6.02	33.57

### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

#### 6985MHz\_TnomVnom




EUTY\_4TX  
Setting 17  
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.982G	94.53	Inf	-Inf	85.26	3	Horizontal	352	2.74	-	36.67	5.88	33.28
RMS	6.982G	87.76	Inf	-Inf	78.49	3	Horizontal	352	2.74	-	36.67	5.88	33.28
PK	7.167G	62.94	88.20	-25.26	53.28	3	Horizontal	352	2.74	-	37.17	5.98	33.49
RMS	7.228G	54.71	68.20	-13.49	44.90	3	Horizontal	352	2.74	-	37.36	6.01	33.56

### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

#### 6985MHz\_TnomVnom




EUTY\_4TX  
Setting 17  
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97488G	56.92	88.20	-31.28	42.41	3	Vertical	266	2.78	-	40.82	8.61	34.92
RMS	13.9674G	47.03	68.20	-21.17	32.54	3	Vertical	266	2.78	-	40.80	8.61	34.92

### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

#### 6985MHz\_TnomVnom




EUTY\_4TX  
Setting 17  
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97474G	56.96	88.20	-31.24	42.45	3	Horizontal	291	1.79	-	40.82	8.61	34.92
RMS	13.969G	47.09	68.20	-21.11	32.59	3	Horizontal	291	1.79	-	40.81	8.61	34.92

### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

#### 6985MHz\_TnomVnom




EUTY\_4TX  
Setting 17  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95142G	42.66	83.54	-40.88	39.99	1	Vertical	176	1.56	-	37.68	14.71	49.72
AV	20.9522G	31.71	63.54	-31.83	29.04	1	Vertical	176	1.56	-	37.68	14.71	49.72

### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

#### 6985MHz\_TnomVnom



EUTY\_4TX  
Setting 17  
04-D-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9512G	42.76	83.54	-40.78	40.09	1	Horizontal	20	1.50	-	37.68	14.71	49.72
AV	20.95748G	32.12	63.54	-31.42	29.45	1	Horizontal	20	1.50	-	37.67	14.72	49.72

802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

5955MHz\_TnomVnom

18/11/2021




802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

6175MHz\_TnomVnom

18/11/2021





802.11ax HEW20\_Nss1,(MCS0)\_1TX  
6415MHz\_TnomVnom

MASK

18/11/2021

CF Freq  
6.415GHz


Span  
100MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42339G	1.34	6.427G	-34.57	-18.69	-15.88	1

802.11ax HEW20\_Nss1,(MCS0)\_1TX  
6435MHz\_TnomVnom

MASK

18/11/2021

CF Freq  
6.435GHz


Span  
100MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44329G	1.78	6.4229G	-34.00	-18.33	-15.67	1

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6475MHz\_TnomVnom**

**MASK**

18/11/2021

CF Freq  
6.475GHz


Span  
100MHz


RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48329G	3.92	6.4629G	-31.58	-16.14	-15.44	1

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6515MHz\_TnomVnom**

**MASK**

18/11/2021

CF Freq  
6.515GHz


Span  
100MHz


RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52379G	3.98	6.5029G	-31.02	-16.06	-14.96	1

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6535MHz\_TnomVnom**

**MASK**

18/11/2021

CF Freq  
6.535GHz


Span  
100MHz


RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52681G	1.78	6.5688G	-54.56	-38.22	-16.34	1

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6695MHz\_TnomVnom**

**MASK**

18/11/2021

CF Freq  
6.695GHz


Span  
100MHz


RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68681G	1.89	6.7278G	-53.49	-38.06	-15.43	1

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6855MHz\_TnomVnom**

**MASK**

18/11/2021

CF Freq  
6.855GHz


Span  
100MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86289G	1.88	6.8883G	-52.45	-38.12	-14.33	1

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**

**MASK**

18/11/2021

CF Freq  
6.875GHz


Span  
100MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88389G	2.13	6.9079G	-52.49	-37.87	-14.62	1

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6895MHz\_TnomVnom**

**MASK**

18/11/2021

CF Freq  
6.895GHz


Span  
100MHz


RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88741G	2.00	6.928G	-52.51	-38.00	-14.51	1

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6995MHz\_TnomVnom**

**MASK**

18/11/2021

CF Freq  
6.995GHz


Span  
100MHz


RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98651G	2.70	6.983G	-31.66	-17.35	-14.31	1

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

#### 7095MHz\_TnomVnom

18/11/2021

CF Freq  
7.095GHz


Span  
100MHz


RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.08701G	2.16	7.083G	-31.10	-17.87	-13.23	1

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

#### 7115MHz\_TnomVnom

18/11/2021

CF Freq  
7.115GHz


Span  
100MHz


RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.10621G	-5.90	7.0805G	-58.98	-45.90	-13.08	1

802.11ax HEW40\_Nss1,(MCS0)\_1TX

MASK

5965MHz\_TnomVnom

18/11/2021




802.11ax HEW40\_Nss1,(MCS0)\_1TX

MASK

6165MHz\_TnomVnom

18/11/2021



802.11ax HEW40\_Nss1,(MCS0)\_1TX  
6405MHz\_TnomVnom

MASK

18/11/2021

CF Freq  
6.405GHz


Span  
200MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4088G	2.49	6.3726G	-25.66	-17.68	-7.98	1

802.11ax HEW40\_Nss1,(MCS0)\_1TX  
6445MHz\_TnomVnom

MASK

18/11/2021

CF Freq  
6.445GHz


Span  
200MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44G	-0.35	6.5062G	-51.95	-40.30	-11.65	1



802.11ax HEW40\_Nss1,(MCS0)\_1TX  
6485MHz\_TnomVnom

MASK

18/11/2021

CF Freq  
6.485GHz


Span  
200MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4884G	-0.52	6.5458G	-53.16	-40.50	-12.66	1

802.11ax HEW40\_Nss1,(MCS0)\_1TX  
6525MHz Straddle 6.425-6.525GHz\_TnomVnom

MASK

18/11/2021

CF Freq  
6.525GHz


Span  
200MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5282G	-0.40	6.5862G	-52.87	-40.40	-12.47	1

802.11ax HEW40\_Nss1,(MCS0)\_1TX  
6565MHz\_TnomVnom

MASK

18/11/2021

CF Freq  
6.565GHz


Span  
200MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5686G	0.61	6.504G	-49.07	-39.39	-9.68	1

802.11ax HEW40\_Nss1,(MCS0)\_1TX  
6685MHz\_TnomVnom

MASK

18/11/2021

CF Freq  
6.685GHz


Span  
200MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6822G	1.85	6.65G	-29.05	-21.72	-7.33	1

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**6845MHz\_TnomVnom**

**MASK**

18/11/2021

CF Freq  
6.845GHz


Span  
200MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8434G	0.32	6.9064G	-48.12	-39.38	-8.74	1

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**

**MASK**

18/11/2021

CF Freq  
6.885GHz


Span  
200MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8802G	0.25	6.946G	-47.96	-39.69	-8.27	1

802.11ax HEW40\_Nss1,(MCS0)\_1TX  
6925MHz\_TnomVnom

MASK

18/11/2021

CF Freq  
6.925GHz


Span  
200MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9274G	0.46	6.962G	-32.88	-25.93	-6.95	1

802.11ax HEW40\_Nss1,(MCS0)\_1TX  
7005MHz\_TnomVnom

MASK

18/11/2021

CF Freq  
7.005GHz


Span  
200MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0006G	0.76	6.9764G	-26.84	-19.29	-7.55	1

802.11ax HEW40\_Nss1,(MCS0)\_1TX

MASK

7085MHz\_TnomVnom

18/11/2021

CF Freq  
7.085GHz


Span  
200MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.087G	2.34	7.0354G	-26.09	-17.71	-8.38	1

802.11ax HEW80\_Nss1,(MCS0)\_1TX

MASK

5985MHz\_TnomVnom

18/11/2021

CF Freq  
5.985GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97741G	2.40	6.0562G	-23.94	-17.60	-6.34	1

802.11ax HEW80\_Nss1,(MCS0)\_1TX  
6145MHz\_TnomVnom

MASK

18/11/2021

CF Freq  
6.145GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1478G	3.39	6.227G	-22.90	-16.73	-6.17	1

802.11ax HEW80\_Nss1,(MCS0)\_1TX  
6385MHz\_TnomVnom

MASK

18/11/2021

CF Freq  
6.385GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3882G	2.90	6.3094G	-24.09	-17.44	-6.65	1

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6465MHz\_TnomVnom**

**MASK**

18/11/2021

CF Freq  
6.465GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45861G	2.54	6.5398G	-25.94	-17.49	-8.45	1

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**

**MASK**

**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**

18/11/2021

CF Freq  
6.545GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53861G	3.33	6.6238G	-23.46	-16.69	-6.77	1

802.11ax HEW80\_Nss1,(MCS0)\_1TX  
6625MHz\_TnomVnom

MASK


18/11/2021



802.11ax HEW80\_Nss1,(MCS0)\_1TX  
6705MHz\_TnomVnom

MASK

18/11/2021






**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6785MHz\_TnomVnom**

**MASK**


18/11/2021



**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**

**MASK**

18/11/2021



**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6945MHz\_TnomVnom**

**MASK**

18/11/2021

CF Freq  
6.945GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9422G	4.42	6.8382G	-21.06	-15.62	-5.44	1

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**7025MHz\_TnomVnom**

**MASK**

18/11/2021

CF Freq  
7.025GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01781G	3.90	6.9146G	-20.31	-16.12	-4.19	1

802.11ax HEW160\_Nss1,(MCS0)\_1TX

MASK

6025MHz\_TnomVnom

18/11/2021




802.11ax HEW160\_Nss1,(MCS0)\_1TX

MASK

6185MHz\_TnomVnom

18/11/2021



802.11ax HEW160\_Nss1,(MCS0)\_1TX

MASK

6345MHz\_TnomVnom

18/11/2021

CF Freq  
6.345GHz


Span  
800MHz

RBW  
2MHz

VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36738G	5.53	6.1162G	-22.45	-14.58	-7.87	1

802.11ax HEW160\_Nss1,(MCS0)\_1TX

MASK

6505MHz Straddle 6.425-6.525GHz\_TnomVnom

18/11/2021

CF Freq  
6.505GHz


Span  
800MHz

RBW  
2MHz

VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52898G	5.66	6.2858G	-22.05	-14.38	-7.67	1

802.11ax HEW160\_Nss1,(MCS0)\_1TX

MASK

6665MHz\_TnomVnom

18/11/2021

CF Freq  
6.665GHz


Span  
800MHz

RBW  
2MHz

VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64022G	5.66	6.4386G	-21.08	-14.39	-6.69	1

802.11ax HEW160\_Nss1,(MCS0)\_1TX

MASK

6825MHz Straddle 6.525-6.875GHz\_TnomVnom

18/11/2021

CF Freq  
6.825GHz


Span  
800MHz

RBW  
2MHz

VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79783G	4.68	6.6194G	-21.64	-15.33	-6.31	1

802.11ax HEW160\_Nss1,(MCS0)\_1TX

MASK

6985MHz\_TnomVnom

18/11/2021

CF Freq  
6.985GHz


Span  
800MHz


RBW  
2MHz

VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96582G	4.58	6.7802G	-18.71	-15.44	-3.27	1

802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

5955MHz\_TnomVnom

18/11/2021

CF Freq  
5.955GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96389G	-2.83	5.967G	-38.34	-22.83	-15.51	1
5.96389G	-3.30	5.967G	-38.35	-23.35	-15.00	2

802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6175MHz\_TnomVnom

18/11/2021

CF Freq  
6.175GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16691G	-1.86	6.1631G	-36.40	-21.88	-14.52	1
6.16611G	-2.49	6.1629G	-37.86	-21.89	-15.97	2

802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6415MHz\_TnomVnom

18/11/2021




802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6435MHz\_TnomVnom

18/11/2021





802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6475MHz\_TnomVnom

18/11/2021

CF Freq  
6.475GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48239G	-3.06	6.463G	-38.22	-22.86	-15.36	1
6.46621G	-3.17	6.4631G	-38.03	-23.18	-14.85	2

802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6515MHz\_TnomVnom

18/11/2021

CF Freq  
6.515GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52359G	-3.34	6.527G	-38.75	-23.38	-15.37	1
6.52369G	-3.57	6.5271G	-38.97	-23.63	-15.34	2

802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6535MHz\_TnomVnom

18/11/2021




802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6695MHz\_TnomVnom

18/11/2021




802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6855MHz\_TnomVnom

18/11/2021




802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6875MHz Straddle 6.525-6.875GHz\_TnomVnom

18/11/2021




802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6895MHz\_TnomVnom

18/11/2021




802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6995MHz\_TnomVnom

18/11/2021



802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

7095MHz\_TnomVnom

18/11/2021

CF Freq  
7.095GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.08621G	-2.58	7.083G	-36.74	-22.60	-14.14	1
7.08621G	-2.72	7.0828G	-37.23	-22.80	-14.43	2

802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

7115MHz\_TnomVnom

18/11/2021

CF Freq  
7.115GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.10621G	-3.54	7.1028G	-38.34	-23.55	-14.79	1
7.10621G	-3.64	7.103G	-37.92	-23.68	-14.24	2

802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

5965MHz\_TnomVnom

18/11/2021

CF Freq  
5.965GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9668G	-4.22	6.0266G	-62.25	-44.22	-18.03	1
5.9658G	-5.10	6.0274G	-64.41	-45.10	-19.31	2

802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6165MHz\_TnomVnom

18/11/2021

CF Freq  
6.165GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1676G	-3.42	6.1438G	-41.90	-23.42	-18.48	1
6.15701G	-5.03	6.1438G	-43.90	-25.03	-18.87	2

802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6405MHz\_TnomVnom

18/11/2021




802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6445MHz\_TnomVnom

18/11/2021




802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6485MHz\_TnomVnom

18/11/2021




802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6525MHz Straddle 6.425-6.525GHz\_TnomVnom

18/11/2021





802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6565MHz\_TnomVnom

18/11/2021

CF Freq  
6.565GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.568G	-4.41	6.6256G	-63.07	-44.41	-18.66	1
6.57499G	-4.75	6.5862G	-43.30	-24.75	-18.55	2

802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6685MHz\_TnomVnom

18/11/2021

CF Freq  
6.685GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6816G	-4.93	6.7458G	-62.24	-44.80	-17.44	1
6.67481G	-4.67	6.7458G	-62.77	-44.67	-18.10	2

802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6845MHz\_TnomVnom

18/11/2021




802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6885MHz Straddle 6.525-6.875GHz\_TnomVnom

18/11/2021



802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6925MHz\_TnomVnom

18/11/2021

CF Freq  
6.925GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9258G	-4.16	6.9858G	-60.60	-44.16	-16.44	1
6.9236G	-4.55	6.986G	-61.20	-44.55	-16.65	2

802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

7005MHz\_TnomVnom

18/11/2021

CF Freq  
7.005GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0026G	-4.02	6.9442G	-60.03	-44.02	-16.01	1
7.006G	-4.21	6.9438G	-61.40	-44.21	-17.19	2

802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

7085MHz\_TnomVnom

18/11/2021




802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

5985MHz\_TnomVnom

18/11/2021




802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6145MHz\_TnomVnom

18/11/2021




802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6385MHz\_TnomVnom

18/11/2021




802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6465MHz\_TnomVnom

18/11/2021




802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6545MHz Straddle 6.425-6.525GHz\_TnomVnom

18/11/2021



802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6625MHz\_TnomVnom

18/11/2021

CF Freq  
6.625GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63099G	-1.07	6.501G	-53.64	-41.07	-12.57	1
6.61261G	-1.09	6.5014G	-55.29	-41.09	-14.20	2

802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6705MHz\_TnomVnom

18/11/2021

CF Freq  
6.705GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69941G	-2.15	6.5806G	-56.14	-42.15	-13.99	1
6.69501G	-1.88	6.5826G	-55.83	-41.62	-14.21	2

802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6785MHz\_TnomVnom

18/11/2021

CF Freq  
6.785GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79139G	-1.48	6.6618G	-54.42	-41.45	-12.97	1
6.76742G	-1.24	6.6602G	-53.59	-41.24	-12.35	2

802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6865MHz Straddle 6.525-6.875GHz\_TnomVnom

18/11/2021

CF Freq  
6.865GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8606G	-1.25	6.9886G	-53.32	-41.23	-12.09	1
6.85501G	-1.30	6.9886G	-52.99	-41.30	-11.69	2



802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6945MHz\_TnomVnom

18/11/2021

CF Freq  
6.945GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92822G	-1.67	6.821G	-54.25	-41.67	-12.58	1
6.95459G	-2.23	6.8214G	-54.99	-42.16	-12.83	2

802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

7025MHz\_TnomVnom

18/11/2021

CF Freq  
7.025GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.023G	-0.85	6.9474G	-36.43	-27.86	-8.57	1
7.01541G	-0.95	6.975G	-31.50	-21.47	-10.03	2

802.11ax HEW160\_Nss1,(MCS0)\_2TX

MASK

6025MHz\_TnomVnom

18/11/2021




802.11ax HEW160\_Nss1,(MCS0)\_2TX

MASK

6185MHz\_TnomVnom

18/11/2021



802.11ax HEW160\_Nss1,(MCS0)\_2TX

MASK

6345MHz\_TnomVnom

18/11/2021

CF Freq  
6.345GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.33861G	2.08	6.4922G	-28.47	-23.45	-5.02	1
6.35459G	1.19	6.5914G	-44.24	-38.81	-5.43	2

802.11ax HEW160\_Nss1,(MCS0)\_2TX

MASK

6505MHz Straddle 6.425-6.525GHz\_TnomVnom

18/11/2021

CF Freq  
6.505GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52898G	1.46	6.2562G	-43.98	-38.29	-5.69	1
6.53457G	1.04	6.2562G	-46.16	-38.96	-7.20	2

802.11ax HEW160\_Nss1,(MCS0)\_2TX

MASK

6665MHz\_TnomVnom

18/11/2021




802.11ax HEW160\_Nss1,(MCS0)\_2TX

MASK

6825MHz Straddle 6.525-6.875GHz\_TnomVnom

18/11/2021




802.11ax HEW160\_Nss1,(MCS0)\_2TX

MASK

6985MHz\_TnomVnom

18/11/2021



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.94744G	1.41	6.8634G	-25.65	-18.63	-7.02	1
6.95383G	0.86	6.8778G	-26.03	-19.53	-6.50	2

**802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX**  
**5955MHz\_TnomVnom**

**MASK**

10/12/2021

CF Freq  
5.955GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96249G	-6.56	5.9429G	-40.95	-26.57	-14.38	1
5.96379G	-7.56	5.9669G	-42.82	-27.58	-15.24	2

**802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX**  
**6175MHz\_TnomVnom**

**MASK**

10/12/2021

CF Freq  
6.175GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16611G	-9.09	6.1629G	-43.19	-29.14	-14.05	1
6.16701G	-10.41	6.187G	-45.76	-30.45	-15.31	2

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

MASK

6415MHz\_TnomVnom

10/12/2021




802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

MASK

6435MHz\_TnomVnom

10/12/2021




802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

MASK

6475MHz\_TnomVnom

10/12/2021




802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

MASK

6515MHz\_TnomVnom

10/12/2021





802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

MASK

6535MHz\_TnomVnom

10/12/2021

CF Freq  
6.535GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.54309G	-7.23	6.547G	-42.86	-27.29	-15.57	1
6.52681G	-8.22	6.5232G	-43.09	-28.23	-14.86	2

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

MASK

6695MHz\_TnomVnom

10/12/2021

CF Freq  
6.695GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.70279G	-7.29	6.6831G	-41.42	-27.30	-14.12	1
6.70359G	-8.28	6.683G	-43.59	-28.32	-15.27	2

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

MASK

6855MHz\_TnomVnom

10/12/2021




802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

MASK

6875MHz Straddle 6.525-6.875GHz\_TnomVnom

10/12/2021



802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

MASK

6895MHz\_TnomVnom

10/12/2021

CF Freq  
6.895GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90319G	-6.75	6.883G	-40.08	-26.81	-13.27	1
6.90299G	-7.51	6.907G	-42.75	-27.56	-15.19	2

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

MASK

6995MHz\_TnomVnom

10/12/2021

CF Freq  
6.995GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98601G	-7.23	6.983G	-40.25	-27.26	-12.99	1
6.98631G	-7.59	6.983G	-42.24	-27.62	-14.62	2

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

MASK

7095MHz\_TnomVnom

10/12/2021

CF Freq  
7.095GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.08921G	-8.40	7.0833G	-41.90	-28.42	-13.48	1
7.08591G	-7.84	7.0831G	-42.66	-27.85	-14.81	2

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

MASK

7115MHz\_TnomVnom

10/12/2021

CF Freq  
7.115GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.10751G	-7.73	7.1029G	-42.19	-27.79	-14.40	1
7.10611G	-7.95	7.1031G	-41.94	-27.55	-14.39	2

802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

MASK

5965MHz\_TnomVnom

10/12/2021




802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

MASK

6165MHz\_TnomVnom

10/12/2021




802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

MASK

6405MHz\_TnomVnom

10/12/2021




802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

MASK

6445MHz\_TnomVnom

10/12/2021



802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

MASK

6485MHz\_TnomVnom

10/12/2021

CF Freq  
6.485GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4824G	-5.82	6.5472G	-62.13	-45.82	-16.31	1
6.4838G	-7.13	6.4238G	-62.67	-47.13	-15.54	2

802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

MASK

6525MHz Straddle 6.425-6.525GHz\_TnomVnom

10/12/2021

CF Freq  
6.525GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.526G	-5.11	6.4632G	-61.78	-45.11	-16.67	1
6.5278G	-6.22	6.4632G	-62.32	-46.22	-16.10	2

802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

MASK

6565MHz\_TnomVnom

10/12/2021




802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

MASK

6685MHz\_TnomVnom

10/12/2021





802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

MASK

6845MHz\_TnomVnom

10/12/2021

CF Freq  
6.845GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8498G	-4.10	6.9052G	-59.11	-44.10	-15.01	1
6.83641G	-5.09	6.907G	-60.09	-45.09	-15.00	2

802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

MASK

6885MHz Straddle 6.525-6.875GHz\_TnomVnom

10/12/2021

CF Freq  
6.885GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8868G	-3.90	6.945G	-58.87	-43.77	-15.10	1
6.8892G	-5.08	6.9466G	-59.96	-45.08	-14.88	2

802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

MASK

6925MHz\_TnomVnom

10/12/2021




802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

MASK

7005MHz\_TnomVnom

10/12/2021



802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

MASK

7085MHz\_TnomVnom

10/12/2021

CF Freq  
7.085GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.09419G	-5.34	7.0106G	-62.42	-45.34	-17.08	1
7.0834G	-5.62	7.0638G	-42.25	-25.62	-16.63	2

802.11ax HEW80-BF\_Nss1,(MCS3)\_2TX

MASK

5985MHz\_TnomVnom

10/12/2021

CF Freq  
5.985GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97261G	-0.87	6.1062G	-55.14	-40.68	-14.46	1
6.00018G	0.69	6.1122G	-56.08	-39.31	-16.77	2

802.11ax HEW80-BF\_Nss1,(MCS3)\_2TX

MASK

6145MHz\_TnomVnom

10/12/2021




802.11ax HEW80-BF\_Nss1,(MCS3)\_2TX

MASK

6385MHz\_TnomVnom

10/12/2021



802.11ax HEW80-BF\_Nss1,(MCS3)\_2TX

MASK

6465MHz\_TnomVnom

10/12/2021

CF Freq  
6.465GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4674G	-0.37	6.5894G	-57.32	-40.37	-16.95	1
6.43623G	-2.18	6.3418G	-57.69	-42.18	-15.51	2

802.11ax HEW80-BF\_Nss1,(MCS3)\_2TX

MASK

6545MHz Straddle 6.425-6.525GHz\_TnomVnom

10/12/2021

CF Freq  
6.545GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.50704G	-1.52	6.503G	-35.77	-21.56	-14.21	1
6.5402G	-2.88	6.4218G	-57.70	-42.88	-14.82	2

802.11ax HEW80-BF\_Nss1,(MCS3)\_2TX

MASK

6625MHz\_TnomVnom

10/12/2021

CF Freq  
6.625GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.65857G	-0.66	6.6666G	-34.78	-20.68	-14.10	1
6.61861G	-1.17	6.5022G	-55.99	-41.13	-14.86	2

802.11ax HEW80-BF\_Nss1,(MCS3)\_2TX

MASK

6705MHz\_TnomVnom

10/12/2021

CF Freq  
6.705GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7022G	-0.08	6.6634G	-35.28	-20.14	-15.14	1
6.68342G	-0.53	6.5822G	-55.18	-40.53	-14.65	2

802.11ax HEW80-BF\_Nss1,(MCS3)\_2TX

MASK

6785MHz\_TnomVnom

10/12/2021

CF Freq  
6.785GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77581G	-0.29	6.9066G	-56.15	-40.21	-15.94	1
6.7878G	-2.33	6.911G	-55.19	-42.33	-12.86	2

802.11ax HEW80-BF\_Nss1,(MCS3)\_2TX

MASK

6865MHz Straddle 6.525-6.875GHz\_TnomVnom

10/12/2021

CF Freq  
6.865GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84422G	-0.70	6.9862G	-55.31	-40.70	-14.61	1
6.87299G	-2.70	6.991G	-56.11	-42.70	-13.41	2

802.11ax HEW80-BF\_Nss1,(MCS3)\_2TX

MASK

6945MHz\_TnomVnom

10/12/2021




802.11ax HEW80-BF\_Nss1,(MCS3)\_2TX

MASK

7025MHz\_TnomVnom

10/12/2021





802.11ax HEW160-BF\_Nss1,(MCS3)\_2TX

MASK

6025MHz\_TnomVnom

10/12/2021

CF Freq  
6.025GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.06016G	2.69	6.1698G	-35.72	-22.99	-12.73	1
6.00022G	2.93	6.4082G	-54.33	-37.07	-17.26	2

802.11ax HEW160-BF\_Nss1,(MCS3)\_2TX

MASK

6185MHz\_TnomVnom

10/12/2021

CF Freq  
6.185GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20818G	3.62	6.5746G	-54.71	-36.38	-18.33	1
6.14184G	-0.10	6.5834G	-55.22	-40.10	-15.12	2

802.11ax HEW160-BF\_Nss1,(MCS3)\_2TX

MASK

6345MHz\_TnomVnom

10/12/2021

CF Freq  
6.345GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.28906G	2.19	6.4266G	-26.22	-17.83	-8.39	1
6.3418G	-0.75	5.9914G	-53.27	-40.75	-12.52	2

802.11ax HEW160-BF\_Nss1,(MCS3)\_2TX

MASK

6505MHz Straddle 6.425-6.525GHz\_TnomVnom

10/12/2021

CF Freq  
6.505GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5074G	3.64	6.5858G	-18.01	-13.96	-4.05	1
6.48822G	0.69	6.2066G	-53.61	-39.31	-14.30	2

802.11ax HEW160-BF\_Nss1,(MCS3)\_2TX

MASK

6665MHz\_TnomVnom

10/12/2021




802.11ax HEW160-BF\_Nss1,(MCS3)\_2TX

MASK

6825MHz Straddle 6.525-6.875GHz\_TnomVnom

10/12/2021



802.11ax HEW160-BF\_Nss1,(MCS3)\_2TX

MASK

6985MHz\_TnomVnom

10/12/2021

CF Freq  
6.985GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9882G	3.62	6.7218G	-51.30	-36.38	-14.92	1
6.96262G	1.55	6.5938G	-53.97	-38.45	-15.52	2

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

5955MHz\_TnomVnom

18/11/2021

CF Freq  
5.955GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96379G	-8.18	5.967G	-43.16	-28.20	-14.96	1
5.96359G	-8.24	5.9431G	-42.68	-28.30	-14.38	2
5.96369G	-7.90	5.967G	-42.88	-27.93	-14.95	3
5.96319G	-8.53	5.9671G	-43.69	-28.60	-15.09	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6175MHz\_TnomVnom

18/11/2021

CF Freq  
6.175GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16671G	-6.34	6.163G	-41.42	-26.37	-15.05	1
6.16631G	-7.31	6.187G	-42.19	-27.36	-14.83	2
6.18249G	-6.77	6.1629G	-42.03	-26.82	-15.21	3
6.18339G	-7.53	6.163G	-42.39	-27.55	-14.84	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6415MHz\_TnomVnom

18/11/2021

CF Freq  
6.415GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40631G	-6.67	6.4028G	-42.94	-26.68	-16.26	1
6.42379G	-6.94	6.403G	-41.87	-26.94	-14.93	2
6.42369G	-6.54	6.4032G	-40.94	-26.56	-14.38	3
6.42379G	-6.88	6.4031G	-41.18	-26.78	-14.40	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6435MHz\_TnomVnom

18/11/2021

CF Freq  
6.435GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42671G	-6.47	6.4231G	-41.06	-26.07	-14.99	1
6.42631G	-6.78	6.4229G	-41.99	-26.82	-15.17	2
6.42631G	-6.50	6.4228G	-42.46	-26.60	-15.86	3
6.44379G	-6.72	6.423G	-41.36	-26.80	-14.56	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6475MHz\_TnomVnom

18/11/2021

CF Freq  
6.475GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46651G	-6.58	6.4631G	-41.51	-26.62	-14.89	1
6.46631G	-6.54	6.463G	-41.04	-26.57	-14.47	2
6.48379G	-6.47	6.4629G	-41.69	-26.52	-15.17	3
6.46631G	-6.40	6.4871G	-41.60	-26.44	-15.16	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6515MHz\_TnomVnom

18/11/2021

CF Freq  
6.515GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52139G	-7.50	6.5269G	-42.01	-27.40	-14.61	1
6.52349G	-7.44	6.5272G	-43.15	-27.48	-15.67	2
6.52379G	-7.01	6.5028G	-42.75	-27.10	-15.65	3
6.50631G	-6.81	6.5031G	-41.05	-26.87	-14.18	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6535MHz\_TnomVnom

18/11/2021

CF Freq  
6.535GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52721G	-6.95	6.523G	-41.93	-26.45	-15.48	1
6.54379G	-6.71	6.5227G	-42.95	-26.76	-16.19	2
6.52731G	-6.99	6.5229G	-41.97	-27.06	-14.91	3
6.52631G	-6.56	6.523G	-41.20	-26.56	-14.64	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TnomVnom

18/11/2021

CF Freq  
6.695GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68651G	-5.48	6.7069G	-40.03	-25.50	-14.53	1
6.70359G	-5.90	6.6829G	-40.43	-25.96	-14.47	2
6.68621G	-5.45	6.6829G	-40.86	-25.45	-15.41	3
6.68641G	-5.89	6.6829G	-41.38	-25.94	-15.44	4



802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6855MHz\_TnomVnom

18/11/2021

CF Freq  
6.855GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86219G	-5.31	6.843G	-40.16	-25.35	-14.81	1
6.86339G	-5.36	6.8429G	-40.22	-25.40	-14.82	2
6.86349G	-5.39	6.8431G	-39.84	-25.29	-14.55	3
6.84661G	-5.81	6.843G	-40.34	-25.81	-14.53	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6875MHz Straddle 6.525-6.875GHz\_TnomVnom

18/11/2021

CF Freq  
6.875GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86671G	-5.31	6.8629G	-40.02	-25.41	-14.61	1
6.86631G	-5.50	6.8629G	-40.38	-25.54	-14.84	2
6.88379G	-5.39	6.863G	-39.90	-25.39	-14.51	3
6.86621G	-6.30	6.8628G	-41.11	-26.37	-14.74	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6895MHz\_TnomVnom

18/11/2021

CF Freq  
6.895GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90379G	-4.50	6.883G	-39.45	-24.50	-14.95	1
6.90389G	-4.37	6.8829G	-39.58	-24.42	-15.16	2
6.88661G	-1.42	6.883G	-36.52	-21.47	-15.05	3
6.90369G	-2.01	6.8828G	-37.69	-22.07	-15.62	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6995MHz\_TnomVnom

18/11/2021

CF Freq  
6.995GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98661G	-4.02	6.9831G	-38.13	-24.04	-14.09	1
6.98631G	-4.25	6.9829G	-38.56	-24.29	-14.27	2
6.98741G	-4.57	6.9829G	-38.99	-24.59	-14.40	3
7.00319G	-4.02	7.0069G	-37.90	-23.92	-13.98	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

7095MHz\_TnomVnom

18/11/2021

CF Freq  
7.095GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.08731G	-3.21	7.083G	-37.43	-23.21	-14.22	1
7.08641G	-3.50	7.0829G	-37.92	-23.54	-14.38	2
7.08751G	-3.37	7.083G	-37.78	-23.39	-14.39	3
7.08741G	-2.96	7.0829G	-37.57	-22.96	-14.61	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

7115MHz\_TnomVnom

18/11/2021

CF Freq  
7.115GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.10631G	-4.29	7.1031G	-38.35	-24.35	-14.00	1
7.10681G	-4.25	7.103G	-38.25	-24.25	-14.00	2
7.10641G	-4.84	7.103G	-39.13	-24.86	-14.27	3
7.10841G	-5.03	7.1029G	-38.65	-25.08	-13.57	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

5965MHz\_TnomVnom

18/11/2021

CF Freq  
5.965GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9686G	-10.14	6.0266G	-67.26	-50.14	-17.12	1
5.966G	-10.74	6.0508G	-67.64	-50.74	-16.90	2
5.9666G	-9.97	6.0258G	-67.23	-49.97	-17.26	3
5.9636G	-10.33	6.0256G	-67.02	-50.33	-16.69	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6165MHz\_TnomVnom

18/11/2021

CF Freq  
6.165GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1678G	-8.27	6.1022G	-66.76	-48.27	-18.49	1
6.15741G	-9.26	6.1038G	-66.74	-49.26	-17.48	2
6.1674G	-8.56	6.1438G	-47.06	-28.58	-18.48	3
6.1622G	-9.13	6.1038G	-66.86	-49.13	-17.73	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6405MHz\_TnomVnom

18/11/2021

CF Freq  
6.405GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.409G	-8.26	6.467G	-66.73	-48.26	-18.47	1
6.4066G	-9.12	6.4674G	-67.58	-49.12	-18.46	2
6.41099G	-8.54	6.466G	-66.99	-48.53	-18.46	3
6.4072G	-8.47	6.468G	-67.14	-48.47	-18.67	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6445MHz\_TnomVnom

18/11/2021

CF Freq  
6.445GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4488G	-8.11	6.528G	-66.08	-48.11	-17.97	1
6.45379G	-8.75	6.5074G	-67.36	-48.75	-18.61	2
6.442G	-8.23	6.506G	-66.65	-48.23	-18.42	3
6.4458G	-8.13	6.506G	-66.65	-48.13	-18.52	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6485MHz\_TnomVnom

18/11/2021

CF Freq  
6.485GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4894G	-7.88	6.5458G	-66.10	-47.86	-18.24	1
6.47701G	-8.81	6.4638G	-46.72	-28.84	-17.88	2
6.4826G	-8.24	6.5462G	-66.38	-48.24	-18.14	3
6.4868G	-7.97	6.5454G	-66.12	-47.97	-18.15	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6525MHz Straddle 6.425-6.525GHz\_TnomVnom

18/11/2021

CF Freq  
6.525GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5298G	-7.80	6.5854G	-65.63	-47.75	-17.88	1
6.5262G	-8.47	6.5864G	-66.47	-48.47	-18.00	2
6.5234G	-7.99	6.588G	-66.15	-47.99	-18.16	3
6.524G	-8.13	6.588G	-65.99	-48.13	-17.86	4

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

#### 6565MHz\_TnomVnom

18/11/2021

CF Freq  
6.565GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.563G	-8.35	6.6276G	-66.44	-48.35	-18.09	1
6.564G	-8.86	6.6274G	-66.47	-48.86	-17.61	2
6.5626G	-8.47	6.6256G	-66.27	-48.47	-17.80	3
6.5638G	-9.03	6.6262G	-66.59	-49.03	-17.56	4

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

#### 6685MHz\_TnomVnom

18/11/2021

CF Freq  
6.685GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6886G	-7.80	6.7464G	-64.41	-47.80	-16.61	1
6.684G	-7.67	6.7472G	-64.85	-47.67	-17.18	2
6.6808G	-8.03	6.6242G	-64.64	-48.03	-16.61	3
6.6838G	-8.55	6.623G	-65.19	-48.55	-16.64	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6845MHz\_TnomVnom

18/11/2021

CF Freq  
6.845GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8482G	-8.23	6.906G	-63.50	-48.23	-15.27	1
6.846G	-7.31	6.9056G	-63.61	-47.31	-16.30	2
6.8474G	-8.70	6.906G	-63.86	-48.69	-15.17	3
6.8436G	-7.87	6.9062G	-63.80	-47.87	-15.93	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6885MHz Straddle 6.525-6.875GHz\_TnomVnom

18/11/2021

CF Freq  
6.885GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8808G	-7.78	6.9458G	-63.76	-47.78	-15.98	1
6.8876G	-8.08	6.9458G	-64.01	-48.08	-15.93	2
6.89019G	-8.21	6.9462G	-64.20	-48.21	-15.99	3
6.8836G	-8.19	6.9448G	-63.16	-47.84	-15.32	4



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

**MASK**

#### 6925MHz\_TnomVnom

18/11/2021

CF Freq  
6.925GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9274G	-7.88	6.8636G	-63.91	-47.88	-16.03	1
6.9266G	-8.22	6.9864G	-64.25	-48.22	-16.03	2
6.9202G	-8.66	6.9864G	-65.04	-48.66	-16.38	3
6.9234G	-7.97	6.9862G	-63.74	-47.97	-15.77	4

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

**MASK**

#### 7005MHz\_TnomVnom

18/11/2021

CF Freq  
7.005GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0008G	-5.82	6.9442G	-62.43	-45.82	-16.61	1
7.006G	-6.24	6.9438G	-63.65	-46.24	-17.41	2
7.0028G	-6.23	6.944G	-63.39	-46.23	-17.16	3
7.0086G	-5.92	6.944G	-63.01	-45.92	-17.09	4

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

**MASK**

#### 7085MHz\_TnomVnom

18/11/2021

CF Freq  
7.085GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.087G	-7.29	7.0244G	-63.82	-47.20	-16.62	1
7.0842G	-7.54	7.0242G	-65.34	-47.52	-17.82	2
7.07981G	-7.61	7.0242G	-64.27	-47.61	-16.66	3
7.0872G	-7.32	7.0246G	-63.35	-47.17	-16.18	4

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

**MASK**

#### 5985MHz\_TnomVnom

18/11/2021

CF Freq  
5.985GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99619G	-6.82	6.109G	-62.66	-46.82	-15.84	1
5.97621G	-7.38	6.109G	-63.67	-47.38	-16.29	2
5.99219G	-6.64	6.1126G	-62.83	-46.64	-16.19	3
5.9886G	-6.67	6.1082G	-61.93	-46.59	-15.34	4

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

#### 6145MHz\_TnomVnom

18/11/2021

CF Freq  
6.145GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13621G	-5.80	6.021G	-62.65	-45.80	-16.85	1
6.13621G	-6.80	6.021G	-63.09	-46.80	-16.29	2
6.15299G	-5.84	6.2702G	-62.78	-45.84	-16.94	3
6.15619G	-6.38	6.2846G	-62.55	-46.38	-16.17	4

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

#### 6385MHz\_TnomVnom

18/11/2021

CF Freq  
6.385GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39899G	-6.16	6.5118G	-62.32	-46.16	-16.16	1
6.37461G	-6.83	6.511G	-63.04	-46.83	-16.21	2
6.40178G	-6.29	6.5106G	-62.16	-46.29	-15.87	3
6.39379G	-6.48	6.5086G	-62.19	-46.48	-15.71	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6465MHz\_TnomVnom

18/11/2021

CF Freq  
6.465GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.467G	-5.55	6.5878G	-61.23	-45.51	-15.72	1
6.47419G	-5.91	6.5894G	-61.89	-45.91	-15.98	2
6.4626G	-5.79	6.5894G	-61.30	-45.79	-15.51	3
6.47379G	-5.72	6.5886G	-61.51	-45.72	-15.79	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6545MHz Straddle 6.425-6.525GHz\_TnomVnom

18/11/2021

CF Freq  
6.545GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5498G	-5.28	6.6702G	-61.51	-45.28	-16.23	1
6.53301G	-5.53	6.6714G	-61.55	-45.53	-16.02	2
6.5414G	-5.45	6.6706G	-61.78	-45.45	-16.33	3
6.53981G	-5.64	6.6694G	-61.89	-45.64	-16.25	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6625MHz\_TnomVnom

18/11/2021

CF Freq  
6.625GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63099G	-4.14	6.7538G	-59.99	-44.14	-15.85	1
6.61421G	-4.10	6.7506G	-59.90	-44.10	-15.80	2
6.6226G	-4.32	6.7498G	-61.19	-44.32	-16.87	3
6.61781G	-4.69	6.4994G	-60.65	-44.69	-15.96	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TnomVnom

18/11/2021

CF Freq  
6.705GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71139G	-4.42	6.8286G	-59.34	-44.42	-14.92	1
6.69381G	-4.23	6.8294G	-59.96	-44.23	-15.73	2
6.707G	-4.57	6.5782G	-59.91	-44.57	-15.34	3
6.703G	-5.05	6.581G	-59.39	-45.05	-14.34	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TnomVnom

18/11/2021

CF Freq  
6.785GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79219G	-4.42	6.909G	-58.35	-44.42	-13.93	1
6.783G	-4.24	6.9102G	-58.67	-44.24	-14.43	2
6.7898G	-5.07	6.9082G	-58.58	-45.07	-13.51	3
6.783G	-4.31	6.909G	-58.69	-44.31	-14.38	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6865MHz Straddle 6.525-6.875GHz\_TnomVnom

18/11/2021

CF Freq  
6.865GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.863G	-4.17	6.9882G	-58.79	-44.09	-14.70	1
6.8666G	-4.48	6.9894G	-59.43	-44.48	-14.95	2
6.8662G	-5.01	6.9882G	-59.16	-45.01	-14.15	3
6.85661G	-4.22	6.9886G	-58.11	-44.22	-13.89	4

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

**MASK**

#### 6945MHz\_TnomVnom

18/11/2021

CF Freq  
6.945GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92782G	-4.77	6.8206G	-59.83	-44.77	-15.06	1
6.93501G	-5.26	6.8214G	-60.15	-45.26	-14.89	2
6.9486G	-5.53	6.8182G	-59.88	-45.53	-14.35	3
6.95059G	-4.88	6.7798G	-58.77	-44.88	-13.89	4

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

**MASK**

#### 7025MHz\_TnomVnom

18/11/2021

CF Freq  
7.025GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01821G	-4.20	6.9006G	-58.14	-44.20	-13.94	1
7.01421G	-4.40	6.9002G	-59.20	-44.40	-14.80	2
7.021G	-4.37	6.8986G	-58.39	-44.37	-14.02	3
7.01341G	-3.78	6.863G	-57.60	-43.78	-13.82	4

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

**MASK**

#### 6025MHz\_TnomVnom

18/11/2021

CF Freq  
6.025GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.03619G	-3.60	6.2714G	-59.49	-43.57	-15.92	1
6.03699G	-4.33	6.2746G	-60.98	-44.33	-16.65	2
6.04738G	-3.41	6.2714G	-58.66	-43.41	-15.25	3
6.03539G	-3.56	6.237G	-53.37	-38.42	-14.95	4

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

**MASK**

#### 6185MHz\_TnomVnom

18/11/2021

CF Freq  
6.185GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15783G	-1.86	6.433G	-56.56	-41.86	-14.70	1
6.15703G	-3.12	5.9362G	-58.37	-43.12	-15.25	2
6.17221G	-2.01	6.4314G	-56.42	-41.98	-14.44	3
6.20098G	-2.61	6.4354G	-57.42	-42.61	-14.81	4



802.11ax HEW160\_Nss1,(MCS0)\_4TX

MASK

6345MHz\_TnomVnom

18/11/2021

CF Freq  
6.345GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.35939G	-2.74	6.097G	-57.47	-42.74	-14.73	1
6.33461G	-3.62	6.0978G	-58.08	-43.62	-14.46	2
6.36098G	-2.74	6.5954G	-57.08	-42.74	-14.34	3
6.36578G	-3.39	6.593G	-57.91	-43.39	-14.52	4

802.11ax HEW160\_Nss1,(MCS0)\_4TX

MASK

6505MHz Straddle 6.425-6.525GHz\_TnomVnom

18/11/2021

CF Freq  
6.505GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52898G	-2.40	6.7538G	-57.26	-42.40	-14.86	1
6.53457G	-2.67	6.7522G	-57.47	-42.60	-14.87	2
6.52418G	-2.37	6.753G	-57.86	-42.37	-15.49	3
6.52258G	-2.69	6.7514G	-57.77	-42.66	-15.11	4

802.11ax HEW160\_Nss1,(MCS0)\_4TX

MASK

6665MHz\_TnomVnom

18/11/2021

CF Freq  
6.665GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63143G	-1.95	6.913G	-55.39	-41.95	-13.44	1
6.65301G	-1.83	6.9138G	-56.08	-41.83	-14.25	2
6.64022G	-1.98	6.4202G	-55.42	-41.67	-13.75	3
6.63703G	-2.69	6.913G	-56.86	-42.69	-14.17	4

802.11ax HEW160\_Nss1,(MCS0)\_4TX

MASK

6825MHz Straddle 6.525-6.875GHz\_TnomVnom

18/11/2021

CF Freq  
6.825GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84258G	-1.51	6.5778G	-52.33	-41.44	-10.89	1
6.84498G	-1.37	6.577G	-52.98	-41.37	-11.61	2
6.79143G	-1.68	6.5794G	-51.70	-41.64	-10.06	3
6.79463G	-1.40	6.5786G	-51.73	-41.32	-10.41	4

802.11ax HEW160\_Nss1,(MCS0)\_4TX

MASK

6985MHz\_TnomVnom

18/11/2021

CF Freq  
6.985GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96102G	0.03	6.7354G	-48.05	-39.97	-8.08	1
6.97381G	-0.64	6.7378G	-48.87	-40.52	-8.35	2
6.95463G	-0.68	6.737G	-47.76	-40.68	-7.08	3
6.97301G	-0.69	6.7394G	-48.01	-40.60	-7.41	4

802.11ax HEW20-BF\_Nss1,(MCS3)\_4TX

MASK

5955MHz\_TnomVnom

09/12/2021

CF Freq  
5.955GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96209G	-14.26	5.9141G	-65.29	-54.26	-11.03	1
5.94991G	-14.43	5.908G	-65.56	-54.43	-11.13	2
5.9504G	-14.56	5.9206G	-65.58	-54.56	-11.02	3
5.96169G	-14.11	5.9092G	-65.46	-54.11	-11.35	4

802.11ax HEW20-BF\_Nss1,(MCS3)\_4TX

MASK

6175MHz\_TnomVnom

09/12/2021

CF Freq  
6.175GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16611G	-13.26	6.2227G	-66.08	-53.26	-12.82	1
6.16641G	-14.70	6.1395G	-66.44	-54.70	-11.74	2
6.16721G	-14.80	6.2117G	-66.46	-54.80	-11.66	3
6.16761G	-15.10	6.2186G	-66.26	-55.10	-11.16	4

802.11ax HEW20-BF\_Nss1,(MCS3)\_4TX

MASK

6415MHz\_TnomVnom

09/12/2021

CF Freq  
6.415GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40751G	-12.48	6.4534G	-65.71	-52.48	-13.23	1
6.42329G	-13.48	6.4479G	-65.89	-53.48	-12.41	2
6.42409G	-13.77	6.4572G	-65.88	-53.77	-12.11	3
6.40711G	-13.86	6.461G	-65.92	-53.86	-12.06	4

802.11ax HEW20-BF\_Nss1,(MCS3)\_4TX

MASK

6435MHz\_TnomVnom

09/12/2021

CF Freq  
6.435GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44239G	-12.69	6.4805G	-65.64	-52.69	-12.95	1
6.42721G	-13.45	6.4746G	-65.93	-53.45	-12.48	2
6.42641G	-13.71	6.4845G	-65.80	-53.71	-12.09	3
6.42611G	-13.80	6.4703G	-65.96	-53.80	-12.16	4

802.11ax HEW20-BF\_Nss1,(MCS3)\_4TX

MASK

6475MHz\_TnomVnom

09/12/2021

CF Freq  
6.475GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46711G	-12.27	6.4426G	-65.73	-52.27	-13.46	1
6.48379G	-13.28	6.437G	-65.85	-53.28	-12.57	2
6.46611G	-13.18	6.4396G	-65.78	-53.18	-12.60	3
6.46571G	-13.63	6.4414G	-65.83	-53.63	-12.20	4

802.11ax HEW20-BF\_Nss1,(MCS3)\_4TX

MASK

6515MHz\_TnomVnom

09/12/2021

CF Freq  
6.515GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.50731G	-12.45	6.4692G	-65.74	-52.45	-13.29	1
6.50891G	-12.96	6.4828G	-65.86	-52.96	-12.90	2
6.50611G	-12.25	6.4668G	-65.91	-52.25	-13.66	3
6.50881G	-13.54	6.4766G	-65.86	-53.54	-12.32	4

802.11ax HEW20-BF\_Nss1,(MCS3)\_4TX

MASK

6535MHz\_TnomVnom

09/12/2021

CF Freq  
6.535GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52741G	-11.52	6.5235G	-44.61	-31.52	-13.09	1
6.54409G	-11.68	6.4961G	-65.60	-51.68	-13.92	2
6.54409G	-12.50	6.5007G	-65.43	-52.50	-12.93	3
6.54349G	-11.12	6.5012G	-65.56	-51.12	-14.44	4

802.11ax HEW20-BF\_Nss1,(MCS3)\_4TX

MASK

6695MHz\_TnomVnom

09/12/2021

CF Freq  
6.695GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.70389G	-11.18	6.7065G	-44.71	-31.19	-13.52	1
6.68621G	-12.50	6.7376G	-65.13	-52.50	-12.63	2
6.70349G	-12.27	6.7388G	-65.02	-52.27	-12.75	3
6.70269G	-13.31	6.735G	-65.29	-53.31	-11.98	4

802.11ax HEW20-BF\_Nss1,(MCS3)\_4TX

MASK

6855MHz\_TnomVnom

09/12/2021

CF Freq  
6.855GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84641G	-10.48	6.8435G	-43.68	-30.48	-13.20	1
6.86379G	-10.31	6.8183G	-65.02	-50.31	-14.71	2
6.86369G	-11.07	6.8923G	-64.93	-51.07	-13.86	3
6.84631G	-13.09	6.8924G	-65.02	-53.09	-11.93	4

802.11ax HEW20-BF\_Nss1,(MCS3)\_4TX

MASK

6875MHz Straddle 6.525-6.875GHz\_TnomVnom

09/12/2021

CF Freq  
6.875GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86561G	-10.08	6.8635G	-42.82	-30.08	-12.74	1
6.88399G	-10.11	6.8425G	-64.71	-50.11	-14.60	2
6.86571G	-10.82	6.9161G	-64.67	-50.82	-13.85	3
6.871G	-11.29	6.9114G	-64.92	-51.29	-13.63	4



802.11ax HEW20-BF\_Nss1,(MCS3)\_4TX

MASK

6895MHz\_TnomVnom

09/12/2021

CF Freq  
6.895GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90269G	-10.17	6.9284G	-63.99	-50.17	-13.82	1
6.88741G	-10.85	6.9426G	-64.17	-50.85	-13.32	2
6.90389G	-11.14	6.9325G	-64.25	-51.14	-13.11	3
6.88731G	-11.71	6.9297G	-64.24	-51.71	-12.53	4

802.11ax HEW20-BF\_Nss1,(MCS3)\_4TX

MASK

6995MHz\_TnomVnom

09/12/2021

CF Freq  
6.995GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00279G	-10.69	6.9833G	-43.61	-30.49	-13.12	1
6.98611G	-11.67	6.955G	-64.13	-51.67	-12.46	2
6.98861G	-11.14	6.9552G	-64.04	-51.14	-12.90	3
6.98721G	-11.70	6.9613G	-63.97	-51.70	-12.27	4

802.11ax HEW20-BF\_Nss1,(MCS3)\_4TX

MASK

7095MHz\_TnomVnom

09/12/2021

CF Freq  
7.095GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.10419G	-9.77	7.0833G	-43.07	-29.80	-13.27	1
7.08721G	-11.71	7.0831G	-46.51	-31.82	-14.69	2
7.10409G	-11.13	7.1067G	-45.64	-31.13	-14.51	3
7.08701G	-11.69	7.0832G	-46.73	-31.70	-15.03	4

802.11ax HEW20-BF\_Nss1,(MCS3)\_4TX

MASK

7115MHz\_TnomVnom

09/12/2021

CF Freq  
7.115GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.10881G	-12.40	7.1036G	-44.71	-32.40	-12.31	1
7.12319G	-12.26	7.103G	-47.04	-32.06	-14.98	2
7.12369G	-10.94	7.1268G	-45.67	-30.98	-14.69	3
7.12389G	-11.48	7.1267G	-46.92	-31.52	-15.40	4

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_4TX

**MASK**

#### 5965MHz\_TnomVnom

09/12/2021

CF Freq  
5.965GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9626G	-11.87	5.8966G	-63.25	-51.87	-11.38	1
5.968G	-12.88	5.8954G	-63.28	-52.88	-10.40	2
5.9618G	-12.29	5.8974G	-63.45	-52.29	-11.16	3
5.9686G	-12.84	5.881G	-63.38	-52.84	-10.54	4

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_4TX

**MASK**

#### 6165MHz\_TnomVnom

09/12/2021

CF Freq  
6.165GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1626G	-11.28	6.2256G	-63.57	-51.28	-12.29	1
6.164G	-12.45	6.226G	-64.15	-52.45	-11.70	2
6.1678G	-12.39	6.2296G	-64.17	-52.39	-11.78	3
6.163G	-12.97	6.2326G	-64.03	-52.97	-11.06	4

802.11ax HEW40-BF\_Nss1,(MCS3)\_4TX

MASK

6405MHz\_TnomVnom

09/12/2021

CF Freq  
6.405GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4002G	-9.57	6.4648G	-62.95	-49.57	-13.38	1
6.4088G	-10.59	6.4834G	-63.35	-50.59	-12.76	2
6.39881G	-11.15	6.4686G	-63.36	-51.15	-12.21	3
6.4088G	-10.64	6.4664G	-63.37	-50.64	-12.73	4

802.11ax HEW40-BF\_Nss1,(MCS3)\_4TX

MASK

6445MHz\_TnomVnom

09/12/2021

CF Freq  
6.445GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4428G	-9.31	6.528G	-62.90	-49.31	-13.59	1
6.4424G	-10.32	6.5092G	-63.42	-50.32	-13.10	2
6.4486G	-10.43	6.5112G	-63.41	-50.43	-12.98	3
6.45259G	-10.43	6.5076G	-63.38	-50.43	-12.95	4

802.11ax HEW40-BF\_Nss1,(MCS3)\_4TX

MASK

6485MHz\_TnomVnom

09/12/2021

CF Freq  
6.485GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4822G	-9.16	6.4256G	-63.11	-49.16	-13.95	1
6.47881G	-10.47	6.4178G	-63.60	-50.47	-13.13	2
6.4874G	-10.44	6.4184G	-63.36	-50.44	-12.92	3
6.4822G	-10.82	6.4214G	-63.57	-50.82	-12.75	4

802.11ax HEW40-BF\_Nss1,(MCS3)\_4TX

MASK

6525MHz Straddle 6.425-6.525GHz\_TnomVnom

09/12/2021

CF Freq  
6.525GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53359G	-6.96	6.454G	-63.16	-46.96	-16.20	1
6.53199G	-8.29	6.4612G	-63.33	-48.29	-15.04	2
6.5228G	-7.90	6.4628G	-63.27	-47.90	-15.37	3
6.53439G	-8.98	6.461G	-63.39	-48.98	-14.41	4

802.11ax HEW40-BF\_Nss1,(MCS3)\_4TX

MASK

6565MHz\_TnomVnom

09/12/2021

CF Freq  
6.565GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.57559G	-5.96	6.4686G	-62.99	-45.96	-17.03	1
6.57279G	-10.01	6.5026G	-63.20	-50.01	-13.19	2
6.56G	-8.52	6.5026G	-63.05	-48.52	-14.53	3
6.55641G	-9.62	6.5026G	-63.14	-49.62	-13.52	4

802.11ax HEW40-BF\_Nss1,(MCS3)\_4TX

MASK

6685MHz\_TnomVnom

09/12/2021

CF Freq  
6.685GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67741G	-5.93	6.7462G	-62.03	-45.93	-16.10	1
6.6842G	-6.62	6.7466G	-62.71	-46.59	-16.12	2
6.6876G	-7.79	6.746G	-62.38	-47.79	-14.59	3
6.67801G	-9.64	6.7476G	-62.51	-49.64	-12.87	4

802.11ax HEW40-BF\_Nss1,(MCS3)\_4TX

MASK

6845MHz\_TnomVnom

09/12/2021

CF Freq  
6.845GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8428G	-7.11	6.7798G	-60.30	-47.11	-13.19	1
6.85279G	-8.75	6.906G	-62.26	-48.74	-13.52	2
6.85259G	-8.71	6.9064G	-61.94	-48.71	-13.23	3
6.83121G	-8.04	6.783G	-62.41	-48.04	-14.37	4

802.11ax HEW40-BF\_Nss1,(MCS3)\_4TX

MASK

6885MHz Straddle 6.525-6.875GHz\_TnomVnom

09/12/2021

CF Freq  
6.885GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90218G	-7.18	6.9464G	-61.47	-47.18	-14.29	1
6.89599G	-7.29	6.948G	-62.15	-47.29	-14.86	2
6.8882G	-9.21	6.9478G	-62.04	-49.21	-12.83	3
6.8824G	-8.79	6.9456G	-61.84	-48.79	-13.05	4

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_4TX

MASK

#### 6925MHz\_TnomVnom

09/12/2021

CF Freq  
6.925GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91881G	-5.57	6.8642G	-61.59	-45.57	-16.02	1
6.93839G	-7.27	6.9868G	-61.28	-47.27	-14.01	2
6.93679G	-7.79	6.9868G	-61.38	-47.79	-13.59	3
6.91601G	-7.94	6.9862G	-61.05	-47.94	-13.11	4

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_4TX

MASK

#### 7005MHz\_TnomVnom

09/12/2021

CF Freq  
7.005GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98642G	-5.09	6.984G	-39.51	-25.10	-14.41	1
6.99741G	-6.09	6.9448G	-61.30	-46.03	-15.27	2
7.01719G	-6.03	6.941G	-61.88	-46.03	-15.85	3
6.99741G	-7.53	6.9428G	-61.16	-47.53	-13.63	4



### 802.11ax HEW40-BF\_Nss1,(MCS3)\_4TX

**MASK**

#### 7085MHz\_TnomVnom

09/12/2021

CF Freq  
7.085GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0878G	-7.30	7.0178G	-64.06	-47.30	-16.76	1
7.0878G	-5.63	7.1058G	-43.53	-25.63	-17.90	2
7.07801G	-8.67	7.0232G	-64.27	-48.67	-15.60	3
7.0824G	-7.90	7.0224G	-64.40	-47.90	-16.50	4

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

**MASK**

#### 5985MHz\_TnomVnom

09/12/2021

CF Freq  
5.985GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00178G	-7.21	5.8638G	-60.24	-47.21	-13.03	1
5.94944G	-6.42	5.8574G	-60.56	-46.42	-14.14	2
5.95983G	-6.75	5.8458G	-60.60	-46.75	-13.85	3
6.00058G	-7.69	6.1726G	-59.76	-47.69	-12.07	4

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

MASK

#### 6145MHz\_TnomVnom

09/12/2021

CF Freq  
6.145GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16018G	-6.23	5.9982G	-60.12	-46.23	-13.89	1
6.12582G	-7.96	5.963G	-60.48	-47.96	-12.52	2
6.10904G	-7.39	6.0146G	-60.58	-47.39	-13.19	3
6.15099G	-8.36	5.9482G	-60.41	-48.36	-12.05	4

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

MASK

#### 6385MHz\_TnomVnom

09/12/2021

CF Freq  
6.385GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36262G	-4.05	6.5054G	-59.51	-44.05	-15.46	1
6.3866G	-7.04	6.509G	-60.67	-47.04	-13.63	2
6.3818G	-6.70	6.5094G	-60.37	-46.70	-13.67	3
6.41617G	-6.00	6.5118G	-59.98	-46.00	-13.98	4

802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

MASK

6465MHz\_TnomVnom

09/12/2021

CF Freq  
6.465GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4666G	-5.94	6.5862G	-60.03	-45.94	-14.09	1
6.48778G	-5.69	6.5894G	-60.04	-45.69	-14.35	2
6.44582G	-6.09	6.5914G	-59.98	-46.09	-13.89	3
6.47499G	-6.85	6.5918G	-60.19	-46.85	-13.34	4

802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

MASK

6545MHz Straddle 6.425-6.525GHz\_TnomVnom

09/12/2021

CF Freq  
6.545GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52342G	-4.50	6.6714G	-58.78	-44.50	-14.28	1
6.56818G	-3.45	6.6686G	-59.80	-43.45	-16.35	2
6.52182G	-5.53	6.6702G	-59.32	-45.53	-13.79	3
6.5474G	-5.66	6.4074G	-59.41	-45.66	-13.75	4

802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

MASK

6625MHz\_TnomVnom

09/12/2021

CF Freq  
6.625GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63859G	-1.93	6.7634G	-58.48	-41.93	-16.55	1
6.61821G	-1.87	6.7686G	-59.15	-41.87	-17.28	2
6.64258G	-3.60	6.7498G	-58.66	-43.60	-15.06	3
6.60742G	-5.56	6.7518G	-58.78	-45.56	-13.22	4

802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

MASK

6705MHz\_TnomVnom

09/12/2021

CF Freq  
6.705GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.73897G	-2.12	6.7462G	-35.75	-22.16	-13.59	1
6.74176G	-2.18	6.8306G	-57.02	-42.01	-15.01	2
6.70222G	-2.40	6.5822G	-56.53	-42.40	-14.13	3
6.71339G	-4.31	6.5526G	-56.64	-44.31	-12.33	4

802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

MASK

6785MHz\_TnomVnom

09/12/2021

CF Freq  
6.785GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7818G	-0.71	6.9074G	-57.94	-40.71	-17.23	1
6.76342G	-4.58	6.9094G	-57.33	-44.58	-12.75	2
6.77381G	-3.58	6.6606G	-57.30	-43.58	-13.72	3
6.74704G	-4.31	6.9134G	-57.38	-44.31	-13.07	4

802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

MASK

6865MHz Straddle 6.525-6.875GHz\_TnomVnom

09/12/2021

CF Freq  
6.865GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90056G	-0.79	6.907G	-35.41	-20.85	-14.56	1
6.82704G	-3.02	6.9902G	-57.20	-43.02	-14.18	2
6.84942G	-2.87	6.989G	-57.22	-42.87	-14.35	3
6.87219G	-3.50	6.9922G	-56.71	-43.50	-13.21	4

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

MASK

#### 6945MHz\_TnomVnom

09/12/2021

CF Freq  
6.945GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.97417G	-3.25	6.8214G	-57.49	-43.25	-14.24	1
6.98296G	-4.42	6.8194G	-57.96	-44.42	-13.54	2
6.93741G	-4.12	6.7822G	-58.28	-44.12	-14.16	3
6.93101G	-4.95	6.7934G	-57.00	-44.95	-12.05	4

### 802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

MASK

#### 7025MHz\_TnomVnom

09/12/2021

CF Freq  
7.025GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.04298G	-1.19	6.9038G	-56.53	-41.19	-15.34	1
6.99823G	-0.67	6.901G	-56.10	-40.66	-15.44	2
7.04178G	-2.36	6.9022G	-56.24	-42.36	-13.88	3
7.00942G	-2.98	6.9014G	-55.03	-42.98	-12.05	4

### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

**MASK**

#### 6025MHz\_TnomVnom

09/12/2021

CF Freq  
6.025GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.03859G	-1.71	5.9434G	-31.99	-21.74	-10.25	1
6.07055G	-3.89	6.3794G	-55.22	-43.89	-11.33	2
6.04818G	-4.24	6.2746G	-54.95	-44.24	-10.71	3
6.0274G	-2.80	6.3602G	-53.74	-42.80	-10.94	4

### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

**MASK**

#### 6185MHz\_TnomVnom

09/12/2021

CF Freq  
6.185GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15623G	0.45	5.9362G	-54.33	-39.55	-14.78	1
6.1818G	-3.20	6.5418G	-54.19	-43.20	-10.99	2
6.23935G	-1.45	6.4426G	-54.28	-41.45	-12.83	3
6.1874G	0.53	6.5418G	-52.99	-39.47	-13.52	4

802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

MASK

6345MHz\_TnomVnom

09/12/2021

CF Freq  
6.345GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.31703G	-3.25	6.2634G	-29.38	-23.26	-6.12	1
6.36738G	-3.50	6.0962G	-54.49	-43.50	-10.99	2
6.33141G	-3.71	6.5938G	-54.57	-43.71	-10.86	3
6.32502G	-3.79	6.7042G	-54.18	-43.79	-10.39	4

802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

MASK

6505MHz Straddle 6.425-6.525GHz\_TnomVnom

09/12/2021

CF Freq  
6.505GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52658G	0.32	6.5866G	-28.36	-19.69	-8.67	1
6.56334G	-1.94	6.757G	-53.70	-41.94	-11.76	2
6.52818G	-1.74	6.7554G	-53.79	-41.74	-12.05	3
6.5002G	-2.05	6.1322G	-53.69	-42.05	-11.64	4



802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

MASK

6665MHz\_TnomVnom

09/12/2021

CF Freq  
6.665GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64182G	-0.22	6.9098G	-52.81	-40.22	-12.59	1
6.62264G	-0.46	6.9162G	-52.97	-40.46	-12.51	2
6.64502G	-0.02	6.909G	-53.42	-40.02	-13.40	3
6.65701G	-2.55	6.913G	-53.27	-42.55	-10.72	4

802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

MASK

6825MHz Straddle 6.525-6.875GHz\_TnomVnom

09/12/2021

CF Freq  
6.825GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84178G	1.23	6.9066G	-27.24	-18.79	-8.45	1
6.8298G	2.02	6.4794G	-52.94	-37.98	-14.96	2
6.84818G	-0.20	6.5786G	-52.47	-40.20	-12.27	3
6.75147G	-0.76	6.609G	-46.48	-35.88	-10.60	4

### 802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

### MASK

### 6985MHz\_TnomVnom

09/12/2021

CF Freq  
6.985GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9874G	0.46	6.9042G	-19.77	-19.58	-0.19	1
6.9818G	-0.68	6.9034G	-33.46	-20.69	-12.77	2
6.95143G	-2.00	6.737G	-53.02	-42.00	-11.02	3
6.93145G	-4.28	6.6314G	-51.91	-44.28	-7.63	4



Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-67.25	Stop Transmission	10	100	90	PASS
						-68.25	Stop & with Beacon	-			
						-70.25	Start Transmission	-			
6	101	20	6455	Center	6455	-65.12	Stop Transmission	10	100	90	PASS
						-66.12	Stop & with Beacon	-			
						-69.12	Start Transmission	-			
7	149	20	6695	Center	6695	-62.10	Stop Transmission	10	100	90	PASS
						-63.10	Stop & with Beacon	-			
						-69.10	Start Transmission	-			
8	213	20	7075	Center	7075	-62.00	Stop Transmission	10	100	90	PASS
						-63.00	Stop & with Beacon	-			
						-69.00	Start Transmission	-			

Note :

1. EUT antenna gain = +3.39dBi considered in the measurement path loss.
2. Measurement use conducted measurement at the antenna connector.

Contention Based protocol 802.11ax HEW160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-66.25	Stop Transmission	10	100	90	PASS
						-67.25	Stop & with Beacon	-	-	-	-
						-70.25	Start Transmission	-	-	-	-
				Center	6185	-63.25	Stop Transmission	10	100	90	PASS
						-64.25	Stop & with Beacon	-	-	-	-
						-65.25	Start Transmission	-	-	-	-
				High edge	6260	-69.25	Stop Transmission	10	100	90	PASS
						-70.25	Stop & with Beacon	-	-	-	-
						-71.25	Start Transmission	-	-	-	-
6	111	160	6505	Low edge	6430	-68.12	Stop Transmission	10	100	90	PASS
						-69.12	Stop & with Beacon	-	-	-	-
						-70.12	Start Transmission	-	-	-	-
				Center	6505	-62.12	Stop Transmission	10	100	90	PASS
						-63.12	Stop & with Beacon	-	-	-	-
						-65.12	Start Transmission	-	-	-	-
				High edge	6580	-68.12	Stop Transmission	10	100	90	PASS
						-69.12	Stop & with Beacon	-	-	-	-
						-70.12	Start Transmission	-	-	-	-
7	143	160	6665	Low edge	6590	-65.10	Stop Transmission	10	100	90	PASS
						-66.10	Stop & with Beacon	-	-	-	-
						-70.10	Start Transmission	-	-	-	-
				Center	6665	-62.10	Stop Transmission	10	100	90	PASS
						-63.10	Stop & with Beacon	-	-	-	-
						-65.10	Start Transmission	-	-	-	-
				High edge	6740	-67.10	Stop Transmission	10	100	90	PASS
						-68.10	Stop & with Beacon	-	-	-	-
						-70.10	Start Transmission	-	-	-	-
8	207	160	6985	Low edge	6910	-64.00	Stop Transmission	10	100	90	PASS
						-65.00	Stop & with Beacon	-	-	-	-
						-68.00	Start Transmission	-	-	-	-
				Center	6985	-62.00	Stop Transmission	10	100	90	PASS
						-63.00	Stop & with Beacon	-	-	-	-
						-64.00	Start Transmission	-	-	-	-
				High edge	7060	-65.00	Stop Transmission	10	100	90	PASS
						-66.00	Stop & with Beacon	-	-	-	-
						-68.00	Start Transmission	-	-	-	-


Note :

1. EUT antenna gain = +3.39dBi considered in the measurement path loss.
2. Measurement use conducted measurement at the antenna connector.

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz





Date: 21.JAN.2022 09:44:12



Frequency (MHz): 6455 MHz





Date: 21.JAN.2022 09:43:37



































Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal