


### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6535MHz\_TnomVnom




EUTY\_2TX  
Setting 8.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5998G	55.79	83.54	-27.75	53.65	1	Vertical	360	1.53	-	37.86	13.98	49.70
AV	19.5937G	42.62	63.54	-20.92	40.48	1	Vertical	360	1.53	-	37.86	13.98	49.70

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6535MHz\_TnomVnom




EUTY\_2TX  
Setting 8.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6193G	55.31	83.54	-28.23	53.18	1	Horizontal	60	1.54	-	37.85	13.98	49.70
AV	19.5811G	42.54	63.54	-21.00	40.39	1	Horizontal	60	1.54	-	37.87	13.98	49.70

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUTY\_2TX  
Setting 8.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6906G	106.43	Inf	-Inf	97.67	3	Vertical	325	1.72	-	36.20	5.70	33.14
RMS	6.6884G	94.63	Inf	-Inf	85.86	3	Vertical	325	1.72	-	36.20	5.70	33.13
PK	7.2252G	62.57	88.20	-25.63	52.77	3	Vertical	325	1.72	-	37.35	6.01	33.56
RMS	7.2098G	49.66	68.20	-18.54	39.88	3	Vertical	325	1.72	-	37.32	6.00	33.54

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TnomVnom




EUTY\_2TX  
Setting 8.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	101.52	Inf	-Inf	92.75	3	Horizontal	12	2.37	-	36.21	5.70	33.14
RMS	6.7016G	89.36	Inf	-Inf	80.59	3	Horizontal	12	2.37	-	36.21	5.70	33.14
PK	7.1636G	62.02	88.20	-26.18	52.38	3	Horizontal	12	2.37	-	37.15	5.98	33.49
RMS	7.1482G	49.63	68.20	-18.57	40.04	3	Horizontal	12	2.37	-	37.09	5.97	33.47

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6695MHz\_TnomVnom




EUTY\_2TX  
Setting 8.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38816G	56.30	74.00	-17.70	42.12	3	Vertical	335	2.01	-	40.18	8.72	34.72
AV	13.38778G	42.50	54.00	-11.50	28.32	3	Vertical	335	2.01	-	40.18	8.72	34.72

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TnomVnom




EUTY\_2TX  
Setting 8.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39564G	56.31	74.00	-17.69	42.12	3	Horizontal	271	2.15	-	40.19	8.72	34.72
AV	13.38268G	42.44	54.00	-11.56	28.27	3	Horizontal	271	2.15	-	40.17	8.72	34.72

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6695MHz\_TnomVnom




EUTY\_2TX  
Setting 8.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0665G	56.72	83.54	-26.82	54.95	1	Vertical	77	1.42	-	37.45	14.05	49.73
AV	20.0715G	42.79	63.54	-20.75	41.01	1	Vertical	77	1.42	-	37.46	14.05	49.73

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6695MHz\_TnomVnom




EUTY\_2TX  
Setting 8.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0978G	56.08	83.54	-27.46	54.27	1	Horizontal	130	2.85	-	37.48	14.07	49.74
AV	20.0766G	42.87	63.54	-20.67	41.08	1	Horizontal	130	2.85	-	37.46	14.06	49.73



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.862G	107.81	Inf	-Inf	98.72	3	Vertical	288	2.23	-	36.55	5.76	33.22
RMS	6.8634G	95.91	Inf	-Inf	86.82	3	Vertical	288	2.23	-	36.55	5.76	33.22
PK	7.1924G	62.17	88.20	-26.03	52.42	3	Vertical	288	2.23	-	37.27	6.00	33.52
RMS	7.1994G	49.50	68.20	-18.70	39.73	3	Vertical	288	2.23	-	37.30	6.00	33.53

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	103.35	Inf	-Inf	94.23	3	Horizontal	353	3.00	-	36.58	5.75	33.21
RMS	6.848G	90.64	Inf	-Inf	81.51	3	Horizontal	353	3.00	-	36.59	5.75	33.21
PK	7.1994G	62.48	88.20	-25.72	52.71	3	Horizontal	353	3.00	-	37.30	6.00	33.53
RMS	7.1994G	49.54	68.20	-18.66	39.77	3	Horizontal	353	3.00	-	37.30	6.00	33.53

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6855MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70604G	58.30	88.20	-29.90	44.04	3	Vertical	272	1.76	-	40.41	8.66	34.81
RMS	13.70756G	44.52	68.20	-23.68	30.26	3	Vertical	272	1.76	-	40.41	8.66	34.81

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6855MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71036G	58.04	88.20	-30.16	43.78	3	Horizontal	86	1.83	-	40.41	8.66	34.81
RMS	13.7164G	44.43	88.20	-43.77	30.16	3	Horizontal	86	1.83	-	40.42	8.66	34.81

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6855MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5471G	57.24	83.54	-26.30	54.95	1	Vertical	55	1.95	-	37.76	14.41	49.88
AV	20.5427G	43.88	63.54	-19.66	41.60	1	Vertical	55	1.95	-	37.75	14.41	49.88

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX


#### 6855MHz\_TnomVnom



EUTY\_2TX  
Setting 10  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5533G	57.03	83.54	-26.51	54.74	1	Horizontal	220	2.76	-	37.76	14.41	49.88
AV	20.5421G	43.70	63.54	-19.84	41.42	1	Horizontal	220	2.76	-	37.75	14.41	49.88


**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUTY\_2TX  
 Setting 10  
 04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8834G	106.07	Inf	-Inf	97.05	3	Vertical	281	2.76	-	36.47	5.78	33.23
RMS	6.8834G	95.29	Inf	-Inf	86.27	3	Vertical	281	2.76	-	36.47	5.78	33.23
PK	7.175G	61.59	88.20	-26.61	51.90	3	Vertical	281	2.76	-	37.20	5.99	33.50
RMS	7.1426G	49.50	68.20	-18.70	39.95	3	Vertical	281	2.76	-	37.04	5.97	33.46

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_2TX  
 Setting 10  
 04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.869G	104.18	Inf	-Inf	95.11	3	Horizontal	350	3.00	-	36.52	5.77	33.22
RMS	6.8678G	91.55	Inf	-Inf	82.47	3	Horizontal	350	3.00	-	36.53	5.77	33.22
PK	7.169G	61.40	88.20	-26.80	51.73	3	Horizontal	350	3.00	-	37.18	5.98	33.49
RMS	7.1558G	49.49	68.20	-18.71	39.87	3	Horizontal	350	3.00	-	37.12	5.98	33.48




**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUTY\_2TX  
 Setting 10  
 04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74924G	58.56	88.20	-29.64	44.28	3	Vertical	332	1.45	-	40.45	8.65	34.82
RMS	13.74504G	44.70	68.20	-23.50	30.42	3	Vertical	332	1.45	-	40.45	8.65	34.82


**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUTY\_2TX  
 Setting 10  
 04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75172G	58.79	88.20	-29.41	44.52	3	Horizontal	149	1.34	-	40.45	8.65	34.83
RMS	13.74764G	44.68	68.20	-23.52	30.40	3	Horizontal	149	1.34	-	40.45	8.65	34.82


**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUTY\_2TX  
 Setting 10  
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6029G	56.30	83.54	-27.24	53.89	1	Vertical	82	1.85	-	37.82	14.45	49.86
AV	20.6044G	42.99	63.54	-20.55	40.57	1	Vertical	82	1.85	-	37.83	14.45	49.86

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_2TX  
 Setting 10  
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6163G	56.34	83.54	-27.20	53.89	1	Horizontal	16	1.59	-	37.84	14.46	49.85
AV	20.6022G	43.09	63.54	-20.45	40.68	1	Horizontal	16	1.59	-	37.82	14.45	49.86

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6895MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8938G	107.32	Inf	-Inf	98.35	3	Vertical	78	2.56	-	36.42	5.79	33.24
RMS	6.8866G	96.35	Inf	-Inf	87.34	3	Vertical	78	2.56	-	36.45	5.79	33.23
PK	7.189G	61.71	88.20	-26.49	51.98	3	Vertical	78	2.56	-	37.26	5.99	33.52
RMS	7.1914G	49.55	68.20	-18.65	39.80	3	Vertical	78	2.56	-	37.27	6.00	33.52

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6895MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8878G	103.58	Inf	-Inf	94.57	3	Horizontal	351	2.97	-	36.45	5.79	33.23
RMS	6.8866G	90.88	Inf	-Inf	81.87	3	Horizontal	351	2.97	-	36.45	5.79	33.23
PK	7.1482G	62.17	88.20	-26.03	52.58	3	Horizontal	351	2.97	-	37.09	5.97	33.47
RMS	7.195G	49.56	68.20	-18.64	39.80	3	Horizontal	351	2.97	-	37.28	6.00	33.52

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6895MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78316G	58.73	88.20	-29.47	44.45	3	Vertical	166	1.33	-	40.48	8.64	34.84
RMS	13.78044G	44.77	68.20	-23.43	30.49	3	Vertical	166	1.33	-	40.48	8.64	34.84

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6895MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79372G	58.97	88.20	-29.23	44.68	3	Horizontal	248	1.48	-	40.49	8.64	34.84
RMS	13.79384G	44.76	68.20	-23.44	30.47	3	Horizontal	248	1.48	-	40.49	8.64	34.84



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 6895MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6625G	56.49	83.54	-27.05	53.93	1	Vertical	155	1.52	-	37.90	14.50	49.84
AV	20.6888G	43.02	63.54	-20.52	40.39	1	Vertical	155	1.52	-	37.93	14.52	49.82

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6895MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7071G	56.34	83.54	-27.20	53.68	1	Horizontal	121	2.49	-	37.95	14.53	49.82
AV	20.691G	43.04	63.54	-20.50	40.41	1	Horizontal	121	2.49	-	37.93	14.52	49.82

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6995MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9918G	107.55	Inf	-Inf	98.32	3	Vertical	283	1.86	-	36.63	5.89	33.29
RMS	7.0022G	96.17	Inf	-Inf	86.95	3	Vertical	283	1.86	-	36.61	5.90	33.29
PK	7.1646G	61.89	88.20	-26.31	52.24	3	Vertical	283	1.86	-	37.16	5.98	33.49
RMS	7.1934G	49.47	68.20	-18.73	39.72	3	Vertical	283	1.86	-	37.27	6.00	33.52

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6995MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9894G	103.90	Inf	-Inf	94.65	3	Horizontal	43	2.84	-	36.64	5.89	33.28
RMS	6.9886G	91.83	Inf	-Inf	82.57	3	Horizontal	43	2.84	-	36.65	5.89	33.28
PK	7.1534G	62.15	88.20	-26.05	52.53	3	Horizontal	43	2.84	-	37.11	5.98	33.47
RMS	7.1446G	49.55	68.20	-18.65	39.98	3	Horizontal	43	2.84	-	37.06	5.97	33.46

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6995MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99052G	59.19	88.20	-29.01	44.65	3	Vertical	215	1.67	-	40.87	8.60	34.93
RMS	14G	44.88	68.20	-23.32	30.31	3	Vertical	215	1.67	-	40.90	8.60	34.93

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6995MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99328G	59.14	88.20	-29.06	44.59	3	Horizontal	308	1.13	-	40.88	8.60	34.93
RMS	13.98836G	44.97	68.20	-23.23	30.43	3	Horizontal	308	1.13	-	40.87	8.60	34.93

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6995MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.009G	55.43	83.54	-28.11	52.77	1	Vertical	167	2.84	-	37.60	14.76	49.70
AV	20.9621G	41.71	63.54	-21.83	39.05	1	Vertical	167	2.84	-	37.66	14.72	49.72

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6995MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0073G	55.41	83.54	-28.13	52.75	1	Horizontal	293	1.18	-	37.60	14.76	49.70
AV	20.9614G	41.70	63.54	-21.84	39.04	1	Horizontal	293	1.18	-	37.66	14.72	49.72



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUTY\_2TX  
Setting 9.5  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1016G	109.91	Inf	-Inf	100.66	3	Vertical	279	1.80	-	36.71	5.95	33.41
RMS	7.1022G	99.13	Inf	-Inf	89.87	3	Vertical	279	1.80	-	36.72	5.95	33.41
PK	7.1448G	63.47	88.20	-24.73	53.90	3	Vertical	279	1.80	-	37.06	5.97	33.46
RMS	7.125G	52.05	68.20	-16.15	42.63	3	Vertical	279	1.80	-	36.90	5.96	33.44

802.11ax HEW20\_Nss1,(MCS0)\_2TX

7095MHz\_TnomVnom




EUTY\_2TX  
Setting 9.5  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.088G	105.62	Inf	-Inf	96.36	3	Horizontal	343	2.89	-	36.72	5.94	33.40
RMS	7.0884G	95.19	Inf	-Inf	85.93	3	Horizontal	343	2.89	-	36.72	5.94	33.40
PK	7.1284G	63.82	88.20	-24.38	54.37	3	Horizontal	343	2.89	-	36.93	5.96	33.44
RMS	7.127G	52.05	68.20	-16.15	42.61	3	Horizontal	343	2.89	-	36.92	5.96	33.44

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUTY\_2TX  
Setting 9.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18564G	58.94	88.20	-29.26	44.38	3	Vertical	28	2.02	-	40.81	8.65	34.90
RMS	14.18866G	45.41	68.20	-22.79	30.85	3	Vertical	28	2.02	-	40.81	8.65	34.90

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUTY\_2TX  
Setting 9.5  
04-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19202G	59.52	88.20	-28.68	44.96	3	Horizontal	104	2.01	-	40.81	8.65	34.90
RMS	14.19138G	45.44	68.20	-22.76	30.88	3	Horizontal	104	2.01	-	40.81	8.65	34.90

802.11ax HEW20\_Nss1,(MCS0)\_2TX

7095MHz\_TnomVnom




EUTY\_2TX  
Setting 9,5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2975G	54.88	83.54	-28.66	51.89	1	Vertical	57	1.38	-	37.66	14.97	49.64
AV	21.3088G	41.78	63.54	-21.76	38.77	1	Vertical	57	1.38	-	37.67	14.98	49.64

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUTY\_2TX  
Setting 9,5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2926G	55.41	83.54	-28.13	52.43	1	Horizontal	300	1.83	-	37.65	14.97	49.64
AV	21.3074G	41.63	63.54	-21.91	38.62	1	Horizontal	300	1.83	-	37.67	14.98	49.64

802.11ax HEW20\_Nss1,(MCS0)\_2TX

7115MHz\_TnomVnom




EUTY\_2TX  
Setting 9  
04-L-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.12245G	99.27	Inf	-Inf	89.87	3	Vertical	285.3	1.80	-	36.88	5.96	33.44
RMS	7.12123G	88.43	Inf	-Inf	79.04	3	Vertical	285.3	1.80	-	36.87	5.96	33.44
PK	7.1255G	77.67	88.20	-10.53	68.25	3	Vertical	285.3	1.80	-	36.90	5.96	33.44
RMS	7.1255G	65.11	68.20	-3.09	55.69	3	Vertical	285.3	1.80	-	36.90	5.96	33.44

802.11ax HEW20\_Nss1,(MCS0)\_2TX

7115MHz\_TnomVnom




EUTY\_2TX  
Setting 9  
04-L-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10748G	94.60	Inf	-Inf	85.31	3	Horizontal	37	2.83	-	36.76	5.95	33.42
RMS	7.10885G	84.19	Inf	-Inf	74.89	3	Horizontal	37	2.83	-	36.77	5.95	33.42
PK	7.1255G	69.42	88.20	-18.78	60.00	3	Horizontal	37	2.83	-	36.90	5.96	33.44
RMS	7.1255G	58.76	68.20	-9.44	49.34	3	Horizontal	37	2.83	-	36.90	5.96	33.44



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7115MHz\_TnomVnom




EUTY\_2TX  
Setting 9  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2181G	58.63	88.20	-29.57	44.11	3	Vertical	218	1.08	-	40.76	8.65	34.89
RMS	14.2076G	45.67	68.20	-22.53	31.13	3	Vertical	218	1.08	-	40.78	8.65	34.89

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7115MHz\_TnomVnom




EUTY\_2TX  
Setting 9  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2159G	58.39	88.20	-29.81	43.86	3	Horizontal	59	1.76	-	40.77	8.65	34.89
RMS	14.2053G	45.57	68.20	-22.63	31.02	3	Horizontal	59	1.76	-	40.79	8.65	34.89

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 7115MHz\_TnomVnom




EUTY\_2TX  
Setting 9  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.333G	55.37	83.54	-28.17	52.30	1	Vertical	248	1.97	-	37.70	15.00	49.63
AV	21.3665G	42.46	63.54	-21.08	39.33	1	Vertical	248	1.97	-	37.74	15.02	49.63

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 7115MHz\_TnomVnom




EUTY\_2TX  
Setting 9  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.37G	55.50	83.54	-28.04	52.36	1	Horizontal	86	2.66	-	37.74	15.03	49.63
AV	21.3649G	42.37	63.54	-21.17	39.24	1	Horizontal	86	2.66	-	37.74	15.02	49.63

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5965MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9182G	60.26	88.20	-27.94	53.24	3	Vertical	61	1.77	-	35.01	5.36	33.35
RMS	5.9194G	49.36	68.20	-18.84	42.33	3	Vertical	61	1.77	-	35.02	5.36	33.35
PK	5.9686G	110.51	Inf	-Inf	103.23	3	Vertical	61	1.77	-	35.27	5.38	33.37
RMS	5.9686G	99.89	Inf	-Inf	92.61	3	Vertical	61	1.77	-	35.27	5.38	33.37

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5965MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	60.36	88.20	-27.84	53.30	3	Horizontal	292	1.80	-	35.05	5.36	33.35
RMS	5.9234G	49.73	68.20	-18.47	42.68	3	Horizontal	292	1.80	-	35.04	5.36	33.35
PK	5.963G	109.80	Inf	-Inf	102.54	3	Horizontal	292	1.80	-	35.25	5.38	33.37
RMS	5.963G	99.38	Inf	-Inf	92.12	3	Horizontal	292	1.80	-	35.25	5.38	33.37

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5965MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9197G	55.67	74.00	-18.33	42.51	3	Vertical	233	2.68	-	39.14	8.94	34.92
AV	11.9192G	41.90	54.00	-12.10	28.74	3	Vertical	233	2.68	-	39.14	8.94	34.92
PK	17.8719G	61.66	74.00	-12.34	44.74	3	Vertical	29	1.19	-	41.92	9.76	34.76
AV	17.9152G	48.44	54.00	-5.56	31.44	3	Vertical	29	1.19	-	42.02	9.77	34.79

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5965MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9081G	55.41	74.00	-18.59	42.21	3	Horizontal	280	2.10	-	39.18	8.94	34.92
AV	11.9247G	41.89	54.00	-12.11	28.73	3	Horizontal	280	2.10	-	39.13	8.95	34.92
PK	17.92G	61.65	74.00	-12.35	44.65	3	Horizontal	179	2.72	-	42.02	9.77	34.79
AV	17.9187G	48.60	54.00	-5.40	31.60	3	Horizontal	179	2.72	-	42.02	9.77	34.79



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6165MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8898G	59.37	88.20	-28.83	52.49	3	Vertical	64	1.67	-	34.88	5.34	33.34
RMS	5.9218G	46.22	68.20	-21.98	39.18	3	Vertical	64	1.67	-	35.03	5.36	33.35
PK	6.1682G	108.77	Inf	-Inf	100.96	3	Vertical	64	1.67	-	35.51	5.57	33.27
RMS	6.157G	96.22	Inf	-Inf	88.49	3	Vertical	64	1.67	-	35.44	5.56	33.27

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6165MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8338G	58.58	88.20	-29.62	51.87	3	Horizontal	14	2.86	-	34.70	5.32	33.31
RMS	5.917G	46.20	68.20	-22.00	39.19	3	Horizontal	14	2.86	-	35.00	5.36	33.35
PK	6.1666G	101.78	Inf	-Inf	93.98	3	Horizontal	14	2.86	-	35.50	5.57	33.27
RMS	6.157G	91.21	Inf	-Inf	83.48	3	Horizontal	14	2.86	-	35.44	5.56	33.27

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6165MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32788G	54.64	74.00	-19.36	41.78	3	Vertical	110	2.00	-	38.78	8.93	34.85
AV	12.33372G	41.14	54.00	-12.86	28.26	3	Vertical	110	2.00	-	38.80	8.93	34.85

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6165MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33336G	54.91	74.00	-19.09	42.03	3	Horizontal	311	2.86	-	38.80	8.93	34.85
AV	12.33046G	41.17	54.00	-12.83	28.30	3	Horizontal	311	2.86	-	38.79	8.93	34.85

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6165MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4927G	57.35	83.54	-26.19	55.74	1	Vertical	292	2.52	-	37.79	13.92	50.10
AV	18.4955G	44.13	63.54	-19.41	42.52	1	Vertical	292	2.52	-	37.79	13.92	50.10

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6165MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4977G	57.77	83.54	-25.77	56.15	1	Horizontal	65	2.85	-	37.80	13.92	50.10
AV	18.4728G	44.21	63.54	-19.33	42.63	1	Horizontal	65	2.85	-	37.77	13.92	50.11

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8926G	58.77	88.20	-29.43	51.87	3	Vertical	323	1.68	-	34.89	5.35	33.34
RMS	5.8982G	46.25	68.20	-21.95	39.34	3	Vertical	323	1.68	-	34.90	5.35	33.34
PK	6.4106G	106.69	Inf	-Inf	98.41	3	Vertical	323	1.68	-	35.68	5.70	33.10
RMS	6.3994G	95.87	Inf	-Inf	87.58	3	Vertical	323	1.68	-	35.70	5.70	33.11

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6405MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8002G	58.37	88.20	-29.83	51.87	3	Horizontal	19	2.79	-	34.50	5.30	33.30
RMS	5.8758G	46.19	68.20	-22.01	39.33	3	Horizontal	19	2.79	-	34.85	5.34	33.33
PK	6.4162G	102.36	Inf	-Inf	94.09	3	Horizontal	19	2.79	-	35.67	5.70	33.10
RMS	6.405G	90.66	Inf	-Inf	82.37	3	Horizontal	19	2.79	-	35.69	5.70	33.10



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80966G	55.10	88.20	-33.10	41.59	3	Vertical	98	1.55	-	39.41	8.84	34.74
RMS	12.8126G	41.45	68.20	-26.75	27.94	3	Vertical	98	1.55	-	39.41	8.84	34.74

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8068G	55.08	88.20	-33.12	41.57	3	Horizontal	79	1.13	-	39.41	8.84	34.74
RMS	12.8114G	41.41	68.20	-26.79	27.90	3	Horizontal	79	1.13	-	39.41	8.84	34.74

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2015G	55.19	83.54	-28.35	53.11	1	Vertical	245	1.37	-	37.76	13.96	49.64
AV	19.2251G	41.53	63.54	-22.01	39.49	1	Vertical	245	1.37	-	37.73	13.96	49.65

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2257G	54.95	83.54	-28.59	52.91	1	Horizontal	264	1.82	-	37.73	13.96	49.65
AV	19.2274G	41.50	63.54	-22.04	39.46	1	Horizontal	264	1.82	-	37.73	13.96	49.65

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8754G	58.67	88.20	-29.53	51.81	3	Vertical	322	1.65	-	34.85	5.34	33.33
RMS	5.925G	46.24	68.20	-21.96	39.18	3	Vertical	322	1.65	-	35.05	5.36	33.35
PK	6.4386G	107.99	Inf	-Inf	99.75	3	Vertical	322	1.65	-	35.62	5.70	33.08
RMS	6.4482G	95.63	Inf	-Inf	87.41	3	Vertical	322	1.65	-	35.60	5.70	33.08
PK	7.213G	61.46	88.20	-26.74	51.67	3	Vertical	322	1.65	-	37.33	6.01	33.55
RMS	7.2066G	49.64	68.20	-18.56	39.87	3	Vertical	322	1.65	-	37.31	6.00	33.54

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUTV\_2TX  
Setting 12.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7922G	58.71	88.20	-29.49	52.23	3	Horizontal	19	3.00	-	34.48	5.30	33.30
RMS	5.8882G	46.25	68.20	-21.95	39.37	3	Horizontal	19	3.00	-	34.88	5.34	33.34
PK	6.4578G	101.11	Inf	-Inf	92.85	3	Horizontal	19	3.00	-	35.63	5.70	33.07
RMS	6.4354G	89.90	Inf	-Inf	81.65	3	Horizontal	19	3.00	-	35.63	5.70	33.08
PK	7.149G	61.35	88.20	-26.85	51.76	3	Horizontal	19	3.00	-	37.09	5.97	33.47
RMS	7.2226G	49.66	68.20	-18.54	39.86	3	Horizontal	19	3.00	-	37.35	6.01	33.56

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6445MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88596G	55.09	88.20	-33.11	41.50	3	Vertical	322	2.28	-	39.49	8.82	34.72
RMS	12.88558G	41.75	68.20	-26.45	28.16	3	Vertical	322	2.28	-	39.49	8.82	34.72

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89326G	55.75	88.20	-32.45	42.16	3	Horizontal	25	1.38	-	39.49	8.82	34.72
RMS	12.88742G	41.63	68.20	-26.57	28.04	3	Horizontal	25	1.38	-	39.49	8.82	34.72



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3289G	55.32	83.54	-28.22	53.26	1	Vertical	43	1.51	-	37.76	13.97	49.67
AV	19.3308G	41.82	63.54	-21.72	39.76	1	Vertical	43	1.51	-	37.76	13.97	49.67

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 6445MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3304G	55.38	83.54	-28.16	53.32	1	Horizontal	292	1.67	-	37.76	13.97	49.67
AV	19.3225G	41.83	63.54	-21.71	39.76	1	Horizontal	292	1.67	-	37.76	13.97	49.66

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 6485MHz\_TnomVnom




EUT\_V\_2TX  
Setting 12.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.807G	57.98	88.20	-30.22	51.44	3	Vertical	322	1.72	-	34.54	5.30	33.30
RMS	5.921G	46.26	68.20	-21.94	39.22	3	Vertical	322	1.72	-	35.03	5.36	33.35
PK	6.5G	107.01	Inf	-Inf	98.55	3	Vertical	322	1.72	-	35.80	5.70	33.04
RMS	6.488G	95.99	Inf	-Inf	87.59	3	Vertical	322	1.72	-	35.75	5.70	33.05
PK	7.202G	61.33	88.20	-26.87	51.56	3	Vertical	322	1.72	-	37.30	6.00	33.53
RMS	7.196G	49.69	68.20	-18.51	39.94	3	Vertical	322	1.72	-	37.28	6.00	33.53

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6485MHz\_TnomVnom




EUT\_V\_2TX  
Setting 12.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.768G	58.84	88.20	-29.36	52.39	3	Horizontal	19	2.72	-	34.44	5.30	33.29
RMS	5.921G	46.25	68.20	-21.95	39.21	3	Horizontal	19	2.72	-	35.03	5.36	33.35
PK	6.494G	100.30	Inf	-Inf	91.86	3	Horizontal	19	2.72	-	35.78	5.70	33.04
RMS	6.485G	89.79	Inf	-Inf	81.40	3	Horizontal	19	2.72	-	35.74	5.70	33.05
PK	7.196G	62.51	88.20	-25.69	52.76	3	Horizontal	19	2.72	-	37.28	6.00	33.53
RMS	7.205G	49.58	68.20	-18.62	39.81	3	Horizontal	19	2.72	-	37.31	6.00	33.54

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6485MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96704G	55.14	88.20	-33.06	41.41	3	Vertical	258	1.51	-	39.63	8.81	34.71
RMS	12.9744G	41.87	68.20	-26.33	28.12	3	Vertical	258	1.51	-	39.65	8.81	34.71

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6485MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97354G	55.48	88.20	-32.72	41.73	3	Horizontal	46	2.69	-	39.65	8.81	34.71
RMS	12.97462G	41.92	68.20	-26.28	28.17	3	Horizontal	46	2.69	-	39.65	8.81	34.71

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6485MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4488G	55.71	83.54	-27.83	53.57	1	Vertical	195	1.74	-	37.86	13.97	49.69
AV	19.4788G	41.91	63.54	-21.63	39.76	1	Vertical	195	1.74	-	37.88	13.97	49.70

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6485MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.443G	55.46	83.54	-28.08	53.33	1	Horizontal	351	2.37	-	37.85	13.97	49.69
AV	19.4694G	41.96	63.54	-21.58	39.80	1	Horizontal	351	2.37	-	37.88	13.97	49.69




**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUTV\_2TX  
 Setting 12  
 04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.839G	58.29	88.20	-29.91	51.56	3	Vertical	323	1.64	-	34.73	5.32	33.32
RMS	5.9174G	46.31	68.20	-21.89	39.30	3	Vertical	323	1.64	-	35.00	5.36	33.35
PK	6.5278G	106.93	Inf	-Inf	98.37	3	Vertical	323	1.64	-	35.91	5.70	33.05
RMS	6.5278G	95.65	Inf	-Inf	87.09	3	Vertical	323	1.64	-	35.91	5.70	33.05
PK	7.2166G	61.76	88.20	-26.44	51.97	3	Vertical	323	1.64	-	37.33	6.01	33.55
RMS	7.2138G	49.60	68.20	-18.60	39.81	3	Vertical	323	1.64	-	37.33	6.01	33.55

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUTY\_2TX  
 Setting 12  
 04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8614G	59.18	88.20	-29.02	52.35	3	Horizontal	357	2.69	-	34.82	5.33	33.32
RMS	5.925G	46.23	68.20	-21.97	39.17	3	Horizontal	357	2.69	-	35.05	5.36	33.35
PK	6.539G	103.21	Inf	-Inf	94.61	3	Horizontal	357	2.69	-	35.96	5.70	33.06
RMS	6.5278G	90.77	Inf	-Inf	82.21	3	Horizontal	357	2.69	-	35.91	5.70	33.05
PK	7.2222G	61.94	88.20	-26.26	52.15	3	Horizontal	357	2.69	-	37.34	6.01	33.56
RMS	7.2222G	49.64	68.20	-18.56	39.85	3	Horizontal	357	2.69	-	37.34	6.01	33.56

802.11ax HEW40\_Nss1,(MCS0)\_2TX


6525MHz Straddle 6.425-6.525GHz\_TnomVnom



EUTY\_2TX  
Setting 12  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05158G	56.35	88.20	-31.85	42.56	3	Vertical	28	1.51	-	39.70	8.79	34.70
RMS	13.0456G	42.75	68.20	-25.45	28.96	3	Vertical	28	1.51	-	39.70	8.79	34.70


**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUTY\_2TX  
 Setting 12  
 04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04536G	56.72	88.20	-31.48	42.93	3	Horizontal	225	1.37	-	39.70	8.79	34.70
RMS	13.04582G	42.78	68.20	-25.42	28.99	3	Horizontal	225	1.37	-	39.70	8.79	34.70


**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUTY\_2TX  
 Setting 12  
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5673G	56.03	83.54	-27.51	53.88	1	Vertical	111	2.68	-	37.87	13.98	49.70
AV	19.5637G	42.58	63.54	-20.96	40.43	1	Vertical	111	2.68	-	37.87	13.98	49.70

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUTY\_2TX  
 Setting 12  
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5719G	56.12	83.54	-27.42	53.97	1	Horizontal	28	2.01	-	37.87	13.98	49.70
AV	19.5723G	42.58	63.54	-20.96	40.43	1	Horizontal	28	2.01	-	37.87	13.98	49.70

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TnomVnom




EUTY\_2TX  
Setting 12  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5578G	107.46	Inf	-Inf	98.81	3	Vertical	326	1.70	-	36.02	5.70	33.07
RMS	6.5602G	95.34	Inf	-Inf	86.69	3	Vertical	326	1.70	-	36.02	5.70	33.07
PK	7.1362G	62.02	88.20	-26.18	52.51	3	Vertical	326	1.70	-	36.99	5.97	33.45
RMS	7.1602G	49.38	68.20	-18.82	39.74	3	Vertical	326	1.70	-	37.14	5.98	33.48

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TnomVnom




EUTY\_2TX  
Setting 12  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5578G	101.61	Inf	-Inf	92.96	3	Horizontal	360	3.00	-	36.02	5.70	33.07
RMS	6.5578G	91.07	Inf	-Inf	82.42	3	Horizontal	360	3.00	-	36.02	5.70	33.07
PK	7.1626G	61.98	88.20	-26.22	52.34	3	Horizontal	360	3.00	-	37.15	5.98	33.49
RMS	7.1338G	49.46	68.20	-18.74	39.97	3	Horizontal	360	3.00	-	36.97	5.97	33.45



802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TnomVnom




EUTY\_2TX  
Setting 12  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12562G	56.33	88.20	-31.87	42.52	3	Vertical	320	2.29	-	39.75	8.77	34.71
RMS	13.13322G	42.58	68.20	-25.62	28.75	3	Vertical	320	2.29	-	39.77	8.77	34.71

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6565MHz\_TnomVnom




EUTY\_2TX  
Setting 12  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13322G	56.37	88.20	-31.83	42.54	3	Horizontal	68	2.34	-	39.77	8.77	34.71
RMS	13.12658G	42.61	68.20	-25.59	28.80	3	Horizontal	68	2.34	-	39.75	8.77	34.71

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6565MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.7121G	55.93	83.54	-27.61	53.82	1	Vertical	22	1.14	-	37.82	13.99	49.70
AV	19.72G	42.88	63.54	-20.66	40.78	1	Vertical	22	1.14	-	37.81	13.99	49.70

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6565MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.7119G	57.21	83.54	-26.33	55.10	1	Horizontal	191	1.73	-	37.82	13.99	49.70
AV	19.7044G	42.77	63.54	-20.77	40.66	1	Horizontal	191	1.73	-	37.82	13.99	49.70

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6685MHz\_TnomVnom




EUTY\_2TX  
Setting 11.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.677G	105.79	Inf	-Inf	97.02	3	Vertical	325	1.64	-	36.20	5.70	33.13
RMS	6.679G	94.48	Inf	-Inf	85.71	3	Vertical	325	1.64	-	36.20	5.70	33.13
PK	7.149G	62.40	88.20	-25.80	52.81	3	Vertical	325	1.64	-	37.09	5.97	33.47
RMS	7.131G	49.46	68.20	-18.74	39.99	3	Vertical	325	1.64	-	36.95	5.97	33.45

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TnomVnom




EUTY\_2TX  
Setting 11.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.683G	101.24	Inf	-Inf	92.47	3	Horizontal	13	2.30	-	36.20	5.70	33.13
RMS	6.683G	89.17	Inf	-Inf	80.40	3	Horizontal	13	2.30	-	36.20	5.70	33.13
PK	7.127G	61.28	88.20	-26.92	51.84	3	Horizontal	13	2.30	-	36.92	5.96	33.44
RMS	7.177G	49.51	68.20	-18.69	39.81	3	Horizontal	13	2.30	-	37.21	5.99	33.50

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6685MHz\_TnomVnom




EUTY\_2TX  
Setting 11.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36666G	56.32	74.00	-17.68	42.17	3	Vertical	69	2.11	-	40.13	8.73	34.71
AV	13.36816G	42.93	54.00	-11.07	28.77	3	Vertical	69	2.11	-	40.14	8.73	34.71

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 6685MHz\_TnomVnom




EUTY\_2TX  
Setting 11.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36688G	56.93	74.00	-17.07	42.78	3	Horizontal	14	1.10	-	40.13	8.73	34.71
AV	13.37414G	42.99	54.00	-11.01	28.82	3	Horizontal	14	1.10	-	40.15	8.73	34.71



802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TnomVnom




EUTY\_2TX  
Setting 11.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0493G	56.34	83.54	-27.20	54.58	1	Vertical	256	1.31	-	37.44	14.04	49.72
AV	20.0721G	42.80	63.54	-20.74	41.02	1	Vertical	256	1.31	-	37.46	14.05	49.73

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6685MHz\_TnomVnom




EUTY\_2TX  
Setting 11.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0421G	56.33	83.54	-27.21	54.59	1	Horizontal	86	2.56	-	37.43	14.03	49.72
AV	20.0749G	42.81	63.54	-20.73	41.02	1	Horizontal	86	2.56	-	37.46	14.06	49.73

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TnomVnom




20/11/2021

EUTY\_2TX  
Setting 13.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8482G	107.71	Inf	-Inf	98.58	3	Vertical	320	1.70	-	36.59	5.75	33.21
RMS	6.8482G	95.20	Inf	-Inf	86.07	3	Vertical	320	1.70	-	36.59	5.75	33.21
PK	7.1698G	61.87	88.20	-26.33	52.20	3	Vertical	320	1.70	-	37.18	5.98	33.49
RMS	7.2018G	49.71	68.20	-18.49	39.94	3	Vertical	320	1.70	-	37.30	6.00	33.53

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6845MHz\_TnomVnom




EUTY\_2TX  
Setting 13.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8402G	101.83	Inf	-Inf	92.76	3	Horizontal	39	2.32	-	36.54	5.74	33.21
RMS	6.8482G	89.37	Inf	-Inf	80.24	3	Horizontal	39	2.32	-	36.59	5.75	33.21
PK	7.229G	61.72	88.20	-26.48	51.91	3	Horizontal	39	2.32	-	37.36	6.01	33.56
RMS	7.2034G	49.61	68.20	-18.59	39.83	3	Horizontal	39	2.32	-	37.31	6.00	33.53

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 6845MHz\_TnomVnom




EUTY\_2TX  
Setting 13.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68758G	58.27	88.20	-29.93	44.03	3	Vertical	278	1.74	-	40.38	8.66	34.80
RMS	13.6921G	44.67	68.20	-23.53	30.43	3	Vertical	278	1.74	-	40.38	8.66	34.80

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 6845MHz\_TnomVnom




EUTY\_2TX  
Setting 13.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69272G	58.40	88.20	-29.80	44.15	3	Horizontal	213	2.32	-	40.39	8.66	34.80
RMS	13.685G	44.52	68.20	-23.68	30.29	3	Horizontal	213	2.32	-	40.37	8.66	34.80

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6845MHz\_TnomVnom




EUTY\_2TX  
Setting 13.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5138G	57.17	83.54	-26.37	54.95	1	Vertical	196	2.52	-	37.72	14.39	49.89
AV	20.5326G	43.92	63.54	-19.62	41.67	1	Vertical	196	2.52	-	37.74	14.40	49.89

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6845MHz\_TnomVnom




EUTY\_2TX  
Setting 13.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5105G	57.81	83.54	-25.73	55.62	1	Horizontal	349	1.67	-	37.71	14.38	49.90
AV	20.527G	43.93	63.54	-19.61	41.69	1	Horizontal	349	1.67	-	37.73	14.40	49.89



**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_2TX  
 Setting 13  
 04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8738G	107.53	Inf	-Inf	98.49	3	Vertical	282	2.30	-	36.50	5.77	33.23
RMS	6.8836G	95.71	Inf	-Inf	86.69	3	Vertical	282	2.30	-	36.47	5.78	33.23
PK	7.1832G	62.69	88.20	-25.51	52.98	3	Vertical	282	2.30	-	37.23	5.99	33.51
RMS	7.214G	49.63	68.20	-18.57	39.84	3	Vertical	282	2.30	-	37.33	6.01	33.55

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUTY\_2TX  
Setting 13  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8822G	102.32	Inf	-Inf	93.30	3	Horizontal	30	2.97	-	36.47	5.78	33.23
RMS	6.8808G	91.21	Inf	-Inf	82.18	3	Horizontal	30	2.97	-	36.48	5.78	33.23
PK	7.2042G	62.17	88.20	-26.03	52.40	3	Horizontal	30	2.97	-	37.31	6.00	33.54
RMS	7.2028G	49.85	68.20	-18.35	40.07	3	Horizontal	30	2.97	-	37.31	6.00	33.53

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TnomVnom




20/11/2021

EUTY\_2TX  
Setting 13  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7748G	57.37	88.20	-30.83	43.09	3	Vertical	103	1.40	-	40.47	8.65	34.84
RMS	13.77118G	44.18	68.20	-24.02	29.89	3	Vertical	103	1.40	-	40.47	8.65	34.83

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**




20/11/2021

EUTY\_2TX  
 Setting 13  
 04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76998G	57.38	88.20	-30.82	43.09	3	Horizontal	358	1.87	-	40.47	8.65	34.83
RMS	13.76602G	44.02	68.20	-24.18	29.73	3	Horizontal	358	1.87	-	40.47	8.65	34.83


**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUTY\_2TX  
 Setting 13  
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6353G	56.46	83.54	-27.08	53.97	1	Vertical	106	1.19	-	37.86	14.48	49.85
AV	20.6688G	42.91	63.54	-20.63	40.34	1	Vertical	106	1.19	-	37.90	14.50	49.83

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_2TX  
 Setting 13  
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6677G	56.05	83.54	-27.49	53.48	1	Horizontal	70	1.72	-	37.90	14.50	49.83
AV	20.6672G	42.93	63.54	-20.61	40.36	1	Horizontal	70	1.72	-	37.90	14.50	49.83

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6925MHz\_TnomVnom




EUTY\_2TX  
Setting 13  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9334G	109.57	Inf	-Inf	100.33	3	Vertical	285	2.21	-	36.67	5.83	33.26
RMS	6.9226G	95.95	Inf	-Inf	86.80	3	Vertical	285	2.21	-	36.58	5.82	33.25
PK	7.2022G	62.49	88.20	-25.71	52.72	3	Vertical	285	2.21	-	37.30	6.00	33.53
RMS	7.1998G	49.58	68.20	-18.62	39.81	3	Vertical	285	2.21	-	37.30	6.00	33.53

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6925MHz\_TnomVnom




EUTY\_2TX  
Setting 13  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.931G	107.84	Inf	-Inf	98.62	3	Horizontal	283	1.90	-	36.65	5.83	33.26
RMS	6.9226G	95.80	Inf	-Inf	86.65	3	Horizontal	283	1.90	-	36.58	5.82	33.25
PK	7.219G	62.54	88.20	-25.66	52.74	3	Horizontal	283	1.90	-	37.34	6.01	33.55
RMS	7.1986G	49.65	68.20	-18.55	39.89	3	Horizontal	283	1.90	-	37.29	6.00	33.53



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 6925MHz\_TnomVnom




EUTY\_2TX  
Setting 13  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8452G	57.84	88.20	-30.36	43.52	3	Vertical	91	2.12	-	40.55	8.63	34.86
RMS	13.8506G	44.00	68.20	-24.20	29.69	3	Vertical	91	2.12	-	40.55	8.63	34.87

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 6925MHz\_TnomVnom




EUTY\_2TX  
Setting 13  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.853G	58.98	88.20	-29.22	44.67	3	Horizontal	243	1.91	-	40.55	8.63	34.87
RMS	13.8537G	43.99	68.20	-24.21	29.68	3	Horizontal	243	1.91	-	40.55	8.63	34.87

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 6925MHz\_TnomVnom




EUTY\_2TX  
Setting 13  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7902G	58.10	83.54	-25.44	55.35	1	Vertical	45	1.35	-	37.94	14.59	49.78
AV	20.7971G	44.11	63.54	-19.43	41.37	1	Vertical	45	1.35	-	37.92	14.60	49.78

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6925MHz\_TnomVnom




EUTY\_2TX  
Setting 13  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7971G	57.55	83.54	-25.99	54.81	1	Horizontal	252	2.44	-	37.92	14.60	49.78
AV	20.7949G	44.15	63.54	-19.39	41.40	1	Horizontal	252	2.44	-	37.93	14.60	49.78

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7005MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0026G	107.86	Inf	-Inf	98.64	3	Vertical	282	1.72	-	36.61	5.90	33.29
RMS	7.001G	96.11	Inf	-Inf	86.90	3	Vertical	282	1.72	-	36.60	5.90	33.29
PK	7.1386G	62.57	88.20	-25.63	53.05	3	Vertical	282	1.72	-	37.01	5.97	33.46
RMS	7.1962G	49.62	68.20	-18.58	39.87	3	Vertical	282	1.72	-	37.28	6.00	33.53

802.11ax HEW40\_Nss1,(MCS0)\_2TX

7005MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9994G	103.47	Inf	-Inf	94.26	3	Horizontal	33	2.54	-	36.60	5.90	33.29
RMS	7.009G	91.96	Inf	-Inf	82.72	3	Horizontal	33	2.54	-	36.64	5.90	33.30
PK	7.1394G	62.09	88.20	-26.11	52.56	3	Horizontal	33	2.54	-	37.02	5.97	33.46
RMS	7.2026G	49.77	68.20	-18.43	39.99	3	Horizontal	33	2.54	-	37.31	6.00	33.53

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 7005MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00806G	59.82	88.20	-28.38	45.25	3	Vertical	188	1.57	-	40.90	8.60	34.93
RMS	14.0058G	45.62	68.20	-22.58	31.05	3	Vertical	188	1.57	-	40.90	8.60	34.93

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7005MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01232G	59.24	88.20	-28.96	44.67	3	Horizontal	143	1.06	-	40.90	8.60	34.93
RMS	14.0083G	45.66	68.20	-22.54	31.09	3	Horizontal	143	1.06	-	40.90	8.60	34.93



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7005MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0228G	55.28	83.54	-28.26	52.61	1	Vertical	2	1.38	-	37.60	14.77	49.70
AV	21.0307G	41.73	63.54	-21.81	39.05	1	Vertical	2	1.38	-	37.60	14.77	49.69

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 7005MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0272G	54.84	83.54	-28.70	52.16	1	Horizontal	220	1.81	-	37.60	14.77	49.69
AV	21.0272G	41.69	63.54	-21.85	39.01	1	Horizontal	220	1.81	-	37.60	14.77	49.69

802.11ax HEW40\_Nss1,(MCS0)\_2TX

7085MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0918G	109.83	Inf	-Inf	100.56	3	Vertical	282	1.71	-	36.72	5.95	33.40
RMS	7.0818G	99.22	Inf	-Inf	89.93	3	Vertical	282	1.71	-	36.74	5.94	33.39
PK	7.1302G	63.62	88.20	-24.58	54.16	3	Vertical	282	1.71	-	36.94	5.97	33.45
RMS	7.1302G	52.90	68.20	-15.30	43.44	3	Vertical	282	1.71	-	36.94	5.97	33.45

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7085MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0818G	105.17	Inf	-Inf	95.88	3	Horizontal	20	3.00	-	36.74	5.94	33.39
RMS	7.0822G	94.75	Inf	-Inf	85.46	3	Horizontal	20	3.00	-	36.74	5.94	33.39
PK	7.1566G	62.93	88.20	-25.27	53.30	3	Horizontal	20	3.00	-	37.13	5.98	33.48
RMS	7.1306G	52.06	68.20	-16.14	42.60	3	Horizontal	20	3.00	-	36.94	5.97	33.45

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7085MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17374G	59.28	88.20	-28.92	44.71	3	Vertical	207	2.21	-	40.83	8.64	34.90
RMS	14.16726G	45.48	68.20	-22.72	30.91	3	Vertical	207	2.21	-	40.83	8.64	34.90

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 7085MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17302G	59.10	88.20	-29.10	44.53	3	Horizontal	14	2.88	-	40.83	8.64	34.90
RMS	14.1668G	45.47	68.20	-22.73	30.90	3	Horizontal	14	2.88	-	40.83	8.64	34.90

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 7085MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2684G	53.85	83.54	-29.69	50.93	1	Vertical	359	2.20	-	37.62	14.95	49.65
AV	21.2794G	40.97	63.54	-22.57	38.01	1	Vertical	359	2.20	-	37.64	14.96	49.64

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7085MHz\_TnomVnom




EUTY\_2TX  
Setting 12.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2796G	53.93	83.54	-29.61	50.97	1	Horizontal	353	2.08	-	37.64	14.96	49.64
AV	21.2797G	40.95	63.54	-22.59	37.99	1	Horizontal	353	2.08	-	37.64	14.96	49.64



### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 5985MHz\_TnomVnom




EUTY\_2TX  
Setting 15.5  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9074G	68.03	88.20	-20.17	61.08	3	Vertical	66	1.80	-	34.94	5.35	33.34
RMS	5.9186G	55.78	68.20	-12.42	48.76	3	Vertical	66	1.80	-	35.01	5.36	33.35
PK	6.0082G	109.41	Inf	-Inf	101.97	3	Vertical	66	1.80	-	35.40	5.41	33.37
RMS	5.9882G	99.10	Inf	-Inf	91.74	3	Vertical	66	1.80	-	35.35	5.39	33.38

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 5985MHz\_TnomVnom




EUTY\_2TX  
Setting 15.5  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	61.93	88.20	-26.27	54.89	3	Horizontal	32	2.15	-	35.03	5.36	33.35
RMS	5.9218G	50.67	68.20	-17.53	43.63	3	Horizontal	32	2.15	-	35.03	5.36	33.35
PK	5.9826G	100.67	Inf	-Inf	93.32	3	Horizontal	32	2.15	-	35.33	5.39	33.37
RMS	5.9714G	90.67	Inf	-Inf	83.36	3	Horizontal	32	2.15	-	35.29	5.39	33.37

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 5985MHz\_TnomVnom




EUTY\_2TX  
Setting 15.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96594G	55.86	74.00	-18.14	42.82	3	Vertical	115	1.84	-	39.00	8.98	34.94
AV	11.96538G	41.45	54.00	-12.55	28.41	3	Vertical	115	1.84	-	39.00	8.98	34.94
PK	17.95224G	61.94	74.00	-12.06	44.92	3	Vertical	76	1.14	-	42.05	9.78	34.81
AV	17.95144G	48.04	54.00	-5.96	31.02	3	Vertical	76	1.14	-	42.05	9.78	34.81

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5985MHz\_TnomVnom




EUTY\_2TX  
Setting 15.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97144G	55.53	74.00	-18.47	42.50	3	Horizontal	149	1.88	-	38.99	8.98	34.94
AV	11.96744G	41.45	54.00	-12.55	28.41	3	Horizontal	149	1.88	-	39.00	8.98	34.94
PK	17.95456G	62.02	74.00	-11.98	45.01	3	Horizontal	22	1.64	-	42.05	9.78	34.82
AV	17.95914G	47.98	54.00	-6.02	30.95	3	Horizontal	22	1.64	-	42.06	9.79	34.82

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6145MHz\_TnomVnom




EUTY\_2TX  
Setting 15.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.761G	58.14	88.20	-30.06	51.70	3	Vertical	292	1.80	-	34.42	5.30	33.28
RMS	5.921G	47.78	68.20	-20.42	40.74	3	Vertical	292	1.80	-	35.03	5.36	33.35
PK	6.153G	108.72	Inf	-Inf	101.03	3	Vertical	292	1.80	-	35.42	5.55	33.28
RMS	6.1434G	98.21	Inf	-Inf	90.54	3	Vertical	292	1.80	-	35.41	5.54	33.28

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6145MHz\_TnomVnom




EUTY\_2TX  
Setting 15.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	59.13	88.20	-29.07	52.17	3	Horizontal	20	2.98	-	34.95	5.35	33.34
RMS	5.9226G	47.67	68.20	-20.53	40.62	3	Horizontal	20	2.98	-	35.04	5.36	33.35
PK	6.137G	102.93	Inf	-Inf	95.25	3	Horizontal	20	2.98	-	35.43	5.54	33.29
RMS	6.1466G	93.27	Inf	-Inf	85.59	3	Horizontal	20	2.98	-	35.41	5.55	33.28

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6145MHz\_TnomVnom




EUTY\_2TX  
Setting 15.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29016G	54.72	74.00	-19.28	41.93	3	Vertical	3	2.99	-	38.71	8.94	34.86
AV	12.28728G	41.06	54.00	-12.94	28.27	3	Vertical	3	2.99	-	38.71	8.94	34.86

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6145MHz\_TnomVnom




EUTY\_2TX  
Setting 15.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28598G	54.46	74.00	-19.54	41.67	3	Horizontal	54	2.04	-	38.71	8.94	34.86
AV	12.28932G	41.08	54.00	-12.92	28.29	3	Horizontal	54	2.04	-	38.71	8.94	34.86



802.11ax HEW80\_Nss1,(MCS0)\_2TX

6145MHz\_TnomVnom




EUTY\_2TX  
Setting 15.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4389G	57.98	83.54	-25.56	56.45	1	Vertical	105	2.41	-	37.73	13.92	50.12
AV	18.4293G	44.61	63.54	-18.93	43.10	1	Vertical	105	2.41	-	37.72	13.92	50.13

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6145MHz\_TnomVnom




EUTY\_2TX  
Setting 15.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4218G	58.49	83.54	-25.05	56.99	1	Horizontal	156	1.39	-	37.71	13.92	50.13
AV	18.4168G	44.54	63.54	-19.00	43.05	1	Horizontal	156	1.39	-	37.70	13.92	50.13

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6385MHz\_TnomVnom




EUTY\_2TX  
Setting 15  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	58.39	88.20	-29.81	51.44	3	Vertical	323	1.66	-	34.94	5.35	33.34
RMS	5.921G	47.66	68.20	-20.54	40.62	3	Vertical	323	1.66	-	35.03	5.36	33.35
PK	6.391G	108.12	Inf	-Inf	99.85	3	Vertical	323	1.66	-	35.68	5.70	33.11
RMS	6.389G	97.39	Inf	-Inf	89.14	3	Vertical	323	1.66	-	35.68	5.69	33.12

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6385MHz\_TnomVnom




EUTY\_2TX  
Setting 15  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.891G	58.17	88.20	-30.03	51.28	3	Horizontal	21	2.81	-	34.88	5.35	33.34
RMS	5.923G	47.67	68.20	-20.53	40.62	3	Horizontal	21	2.81	-	35.04	5.36	33.35
PK	6.385G	101.62	Inf	-Inf	93.38	3	Horizontal	21	2.81	-	35.67	5.69	33.12
RMS	6.375G	92.00	Inf	-Inf	83.78	3	Horizontal	21	2.81	-	35.65	5.69	33.12

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6385MHz\_TnomVnom




EUTY\_2TX  
Setting 15  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77048G	54.99	88.20	-33.21	41.52	3	Vertical	141	2.11	-	39.37	8.85	34.75
RMS	12.76992G	41.19	68.20	-27.01	27.72	3	Vertical	141	2.11	-	39.37	8.85	34.75

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6385MHz\_TnomVnom




EUTY\_2TX  
Setting 15  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77476G	55.00	88.20	-33.20	41.53	3	Horizontal	17	1.05	-	39.37	8.85	34.75
RMS	12.77476G	41.21	68.20	-26.99	27.74	3	Horizontal	17	1.05	-	39.37	8.85	34.75

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6385MHz\_TnomVnom




EUTY\_2TX  
Setting 15  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1344G	54.76	83.54	-28.78	52.59	1	Vertical	53	2.49	-	37.84	13.96	49.63
AV	19.1413G	41.28	63.54	-22.26	39.12	1	Vertical	53	2.49	-	37.83	13.96	49.63

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TnomVnom




EUTY\_2TX  
Setting 15  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1562G	54.85	83.54	-28.69	52.71	1	Horizontal	357	2.54	-	37.81	13.96	49.63
AV	19.1344G	41.37	63.54	-22.17	39.20	1	Horizontal	357	2.54	-	37.84	13.96	49.63



### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6465MHz\_TnomVnom




EUTY\_2TX  
Setting 15  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	58.48	88.20	-29.72	51.56	3	Vertical	323	1.79	-	34.91	5.35	33.34
RMS	5.9202G	47.68	68.20	-20.52	40.65	3	Vertical	323	1.79	-	35.02	5.36	33.35
PK	6.4698G	106.75	Inf	-Inf	98.43	3	Vertical	323	1.79	-	35.68	5.70	33.06
RMS	6.4698G	96.56	Inf	-Inf	88.24	3	Vertical	323	1.79	-	35.68	5.70	33.06

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6465MHz\_TnomVnom




EUTY\_2TX  
Setting 15  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	58.34	88.20	-29.86	51.31	3	Horizontal	15	3.00	-	35.02	5.36	33.35
RMS	5.9202G	47.63	68.20	-20.57	40.60	3	Horizontal	15	3.00	-	35.02	5.36	33.35
PK	6.4458G	100.27	Inf	-Inf	92.04	3	Horizontal	15	3.00	-	35.61	5.70	33.08
RMS	6.4458G	90.54	Inf	-Inf	82.31	3	Horizontal	15	3.00	-	35.61	5.70	33.08

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6465MHz\_TnomVnom




20/11/2021

EUTY\_2TX  
Setting 15  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9302G	55.92	88.20	-32.28	42.26	3	Vertical	270	1.32	-	39.56	8.81	34.71
RMS	12.93036G	41.59	68.20	-26.61	27.93	3	Vertical	270	1.32	-	39.56	8.81	34.71

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6465MHz\_TnomVnom




EUTY\_2TX  
Setting 15  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9308G	55.28	88.20	-32.92	41.62	3	Horizontal	209	2.99	-	39.56	8.81	34.71
RMS	12.92546G	41.59	68.20	-26.61	27.94	3	Horizontal	209	2.99	-	39.55	8.81	34.71

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6465MHz\_TnomVnom




EUTY\_2TX  
Setting 15  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4082G	55.17	83.54	-28.37	53.05	1	Vertical	35	2.23	-	37.83	13.97	49.68
AV	19.3729G	41.84	63.54	-21.70	39.74	1	Vertical	35	2.23	-	37.80	13.97	49.67

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX


### 6465MHz\_TnomVnom



EUTY\_2TX  
Setting 15  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4018G	54.92	83.54	-28.62	52.81	1	Horizontal	161	2.27	-	37.82	13.97	49.68
AV	19.3761G	41.83	63.54	-21.71	39.74	1	Horizontal	161	2.27	-	37.80	13.97	49.68


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUTY\_2TX  
 Setting 15  
 04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9094G	57.57	88.20	-30.63	50.60	3	Vertical	323	1.73	-	34.96	5.35	33.34
RMS	5.9234G	47.67	68.20	-20.53	40.62	3	Vertical	323	1.73	-	35.04	5.36	33.35
PK	6.5506G	106.21	Inf	-Inf	97.58	3	Vertical	323	1.73	-	36.00	5.70	33.07
RMS	6.5394G	97.72	Inf	-Inf	89.12	3	Vertical	323	1.73	-	35.96	5.70	33.06
PK	7.1806G	62.01	88.20	-26.19	52.31	3	Vertical	323	1.73	-	37.22	5.99	33.51
RMS	7.2338G	51.06	68.20	-17.14	41.24	3	Vertical	323	1.73	-	37.37	6.02	33.57

**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUTY\_2TX  
 Setting 15  
 04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	57.71	88.20	-30.49	50.68	3	Horizontal	349	3.00	-	35.02	5.36	33.35
RMS	5.9178G	47.66	68.20	-20.54	40.64	3	Horizontal	349	3.00	-	35.01	5.36	33.35
PK	6.5478G	102.22	Inf	-Inf	93.59	3	Horizontal	349	3.00	-	35.99	5.70	33.06
RMS	6.5394G	92.70	Inf	-Inf	84.10	3	Horizontal	349	3.00	-	35.96	5.70	33.06
PK	7.203G	61.69	88.20	-26.51	51.91	3	Horizontal	349	3.00	-	37.31	6.00	33.53
RMS	7.231G	51.00	68.20	-17.20	41.19	3	Horizontal	349	3.00	-	37.36	6.02	33.57



802.11ax HEW80\_Nss1,(MCS0)\_2TX


6545MHz Straddle 6.425-6.525GHz\_TnomVnom



EUTY\_2TX  
Setting 15  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0926G	56.38	88.20	-31.82	42.60	3	Vertical	299	1.46	-	39.70	8.78	34.70
RMS	13.08628G	42.63	68.20	-25.57	28.85	3	Vertical	299	1.46	-	39.70	8.78	34.70


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUTY\_2TX  
 Setting 15  
 04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09154G	56.35	88.20	-31.85	42.57	3	Horizontal	160	1.46	-	39.70	8.78	34.70
RMS	13.09006G	42.61	68.20	-25.59	28.83	3	Horizontal	160	1.46	-	39.70	8.78	34.70


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUTY\_2TX  
 Setting 15  
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6197G	56.27	83.54	-27.27	54.14	1	Vertical	0	2.94	-	37.85	13.98	49.70
AV	19.6561G	42.46	63.54	-21.08	40.34	1	Vertical	0	2.94	-	37.84	13.98	49.70

**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUTY\_2TX  
 Setting 15  
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.624G	55.80	83.54	-27.74	53.67	1	Horizontal	294	1.31	-	37.85	13.98	49.70
AV	19.6546G	42.53	63.54	-21.01	40.41	1	Horizontal	294	1.31	-	37.84	13.98	49.70

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6625MHz\_TnomVnom




EUTY\_2TX  
Setting 15  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6178G	107.81	Inf	-Inf	99.07	3	Vertical	324	1.80	-	36.14	5.70	33.10
RMS	6.6394G	97.23	Inf	-Inf	88.46	3	Vertical	324	1.80	-	36.18	5.70	33.11
PK	7.1314G	61.61	88.20	-26.59	52.14	3	Vertical	324	1.80	-	36.95	5.97	33.45
RMS	7.201G	51.01	68.20	-17.19	41.24	3	Vertical	324	1.80	-	37.30	6.00	33.53

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TnomVnom




EUTY\_2TX  
Setting 15  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6226G	102.01	Inf	-Inf	93.26	3	Horizontal	10	2.42	-	36.15	5.70	33.10
RMS	6.6226G	90.94	Inf	-Inf	82.19	3	Horizontal	10	2.42	-	36.15	5.70	33.10
PK	7.1554G	61.19	88.20	-27.01	51.57	3	Horizontal	10	2.42	-	37.12	5.98	33.48
RMS	7.1986G	51.01	68.20	-17.19	41.25	3	Horizontal	10	2.42	-	37.29	6.00	33.53

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TnomVnom




EUTY\_2TX  
Setting 15  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25452G	55.91	74.00	-18.09	41.92	3	Vertical	14	2.89	-	39.95	8.75	34.71
AV	13.25206G	42.38	54.00	-11.62	28.39	3	Vertical	14	2.89	-	39.95	8.75	34.71

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6625MHz\_TnomVnom




EUTY\_2TX  
Setting 15  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25444G	55.86	74.00	-18.14	41.87	3	Horizontal	244	1.57	-	39.95	8.75	34.71
AV	13.25384G	42.28	54.00	-11.72	28.29	3	Horizontal	244	1.57	-	39.95	8.75	34.71



### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6625MHz\_TnomVnom




EUTY\_2TX  
Setting 15  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8649G	56.06	83.54	-27.48	54.15	1	Vertical	351	1.08	-	37.62	13.99	49.70
AV	19.862G	42.99	63.54	-20.55	41.08	1	Vertical	351	1.08	-	37.62	13.99	49.70

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6625MHz\_TnomVnom




EUTY\_2TX  
Setting 15  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8936G	56.13	83.54	-27.41	54.27	1	Horizontal	196	1.92	-	37.57	13.99	49.70
AV	19.8502G	43.06	63.54	-20.48	41.13	1	Horizontal	196	1.92	-	37.64	13.99	49.70

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6705MHz\_TnomVnom




EUTY\_2TX  
Setting 14.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.699G	105.72	Inf	-Inf	96.96	3	Vertical	324	1.76	-	36.20	5.70	33.14
RMS	6.709G	95.99	Inf	-Inf	87.19	3	Vertical	324	1.76	-	36.24	5.70	33.14
PK	7.151G	62.85	88.20	-25.35	53.24	3	Vertical	324	1.76	-	37.10	5.98	33.47
RMS	7.195G	51.01	68.20	-17.19	41.25	3	Vertical	324	1.76	-	37.28	6.00	33.52

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TnomVnom




EUTY\_2TX  
Setting 14.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.683G	103.99	Inf	-Inf	95.22	3	Horizontal	29	3.00	-	36.20	5.70	33.13
RMS	6.693G	92.64	Inf	-Inf	83.88	3	Horizontal	29	3.00	-	36.20	5.70	33.14
PK	7.127G	61.46	88.20	-26.74	52.02	3	Horizontal	29	3.00	-	36.92	5.96	33.44
RMS	7.195G	51.04	68.20	-17.16	41.28	3	Horizontal	29	3.00	-	37.28	6.00	33.52

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TnomVnom




EUTY\_2TX  
Setting 14.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40838G	56.73	88.20	-31.47	42.53	3	Vertical	302	2.10	-	40.20	8.72	34.72
RMS	13.40758G	42.91	68.20	-25.29	28.71	3	Vertical	302	2.10	-	40.20	8.72	34.72

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TnomVnom




EUTY\_2TX  
Setting 14.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40856G	56.73	88.20	-31.47	42.53	3	Horizontal	316	2.98	-	40.20	8.72	34.72
RMS	13.40518G	42.80	68.20	-25.40	28.60	3	Horizontal	316	2.98	-	40.20	8.72	34.72

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6705MHz\_TnomVnom




EUTY\_2TX  
Setting 14.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0955G	56.11	83.54	-27.43	54.30	1	Vertical	304	1.68	-	37.48	14.07	49.74
AV	20.1019G	42.82	63.54	-20.72	41.00	1	Vertical	304	1.68	-	37.48	14.08	49.74

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6705MHz\_TnomVnom




EUTY\_2TX  
Setting 14.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0971G	55.88	83.54	-27.66	54.07	1	Horizontal	360	1.69	-	37.48	14.07	49.74
AV	20.0906G	42.94	63.54	-20.60	41.14	1	Horizontal	360	1.69	-	37.47	14.07	49.74



802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TnomVnom




EUTY\_2TX  
Setting 16  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7796G	105.83	Inf	-Inf	96.97	3	Vertical	323	1.72	-	36.34	5.70	33.18
RMS	6.7778G	97.43	Inf	-Inf	88.57	3	Vertical	323	1.72	-	36.34	5.70	33.18
PK	7.1576G	61.23	88.20	-26.97	51.60	3	Vertical	323	1.72	-	37.13	5.98	33.48
RMS	7.2044G	51.08	68.20	-17.12	41.31	3	Vertical	323	1.72	-	37.31	6.00	33.54

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6785MHz\_TnomVnom




EUTY\_2TX  
Setting 16  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7832G	102.56	Inf	-Inf	93.71	3	Horizontal	34	3.00	-	36.33	5.70	33.18
RMS	6.7724G	93.21	Inf	-Inf	84.33	3	Horizontal	34	3.00	-	36.36	5.70	33.18
PK	7.154G	61.92	88.20	-26.28	52.29	3	Horizontal	34	3.00	-	37.12	5.98	33.47
RMS	7.2242G	51.09	68.20	-17.11	41.29	3	Horizontal	34	3.00	-	37.35	6.01	33.56

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6785MHz\_TnomVnom




EUTY\_2TX  
Setting 16  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56578G	56.86	88.20	-31.34	42.72	3	Vertical	113	1.27	-	40.20	8.69	34.75
RMS	13.5651G	42.81	68.20	-25.39	28.67	3	Vertical	113	1.27	-	40.20	8.69	34.75

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TnomVnom




EUTY\_2TX  
Setting 16  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56598G	55.97	88.20	-32.23	41.83	3	Horizontal	45	2.81	-	40.20	8.69	34.75
RMS	13.56756G	42.84	68.20	-25.36	28.70	3	Horizontal	45	2.81	-	40.20	8.69	34.75

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6785MHz\_TnomVnom




EUTY\_2TX  
Setting 16  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3661G	58.01	83.54	-25.53	55.94	1	Vertical	270	1.23	-	37.65	14.27	49.85
AV	20.3311G	44.91	63.54	-18.63	42.86	1	Vertical	270	1.23	-	37.63	14.25	49.83

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6785MHz\_TnomVnom




EUTY\_2TX  
Setting 16  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3415G	57.71	83.54	-25.83	55.65	1	Horizontal	15	1.99	-	37.64	14.26	49.84
AV	20.3308G	44.93	63.54	-18.61	42.88	1	Horizontal	15	1.99	-	37.63	14.25	49.83

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUTY\_2TX  
Setting 16.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.872G	107.25	Inf	-Inf	98.20	3	Vertical	284	2.25	-	36.51	5.77	33.23
RMS	6.8734G	98.02	Inf	-Inf	88.97	3	Vertical	284	2.25	-	36.51	5.77	33.23
PK	7.2038G	61.53	88.20	-26.67	51.75	3	Vertical	284	2.25	-	37.31	6.00	33.53
RMS	7.2122G	51.06	68.20	-17.14	41.27	3	Vertical	284	2.25	-	37.32	6.01	33.54

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUTY\_2TX  
Setting 16.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8692G	103.24	Inf	-Inf	94.17	3	Horizontal	347	3.00	-	36.52	5.77	33.22
RMS	6.8692G	93.13	Inf	-Inf	84.06	3	Horizontal	347	3.00	-	36.52	5.77	33.22
PK	7.1366G	61.61	88.20	-26.59	52.10	3	Horizontal	347	3.00	-	36.99	5.97	33.45
RMS	7.2038G	51.07	68.20	-17.13	41.29	3	Horizontal	347	3.00	-	37.31	6.00	33.53




**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUTY\_2TX  
 Setting 16.5  
 04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73358G	58.40	88.20	-29.80	44.14	3	Vertical	83	1.46	-	40.43	8.65	34.82
RMS	13.72546G	44.38	68.20	-23.82	30.11	3	Vertical	83	1.46	-	40.43	8.65	34.81


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUTY\_2TX  
 Setting 16.5  
 04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73134G	57.96	88.20	-30.24	43.70	3	Horizontal	58	2.87	-	40.43	8.65	34.82
RMS	13.72748G	44.41	68.20	-23.79	30.15	3	Horizontal	58	2.87	-	40.43	8.65	34.82


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUTY\_2TX  
 Setting 16.5  
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5704G	57.73	83.54	-25.81	55.39	1	Vertical	220	2.71	-	37.78	14.43	49.87
AV	20.5707G	43.65	63.54	-19.89	41.31	1	Vertical	220	2.71	-	37.78	14.43	49.87

**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_2TX  
 Setting 16.5  
 04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5802G	56.58	83.54	-26.96	54.21	1	Horizontal	172	2.03	-	37.80	14.44	49.87
AV	20.5718G	43.67	63.54	-19.87	41.32	1	Horizontal	172	2.03	-	37.79	14.43	49.87

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6945MHz\_TnomVnom




EUTY\_2TX  
Setting 15.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.95G	107.67	Inf	-Inf	98.29	3	Vertical	288	1.80	-	36.80	5.85	33.27
RMS	6.942G	97.04	Inf	-Inf	87.72	3	Vertical	288	1.80	-	36.74	5.84	33.26
PK	7.193G	62.16	88.20	-26.04	52.41	3	Vertical	288	1.80	-	37.27	6.00	33.52
RMS	7.131G	51.12	68.20	-17.08	41.65	3	Vertical	288	1.80	-	36.95	5.97	33.45

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6945MHz\_TnomVnom




EUTY\_2TX  
Setting 15.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.961G	103.80	Inf	-Inf	94.45	3	Horizontal	32	3.00	-	36.76	5.86	33.27
RMS	6.952G	93.24	Inf	-Inf	83.87	3	Horizontal	32	3.00	-	36.79	5.85	33.27
PK	7.148G	62.20	88.20	-26.00	52.62	3	Horizontal	32	3.00	-	37.08	5.97	33.47
RMS	7.195G	51.07	68.20	-17.13	41.31	3	Horizontal	32	3.00	-	37.28	6.00	33.52

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6945MHz\_TnomVnom




EUTY\_2TX  
Setting 15.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89478G	57.48	88.20	-30.72	43.16	3	Vertical	26	2.29	-	40.59	8.62	34.89
RMS	13.89424G	44.18	68.20	-24.02	29.86	3	Vertical	26	2.29	-	40.59	8.62	34.89

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6945MHz\_TnomVnom




EUTY\_2TX  
Setting 15.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89258G	57.88	88.20	-30.32	43.55	3	Horizontal	157	1.51	-	40.59	8.62	34.88
RMS	13.89484G	44.21	68.20	-23.99	29.89	3	Horizontal	157	1.51	-	40.59	8.62	34.89



### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6945MHz\_TnomVnom




EUTY\_2TX  
Setting 15.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8418G	56.68	83.54	-26.86	53.96	1	Vertical	103	2.49	-	37.85	14.63	49.76
AV	20.8185G	44.19	63.54	-19.35	41.46	1	Vertical	103	2.49	-	37.89	14.61	49.77

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6945MHz\_TnomVnom




EUTY\_2TX  
Setting 15.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8294G	57.36	83.54	-26.18	54.64	1	Horizontal	322	2.59	-	37.87	14.62	49.77
AV	20.8189G	44.11	63.54	-19.43	41.38	1	Horizontal	322	2.59	-	37.89	14.61	49.77

802.11ax HEW80\_Nss1,(MCS0)\_2TX

7025MHz\_TnomVnom




EUTY\_2TX  
Setting 16  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0114G	109.73	Inf	-Inf	100.47	3	Vertical	283	1.87	-	36.65	5.91	33.30
RMS	7.0218G	99.75	Inf	-Inf	90.47	3	Vertical	283	1.87	-	36.69	5.91	33.32
PK	7.133G	67.33	88.20	-20.87	57.85	3	Vertical	283	1.87	-	36.96	5.97	33.45
RMS	7.1322G	55.96	68.20	-12.24	46.48	3	Vertical	283	1.87	-	36.96	5.97	33.45

802.11ax HEW80\_Nss1,(MCS0)\_2TX

7025MHz\_TnomVnom




EUTY\_2TX  
Setting 16  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0226G	106.69	Inf	-Inf	97.41	3	Horizontal	23	2.92	-	36.69	5.91	33.32
RMS	7.0226G	95.83	Inf	-Inf	86.55	3	Horizontal	23	2.92	-	36.69	5.91	33.32
PK	7.1314G	64.15	88.20	-24.05	54.68	3	Horizontal	23	2.92	-	36.95	5.97	33.45
RMS	7.1322G	53.58	68.20	-14.62	44.10	3	Horizontal	23	2.92	-	36.96	5.97	33.45

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 7025MHz\_TnomVnom




EUTY\_2TX  
Setting 16  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04886G	59.21	88.20	-28.99	44.62	3	Vertical	30	1.73	-	40.90	8.61	34.92
RMS	14.05484G	45.55	68.20	-22.65	30.96	3	Vertical	30	1.73	-	40.90	8.61	34.92

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 7025MHz\_TnomVnom




EUTY\_2TX  
Setting 16  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05214G	59.21	88.20	-28.99	44.62	3	Horizontal	260	1.77	-	40.90	8.61	34.92
RMS	14.05474G	45.59	68.20	-22.61	31.00	3	Horizontal	260	1.77	-	40.90	8.61	34.92

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 7025MHz\_TnomVnom




EUTY\_2TX  
Setting 16  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0523G	55.46	83.54	-28.08	52.76	1	Vertical	109	2.43	-	37.60	14.79	49.69
AV	21.0545G	41.78	63.54	-21.76	39.08	1	Vertical	109	2.43	-	37.60	14.79	49.69

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 7025MHz\_TnomVnom




EUTY\_2TX  
Setting 16  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0606G	54.93	83.54	-28.61	52.22	1	Horizontal	138	1.81	-	37.60	14.80	49.69
AV	21.05G	41.66	63.54	-21.88	38.96	1	Horizontal	138	1.81	-	37.60	14.79	49.69



### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6025MHz\_TnomVnom




EUTY\_2TX  
Setting 17.5  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	76.61	88.20	-11.59	69.55	3	Vertical	296	1.80	-	35.05	5.36	33.35
RMS	5.9226G	65.49	68.20	-2.71	58.44	3	Vertical	296	1.80	-	35.04	5.36	33.35
PK	6.0426G	109.02	Inf	-Inf	101.53	3	Vertical	296	1.80	-	35.40	5.44	33.35
RMS	5.993G	98.83	Inf	-Inf	91.44	3	Vertical	296	1.80	-	35.37	5.40	33.38

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TnomVnom




EUTY\_2TX  
Setting 17.5  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	70.42	88.20	-17.78	63.43	3	Horizontal	19	2.95	-	34.97	5.36	33.34
RMS	5.9178G	59.02	68.20	-9.18	52.00	3	Horizontal	19	2.95	-	35.01	5.36	33.35
PK	5.9978G	104.21	Inf	-Inf	96.80	3	Horizontal	19	2.95	-	35.39	5.40	33.38
RMS	5.9962G	94.14	Inf	-Inf	86.74	3	Horizontal	19	2.95	-	35.38	5.40	33.38

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6025MHz\_TnomVnom




EUTY\_2TX  
Setting 17.5  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0454G	55.36	74.00	-18.64	42.41	3	Vertical	358	1.80	-	38.90	8.99	34.94
AV	12.05972G	41.46	54.00	-12.54	28.50	3	Vertical	358	1.80	-	38.90	8.99	34.93

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6025MHz\_TnomVnom




EUTY\_2TX  
Setting 17.5  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05716G	55.30	74.00	-18.70	42.34	3	Horizontal	93	1.80	-	38.90	8.99	34.93
AV	12.05116G	41.25	54.00	-12.75	28.29	3	Horizontal	93	1.80	-	38.90	8.99	34.93

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6025MHz\_TnomVnom




EUTY\_2TX  
Setting 17.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0859G	56.88	83.54	-26.66	55.62	1	Vertical	0	1.67	-	37.63	13.90	50.27
AV	18.0613G	42.88	63.54	-20.66	41.61	1	Vertical	0	1.67	-	37.65	13.90	50.28

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TnomVnom




EUTY\_2TX  
Setting 17.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0564G	56.51	83.54	-27.03	55.24	1	Horizontal	217	2.35	-	37.65	13.90	50.28
AV	18.0637G	42.86	63.54	-20.68	41.58	1	Horizontal	217	2.35	-	37.65	13.90	50.27

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6185MHz\_TnomVnom




EUTY\_2TX  
Setting 18  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	64.07	88.20	-24.13	57.08	3	Vertical	294	1.80	-	34.97	5.36	33.34
RMS	5.9226G	54.44	68.20	-13.76	47.39	3	Vertical	294	1.80	-	35.04	5.36	33.35
PK	6.1322G	109.77	Inf	-Inf	102.09	3	Vertical	294	1.80	-	35.44	5.53	33.29
RMS	6.1626G	99.21	Inf	-Inf	91.44	3	Vertical	294	1.80	-	35.48	5.56	33.27

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TnomVnom




EUTY\_2TX  
Setting 18  
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	62.60	88.20	-25.60	55.58	3	Horizontal	12	2.80	-	35.01	5.36	33.35
RMS	5.9162G	51.39	68.20	-16.81	44.38	3	Horizontal	12	2.80	-	35.00	5.36	33.35
PK	6.2058G	106.22	Inf	-Inf	98.19	3	Horizontal	12	2.80	-	35.67	5.60	33.24
RMS	6.1962G	96.39	Inf	-Inf	88.36	3	Horizontal	12	2.80	-	35.68	5.60	33.25



### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6185MHz\_TnomVnom




EUTY\_2TX  
Setting 18  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37038G	54.98	74.00	-19.02	41.98	3	Vertical	184	1.35	-	38.91	8.93	34.84
AV	12.36956G	41.38	54.00	-12.62	28.38	3	Vertical	184	1.35	-	38.91	8.93	34.84

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6185MHz\_TnomVnom




EUTY\_2TX  
Setting 18  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3692G	55.89	74.00	-18.11	42.89	3	Horizontal	91	1.67	-	38.91	8.93	34.84
AV	12.37478G	41.40	54.00	-12.60	28.39	3	Horizontal	91	1.67	-	38.92	8.93	34.84

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6185MHz\_TnomVnom




EUTY\_2TX  
Setting 18  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5347G	57.30	83.54	-26.24	55.65	1	Vertical	34	2.84	-	37.79	13.93	50.07
AV	18.5333G	43.93	63.54	-19.61	42.28	1	Vertical	34	2.84	-	37.79	13.93	50.07

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6185MHz\_TnomVnom




EUTY\_2TX  
Setting 18  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5483G	56.98	83.54	-26.56	55.32	1	Horizontal	107	2.62	-	37.78	13.93	50.05
AV	18.5332G	43.95	63.54	-19.59	42.30	1	Horizontal	107	2.62	-	37.79	13.93	50.07

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6345MHz\_TnomVnom




EUTY\_2TX  
Setting 18  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.855G	58.45	88.20	-29.75	51.63	3	Vertical	324	1.66	-	34.81	5.33	33.32
RMS	5.921G	48.04	68.20	-20.16	41.00	3	Vertical	324	1.66	-	35.03	5.36	33.35
PK	6.349G	108.75	Inf	-Inf	100.62	3	Vertical	324	1.66	-	35.60	5.67	33.14
RMS	6.319G	98.16	Inf	-Inf	90.06	3	Vertical	324	1.66	-	35.60	5.66	33.16

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6345MHz\_TnomVnom




EUTY\_2TX  
Setting 18  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	58.58	88.20	-29.62	51.62	3	Horizontal	17	2.83	-	34.95	5.35	33.34
RMS	5.907G	47.86	68.20	-20.34	40.91	3	Horizontal	17	2.83	-	34.94	5.35	33.34
PK	6.365G	103.02	Inf	-Inf	94.84	3	Horizontal	17	2.83	-	35.63	5.68	33.13
RMS	6.325G	93.24	Inf	-Inf	85.14	3	Horizontal	17	2.83	-	35.60	5.66	33.16

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TnomVnom




EUTY\_2TX  
Setting 18  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68816G	56.22	74.00	-17.78	42.87	3	Vertical	339	2.16	-	39.25	8.86	34.76
AV	12.69444G	41.53	54.00	-12.47	28.15	3	Vertical	339	2.16	-	39.28	8.86	34.76

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6345MHz\_TnomVnom




EUTY\_2TX  
Setting 18  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69178G	55.84	74.00	-18.16	42.47	3	Horizontal	302	2.30	-	39.27	8.86	34.76
AV	12.68738G	41.57	54.00	-12.43	28.22	3	Horizontal	302	2.30	-	39.25	8.86	34.76



### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6345MHz\_TnomVnom




EUTY\_2TX  
Setting 18  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0247G	54.77	83.54	-28.77	52.45	1	Vertical	157	1.51	-	37.97	13.95	49.60
AV	19.0278G	41.89	63.54	-21.65	39.58	1	Vertical	157	1.51	-	37.97	13.95	49.61

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6345MHz\_TnomVnom




EUTY\_2TX  
Setting 18  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0236G	55.23	83.54	-28.31	52.91	1	Horizontal	39	2.60	-	37.97	13.95	49.60
AV	19.0134G	41.85	63.54	-21.69	39.52	1	Horizontal	39	2.60	-	37.98	13.95	49.60

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_2TX  
Setting 18  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	57.77	88.20	-30.43	50.72	3	Vertical	320	1.67	-	35.04	5.36	33.35
RMS	5.9198G	47.82	68.20	-20.38	40.79	3	Vertical	320	1.67	-	35.02	5.36	33.35
PK	6.519G	110.37	Inf	-Inf	101.84	3	Vertical	320	1.67	-	35.88	5.70	33.05
RMS	6.519G	97.63	Inf	-Inf	89.10	3	Vertical	320	1.67	-	35.88	5.70	33.05
PK	7.1462G	61.11	88.20	-27.09	51.54	3	Vertical	320	1.67	-	37.07	5.97	33.47
RMS	7.1966G	51.17	68.20	-17.03	41.41	3	Vertical	320	1.67	-	37.29	6.00	33.53

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUTV\_2TX  
Setting 18  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	58.14	88.20	-30.06	51.15	3	Horizontal	349	3.00	-	34.97	5.36	33.34
RMS	5.917G	47.83	68.20	-20.37	40.82	3	Horizontal	349	3.00	-	35.00	5.36	33.35
PK	6.547G	102.83	Inf	-Inf	94.20	3	Horizontal	349	3.00	-	35.99	5.70	33.06
RMS	6.5386G	92.84	Inf	-Inf	84.25	3	Horizontal	349	3.00	-	35.95	5.70	33.06
PK	7.1294G	61.94	88.20	-26.26	52.49	3	Horizontal	349	3.00	-	36.94	5.96	33.45
RMS	7.1434G	51.13	68.20	-17.07	41.57	3	Horizontal	349	3.00	-	37.05	5.97	33.46

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUTY\_2TX  
Setting 18  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00556G	57.00	88.20	-31.20	43.20	3	Vertical	156	2.57	-	39.70	8.80	34.70
RMS	13.00664G	42.62	68.20	-25.58	28.82	3	Vertical	156	2.57	-	39.70	8.80	34.70

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUTY\_2TX  
Setting 18  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0096G	56.12	88.20	-32.08	42.32	3	Horizontal	60	2.93	-	39.70	8.80	34.70
RMS	13.01466G	42.67	68.20	-25.53	28.87	3	Horizontal	60	2.93	-	39.70	8.80	34.70

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUTY\_2TX  
Setting 18  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5092G	55.82	83.54	-27.72	53.64	1	Vertical	250	1.01	-	37.90	13.98	49.70
AV	19.5223G	42.49	63.54	-21.05	40.32	1	Vertical	250	1.01	-	37.89	13.98	49.70

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUTY\_2TX  
Setting 18  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4978G	56.03	83.54	-27.51	53.86	1	Horizontal	194	2.82	-	37.90	13.97	49.70
AV	19.514G	42.36	63.54	-21.18	40.19	1	Horizontal	194	2.82	-	37.89	13.98	49.70



802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TnomVnom




EUTY\_2TX  
Setting 17.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6496G	108.06	Inf	-Inf	99.27	3	Vertical	319	1.80	-	36.20	5.70	33.11
RMS	6.6298G	97.13	Inf	-Inf	88.37	3	Vertical	319	1.80	-	36.16	5.70	33.10
PK	7.1446G	61.14	88.20	-27.06	51.57	3	Vertical	319	1.80	-	37.06	5.97	33.46
RMS	7.1974G	51.19	68.20	-17.01	41.43	3	Vertical	319	1.80	-	37.29	6.00	33.53

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TnomVnom




EUTY\_2TX  
Setting 17.5  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6232G	102.77	Inf	-Inf	94.02	3	Horizontal	32	3.00	-	36.15	5.70	33.10
RMS	6.6826G	93.16	Inf	-Inf	84.39	3	Horizontal	32	3.00	-	36.20	5.70	33.13
PK	7.2106G	61.69	88.20	-26.51	51.90	3	Horizontal	32	3.00	-	37.32	6.01	33.54
RMS	7.1952G	51.20	68.20	-17.00	41.44	3	Horizontal	32	3.00	-	37.28	6.00	33.52

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6665MHz\_TnomVnom




EUTY\_2TX  
Setting 17.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32848G	56.27	74.00	-17.73	42.19	3	Vertical	176	1.43	-	40.06	8.73	34.71
AV	13.32532G	42.54	54.00	-11.46	28.47	3	Vertical	176	1.43	-	40.05	8.73	34.71

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TnomVnom




EUTY\_2TX  
Setting 17.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32736G	56.02	74.00	-17.98	41.95	3	Horizontal	344	2.67	-	40.05	8.73	34.71
AV	13.33262G	42.58	54.00	-11.42	28.49	3	Horizontal	344	2.67	-	40.07	8.73	34.71

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TnomVnom




EUTY\_2TX  
Setting 17.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9859G	55.98	83.54	-27.56	54.26	1	Vertical	356	1.83	-	37.42	14.00	49.70
AV	20.0169G	42.61	63.54	-20.93	40.90	1	Vertical	356	1.83	-	37.41	14.01	49.71

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TnomVnom




EUTY\_2TX  
Setting 17.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9918G	56.11	83.54	-27.43	54.40	1	Horizontal	264	2.07	-	37.41	14.00	49.70
AV	19.9705G	42.72	63.54	-20.82	40.97	1	Horizontal	264	2.07	-	37.45	14.00	49.70

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUTY\_2TX  
Setting 19  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8074G	107.61	Inf	-Inf	98.75	3	Vertical	322	1.78	-	36.34	5.71	33.19
RMS	6.809G	97.07	Inf	-Inf	88.20	3	Vertical	322	1.78	-	36.35	5.71	33.19
PK	7.1386G	64.12	88.20	-24.08	54.60	3	Vertical	322	1.78	-	37.01	5.97	33.46
RMS	7.1274G	52.48	68.20	-15.72	43.04	3	Vertical	322	1.78	-	36.92	5.96	33.44

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUTY\_2TX  
Setting 19  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8122G	103.63	Inf	-Inf	94.75	3	Horizontal	30	3.00	-	36.37	5.71	33.20
RMS	6.8426G	93.98	Inf	-Inf	84.89	3	Horizontal	30	3.00	-	36.56	5.74	33.21
PK	7.1338G	63.20	88.20	-25.00	53.71	3	Horizontal	30	3.00	-	36.97	5.97	33.45
RMS	7.1306G	51.54	68.20	-16.66	42.08	3	Horizontal	30	3.00	-	36.94	5.97	33.45



802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUTY\_2TX  
Setting 19  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64822G	58.58	88.20	-29.62	44.39	3	Vertical	174	1.98	-	40.30	8.67	34.78
RMS	13.64662G	44.56	68.20	-23.64	30.38	3	Vertical	174	1.98	-	40.29	8.67	34.78

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUTY\_2TX  
Setting 19  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65356G	58.05	88.20	-30.15	43.85	3	Horizontal	62	1.27	-	40.31	8.67	34.78
RMS	13.6484G	44.59	68.20	-23.61	30.40	3	Horizontal	62	1.27	-	40.30	8.67	34.78

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUTY\_2TX  
Setting 19  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4785G	57.00	83.54	-26.54	54.84	1	Vertical	156	1.01	-	37.69	14.36	49.89
AV	20.4603G	43.98	63.54	-19.56	41.83	1	Vertical	156	1.01	-	37.68	14.35	49.88

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUTY\_2TX  
Setting 19  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4724G	57.47	83.54	-26.07	55.32	1	Horizontal	262	1.44	-	37.69	14.35	49.89
AV	20.456G	43.99	63.54	-19.55	41.85	1	Horizontal	262	1.44	-	37.68	14.34	49.88

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6985MHz\_TnomVnom




EUTY\_2TX  
Setting 17.5  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0106G	109.34	Inf	-Inf	100.09	3	Vertical	283	1.71	-	36.64	5.91	33.30
RMS	6.961G	98.85	Inf	-Inf	89.50	3	Vertical	283	1.71	-	36.76	5.86	33.27
PK	7.129G	78.44	88.20	-9.76	68.99	3	Vertical	283	1.71	-	36.93	5.96	33.44
RMS	7.1306G	67.62	68.20	-0.58	58.16	3	Vertical	283	1.71	-	36.94	5.97	33.45
PK	7.25G	59.40	74.00	-14.60	49.56	3	Vertical	283	1.71	-	37.40	6.03	33.59
AV	7.25G	49.15	54.00	-4.85	39.31	3	Vertical	283	1.71	-	37.40	6.03	33.59

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6985MHz\_TnomVnom




EUTY\_2TX  
Setting 17.5  
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9722G	104.66	Inf	-Inf	95.36	3	Horizontal	29	2.94	-	36.71	5.87	33.28
RMS	6.9818G	94.26	Inf	-Inf	84.99	3	Horizontal	29	2.94	-	36.67	5.88	33.28
PK	7.137G	73.83	88.20	-14.37	64.31	3	Horizontal	29	2.94	-	37.00	5.97	33.45
RMS	7.1322G	62.93	68.20	-5.27	53.45	3	Horizontal	29	2.94	-	36.96	5.97	33.45
PK	7.25G	55.38	74.00	-18.62	45.54	3	Horizontal	29	2.94	-	37.40	6.03	33.59
AV	7.25G	45.76	54.00	-8.24	35.92	3	Horizontal	29	2.94	-	37.40	6.03	33.59

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6985MHz\_TnomVnom




EUTY\_2TX  
Setting 17.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97096G	58.45	88.20	-29.75	43.95	3	Vertical	330	2.64	-	40.81	8.61	34.92
RMS	13.96962G	44.71	68.20	-23.49	30.21	3	Vertical	330	2.64	-	40.81	8.61	34.92

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6985MHz\_TnomVnom




EUTY\_2TX  
Setting 17.5  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96922G	58.05	88.20	-30.15	43.55	3	Horizontal	54	1.11	-	40.81	8.61	34.92
RMS	13.9679G	44.62	68.20	-23.58	30.13	3	Horizontal	54	1.11	-	40.80	8.61	34.92



### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6985MHz\_TnomVnom




EUTY\_2TX  
Setting 17.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9445G	55.59	83.54	-27.95	52.91	1	Vertical	114	3.00	-	37.69	14.71	49.72
AV	20.9317G	42.61	63.54	-20.93	39.93	1	Vertical	114	3.00	-	37.71	14.70	49.73

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6985MHz\_TnomVnom



EUTY\_2TX  
Setting 17.5  
04-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9547G	55.76	83.54	-27.78	53.09	1	Horizontal	330	2.21	-	37.67	14.72	49.72
AV	20.9317G	42.53	63.54	-21.01	39.85	1	Horizontal	330	2.21	-	37.71	14.70	49.73




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	Pass	RMS	7.1255G	67.68	68.20	-0.52	3	Vertical	288	1.72	-

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5955MHz\_TnomVnom




EUTY\_2TX  
Setting 12  
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8754G	60.60	88.20	-27.60	53.74	3	Vertical	291	1.73	-	34.85	5.34	33.33
RMS	5.9234G	49.81	68.20	-18.39	42.76	3	Vertical	291	1.73	-	35.04	5.36	33.35
PK	5.9514G	108.07	Inf	-Inf	100.84	3	Vertical	291	1.73	-	35.21	5.38	33.36
RMS	5.9462G	97.80	Inf	-Inf	90.61	3	Vertical	291	1.73	-	35.18	5.37	33.36

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5955MHz\_TnomVnom




08/12/2021

EUTY\_2TX  
Setting 12  
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9066G	60.79	88.20	-27.41	53.84	3	Horizontal	360	2.68	-	34.94	5.35	33.34
RMS	5.9206G	49.71	68.20	-18.49	42.68	3	Horizontal	360	2.68	-	35.02	5.36	33.35
PK	5.9462G	103.44	Inf	-Inf	96.25	3	Horizontal	360	2.68	-	35.18	5.37	33.36
RMS	5.9458G	95.66	Inf	-Inf	88.48	3	Horizontal	360	2.68	-	35.17	5.37	33.36

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

5955MHz\_TnomVnom




EUTY\_2TX  
Setting 12  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90866G	55.79	74.00	-18.21	42.60	3	Vertical	171	2.11	-	39.17	8.94	34.92
AV	11.90628G	42.43	54.00	-11.57	29.23	3	Vertical	171	2.11	-	39.18	8.93	34.91
PK	17.86742G	59.98	74.00	-14.02	43.08	3	Vertical	112	1.97	-	41.90	9.75	34.75
AV	17.86576G	47.08	54.00	-6.92	30.18	3	Vertical	112	1.97	-	41.90	9.75	34.75

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 5955MHz\_TnomVnom




EUTY\_2TX  
Setting 12  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9053G	56.37	74.00	-17.63	43.17	3	Horizontal	333	1.74	-	39.18	8.93	34.91
AV	11.9063G	42.45	54.00	-11.55	29.25	3	Horizontal	333	1.74	-	39.18	8.93	34.91
PK	17.86744G	60.11	74.00	-13.89	43.21	3	Horizontal	112	1.59	-	41.90	9.75	34.75
AV	17.86574G	47.15	54.00	-6.85	30.25	3	Horizontal	112	1.59	-	41.90	9.75	34.75

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6175MHz\_TnomVnom




EUTY\_2TX  
Setting 8  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	58.20	88.20	-30.00	51.15	3	Vertical	78	1.89	-	35.04	5.36	33.35
RMS	5.925G	47.24	68.20	-20.96	40.18	3	Vertical	78	1.89	-	35.05	5.36	33.35
PK	6.1678G	103.62	Inf	-Inf	95.81	3	Vertical	78	1.89	-	35.51	5.57	33.27
RMS	6.1666G	95.61	Inf	-Inf	87.81	3	Vertical	78	1.89	-	35.50	5.57	33.27



### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

### 6175MHz\_TnomVnom




EUTY\_2TX  
Setting 8  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8774G	58.79	88.20	-29.41	51.93	3	Horizontal	1	2.94	-	34.85	5.34	33.33
RMS	5.9182G	47.23	68.20	-20.97	40.21	3	Horizontal	1	2.94	-	35.01	5.36	33.35
PK	6.169G	98.09	Inf	-Inf	90.28	3	Horizontal	1	2.94	-	35.51	5.57	33.27
RMS	6.1666G	89.89	Inf	-Inf	82.09	3	Horizontal	1	2.94	-	35.50	5.57	33.27

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6175MHz\_TnomVnom




EUTY\_2TX  
Setting 8  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35062G	55.30	74.00	-18.70	42.36	3	Vertical	242	2.05	-	38.85	8.93	34.84
AV	12.3451G	42.00	54.00	-12.00	29.08	3	Vertical	242	2.05	-	38.84	8.93	34.85

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6175MHz\_TnomVnom




EUTY\_2TX  
Setting 8  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.346G	56.12	74.00	-17.88	43.20	3	Horizontal	248	1.96	-	38.84	8.93	34.85
AV	12.35196G	42.04	54.00	-11.96	29.09	3	Horizontal	248	1.96	-	38.86	8.93	34.84

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6175MHz\_TnomVnom




EUTV\_2TX  
Setting 8  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52286G	43.22	83.54	-40.32	41.58	1	Vertical	337	1.51	-	37.79	13.93	50.08
AV	18.52618G	30.11	63.54	-33.43	28.46	1	Vertical	337	1.51	-	37.79	13.93	50.07

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6175MHz\_TnomVnom




EUTY\_2TX  
Setting 8  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52328G	43.17	83.54	-40.37	41.53	1	Horizontal	63	1.57	-	37.79	13.93	50.08
AV	18.52534G	30.12	63.54	-33.42	28.47	1	Horizontal	63	1.57	-	37.79	13.93	50.07

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6415MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9158G	58.01	88.20	-30.19	51.01	3	Vertical	298	1.71	-	34.99	5.36	33.35
RMS	5.9206G	47.19	68.20	-21.01	40.16	3	Vertical	298	1.71	-	35.02	5.36	33.35
PK	6.4198G	103.09	Inf	-Inf	94.82	3	Vertical	298	1.71	-	35.66	5.70	33.09
RMS	6.4222G	93.67	Inf	-Inf	85.40	3	Vertical	298	1.71	-	35.66	5.70	33.09

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6415MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	58.05	88.20	-30.15	51.00	3	Horizontal	0	2.98	-	35.04	5.36	33.35
RMS	5.9062G	47.19	68.20	-21.01	40.24	3	Horizontal	0	2.98	-	34.94	5.35	33.34
PK	6.4246G	97.16	Inf	-Inf	88.90	3	Horizontal	0	2.98	-	35.65	5.70	33.09
RMS	6.4222G	87.31	Inf	-Inf	79.04	3	Horizontal	0	2.98	-	35.66	5.70	33.09

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6415MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82772G	55.68	88.20	-32.52	42.15	3	Vertical	300	2.44	-	39.43	8.83	34.73
RMS	12.8325G	42.26	68.20	-25.94	28.73	3	Vertical	300	2.44	-	39.43	8.83	34.73



802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6415MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8284G	55.64	88.20	-32.56	42.11	3	Horizontal	267	1.21	-	39.43	8.83	34.73
RMS	12.8346G	42.41	68.20	-25.79	28.88	3	Horizontal	267	1.21	-	39.43	8.83	34.73

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6415MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24734G	41.44	83.54	-42.10	39.43	1	Vertical	11	1.54	-	37.70	13.96	49.65
AV	19.24108G	28.62	63.54	-34.92	26.60	1	Vertical	11	1.54	-	37.71	13.96	49.65

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6415MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24108G	41.62	83.54	-41.92	39.60	1	Horizontal	156	1.58	-	37.71	13.96	49.65
AV	19.24628G	28.68	63.54	-34.86	26.67	1	Horizontal	156	1.58	-	37.70	13.96	49.65

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6435MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.902G	58.42	88.20	-29.78	51.50	3	Vertical	41	1.86	-	34.91	5.35	33.34
RMS	5.925G	47.30	68.20	-20.90	40.24	3	Vertical	41	1.86	-	35.05	5.36	33.35
PK	6.4298G	104.59	Inf	-Inf	96.34	3	Vertical	41	1.86	-	35.64	5.70	33.09
RMS	6.4272G	94.78	Inf	-Inf	86.52	3	Vertical	41	1.86	-	35.65	5.70	33.09

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6435MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9228G	58.27	88.20	-29.93	51.22	3	Horizontal	14	2.95	-	35.04	5.36	33.35
RMS	5.9228G	47.34	68.20	-20.86	40.29	3	Horizontal	14	2.95	-	35.04	5.36	33.35
PK	6.4272G	101.12	Inf	-Inf	92.86	3	Horizontal	14	2.95	-	35.65	5.70	33.09
RMS	6.4272G	90.96	Inf	-Inf	82.70	3	Horizontal	14	2.95	-	35.65	5.70	33.09

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6435MHz\_TnomVnom




11/12/2021

EUTY\_2TX  
Setting 11  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87202G	55.65	88.20	-32.55	42.08	3	Vertical	163	1.42	-	39.47	8.83	34.73
RMS	12.86602G	42.46	68.20	-25.74	28.89	3	Vertical	163	1.42	-	39.47	8.83	34.73

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6435MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86764G	55.37	88.20	-32.83	41.80	3	Horizontal	237	1.47	-	39.47	8.83	34.73
RMS	12.8725G	42.51	68.20	-25.69	28.94	3	Horizontal	237	1.47	-	39.47	8.83	34.73

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6435MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3019G	41.78	83.54	-41.76	39.73	1	Vertical	152	1.51	-	37.74	13.97	49.66
AV	19.30852G	28.18	63.54	-35.36	26.12	1	Vertical	152	1.51	-	37.75	13.97	49.66



### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6435MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30574G	40.96	83.54	-42.58	38.91	1	Horizontal	192	1.52	-	37.74	13.97	49.66
AV	19.3074G	28.28	63.54	-35.26	26.22	1	Horizontal	192	1.52	-	37.75	13.97	49.66

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6475MHz\_TnomVnom




EUTV\_2TX  
Setting 11  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	57.89	88.20	-30.31	50.89	3	Vertical	42	1.96	-	34.99	5.36	33.35
RMS	5.9206G	47.47	68.20	-20.73	40.44	3	Vertical	42	1.96	-	35.02	5.36	33.35
PK	6.4834G	103.70	Inf	-Inf	95.32	3	Vertical	42	1.96	-	35.73	5.70	33.05
RMS	6.4834G	93.75	Inf	-Inf	85.37	3	Vertical	42	1.96	-	35.73	5.70	33.05
PK	7.1302G	60.40	88.20	-27.80	50.94	3	Vertical	42	1.96	-	36.94	5.97	33.45
RMS	7.1442G	50.59	68.20	-17.61	41.03	3	Vertical	42	1.96	-	37.05	5.97	33.46

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6475MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9094G	58.11	88.20	-30.09	51.14	3	Horizontal	4	2.93	-	34.96	5.35	33.34
RMS	5.925G	47.40	68.20	-20.80	40.34	3	Horizontal	4	2.93	-	35.05	5.36	33.35
PK	6.4778G	100.35	Inf	-Inf	92.00	3	Horizontal	4	2.93	-	35.71	5.70	33.06
RMS	6.4834G	90.82	Inf	-Inf	82.44	3	Horizontal	4	2.93	-	35.73	5.70	33.05
PK	7.147G	60.76	88.20	-27.44	51.18	3	Horizontal	4	2.93	-	37.08	5.97	33.47
RMS	7.1442G	50.64	68.20	-17.56	41.08	3	Horizontal	4	2.93	-	37.05	5.97	33.46

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6475MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95404G	56.30	88.20	-31.90	42.59	3	Vertical	327	2.52	-	39.61	8.81	34.71
RMS	12.94582G	42.61	68.20	-25.59	28.92	3	Vertical	327	2.52	-	39.59	8.81	34.71

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6475MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94916G	55.46	88.20	-32.74	41.76	3	Horizontal	257	1.12	-	39.60	8.81	34.71
RMS	12.95088G	42.51	68.20	-25.69	28.81	3	Horizontal	257	1.12	-	39.60	8.81	34.71

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6475MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42392G	41.66	83.54	-41.88	39.53	1	Vertical	246	1.55	-	37.84	13.97	49.68
AV	19.42574G	28.41	63.54	-35.13	26.29	1	Vertical	246	1.55	-	37.84	13.97	49.69

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6475MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.427G	41.33	83.54	-42.21	39.21	1	Horizontal	80	1.52	-	37.84	13.97	49.69
AV	19.42222G	28.45	63.54	-35.09	26.32	1	Horizontal	80	1.52	-	37.84	13.97	49.68

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6515MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8178G	58.05	88.20	-30.15	51.44	3	Vertical	287	1.84	-	34.61	5.31	33.31
RMS	5.9214G	47.52	68.20	-20.68	40.48	3	Vertical	287	1.84	-	35.03	5.36	33.35
PK	6.5066G	107.20	Inf	-Inf	98.71	3	Vertical	287	1.84	-	35.83	5.70	33.04
RMS	6.5094G	95.28	Inf	-Inf	86.78	3	Vertical	287	1.84	-	35.84	5.70	33.04
PK	7.1786G	60.73	88.20	-27.47	51.03	3	Vertical	287	1.84	-	37.21	5.99	33.50
RMS	7.145G	50.73	68.20	-17.47	41.16	3	Vertical	287	1.84	-	37.06	5.97	33.46



### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

### 6515MHz\_TnomVnom




EUTV\_2TX  
Setting 11  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	58.01	88.20	-30.19	50.97	3	Horizontal	21	2.91	-	35.03	5.36	33.35
RMS	5.9186G	47.56	68.20	-20.64	40.54	3	Horizontal	21	2.91	-	35.01	5.36	33.35
PK	6.5066G	101.01	Inf	-Inf	92.52	3	Horizontal	21	2.91	-	35.83	5.70	33.04
RMS	6.5094G	91.43	Inf	-Inf	82.93	3	Horizontal	21	2.91	-	35.84	5.70	33.04
PK	7.1674G	61.30	88.20	-26.90	51.64	3	Horizontal	21	2.91	-	37.17	5.98	33.49
RMS	7.1954G	50.80	68.20	-17.40	41.04	3	Horizontal	21	2.91	-	37.28	6.00	33.52

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6515MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.033G	56.59	88.20	-31.61	42.80	3	Vertical	193	2.30	-	39.70	8.79	34.70
RMS	13.0289G	43.50	68.20	-24.70	29.71	3	Vertical	193	2.30	-	39.70	8.79	34.70

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6515MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0265G	57.13	88.20	-31.07	43.34	3	Horizontal	306	2.50	-	39.70	8.79	34.70
RMS	13.0343G	43.69	68.20	-24.51	29.90	3	Horizontal	306	2.50	-	39.70	8.79	34.70

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6515MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5414G	42.11	83.54	-41.43	39.95	1	Vertical	140	1.51	-	37.88	13.98	49.70
AV	19.54418G	29.17	63.54	-34.37	27.01	1	Vertical	140	1.51	-	37.88	13.98	49.70

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6515MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54738G	42.42	83.54	-41.12	40.26	1	Horizontal	281	1.50	-	37.88	13.98	49.70
AV	19.54428G	29.26	63.54	-34.28	27.10	1	Horizontal	281	1.50	-	37.88	13.98	49.70

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6535MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	57.71	88.20	-30.49	50.69	3	Vertical	295	2.72	-	35.01	5.36	33.35
RMS	5.9218G	47.59	68.20	-20.61	40.55	3	Vertical	295	2.72	-	35.03	5.36	33.35
PK	6.5434G	104.28	Inf	-Inf	95.67	3	Vertical	295	2.72	-	35.97	5.70	33.06
RMS	6.5434G	95.16	Inf	-Inf	86.55	3	Vertical	295	2.72	-	35.97	5.70	33.06
PK	7.1958G	62.53	88.20	-25.67	52.77	3	Vertical	295	2.72	-	37.28	6.00	33.52
RMS	7.1958G	50.99	68.20	-17.21	41.23	3	Vertical	295	2.72	-	37.28	6.00	33.52

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8518G	58.46	88.20	-29.74	51.65	3	Horizontal	0	2.98	-	34.80	5.33	33.32
RMS	5.9218G	47.57	68.20	-20.63	40.53	3	Horizontal	0	2.98	-	35.03	5.36	33.35
PK	6.5434G	101.55	Inf	-Inf	92.94	3	Horizontal	0	2.98	-	35.97	5.70	33.06
RMS	6.5434G	91.62	Inf	-Inf	83.01	3	Horizontal	0	2.98	-	35.97	5.70	33.06
PK	7.1846G	61.34	88.20	-26.86	51.62	3	Horizontal	0	2.98	-	37.24	5.99	33.51
RMS	7.1958G	50.94	68.20	-17.26	41.18	3	Horizontal	0	2.98	-	37.28	6.00	33.52

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6535MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07308G	56.71	88.20	-31.49	42.92	3	Vertical	282	1.92	-	39.70	8.79	34.70
RMS	13.06694G	43.48	68.20	-24.72	29.69	3	Vertical	282	1.92	-	39.70	8.79	34.70



802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6535MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07304G	56.37	88.20	-31.83	42.58	3	Horizontal	19	2.46	-	39.70	8.79	34.70
RMS	13.06904G	43.60	68.20	-24.60	29.81	3	Horizontal	19	2.46	-	39.70	8.79	34.70

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6535MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6027G	41.41	83.54	-42.13	39.27	1	Vertical	228	1.57	-	37.86	13.98	49.70
AV	19.60272G	28.60	63.54	-34.94	26.46	1	Vertical	228	1.57	-	37.86	13.98	49.70

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6535MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60232G	41.40	83.54	-42.14	39.26	1	Horizontal	27	1.56	-	37.86	13.98	49.70
AV	19.60778G	28.43	63.54	-35.11	26.29	1	Horizontal	27	1.56	-	37.86	13.98	49.70

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6695MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	105.34	Inf	-Inf	96.56	3	Vertical	76	1.80	-	36.22	5.70	33.14
RMS	6.7038G	96.57	Inf	-Inf	87.79	3	Vertical	76	1.80	-	36.22	5.70	33.14
PK	7.1636G	61.71	88.20	-26.49	52.07	3	Vertical	76	1.80	-	37.15	5.98	33.49
RMS	7.212G	50.95	68.20	-17.25	41.16	3	Vertical	76	1.80	-	37.32	6.01	33.54

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6695MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	102.07	Inf	-Inf	93.30	3	Horizontal	17	2.89	-	36.21	5.70	33.14
RMS	6.7016G	92.92	Inf	-Inf	84.15	3	Horizontal	17	2.89	-	36.21	5.70	33.14
PK	7.135G	61.29	88.20	-26.91	51.79	3	Horizontal	17	2.89	-	36.98	5.97	33.45
RMS	7.2318G	51.01	68.20	-17.19	41.20	3	Horizontal	17	2.89	-	37.36	6.02	33.57

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6695MHz\_TnomVnom




EUTV\_2TX  
Setting 10  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39068G	56.61	74.00	-17.39	42.43	3	Vertical	12	2.35	-	40.18	8.72	34.72
AV	13.39286G	43.75	54.00	-10.25	29.56	3	Vertical	12	2.35	-	40.19	8.72	34.72

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6695MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38514G	56.78	74.00	-17.22	42.61	3	Horizontal	224	1.78	-	40.17	8.72	34.72
AV	13.38876G	43.61	54.00	-10.39	29.43	3	Horizontal	224	1.78	-	40.18	8.72	34.72

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6695MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08538G	41.31	83.54	-42.23	39.51	1	Vertical	75	1.55	-	37.47	14.06	49.73
AV	20.08754G	28.57	63.54	-34.97	26.77	1	Vertical	75	1.55	-	37.47	14.07	49.74



802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6695MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08576G	41.51	83.54	-42.03	39.71	1	Horizontal	181	1.56	-	37.47	14.06	49.73
AV	20.08458G	28.52	63.54	-35.02	26.72	1	Horizontal	181	1.56	-	37.47	14.06	49.73

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6855MHz\_TnomVnom




EUTY\_2TX  
Setting 13  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	108.07	Inf	-Inf	98.95	3	Vertical	291	2.24	-	36.58	5.75	33.21
RMS	6.848G	98.83	Inf	-Inf	89.70	3	Vertical	291	2.24	-	36.59	5.75	33.21
PK	7.1882G	62.05	88.20	-26.15	52.33	3	Vertical	291	2.24	-	37.25	5.99	33.52
RMS	7.1952G	51.08	68.20	-17.12	41.32	3	Vertical	291	2.24	-	37.28	6.00	33.52

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6855MHz\_TnomVnom




EUTY\_2TX  
Setting 13  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	104.22	Inf	-Inf	95.10	3	Horizontal	15	2.86	-	36.58	5.75	33.21
RMS	6.8466G	94.75	Inf	-Inf	85.63	3	Horizontal	15	2.86	-	36.58	5.75	33.21
PK	7.1952G	61.25	88.20	-26.95	51.49	3	Horizontal	15	2.86	-	37.28	6.00	33.52
RMS	7.2036G	51.08	68.20	-17.12	41.30	3	Horizontal	15	2.86	-	37.31	6.00	33.53

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6855MHz\_TnomVnom




EUTY\_2TX  
Setting 13  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70894G	58.34	88.20	-29.86	44.08	3	Vertical	218	2.23	-	40.41	8.66	34.81
RMS	13.70996G	45.27	68.20	-22.93	31.01	3	Vertical	218	2.23	-	40.41	8.66	34.81

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6855MHz\_TnomVnom




EUTY\_2TX  
Setting 13  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70982G	59.16	88.20	-29.04	44.90	3	Horizontal	335	2.37	-	40.41	8.66	34.81
RMS	13.70872G	45.21	68.20	-22.99	30.95	3	Horizontal	335	2.37	-	40.41	8.66	34.81

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6855MHz\_TnomVnom




EUTY\_2TX  
Setting 13  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56082G	42.86	83.54	-40.68	40.55	1	Vertical	186	1.56	-	37.77	14.42	49.88
AV	20.56668G	29.70	63.54	-33.84	27.36	1	Vertical	186	1.56	-	37.78	14.43	49.87

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX


#### 6855MHz\_TnomVnom



EUTY\_2TX  
Setting 13  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56978G	42.46	83.54	-41.08	40.12	1	Horizontal	49	1.57	-	37.78	14.43	49.87
AV	20.56644G	29.59	63.54	-33.95	27.26	1	Horizontal	49	1.57	-	37.78	14.42	49.87

**802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_2TX  
 Setting 12  
 04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8834G	104.28	Inf	-Inf	95.26	3	Vertical	281	2.30	-	36.47	5.78	33.23
RMS	6.8834G	95.77	Inf	-Inf	86.75	3	Vertical	281	2.30	-	36.47	5.78	33.23
PK	7.1258G	61.33	88.20	-26.87	51.90	3	Vertical	281	2.30	-	36.91	5.96	33.44
RMS	7.1426G	51.07	68.20	-17.13	41.52	3	Vertical	281	2.30	-	37.04	5.97	33.46



**802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_2TX  
 Setting 12  
 04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8822G	103.87	Inf	-Inf	94.85	3	Horizontal	14	3.00	-	36.47	5.78	33.23
RMS	6.8834G	95.19	Inf	-Inf	86.17	3	Horizontal	14	3.00	-	36.47	5.78	33.23
PK	7.1738G	62.24	88.20	-25.96	52.55	3	Horizontal	14	3.00	-	37.20	5.99	33.50
RMS	7.1426G	51.04	68.20	-17.16	41.49	3	Horizontal	14	3.00	-	37.04	5.97	33.46

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUTY\_2TX  
Setting 12  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75402G	58.13	88.20	-30.07	43.86	3	Vertical	142	1.82	-	40.45	8.65	34.83
RMS	13.74982G	44.89	68.20	-23.31	30.61	3	Vertical	142	1.82	-	40.45	8.65	34.82

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUTY\_2TX  
Setting 12  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74784G	58.19	88.20	-30.01	43.91	3	Horizontal	92	1.88	-	40.45	8.65	34.82
RMS	13.74832G	44.91	68.20	-23.29	30.63	3	Horizontal	92	1.88	-	40.45	8.65	34.82

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUTY\_2TX  
Setting 12  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62736G	42.86	83.54	-40.68	40.39	1	Vertical	65	1.51	-	37.85	14.47	49.85
AV	20.62398G	30.15	63.54	-33.39	27.68	1	Vertical	65	1.51	-	37.85	14.47	49.85

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUTY\_2TX  
Setting 12  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62674G	43.08	83.54	-40.46	40.61	1	Horizontal	64	1.58	-	37.85	14.47	49.85
AV	20.62398G	30.11	63.54	-33.43	27.64	1	Horizontal	64	1.58	-	37.85	14.47	49.85

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6895MHz\_TnomVnom




EUTY\_2TX  
Setting 12  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9046G	105.00	Inf	-Inf	96.00	3	Vertical	276	2.51	-	36.44	5.80	33.24
RMS	6.9034G	95.64	Inf	-Inf	86.65	3	Vertical	276	2.51	-	36.43	5.80	33.24
PK	7.1254G	62.11	88.20	-26.09	52.69	3	Vertical	276	2.51	-	36.90	5.96	33.44
RMS	7.1434G	51.21	68.20	-16.99	41.65	3	Vertical	276	2.51	-	37.05	5.97	33.46

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6895MHz\_TnomVnom




EUTY\_2TX  
Setting 12  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	103.04	Inf	-Inf	94.05	3	Horizontal	18	3.00	-	36.43	5.80	33.24
RMS	6.8866G	93.38	Inf	-Inf	84.37	3	Horizontal	18	3.00	-	36.45	5.79	33.23
PK	7.1746G	62.16	88.20	-26.04	52.47	3	Horizontal	18	3.00	-	37.20	5.99	33.50
RMS	7.1926G	51.16	68.20	-17.04	41.41	3	Horizontal	18	3.00	-	37.27	6.00	33.52

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6895MHz\_TnomVnom




EUTV\_2TX  
Setting 12  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79374G	57.90	88.20	-30.30	43.61	3	Vertical	269	1.56	-	40.49	8.64	34.84
RMS	13.78536G	44.61	68.20	-23.59	30.32	3	Vertical	269	1.56	-	40.49	8.64	34.84



802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6895MHz\_TnomVnom




EUTV\_2TX  
Setting 12  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79494G	58.44	88.20	-29.76	44.15	3	Horizontal	145	2.83	-	40.49	8.64	34.84
RMS	13.78516G	44.74	68.20	-23.46	30.45	3	Horizontal	145	2.83	-	40.49	8.64	34.84

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6895MHz\_TnomVnom




EUTY\_2TX  
Setting 12  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68398G	43.22	83.54	-40.32	40.62	1	Vertical	319	1.51	-	37.92	14.51	49.83
AV	20.68548G	29.79	63.54	-33.75	27.19	1	Vertical	319	1.51	-	37.92	14.51	49.83

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6895MHz\_TnomVnom




EUTY\_2TX  
Setting 12  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68668G	42.82	83.54	-40.72	40.21	1	Horizontal	74	1.55	-	37.92	14.52	49.83
AV	20.68524G	29.85	63.54	-33.69	27.25	1	Horizontal	74	1.55	-	37.92	14.51	49.83

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

### 6995MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9878G	106.21	Inf	-Inf	96.95	3	Vertical	75	1.57	-	36.65	5.89	33.28
RMS	6.9878G	96.17	Inf	-Inf	86.91	3	Vertical	75	1.57	-	36.65	5.89	33.28
PK	7.1774G	61.71	88.20	-26.49	52.01	3	Vertical	75	1.57	-	37.21	5.99	33.50
RMS	7.1942G	51.19	68.20	-17.01	41.43	3	Vertical	75	1.57	-	37.28	6.00	33.52

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6995MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9862G	100.36	Inf	-Inf	91.09	3	Horizontal	33	2.99	-	36.66	5.89	33.28
RMS	6.987G	91.37	Inf	-Inf	82.11	3	Horizontal	33	2.99	-	36.65	5.89	33.28
PK	7.1286G	61.49	88.20	-26.71	52.04	3	Horizontal	33	2.99	-	36.93	5.96	33.44
RMS	7.1926G	51.21	68.20	-16.99	41.46	3	Horizontal	33	2.99	-	37.27	6.00	33.52

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6995MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99374G	59.46	88.20	-28.74	44.91	3	Vertical	126	1.74	-	40.88	8.60	34.93
RMS	13.99256G	46.10	68.20	-22.10	31.55	3	Vertical	126	1.74	-	40.88	8.60	34.93

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

6995MHz\_TnomVnom




EUTV\_2TX  
Setting 11  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9938G	59.37	88.20	-28.83	44.82	3	Horizontal	272	2.76	-	40.88	8.60	34.93
RMS	13.99494G	46.11	68.20	-22.09	31.56	3	Horizontal	272	2.76	-	40.88	8.60	34.93

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6995MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98128G	42.35	83.54	-41.19	39.69	1	Vertical	99	1.54	-	37.63	14.74	49.71
AV	20.988G	29.39	63.54	-34.15	26.73	1	Vertical	99	1.54	-	37.62	14.74	49.70



### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 6995MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98134G	42.26	83.54	-41.28	39.60	1	Horizontal	287	1.53	-	37.63	14.74	49.71
AV	20.98488G	29.39	63.54	-34.15	26.74	1	Horizontal	287	1.53	-	37.62	14.74	49.71

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 7095MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.087G	105.09	Inf	-Inf	95.81	3	Vertical	316	1.89	-	36.73	5.94	33.39
RMS	7.0866G	96.39	Inf	-Inf	87.11	3	Vertical	316	1.89	-	36.73	5.94	33.39
PK	7.1754G	62.17	88.20	-26.03	52.48	3	Vertical	316	1.89	-	37.20	5.99	33.50
RMS	7.195G	51.29	68.20	-16.91	41.53	3	Vertical	316	1.89	-	37.28	6.00	33.52

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

7095MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0894G	102.77	Inf	-Inf	93.51	3	Horizontal	9	2.96	-	36.72	5.94	33.40
RMS	7.1038G	92.93	Inf	-Inf	83.66	3	Horizontal	9	2.96	-	36.73	5.95	33.41
PK	7.1862G	62.58	88.20	-25.62	52.86	3	Horizontal	9	2.96	-	37.24	5.99	33.51
RMS	7.195G	51.32	68.20	-16.88	41.56	3	Horizontal	9	2.96	-	37.28	6.00	33.52

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

7095MHz\_TnomVnom




EUTV\_2TX  
Setting 11  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.188G	59.25	88.20	-28.95	44.69	3	Vertical	22	2.85	-	40.81	8.65	34.90
RMS	14.18994G	46.06	68.20	-22.14	31.50	3	Vertical	22	2.85	-	40.81	8.65	34.90

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 7095MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18674G	58.98	88.20	-29.22	44.42	3	Horizontal	87	2.51	-	40.81	8.65	34.90
RMS	14.18714G	45.92	68.20	-22.28	31.36	3	Horizontal	87	2.51	-	40.81	8.65	34.90

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 7095MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28882G	43.04	83.54	-40.50	40.06	1	Vertical	329	1.56	-	37.65	14.97	49.64
AV	21.2862G	29.91	63.54	-33.63	26.95	1	Vertical	329	1.56	-	37.64	14.96	49.64

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 7095MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28544G	42.96	83.54	-40.58	40.00	1	Horizontal	282	1.52	-	37.64	14.96	49.64
AV	21.28682G	29.90	63.54	-33.64	26.93	1	Horizontal	282	1.52	-	37.64	14.97	49.64

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

7115MHz\_TnomVnom




EUTY\_2TX  
Setting 12  
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10868G	97.08	Inf	-Inf	87.78	3	Vertical	288	1.72	-	36.77	5.95	33.42
RMS	7.1058G	86.89	Inf	-Inf	77.61	3	Vertical	288	1.72	-	36.75	5.95	33.42
PK	7.1255G	79.81	88.20	-8.39	70.39	3	Vertical	288	1.72	-	36.90	5.96	33.44
RMS	7.1255G	67.68	68.20	-0.52	58.26	3	Vertical	288	1.72	-	36.90	5.96	33.44



### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 7115MHz\_TnomVnom




EUTY\_2TX  
Setting 12  
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1057G	92.29	Inf	-Inf	83.01	3	Horizontal	33	2.72	-	36.75	5.95	33.42
RMS	7.10565G	83.64	Inf	-Inf	74.36	3	Horizontal	33	2.72	-	36.75	5.95	33.42
PK	7.1255G	75.48	88.20	-12.72	66.06	3	Horizontal	33	2.72	-	36.90	5.96	33.44
RMS	7.1255G	65.38	68.20	-2.82	55.96	3	Horizontal	33	2.72	-	36.90	5.96	33.44

802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

7115MHz\_TnomVnom




EUTY\_2TX  
Setting 12  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22872G	58.34	88.20	-29.86	43.83	3	Vertical	294	2.70	-	40.74	8.66	34.89
RMS	14.22714G	45.61	68.20	-22.59	31.09	3	Vertical	294	2.70	-	40.75	8.66	34.89

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 7115MHz\_TnomVnom




EUTY\_2TX  
Setting 12  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22718G	58.63	88.20	-29.57	44.11	3	Horizontal	210	1.73	-	40.75	8.66	34.89
RMS	14.22898G	45.45	68.20	-22.75	30.94	3	Horizontal	210	1.73	-	40.74	8.66	34.89

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 7115MHz\_TnomVnom




EUTY\_2TX  
Setting 12  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34034G	43.12	83.54	-40.42	40.03	1	Vertical	12	1.51	-	37.71	15.01	49.63
AV	21.34954G	30.39	63.54	-33.15	27.29	1	Vertical	12	1.51	-	37.72	15.01	49.63

### 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

#### 7115MHz\_TnomVnom




EUTY\_2TX  
Setting 12  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34178G	43.85	83.54	-39.69	40.76	1	Horizontal	82	1.51	-	37.71	15.01	49.63
AV	21.34282G	30.33	63.54	-33.21	27.24	1	Horizontal	82	1.51	-	37.71	15.01	49.63

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

#### 5965MHz\_TnomVnom




EUTY\_2TX  
Setting 13  
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9182G	60.43	88.20	-27.77	53.41	3	Vertical	294	1.75	-	35.01	5.36	33.35
RMS	5.923G	49.87	68.20	-18.33	42.82	3	Vertical	294	1.75	-	35.04	5.36	33.35
PK	5.955G	106.28	Inf	-Inf	99.04	3	Vertical	294	1.75	-	35.22	5.38	33.36
RMS	5.957G	96.04	Inf	-Inf	88.79	3	Vertical	294	1.75	-	35.23	5.38	33.36

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

#### 5965MHz\_TnomVnom




EUTY\_2TX  
Setting 13  
04-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8906G	60.82	88.20	-27.38	53.93	3	Horizontal	0	2.76	-	34.88	5.35	33.34
RMS	5.9206G	49.69	68.20	-18.51	42.66	3	Horizontal	0	2.76	-	35.02	5.36	33.35
PK	5.9798G	104.29	Inf	-Inf	96.95	3	Horizontal	0	2.76	-	35.32	5.39	33.37
RMS	5.9802G	94.11	Inf	-Inf	86.77	3	Horizontal	0	2.76	-	35.32	5.39	33.37

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

#### 5965MHz\_TnomVnom




EUTY\_2TX  
Setting 13  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93102G	55.88	74.00	-18.12	42.74	3	Vertical	261	2.76	-	39.11	8.95	34.92
AV	11.92512G	42.41	54.00	-11.59	29.26	3	Vertical	261	2.76	-	39.12	8.95	34.92
PK	17.89368G	59.53	74.00	-14.47	42.56	3	Vertical	121	2.22	-	41.98	9.76	34.77
AV	17.89694G	46.53	54.00	-7.47	29.55	3	Vertical	121	2.22	-	41.99	9.76	34.77



### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

#### 5965MHz\_TnomVnom




EUTY\_2TX  
Setting 13  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9261G	55.50	74.00	-18.50	42.35	3	Horizontal	51	2.25	-	39.12	8.95	34.92
AV	11.93364G	42.50	54.00	-11.50	29.37	3	Horizontal	51	2.25	-	39.10	8.95	34.92
PK	17.89498G	59.54	74.00	-14.46	42.57	3	Horizontal	265	1.53	-	41.98	9.76	34.77
AV	17.89476G	46.57	54.00	-7.43	29.60	3	Horizontal	265	1.53	-	41.98	9.76	34.77

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

#### 6165MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9058G	59.15	88.20	-29.05	52.21	3	Vertical	66	1.58	-	34.93	5.35	33.34
RMS	5.9142G	47.91	68.20	-20.29	40.91	3	Vertical	66	1.58	-	34.99	5.36	33.35
PK	6.177G	102.85	Inf	-Inf	94.97	3	Vertical	66	1.58	-	35.56	5.58	33.26
RMS	6.1782G	93.59	Inf	-Inf	85.70	3	Vertical	66	1.58	-	35.57	5.58	33.26

802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

6165MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9166G	58.51	88.20	-29.69	51.50	3	Horizontal	4	2.74	-	35.00	5.36	33.35
RMS	5.9226G	47.89	68.20	-20.31	40.84	3	Horizontal	4	2.74	-	35.04	5.36	33.35
PK	6.1674G	97.29	Inf	-Inf	89.49	3	Horizontal	4	2.74	-	35.50	5.57	33.27
RMS	6.1674G	88.24	Inf	-Inf	80.44	3	Horizontal	4	2.74	-	35.50	5.57	33.27

802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

6165MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32534G	55.20	74.00	-18.80	42.34	3	Vertical	204	2.68	-	38.78	8.93	34.85
AV	12.32744G	42.04	54.00	-11.96	29.18	3	Vertical	204	2.68	-	38.78	8.93	34.85

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

#### 6165MHz\_TnomVnom




EUTY\_2TX  
Setting 11  
04-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3299G	55.65	74.00	-18.35	42.78	3	Horizontal	15	1.03	-	38.79	8.93	34.85
AV	12.3277G	42.19	54.00	-11.81	29.33	3	Horizontal	15	1.03	-	38.78	8.93	34.85

### 802.11ax HEW40-BF\_Nss1,(MCS3)\_2TX

#### 6165MHz\_TnomVnom



EUTY\_2TX  
Setting 11  
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49236G	43.19	83.54	-40.35	41.58	1	Vertical	79	1.51	-	37.79	13.92	50.10
AV	18.4975G	30.04	63.54	-33.50	28.42	1	Vertical	79	1.51	-	37.80	13.92	50.10